

مت؛ اه حال صإو نم آلا لوصولا ءاطخأ فاشك تسأ
حطس مدختسم لبق نم VPN لاصتا ادب
نع مكحتلا ةدحو لاصتا عطق مت دي عب بتكم
؛ لاصتالا عطق&دعب

تايوت حمل

[قمدملا](#)

[قلكشملا](#)

[لحللا](#)

[قلصتا ذات امولعم](#)

قمدملا

حطس مدختسم لبق نم VPN لاصتا ادب مت: "أطخالا حال صإ ةيفيك دن تستملا اذه حضوي
"هب دع ب نع مكحتلا ةدحو لاصتا عطق مت دي عب بتكم".

قلكشملا

ثبلاو لابق تسالا ةدحو" ب (Remote Access VPN) RA-VPN ب لاصتالا مدختسم لواحي ام دن ع
نم آلا Cisco ليمع مالعإ ةقثب نم يف أطخالا ةعابط متت، "نم آلا لوصولاب ةصاخالا

- The VPN connection was started by a remote desktop user whose remote console has been disconnected. It is presumed the VPN routing configuration is responsible for the remote console disconnect. The VPN connection has been disconnected to allow the remote console to connect again. A remote desktop user must wait 90 seconds after VPN establishment before disconnecting the remote console to avoid this condition.

- قوف رقنا Virtual Private Network
- رقنا او هليدعت ديترت يذلا صيصختلا فلم رتخاً Edit

VPN Profiles
A VPN profile allows for configuration of remote user connections through a VPN. [Help](#)

Q Search + Add

name	General	Authentication	Traffic Steering	Secure Client Configuration	Profile URL	Download XML
██████████iVPNprofile	sspt: ██████████oft.com TLS, IKEv2	SAML	Connect to Secure Access 2 Exception(s)	13 Settings	6f1 ██████████iVPNprofile	

Edit

Duplicate

Delete

- قوف رقنا Traffic Steering (Split Tunnel) > Add Exceptions > + Add

General settings
Default Domain: sspt: ██████████oft.com | DNS Server: UmbrellaDNS2
(208.67.222.222, 208.67.220.220) | Protocol: TLS / DTLS, IKEv2

Authentication
SAML

3 Traffic Steering (Split Tunnel)
Connect to Secure Access | 2 Exceptions

Cisco Secure Client Configuration

Traffic Steering (Split Tunnel)

Configure how VPN traffic traverses your network. [Help](#)

Tunnel Mode
Connect to Secure Access

All traffic is steered through the tunnel.

Add Exceptions
Destinations specified here will be steered OUTSIDE the tunnel. + Add

Destinations	Exclude Destinations	Actions
proxy-8 ██████████3.zpc.sse.cisco.com, ztna.sse.cisco.com, acme.sse.cisco.com, devices.api.umbrella.com, sseposture-routing-commercial.k8s.5c10.org, sseposture-routing-commercial.posture.duosecure	-	-

Cancel Back Next

- RDP لاصتا عاشنا ب هلالخ نم تمق يذلا و ك صاخلا IP ناوع ةافاضا

Add Destinations


Comma separated IPs, domains, and network spaces

Cancel

Save

- رابطہ ال Add Destinations لخد Save یلع رقنا

TCP	127.0.0.1:62722	0.0.0.0:0	LISTENING
TCP	127.0.0.1:62722	127.0.0.1:49794	ESTABLISHED
TCP	172.30.1.7:139	0.0.0.0:0	LISTENING
TCP	172.30.1.7:3389	185.15[REDACTED]:12974	ESTABLISHED
TCP	172.30.1.7:49687	52.16.166.193:443	ESTABLISHED
TCP	172.30.1.7:49745	20.42.72.131:443	TIME_WAIT
TCP	172.30.1.7:49755	40.113.110.67:443	ESTABLISHED
TCP	172.30.1.7:49757	23.212.221.139:80	ESTABLISHED
TCP	172.30.1.7:49758	23.48.15.164:443	ESTABLISHED



ناونعب تباث لاصتا هئم دجوي يذلا IP ناونع طحال: `netstat -an` رمأل اارخا نم IP ناونع ىلع روثعلا نكمي: `ظحالم`
3389 ذفنملا ىلإ ديعبلا بتكملا حطسل يلحملا IP

-
- اناثتسالا ةفاضل دعب Next رقنا

- ✓ General settings
Default Domain: ssp[redacted]oft.com | DNS Server: UmbrellaDNS2 (208.67.222.222, 208.67.220.220) | Protocol: TLS / DTLS, IKEv2
- ✓ Authentication
SAML
- 3 Traffic Steering (Split Tunnel)
Connect to Secure Access | 2 Exceptions
- ✓ Cisco Secure Client Configuration

Traffic Steering (Split Tunnel)

Configure how VPN traffic traverses your network. [Help](#)

Tunnel Mode

Connect to Secure Access

All traffic is steered through the tunnel.

Add Exceptions + Add

Destinations specified here will be steered OUTSIDE the tunnel.

Destinations	Exclude Destinations	Actions
185.15[redacted]/32	+ Add	...
proxy-8179183.zpc.sse.cisco.com, ztna.sse.cisco.com, acme.sse.cisco.com, devices.api.umbrella.com, sseposture-routing-commercial.k8s.5c10.org, sse		

Cancel Back Next

- VPN فيرعت فلم ي تاريخي غت Save لى رقا

- ✓ General settings
Default Domain: ssp[redacted]oft.com | DNS Server: UmbrellaDNS2 (208.67.222.222, 208.67.220.220) | Protocol: TLS / DTLS, IKEv2
- ✓ Authentication
SAML
- ✓ Traffic Steering (Split Tunnel)
Connect to Secure Access | 2 Exceptions
- 4 Cisco Secure Client Configuration

Cisco Secure Client Configuration

Select various settings to configure how Cisco Secure Client operates. [Help](#)

Session Settings 3 Client Settings 13 Client Certificate Settings [Download XML](#)

Banner Message
Require user to accept a banner message post authentication

Session Timeout
 days

Session Timeout Alert
 minutes before

Maximum Transmission Unit ⓘ

Cancel Back Save

ةلص تاذ تامولعم

-

[VPN تافى صوت ة فاضا](#)

- [نم آلا لوص ونا مدختسم لىلد](#)
- [Cisco نم تالىزن تلى او ين فلنا معدلا](#)

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسمل اذ ه Cisco ت مچرت
ملاعلاء ان أ عي مچ ي ف ن ي م دخت سمل ل معد ي و تح م مي دقت ل ة ي رش ب ل و
امك ة ق ي قد ن و ك ت ن ل ة ي ل أ ة مچرت ل ض ف أ ن أ ة ظ حال م ي ج ر ي . ة ص ا خ ل م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه
ي ل ا م ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص أ ل ا ي ز ي ل ج ن ا ل ا دن تسمل ا