

لحل - 2.12.0.1 رادصإلإ تاديدهتلا ةكبش زاهج RADIUS 2.12.2 أطخل ليدبلا

تايوتحمل

[ةمدقملا](#)

[ةلكشملا](#)

[لحل](#)

[ءارجالا](#)

ةمدقملا

ةقداصم معد رسكي أطخ لاخذإ مت، 2.12.2 - 2.12.0.1 رادصإلإ نيپ تاديدهتلا ةكبش زاهج يف RADIUS.

ييلاتلا جم انربلا رادصإ يف مئاد حالصإ ريفوت متيس.

ليغشتلا ةداعإ ىتح لوعفملا يراس نوكي يذلاو، ريصقلا تقولا ل حالصإ لةق اقملا هذه شقان تلس لخدم لىل لوصولا قح مدختسملا ىدل ناك اذا ليدبلا لحل اذه قيبطت نكمي. ةييلاتلا (م اظنلا ةقداصم وأ RADIUS ةقداصم مادختسال ةقداصملا نيوك ت ضارت فاب) Opadmin

رادصإلإ ىرحتي نأ TAC ةلاح تقولخ ءاجر، OpenAdmin لىل ذفنم لمعتسملا ىقوتى ال نإ

ةلكشملا

Opadmin نم لك لخدم ل RADIUS ةقداصم لمعت ال، 2.12.2 و 2.12.0.1 نيپ ام لىل ةيقرتلا دعب Clean Interface.

لحل

موقت يتلا، JSON قئاثو — "ةعقوملا رماوالا" ل معدلا ةفاضإ مت، 2.12.1 زاهجالا يف (ذيفنتلا رما > معدلا) opadmin لىل اهتيذغت دنع، رذجك ةنيعم رماوالا ليغشتب

[. ةييلاتلا ليغشتلا ةداعإ ىتح أطخلا اذهل ليدب لحي ذيفنت اننكمي، عقوملا رمالا مادختساب [2.12.3] يف أطخلا اذه حالصإ مت

ءارجالا

زاهجالا ليغشت ةداعإب مق لىل ةوطخك.

- ةييلاتلا تامي لتال عبتا مت نمو

Opadmin لخدم مادختسا

1. حفصتو، م اظنلا ةقداصم ةقيرط مادختساب Opadmin لخدم لىل لوخدلا ليچست. 1. ذيفنت رما > معدلا لىل لوصحلل

2. هذيفنتب مقوي لالتل رمالا خسنا:

```
-----BEGIN PGP SIGNED MESSAGE----- X-Padding: TG-Proprietary-v1 {"command":["/usr/bin/bash","-c","set -e\nmkdir -p -- /run/systemd/system/radialjacket.service.d\nncat >/run/systemd/system/radialjacket.service.d/fix-execstart.conf <<'EOF'\n[Service]\nExecStart=\nExecStart=/usr/bin/with-custom-resolver /etc/resolv.conf-integration.d /usr/bin/without-mounts --fs-type=nfs --fs-type=nfs4 --fs-type=fuse --fs-type=fuse.gocryptfs -- setpriv --reuid=integration --regid=integration --inh-caps=-all --clear-groups -- /usr/bin/radialjacket -c client.crt -k client.key -r server-ca.crt -e ${host}\nEOF\nnsed -i -e s@authmode@auth_mode@ /opt/appliance-config/ansible/sandcastle.confdir.d/!pre-run/generate-face-json\ntouch /etc/conf.d/radialjacket.conf\nset +e\n\nretval=0\nsystemctl daemon-reload || (( retval |= $? ))\nsystemctl restart config-template@sandcastle || (( retval |= $? ))\nsystemctl reload --no-block opadmin || (( retval |= $? ))\nsystemctl restart tg-face radialjacket || (( retval |= $? ))\n\nnext \"\$retval\" ], \"environment\": { \"PATH\": \"/bin:/usr/bin\" }, \"restrictions\": { \"version-not-after\": \"2020.04.20210209T215219\", \"version-not-before\": \"2020.04.2021023T235216.srchash.3b87775455e9.rel\" } } -----BEGIN PGP SIGNATURE----- wsBcBAABCAAQBQJgR41LCRBGH+fCiPqfvgAArtQIAHCYjCwfBtZNA+pDAnlNqI5zHt8WO38jmlCL gWFPnYkTZH/z8JbMMsxYOrLmV+cj8sc0SKlIGUP+i8DDXh01JQCmIhGLbXtGEFqHTeizEWt7Cjxx XjnG2BOZxr2wBtS7xTxfv5v8hA5bVTf+dd0rJHy0zgmfKI4KDvAF1i0DBuOQj+qGPo324j+Lr7uB 7UfnP2mCYpgoqzalUmseCfip+F45CXZNkUKReH4nId7wnln+51cSj++i2bVued0juSOQIib+jId7 ZlfcgWbTkN2UbTclWjArPjdemZcG5Sbsg2k/lSzkf6ni2kfu2PKe0tJjd0zMj1MqSkeSTaVOQH7e 6Sk= -----END PGP SIGNATURE-----
```

3. (مكحتل ةدحو) tgsh نم 'late-tmpfiles.service' لئغشت ةداع|

```
service restart late-tmpfiles.service
```


4. (مكحتل ةدحو) tgsh نم 'tg-face.service' لئغشت ةداع|

```
service restart tg-face.service
```

مكحتل ةدحو مادختسا:

عقوم لال رمالا ذيفنت نكمي، Apple (TGSH) مكحت ةدحو لى لوصولا قح مدختسم لى ناك اذا - مكحتل ةدحو نم هالعا

'مكحتل ةدحو' دح، (Opadmin ةهجاو) زاهجال مكحت ةدحو لى لوخدلا لاجس



زاهج في مكحتلا ةدحو

ةيامحل ةكبش

GraphQL ةهجو ءدبل 'graphql' رمأل ليغشت

```

Welcome to the ThreatGrid Shell.
For help, type "help" then enter.
[>> graphql
graphql>

```

GraphQL ةهجو

- Enter حاتملا لىلع طغضا . تاموسرلا ةهجو في قصلو لياتلا خس ن رمأ

```

mutation ExecuteCommand() {
  job: ExecuteCommand(execute: "-----BEGIN PGP SIGNED MESSAGE-----\nX-
  Padding: TG-Proprietary-v1\n\n{\\"command\\": [\\"/usr/bin/bash\\", \\"-c\\", \\"set -e\\nmkdir -p --
  /run/systemd/system/radialjacket.service.d\\ncat
  >/run/systemd/system/radialjacket.service.d/fix-execstart.conf
  <<'EOF'\n\n[Service]\n\nExecStart=\n\nExecStart=/usr/bin/with-custom-resolver /etc/resolv.conf-
  integration.d /usr/bin/without-mounts --fs-type=nfs --fs-type=nfs4 --fs-type=fuse --fs-
  type=fuse.gocryptfs -- setpriv --reuid=integration --regid=integration --inh-caps=all --clear-
  groups -- /usr/bin/radialjacket -c client.crt -k client.key -r server-ca.crt -e
  ${host}\n\nEOF\n\nsed -i -e s@authmode@auth_mode@ /opt/appliance-
  config/ansible/sandcastle.confdir.d/!pre-run/generate-face-json\ntouch
  /etc/conf.d/radialjacket.conf\n\nset +e\n\n\nretval=0\n\nsystemctl daemon-reload || (( retval |=
  $? ))\n\nsystemctl restart config-template@sandcastle || (( retval |= $? ))\n\nsystemctl reload --
  no-block opadmin || (( retval |= $? ))\n\nsystemctl restart tg-face radialjacket || (( retval |=
  $? ))\n\nexit
  \\\\"$retval\\\""}, \\"environment\\": { \\"PATH\\": \\"/bin:/usr/bin\\\" }, \\"restrictions\\": { \\"version-not-
  after\\": \\"2020.04.20210209T215219\\\", \\"version-not-
  before\\": \\"2020.04.2021023T235216.srchash.3b87775455e9.rel\\\"}}\n-----BEGIN PGP SIGNATURE-----
  \n\nwsBcBAABCAAQBQJgr41LCRBGH+fCiPqfvgaAArtQIAHCYjCwfbtZNA+pDanlNqI5zht8W038jmlCLngWFPnYkTZH/z8J
  bMmsxYOrLmV+cj8sc0SKlIGUP+i8DDXh01JQcmIhGLbXtGEFqHteizEwt7Cjxx\nXjnG2BOZxR2wBtS7xTxfV5v8hA5bVTF+
  dd0rJHy0zgmfKI4KdVAFli0DBuOQj+qGp0324j+Lr7uB\n7UfnP2mCYpgoqzalUmseCfip+F45CXZNkUKReH4nId7wnln+51
  cSj++i2bVued0juSOQIib+jId7\nZlfcgWbTKn2UbtclWjArPjdemZcG5Sbsg2k/lSzkf6ni2kfu2PKe0tJjd0zMjlmqSkeS
  TaVOQH7e\n6Sk=\n-----END PGP SIGNATURE-----\n") {
    Type UUID Result { Errors { Field Message
    __typename } Warnings { Field Message __typename } __typename } __typename } }

```

- UUID فلتختسو ، لياتلا جارخال ةهباشم تاجرخم ىرتس

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت
ملاعلاء انء مء مء نمة دختسمل معد و تمة مء دقتل ةر شبل او
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب
Cisco ةلخت. فرتمة مچرت مء دقء ةل ةل ةفارتحال ةمچرتل عم لاعل او
ىل إأمءءاد ءوچرلاب ةصوء و تامةرتل هذه ةقء نء اهءل وئس م Cisco
Systems (رفوتم طبارل) ةلصلأل ةزءل ءنل دن تسمل