Open Source Used In AppDynamics EUM On-Prem 23.7.0-Windows

Cisco Systems, Inc.
www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1685300145

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this form.

In your requests please include the following reference number 78EE117C99-1685300145

Contents

1.1 ant 1.7.1
1.1.1 Available under license
1.2 javax-inject 1
1.2.1 Available under license
1.3 commons-exec 1.0.1
1.3.1 Available under license
1.4 protobuf 2.6.1
1.4.1 Available under license
1.5 geoip-api 1.2.11
1.5.1 Available under license
1.6 commons-collections 3.2.2
1.6.1 Available under license
1.7 annotations 3.0.1
1.7.1 Available under license
1.8 httpasyncclient 4.1.1
1.8.1 Available under license
1.9 httpcore-nio 4.4.4
1.9.1 Available under license
1.10 logback-core 1.2.3
1.10.1 Available under license
1.11 annotations 13.0
1.11.1 Available under license
1.12 hdrhistogram 2.1.9
1.12.1 Available under license
1.13 assertj-core 3.9.1
1.13.1 Available under license

1.14 jboss-logging 3.3.2.Final
1.14.1 Available under license
1.15 antlr-runtime 4.6
1.16 animal-sniffer-annotation 1.17
1.17 httpcomponents-core 4.4.10
1.17.1 Available under license
1.18 derby 10.14.2.0
1.18.1 Available under license
1.19 failureaccess 1.0.1
1.20 hikaricp-java7 2.4.13
1.20.1 Available under license
1.21 commons-pool 2.6.2
1.22 j2objc-annotations 1.3
1.22.1 Available under license
1.23 commons-collections 4.4
1.23.1 Available under license
1.24 janino 2.6.1
1.25 hystrix-core 1.5.12
1.26 jaxb-api 2.3.1
1.26.1 Available under license
1.27 commons-io 2.6
1.27.1 Available under license
1.28 proto-google-common-protos 1.12.0
1.29 okhttp 2.7.5
1.29.1 Available under license
1.30 jopt-simple 5.0.2
1.31 guice 4.0
1.31.1 Available under license
1.32 commons-compiler 2.6.1
1.33 istack-commons 2.13
1.34 guice-assistedinject 4.0
1.34.1 Available under license
1.35 archaius-core 0.6.6
1.36 jsr305 3.0.1
1.37 guice-multibindings 4.0
1.37.1 Available under license
1.38 commons-beanutils 1.9.4
1.38.1 Available under license
1.39 hamcrest 1.3

1.39.1 Available under license
1.40 apiguardian-api 1.1.0
1.40.1 Available under license
1.41 httpcomponents-client 4.5.6
1.41.1 Available under license
1.42 derby 10.14.2000000.1828579
1.42.1 Available under license
1.43 grpc-context 1.24.0
1.43.1 Available under license
1.44 grpc-api 1.24.0
1.44.1 Available under license
1.45 big-math 2.0.0
1.45.1 Available under license
1.46 jaxb-core 2.2.6
1.46.1 Available under license
1.47 libevent 2.1.11
1.47.1 Available under license
1.48 guice 4.0.0
1.48.1 Available under license
1.49 mime-pull 1.9.13
1.49.1 Available under license
1.50 commons-compress 1.20
1.50.1 Available under license
1.51 quartz 2.3.2
1.51.1 Available under license
1.52 feign-core 8.15.1
1.52.1 Available under license
1.53 feign-jackson 8.15.1
1.53.1 Available under license
1.54 mecab 0.996
1.54.1 Available under license
1.55 jedis 3.3.0
1.55.1 Available under license
1.56 guice 4.2.3
1.56.1 Available under license
1.57 guice-assistedinject 4.2.3
1.57.1 Available under license
1.58 guice-multibindings 4.2.3
1.58.1 Available under license

1.59 activation 1.1.1
1.59.1 Available under license
1.60 t-digest 3.2
1.60.1 Available under license
1.61 jctools-core 3.1.0
1.61.1 Available under license
1.62 guice-grapher 3.0
1.62.1 Available under license
1.63 mysql-jdbc 8.0.22
1.63.1 Available under license
1.64 annotations 3.0.0
1.64.1 Available under license
1.65 aop-alliance 1.0
1.65.1 Available under license
1.66 javax-annotation-api 1.2-b01
1.66.1 Available under license
1.67 okio 2.5.0
1.67.1 Available under license
1.68 rxjava 1.3.0
1.68.1 Available under license
1.69 juel-api 2.2.7
1.69.1 Available under license
1.70 commons-io 2.4
1.70.1 Available under license
1.71 lombok 1.18.12
1.71.1 Available under license
1.72 commons-lang3 2.6
1.72.1 Available under license
1.73 commons-configuration 1.8
1.73.1 Available under license
1.74 jcommander 1.78
1.74.1 Available under license
1.75 commons-logging 1.2
1.75.1 Available under license
1.76 commons-cli 1.4
1.76.1 Available under license
1.77 jakarta-annotation-api 1.3.5
1.77.1 Available under license
1.78 commons-codec 1.14

1.78.1 Available under license
1.79 classmate 1.5.1
1.79.1 Available under license
1.80 jakarta-validation-api 2.0.2
1.80.1 Available under license
1.81 jakarta-ws-rs-api 2.1.6
1.81.1 Available under license
1.82 joda-time 2.10.8
1.82.1 Available under license
1.83 javax-ws-rs-api 2.0.1
1.83.1 Available under license
1.84 jakarta-servlet-api 4.0.4
1.84.1 Available under license
1.85 javax-el-api 3.0.0
1.85.1 Available under license
1.86 commons-cli 1.3.1
1.86.1 Available under license
1.87 hk2-locator 2.6.1
1.87.1 Available under license
1.88 aopalliance-repackaged 2.6.1
1.88.1 Available under license
1.89 hk2-utils 2.6.1
1.89.1 Available under license
1.90 hk2-api 2.6.1
1.90.1 Available under license
1.91 resourcelocator 1.0.3
1.91.1 Available under license
1.92 jakarta-inject 2.6.1
1.92.1 Available under license
1.93 joda-time 2.10.1
1.93.1 Available under license
1.94 commons-net 3.3
1.94.1 Available under license
1.95 hibernate-validator 6.1.7.Final
1.95.1 Available under license
1.96 javassist 3.24.1-GA
1.96.1 Available under license
1.97 lombok 1.16.6
1.97.1 Available under license

1.98 juel 2.2.7
1.98.1 Available under license
1.99 jersey-metainf-services 2.33
1.99.1 Available under license
1.100 lz4 1.9.3
1.100.1 Available under license
1.101 jline 2.14.6
1.101.1 Available under license
1.102 opentest4j 1.2.0
1.102.1 Available under license
1.103 re2j 1.2
1.103.1 Available under license
1.104 antlr 4.6
1.104.1 Available under license
1.105 commons-dbutils 1.5
1.105.1 Available under license
1.106 xz-java 1.9
1.106.1 Available under license
1.107 activation-api 1.2.0
1.107.1 Available under license
1.108 kotlin 1.3.70
1.108.1 Available under license
1.109 commons-lang3 3.12.0
1.109.1 Available under license
1.110 picocli 4.6.1
1.110.1 Available under license
1.111 jakarta xml bind api 2.3.3
1.111.1 Available under license
1.112 jul-to-slf4j 1.7.32
1.112.1 Available under license
1.113 asm 9.2
1.113.1 Available under license
1.114 jcl-over-slf4j 1.7.32
1.114.1 Available under license
1.115 okhttp 4.5.0
1.115.1 Available under license
1.116 log4j-over-slf4j 1.7.32
1.116.1 Available under license
1.117 jersey-hk2 2.35

1.117.1 Available under license
1.118 ant-junit 1.10.11
1.118.1 Available under license
1.119 junit 4.13.2
1.119.1 Available under license
1.120 jackson 2.14.1
1.120.1 Available under license
1.121 activation-api 1.1.1
1.121.1 Available under license
1.122 junit-jupiter-engine 5.7.2
1.122.1 Available under license
1.123 junit-platform-engine 1.7.2
1.123.1 Available under license
1.124 junit-jupiter-api 5.7.2
1.124.1 Available under license
1.125 junit-platform-commons 1.7.2
1.125.1 Available under license
1.126 jersey-bean-validation 2.33
1.126.1 Available under license
1.127 groovy 3.0.9
1.127.1 Available under license
1.128 groovy-json 3.0.9
1.128.1 Available under license
1.129 groovy-xml 3.0.9
1.129.1 Available under license
1.130 groovy-nio 3.0.9
1.130.1 Available under license
1.131 jersey-client 2.35
1.131.1 Available under license
1.132 jersey-container-servlet 2.35
1.132.1 Available under license
1.133 jersey-container-servlet-core 2.35
1.133.1 Available under license
1.134 jersey 2.35
1.134.1 Available under license
1.135 jersey-common 2.35
1.135.1 Available under license
1.136 jersey-server 2.35
1.136.1 Available under license

1.137 ant 1.10.12
1.137.1 Available under license
1.138 jersey-media-multipart 2.35
1.138.1 Available under license
1.139 jersey-entity-filtering 2.35
1.139.1 Available under license
1.140 jersey-apache-connector 2.35
1.140.1 Available under license
1.141 jersey-media-json-jackson 2.35
1.141.1 Available under license
1.142 jackson 2.15.0
1.142.1 Available under license
1.143 jna 5.10.0
1.143.1 Available under license
1.144 ant-launcher 1.10.12
1.144.1 Available under license
1.145 javassist 3.28.0-GA
1.145.1 Available under license
1.146 javax-el 3.0.0
1.146.1 Available under license
1.147 argparse 0.8.1
1.147.1 Available under license
1.148 jetty-setuid-java 1.0.4
1.148.1 Available under license
1.149 profiler 1.1.1
1.149.1 Available under license
1.150 jackson-module-afterburner 2.10.5
1.150.1 Available under license
1.151 hppc 0.8.1
1.151.1 Available under license
1.152 mchange-commons-java 0.2.15
1.152.1 Available under license
1.153 txw2 20110809
1.153.1 Available under license
1.154 metrics-jmx 4.1.29
1.154.1 Available under license
1.155 reflections 0.9.10
1.155.1 Available under license
1.156 jakarta-el 3.0.4

1.156.1 Available under license
1.157 jpowershell 2.0
1.157.1 Available under license
1.158 groovy-test 3.0.9
1.158.1 Available under license
1.159 groovy-datetime 3.0.9
1.159.1 Available under license
1.160 ant-antlr 1.10.11
1.160.1 Available under license
1.161 jhardware 0.8.6
1.161.1 Available under license
1.162 groovy-sql 3.0.9
1.162.1 Available under license
1.163 groovy-docgenerator 3.0.9
1.163.1 Available under license
1.164 groovy-groovydoc 3.0.9
1.164.1 Available under license
1.165 groovy-swing 3.0.9
1.165.1 Available under license
1.166 junit-platform-launcher 1.7.2
1.166.1 Available under license
1.167 groovy-dateutil 3.0.9
1.167.1 Available under license
1.168 wmi4java 1.6.2
1.168.1 Available under license
1.169 qdox 1.12.1
1.169.1 Available under license
1.170 auto-common 0.10
1.170.1 Available under license
1.171 c3p0 0.9.5.4
1.171.1 Available under license
1.172 logback-access 1.2.11
1.172.1 Available under license
1.173 logback-core 1.2.11
1.173.1 Available under license
1.174 metrics-annotation 4.2.9
1.174.1 Available under license
1.175 javaip 0.17
1.175.1 Available under license

1.176 metrics 4.2.9
1.176.1 Available under license
1.177 error_prone_annotations 2.11.0
1.177.1 Available under license
1.178 kotlin 1.3.70-release-328
1.178.1 Available under license
1.179 guava 31.1-jre
1.179.1 Available under license
1.180 metrics-health-checks 4.2.9
1.180.1 Available under license
1.181 dropwizard-auth-ldap 1.0.4
1.181.1 Available under license
1.182 cyrus-sasl 2.1.28
1.182.1 Notifications
1.182.2 Available under license
1.183 servlet-api 3.1.0
1.183.1 Available under license
1.184 activation-api 1.2.2
1.184.1 Available under license
1.185 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava
1.185.1 Available under license
1.186 ant-jsch 1.10.12
1.186.1 Available under license
1.187 cglib 3.3.0
1.187.1 Available under license
1.188 jsoup 1.15.3
1.188.1 Available under license
1.189 log4j-api 2.19.0
1.189.1 Available under license
1.190 zlib 1.2.13
1.190.1 Available under license
1.191 apache-commons-text 1.10.0
1.191.1 Available under license
1.192 jsch 0.2.4
1.192.1 Available under license
1.193 open-csv 5.7.1
1.193.1 Available under license
1.194 dropwizard-util 2.0.34
1.194.1 Available under license

1.195 dropwizard-validation 2.0.34
1.195.1 Available under license
1.196 dropwizard-jackson 2.0.34
1.196.1 Available under license
1.197 dropwizard-configuration 2.0.34
1.197.1 Available under license
1.198 lz4 1.9.4
1.198.1 Available under license
1.199 jackson-datatype-jsr310 2.14.1
1.199.1 Available under license
1.200 jackson-annotations 2.14.1
1.200.1 Available under license
1.201 jackson-databind 2.14.1
1.201.1 Available under license
1.202 bouncy-castle 1.72
1.202.1 Available under license
1.203 jackson-dataformat-yaml 2.14.1
1.203.1 Available under license
1.204 jackson-datatype-jdk8 2.14.1
1.204.1 Available under license
1.205 jackson-module-parameter-names 2.14.1
1.205.1 Available under license
1.206 jackson-datatype-joda 2.14.1
1.206.1 Available under license
1.207 jackson-datatype-guava 2.14.1
1.207.1 Available under license
1.208 slf4j 1.7.36
1.208.1 Available under license
1.209 commons-net 3.9.0
1.209.1 Available under license
1.210 jaxb2-reflection 2.2.6
1.210.1 Available under license
1.211 gson 2.10.1
1.211.1 Available under license
1.212 mysql 5.7.41
1.212.1 Available under license
1.213 logback-throttling-appender 1.1.7
1.213.1 Available under license
1.214 metrics-servlets 4.1.29

1.214.1 Available under license
1.215 metrics-logback 4.1.29
1.215.1 Available under license
1.216 metrics-jetty 4.1.29
1.216.1 Available under license
1.217 metrics-json 4.1.29
1.217.1 Available under license
1.218 metrics-jersey2 4.1.29
1.218.1 Available under license
1.219 metrics-caffeine 4.1.29
1.219.1 Available under license
1.220 metrics-jvm 4.1.29
1.220.1 Available under license
1.221 groovyjsr 3.0.9
1.221.1 Available under license
1.222 jersey-common 2.37
1.222.1 Available under license
1.223 jersey 2.37
1.223.1 Available under license
1.224 groovy-testng 3.0.9
1.224.1 Available under license
1.225 jackson-module-afterburner 2.14.1
1.225.1 Available under license
1.226 groovy-ant 3.0.9
1.226.1 Available under license
1.227 groovy-macro 3.0.9
1.227.1 Available under license
1.228 apache-log4j 2.20.0
1.228.1 Available under license
1.229 snake-yaml 2.0
1.229.1 Available under license
1.230 websocket-api 9.4.51.v20230217
1.230.1 Available under license
1.231 jetty-client 9.4.51.v20230217
1.231.1 Available under license
1.232 websocket-common 9.4.51.v20230217
1.232.1 Available under license
1.233 jetty-util 9.4.51.v20230217
1.233.1 Available under license

1.234 error_prone_annotations 2.18.0
1.234.1 Available under license
1.235 jcodings 1.0.44
1.235.1 Available under license
1.236 joni 2.1.29
1.236.1 Available under license
1.237 jinjava 2.6.0
1.237.1 Available under license
1.238 tap4j 4.1
1.238.1 Available under license
1.239 auto-service-annotations 1.0-rc6
1.239.1 Available under license
1.240 auto-service 1.0-rc6
1.240.1 Available under license
1.241 javaparser-core 3.23.0
1.242 log4j2-ecs-layout 1.2.0
1.242.1 Available under license
1.243 ecs-logging-core 1.2.0
1.243.1 Available under license
1.244 swagger-annotations 2.0.7
1.244.1 Available under license
1.245 jetty-servlets 9.4.51.v20230217
1.245.1 Available under license
1.246 jetty-continuation 9.4.51.v20230217
1.246.1 Available under license
1.247 jetty-webapp 9.4.51.v20230217
1.247.1 Available under license
1.248 jetty-util-ajax 9.4.51.v20230217
1.248.1 Available under license
1.249 jetty 9.4.51.v20230217
1.249.1 Available under license
1.250 jetty-xml 9.4.51.v20230217
1.250.1 Available under license
1.251 dropwizard-validation 2.0.28
1.251.1 Available under license
1.252 jest-common 0.1.1
1.252.1 Available under license
1.253 jest 0.1.1
1.253.1 Available under license

1.254 grpc-stub 1.24.0

1.254.1 Available under license

1.255 grpc-protobuf 1.24.0

1.255.1 Available under license

1.256 grpc-protobuf-lite 1.24.0

1.256.1 Available under license

1.257 jetty-security 9.4.51.v20230217

1.257.1 Available under license

1.258 jackson-datatype-jdk8 2.15.0

1.258.1 Available under license

1.259 jetty-jmx 9.4.51.v20230217

1.259.1 Available under license

1.260 jsr305 3.0.2

1.260.1 Available under license

1.261 jackson-annotations 2.15.0

1.261.1 Available under license

1.262 jackson-dataformat-yaml 2.15.0

1.262.1 Available under license

1.263 jackson-databind 2.15.0

1.263.1 Available under license

1.264 protobuf-java 3.22.3

1.264.1 Available under license

1.265 jackson-module-parameter-names 2.15.0

1.265.1 Available under license

1.266 jackson-dataformat-cbor 2.15.0

1.266.1 Available under license

1.267 jackson-xc 2.15.0

1.267.1 Available under license

1.268 jackson-datatype-jsr310 2.15.0

1.268.1 Available under license

1.269 jetty-proxy 9.4.51.v20230217

1.269.1 Available under license

1.270 lz4-java 1.8.0

1.270.1 Available under license

1.271 protobuf-java 3.11.4

1.271.1 Available under license

1.272 dropwizard-jackson 2.0.28

1.272.1 Available under license

1.273 dropwizard-request-logging 2.0.28

1.273.1 Available under license
1.274 dropwizard-configuration 2.0.28
1.274.1 Available under license
1.275 dropwizard-servlets 2.0.28
1.275.1 Available under license
1.276 dropwizard-auth 2.0.28
1.276.1 Available under license
1.277 dropwizard-util 2.0.28
1.277.1 Available under license
1.278 dropwizard-lifecycle 2.0.28
1.278.1 Available under license
1.279 dropwizard-core 2.0.28
1.279.1 Available under license
1.280 dropwizard-jersey 2.0.28
1.280.1 Available under license
1.281 dropwizard-jetty 2.0.28
1.281.1 Available under license
1.282 drop-wizard-metrics 2.0.28
1.282.1 Available under license
1.283 dropwizard-logging 2.0.28
1.283.1 Available under license
1.284 jackson-jaxrs 2.15.0
1.284.1 Available under license
1.285 jackson-jaxrs-base 2.15.0
1.285.1 Available under license
1.286 jackson-datatype-guava 2.15.0
1.286.1 Available under license
1.287 jackson-datatype-joda 2.15.0
1.287.1 Available under license
1.288 fastdoubleparser 0.8.0
1.288.1 Available under license
1.289 servlet-api 4.0.4
1.289.1 Available under license
1.290 jackson-dataformat-smile 2.15.0
1.290.1 Available under license
1.291 aop-alliance 2.6.1
1.291.1 Available under license
1.292 netty-handler-proxy 4.1.93.Final
1.292.1 Available under license

1.293 netty-codec-xml 4.1.93.Final
1.293.1 Available under license
1.294 netty-codec-socks 4.1.93.Final
1.294.1 Available under license
1.295 netty-transport-classes-kqueue 4.1.93.Final
1.295.1 Available under license
1.296 netty-handler 4.1.93.Final
1.296.1 Available under license
1.297 netty-codec-stomp 4.1.93.Final
1.297.1 Available under license
1.298 netty-codec-haproxy 4.1.93.Final
1.298.1 Available under license
1.299 netty-transport-rxtx 4.1.93.Final
1.299.1 Available under license
1.300 netty-resolver-dns 4.1.93.Final
1.300.1 Available under license
1.301 netty-codec-smtp 4.1.93.Final
1.301.1 Available under license
1.302 netty-resolver 4.1.93.Final
1.302.1 Available under license
1.303 netty-resolver-dns-classes-macos 4.1.93.Final
1.303.1 Available under license
1.304 netty-codec 4.1.93.Final
1.304.1 Available under license
1.305 netty-codec-dns 4.1.93.Final
1.305.1 Available under license
1.306 netty-transport-classes-epoll 4.1.93.Final
1.306.1 Available under license
1.307 netty-codec-memcache 4.1.93.Final
1.307.1 Available under license
1.308 netty-transport-udt 4.1.93.Final
1.308.1 Available under license
1.309 netty-transport-native-unix-common 4.1.93.Final
1.309.1 Available under license
1.310 netty-codec-redis 4.1.93.Final
1.310.1 Available under license
1.311 netty-transport 4.1.93.Final
1.311.1 Available under license
1.312 netty-codec-mqtt 4.1.93.Final

1.312.1 Available under license
1.313 netty-transport-sctp 4.1.93.Final
1.313.1 Available under license
1.314 netty-handler-ssl-ocsp 4.1.93.Final
1.314.1 Available under license
1.315 netty-codec-http 4.1.93.Final
1.315.1 Available under license
1.316 j2objc-annotations 2.8
1.316.1 Available under license
1.317 mysql-connector-j 8.0.33
1.317.1 Available under license
1.318 reload4j 2.20.0
1.318.1 Available under license
1.319 protobuf-java 3.22.5
1.319.1 Available under license
1.320 liquibase-core 4.22.0
1.321 guava 32.0.0-jre
1.321.1 Available under license
1.322 snappy 0.3
1.322.1 Available under license
1.323 lucene 9.6.0
1.323.1 Available under license
1.324 netty-transport-native-epoll 4.1.93.Final
1.324.1 Available under license
1.325 netty-resolver-dns-native-macos 4.1.93.Final
1.325.1 Available under license
1.326 netty-transport-native-kqueue 4.1.93.Final
1.326.1 Available under license
1.327 netty 4.1.93.Final
1.327.1 Available under license
1.328 elasticsearch 8.8.1
1.328.1 Available under license

1.1 ant 1.7.1

1.1.1 Available under license :

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
```

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
* 1. Definitions.
*
* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii)
ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided
in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally

```
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For
 the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication sent
*      to the Licensor or its representatives, including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*    2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide,
 non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*      publicly display, publicly perform, sublicense, and distribute the
*      Work and such Derivative Works in Source or Object form.
*
*    3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation
 against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
*      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
```

```
*
*     (b) You must cause any modified files to carry prominent notices
*         stating that You changed the files; and
*
*     (c) You must retain, in the Source form of any Derivative
 Works
*         that You distribute, all copyright, patent, trademark, and
*         attribution notices from the Source form of the Work,
*         excluding those notices that do not pertain to any part of
*         the Derivative Works; and
*
*     (d) If the Work includes a "NOTICE" text file as part of its
*         distribution, then any Derivative Works that You distribute must
*         include a readable copy of the attribution notices contained
*         within such NOTICE file, excluding those notices that do not
*         pertain to any part of the Derivative Works, in at least one
*         of the following places: within a NOTICE text file distributed
*         as part of the Derivative Works; within the Source form or
*         documentation, if provided along with the Derivative Works; or,
*         within a display generated by the Derivative Works, if and
*         wherever such third-party
 notices normally appear. The contents
*         of the NOTICE file are for informational purposes only and
*         do not modify the License. You may add Your own attribution
*         notices within Derivative Works that You distribute, alongside
*         or as an addendum to the NOTICE text from the Work, provided
*         that such additional attribution notices cannot be construed
*         as modifying the License.
*
*     You may add Your own copyright statement to Your modifications and
*     may provide additional or different license terms and conditions
*     for use, reproduction, or distribution of Your modifications, or
*     for any such Derivative Works as a whole, provided Your use,
*     reproduction, and distribution of the Work otherwise complies with
*     the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution
 intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
*
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
```

```
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS
 OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability. In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not
 limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional
 liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose be included on the
```

```
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0

*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
=========================================================================
 ==  NOTICE file corresponding to the section 4 d of                ==
 ==  the Apache License, Version 2.0,                           ==
 ==  in this case for the Apache Ant distribution.                  ==
 =========================================================================

 Apache Ant
 Copyright 1999-2008 The Apache Software Foundation

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

 This product includes also software developed by :
   - the W3C consortium (http://www.w3c.org) ,
   - the SAX project (http://www.saxproject.org)

 The <sync> task is based on code Copyright (c) 2002, Landmark
 Graphics Corp that has been kindly donated to the Apache Software
 Foundation.

 Portions of this software were originally based on the following:
   - software copyright (c) 1999, IBM Corporation.,
http://www.ibm.com.
   - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
   - voluntary contributions made by Paul Eng on behalf of the
     Apache Software Foundation that were originally developed at iClick, Inc.,
     software copyright (c) 1999.
```

1.2 javax-inject 1

1.2.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,

or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,
or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted
against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Copyright (C) 2009 The JSR-330 Expert Group
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

1.3 commons-exec 1.0.1

1.3.1 Available under license :

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
```

```
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or
 more of the
*      outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
*      transformation or translation of a Source form, including but
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any
 work, whether in Source or Object
*      form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
```

```
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication
 sent
*      to the Licensor or its representatives, including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*    2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*
 publicly display, publicly perform, sublicense, and distribute the
*      Work and such Derivative Works in Source or Object form.
*
*    3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work
 constitutes direct
*      or contributory patent infringement, then any patent licenses
*      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
```

```
*         Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*         stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*         that You distribute, all copyright, patent, trademark, and
*         attribution notices from the Source form of the Work,
*         excluding those notices that do not pertain
 to any part of
*         the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE" text file as part of its
*         distribution, then any Derivative Works that You distribute must
*         include a readable copy of the attribution notices contained
*         within such NOTICE file, excluding those notices that do not
*         pertain to any part of the Derivative Works, in at least one
*         of the following places: within a NOTICE text file distributed
*         as part of the Derivative Works; within the Source form or
*         documentation, if provided along with the Derivative Works; or,
*         within a display generated by the Derivative Works, if and
*         wherever such third-party notices normally appear. The contents
*         of the NOTICE file are for informational purposes only and
*         do not modify the License. You may add Your own attribution
*         notices within Derivative Works that
 You distribute, alongside
*         or as an addendum to the NOTICE text from the Work, provided
*         that such additional attribution notices cannot be construed
*         as modifying the License.
*
*      You may add Your own copyright statement to Your modifications and
*      may provide additional or different license terms and conditions
*      for use, reproduction, or distribution of Your modifications, or
*      for any such Derivative Works as a whole, provided Your use,
*      reproduction, and distribution of the Work otherwise complies with
*      the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede
 or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
*
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
```

```
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or
 redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability. In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
 *       the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the
 brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose be included on the
```

```
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

Apache Commons Exec
Copyright 2005-2009 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.4 protobuf 2.6.1

1.4.1 Available under license :

This file contains a list of people who have made large contributions
to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:
 Sanjay Ghemawat <sanjay@google.com>
 Jeff Dean <jeff@google.com>
 Daniel Dulitz <daniel@google.com>
 Craig Silverstein
 Paul Haahr <haahr@google.com>
 Corey Anderson <corin@google.com>
 (and many others)

Proto2 C++ and Java primary author:
 Kenton Varda <kenton@google.com>

Proto2 Python primary authors:
 Will Robinson <robinson@google.com>
 Petar Petrov <petar@google.com>

Large code contributions:
 Jason Hsueh <jasonh@google.com>

Joseph Schorr <jschorr@google.com>
Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:
Scott Bruce <sbruce@google.com>
Frank Yellin
Neal Norwitz <nnorwitz@google.com>
Jeffrey Yasskin <jyasskin@google.com>
Ambrose Feinstein <ambrose@google.com>

Documentation:
Lisa Carey <lcarey@google.com>

Maven packaging:
Gregory Kick <gak@google.com>

Patch contributors:
Kevin Ko <kevin.s.ko@gmail.com>
* Small patch to handle trailing slashes in --proto_path flag.
Johan Euphrosine <proppy@aminche.com>
* Small patch to fix Python CallMethod().
Ulrich Kunitz <kune@deine-taler.de>
* Small optimizations to Python serialization.
Leandro Lucarella <llucax@gmail.com>
* VI syntax highlighting tweaks.
* Fix compiler to not make output executable.
Dilip Joseph <dilip.antony.joseph@gmail.com>
* Heuristic detection of sub-messages when printing unknown fields in
text format.
Brian Atkinson <nairb774@gmail.com>
* Added @Override annotation to generated Java code where appropriate.
Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>
* Tru64 support.
Monty Taylor <monty.taylor@gmail.com>
* Solaris 10 + Sun Studio fixes.
Alek Storm <alek.storm@gmail.com>
* Slicing support for repeated scalar fields for the Python API.
Oleg Smolsky <oleg.smolsky@gmail.com>
* MS Visual Studio error format option.

* Detect unordered_map in stl_hash.m4.
Brian Olson <brianolson@google.com>
* gzip/zlib I/O support.
Michael Poole <mdpoole@troilus.org>
* Fixed warnings about generated constructors not explicitly initializing
all fields (only present with certain compiler settings).
* Added generation of field number constants.
Wink Saville <wink@google.com>

* Fixed initialization ordering problem in logging code.
Will Pierce <willp@nuclei.com>
* Small patch improving performance of in Python serialization.
Alexandre Vassalotti <alexandre@peadrop.com>
* Emacs mode for Protocol Buffers (editors/protobuf-mode.el).
Scott Stafford <scott.stafford@gmail.com>
* Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.
Alexander Melnikov <alm@sibmail.ru>
* HPUX support.
Oliver Jowett <oliver.jowett@gmail.com>
* Detect whether zlib is new enough in configure script.
* Fixes for Solaris 10 32/64-bit confusion.
Evan Jones <evanj@mit.edu>
* Optimize Java serialization code when writing a small message to a stream.
* Optimize Java serialization of strings so that UTF-8 encoding happens only
once per string per serialization call.
* Clean up some Java warnings.
* Fix bug with permanent callbacks that delete themselves when run.
Michael Kucharski <m.kucharski@gmail.com>
* Added CodedInputStream.getTotalBytesRead().
Kacper Kowalik <xarthisius.kk@gmail.com>
* Fixed m4/acx_pthread.m4 problem for some Linux distributions.
William Orr <will@worrbase.com>
* Fixed detection of sched_yield on Solaris.
* Added atomicops for Solaris

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
This file contains a list of people who've made non-trivial
contribution to the Google C++ Testing Framework project. People
who commit code to the project are encouraged to add their names
here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>
Balzs Dn <balazs.dan@gmail.com>

Bharat Mediratta <bharat@menalto.com>
Chandler Carruth <chandlerc@google.com>
Chris Prince <cprince@google.com>
Chris Taylor <taylorc@google.com>
Dan Egnor <egnor@google.com>
Eric Roman <eroman@chromium.org>
Hady Zalek <hady.zalek@gmail.com>
Jeffrey Yasskin <jyasskin@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>
Manuel Klimek <klimek@google.com>
Markus Heule <markus.heule@gmail.com>
Mika Raento <mikie@iki.fi>
Mikls Fazekas <mfazekas@szemafor.com>
Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Peter Kaminski <piotrk@google.com>
Preston
Jackson <preston.a.jackson@gmail.com>
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
Russ Cox <rsc@google.com>
Russ Rufer <russ@pentad.com>
Sean Mcafee <eefacm@gmail.com>
Sigurur sgeirsson <siggi@google.com>
Tracy Bialik <tracy@pentad.com>
Vadim Berman <vadimb@google.com>
Vlad Losev <vladl@google.com>
Zhanyong Wan <wan@google.com>

1.5 geoip-api 1.2.11

1.5.1 Available under license :

```
/**
* Location.java
*
* Copyright (C) 2004 MaxMind LLC.  All Rights Reserved.
*
* This library is free software; you can redistribute it and/or
* modify it under the terms of the GNU General Lesser Public
* License as published by the Free Software Foundation; either
* version 2 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
```

* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this library; if not, write to the Free Software
* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
*/
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use
it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or
for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.
^L
Finally, software patents
pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking
only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.
^L

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language.
(Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided
that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this
License.

d) If a facility in the modified Library refers to a function or a

table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably
considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU
General Public
License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.
^L
Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all

subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code

for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the
work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly
with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above

specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally
distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.
^L
7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other
library
facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you
do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.
^L
11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse
you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system
which is
implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish
revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.
^L
14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision
will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,

BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,

MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Lesser General Public License (LGPL) v 2.1
http://www.gnu.org/licenses/lgpl-2.1.txt

1.6 commons-collections 3.2.2

1.6.1 Available under license :

Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.7 annotations 3.0.1

1.7.1 Available under license :

/*
* FindBugs - Find Bugs in Java programs
* Copyright (C) 2005, University of Maryland
*
* This library is free software; you can redistribute it and/or
* modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this library; if not, write to the Free Software
* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
*/
GNU Lesser Public License
http://www.gnu.org/licenses/lgpl.html
GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software
packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the
reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion

of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties
are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a

derivative work of the
Library even though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable
source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However,
parties who have received copies,
or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library

subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly
through you, then
the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply,

and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to
distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but
may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.8 httpasyncclient 4.1.1

1.8.1 Available under license :

Apache HttpAsyncClient
Copyright 2010-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.9 httpcore-nio 4.4.4

1.9.1 Available under license :

```
/*
* ====================================================================
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements.  See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership.  The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License.  You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied.  See the License for the
* specific language governing permissions and limitations
* under the License.
* ====================================================================
*
* This software consists of voluntary contributions
 made by many
* individuals on behalf of the Apache Software Foundation.  For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

/**
* Embedded non-blocking server and server bootstrap.
*/
package org.apache.http.impl.nio.bootstrap;

Apache HttpCore NIO
Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.10 logback-core 1.2.3

1.10.1 Available under license :

/**
* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
* or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT’S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor’s behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient’s responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to

grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims

or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and

distribution of the Program as soon as reasonably practicable. However, Recipient’s obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
License names:
Eclipse Public License - v 1.0
GNU Lesser General Public License

1.11 annotations 13.0

1.11.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2006 Sascha Weinreuter
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Pattern.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Language.java
*
 /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Subst.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2013 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Contract.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Flow.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2009 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nls.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NonNls.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/PropertyKey.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2012 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NotNull.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/MagicConstant.java

1.12 hdrhistogram 2.1.9

1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/WriterReaderPhaser.java
No license file was found, but licenses were detected in source scan.

/**
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* @author Gil Tene
*/

Found in path(s):
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AtomicHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/RecordedValuesIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ShortCountsHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/EncodableHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ZigZagEncoding.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramLogReader.java
*
 /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoublePercentileIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleHistogramIterationValue.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramIterationValue.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-

jar/org/HdrHistogram/AllValuesIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLinearIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Histogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogram.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ConcurrentHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Recorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleRecordedValuesIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/LogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/HistogramLogProcessor.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SingleWriterDoubleRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogramIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleAllValuesIterator.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/IntCountsHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/PercentileIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SingleWriterRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ConcurrentDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogramLogReader.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/LinearIterator.java
No license file was found, but licenses were detected in source scan.

/*
* package-info.java
* Written by Gil Tene of Azul Systems, and released to the public domain,

* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/package-info.java
No license file was found, but licenses were detected in source scan.

/**
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* @author Gil Tene
*/

package org.HdrHistogram;

final class Version {
  public static final String version="$VERSION$";
  public static final String build_time="$BUILD_TIME$";
}

Found in path(s):
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java.template

1.13 assertj-core 3.9.1

1.13.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/

Found in path(s):

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/MapSizeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualByComparingFieldByFieldRecursively.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveName.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LongAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAnArray.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/DoubleComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FileAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainPattern.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Assumptions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringNanos.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeLessOrEqual.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LocalDateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ByteArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/DateUtil.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableObjectArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoNullFields.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IterableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoParent.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IntArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameMonth.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalLongAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveRootCauseExactlyInstance.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/Java6SoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Predicates.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBefore.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoSuppressedExceptions.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/HamcrestCondition.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldMatch.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OffsetDateTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FutureAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldBeCompleted.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveMessageMatchingRegex.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainsOnlyOnce.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameContent.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFutureAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/description/EmptyTextDescription.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLocalTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/iterable/ThrowingExtractor.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ComparisonStrategy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/FieldSupport.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Assertions.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6AbstractBDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeToday.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainKey.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeRelativePath.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/BigIntegerComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainAtIndex.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Doubles.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LongArrayAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldBeDone.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IntPredicateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameHashCode.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainAtIndex.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractIntArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/ChangeDelta.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ComparatorFactory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractIterableSizeAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHave.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/FloatComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeSubstring.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringWhitespace.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeSame.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/Chunk.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OptionalAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertionInfo.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLocalDateTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringCase.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/SoftAssertionError.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/MethodSupport.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Sets.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldHaveAtLeast.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/ByNameMultipleExtractor.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicReferenceFieldUpdaterAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoFields.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/Not.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ErrorMessages.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveAnnotations.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/GenericComparableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/InstantAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/AbstractComparisonStrategy.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInstanceOfAny.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BigDecimals.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Lists.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/InputStreamsException.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameClass.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicReferenceAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/WritableAssertionInfo.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/ToStringExtractor.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInstance.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldExist.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldHaveFailed.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/PropertyOrFieldSupport.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/BigDecimalComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeIn.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Bytes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ClassModifierShouldBe.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAbsolutePath.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ShortArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldEndWithPath.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyWhitespaces.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContain.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveAuthority.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableMapAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldNotHave.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Descriptable.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSize.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeCompletedExceptionally.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBooleanArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/BasicErrorMessageFactory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicReferenceArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/FilterOperator.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ClassBasedNavigableListAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableClassAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/ShouldNotHaveAnyElementsOfTypes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeCloseTo.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSubsequenceOfCharSequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveExtension.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOffsetDateTimeAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeOfClassIn.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/DateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAssignableFrom.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldHaveAtMost.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameTime.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicLongArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/InputStreamAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeInstanceOfAny.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/FieldByFieldComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLongArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/NoElementsShouldMatch.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/AtomicReferenceArrayElementComparisonStrategy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/TemporalOffset.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveProtocol.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DeleteDelta.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeExactlyInstanceOf.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CharArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DiffAlgorithm.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeSame.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/OnFieldsComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainOnlyWhitespaces.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Assert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqualNormalizingWhitespace.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHavePort.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/CharArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Iterables.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyablePredicateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeCancelled.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBe.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicLongAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAfter.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeGreater.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveFragment.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractCharArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameSecond.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveReference.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IntArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeLess.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldOnlyHaveFields.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicIntegerFieldUpdaterAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/internal/CommonValidations.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ClassAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BigIntegerAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Shorts.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldBeCompletedExceptionally.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveRootCauseInstance.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldEndWith.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeNullOrEmpty.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotExist.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/URLs.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicIntegerAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotMatch.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqual.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CompletableFutureAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/RealNumbers.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ErrorCollector.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ListAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldBeCancelled.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractEnumerableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/JUnitSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/NumberAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/MyersDiff.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IterableElementComparisonStrategy.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6BDDAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveMessage.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Diff.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/Extractors.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BooleanAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LocalDateTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/DeepDifference.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Uris.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHavePropertyOrField.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveAnchor.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainValues.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ConditionAndGroupGenericParameterTypeShouldBeTheSame.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBlank.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/StandardRepresentation.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/RecursiveFieldByFieldComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/NotInFilter.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/WithAssumptions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualToIgnoringFields.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/Filters.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainNull.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainSubsequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/Equalizer.java
*

/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/matcher/AssertionMatcher.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/AssertionErrorFactory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainCharSequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ThrowableAssertAlternative.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ThrowableTypeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractPathAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/IterableUtil.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Preconditions.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotHaveThrown.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainKeys.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Strings.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBe.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainExactlyInAnyOrder.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveBinaryContent.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldNotBe.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertFactory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/TemporalUnitOffset.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Throwables.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectAssertFactory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Numbers.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/description/TextDescription.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotHaveFailed.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/ClassUtils.java

*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Strings.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotHave.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ComparableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainEntry.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainPattern.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeExactlyInstanceOf.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveCauseInstance.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Urls.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringMinutes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBeAtMost.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAtIndex.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/LongArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringNewLines.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicLongFieldUpdaterAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBetween.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameHour.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/WithAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/InsertDelta.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeLowerCase.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainValue.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/configuration/ConfigurationProvider.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ExtendedByTypesComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/ShouldNotBeEqualWithinOffset.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainCharSequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHavePath.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BDDAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotHaveSameClass.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Characters.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeDirectory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Objects.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveParameter.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotEndWith.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveUserInfo.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FactoryBasedNavigableIterableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LocalTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableIterableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqualWithinPercentage.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicStampedReferenceAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringSeconds.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameYear.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Maps.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/VisibleForTesting.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBeAtLeast.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Dates.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualWithTimePrecision.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/PathAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainSequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFloatArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ObjectArrayElementComparisonStrategy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractMapSizeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ThrowableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/Offset.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IterableDiff.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractUriAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveToString.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/description/Description.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Paths.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/BinaryRepresentation.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertionsForClassTypes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualNormalizingWhitespace.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractShortArrayAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/MessageFormatter.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeFile.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveQuery.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotAccept.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicIntegerArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/DoubleArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/ShortAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxifyMethodChangingTheObjectUnderTest.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/Introspection.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/TypeComparators.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractDoubleArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ErrorMessageFactory.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/Percentage.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeBlank.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Closeables.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveHost.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Arrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainValue.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Throwables.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/Warning.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/IntrospectionError.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringTimezone.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInThePast.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAfterYear.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveDateField.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeReadable.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalIntAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Maps.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeRegularFile.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/TextFileWriter.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicBooleanAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveParent.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqual.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractUrlAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBeforeOrEqualsTo.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/PredicateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSequenceOfCharSequence.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeGreaterOrEqual.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldAccept.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Hexadecimals.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/UriAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/Negative.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OptionalDoubleAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeBetween.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSuppressedException.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BooleanArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OffsetTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/DoubleAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/internal/InputStreams.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6Assertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6JUnitBDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeNormalized.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Booleans.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BooleanArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/Representation.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AutoCloseableSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSubsequence.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractByteArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Floats.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/NioFilesWrapper.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Integers.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEmpty.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnly.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveCause.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveCauseExactlyInstance.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/UrlAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/FieldUtils.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqualIgnoringCase.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Failures.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeWritable.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveScheme.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/exception/PathsException.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/DescriptionFormatter.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/xml/XmlStringPrettyFormatter.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveMethods.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainNull.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldBePresent.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameSizeAs.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OptionalLongAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalDoubleShouldHaveValueCloseTo.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotMatchPattern.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOffsetTimeAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ShortArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameHourAs.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeIn.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/DoubleArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualWithinPercentage.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeOfClassIn.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameDay.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/AbstractShouldHaveTextContent.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/ArrayWrapperList.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInTheFuture.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/AbstractObjectArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeInstance.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ComparatorBasedComparisonStrategy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IgnoringFieldsComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/CommonErrors.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/StandardComparisonStrategy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveFields.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveTime.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/HexadecimalRepresentation.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAfterOrEqualsTo.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/PathNode.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainCharSequenceOnlyOnce.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/SoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameMinute.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/ResultOfExtractor.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/UnicodeRepresentation.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualWithinOffset.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldMatch.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainKey.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ObjectArrays.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeDone.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractPredicateLikeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectAssert.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/AllOf.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractPredicateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainAnyOf.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/InFilter.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/AnyOf.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveLineCount.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/EnumerableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertionsForInterfaceTypes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldOnlyHaveElementsOfTypes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Fail.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyNulls.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractInstantAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractComparableAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/NullSafeComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeNull.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/AbstractComparableNumberComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBe.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContain.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ZippedElementsShouldSatisfy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FactoryBasedNavigableListAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6BDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldContainInstanceOf.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractAtomicFieldUpdaterAssert.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BigDecimalAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ByteArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ArraySortedAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldStartWithPath.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Futures.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/groups/Properties.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLocalDateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BigIntegers.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldStartWith.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractTemporalAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/FailureMessages.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldHaveExactly.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInterface.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/Join.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractCompletableFutureAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Arrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/Patch.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/groups/Tuple.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/configuration/Services.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LongPredicateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/groups/FieldsOrPropertiesExtractor.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/NotFilter.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/future/ShouldNotBeCompleted.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/CheckReturnValue.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/ByNameSingleExtractor.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractStandardSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicMarkableReferenceAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ClassBasedNavigableIterableAssert.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/FloatArrays.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualByComparingOnlyGivenFields.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertDelegateTarget.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DeltaComparator.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyKeys.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeCanonicalPath.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEmpty.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHavePropertyOrFieldWithValue.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringNewLineDifferences.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameHourWindow.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FloatingPointNumberAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6AbstractStandardSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoCause.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/Delta.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/SoftProxies.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FloatAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/MapEntry.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/DoesNotHave.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotStartWith.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ZonedDateTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CharSequenceAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/iterable/Extractor.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/DiffNode.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/NumberGrouping.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/PropertySupport.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveStamp.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/Snake.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameMinuteWindow.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IntegerAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeUpperCase.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveAtLeastOneElementOfType.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ConstructorInvoker.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IndexedObjectEnumerableAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CharacterAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBeExactly.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Objects.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/MapAssert.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyDigits.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/ByteAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/TemporalUnitLessThanOffset.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveValue.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainKeys.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/JUnitBDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBigIntegerAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ExtensionPoints.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/Index.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeMarked.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Classes.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalDoubleAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveAtIndex.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/PredicateDescription.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Files.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractSoftAssertions.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldBeEmpty.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DiffUtils.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveOnlyElementsOfType.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/AnyElementShouldMatch.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/DoublePredicateAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/StringAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FloatArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeSubsetOf.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldMatchPattern.java

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqualIgnoringWhitespace.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6JUnitSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IterableSizeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableListAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeSymbolicLink.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BinaryDiff.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Lists.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringHours.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectArrayAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractAtomicReferenceAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AutoCloseableBDDSoftAssertions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BinaryDiffResult.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/MemberUtils.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAnnotation.java
*
 /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Files.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractZonedDateTimeAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldHave.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainExactly.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldContain.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameSecondWindow.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldSatisfy.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotHaveDuplicates.java
*

/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeSorted.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Longs.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OptionalIntAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Comparables.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertProvider.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Condition.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Conditions.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeExecutable.java
*
/opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBeforeYear.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableObjectAssert.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/TemporalUnitWithinOffset.java
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveContent.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link BigDecimal}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*          target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>&amp;quot;
*
```

for more details.
*
* @author Drummond Dawson
* @author David DIDIER
* @author Ted M. Young
* @author Yvonne Wang
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBigDecimalAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Throwable}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation"
*
 for more details.
* @param <ACTUAL> the type of the "actual" value.
*
* @author David DIDIER
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/AbstractThrowableAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all assertions.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>&amp;quot;
*         for more details.
* @param <ACTUAL> the type
 of the "actual" value.
*
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author Nicolas François
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
```

* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Character}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation"
*
 for more details.
*
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractCharacterAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Short}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation"
*   for

more details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Alex Ruiz
* @author Mikhail Mazursky
* @author Nicolas François
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractShortAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link File}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation"
*   for more
 details.
*
* @author David DIDIER
* @author Yvonne Wang
* @author Alex Ruiz
* @author Olivier Michallat
* @author Olivier Demeijer
* @author Mikhail Mazursky
* @author Jean-Christophe Gay
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFileAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Long}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>&amp;quot;
*         for more
 details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author Nicolas François
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLongAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@code CharSequence}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&amp;quot;
*
    for more details.
* @param <ACTUAL> the type of the "actual" value.
*
* @author Yvonne Wang
* @author David DIDIER
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author Nicolas Francois
* @author Daniel Weber
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractCharSequenceAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
```

```
* Base class for all implementations of assertions for {@link InputStream}s.
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;
*         for
 more details.
* @param <ACTUAL> the type of the "actual" value.
*
* @author Matthieu Baechler
* @author Mikhail Mazursky
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractInputStreamAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link List}s.
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;
*         for more
 details.
* @param <ACTUAL> the type of the "actual" value.
* @param <ELEMENT> the type of elements of the "actual" value.
* @param <ELEMENT_ASSERT> used for navigational assertions to return the right assert type.
*
* @author Yvonne Wang
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractListAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Class}es.
*
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>&quot;
*         for
 more details.
*
* @author William Delanoue
* @author Mikhail Mazursky
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractClassAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
```

```
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Date}s.
* <p>
* Note that assertions with date parameter comes with two flavor, one is obviously a {@link Date} and the other is a
* {@link String} representing a Date.<br>
* For the latter, the default format follows ISO 8901 : "yyyy-MM-dd", user can
 override it with a custom format by
* calling {@link #withDateFormat(DateFormat)}.<br>
* The user custom format will then be used for all next Date assertions (i.e not limited to the current assertion) in
* the test suite.<br>
* To turn back to default format, simply call {@link #withDefaultDateFormatsOnly()}.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*        target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>" for
*        more details.
* @author Tomasz Nurkiewicz (thanks for giving assertions idea)
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author William Delanoue
* @author Michal Kordas
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractDateAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Double}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
```

* target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation"
* for more details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author David DIDIER
* @author Alex Ruiz
* @author Ansgar Konermann
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author Nicolas François
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractDoubleAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Byte}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
* target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation"
* for more details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Alex Ruiz

* @author Mikhail Mazursky
* @author Nicolas François
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractByteAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Assertions methods applicable to groups of objects (e.g. arrays or collections.)
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation"
*
        for more details.
* @param <ELEMENT> the type of elements of the "actual" value.
*
* @author Yvonne Wang
* @author Alex Ruiz
* @author Nicolas François
* @author Mikhail Mazursky
* @author Joel Costigliola
* @author Nicolas François
* @author Florent Biville
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectEnumerableAssert.java
No license file was found, but licenses were detected in source scan.

/*

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Integer}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&amp;quot;
*         for
 more details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author Nicolas François
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractIntegerAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
```

*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Map}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation"
*   for more
 details.
* @param <ACTUAL> the type of the "actual" value.
* @param <K> the type of keys in the map.
* @param <V> the type of values in the map.
*
* @author David DIDIER
* @author Yvonne Wang
* @author Alex Ruiz
* @author Mikhail Mazursky
* @author Nicolas François
* @author dorzey
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractMapAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Float}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation"

* for
more details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author Alex Ruiz
* @author Ansgar Konermann
* @author Mikhail Mazursky
* @author Nicolas François
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFloatAssert.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Object}s.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*   target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation"
*   for
more details.
* @param <ACTUAL> the type of the "actual" value.
*
* @author Yvonne Wang
* @author Alex Ruiz
* @author Nicolas François
* @author Mikhail Mazursky
* @author Joel Costigliola
* @author Libor Ondrusek
*/

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractObjectAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for implementations of <code>{@link ObjectEnumerableAssert}</code> whose actual value type is
* <code>{@link Collection}</code>.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*          target="_blank">Emulating 'self types' using Java Generics
 to simplify fluent API implementation</a>&amp;quot;
*          for more details.
* @param <ACTUAL> the type of the "actual" value.
* @param <ELEMENT> the type of elements of the "actual" value.
* @param <ELEMENT_ASSERT> used for navigational assertions to return the right assert type.
*
* @author Yvonne Wang
* @author Alex Ruiz
* @author Mathieu Baechler
* @author Joel Costigliola
* @author Maciej Jaskowski
* @author Nicolas François
* @author Mikhail Mazursky
* @author Mateusz Haligowski
* @author Lovro Pandzic
* @author Marko Bekhta
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractIterableAssert.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for {@link Boolean}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &amp;quot;<a href="http://bit.ly/1IZIRcY"
*         target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&amp;quot;
*         for
 more details.
*
* @author Alex Ruiz
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Mikhail Mazursky
*/
```

Found in path(s):
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBooleanAssert.java

1.14 jboss-logging 3.3.2.Final

1.14.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.15 antlr-runtime 4.6

1.16 animal-sniffer-annotation 1.17

1.17 httpcomponents-core 4.4.10

1.17.1 Available under license :

Apache HttpCore
Copyright 2005-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.18 derby 10.14.2.0

1.18.1 Available under license :

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
 Licensed to the Apache Software Foundation (ASF) under one or more
 contributor license agreements.  See the NOTICE file distributed with
 this work for additional information regarding copyright ownership.
 The ASF licenses this file to You under the Apache License, Version 2.0
 (the "License"); you may not use this file except in compliance with
 the License.  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under
 the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz
1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rreflicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css"
 rel="stylesheet" />
<title>License</title>
</head>
<body id="rreflicense"><a name="rreflicense"><!-- --></a>
```

<h1 class="topictitle1">License</h1>

<p />

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use,
    reproduction, and distribution as defined by Sections 1 through
    9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized
    by the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under
    common control with that entity. For the purposes of this

definition, "control" means (i) the power, direct or indirect,
    to cause the direction or management of such entity, whether by
    contract or otherwise, or (ii) ownership of fifty percent (50%)
    or more of the outstanding shares, or (iii) beneficial ownership
    of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

    "Source" form shall mean the preferred form for making
    modifications, including but not limited to software source code,
    documentation source, and configuration files.

    "Object" form shall mean any form resulting from mechanical
    transformation or translation of a Source form, including but
    not limited to compiled object code, generated documentation,
    and conversions to other media types.

    "Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright
notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright
owner. For the
purposes of this definition,
"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have

made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the
Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain
to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to
the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the

License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other
liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by
reason of your accepting any such warranty or additional
liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same
"printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

</body>
</html>
4
textLjava/lang/String;sqlStateWhenMissing<init>'(Ljava/lang/String;Ljava/lang/String;)VCodeLineNumberTableLocalVariableTablethis=Lorg/apache/derbyTesting/functionTests/tests/lang/Permission;
SourceFilePermission.java ;org/apache/derbyTesting/functionTests/tests/lang/Permissionjava/lang/Object()V!
Y**+*,#$ %&

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
 Licensed to the Apache Software Foundation (ASF) under one or more
 contributor license agreements. See the NOTICE file distributed with
 this work for additional information regarding copyright ownership.
 The ASF licenses this file to You under the Apache License, Version 2.0
 (the "License"); you may not use this file except in compliance with
 the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under
 the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rdevlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />

<link href="commonltr.css" type="text/css"
 rel="stylesheet" />
<title>License</title>
</head>
<body id="rdevlicense"><!-- -->

<h1 class="topictitle1">License</h1>

<p />

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use,
    reproduction, and distribution as defined by Sections 1 through
    9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized
    by the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under
    common control with that entity. For the purposes of this

definition, "control" means (i) the power, direct or indirect,
    to cause the direction or management of such entity, whether by
    contract or otherwise, or (ii) ownership of fifty percent (50%)
    or more of the outstanding shares, or (iii) beneficial ownership
    of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

    "Source" form shall mean the preferred form for making
    modifications, including but not limited to software source code,
    documentation source, and configuration files.

    "Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright
notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright
owner. For the
purposes of this definition,
"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the
Work or a Contribution incorporated within the Work
constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain
to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License.

You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use

or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or
malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of
such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other
liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by
reason of your accepting any such warranty or additional
liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same
"printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

```
</div>

</div>


</body>
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
 Licensed to the Apache Software Foundation (ASF) under one or more
 contributor license agreements.  See the NOTICE file distributed with
 this work for additional information regarding copyright ownership.
 The ASF licenses this file to You under the Apache License, Version 2.0
 (the "License"); you may not use this file except in compliance with
 the License.  You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under
 the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz
1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rgslicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css"
```

rel="stylesheet" />
<title>License</title>
</head>
<body id="rgslicense"><!-- -->

<h1 class="topictitle1">License</h1>

<p />

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use,
    reproduction, and distribution as defined by Sections 1 through
    9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized
    by the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under
    common control with that entity. For the purposes of this
    definition,
 "control" means (i) the power, direct or indirect,
    to cause the direction or management of such entity, whether by
    contract or otherwise, or (ii) ownership of fifty percent (50%)
    or more of the outstanding shares, or (iii) beneficial ownership
    of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

    "Source" form shall mean the preferred form for making
    modifications, including but not limited to software source code,
    documentation source, and configuration files.

    "Object" form shall mean any form resulting from mechanical
    transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright
notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright
owner. For the
purposes of this definition,
"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have
made, use, offer to sell, sell, import, and otherwise transfer
the Work, where such license applies only to those patent claims
licensable by such Contributor that are necessarily infringed by
their Contribution(s) alone or by combination of their
Contribution(s) with the Work to which such Contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging
that the Work
or a Contribution incorporated within the Work
constitutes direct or contributory patent infringement, then any
patent licenses granted to You under this License for that Work
shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to
any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute
must include a readable copy of the attribution notices
contained within such NOTICE file, excluding those notices
that do not pertain to any part of the Derivative Works, in
at least one of the following places: within a NOTICE text
file distributed as part of the Derivative Works; within the
Source form or documentation, if provided along with the
Derivative Works; or, within a display generated by the
Derivative Works, if and wherever such third-party notices
normally appear. The contents of the NOTICE file are for
informational purposes only and do not modify the License.
You may add Your own attribution notices within Derivative

Works that You distribute, alongside or as an addendum
to
the NOTICE text from the Work, provided that such additional
attribution notices cannot be construed as modifying the
License.

You may add Your own copyright statement to Your modifications
and may provide additional or different license terms and
conditions for use, reproduction, or distribution of Your
modifications, or for any such Derivative Works as a whole,
provided Your use, reproduction, and distribution of the Work
otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state
otherwise, any Contribution intentionally submitted for
inclusion in the Work by You to the Licensor shall be under the
terms and conditions of this License, without any additional
terms or conditions. Notwithstanding the above, nothing herein
shall supersede or modify the terms of any separate license
agreement you may have executed
with Licensor regarding such
Contributions.

6. Trademarks. This License does not grant permission to use the
trade names, trademarks, service marks, or product names of the
Licensor, except as required for reasonable and customary use
in describing the origin of the Work and reproducing the content
of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or
conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or
FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for
determining the appropriateness of using or redistributing the
Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and
grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct,
indirect, special, incidental, or consequential damages of any
character arising as a result of this License or out of the use

or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or
malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of
such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other
liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by
reason of your accepting any such warranty or additional
liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same
"printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

</body>
</html>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========
== NOTICE file corresponding to section 4(d) of the Apache License,
== Version 2.0, in this case for the Apache Derby distribution.
==
== DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED
== BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.
==
==========

Apache Derby
Copyright 2004-2018 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==========

Portions of Derby were originally developed by
International Business Machines Corporation and are
licensed to the Apache Software Foundation under the
"Software Grant and Corporate Contribution License Agreement",
informally known as the "Derby CLA".

The following copyright notice(s) were affixed to portions of the code
with which this file is now or
was at one time distributed
and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

==========

The portion of the functionTests under 'nist' was originally
developed by the National Institute of Standards and Technology (NIST),
an agency of the United States Department of Commerce, and adapted by
International Business Machines Corporation in accordance with the NIST
Software Acknowledgment and Redistribution document at
http://www.itl.nist.gov/div897/ctg/sql_form.htm

==========

The Derby build relies on source files supplied by the Apache Felix
project. The following notice covers the Felix files:

Apache Felix Main
Copyright 2008 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software
Foundation (http://www.apache.org/).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

This product includes software from http://kxml.sourceforge.net.
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany.
Licensed under BSD License.

II. Used Software

This product uses software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

III. License Summary
- Apache License 2.0
- BSD License

==========

The Derby build relies on jar files supplied by the Apache Lucene
project. The following notice covers the Lucene files:

Apache Lucene
Copyright 2013 The Apache Software Foundation

This product includes software developed by
The Apache
Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre. This library is available under an MIT license,
see http://sites.google.com/site/rrettesite/moman and
http://bitbucket.org/jpbarrette/moman/overview/

The
class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See http://junit.sourceforge.net/cpl-v10.html

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package is available from
http://snowball.tartarus.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was
developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java

analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The
Stempel analyzer (stempel) includes BSD-licensed software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond
Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See http://project.carrot2.org/license.html.

The SmartChineseAnalyzer source code (smartcn) was
provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (http://morfologik.blogspot.com/).

Morfologik uses data from Polish ispell/myspell dictionary
(http://www.sjp.pl/slownik/en/) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic includes data from BSD-licensed dictionary of Polish (SGJP)
(http://sgjp.pl/morfeusz/)

Servlet-api.jar
and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==========
mecab-ipadic-2.7.0-20070801 Notice
==========

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to
this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the
countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for

the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization
 that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the
production of secondary products from the program.

In the case where the program, whether in its original form or
modified, was distributed
 or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

==========

The Derby build relies on a jar file supplied by the JSON Simple
project, hosted at https://code.google.com/p/json-simple/.
The JSON simple jar file is licensed under the Apache 2.0 License.
No other notice covers that jar file.
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
 Licensed to the Apache Software Foundation (ASF) under one or more
 contributor license agreements. See the NOTICE file distributed with
 this work for additional information regarding copyright ownership.
 The ASF licenses this file to You under the Apache License, Version 2.0
 (the "License"); you may not use this file except in compliance with
 the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under
the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="radminlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="radminlicense"><a
name="radminlicense"><!-- -->

<h1 class="topictitle1">License</h1>

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use,
reproduction, and distribution as defined by Sections 1 through
9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause
the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example
is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means
any form of electronic, verbal, or written
communication sent to the Licensor or its representatives,
including but not limited to communication on electronic mailing
lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the Licensor for the
purpose of discussing and improving the Work, but excluding
communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a
Contribution."

"Contributor" shall mean Licensor and any individual or Legal
Entity on behalf of whom a Contribution has been received by
Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions
of this License, each Contributor hereby grants to You a
perpetual, worldwide, non-exclusive, no-charge, royalty-free,
irrevocable copyright license to reproduce, prepare Derivative

Works of, publicly display, publicly perform, sublicense, and
distribute the Work and such Derivative Works in Source or
Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have
made, use, offer to sell, sell, import, and otherwise transfer
the Work, where such license applies only to those patent claims
licensable by such Contributor that are necessarily infringed by
their Contribution(s) alone or by combination of their
Contribution(s) with the Work to which such Contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging
that the Work or a Contribution incorporated within the Work
constitutes direct
or contributory patent infringement, then any
patent licenses granted to You under this License for that Work
shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the

Licensor, except as required for reasonable and customary use
in describing the origin of the Work and reproducing the content
of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or
conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or
FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for
determining the appropriateness of using or redistributing the
Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and
grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct,
indirect, special, incidental, or consequential damages of any
character arising as a result of this License or out of the use
or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or
malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of
such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License.
However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by
reason of your accepting any such warranty or additional
liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within
third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

</body>
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under
the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rtunlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rtunlicense"><a
name="rtunlicense"><!-- -->

<h1 class="topictitle1">License</h1>

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use,
      reproduction, and distribution as defined by Sections 1 through
      9 of this document.

      "Licensor" shall mean the copyright owner or entity authorized
      by the copyright owner that is granting the License.

      "Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works
of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or
contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or
conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or
FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for
determining the appropriateness of using or redistributing the
Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether
in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and
grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct,
indirect, special, incidental, or consequential damages of any
character arising as a result of this License or out of the use
or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or
malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of
such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However,
in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by
reason of your accepting any such warranty or additional
liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within
third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

</body>
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under
the License.
-->

<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rseclicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css"
 rel="stylesheet" />
<title>License</title>
</head>
<body id="rseclicense"><!-- -->

<h1 class="topictitle1">License</h1>

<p />

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use,
    reproduction, and distribution as defined by Sections 1 through
    9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized
    by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this

definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright

notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the

purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing

lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the
Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or
conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or
FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for
determining the appropriateness of using or redistributing the
Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and
grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct,
indirect, special, incidental, or consequential damages of any
character arising as a result of this License or out of the use
or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or
malfunction, or any and all other commercial damages or losses),
even if such Contributor has been advised of the possibility of
such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other
liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by
reason of your accepting any such warranty or additional
liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same

"printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

</body>
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under
the License.
-->
<head>

<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rtoolslicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rtoolslicense"><a
 name="rtoolslicense"><!-- -->

<h1 class="topictitle1">License</h1>

<h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
                                 Apache License
                           Version 2.0, January 2004
                        http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

    "License" shall mean the terms and conditions for use,
    reproduction, and distribution as defined by Sections 1 through
    9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized
    by the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under
    common control with that entity. For the purposes of this
    definition, "control" means (i) the power, direct or indirect,
    to cause

the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%)
or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making
modifications, including but not limited to software source code,
documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example
is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or
Object form, that is based on (or derived from) the Work and
for which the editorial revisions, annotations, elaborations,
or other modifications represent, as a whole, an original work
of authorship. For the purposes of this License, Derivative
Works shall not include works that remain separable from, or
merely link (or bind by name) to the interfaces of, the Work
and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or
additions to that Work or Derivative Works thereof, that is
intentionally submitted to Licensor for inclusion in the Work
by the copyright owner or by an individual or Legal Entity
authorized to submit on behalf of the copyright owner. For the
purposes of this definition,
"submitted" means
any form of electronic, verbal, or written
communication sent to the Licensor or its representatives,
including but not limited to communication on electronic mailing
lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the Licensor for the
purpose of discussing and improving the Work, but excluding
communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a

Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative

Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or

conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License.
However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within
third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.
</pre>

</body>
</html>

1.19 failureaccess 1.0.1

1.20 hikaricp-java7 2.4.13

1.20.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013,2014 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/HikariPool.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/dropwizard/CodaHaleMetricsTracker.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/MetricsTracker.java
*
/opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/MetricsTrackerFactory.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/HikariJNDIFactory.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/dropwizard/CodahaleMetricsTrackerFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/ClockSource.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/PoolStats.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013, 2014 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTrackerFactory.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/PoolBase.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/prometheus/HikariCPCollector.java
*
 /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTracker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/PoolEntry.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/metrics/dropwizard/CodahaleHealthChecker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyStatement.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyPreparedStatement.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyCallableStatement.java
*
 /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/UtilityElf.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/hibernate/HikariConfigurationUtil.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/PropertyElf.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/HikariDataSource.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/hibernate/HikariConnectionProvider.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/HikariPoolMXBean.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/HikariConfigMXBean.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013, 2014 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/HikariConfig.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/FastList.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyLeakTask.java
*
 /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyResultSet.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyConnection.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/DriverDataSource.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/pool/ProxyFactory.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/ConcurrentBag.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/SuspendResumeLock.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-zip/com/zaxxer/hikari/util/JavassistProxyFactory.java

1.21 commons-pool 2.6.2

1.22 j2objc-annotations 1.3

1.22.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

1.23 commons-collections 4.4

1.23.1 Available under license :

Apache Commons Collections
Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.24 janino 2.6.1

1.25 hystrix-core 1.5.12

1.26 jaxb-api 2.3.1

1.26.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this
document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable
by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the
Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof);
and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone,

and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED
SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the
Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER
INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR

PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4
(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with
the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein
is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended
to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities
for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish
to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee
is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify
your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these
conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source
code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable
runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative
works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of
this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free
software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software
Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision
will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,
you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless
of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.27 commons-io 2.6

1.27.1 Available under license :

Apache Commons IO
Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.28 proto-google-common-protos 1.12.0

1.29 okhttp 2.7.5

1.29.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean
the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such

license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by
combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or
product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or

otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.30 jopt-simple 5.0.2

1.31 guice 4.0

1.31.1 Available under license :

Google Guice - Core Library
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.32 commons-compiler 2.6.1

1.33 istack-commons 2.13

1.34 guice-assistedinject 4.0

1.34.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Google Guice - Extensions - AssistedInject
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.35 archaius-core 0.6.6

1.36 jsr305 3.0.1

1.37 guice-multibindings 4.0

1.37.1 Available under license :

Google Guice - Extensions - MultiBindings
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.38 commons-beanutils 1.9.4

1.38.1 Available under license :

Apache Commons BeanUtils
Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.39 hamcrest 1.3

1.39.1 Available under license :

Copyright (c) 2000-2003, jMock.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY

WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.40 apiguardian-api 1.1.0

1.40.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.41 httpcomponents-client 4.5.6

1.41.1 Available under license :

Apache HttpClient
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.42 derby 10.14.2000000.1828579

1.42.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=========================================================================
==  NOTICE file corresponding to section 4(d) of the Apache License,
==  Version 2.0, in this case for the Apache Derby distribution.
==
==  DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED
==  BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.
==
=========================================================================
```

Apache Derby
Copyright 2004-2018 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

```
=========================================================================
```

Portions of Derby were originally developed by
International Business Machines Corporation and are
licensed to the Apache Software Foundation under the
"Software Grant and Corporate Contribution License Agreement",
informally known as the "Derby CLA".
The following copyright notice(s) were affixed to portions of the code
with which this file is now or
was at one time distributed
and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

==========

The portion of the functionTests under 'nist' was originally
developed by the National Institute of Standards and Technology (NIST),
an agency of the United States Department of Commerce, and adapted by
International Business Machines Corporation in accordance with the NIST
Software Acknowledgment and Redistribution document at
http://www.itl.nist.gov/div897/ctg/sql_form.htm

==========

The Derby build relies on source files supplied by the Apache Felix
project. The following notice covers the Felix files:

Apache Felix Main
Copyright 2008 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software
Foundation (http://www.apache.org/).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2007).

Licensed under the Apache License 2.0.

This product includes software from http://kxml.sourceforge.net.
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany.
Licensed under BSD License.

II. Used Software

This product uses software developed at
The OSGi Alliance (http://www.osgi.org/).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

III. License Summary
- Apache License 2.0
- BSD License

==========

The Derby build relies on jar files supplied by the Apache Lucene
project. The following notice covers the Lucene files:

Apache Lucene
Copyright 2013 The Apache Software Foundation

This product includes software developed by
The Apache
Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were automatically generated with the moman/finenight FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see http://sites.google.com/site/rrettesite/moman and http://bitbucket.org/jpbarrette/moman/overview/

The
class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See http://junit.sourceforge.net/cpl-v10.html

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package is available from
http://snowball.tartarus.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was
developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The
Stempel analyzer (stempel) includes BSD-licensed software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond
Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See http://project.carrot2.org/license.html.

The SmartChineseAnalyzer source code (smartcn) was
provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski (http://morfologik.blogspot.com/).

Morfologik uses data from Polish ispell/myspell dictionary
(http://www.sjp.pl/slownik/en/) licenced on the terms of (inter alia)
LGPL and Creative Commons ShareAlike.

Morfologic includes data from BSD-licensed dictionary of Polish (SGJP)
(http://sgjp.pl/morfeusz/)

Servlet-api.jar
and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==========
mecab-ipadic-2.7.0-20070801 Notice
==========

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to
this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the
countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,

performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization
 that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the
production of secondary products from the program.

In the case where the program, whether in its original form or
modified, was distributed
 or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

==========

The Derby build relies on a jar file supplied by the JSON Simple
project, hosted at https://code.google.com/p/json-simple/.
The JSON simple jar file is licensed under the Apache 2.0 License.
No other notice covers that jar file.

1.43 grpc-context 1.24.0

1.43.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.44 grpc-api 1.24.0

1.44.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or

rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.45 big-math 2.0.0

1.45.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.46 jaxb-core 2.2.6

1.46.1 Available under license :

Apache CXF
Copyright 2006-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.47 libevent 2.1.11

1.47.1 Available under license :

Libevent is available for use under the following license, commonly known
as the 3-clause (or "modified") BSD license:

==========
Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>
Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Portions of Libevent are based on works by others, also made available by

them under the three-clause BSD license above. The copyright notices are
available in the corresponding source files; the license is as above. Here's
a list:

log.c:
Copyright (c) 2000 Dug Song <dugsong@monkey.org>
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:
Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:
Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:
Copyright (c) 2007 Sun Microsystems

ht-internal.h:
Copyright (c) 2002 Christopher Clark

minheap-internal.h:
Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

==========

The arc4module is available under the following, sometimes called the
"OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR
BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

==========

The Windows timer code is based on code from libutp, which is
distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be
 included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
CMake - Cross Platform Makefile Generator
Copyright 2000-2013 Kitware, Inc.
Copyright 2000-2011 Insight Software Consortium
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.

* Neither the names of Kitware, Inc., the Insight Software Consortium,
 nor the names of their contributors may be used to endorse or promote
 products derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO,
 THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above copyright and license notice applies to distributions of
CMake in source and binary form. Some source files contain additional
notices of original copyright by their contributors; see each source
for details. Third-party software packages supplied with CMake under
compatible licenses provide their
 own copyright notices documented in
corresponding subdirectories.

CMake was initially developed by Kitware with the following sponsorship:

* National Library of Medicine at the National Institutes of Health
  as part of the Insight Segmentation and Registration Toolkit (ITK).

* US National Labs (Los Alamos, Livermore, Sandia) ASC Parallel
  Visualization Initiative.

* National Alliance for Medical Image Computing (NAMIC) is funded by the
  National Institutes of Health through the NIH Roadmap for Medical Research,
  Grant U54 EB005149.

* Kitware, Inc.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.48 guice 4.0.0

1.48.1 Available under license :

Google Guice - Core Library
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
    incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
                        Apache License
                  Version 2.0, January 2004
               http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.49 mime-pull 1.9.13

1.49.1 Available under license :

[//]: # " Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved. "
[//]: # " "
[//]: # " This program and the accompanying materials are made available under the "
[//]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "
[//]: # " http://www.eclipse.org/org/documents/edl-v10.php. "
[//]: # " "
[//]: # " SPDX-License-Identifier: BSD-3-Clause "

Notices for Eclipse Metro

This content is produced and maintained by the Eclipse Metro project.

* Project home: https://projects.eclipse.org/projects/ee4j.metro

Trademarks

Eclipse Metro is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0 which is available
at
http://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/metro-xmlstreambuffer
* https://github.com/eclipse-ee4j/metro-policy
* https://github.com/eclipse-ee4j/metro-wsit
* https://github.com/eclipse-ee4j/metro-mimepull
* https://github.com/eclipse-ee4j/metro-ws-test-harness
* https://github.com/eclipse-ee4j/metro-package-rename-task
* https://github.com/eclipse-ee4j/metro-jax-ws
* https://github.com/eclipse-ee4j/metro-saaj
* https://github.com/eclipse-ee4j/metro-jwsdp-samples
* https://github.com/eclipse-ee4j/jax-rpc-ri

Third-party Content

This project leverages the following third party content.

addressing.xml Version: 2004/10 (n/a)

* License: W3C
* Project: https://www.w3.org/Submission/ws-addressing/
* Source: http://schemas.xmlsoap.org/ws/2004/08/addressing/

ant-launcher (1.10.2)

* License: Apache-2.0 AND SAX-PD AND W3C
* Project:
 https://ant.apache.org/
* Source:
 http://central.maven.org/maven2/org/apache/ant/ant-launcher/1.10.2/ant-launcher-1.10.2-sources.jar

Apache Ant (1.6)

* License: Apache-1.1
* Project: https://ant.apache.org/
* Source: https://repo1.maven.org/maven2/ant/ant/1.6/ant-1.6-sources.jar

Apache Ant (1.10.2)

* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

commons-logging (1.1.2)

* License: Apache-2.0
* Project: https://commons.apache.org/proper/commons-logging/
* Source:
 http://central.maven.org/maven2/commons-logging/commons-logging/1.1.2/commons-logging-1.1.2-sources.jar

JUnit (4.12)

* License: Eclipse Public License

maven-core (3.5.2)

* License: Apache-2.0

maven-plugin-annotations (3.5.1)

* License: Apache-2.0
* Project:
  https://maven.apache.org/plugin-tools/maven-plugin-annotations/project-info.html
* Source:
  https://github.com/apache/maven-plugin-tools/tree/maven-plugin-tools-3.5.1/maven-plugin-annotations

maven-plugin-api (3.5.2)

* License: Apache-2.0
*
 Project: https://maven.apache.org/
* Source: https://github.com/apache/maven/tree/master/maven-plugin-api

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-util (1.1.1)

* License: Apache-2.0

maven-settings (3.5.2)

* License: Apache-2.0

mex.xsd Version: 2004/09 (n/a)

* License: Oasis Style
* Project: https://www.w3.org/Submission/WS-MetadataExchange/#appendix-II
* Source: http://schemas.xmlsoap.org/ws/2004/09/mex/MetadataExchange.xsd

plexus-utils (3.1.0)

* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana
  University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

* License: New BSD license

stax2-api (4.1)

* License: Pending
* Project: https://github.com/FasterXML/stax2-api
* Source:
  http://central.maven.org/maven2/org/codehaus/woodstox/stax2-api/4.1/stax2-api-4.1-sources.jar

testng (6.14.2)

* License: Apache-2.0 AND MIT
* Project: https://testng.org/doc/index.html
* Source: https://github.com/cbeust/testng

woodstox-core-asl
(4.4.1)

* License: Apache-2.0

woodstox-core-asl (5.1.0)

* License: Pending
* Project: https://github.com/FasterXML/woodstox
* Source: https://github.com/FasterXML/woodstox

ws-addr.wsd (1.0)

* License: W3C
* Project: https://www.w3.org/2005/08/addressing/
* Source: https://www.w3.org/2006/03/addressing/ws-addr.xsd

wsat.xsd Version: 2004/10 (n/a)

* License: Oasis Style
* Project: http://schemas.xmlsoap.org/ws/2004/10/wsat/
* Source: http://schemas.xmlsoap.org/ws/2004/10/wsat/wsat.xsd

wscoor.xsd (1.0)

* License: OASIS Style

wscoor.xsd (1.1)

* License: Oasis (Custom)
* Project: http://docs.oasis-open.org/ws-tx/wscoor/2006/06
* Source:

http://docs.oasis-open.org/ws-tx/wscoor/2006/06/wstx-wscoor-1.1-schema-200701.xsd

wsrm Version: 2005/02 (n/a)

* License: Oasis (Custom)
* Project: http://schemas.xmlsoap.org/ws/2005/02/rm/
* Source:
http://schemas.xmlsoap.org/ws/2005/02/rm/wsrm.xsd;%20http://schemas.xmlsoap.org/ws/2005/02/rm/wsrm-policy.xsd

wsrm.xsd
(1.2)

* License: Oasis

wstx-wsat.xsd (1.1)

* License: Oasis (Custom)

xmlsec (1.5.8)

* License: Apache-2.0
* Project: http://santuario.apache.org/
* Source:
https://repo1.maven.org/maven2/org/apache/santuario/xmlsec/1.5.8/xmlsec-1.5.8-sources.jar

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.
/*
* Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
Eclipse Distribution License - v 1.0
Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
[//]: # " Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved. "
[//]: # " "
[//]: # " This program and the accompanying materials are made available under the "
[//]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "
[//]: # " http://www.eclipse.org/org/documents/edl-v10.php. "
[//]: # " "
[//]: # " SPDX-License-Identifier: BSD-3-Clause "

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation,
Inc. nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.50 commons-compress 1.20

1.50.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Compress
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The files in the package org.apache.commons.compress.archivers.sevenz
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (http://www.7-zip.org/sdk.html)

The test file lbzip2_32767.bz2 has been copied from libbzip2's source

repository:

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2019 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented;
 you must
  not claim that you wrote the original software. If you use this
  software in a product, an acknowledgment in the product
  documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must
  not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote
  products derived from this software without specific prior written
  permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER
 IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org

1.51 quartz 2.3.2

1.51.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to

You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.52 feign-core 8.15.1

1.52.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Types.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/SynchronousMethodHandler.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-

jar/feign/InvocationHandlerFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Param.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/QueryMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/Decoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/Encoder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RequestTemplate.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/auth/BasicAuthRequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RetryableException.java
*
 /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/ReflectiveFeign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/ErrorDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Logger.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Request.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/EncodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/StringDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Retryer.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/DecodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Util.java
*
 /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/auth/Base64.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/FeignException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Client.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/MethodMetadata.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Response.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Feign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-

jar/feign/RequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Contract.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Target.java

1.53 feign-jackson 8.15.1

1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonEncoder.java

1.54 mecab 0.996

1.54.1 Available under license :

Copyright (c) 2001-2008, Taku Kudo
Copyright (c) 2004-2008, Nippon Telegraph and Telephone Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are
permitted provided that the following conditions are met:

* Redistributions of source code must retain the above
  copyright notice, this list of conditions and the
  following disclaimer.

* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the
following disclaimer in the documentation and/or other
materials provided with the distribution.

* Neither the name of the Nippon Telegraph and Telegraph Corporation
nor the names of its contributors may be used to endorse or
promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.55 jedis 3.3.0

1.55.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2009-2010 MBTE Sweden AB. Licensed under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable
* law or agreed to in writing, software distributed under the License is distributed on an "AS IS"
* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License
* for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1047560748_1590497249.67/0/jedis-3-3-0-sources-jar/redis/clients/jedis/util/RedisInputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more contributor license

* agreements. See the NOTICE file distributed with this work for additional information regarding
* copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable
* law or agreed to in writing, software distributed under the License is distributed on an "AS IS"
* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License
* for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1047560748_1590497249.67/0/jedis-3-3-0-sources-jar/redis/clients/jedis/util/MurmurHash.java

1.56 guice 4.2.3

1.56.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Google Guice - Core Library
Copyright 2006-2020 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.57 guice-assistedinject 4.2.3

1.57.1 Available under license :

Google Guice - Extensions - AssistedInject
Copyright 2006-2020 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.58 guice-multibindings 4.2.3

1.58.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/
TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
1. Definitions.
"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.
"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.
"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.
"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.
"Source" form shall mean the preferred
form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.
"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).
"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the
interfaces of, the Work and Derivative Works thereof.
"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."
"Contributor" shall mean Licensor and any individual or Legal
Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.
2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of
their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution
notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such

third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor
be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted
against, such Contributor by reason of your accepting any such warranty or additional liability.
END OF TERMS AND CONDITIONS

1.59 activation 1.1.1

1.59.1 Available under license :

Common Development and Distribution License 1.0
SPDX short identifier: CDDL-1.0

Further resources on the CDDL-1.0

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE Version 1.0 (CDDL-1.0) (text)

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof
with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus
claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive
license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications
made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form
must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing
or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable
form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single
product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You
originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY
AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software
(meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7.
LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT
END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This

License shall be governed by the law of the jurisdiction
specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available
any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.60 t-digest 3.2

1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to Ted Dunning under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/FloatHistogram.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/AVLGroupTree.java
*

/opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/Sort.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/TDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/IntAVLTree.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/Histogram.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/MergingDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/Centroid.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/Simple64.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/AbstractTDigest.java
*
/opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-jar/com/tdunning/math/stats/AVLTreeDigest.java

1.61 jctools-core 3.1.0

1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
<modelVersion>4.0.0</modelVersion>

<artifactId>jctools-core</artifactId>
<groupId>org.jctools</groupId>
<version>3.1.0</version>
<name>Java Concurrency Tools Core Library</name>
<description>Java Concurrency Tools Core Library</description>
<packaging>bundle</packaging>

<dependencies>
<dependency>
<groupId>org.hamcrest</groupId>
<artifactId>hamcrest-all</artifactId>
<version>${hamcrest.version}</version>
<scope>test</scope>
</dependency>

<dependency>
<groupId>junit</groupId>
<artifactId>junit</artifactId>

```
 <version>${junit.version}</version>
 <scope>test</scope>
</dependency>

<dependency>
 <groupId>com.google.guava</groupId>
 <artifactId>guava-testlib</artifactId>
 <version>${guava-testlib.version}</version>
 <scope>test</scope>
</dependency>
</dependencies>
<build>
 <plugins>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-surefire-plugin</artifactId>
   <version>3.0.0-M3</version>
   <configuration>
    <includes>
     <include>*</include>
    </includes>
   </configuration>
  </plugin>
  <plugin>
   <groupId>org.apache.felix</groupId>
   <artifactId>maven-bundle-plugin</artifactId>
   <version>4.2.1</version>
   <extensions>true</extensions>
   <configuration>
    <instructions>
     <Import-Package>sun.misc;resolution:=optional</Import-Package>
    </instructions>
   </configuration>
  </plugin>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-source-plugin</artifactId>
   <version>3.2.0</version>
   <executions>
    <execution>
     <id>attach-sources</id>
     <phase>verify</phase>
     <goals>
      <goal>jar-no-fork</goal>
     </goals>
    </execution>
   </executions>
  </plugin>
```

```
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-javadoc-plugin</artifactId>
   <version>3.1.1</version>
   <configuration>
    <additionalOptions>
     <additionalOption>-Xdoclint:none</additionalOption>
    </additionalOptions>
    <source>8</source>
   </configuration>
   <executions>
    <execution>
     <id>attach-javadocs</id>
     <goals>
      <goal>jar</goal>
     </goals>
    </execution>
   </executions>
  </plugin>
 </plugins>
</build>

<distributionManagement>
 <repository>
  <id>bintray-jctools-jctools</id>
  <name>jctools-jctools</name>
  <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
 </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
 <license>
  <name>Apache
License, Version 2.0</name>
  <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
  <distribution>repo</distribution>
 </license>
</licenses>

<scm>
 <url>https://github.com/JCTools/JCTools</url>
 <connection>scm:git:https://github.com/JCTools/JCTools</connection>
 <tag>HEAD</tag>
</scm>
```

```
 <developers>
  <developer>
   <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
   <url>https://github.com/mjpt777</url>
  </developer>
  <developer>
   <url>https://github.com/RichardWarburton</url>
  </developer>
  <developer>
   <url>https://github.com/kay</url>
  </developer>
  <developer>
   <url>https://github.com/franz1981</url>
  </developer>
 </developers>

 <prerequisites>
  <maven>3.5.0</maven>
 </prerequisites>

 <properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <java.version>1.6</java.version>
  <java.test.version>1.8</java.test.version>

  <maven.compiler.source>${java.version}</maven.compiler.source>
  <maven.compiler.target>${java.version}</maven.compiler.target>
  <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
  <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

  <hamcrest.version>1.3</hamcrest.version>
  <junit.version>4.12</junit.version>
  <guava-testlib.version>21.0</guava-testlib.version>
 </properties>
</project>

Found
 in path(s):
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-
INF/maven/org.jctools/jctools-core/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Ordering.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Preference.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SupportsIterator.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscGrowableArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseSpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/MpmcArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpmcArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/AbstractEntry.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/BaseLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/InternalAPI.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashSet.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/Pow2.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscChunkedAtomicArrayQueue.java

* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/ConcurrentAutoTable.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/LinkedQueueNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/PortableJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingSetInt.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeRefArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscCompoundQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/QueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscGrowableAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscGrowableArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/RangeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/package-info.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/BaseSpscLinkedArrayQueue.java

1.62 guice-grapher 3.0

1.62.1 Available under license :

Google Guice - Extensions - Grapher
Copyright 2006-2011 Google, Inc.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.63 mysql-jdbc 8.0.22

1.63.1 Available under license :

Found license 'General Public License 2.0' in '# This program is free software; you can redistribute it and/or modify it under # the terms of the GNU General Public License, version 2.0, as published by the # limited to OpenSSL) that is licensed under separate terms, as designated in a # This program is distributed in the hope that it will be useful, but WITHOUT # ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS #

FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, # for more details. # You should have received a copy of the GNU General Public License along with License: %{lic_tag}'

/*

* Copyright (c) 2017, 2020, Oracle and/or its affiliates.

*

* This program is free software; you can redistribute it and/or modify it under

* the terms of the GNU General Public License, version 2.0, as published by the

* Free Software Foundation.

*

* This program is also distributed with certain software (including but not

* limited to OpenSSL) that is licensed under separate terms, as designated in a

* particular file or component or in included license documentation. The

* authors of MySQL hereby grant you an additional permission to link the

* program and your derivative works with the separately licensed software that

* they have included with MySQL.

*

* Without limiting anything contained in the foregoing, this file, which is

* part of MySQL Connector/J, is also subject to the Universal FOSS Exception,

* version 1.0, a copy of which can be found at

* http://oss.oracle.com/licenses/universal-foss-exception.

*

* This program is distributed in the hope that it will

be useful, but WITHOUT

* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS

* FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0,

* for more details.

*

* You should have received a copy of the GNU General Public License along with

* this program; if not, write to the Free Software Foundation, Inc.,

* 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

*/

Licensing Information User Manual

MySQL Connector/J 8.0

Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL Connector/J 8.0.

Last updated: August 2020

Licensing Information

This is a release of MySQL Connector/J 8.0, brought to you by the MySQL

team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL Connector/J 8.0 is distributed with certain software that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional
permission to link the program and your derivative
works with the separately licensed software that they have included with the program.

Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at http://oss.oracle.com/licenses/universal-foss-exception.

Copyright (c) 2017, 2020, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied
is
otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at http://www.gnu.org/licenses/gpl-2.0.txt. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

==========
==========

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin
Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim
copies of this license document, but changing it is not
allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it
if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands

that there is no warranty for this free
software. If the software is modified by someone else and passed on,
we want its recipients to know that what they have is not the original,
so that any problems introduced by others will not reflect on the
original authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this
General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately
publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of

Sections 1 and 2 above provided
that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a
work means the preferred form of the work for
making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the
Program
except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly
clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the
terms and
conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of

the License, or (at your option) any later version.

This program
is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type 'show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type 'show c'
for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of
the General Public License. Of course, the
commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program 'Gnomovision' (which makes passes at compilers) written
by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

==========
==========

The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in
the distribution for this software, data, and/or documentation
(collectively the "Software", and such licenses collectively with this
additional permission the "Software License"), the copyright holders
wish to facilitate interoperability with other software, data, and/or
documentation distributed with complete corresponding source under a
license that is OSI-approved and/or categorized by the FSF as free
(collectively "Other FOSS"). We therefore hereby grant the following
additional permission with respect to the use and distribution of the
Software with Other FOSS, and the constants, function signatures, data
structures and other invocation methods used to run or interact with
each of them (as to each, such software's "Interfaces"):
i. The Software's

Interfaces may, to the extent permitted by the
license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).

ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than
such Interfaces
to be licensed under the terms other than the Software License.

iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof. For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions,
and any
license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

==========
==========

Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

c3p0 JDBC Library

The MySQL Connector/J implements
interfaces that are included in c3p0,
although no part of c3p0 is included or distributed with MySQL.
Copyright (C) 2019 Machinery For Change, Inc.

* This library is free software; you can redistribute it and/or modify
* it under the terms of EITHER:
*
*   1) The GNU Lesser General Public License (LGPL), version 2.1, as
*   published by the Free Software Foundation
*
* OR
*
*   2) The Eclipse Public License (EPL), version 1.0
* You may choose which license to accept if you wish to redistribute
* or modify this work. You may offer derivatives of this work
* under the license you have chosen, or you may provide the same
* choice of license which you have been offered here.
*
* This software is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
*
* You should have received copies of both LGPL v2.1 and EPL v1.0
* along with this software;
see the files LICENSE-EPL and LICENSE-LGPL.
* If not, the text of these licenses are currently available at
*
* LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html
* EPL v1.0: http://www.eclipse.org/org/documents/epl-v10.php

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation

distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting
on such Contributor's behalf. Contributions do not include additionsto the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor,
if any, and such
derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property
rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively
disclaims on behalf of all Contributors all warranties
and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must
be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively
"Losses") arising from claims, lawsuits and other legal
actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims,
or offers warranties
related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and

distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of
program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the
minimum extent necessary to make such
provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone
is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable

separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above,
Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The LGPL v2.1 can be found in GNU Lesser General Public License Version 2.1, February 1999.

==========
==========

Google Protocol Buffers

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted
provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.

==========

==========

Java Hamcrest

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

Redistributions of source code must
retain the above copyright notice, this list
of conditions and the following disclaimer. Redistributions in binary form must
reproduce the above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with the
distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to
endorse or promote products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

==========

jboss-common-jdbc-wrapper.jar

This product may include a copy of jboss-common-jdbc-wrapper.jar in
both source and object code in the following
/src/lib/jboss-common-jdbc-wrapper.jar. The terms of the Oracle license
do NOT apply to jboss-common-jdbc-wrapper.jar; it is licensed under the
following license, separately from the Oracle programs you receive. If
you do not wish to install this library, you may remove the file
/src/lib/jboss-common-jdbc-wrapper.jar, but the Oracle program might
not operate properly or at all without the library.

This component is licensed under GNU Lesser General
Public License
Version 2.1, February 1999. See the 'Standard Licenses' section for
license text.

==========
==========

JUnit 5

COPYRIGHT: Copyright 2015-2020 the original author or authors.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from
and are Distributed by that particular Contributor. A Contribution
"originates" from
a Contributor if it was added to the Program by
such Contributor itself or anyone acting on such Contributor's behalf.
Contributions do not include changes or additions to the Program that
are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.
No hardware per se is
licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if
any, to grant
the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

b) the Contributor may Distribute the Program under a license
different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all
other Contributors all
warranties and conditions, express and implied, including
warranties or conditions of title and non-infringement, and
implied warranties or conditions of merchantability and fitness
for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all
liability for damages, including direct, indirect, special,
incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights
in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any
party to be under a license that satisfies the requirements
of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the
Program (i) is combined with other material in a separate file or
files made available under a Secondary License, and (ii) the initial
Contributor attached
to the Source Code the notice described in
Exhibit A of this Agreement, then the Program may be made available
under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of
the Program.

3.3 Contributors may not remove or alter any copyright, patent,
trademark, attribution notices, disclaimers of warranty, or limitations
of liability ("notices") contained within the Program from any copy of
the Program which they Distribute, provided that Contributors may add
their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities
with respect to end users, business partners and the like. While this
license is intended to facilitate the commercial use of the Program,
the Contributor who includes the Program in a commercial product
offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the
Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim
at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS
FOR A PARTICULAR
PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED
OF THE
POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware
of such noncompliance. If all Recipient's
rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions)
may always be
Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published,

Contributor may elect to Distribute the Program (including its
Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient
receives no rights or licenses to the intellectual property of any
Contributor under this Agreement, whether expressly, by implication,
estoppel or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name
license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to
look for such a notice.

You may add additional accurate notices of copyright ownership.
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

=== Copyright from source files ===
/*
* Copyright 2015-2020 the original author or authors.
*
* All rights reserved.
This program and the accompanying materials are
* made available under the terms of the Eclipse Public License v2.0 which
* accompanies this distribution and is available at
*
* https://www.eclipse.org/legal/epl-v20.html
*/

Additionall licenses
==========

=== junit-jupiter-params & junit-platform-console ====
Directories include an Apache license file

Apache License Version 2.0, January 2004

Additional external dependencies
==========
https://github.com/apiguardian-team/apiguardian/archive/r1.1.0.zip
/*
* Copyright 2002-2017 the original author or authors.
*
The above component is licensed under
Apache License Version 2.0, January 2004

https://github.com/ota4j-team/opentest4j/archive/r1.2.0.zip
/*
* Copyright 2015-2018 the original author or authors.
*
The above component is licensed under
Apache License Version 2.0, January 2004

==========
==========

NanoXML

NanoXML
* Copyright (C) 2000-2002 Marc De Scheemaecker, All Rights Reserved.
*
* This software is provided 'as-is', without any express or implied warranty.
* In no event will the authors be held liable for any damages arising from the
* use of this software.
*
* Permission is granted to anyone to use this software for any purpose,
* including commercial applications, and to alter it and redistribute it
* freely, subject to the following restrictions:
*
* 1. The origin of this software must not be misrepresented; you must not
*   claim that you wrote the original software. If you use this software in
*   a product, an acknowledgment in the product documentation would be
*   appreciated but is not required.
*
* 2. Altered source versions must be plainly marked as such, and must not be

* misrepresented as being the original software.
*
* 3. This notice may not be removed or altered from any source distribution.
 *

 ==========
 ==========

rox.jar

 rox.jar
Copyright (c) 2006, James Greenfield
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimer in the documentation
    and/or other materials provided with the distribution.
  * Neither the name of the <ORGANIZATION> nor the names of its
    contributors may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
 CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 ==========
 ==========

Simple Logging Facade for Java (SLF4J)

Simple Logging Facade for Java (SLF4J)

Copyright (c) 2004-2011 QOS.ch
All rights reserved.

Permission is hereby
granted, free of charge,
to any person obtaining a copy of this software
and associated documentation files (the "Software"),
to deal in the Software without restriction, including
without limitation the rights to use, copy, modify,
merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom
the Software is furnished to do so, subject to the
following conditions:

The above copyright notice and this permission notice
shall be included in all copies or substantial portions
of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY
OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT
LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER DEALINGS IN THE SOFTWARE.

==========
==========

Unicode Data Files

Unicode Data Files
COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining a copy
of the Unicode data files and any associated documentation (the "Data Files")
or Unicode software and any associated documentation (the "Software") to deal
in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit persons to
whom the Data Files or Software are furnished to do so, provided that (a) the
above copyright notice(s) and this permission notice appear with all copies
of the Data Files or Software,
(b) both the above copyright notice(s) and
this permission notice appear in associated documentation, and (c) there is
clear notice in each modified Data File or in the Software as well as in the

documentation associated with the Data File(s) or Software that the data or
software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall
not be
used in advertising or otherwise to promote the sale, use or other dealings in
these Data Files or Software without prior written authorization of the
copyright holder.

==========
==========

Standard Licenses

GNU Lesser General Public License Version 2.1, February 1999

The following applies to all products licensed under the
GNU Lesser General Public License, Version 2.1: You may
not use the identified files except in compliance with
the GNU Lesser General Public License, Version 2.1 (the
"License"). You may obtain a copy of the License at
http://www.gnu.org/licenses/lgpl-2.1.html. A copy of the
license is also reproduced below. Unless required by
applicable law or agreed to in writing, software distributed
under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
or implied. See the License for
the specific language governing
permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original author's reputation will
not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative
of the original library. The ordinary
General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as
widely used non-free libraries.
In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in

non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived
from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it,
either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based

on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole.

If
identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work
under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms
of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the

source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference

directing the user to the
copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather
than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special
exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

 To apply these terms, attach the following notices to the library.
It
 is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free
Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
  02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James
 Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

 ==
 ==

Apache License Version 2.0, January 2004

The following applies to all products licensed under the Apache 2.0 License: You may not use the identified files except in compliance with the Apache License, Version 2.0 (the "License.") You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License Version 2.0, January 2004 http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object

form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided
in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives,
including but not limited to
communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions
of
this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to

which such Contribution(s) was submitted. If You institute patent
litigation against any entity (including a cross-claim or counterclaim
in a lawsuit) alleging that the Work or a Contribution incorporated
within the Work constitutes direct or contributory patent
infringement, then any patent licenses granted to You under this
License for that Work shall terminate as of the date such litigation
is filed.

4. Redistribution. You may reproduce and distribute copies of the Work
or Derivative Works thereof in any medium,
with or without
modifications, and in Source or Object form, provided that You meet
the following conditions:

(a) You must give any other recipients of the Work or Derivative Works
a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that
You distribute, all copyright, patent, trademark, and attribution
notices from the Source form of the Work, excluding those notices that
do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain
to any part of the Derivative Works, in at least one of the following
places: within a NOTICE text file distributed as part of the
Derivative Works; within the Source
form or documentation, if provided
along with the Derivative Works; or, within a display generated by the
Derivative Works, if and wherever such third-party notices normally
appear. The contents of the NOTICE file are for informational purposes
only and do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside or as
an addendum to the NOTICE text from the Work, provided that such
additional attribution notices cannot be construed as modifying the
License.

You may add Your own copyright statement to Your modifications and may
provide additional or different license terms and conditions for use,
reproduction, or distribution of Your modifications, or for any such
Derivative Works as a whole, provided Your use, reproduction, and
distribution of the Work otherwise complies with the conditions stated

in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted
for inclusion in the Work by
You to the Licensor shall be under the terms and conditions of this
License, without any additional terms or conditions. Notwithstanding
the above, nothing herein shall supersede or modify the terms of any
separate license agreement you may have executed with Licensor
regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed
to in writing, Licensor provides the Work (and each Contributor
provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied, including, without
limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT,
MERCHANTABILITY, or FITNESS FOR A PARTICULAR
PURPOSE. You are solely
responsible for determining the appropriateness of using or
redistributing the Work and assume any risks associated with Your
exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise, unless
required by applicable law (such as deliberate and grossly negligent
acts) or agreed to in writing, shall any Contributor be liable to You
for damages, including any direct, indirect, special, incidental, or
consequential damages of any character arising as a result of this
License or out of the use or inability to use the Work (including but
not limited to damages for loss of goodwill, work stoppage, computer
failure or malfunction, or any and all other commercial damages or
losses), even if such Contributor has been advised of the possibility
of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works
thereof, You may choose to offer, and
charge a fee for, acceptance of support, warranty, indemnity, or other
liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only on
Your own behalf and on Your sole responsibility, not on behalf of any
other Contributor, and only if You agree to indemnify, defend, and
hold each Contributor harmless for any liability incurred by, or

claims asserted against, such Contributor by reason of your accepting
any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be
included
on the same "printed page" as the copyright notice for easier identification
within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing permissions
and limitations under the License.

==========
==========

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is
licensed under an open source license that gives you the right to
receive the source code for that binary, you can obtain a copy of the
applicable source code by visiting
http://www.oracle.com/goto/opensourcecode. If the source code for the
binary was not provided to you with the binary, you can also receive a
copy of the source code on physical media by submitting a written
request to the address listed below or by sending an email to Oracle
using the following link:
http://www.oracle.com/goto/opensourcecode/request.
Oracle America, Inc.
Attn: Senior Vice President
Development and Engineering Legal
500 Oracle Parkway, 10th Floor

Redwood Shores, CA 94065

Your request should include:
* The name of the binary for which you are requesting the source code
* The name and version number of the Oracle product containing the binary
* The date you received the Oracle product
* Your name
* Your company name (if applicable)
* Your return mailing address and email, and
* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent
a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or
b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

1.64 annotations 3.0.0

1.64.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Mrcio Almada

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.65 aop-alliance 1.0

1.65.1 Available under license :

Public Domain

1.66 javax-annotation-api 1.2-b01

1.66.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor

either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.
Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.
The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.
You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.
You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You
offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered
Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED

SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program

a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only
way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of

that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
```

* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/

1.67 okio 2.5.0

1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUtf8.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/PeekSource.kt
*

/opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUpgrade.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Throttler.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Options.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Pipe.kt
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one or more
*  contributor license agreements.  See the NOTICE file distributed with
*  this work for additional information regarding copyright ownership.
*  The ASF licenses this file to You under the Apache License, Version 2.0
*  (the "License"); you may not use this file except in compliance with
*  the License.  You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Base64.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Timeout.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Sink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSource.kt
*
 /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/InflaterSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/SegmentPool.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Buffer.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/JvmOkio.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Segment.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Source.kt
*
 /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingTimeout.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-Platform.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/ByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Util.kt
*
 /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Platform.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/-Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/RealBufferedSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/SegmentedByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/RealBufferedSink.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/RealBufferedSource.kt
*
 /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/Buffer.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Timeout.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Sink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Buffer.kt

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ByteString.kt

1.68 rxjava 1.3.0

1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2017 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlatMapSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlatMapCompletable.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpmcArrayQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpmcArrayQueue.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2015 Netflix, Inc.
*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BackpressureUtils.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/ProducerObserverArbiter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/SingleDelayedProducer.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/QueuedProducer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/SingleProducer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/ProducerArbiter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/QueuedValueProducer.java
No license file was found, but licenses were detected in source scan.

====
  Copyright 2014 Netflix, Inc.

  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License.
====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (http://netflix.github.io/RxJava/javadoc/) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/README.md
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscLinkedQueue.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpscLinkedQueue.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.
*
* Modified from http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/OpenHashSet.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscAtomicArrayQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpscExactAtomicArrayQueue.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpscAtomicArrayQueue.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See
* the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/UtilityFunctions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Observable.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MessagePassingQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/MessagePassingQueue.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p/>
* http://www.apache.org/licenses/LICENSE-2.0
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ScalarSynchronousSingle.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/AsyncOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/singles/BlockingSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoAfterTerminate.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/SingleSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/BlockingUtils.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java
```

*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpscLinkedAtomicQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscArrayQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpscArrayQueue.java
No license file was found, but licenses were detected in source scan.

<!--

  Copyright 2014 Netflix, Inc.

  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License.

-->

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/package.html
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/BaseLinkedQueue.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/util/unsafe/Pow2.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/atomic/SpscUnboundedAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/**
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Single.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCombineLatest.java
No license file was found, but licenses were detected in source scan.

This package contains code that relies on sun.misc.Unsafe. Before using it you MUST assert UnsafeAccess.isUnsafeAvailable() == true

Much of the code in this package comes from or is inspired by the JCTools project:
https://github.com/JCTools/JCTools

JCTools has now published artifacts (https://github.com/JCTools/JCTools/issues/17) so RxJava could add JCTools as a "shadow" dependency (https://github.com/ReactiveX/RxJava/issues/1735).
RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is https://github.com/JCTools/JCTools/blob/master/LICENSE

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE,
REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form
for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not
include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is
conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make,
have made,
use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part
of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise
complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its
Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including
but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How
to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/README.md
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscUnboundedArrayQueue.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpscUnboundedArrayQueue.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright one 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToMultimap.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Actions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoAfterTerminate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithTime.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithObservableFactory.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeRefCount.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeSkipTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMapPair.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/PlatformDependent.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDelayWithSelector.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMulticast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDebounceWithSelector.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOnSubscribeDelaySubscriptionOther.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/RxThreadFactory.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnBackpressureLatest.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpscLinkedArrayQueue.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ExecutorScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDistinctUntilChanged.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorPublish.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDistinct.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/NewThreadWorker.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ScheduledAction.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSampleWithObservable.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithTime.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipUntil.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorEagerConcatMap.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTimerPeriodically.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/OperatorBufferWithSize.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWithLatestFrom.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTimerOnce.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithSingleObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDebounceWithTime.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSwitch.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorRetryWithPredicate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSampleWithTime.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithSize.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnBackpressureDrop.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnCompletedFailedException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSubscribeOn.java
*

/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Scheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/SerializedSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMerge.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Function.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/PublishSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeAutoConnect.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeLast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/ConnectableObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorElementAt.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorReplay.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Producer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorToObservableList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/RxRingBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action1.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/BehaviorSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/SubjectSubscriptionManager.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimeoutWithSelector.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Notification.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func6.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/FuncN.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoOnUnsubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorToFuture.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeJoin.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/UnicastSubject.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action8.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/TestObserver.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action3.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Completable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnBackpressureBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Subscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeWhile.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDematerialize.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BufferUntilSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/SyncOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorToObservableSortedList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func8.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorGroupBy.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/UnsubscribeFailedException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeTimeout.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeAmb.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFromArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeGroupJoin.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/NotificationLite.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/CachedThreadScheduler.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorNext.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SleepingAction.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TestScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeLastTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorNotImplementedException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoOnRequest.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorAsObservable.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/SerialSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/subscriptions/SequentialSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMaterialize.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action4.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/SerializedObserver.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorIgnoreElements.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action2.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/EventLoopsScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaErrorHandler.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWithLatestFromMany.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Functions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Observer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CachedObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorObserveOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action6.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func4.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/ImmediateScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action7.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorToIterator.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/GroupedObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/OperatorTakeUntilPredicate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorThrottleFirst.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Subscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimeoutBase.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorAll.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action5.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimeInterval.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDoOnEach.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMapNotification.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDefer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaObservableExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorCast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSingle.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/Subject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTake.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimestamp.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action0.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeConcat.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ImmediateScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/Exceptions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/MultipleAssignmentSubscription.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnEvent.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipWhile.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMerge.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipLastTimed.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/Subscribers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/BooleanSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkip.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/MissingBackpressureException.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimeout.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFilter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorLatest.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/BackpressureDrainManager.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSequenceEqual.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/TestSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/IndexedRingBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToMap.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/RefCountSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipLast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/Timestamped.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeSwitchIfEmpty.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action9.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/OnSubscribeUsing.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeUntil.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaPlugins.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/LinkedArrayList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOnSubscribeMap.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ScalarSynchronousObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeRedo.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func2.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/TestSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/CompositeSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeMap.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorZipIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorZip.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorMostRecent.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToObservableFuture.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/ReplaySubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func1.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/Subscriptions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorAny.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/SerializedSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/CompositeException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/ActionN.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func0.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/AsyncSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSerialize.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorThrowable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/Schedulers.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorScan.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func9.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/SubscriptionList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/Observers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFromIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorUnsubscribeOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TimeInterval.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func5.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeRange.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorFailedException.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/BlockingObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/GenericScheduledExecutorService.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func7.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/SafeSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func3.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDelay.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedQueueNode.java

*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/LinkedQueueNode.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/SingleEmitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/CompletableSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/CompletableFromEmitter.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/CompletableEmitter.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/MpscLinkedQueue.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/MpscLinkedQueue.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaHooks.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeOnAssemblyCompletable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/subscriptions/Unsubscribed.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionNotificationObserver.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/BackpressureOverflow.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/SafeCompletableSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCreate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/EmptyObservableHolder.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDelay.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilCompletable.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/InternalObservableUtils.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaSingleExecutionHookDefault.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/AssemblyStackTraceException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/AsyncCompletableSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOnErrorReturn.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleToObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionObserver.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Cancellable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaCompletableExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/SingleDoOnUnsubscribe.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssemblySingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ObserverSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleObserveOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaSingleExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleLiftObservableOperator.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/singles/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromCallable.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeLift.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlattenIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssembly.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/observers/AssertableSubscriberObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulePeriodicHelper.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDetach.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/subscriptions/CancellableSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/GenericScheduledExecutorServiceFactory.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulerWhen.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/AssertableSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Emitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeThrow.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/CompletableFlatMapSingleToCompletable.java
*
 /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleTimeout.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleFromFuture.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleFromEmitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/NeverObservableHolder.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleTakeUntilObservable.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Inspired from https://code.google.com/p/guava-
libraries/source/browse/guava/src/com/google/common/annotations/Beta.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/annotations/Experimental.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Originally from https://code.google.com/p/guava-
libraries/source/browse/guava/src/com/google/common/annotations/Beta.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/Beta.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* This plugin class provides 2 ways to customize {@link Scheduler} functionality
* 1.  You may redefine entire schedulers, if you so choose.  To do so, override
* the 3 methods that return Scheduler (io(), computation(), newThread()).
* 2.  You may wrap/decorate an {@link Action0}, before it is handed off to a Scheduler.  The
 system-
* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,
* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to
* modify Scheduler functionality without redefining Schedulers wholesale.
*
* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.
* <p>
* See {@link RxJavaPlugins} or the RxJava GitHub Wiki for information on configuring plugins:
* <a
href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/plugins/RxJavaSchedulersHook.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/MpmcArrayQueue.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/MpmcArrayQueue.java
No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ExceptionsUtils.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeConcatMap.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCollect.java
*

/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/DeferredScalarSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/DeferredScalarSubscriberSafe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribePublishMulticast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeReduceSeed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOperatorOnErrorResumeNext.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOperatorZip.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulerLifecycle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/SuppressAnimalSniffer.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFromCallable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOnSubscribeUsing.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTakeLastOne.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeReduce.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
        * This mechanism for getting UNSAFE originally from:
        *
        * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
        * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/util/UnsafeAccess.java
        */
```

Found
in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/UnsafeAccess.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
*/
```

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

1.69 juel-api 2.2.7

1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2006-2009 Odysseus Software GmbH
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/CompositeELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodInfo.java
*
 /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/PropertyNotFoundException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ListELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/FunctionMapper.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ArrayELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ValueExpression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodNotFoundException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContextListener.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ResourceBundleELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/Expression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContext.java
*
 /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/BeanELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ValueReference.java

* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ExpressionFactory.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MapELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodExpression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/VariableMapper.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContextEvent.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/PropertyNotWritableException.java

1.70 commons-io 2.4

1.70.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons IO
Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.71 lombok 1.18.12

1.71.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.72 commons-lang3 2.6

1.72.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Lang
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.73 commons-configuration 1.8

1.73.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)

the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate

as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Configuration
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.74 jcommander 1.78

1.74.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IUsageFormatter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/UnixStyleUsageFormatter.java
*
 /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/JCommander.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/DefaultUsageFormatter.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IStringConverterFactory.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/URLConverter.java
*
 /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Lists.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParameterException.java

* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/DefaultConverterFactory.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/IntegerConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/FileConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/StringConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IStringConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Sets.java
*
 /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/LongConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Maps.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/InetAddressConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/Parameters.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParameterDescription.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/URIConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BaseConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/CharArrayConverter.java
*
 /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/PathConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParametersDelegate.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ResourceBundle.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IDefaultProvider.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/DoubleConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BigDecimalConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/FloatConverter.java
*

/opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/MissingCommandException.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/NoConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BooleanConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/Parameter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/ISO8601DateConverter.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2011 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/validators/NoValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/validators/PositiveInteger.java
*
/opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/validators/NoValueValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IParameterValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IParameterValidator2.java

1.75 commons-logging 1.2

1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2006 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2004,2006 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/AvalonLogger.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2004 The Apache Software Foundation.
*
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java
No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2004 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java
*
 /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/Log.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/ServletContextCleaner.java

1.76 commons-cli 1.4

1.76.1 Available under license :

Apache Commons CLI
Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.77 jakarta-annotation-api 1.3.5

1.77.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any

exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License

(if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of

the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software
or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward

reserves
the right to publish new versions (including revisions) of
this Agreement from time to time. No one other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation
is the initial Agreement Steward. The Eclipse Foundation may assign the
responsibility to serve as the Agreement Steward to a suitable separate
entity. Each new version of the Agreement will be given a distinguishing
version number. The Program (including Contributions) may always be
Distributed subject to the version of the Agreement under which it was
received. In addition, after a new version of the Agreement is published,
Contributor may elect to Distribute the Program (including its
Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient
receives no rights or licenses to the intellectual property of any
Contributor under this Agreement, whether expressly, by implication,
estoppel
or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program

proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part

thereof, to be licensed as a whole at no charge to all third parties
under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not
normally print such an announcement, your work based on the Program
is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program, and
can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based on
the Program, the distribution of the whole must be on the terms of this
License, whose permissions for other licensees extend to the entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of a
storage or distribution medium does not bring the other work under the
scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections 1
and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to
distribute corresponding source code. (This alternative is allowed
only for noncommercial distribution and only if you received the
program in object code or executable form with such an offer, in
accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source code
means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to control
compilation and installation of the executable. However, as a special
exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies the
executable.

If distribution of executable or object code is made by offering access
to copy from a designated place, then offering equivalent access to copy
the source code from the same place counts as distribution of the source
code, even though third parties are not compelled to copy the source
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt otherwise
to copy, modify, sublicense or distribute the Program is void, and will
automatically terminate your rights under this License. However, parties
who have received copies, or rights, from you under this License will
not have
their licenses terminated so long as such parties remain in
full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and all
its terms and conditions for copying, distributing or modifying the
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted
in
certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If
you do not wish to do so, delete this exception statement
from your version.
Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

* Project home: https://projects.eclipse.org/projects/ee4j.ca

Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/common-annotations-api

##
 Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.
/*
* Copyright (c) 2005, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

1.78 commons-codec 1.14

1.78.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

1.79 classmate 1.5.1

1.79.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License,
version 2.0 ("the License").
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

1.80 jakarta-validation-api 2.0.2

1.80.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Jakarta Bean Validation API
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/

Found in path(s):
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CascadableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/FutureOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidatorContext.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ExecutableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/Default.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/MessageInterpolator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/Unwrapping.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractor.java

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/ValidationTarget.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/MethodDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/UnexpectedTypeException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/BeanDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Digits.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/UnwrapByDefault.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NegativeOrZero.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintViolation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ValidateUnwrappedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/SupportedValidationTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/ValidationProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ElementKind.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/GroupConversionDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ExtractedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/MethodType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ConstructorDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/constraintvalidation/package-info.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/AssertTrue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Path.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/PositiveOrZero.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/BootstrapConfiguration.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ContainerElementTypeDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Min.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/ConvertGroup.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Max.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ReportAsSingleViolation.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ReturnValueDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ParameterNameProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/NoProviderFoundException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotBlank.java

*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Constraint.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Valid.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CrossParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ClockProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Configuration.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ValidateOnExecution.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Size.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/PastOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintViolationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/TraversableResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ExecutableValidator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidationProviderResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidatorFactory.java
*
 /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ContainerDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ConstraintDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotNull.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/GroupSequence.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Negative.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/ConstraintValidatorFactory.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/OverridesAttribute.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/BootstrapState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Email.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/PropertyDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidator.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ExecutableType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/AssertFalse.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Future.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMax.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Positive.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotEmpty.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/ConfigurationState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Payload.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMin.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Past.java
No license file was found, but licenses were detected in source scan.

~ Jakarta Bean Validation API
~
~ License: Apache License, Version 2.0
~ See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE
<![CDATA[
Comments to: bean-validation-dev@eclipse.org.
Copyright © 2019 Eclipse Foundation.
Use is subject to EFSL; this spec is based on

material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

1.81 jakarta-ws-rs-api 2.1.6

1.81.1 Available under license :

Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the **Jakarta RESTful Web Services** project.

* Project home: https://projects.eclipse.org/projects/ee4j.jaxrs

Trademarks

Jakarta RESTful Web Services is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jaxrs-api

Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

* License: Apache-2.0 AND W3C

JUnit (4.11)

* License: Common Public License 1.0

Mockito (2.16.0)

* Project: http://site.mockito.org
* Source: https://github.com/mockito/mockito/releases/tag/v2.16.0

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or

entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes

the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing
of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN
THIS AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software
or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free

Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to
this License and to the absence of any warranty; and give any other
recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of
it, thus forming a work based on the Program, and copy and distribute
such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any part
thereof, to be licensed as a whole at no charge to all third parties
under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code

means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted
in
certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show
w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU

Library
  General Public License instead of this License.

CLASSPATH EXCEPTION

  Linking this library statically or dynamically with other modules is
  making a combined work based on this library. Thus, the terms and
  conditions of the GNU General Public License version 2 cover the whole
  combination.

  As a special exception, the copyright holders of this library give you
  permission to link this library with independent modules to produce an
  executable, regardless of the license terms of these independent
  modules, and to copy and distribute the resulting executable under
  terms of your choice, provided that you also meet, for each linked
  independent module, the terms and conditions of the license of that
  module. An independent module is a module which is not derived from or
  based on this library. If you modify this library, you may extend this
  exception to your version of the library, but you are not obligated to
  do so. If
 you do not wish to do so, delete this exception statement
  from your version.
/*
* Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

1.82 joda-time 2.10.8

1.82.1 Available under license :

```
=========================================================================
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =
=========================================================================
```

This product includes software developed by

Joda.org (https://www.joda.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.83 javax-ws-rs-api 2.0.1

1.83.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License. * You may obtain a copy of the License at * http://www.apache.org/licenses/LICENSE-2.0 * distributed under the License is distributed on an "AS IS" BASIS,'
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a
result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your

choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally
or pursuant to
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2010-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file
 that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
```

* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.84 jakarta-servlet-api 4.0.4

1.84.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright © 2019 Eclipse Foundation. All rights reserved.
'

/*
* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.
* All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

Found license 'General Public License 2.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Eclipse Public License - v 2.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS
“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.
“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights

in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the

requirements of this section 3.
3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
b) a copy of this Agreement must be included with each copy of the Program.
3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.
COMMERCIAL DISTRIBUTION
Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply
to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT

NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL
If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations
of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new
versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement
are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright © 2019 Eclipse Foundation. All rights reserved.
'
Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

1.85 javax-el-api 3.0.0

1.85.1 Available under license :

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file
 that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the

combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices

contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You

offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or

alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered
Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this

License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code

or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty

protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only
way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.86 commons-cli 1.3.1

1.86.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons CLI
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.87 hk2-locator 2.6.1

1.87.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"
means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity.

Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)
under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A

is not sufficient to license
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is
free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you
if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.
And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program
is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated
into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted, and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice

and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy
of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must
cause it, when started running for such
interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same
sections as part of a whole which is a work based on
the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions
for copying, distributing or modifying the
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent
obligations, then as a consequence you may not
distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
    `show w'. This is free software, and you are welcome to redistribute
    it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the
    program `Gnomovision' (which makes passes at compilers) written by
    James Hacker.

    signature of Ty Coon, 1 April 1989
    Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of
this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement
from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: https://projects.eclipse.org/projects/ee4j.glassfish

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/glassfish-ha-api
* https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor
* https://github.com/eclipse-ee4j/glassfish-shoal
* https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck
* https://github.com/eclipse-ee4j/glassfish-jsftemplating
* https://github.com/eclipse-ee4j/glassfish-hk2-extra
* https://github.com/eclipse-ee4j/glassfish-hk2
* https://github.com/eclipse-ee4j/glassfish-fighterfish

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and
policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.

1.88 aopalliance-repackaged 2.6.1

1.88.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from
and are Distributed by that particular Contributor. A Contribution
"originates" from a Contributor if it was added to the Program by
such Contributor itself or anyone acting on such Contributor's behalf.
Contributions do not include changes or additions to the Program that
are not Modified Works.

"Contributor"
means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which
are necessarily infringed by the use or sale of its Contribution alone
or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity
any new file
in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the

Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.
No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)
under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is
free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy
of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must
cause it, when started running for such
interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same

sections as part of a whole which is a work based on
the Program, the distribution of the whole must be on the terms of this
License, whose permissions for other licensees extend to the entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of a
storage or distribution medium does not bring the other work under the
scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do
one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections 1
and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your cost
of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to
distribute corresponding source code. (This alternative is allowed
only for noncommercial distribution and only if you received the
program in object code or executable form with such an offer, in
accord with
Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source code
means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to control
compilation and installation of the executable. However, as a special
exception, the source code distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies the
executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

> One line to give the program's name and a brief idea of what it does.
> Copyright (C) <year> <name of author>
>
> This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.
>
> This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of
this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement
from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: https://projects.eclipse.org/projects/ee4j.glassfish

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/glassfish-ha-api
* https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor
* https://github.com/eclipse-ee4j/glassfish-shoal

* https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck
* https://github.com/eclipse-ee4j/glassfish-jsftemplating
* https://github.com/eclipse-ee4j/glassfish-hk2-extra
* https://github.com/eclipse-ee4j/glassfish-hk2
* https://github.com/eclipse-ee4j/glassfish-fighterfish

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and
policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.

1.89 hk2-utils 2.6.1

1.89.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from
and are Distributed by that particular Contributor. A Contribution
"originates" from a Contributor if it was added to the Program by
such Contributor itself or anyone acting on such Contributor's behalf.
Contributions do not include changes or additions to the Program that
are not Modified Works.

"Contributor"
means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity
any new file
in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.
No hardware per se is
licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its
knowledge it has
sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

b) the Contributor
may Distribute the Program under a license
different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all
warranties and conditions, express and implied, including
warranties or conditions of title and non-infringement, and
implied warranties or conditions of merchantability and fitness
for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all
liability for damages, including direct, indirect, special,
incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights
in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any
party to be under a license that satisfies the requirements
of this section 3.

3.2 When the Program is Distributed
as Source Code:

a) it must be made available under this Agreement, or if the
Program (i) is combined with other material in a separate file or
files made available under a Secondary License, and (ii) the initial
Contributor attached to the Source Code the notice described in
Exhibit A of this Agreement, then the Program may be made available
under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of
the Program.

3.3 Contributors may not remove or alter any copyright, patent,
trademark, attribution notices, disclaimers of warranty, or limitations
of liability ("notices") contained within the Program from any copy of
the Program which they Distribute, provided that Contributors may add
their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities
with respect to end
users, business partners and the like. While this
license is intended to facilitate the commercial use of the Program,
the Contributor who includes the Program in a commercial product

offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT

AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)

under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is
free for all its users. This General Public License applies to most of the Free Software Foundation's software and

to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you
if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program
is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated
into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted, and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to
this License and to the absence of any warranty; and give any other
recipients of the Program a copy
of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of
it, thus forming a work based on the Program, and copy and distribute
such modifications or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any part
thereof, to be licensed as a whole at no charge to all third parties
under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must
cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how to view a copy of this License.
(Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same
sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do
one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with
Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled
to copy the source
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions
for copying, distributing or modifying the
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent
obligations, then as a consequence you may not
distribute the Program at all. For example, if a patent license would
not permit royalty-free redistribution of the Program by all those who
receive copies directly or indirectly through you, then the only way you
could satisfy both it and this License would be to refrain entirely from
distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is implemented
by public license practices. Many people have made generous
contributions to the wide range of software distributed through that
system in reliance on consistent application of that system; it is up to
the author/donor to decide if he or she is willing to distribute
software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be
a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License may
add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among countries
not thus excluded. In such case, this License incorporates the
limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new
versions of the General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Program does not specify a version
number of this License, you may choose any version ever published by the
Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the
author to ask for permission. For software which is copyrighted by the
Free Software Foundation, write to the Free Software Foundation; we
sometimes
make exceptions for this. Our decision will be guided by the
two goals of preserving the free status of all derivatives of our free
software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE
ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH
YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL
NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER
PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR
DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED
INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF
THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR
OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively
convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of
this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement
from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: https://projects.eclipse.org/projects/ee4j.glassfish

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/glassfish-ha-api
* https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor
* https://github.com/eclipse-ee4j/glassfish-shoal
* https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck
* https://github.com/eclipse-ee4j/glassfish-jsftemplating
* https://github.com/eclipse-ee4j/glassfish-hk2-extra
* https://github.com/eclipse-ee4j/glassfish-hk2
* https://github.com/eclipse-ee4j/glassfish-fighterfish

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and
policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.
/*
* Copyright (c) 2007, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

1.90 hk2-api 2.6.1

1.90.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"
means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity

any new file
in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.
No hardware per se is
licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby

assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed
as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end
users, business partners and the like. While this
license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or
alleged
intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance

claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's

rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)
under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular

file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is
free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you
if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program
is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated
into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted, and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to
this License and to the absence of any warranty; and give any other
recipients of the Program a copy

of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must
cause it, when started running for such
interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same
sections as part of a whole which is a work based on
the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a

storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties

who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions
for copying, distributing or modifying the
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent
obligations, then as a consequence you may not
distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute

software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER
PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively
convey
the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of
this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If you do not wish to do so, delete this exception statement
from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: https://projects.eclipse.org/projects/ee4j.glassfish

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/glassfish-ha-api
* https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor
* https://github.com/eclipse-ee4j/glassfish-shoal
* https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck
* https://github.com/eclipse-ee4j/glassfish-jsftemplating
* https://github.com/eclipse-ee4j/glassfish-hk2-extra
* https://github.com/eclipse-ee4j/glassfish-hk2
* https://github.com/eclipse-ee4j/glassfish-fighterfish

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and
 policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.

1.91 resourcelocator 1.0.3

1.91.1 Available under license :

/*
* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Found license 'General Public License 2.0' in '* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Eclipse Public License - v 2.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS
“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular

Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.
“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.
e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).
3. REQUIREMENTS
3.1 If a Contributor Distributes the Program in any form, then:

a)
the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) does not attempt to limit or alter the recipients' rights
in the Source Code under section 3.2; and
iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.
3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
b) a copy of this Agreement must be included with each copy of the Program.
3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (‘notices’) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.
COMMERCIAL DISTRIBUTION
Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by

the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply
to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL
If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations
of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this

Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new
versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement
are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

1.92 jakarta-inject 2.6.1

1.92.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"
means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity
any new file
in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any

exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.
No hardware per se is
licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its
knowledge it has
sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of

the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of

this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)
under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is
free for all its users. This General Public
License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you
if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program
is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must

be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must
cause it, when started running for such
interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same
sections as part of a whole which is a work based on
the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do
one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with
Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled
to copy the source
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions
for copying, distributing or modifying the
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent
obligations, then as a consequence you may not
distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER
PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: https://projects.eclipse.org/projects/ee4j.glassfish

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/glassfish-ha-api
* https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor
* https://github.com/eclipse-ee4j/glassfish-shoal
* https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck
* https://github.com/eclipse-ee4j/glassfish-jsftemplating
* https://github.com/eclipse-ee4j/glassfish-hk2-extra
* https://github.com/eclipse-ee4j/glassfish-hk2
* https://github.com/eclipse-ee4j/glassfish-fighterfish

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and
policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is permitted.

1.93 joda-time 2.10.1

1.93.1 Available under license :

```
========================================================================
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =
========================================================================
```

This product includes software developed by
Joda.org (https://www.joda.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.94 commons-net 3.3

1.94.1 Available under license :

Apache Commons Net
Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.95 hibernate-validator 6.1.7.Final

1.95.1 Available under license :

Adam Stawicki
Ahmed Al Hafoudh
Alaa Nassef
Andrey Derevyanko
Andrey Rodionov
Asutosh Pandya
Benson Margulies
Brent Douglas
Carlos Vara
Carlo de Wolf
Chris Beckey
Christian Ivan
Dag Hovland
Damir Alibegovic
Dario Seidl
Davide D'Alto
Davide Marchignoli
Denis Tiago
Doug Lea
Emmanuel Bernard
Efthymis Sarbanis
Federico
Federico Mancini
Gavin King
George Gastaldi
Gerhard Petracek
Guillaume Husta
Guillaume Smet
Gunnar Morling
Hardy Ferentschik
Henno Vermeulen
Hillmer Chona
Jan-Willem Willebrands
Jason T. Greene
Jesper Preuss
Jiri Bilek
Julien Furgerot
Julien May
Juraci Krohling

Justin Nauman
Kathryn Killebrew
Kazuki Shimizu
Kevin Pollet
Khalid Alqinyah
Lee KyoungIl
Leonardo Loch Zanivan
Lucas Pouzac
Lukas Niemeier
Mark Hobson
Marko Bekhta
Matthias Kurz
Mert Caliskan
Michal Fotyga
Nicola Ferraro
Nicolas Franois
Paolo Perrotta
Pete Muir
Rob Dickinson
Sanne Grinovero
Sebastian Bayerl
Shahram Goodarzi
Shane Bryzak
Shelly McGowan
Sjaak Derksen
Steve Ebersole
Strong Liu
Tadhg Pearson
Takashi Aoe
Tomaz
Cerar
Tommy Johansen
Victor Rezende dos Santos
Willi Schnborn
Xavier Sosnovsky
Yanming Zhou
Yoann Rodire
Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0
See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.96 javassist 3.24.1-GA

1.96.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CannotCompileException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ClassFilePrinter.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CastExpr.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Handler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformCall.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/MethodInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/SerializedProxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformBefore.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Loader.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/SyntaxError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Util.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/ObjectNotFoundException.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Member.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Metaobject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Mnemonic.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/RuntimeSupport.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Dump.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/FieldDecl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Subroutine.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefineClassHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtPrimitiveType.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/FieldInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/StringL.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Stmnt.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformAccessArrayField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/DuplicateMemberException.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Cflow.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/DeprecatedAttribute.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/SecurityActions.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Translator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyFactory.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CodeConverter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SyntheticAttribute.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/URLClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/TypeChecker.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefinePackageHelper.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Loader.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/FramePrinter.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtBehavior.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Visitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewWrappedConstructor.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/InstructionPrinter.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/SerialVersionUID.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypeTag.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/MultiType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Type.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Expr.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Desc.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LongVector.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMember.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ASTList.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/IntConst.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/NestMembersAttribute.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/Transformer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/SubroutineScanner.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewWrappedMethod.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/StubGenerator.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Modifier.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ASTree.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Callback.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Descriptor.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClassType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/CodeGen.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/DotClass.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPath.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/NotFoundException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Cast.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Parser.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/framedump.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ClassFileWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/DoubleMemberValue.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/StringMemberValue.java
*
 /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/IntegerMemberValue.java

1.97 lombok 1.16.6

1.97.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.98 juel 2.2.7

1.98.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole,

an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean
Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the

Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum
to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use
the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor
harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be

enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.99 jersey-metainf-services 2.33

1.99.1 Available under license :

Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations,

interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party

patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the

Program (i) is combined with other material in
a separate file or
files made available under a Secondary License, and (ii) the initial
Contributor attached to the Source Code the notice described in
Exhibit A of this Agreement, then the Program may be made available
under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of
the Program.

3.3 Contributors may not remove or alter any copyright, patent,
trademark, attribution notices, disclaimers of warranty, or limitations
of liability ("notices") contained within the Program from any copy of
the Program which they Distribute, provided that Contributors may add
their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities
with respect to end users, business partners and the like. While this
license is intended to facilitate the commercial use of the Program,
the Contributor who includes
the Program in a commercial product
offering should do so in a manner which does not create potential
liability for other Contributors. Therefore, if a Contributor includes
the Program in a commercial product offering, such Contributor
("Commercial Contributor") hereby agrees to defend and indemnify every
other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits
and other legal actions brought by a third party against the Indemnified
Contributor to the extent caused by the acts or omissions of such
Commercial Contributor in connection with its distribution of the Program
in a commercial product offering. The obligations in this section do not
apply to any claims or Losses relating to any actual or alleged
intellectual property infringement. In order to qualify, an Indemnified
Contributor must: a) promptly notify the Commercial Contributor in
writing of
such claim, and b) allow the Commercial Contributor to control,
and cooperate with the Commercial Contributor in, the defense and any
related settlement negotiations. The Indemnified Contributor may
participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial
product offering, Product X. That Contributor is then a Commercial
Contributor. If that Commercial Contributor then makes performance
claims, or offers warranties related to Product X, those performance
claims and warranties are such Commercial Contributor's responsibility
alone. Under this section, the Commercial Contributor would have to

defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely

to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections 1
and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your cost
of
physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to
distribute corresponding source code. (This alternative is allowed
only for noncommercial distribution and only if you received the
program in object code or executable form with such an offer, in
accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source code
means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to control
compilation and installation of the executable. However, as a special
exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies the
executable.

If distribution of executable or object code is made by offering access
to copy from a designated place, then offering equivalent access to copy
the source code from the same place counts as distribution of the source
code, even though third parties are not compelled to copy the source
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt otherwise
to copy, modify, sublicense or distribute the Program is void, and will
automatically terminate your rights under this License. However, parties
who have received copies, or rights, from you under this License will
not have

their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type

`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.100 lz4 1.9.3

1.100.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price.
Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which
gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR
THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU
General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.
Copyright (c) 2014, lpsantil
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This repository uses 2 different licenses :
- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that
files in the `lib` directory are designed to be included into 3rd party applications,
while all other files, in `programs`, `tests` or `examples`,
receive more limited attention and support for such scenario.
LZ4 Library
Copyright (c) 2011-2016, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
 list of conditions and the following disclaimer in the documentation and/or
 other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
 GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: liblz4
Upstream-Contact: Yann Collet <Cyan4973@github.com>
Source: https://github.com/lz4/lz4

Files: *
Copyright: (C) 2011-2020 Yann Collet
License: GPL-2+
The full text of license: https://github.com/lz4/lz4/blob/dev/lib/LICENSE

1.101 jline 2.14.6

1.101.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.102 opentest4j 1.2.0

1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015-2018 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-

jar/org/opentest4j/TestSkippedException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-jar/org/opentest4j/MultipleFailuresError.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-jar/org/opentest4j/AssertionFailedError.java
*
/opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-jar/org/opentest4j/IncompleteExecutionException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-jar/org/opentest4j/TestAbortedException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-jar/org/opentest4j/ValueWrapper.java

1.103 re2j 1.2

1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2010 The Go Authors. All rights reserved.

Found in path(s):
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Parser.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Regexp.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Utils.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Machine.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Inst.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Prog.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/CharClass.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/RE2.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Compiler.java
*
/opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/PatternSyntaxException.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/MachineInput.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Unicode.java
No license file was found, but licenses were detected in source scan.

// Copyright 2010 Google Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Matcher.java
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Pattern.java
No license file was found, but licenses were detected in source scan.

// Copyright 2011 The Go Authors. All rights reserved.

Found in path(s):

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Simplify.java

1.104 antlr 4.6

1.104.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.java
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2006 Kay Roepke
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*
This file contains the actual layout of the messages emitted by ANTLR.
The text itself is coming out of the languages/*stg files, according to the chosen locale.
This file contains the default format ANTLR uses.
*/

location(file, line, column) ::= "<file>(<line>,<column>)"

message(id, text) ::= "error <id> : <text>"

report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"

wantsSingleLineMessage() ::= "true"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2012-2016 The ANTLR Project. All rights reserved.
* Use of this file is governed by the BSD 3-clause license that
* can be found in the LICENSE.txt file in the project root.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/Tool.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorType.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/PostScriptDocument.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/SemanticPipeline.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarParserInterpreter.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/SystemFontMetrics.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ListenerDispatchMethod.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_int.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/LexerATNFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_text.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1Loop.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/QRetValueRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionTemplate.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleActionFunction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Choice.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Alternative.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OptionalBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/Python2Target.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTWithOptions.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LexerFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/BaseVisitorFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleElement.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_text.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RetValueRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ArgAction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/JavaScriptTarget.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleElementAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LeftRecursiveRuleFunction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlockSingleAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Sync.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LabelElementPair.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/CodeBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/TestSetInline.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/SetNonLocalAttr.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ListLabelRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_text.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_index.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Grammar.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ArgRef.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/TailEpsilonRemover.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/LocalRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/PredAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/CppTarget.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTErrorNode.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LexerGrammar.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/FrequencySet.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Lexer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1PlusBlockSingleAlt.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_stop.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/QuantifierAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/AltAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OutputModelObject.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LeftRecursionCyclesMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListIndexedGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ParserATNFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ToolMessage.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleSempredFunction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/v4ParserException.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1Choice.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_start.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/SymbolCollector.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ANTLRToolListener.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/NonLocalAttrRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/VisitorFile.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForOuterMostAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/ActionTranslator.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/StarBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/CodeGeneratorExtension.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarASTAdaptor.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/OutputModelController.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Action.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/BasicFontMetrics.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Attribute.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ParserFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/dbg.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/CodeGenerator.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleTransformer.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/TokenVocabParser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchSet.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleRefAST.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/StarBlockAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_stop.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_parser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ElementFrequenciesVisitor.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/AltLabelStructDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreePostScriptGenerator.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ANTLRMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/LexerFactory.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/RuleCollector.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/BasicSemanticChecks.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/Trees.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/AnalysisPipeline.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_type.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/Python3Target.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/BlankOutputModelFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OutputFile.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/AttributeDict.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1AltBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/StructDecl.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchNotSet.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/ParserFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextToken.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/MutableInt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionText.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTVisitor.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/AttributeDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarInterpreterRuleContext.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNVisitor.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarTransformPipeline.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/PlusBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TestRig.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/CSharpTarget.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/v3TreeGrammarException.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarToken.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_start.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LabelType.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeViewer.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/BlockAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/Target.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_line.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/AltBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/LabelRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Recognizer.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/BaseListenerFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeLayoutAdaptor.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleAnalyzer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleAltInfo.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeTextProvider.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LabeledOp.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarRootAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/SemPred.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/OptionalBlockAST.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ResyncToEndOfRuleBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenListDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ToolANTLRParser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ModelElement.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/DefaultOutputModelFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/DispatchMethod.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/AttributeResolver.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/GoTarget.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/RuleContextListDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ThrowNoViableAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarSyntaxMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNOptimizer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Rule.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-

jar/org/antlr/v4/codegen/model/decl/ContextRuleGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Loop.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/TerminalAST.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/SetAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/SymbolChecks.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/VisitorDispatchMethod.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_ctx.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/MatchToken.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/ActionAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/target/SwiftTarget.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorSeverity.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/Graph.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/ElementListDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_ctx.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/RuleContextDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/SetAttr.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/UseDefAnalyzer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/parse/ToolANTLRLexer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/GrammarSemanticsMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/Wildcard.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/NotAST.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/LL1StarBlockSingleAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LeftRecursiveRule.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/DOTGenerator.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/ExceptionClause.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/DefaultToolListener.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/ContextRuleListIndexedGetterDecl.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/SrcOp.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/ThrowEarlyExitException.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/target/JavaTarget.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/CodeGenPipeline.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/SerializedATN.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/RuleFunction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/CaptureNextTokenType.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/Decl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_parser.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/AddToLabelList.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/InvokeRule.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ScopeParser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/BlankActionSplitterListener.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/TokenTypeDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RangeAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/ListenerFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/OutputModelWalker.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/BuildDependencyGenerator.java
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/AttributeChecks.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/ActionSniffer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/ThrowRecognitionException.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/CharSupport.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_channel.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/PlusBlockAST.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionChunk.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ActionSplitterListener.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/JFileChooserConfirmOverwrite.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Parser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/OrderedHashMap.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorManager.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNPrinter.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/OutputModelFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursionDetector.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_pos.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/Utils.java
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2013 Terence Parr
* Copyright (c) 2013 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
 THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

```
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using Antlr4.Runtime;
using
 Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
 <file.listenerNames:{lname |
/// \<summary>
```

<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in
 \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Exit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName,
 file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener"/>,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]

```
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
 <file.listenerNames:{lname |
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
///
 Enter a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { \}
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Exit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { \}}; separator="\n">

 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public
 virtual void EnterEveryRule([NotNull] ParserRuleContext context) { }
 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
 /// \<inheritdoc/>
 /// \<remarks>The default implementation does nothing.\</remarks>
 public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>
```

```
VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete generic visitor for a parse tree produced
/// by \<see
 cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Visitor\<Result> : IParseTreeVisitor\<Result> {
 <file.visitorNames:{lname |
/// \<summary>
<if(file.visitorLabelRuleNames.(lname))>
/// Visit a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
Result Visit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

BaseVisitorFile(file, header,
 namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
```

```
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}"/>,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor\<Result> : AbstractParseTreeVisitor\<Result>,
I<file.grammarName>Visitor\<Result> {
 <file.visitorNames:{lname |
/// \<summary>
<if(file.visitorLabelRuleNames.(lname))>
/// Visit a parse tree produced by the \<c><lname>\</c>
///
 labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>
/// The default implementation returns the result of calling \<see
cref="AbstractParseTreeVisitor{Result\}.VisitChildren(IRuleNode)"/>
/// on \<paramref name="context"/>.
/// \</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
public virtual Result Visit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { return VisitChildren(context); \}}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
//------------------------------------------------------------------------------
// \<auto-generated>
//     This code was generated by a tool.
//     ANTLR Version: <ANTLRVersion>
//
//     Changes
 to this file may cause incorrect behavior and will be lost if
//     the code is regenerated.
// \</auto-generated>
//------------------------------------------------------------------------------
```

```
// Generated from <grammarFileName> by ANTLR <ANTLRVersion>

// Unreachable code detected
#pragma warning disable 0162
// The variable '...' is assigned but its value is never used
#pragma warning disable 0219
// Missing XML comment for publicly visible type or member '...'
#pragma warning disable 1591
// Ambiguous reference in cref attribute
#pragma warning disable 419

>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass; null="Parser"> {
 protected static DFA[] decisionToDFA;
 protected static PredictionContextCache
 sharedContextCache = new PredictionContextCache();
 <if(parser.tokens)>
 public const int
  <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
 <endif>
 public const int
  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
 public static readonly string[] ruleNames = {
  <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
 };

 <vocabulary(parser.literalNames, parser.symbolicNames)>

 public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

 public override string[] RuleNames { get { return ruleNames; } }

 public override string SerializedAtn { get { return _serializedATN; } }

 static <csIdentifier.(parser.name)>() {
  decisionToDFA = new DFA[_ATN.NumberOfDecisions];
  for (int i = 0; i \< _ATN.NumberOfDecisions; i++) {
   decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
  }
```

```
 }

 <namedActions.members>
 <parser:(ctor)()>
 <funcs; separator="\n">

<if(sempredFuncs)>
 public override
 bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
  switch (ruleIndex) {
  <parser.sempredFuncs.values:{f|
case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
  }
  return true;
 }
 <sempredFuncs.values; separator="\n">
<endif>

 <atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {
 <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
 <symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

[NotNull]
public override IVocabulary Vocabulary
{
 get
 {
  return DefaultVocabulary;
 }
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex) {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case
```

```
 <f.ruleIndex> : <f.name>_action(<if(!recog.modes)>(<f.ctxType>)<endif>_localctx, actionIndex); break;};
separator="\n">
 }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
 switch (ruleIndex) {
 <recog.sempredFuncs.values:{f|
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)>(<f.ctxType>)<endif>_localctx, predIndex);};
separator="\n">
 }
 return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(parser) ::= <<
public <csIdentifier.(parser.name)>(ITokenStream input)
 : base(input)
{
 Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
 switch (actionIndex)
 {
 <actions:{index|
case <index>: <actions.(index)> break;}; separator="\n">
 }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
 switch (predIndex) {
 <actions:{index|
case <index>: return <actions.(index)>;}; separator="\n">
```

```
 }
 return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 EnterRule(_localctx,
 <currentRule.startState>, RULE_<currentRule.name>);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 <if(exceptions)>
 <exceptions; separator="\n">
 <else>
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 <endif>
 finally {
  <finallyAction>
  ExitRule();
 }
 return _localctx;
}
>>

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
```

```
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
 <namedActions.init>
 <locals;
 separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 finally {
  <finallyAction>
  ExitRule();
 }
 return _localctx;
}
>>

// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.
LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 EnterRule(_localctx,
 <currentRule.startState>, RULE_<currentRule.variantOf>);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
```

```
<endif>
 <code>
 <postamble; separator="\n">
 <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 finally {
  <finallyAction>
  ExitRule();
 }
 return _localctx;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
 return <csIdentifier.(currentRule.name)>(0<currentRule.args:{a | , <csIdentifier.(a.name)>}>);
}

private <currentRule.ctxType> <csIdentifier.(currentRule.name)>(int
 _p<args:{a | , <a>}>) {
 ParserRuleContext _parentctx = Context;
 int _parentState = State;
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
 <currentRule.ctxType> _prevctx = _localctx;
 int _startState = <currentRule.startState>;
 EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
```

```
 <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception = re;
  ErrorHandler.ReportError(this, re);
  ErrorHandler.Recover(this, re);
 }
 finally {
  <finallyAction>
  UnrollRecursionContexts(_parentctx);
 }
 return _localctx;
}
>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
 format="cap">Context(_localctx);<endif>
EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1)) {
```

```
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr)
 ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
 <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
 <alts; separator="\n">
 State = <choice.loopBackStateNumber>;
 ErrorHandler.Sync(this);
 <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
 <alts; separator="\n">
 State = <choice.stateNumber>;<! loopback/exit decision !>
 ErrorHandler.Sync(this);
 <iteration>
} while ( <loopExpr> );
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
```

```
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble;
 separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{alt |
case <i>:
 <alt>
 break;}; separator="\n">
}
>>

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
 if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
 }
 State = <choice.loopBackStateNumber>;
 ErrorHandler.Sync(this);
 _alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

PlusBlock(choice, alts, error) ::= <<
State
 = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
```

```
 default:
  <error>
 }
 State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
 ErrorHandler.Sync(this);
 _alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "Sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces
 smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<\< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<\< <offsetShift(tokenType.(ttype), bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<tokenType.(ttype)>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <tokenType.(t)>:}; separator="\n">
>>
```

```
InvokeRule(r, argExprsChunks) ::= <<
State = <r.stateNumber>; <if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif><csIdentifier.(r.name)>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><arg
ExprsChunks>);
>>

MatchToken(m)
 ::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>) ) {
 <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
 ErrorHandler.ReportMatch(this);
   Consume();
}
>>

Wildcard(w) ::= <<
State = <w.stateNumber>;
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>MatchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
 <failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
```

```
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "Skip();"
LexerMoreCommand()  ::= "More();"
LexerPopModeCommand() ::= "PopMode();"

LexerTypeCommand(arg, grammar)      ::= "_type = <tokenType.(arg)>;"
LexerChannelCommand(arg, grammar)   ::= "_channel = <channelName.(arg)>;"
LexerModeCommand(arg, grammar)      ::= "_mode = <modeName.(arg)>;"
LexerPushModeCommand(arg, grammar)  ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
LocalRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
RetValueRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"
LabelRef(t)
 ::= "<ctx(t)>.<csIdentifier.(t.name)>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>;"

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"
InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"
TokenPropertyRef_pos(t) ::=
"(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"
TokenPropertyRef_channel(t) ::=
"(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"
TokenPropertyRef_index(t) ::=
"(<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"
TokenPropertyRef_int(t)
 ::= "(<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"
RulePropertyRef_stop(r)  ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_text(r)  ::=
"(<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "this"
```

```
ThisRulePropertyRef_start(r) ::= "_localctx.Start"
ThisRulePropertyRef_stop(r)  ::= "_localctx.Stop"
ThisRulePropertyRef_text(r)  ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r)  ::= "_localctx"
ThisRulePropertyRef_parser(r)  ::= "this"

NonLocalAttrRef(s)   ::= <%((<s.ruleName;
format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks)   ::=
 <%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>
 = <rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>;"
TokenListDecl(t) ::= "IList\<IToken> <csIdentifier.(tokenType.(t.name))> = new List\<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList\<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List\<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t)      ::=
   "public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, 0); }"
ContextTokenListGetterDecl(t)  ::= <<
public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return
GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>);
 }
>>
ContextTokenListIndexedGetterDecl(t)  ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
 return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}
>>
ContextRuleGetterDecl(r)       ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
 return GetRuleContext\<<r.ctxName>\>(0);
}
>>
ContextRuleListGetterDecl(r)   ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
 return GetRuleContexts\<<r.ctxName>\>();
}
```

```
>>
ContextRuleListIndexedGetterDecl(r)   ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {
 return GetRuleContext\<<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)
  ::= "_<label>"

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
        superClass={ParserRuleContext}) ::= <<
public partial class <struct.name> :
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces;
separator=", "><endif> {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 <if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {
}<endif>
 public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>}>)
  : base(parent, invokingState)
 {
  <struct.ctorAttrs:{a | this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
 }
 public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
<if(struct.provideCopyFrom)> <! don't
 need copy unless we have subclasses !>
 public <struct.name>() { }
 public virtual void CopyFrom(<struct.name> context) {
  base.CopyFrom(context);
  <struct.attrs:{a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>;}; separator="\n">
 }
<endif>
 <dispatchMethods; separator="\n">
 <extensionMembers; separator="\n">
```

```
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
 <dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener listener) {
 I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
 if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
 format="cap">(this);
}
>>

VisitorDispatchMethod(method) ::= <<
public override TResult Accept\<TResult>(IParseTreeVisitor\<TResult> visitor) {
 I<parser.grammarName>Visitor\<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor\<TResult>;
 if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
 else return visitor.VisitChildren(this);
}
>>

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

// only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)
typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

//
 used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "Precpred(Context, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>;"
recRuleSetStopToken()                 ::= "Context.Stop = TokenStream.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
```

```
<if(isListLabel)>
_localctx.<label>.Add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.Add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx,
 _startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
Context = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( ParseListeners!=null )
 TriggerExitRuleEvent();
_prevctx = _localctx;
>>


LexerFile(file, lexer, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using DFA = Antlr4.Runtime.Dfa.DFA;
```

```
<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
 protected static DFA[] decisionToDFA;
 protected static PredictionContextCache
 sharedContextCache = new PredictionContextCache();
 public const int
  <lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
 <if(lexer.channels)>
 public const int
  <lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
 <endif>
 <rest(lexer.modes):{m| public const int <modeName.(m)> = <i>;}; separator="\n">
 public static string[] modeNames = {
  <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
 };

 public static readonly string[] ruleNames = {
  <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
 };

 <namedActions.members>

 public <csIdentifier.(lexer.name)>(ICharStream input)
  : base(input)
 {
  Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
 }

 <vocabulary(lexer.literalNames, lexer.symbolicNames)>

 public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

 public override string[] RuleNames { get { return ruleNames;
 } }

 public override string[] ModeNames { get { return modeNames; } }

 public override string SerializedAtn { get { return _serializedATN; } }
```

```
 static <csIdentifier.(lexer.name)>() {
  decisionToDFA = new DFA[_ATN.NumberOfDecisions];
  for (int i = 0; i \< _ATN.NumberOfDecisions; i++) {
   decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
  }
 }
 <dumpActions(lexer, "", actionFuncs, sempredFuncs)>
 <atn>
}
>>


SerializedATN(model) ::= <<
private static string _serializedATN = _serializeATN();
private static string _serializeATN()
{
   StringBuilder sb = new StringBuilder();
   sb.Append("<model.serialized; wrap={");<\n><\t>sb.Append("}>");
   return sb.ToString();
}

public static readonly ATN _ATN =
 new ATNDeserializer().Deserialize(_serializedATN.ToCharArray());



>>

initValue(typeName) ::= <<
default(<typeName>)
>>

codeFileExtension() ::= ".cs"

modeName ::= [
 "DEFAULT_MODE" : "DefaultMode",
 default : key
]

channelName ::= [
 "HIDDEN" : "Hidden",
 "DEFAULT_TOKEN_CHANNEL"
 : "DefaultTokenChannel",
 default : key
]

tokenType ::= [
 "EOF" : "Eof",
 default : key
```

]

csIdentifier ::= [
"abstract" : "@abstract",
"as" : "@as",
"base" : "@base",
"bool" : "@bool",
"break" : "@break",
"byte" : "@byte",
"case" : "@case",
"catch" : "@catch",
"char" : "@char",
"checked" : "@checked",
"class" : "@class",
"const" : "@const",
"continue" : "@continue",
"decimal" : "@decimal",
"default" : "@default",
"delegate" : "@delegate",
"do" : "@do",
"double" : "@double",
"else" : "@else",
"enum" : "@enum",
"event" : "@event",
"explicit" : "@explicit",
"extern" : "@extern",
"false" : "@false",
"finally" : "@finally",
"fixed" : "@fixed",
"float" : "@float",
"for" : "@for",
"foreach" : "@foreach",
"goto" : "@goto",
"if" : "@if",
"implicit" : "@implicit",
"in" : "@in",
"int" : "@int",
"interface" : "@interface",
"internal" : "@internal",
"is" : "@is",
"lock" : "@lock",
"long" : "@long",
"namespace" : "@namespace",
"new" : "@new",
"null"
: "@null",
"object" : "@object",
"operator" : "@operator",

```
 "out" : "@out",
 "override" : "@override",
 "params" : "@params",
 "private" : "@private",
 "protected" : "@protected",
 "public" : "@public",
 "readonly" : "@readonly",
 "ref" : "@ref",
 "return" : "@return",
 "sbyte" : "@sbyte",
 "sealed" : "@sealed",
 "short" : "@short",
 "sizeof" : "@sizeof",
 "stackalloc" : "@stackalloc",
 "static" : "@static",
 "string" : "@string",
 "struct" : "@struct",
 "switch" : "@switch",
 "this" : "@this",
 "throw" : "@throw",
 "true" : "@true",
 "try" : "@try",
 "typeof" : "@typeof",
 "uint" : "@uint",
 "ulong" : "@ulong",
 "unchecked" : "@unchecked",
 "unsafe" : "@unsafe",
 "ushort" : "@ushort",
 "using" : "@using",
 "virtual" : "@virtual",
 "void" : "@void",
 "volatile" : "@volatile",
 "while" : "@while",
 default : key
]
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2005-20012 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRParser.java
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

```
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

// File      : A3Lexer.g
// Author    : Jim Idle (jimi@temporal-wave.com)
// Copyright : Free BSD - See @header clause below
// Version   : First implemented as part of ANTLR 3.2 this is the self
//             hosting ANTLR 3 Lexer.
//
// Description
// -----------
// This is the definitive lexer grammar for parsing ANTLR V3.x.x grammars. All other
// gramnmars are
 derived from this grammar via source code control integration (perforce)
// or by the gdiff tool.
//
// This grammar and its associated grmmmars A3Parser.g and A3Walker.g exhibit the following
// traits, which are recommended for all production quality grammars:
//
// 1) They are separate grammars, not composite grammars;
// 2) They implement all supporting methods in a superclass (at least this is recommended
//    for language targets that support inheritence;
// 3) All errors are pushed as far down the parsing chain as possible, which means
//    that the lexer tries to defer error reporting to the parser, and the parser
//    tries to defer error reporting to a semantic phase consisting of a single
//    walk of the AST. The reason for this is that the error messages produced
//    from later phases of the parse will generally have better context and so
//    be more useful to the end user. Consider the message: "Syntax error at 'options'"
//    vs: "You cannot specify two options{}
 sections in a single grammar file".
// 4) The lexer is 'programmed' to catch common mistakes such as unterminated literals
//    and report them specifically and not just issue confusing lexer mismatch errors.
//

/** Read in an ANTLR grammar and build an AST.  Try not to do
*  any actions, just build the tree.
*
*  The phases are:
*
*  A3Lexer.g (this file)
*             A3Parser.g
*             A3Verify.g (derived from A3Walker.g)
```

```
*  assign.types.g
*  define.g
*  buildnfa.g
*  antlr.print.g (optional)
*  codegen.g
*
*  Terence Parr
*  University of San Francisco
*  2005
*  Jim Idle (this v3 grammar)
*  Temporal Wave LLC
*  2009
*/
lexer grammar ANTLRLexer;

// ============================================================================
// Note that while this grammar does not care about order of constructs
// that don't really matter, such as options before @header etc, it must first
// be parsed by the original v2 parser, before it replaces it. That parser
 does
// care about order of structures. Hence we are constrained by the v2 parser
// for at least the first bootstrap release that causes this parser to replace
// the v2 version.
// ============================================================================

// -------
// Options
//
// V3 option directives to tell the tool what we are asking of it for this
// grammar.
//
options {

 // Target language is Java, which is the default but being specific
 // here as this grammar is also meant as a good example grammar for
 // for users.
 //
 language      = Java;

 // The super class that this lexer should expect to inherit from, and
 // which contains any and all support routines for the lexer. This is
 // commented out in this baseline (definitive or normative grammar)
 // - see the ANTLR tool implementation for hints on how to use the super
 //   class
 //
 //superclass    = AbstractA3Lexer;
}
```

```
tokens { SEMPRED; TOKEN_REF; RULE_REF; LEXER_CHAR_SET; ARG_ACTION; }

// Include the copyright
 in this source and also the generated source
//
@lexer::header {
/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
}


@members {
 public static final int COMMENTS_CHANNEL = 2;

   public CommonTokenStream tokens; // track stream we push to; need for context info
   public boolean isLexerRule = false;

 public void grammarError(ErrorType etype, org.antlr.runtime.Token token, Object... args) { }

 /** scan backwards from current point in this.tokens list
```

```
 *  looking for the start of the rule or subrule.
 *  Return token or null if for
some reason we can't find the start.
 */
public Token getRuleOrSubruleStartToken() {
    if ( tokens==null ) return null;
 int i = tokens.index();
      int n = tokens.size();
      if ( i>=n ) i = n-1; // seems index == n as we lex
 while ( i>=0 && i<n) {
  int ttype = tokens.get(i).getType();
  if ( ttype == LPAREN || ttype == TOKEN_REF || ttype == RULE_REF ) {
   return tokens.get(i);
  }
  i--;
 }
 return null;
}
}

// --------
// Comments
//
// ANTLR comments can be multi or single line and we don't care
// which particularly. However we also accept Javadoc style comments
// of the form: /** ... */ and we do take care to distinguish those
// from ordinary multi-line comments
// Note how we guide the lexical PATH because we want to issue a decriptive
// error message in case of a standalone '/' character, which makes no
// sense in ANTLR source code. We alo trap unterminated multi-line comments
//
fragment DOC_COMMENT : ;
COMMENT
@init {

 // Record the start line
 and offsets as if we need to report an
 // unterminated comment, then we want to show the start of the comment
 // we think is broken, not the end, where people will have to try and work
 // it out themselves.
 //
 int startLine = $line;
 int offset    = getCharPositionInLine();
}
  : // Eat the first character only, then see if we have a comment
    // or something silly.
    //
    '/'  // Comment introducer
```

```
    (
        // Single line comment, possibly with embedded src/line directives
        // in a similar style to the C pre-processor, allowing generated
        // code to refer the programmer back to the original source code
        // in case of error.
        //
        '/'
         (
            (' $ANTLR')=> ' $ANTLR' SRC
          | ~(NLCHARS)*
         )

      | // Multi-line comment, which may be a documentation comment
        // if it starts /** (note that we protect against accidentaly
        // recognizing a comment /**/
as a documentation comment
        //
        '*' (
            { input.LA(2) != '/'}?=> '*' { $type = DOC_COMMENT; }
          | { true }?=>  // Required to cover all alts with predicates
            )

            // Should we support embedded multiline comments here?
            //
            (
               // Pick out end of multiline comment and exit the loop
               // if we find it.
               //
               {    !(input.LA(1) == '*' && input.LA(2) == '/') }?

                 // Anything else other than the non-greedy match of
                 // the comment close sequence
                 //
                 .
            )*
         (
              // Look for the comment terminator, but if it is accidentally
              // unterminated, then we will hit EOF, which will trigger the
              // epsilon alt and hence we can issue an error message relative
              // to the
start of the unterminated multi-line comment
              //
              '*/'

            | // Unterminated comment!
              //
              {
```

```
            // ErrorManager.msg(Msg.UNTERMINATED_DOC_COMMENT, startLine, offset, $pos, startLine,
offset, $pos, (Object)null);
            }
          )

      | // There was nothing that made sense following the opening '/' and so
        // we issue an error regarding the malformed comment
        //
        {
          // TODO: Insert error message relative to comment start
          //
        }
    )
    {
      // We do not wish to pass the comments in to the parser. If you are
      // writing a formatter then you will want to preserve the comments off
      // channel, but could just skip and save token space if not.
      //
      $channel=COMMENTS_CHANNEL;
    }
  ;

ARG_OR_CHARSET
options {k=1;}
  :   {isLexerRule}?=> LEXER_CHAR_SET {$type=LEXER_CHAR_SET;}
   |  {!isLexerRule}?=> ARG_ACTION
      {
      $type=ARG_ACTION;
      // Set the token text to our gathered string minus outer [ ]
      String t = $text;
      t = t.substring(1,t.length()-1);
      setText(t);
      }
  ;

fragment
LEXER_CHAR_SET
 : '['
  ( '\\' ~('\r'|'\n')
  | ~('\r'|'\n'|'\\'|']')
  )*
  ']'
 ;

// ----------
// Argument specs
//
// Certain argument lists, such as those specifying call parameters
```

```
// to a rule invocation, or input parameters to a rule specification
// are contained within square brackets. In the lexer we consume them
// all at once and sort them out later in the grammar analysis.
//
fragment
ARG_ACTION
 : '['
       (
          ARG_ACTION

        | ('"')=>ACTION_STRING_LITERAL

        | ('\'')=>ACTION_CHAR_LITERAL

        | ~('['|']')
      )*

     ']'
 ;

// -------
// Actions
//
// Other than making sure to distinguish between { and } embedded
// within what we have assumed to be literals
 in the action code, the
// job of the lexer is merely to gather the code within the action
// (delimited by {}) and pass it to the parser as a single token.
// We know that this token will be asked for its text somewhere
// in the upcoming parse, so setting the text here to exclude
// the delimiting {} is no additional overhead.
//
ACTION
 : NESTED_ACTION
  ( '?' {$type = SEMPRED;}
   ( (WSNLCHARS* '=>') => WSNLCHARS* '=>' // v3 gated sempred
    {
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
    grammarError(ErrorType.V3_GATED_SEMPRED, t);
    }
   )?
  )?
 ;

// ----------------
```

```
// Action structure
//
// Many language targets use {} as block delimiters and so we
// must recursively match {} delimited blocks to balance the
// braces. Additionally, we must make some assumptions about
// literal
 string representation in the target language. We assume
// that they are delimited by ' or " and so consume these
// in their own alts so as not to inadvertantly match {}.
// This rule calls itself on matching a {
//
fragment
NESTED_ACTION
@init {

 // Record the start line and offsets as if we need to report an
 // unterminated block, then we want to show the start of the comment
 // we think is broken, not the end, where people will have to try and work
 // it out themselves.
 //
 int startLine = getLine();
 int offset    = getCharPositionInLine();
}

  : // Action and other blocks start with opening {
    //
  '{'
    (
    // And now we can match one of a number of embedded
    // elements within the action until we find a
    // } that balances the opening {. If we do not find
    // the balanced } then we will hit EOF and can issue
    // an error message about the brace that we belive to
    // be mismatched. This won't be foolproof but we will
    // be able to at
 least report an error against the
    // opening brace that we feel is in error and this will
    // guide the user to the correction as best we can.
    //


      // An embedded {} block
     //
     NESTED_ACTION

     | // What appears to be a literal
       //
       ACTION_CHAR_LITERAL
```

```
      | // We have assumed that the target language has C/Java
        // type comments.
        //
        COMMENT

      | // What appears to be a literal
        //
        ACTION_STRING_LITERAL

    | // What appears to be an escape sequence
      //
      ACTION_ESC

    | // Some other single character that is not
      // handled above
      //
      ~('\\'|'"'|'\''|'/'|'{'|'}')

    )*

(
    // Correctly balanced closing brace
    //
    '}'

  | // Looks like have an imblanced {} block, report
    // with respect to the opening brace.
    //
    {
       // TODO: Report imbalanced {}
       System.out.println("Block starting  at line
" + startLine + " offset " + (offset+1) + " contains imbalanced {} or is missing a }");
    }
)
 ;


// Keywords
// --------
// keywords used to specify ANTLR v3 grammars. Keywords may not be used as
// labels for rules or in any other context where they would be ambiguous
// with the keyword vs some other identifier
// OPTIONS, TOKENS, and CHANNELS must also consume the opening brace that captures
// their option block, as this is the easiest way to parse it separate
// to an ACTION block, despite it using the same {} delimiters.
//
OPTIONS      : 'options'  WSNLCHARS* '{'  ;
```

```
TOKENS_SPEC  : 'tokens'   WSNLCHARS* '{'  ;
CHANNELS     : 'channels' WSNLCHARS* '{'  ;

IMPORT       : 'import'              ;
FRAGMENT     : 'fragment'            ;
LEXER        : 'lexer'               ;
PARSER       : 'parser'              ;
GRAMMAR      : 'grammar'             ;
TREE_GRAMMAR : 'tree' WSNLCHARS* 'grammar' ;
PROTECTED    : 'protected'           ;
PUBLIC       : 'public'
   ;
PRIVATE      : 'private'             ;
RETURNS      : 'returns'             ;
LOCALS       : 'locals'              ;
THROWS       : 'throws'              ;
CATCH        : 'catch'               ;
FINALLY      : 'finally'             ;
MODE         : 'mode'                ;

// -----------
// Punctuation
//
// Character sequences used as separators, delimters, operators, etc
//
COLON        : ':'
            {
            // scan backwards, looking for a RULE_REF or TOKEN_REF.
            // which would indicate the start of a rule definition.
            // If we see a LPAREN, then it's the start of the subrule.
            // this.tokens is the token string we are pushing into, so
            // just loop backwards looking for a rule definition. Then
            // we set isLexerRule.
            Token t = getRuleOrSubruleStartToken();
            if ( t!=null ) {
                if ( t.getType()==RULE_REF ) isLexerRule = false;

      else if ( t.getType()==TOKEN_REF ) isLexerRule = true;
                // else must be subrule; don't alter context
            }
            }
          ;
COLONCOLON   : '::'                  ;
COMMA        : ','                   ;
SEMI         : ';'                   ;
LPAREN       : '('                   ;
RPAREN       : ')'                   ;
RARROW       : '->'                  ;
```

```
LT          : '<'                 ;
GT          : '>'                 ;
ASSIGN      : '='                 ;
QUESTION    : '?'                 ;
SYNPRED     : '=>'
    {
     Token t = new CommonToken(input, state.type, state.channel,
                        state.tokenStartCharIndex, getCharIndex()-1);
   t.setLine(state.tokenStartLine);
   t.setText(state.text);
   t.setCharPositionInLine(state.tokenStartCharPositionInLine);
   grammarError(ErrorType.V3_SYNPRED, t);
          $channel=HIDDEN;
   }
        ;
STAR        : '*'
          ;
PLUS        : '+'                 ;
PLUS_ASSIGN : '+='                ;
OR          : '|'                 ;
DOLLAR      : '$'                 ;
DOT         : '.'                 ; // can be WILDCARD or DOT in qid or imported rule ref
RANGE       : '..'                ;
AT          : '@'                 ;
POUND       : '#'                 ;
NOT         : '~'                 ;
RBRACE      : '}'                 ;

/** Allow unicode rule/token names */
ID   : a=NameStartChar NameChar*
   {
   if ( Grammar.isTokenName($a.text) ) $type = TOKEN_REF;
   else $type = RULE_REF;
   }
  ;

fragment
NameChar    :   NameStartChar
        |   '0'..'9'
        |   '_'
        |   '\u00B7'
        |   '\u0300'..'\u036F'
        |   '\u203F'..'\u2040'
        ;

fragment
NameStartChar
        :   'A'..'Z' | 'a'..'z'
```

```
        |   '\u00C0'..'\u00D6'
        |   '\u00D8'..'\u00F6'
        |   '\u00F8'..'\u02FF'
         |   '\u0370'..'\u037D'
        |   '\u037F'..'\u1FFF'
        |   '\u200C'..'\u200D'
        |   '\u2070'..'\u218F'
        |   '\u2C00'..'\u2FEF'
        |   '\u3001'..'\uD7FF'
        |   '\uF900'..'\uFDCF'
        |   '\uFDF0'..'\uFEFE'
        |   '\uFF00'..'\uFFFD'
        ; // ignores | ['\u10000-'\uEFFFF] ;

// ----------------------------
// Literals embedded in actions
//
// Note that we have made the assumption that the language used within
// actions uses the fairly standard " and ' delimiters for literals and
// that within these literals, characters are escaped using the \ character.
// There are some languages which do not conform to this in all cases, such
// as by using /string/ and so on. We will have to deal with such cases if
// if they come up in targets.
//

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal characters. Within these, we do
// not want to inadvertantly
 match things like '}' and so we eat them
// specifically. While this rule is called CHAR it allows for the fact that
// some languages may use/allow ' as the string delimiter.
//
fragment
ACTION_CHAR_LITERAL
 : '\'' (('\\')=>ACTION_ESC | ~'\'' )* '\''
 ;

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal strings. Within these, we do
// not want to inadvertantly match things like '}' and so we eat them
// specifically.
//
fragment
ACTION_STRING_LITERAL
 : '"' (('\\')=>ACTION_ESC | ~'"')* '"'
 ;

// Within literal strings and characters that are not part of the ANTLR
```

```
// syntax, we must allow for escaped character sequences so that we do not
// inadvertantly recognize the end of a string or character when the terminating
// delimiter has been esacped.
//
fragment
ACTION_ESC
 : '\\' .
 ;

// -------
// Integer
//
// Obviously (I hope) match an aribtrary long sequence of digits.
//
INT : ('0'..'9')+
   ;

// -----------
// Source
 spec
//
// A fragment rule for picking up information about an origrinating
// file from which the grammar we are parsing has been generated. This allows
// ANTLR to report errors against the originating file and not the generated
// file.
//
fragment
SRC : 'src' WSCHARS+ file=ACTION_STRING_LITERAL WSCHARS+ line=INT
    {
      // TODO: Add target specific code to change the source file name and current line number
      //
    }
  ;

// --------------
// Literal string
//
// ANTLR makes no disticintion between a single character literal and a
// multi-character string. All literals are single quote delimited and
// may contain unicode escape sequences of the form \uxxxx, where x
// is a valid hexadecimal number (as per Java basically).
STRING_LITERAL
  :  '\'' ( ( ESC_SEQ | ~('\\'|'\''|'\r'|'\n') ) )*
     (    '\''
     |    // Unterminated string literal
          {
          Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex,
```

```
 getCharIndex()-1);
          t.setLine(state.tokenStartLine);
          t.setText(state.text);
          t.setCharPositionInLine(state.tokenStartCharPositionInLine);
          grammarError(ErrorType.UNTERMINATED_STRING_LITERAL, t);
          }
     )
  ;

// A valid hex digit specification
//
fragment
HEX_DIGIT : ('0'..'9'|'a'..'f'|'A'..'F') ;

// Any kind of escaped character that we can embed within ANTLR
// literal strings.
//
fragment
ESC_SEQ
  : '\\'
     (
          // The standard escaped character set such as tab, newline,
          // etc.
          //
     'b'|'t'|'n'|'f'|'r'|'\"'|'\''|'\\'

      | // A Java style Unicode escape sequence
        //
        UNICODE_ESC

      | // An illegal escape seqeunce
        //
        {
            Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-1, getCharIndex());
            t.setText(t.getText());
            t.setLine(input.getLine());

           t.setCharPositionInLine(input.getCharPositionInLine()-1);
            grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t);
        }
     )
  ;

fragment
UNICODE_ESC

@init {
```

```
// Flag to tell us whether we have a valid number of
// hex digits in the escape sequence
//
int hCount = 0;
}
  :   'u' // Leadin for unicode escape sequence

      // We now require 4 hex digits. Note though
      // that we accept any number of characters
      // and issue an error if we do not get 4. We cannot
      // use an inifinite count such as + because this
      // might consume too many, so we lay out the lexical
      // options and issue an error at the invalid paths.
      //
    (
      (
        HEX_DIGIT  { hCount++; }
         (
            HEX_DIGIT  { hCount++; }
          (
             HEX_DIGIT  { hCount++; }
             (
                // Four valid hex digits, we are good
                //
                 HEX_DIGIT { hCount++; }

              | // Three valid digits
             )

            | // Two valid digits
          )

        | // One valid digit
      )
       )
      | // No valid hex digits at all
    )

    // Now check the digit count and issue an error if we need to
    //
    {
     if (hCount != 4) {
            Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-3-hCount, getCharIndex()-
1);
            t.setText(t.getText());
            t.setLine(input.getLine());
            t.setCharPositionInLine(input.getCharPositionInLine()-hCount-2);
            grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t);
```

```
    }
   }
  ;

// ----------
// Whitespace
//
// Characters and character constructs that are of no import
// to the parser and are used to make the grammar easier to read
// for humans.
//
WS
  : (
     ' '
      | '\t'
      | '\r'
       | '\n'
      | '\f'
    )+
    {$channel=HIDDEN;}
  ;

// A fragment rule for use in recognizing end of line in
// rules like COMMENT.
//
fragment
NLCHARS
  : '\n' | '\r'
  ;

// A fragment rule for recognizing traditional whitespace
// characters within lexer rules.
//
fragment
WSCHARS
  : ' ' | '\t' | '\f'
  ;

// A fragment rule for recognizing both traditional whitespace and
// end of line markers, when we don't care to distinguish but don't
// want any action code going on.
//
fragment
WSNLCHARS
  : ' ' | '\t' | '\f' | '\n' | '\r'
  ;

// This rule allows ANTLR 4 to parse grammars using the UTF-8 encoding with a
```

```
// byte order mark. Since this Unicode character doesn't appear as a token
// anywhere else in the grammar, we can simply skip all instances of it without
// problem. This rule will not break usage of \uFEFF inside a LEXER_CHAR_SET or
// STRING_LITERAL.
UnicodeBOM
  :   '\uFEFF' {skip();}
  ;

// -----------------
// Illegal Character
//
// This
 is an illegal character trap which is always the last rule in the
// lexer specification. It matches a single character of any value and being
// the last rule in the file will match when no other rule knows what to do
// about the character. It is reported as an error but is not passed on to the
// parser. This means that the parser to deal with the gramamr file anyway
// but we will not try to analyse or code generate from a file with lexical
// errors.
//
ERRCHAR
  : .
    {
      Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
      t.setLine(state.tokenStartLine);
      t.setText(state.text);
      t.setCharPositionInLine(state.tokenStartCharPositionInLine);
      String msg = getTokenErrorDisplay(t) + " came as a complete surprise to me";
      grammarError(ErrorType.SYNTAX_ERROR, t, msg);
      state.syntaxErrors++;
      skip();
    }
  ;
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.g
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2015 Dan McLaughlin, Mike Lischke
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
```

```
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 *  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

tree grammar BlockSetTransformer;
options {
 language     = Java;
 tokenVocab   = ANTLRParser;
 ASTLabelType = GrammarAST;
 output   = AST;
 filter   = true;
}

@header {
package org.antlr.v4.parse;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.List;
import java.util.Set;
import
 java.util.HashSet;
import java.util.ArrayList;
import org.antlr.v4.runtime.misc.IntervalSet;
}

@members {
public String currentRuleName;
public GrammarAST currentAlt;
public Grammar g;
public BlockSetTransformer(TreeNodeStream input, Grammar g) {
  this(input, new RecognizerSharedState());
  this.g = g;
}
}

topdown
  : ^(RULE (id=TOKEN_REF|id=RULE_REF) {currentRuleName=$id.text;} .+)
  | setAlt
  | ebnfBlockSet
  | blockSet
 ;

setAlt
```

```
 : {inContext("RULE BLOCK")}?
  ALT {currentAlt = $start;}
 ;

// (BLOCK (ALT (+ (BLOCK (ALT INT) (ALT ID)))))
ebnfBlockSet
@after {
 GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
 : ^(ebnfSuffix blockSet) -> ^(ebnfSuffix ^(BLOCK<BlockAST> ^(ALT<AltAST> blockSet)))
 ;

ebnfSuffix
@after {$tree = (GrammarAST)adaptor.dupNode($start);}
 : OPTIONAL
  | CLOSURE
   | POSITIVE_CLOSURE
 ;

blockSet
@init {
boolean inLexer = Grammar.isTokenName(currentRuleName);
}
@after {
 GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
 : {inContext("RULE")}?
 // top-level: rule block and > 1 alt
  ^(BLOCK ^(alt=ALT elementOptions? {((AltAST)$alt).altLabel==null}? setElement[inLexer]) ( ^(ALT
elementOptions? setElement[inLexer]) )+)
  -> ^(BLOCK<BlockAST>[$BLOCK.token] ^(ALT<AltAST>[$BLOCK.token,"ALT"] ^(SET[$BLOCK.token,
"SET"] setElement+)))
 | {!inContext("RULE")}? // if not rule block and > 1 alt
  ^(BLOCK ^(ALT elementOptions? setElement[inLexer]) ( ^(ALT elementOptions? setElement[inLexer]) )+)
  -> ^(SET[$BLOCK.token, "SET"] setElement+)
 ;

setElement[boolean inLexer]
@after {
 GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
 : ( ^(a=STRING_LITERAL elementOptions) {!inLexer ||
CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
  |   a=STRING_LITERAL {!inLexer || CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
  | {!inLexer}?=> ^(TOKEN_REF elementOptions)
  | {!inLexer}?=>   TOKEN_REF
  | {inLexer}?=>  ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
   {CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1
```

```
 &&
   CharSupport.getCharValueFromGrammarCharLiteral($b.getText())!=-1}?
  )
 ;

elementOptions
 : ^(ELEMENT_OPTIONS elementOption*)
 ;

elementOption
 : ID
 | ^(ASSIGN id=ID v=ID)
 | ^(ASSIGN ID v=STRING_LITERAL)
 | ^(ASSIGN ID v=ACTION)
 | ^(ASSIGN ID v=INT)
 ;
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/BlockSetTransformer.g
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph ATN {
rankdir=LR;
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>

dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph <name>  {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges;
 separator="\n">
}
>>

decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator="; ">}
>>

edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>

state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
  label="
     <! rest(transition) tests for decision states: these nodes have a non-empty
```

```
 set of transitions after the first one. !>
      <if(rest(transitions))>
         {
         <! Label on the left side of the record node. !>
         <label>
         |
         <! Named ports in order on right side of record node, no display text. !>
         {<transitions:{t|\<p<i0>>}; separator="|">}}
      <else>
         <label>
      <endif>
      "
   <if(rest(transitions))>
      , shape=record, fixedsize=false
   <else>
      , shape=circle, fixedsize=true, width=.55
   <endif>
   , peripheries=1];
%>

stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsize=false<else>shape=doublecircle, fixedsize=true,
width=.6<endif>];
>>
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/dot/graphs.stg
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
```

```
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** Find left-recursive rules */
tree grammar LeftRecursiveRuleWalker;

options {
 tokenVocab=ANTLRParser;
   ASTLabelType=GrammarAST;
}

@header {
package org.antlr.v4.parse;

import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

@members {
private String ruleName;
private int currentOuterAltNumber; // which outer alt of rule?
public
 int numAlts;  // how many alts for this rule total?

public void setAltAssoc(AltAST altTree, int alt) {}
public void binaryAlt(AltAST altTree, int alt) {}
public void prefixAlt(AltAST altTree, int alt) {}
public void suffixAlt(AltAST altTree, int alt) {}
public void otherAlt(AltAST altTree, int alt) {}
public void setReturnValues(GrammarAST t) {}
}

@rulecatch { }

// TODO: can get parser errors for not matching pattern; make them go away
public
```

```
rec_rule returns [boolean isLeftRec]
@init
{
 currentOuterAltNumber = 1;
}
 : ^( r=RULE id=RULE_REF {ruleName=$id.getText();}
   ruleModifier?
//   (ARG_ACTION)? shouldn't allow args, right?
   (^(RETURNS a=ARG_ACTION {setReturnValues($a);}))?
//        ( ^(THROWS .+) )? don't allow
       ( ^(LOCALS ARG_ACTION) )? // TODO: copy these to gen'd code
       ( ^(OPTIONS .*)
      |   ^(AT ID ACTION) // TODO: copy
      )*
   ruleBlock {$isLeftRec = $ruleBlock.isLeftRec;}
   exceptionGroup
  )
 ;

exceptionGroup
   : exceptionHandler* finallyClause?
    ;

exceptionHandler
 : ^(CATCH ARG_ACTION ACTION)
 ;

finallyClause
 : ^(FINALLY ACTION)
 ;

ruleModifier
   : PUBLIC
   | PRIVATE
   | PROTECTED
   ;

ruleBlock returns [boolean isLeftRec]
@init{boolean lr=false; this.numAlts = $start.getChildCount();}
 : ^( BLOCK
   (
    o=outerAlternative
    {if ($o.isLeftRec) $isLeftRec = true;}
    {currentOuterAltNumber++;}
   )+
  )
 ;
```

```
/** An alt is either prefix, suffix, binary, or ternary operation or "other" */
outerAlternative returns [boolean isLeftRec]
  :  (binary)=>          binary
                    {binaryAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
  |  (prefix)=>          prefix
                    {prefixAlt((AltAST)$start, currentOuterAltNumber);}
  |  (suffix)=>          suffix
                    {suffixAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
  |  nonLeftRecur        {otherAlt((AltAST)$start,  currentOuterAltNumber);}
  ;

binary
 : ^(
 ALT elementOptions? recurse element* recurse epsilonElement* )
      {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
 ;

prefix
 : ^( ALT elementOptions?
   element+
   recurse epsilonElement*
   )
       {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
 ;

suffix
  :  ^( ALT elementOptions? recurse element+ )
      {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
  ;

nonLeftRecur
  :  ^(ALT elementOptions? element+)
  ;

recurse
 : ^(ASSIGN ID recurseNoLabel)
 | ^(PLUS_ASSIGN ID recurseNoLabel)
 | recurseNoLabel
 ;

recurseNoLabel : {((CommonTree)input.LT(1)).getText().equals(ruleName)}? RULE_REF;

token returns [GrammarAST t=null]
 : ^(ASSIGN ID s=token {$t = $s.t;})
 | ^(PLUS_ASSIGN ID s=token {$t = $s.t;})
 | b=STRING_LITERAL         {$t = $b;}
   | ^(b=STRING_LITERAL elementOptions)  {$t = $b;}
   | ^(c=TOKEN_REF elementOptions)   {$t = $c;}
```

```
| c=TOKEN_REF            {$t = $c;}
;

elementOptions
  : ^(ELEMENT_OPTIONS elementOption*)

 ;

elementOption
  : ID
  |  ^(ASSIGN ID ID)
  |  ^(ASSIGN ID STRING_LITERAL)
  |  ^(ASSIGN ID ACTION)
  |  ^(ASSIGN ID INT)
  ;

element
 : atom
 | ^(NOT element)
 | ^(RANGE atom atom)
 | ^(ASSIGN ID element)
 | ^(PLUS_ASSIGN ID element)
  | ^(SET setElement+)
  |  RULE_REF
 | ebnf
 | epsilonElement
 ;

epsilonElement
 : ACTION
 | SEMPRED
 | EPSILON
 | ^(ACTION elementOptions)
 | ^(SEMPRED elementOptions)
 ;

setElement
 : ^(STRING_LITERAL elementOptions)
 | ^(TOKEN_REF elementOptions)
 | STRING_LITERAL
 | TOKEN_REF
 ;

ebnf:  block
  |  ^( OPTIONAL block )
  |  ^( CLOSURE block )
  |  ^( POSITIVE_CLOSURE block )
  ;
```

```
block
  : ^(BLOCK ACTION? alternative+)
  ;

alternative
 : ^(ALT elementOptions? element+)
  ;

atom
 : ^(RULE_REF ARG_ACTION? elementOptions?)
  |  ^(STRING_LITERAL elementOptions)
 | STRING_LITERAL
  | ^(TOKEN_REF elementOptions)
 | TOKEN_REF
  | ^(WILDCARD elementOptions)
 | WILDCARD
 | ^(DOT ID element)
 ;
```

Found in path(s):

```
*
 /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/parse/LeftRecursiveRuleWalker.g
```

No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2014 Eric Vergnaud
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED
```

```
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** ANTLR tool checks output templates are compatible with tool code generation.
*  For now, a simple string match used on x.y of x.y.z scheme.
*  Must match Tool.VERSION during load to templates.
*
*  REQUIRED.
*/

pythonTypeInitMap ::= [
 "bool":"False",
 "int":"0",
 "float":"0.0",
 "str":"",
 default:"None" // anything other
 than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from antlr4 import *
from io import StringIO

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
  from .<file.parserName> import <file.parserName>
else:
  from <file.parserName> import <file.parserName>
<header>
```

```
# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

  <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
  pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def
 exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
  pass

}; separator="\n">

>>


VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
  from .<file.parserName> import <file.parserName>
else:
  from <file.parserName> import <file.parserName>
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

  <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
  return self.visitChildren(ctx)

}; separator="\n">

del <file.parserName>
>>


fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass)
```

```
 ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

  grammarFileName = "<parser.grammarFileName>"

  atn = ATNDeserializer().deserialize(serializedATN())

  decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

  sharedContextCache = PredictionContextCache()

  literalNames = [ <parser.literalNames:{t | <t>}; null="\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

  ruleNames =  [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

  EOF = <TokenLabelType()>.EOF
  <if(parser.tokens)>
  <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n",
 wrap, anchor>
  <endif>

  <parser:(ctor)()>

  <namedActions.members>

  <funcs; separator="\n">


<if(sempredFuncs)>
  def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
      if self._predicates == None:
          self._predicates = dict()
<parser.sempredFuncs.values:{f |
      self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n        ">
```

```
        pred = self._predicates.get(ruleIndex, None)
        if pred is None:
            raise Exception("No predicate with index:" + str(ruleIndex))
        else:
            return pred(localctx, predIndex)

    <sempredFuncs.values; separator="\n">
<endif>



>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
 if self._actions is None:
  actions = dict()
<recog.actionFuncs.values:{f|
  actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
  self._actions = actions
 action
 = self._actions.get(ruleIndex, None)
 if action is not None:
  action(localctx, actionIndex)
 else:
  raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values:{f|
        preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
        self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>
```

```
parser_ctor(p) ::= <<
def __init__(self, input:TokenStream):
  super().__init__(input)
  self.checkVersion("<file.ANTLRVersion>")
  self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
  self._predicates
 = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
      <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
      <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:
      return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
      return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
 ::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
```

```
def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  except RecognitionException as re:
     localctx.exception = re
     self._errHandler.reportError(self, re)
     self._errHandler.recover(self, re)
  <endif>
  finally:
     <finallyAction>
     self.exitRule()
  return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l
| <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
  _parentctx = self._ctx
  _parentState = self.state
  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
  _prevctx = localctx
  _startState = <currentRule.startState>
  self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  try:
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  except RecognitionException as re:
```

```
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx
 = <parser.name>.<currentOuterMostAltCodeBlock.altLabel; format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    pass}; separator="\nel">
else:
    <error>

>>

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    pass}; separator="\nel">
else:
     <error>
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr>) ) <error>!>
>>


LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
     break

>>

// LL(*) stuff

AltBlock(choice,
 preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i>:
```

```
  <alt>
  pass
}; separator="\nel">

>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">

>>

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
     <iteration>
     <alts> <! should only be one !>
  self.state =
 <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">
  else:
     <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>
```

```
Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

// Java language spec
 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<\< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator="
 or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
```

```
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{l |     <labelref(l)> = }><else>    <endif>self._errHandler.recoverInline(self)
else:
  self._errHandler.reportMatch(self)
   self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
  from antlr4.error.Errors import FailedPredicateException
  raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>
```

```
// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip()"
LexerMoreCommand()  ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar)      ::= "_type = <arg>"
LexerChannelCommand(arg, grammar)   ::= "_channel = <arg>"
LexerModeCommand(arg, grammar)      ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar)  ::= "pushMode(<arg>)"

ActionText(t)
 ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValueRef(a) ::= "localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is
 None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)  ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r)  ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r)  ::= "localctx.stop"
ThisRulePropertyRef_text(r)  ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "localctx"
```

```
ThisRulePropertyRef_parser(r)  ::= "self"

NonLocalAttrRef(s)     ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s,
 rhsChunks)  ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t)      ::= <<
def <t.name>(self):
  return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t)  ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t)  ::= <<
def <t.name>(self, i:int=None):
  if i is None:
     return self.getTokens(<parser.name>.<t.name>)
  else:
     return self.getToken(<parser.name>.<t.name>,
 i)
>>

ContextRuleGetterDecl(r)       ::= <<
def <r.name>(self):
  return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r)   ::= <<
def <r.name>_list(self):
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)   ::= <<
```

```
def <r.name>(self, i:int=None):
  if i is None:
     return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
  else:
     return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers)
 ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

  def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{a | ,
<a.name><if(a.type)>:<a.type><endif>=None}>):
     super().__init__(parent, invokingState)
     self.parser = parser
     <attrs:{a | <a>}; separator="\n">
     <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">

  <getters:{g | <g>}; separator="\n\n">

  def getRuleIndex(self):
     return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  def copyFrom(self, ctx:ParserRuleContext):
     super().copyFrom(ctx)
     <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">
```

```
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods)
 ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

  def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;
format="cap">Context
      super().__init__(parser)
      <attrs:{a | <a>}; separator="\n">
      self.copyFrom(ctx)

  <getters:{g | <g>}; separator="\n">

  <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
  if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
      listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor:ParseTreeVisitor):
  if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
      return visitor.visit<struct.derivedFromName; format="cap">(self)
   else:
      return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                 ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
```

```
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel;
 format="cap">Context(self, <parser.name>.<ruleName; format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
   self.triggerExitRuleEvent()
_prevctx = localctx
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
from antlr4 import *
from io import StringIO

<namedActions.header>

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

   atn = ATNDeserializer().deserialize(serializedATN())
```

```
  decisionsToDFA = [
 DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

  <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

  <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

  modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]

  literalNames = [ "\<INVALID>",
        <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]

  symbolicNames = [ "\<INVALID>",
        <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]

  ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

  grammarFileName = "<lexer.grammarFileName>"

  def __init__(self, input=None):
     super().__init__(input)
     self.checkVersion("<lexerFile.ANTLRVersion>")
     self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
     self._actions = None
     self._predicates = None

  <namedActions.members>

  <dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model)
 ::= <<
<! only one segment, can be inlined !>

def serializedATN():
  with StringIO() as buf:
     buf.write("<model.serialized; wrap={")<\n>       buf.write("}>")
     return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
```

<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

javaTypeInitMap ::= [
 "int":"0",
 "long":"0",
 "float":"0.0f",
 "double":"0.0",
 "boolean":"false",
 "byte":"0",

```
 "short":"0",
 "char":"0",
 default:"null" // anything other than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName,
 file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.misc.*;
import org.antlr.v4.runtime.tree.*;
import java.util.List;
import java.util.Iterator;
import java.util.ArrayList;

<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeListener;

/**
* This interface defines a complete listener for a parse tree produced by
* {@link <file.parserName>}.
*/
public interface <file.grammarName>Listener extends ParseTreeListener {
 <file.listenerNames:{lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
* Enter a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Enter a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
* @param ctx the parse tree
```

```
*/
void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
* @param ctx the parse tree
*/
void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

/**
* This class provides an empty implementation of {@link <file.grammarName>Listener},
 * which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {
 <file.listenerNames:{lname |
/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
@Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
@Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}};
separator="\n">

 /**
```

```
 * {@inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enterEveryRule(ParserRuleContext ctx) { }
/**
 * {@inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exitEveryRule(ParserRuleContext ctx) { }
/**
 * {@inheritDoc\}
 *
 * \<p>The default
implementation does nothing.\</p>
 */
@Override public void visitTerminal(TerminalNode node) { }
/**
 * {@inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitErrorNode(ErrorNode node) { }
}
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
* This interface defines a complete generic visitor for a parse tree produced
* by {@link <file.parserName>}.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
 <file.visitorNames:{lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
```

```
<else>
 * Visit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
* @param ctx the parse tree
* @return the visitor result
*/
T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
* This class provides an empty implementation of {@link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
public class <file.grammarName>BaseVisitor\<T> extends AbstractParseTreeVisitor\<T> implements
<file.grammarName>Visitor\<T> {
 <file.visitorNames:{lname |
/**
* {@inheritDoc\}
*
* \<p>The default
 implementation returns the result of calling
* {@link #visitChildren\} on {@code ctx\}.\</p>
*/
@Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
visitChildren(ctx); \}}; separator="\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>
```

```
Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
 static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

 protected static final DFA[] _decisionToDFA;
 protected static final PredictionContextCache _sharedContextCache =
  new PredictionContextCache();
 <if(parser.tokens)>
 public static final int
  <parser.tokens:{k | <k>=<parser.tokens.(k)>};
 separator=", ", wrap, anchor>;
 <endif>
 public static final int
  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
 public static final String[] ruleNames = {
  <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
 };

 <vocabulary(parser.literalNames, parser.symbolicNames)>

 @Override
 public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

 @Override
 public String[] getRuleNames() { return ruleNames; }

 @Override
 public String getSerializedATN() { return _serializedATN; }

 @Override
 public ATN getATN() { return _ATN; }

 <namedActions.members>
 <parser:(ctor)()>
 <funcs; separator="\n">

<if(sempredFuncs)>
 public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
  switch (ruleIndex) {
  <parser.sempredFuncs.values:{f|
case <f.ruleIndex>:
 return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
  }
  return true;
 }
 <sempredFuncs.values;
```

```
 separator="\n">
<endif>

 <atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static final String[] _LITERAL_NAMES = {
 <literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static final String[] _SYMBOLIC_NAMES = {
 <symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
_SYMBOLIC_NAMES);

/**
* @deprecated Use {@link #VOCABULARY} instead.
*/
@Deprecated
public static final String[] tokenNames;
static {
 tokenNames = new String[_SYMBOLIC_NAMES.length];
 for (int i = 0; i \< tokenNames.length; i++) {
  tokenNames[i] = VOCABULARY.getLiteralName(i);
  if (tokenNames[i] == null) {
   tokenNames[i] = VOCABULARY.getSymbolicName(i);
  }

  if (tokenNames[i] == null) {
   tokenNames[i] = "\<INVALID>";
  }
 }
}

@Override
@Deprecated
public String[] getTokenNames() {
 return tokenNames;
}

@Override

public Vocabulary getVocabulary() {
 return VOCABULARY;
}
>>
```

```
dumpActions(recog,
 argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
 <f.name>_action((<f.ctxType>)_localctx, actionIndex);
 break;}; separator="\n">
 }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
@Override
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
 switch (ruleIndex) {
 <recog.sempredFuncs.values:{f|
case <f.ruleIndex>:
 return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
 }
 return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
public <p.name>(TokenStream input) {
 super(input);
 _interp = new ParserATNSimulator(this,_ATN,_decisionToDFA,_sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
 */
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
 switch (actionIndex) {
 <actions:{index|
case <index>:
 <actions.(index)>
 break;}; separator="\n">
 }
}
```

```
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
 switch (predIndex) {
 <actions:{index|
case <index>:
 return <actions.(index)>;}; separator="\n">
 }
 return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name>(<args; separator=",">) throws RecognitionException {
 <currentRule.ctxType> _localctx = new
 <currentRule.ctxType>(_ctx, getState()<currentRule.args:{a | , <a.name>}>);
 enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 <if(exceptions)>
 <exceptions; separator="\n">
 <else>
 catch (RecognitionException re) {
  _localctx.exception = re;
  _errHandler.reportError(this, re);
  _errHandler.recover(this, re);
 }
 <endif>
 finally {
  <finallyAction>
```

```
 exitRule();
 }
 return _localctx;
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name>(<args; separator=", ">) throws RecognitionException {
 return <currentRule.name>(0<currentRule.args:{a
 | , <a.name>}>);
}

private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>}>) throws RecognitionException {
 ParserRuleContext _parentctx = _ctx;
 int _parentState = getState();
 <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>);
 <currentRule.ctxType> _prevctx = _localctx;
 int _startState = <currentRule.startState>;
 enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
 <namedActions.init>
 <locals; separator="\n">
 try {
<if(currentRule.hasLookaheadBlock)>
  int _alt;
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch (RecognitionException re) {
  _localctx.exception = re;
  _errHandler.reportError(this, re);
  _errHandler.recover(this, re);
 }
 finally {
  <finallyAction>
  unrollRecursionContexts(_parentctx);
 }
 return _localctx;
}
```

```
>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::=
 <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlockSingleAlt(choice,
 expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
```

```
<preamble; separator="\n">
if (<expr>) {
 <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
 <alts; separator="\n">
 setState(<choice.loopBackStateNumber>);
 _errHandler.sync(this);
 <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
<preamble; separator="\n">
do {
 <alts; separator="\n">
 setState(<choice.stateNumber>); <! loopback/exit decision !>
 _errHandler.sync(this);
 <iteration>
} while ( <loopExpr> );
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)>
 = _input.LT(1);<endif>
<preamble; separator="\n">
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i>:
 <alt>
 break;}; separator="\n">
}
>>

OptionalBlock(choice, alts, error) ::= <<
```

```
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER ) {
 if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
 }
 setState(<choice.loopBackStateNumber>);
 _errHandler.sync(this);
 _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

PlusBlock(choice,
 alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
 default:
  <error>
 }
 setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
 _errHandler.sync(this);
 _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"
```

```
TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount)
 ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<\< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<\< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>);
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif><r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>
);
>>

MatchToken(m)
 ::= <<
setState(<m.stateNumber>);
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>match(<m.name>);
>>
```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>);
<if(m.labels)><m.labels:{l | <labelref(l)> = }>_input.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>) ) {
 <if(m.labels)><m.labels:{l | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);
}
else {
 if ( _input.LA(1)==Token.EOF ) matchedEOF = true;
 _errHandler.reportMatch(this);
 consume();
}
>>

Wildcard(w) ::= <<
setState(<w.stateNumber>);
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>);
if
 (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip();"
LexerMoreCommand()  ::= "more();"
LexerPopModeCommand() ::= "popMode();"
```

```
LexerTypeCommand(arg, grammar)      ::= "_type = <arg>;"
LexerChannelCommand(arg, grammar)   ::= "_channel = <arg>;"
LexerModeCommand(arg, grammar)      ::= "_mode = <arg>;"
LexerPushModeCommand(arg, grammar)  ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValueRef(a) ::= "_localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks)
 ::= "<ctx(s)>.<s.name> = <rhsChunks>;"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText()):0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.start):null)"
RulePropertyRef_stop(r)  ::= "(<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_text(r)
 ::= "(<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r)  ::= "_localctx.stop"
ThisRulePropertyRef_text(r)  ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r)  ::= "_localctx"
ThisRulePropertyRef_parser(r)  ::= "this"

NonLocalAttrRef(s)   ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks)   ::=
 "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>;"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"
```

```
TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>;"
TokenListDecl(t) ::= "List\<Token> <t.name> = new ArrayList\<Token>()"
RuleContextDecl(r)
 ::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List\<<rdecl.ctxName>> <rdecl.name> = new ArrayList\<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t)      ::=
   "public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t)  ::=
   "public List\<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t)  ::= <<
public TerminalNode <t.name>(int i) {
 return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r)       ::= <<
public <r.ctxName> <r.name>() {
 return getRuleContext(<r.ctxName>.class,0);
}
>>
ContextRuleListGetterDecl(r)   ::= <<
public List\<<r.ctxName>\> <r.name>() {
 return getRuleContexts(<r.ctxName>.class);
}
>>
ContextRuleListIndexedGetterDecl(r)   ::= <<
public <r.ctxName> <r.name>(int i) {
 return getRuleContext(<r.ctxName>.class,i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed
 by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"
```

```
StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers)
 ::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 <if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState);
}<endif>
 public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>}>) {
  super(parent, invokingState);
  <struct.ctorAttrs:{a
| this.<a.name> = <a.name>;}; separator="\n">
 }
 @Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
 public <struct.name>() { }
 public void copyFrom(<struct.name> ctx) {
  super.copyFrom(ctx);
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
 }
<endif>
 <dispatchMethods; separator="\n">
 <extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
public static class <struct.name> extends <currentRule.name; format="cap">Context {
 <attrs:{a | public <a>;}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 public <struct.name>(<currentRule.name; format="cap">Context ctx) { copyFrom(ctx); }
 <dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
 if ( listener instanceof <parser.grammarName>Listener
 )
((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

VisitorDispatchMethod(method) ::= <<
```

```
@Override
public \<T> T accept(ParseTreeVisitor\<? extends T> visitor) {
 if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor\<? extends
T>)visitor).visit<struct.derivedFromName; format="cap">(this);
 else return visitor.visitChildren(this);
}
>>

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>((<x.ctx.name>)_localctx).<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "((<actionChunk.ctx.name>)_localctx)"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>;"
recRuleSetStopToken()
             ::= "_ctx.stop = _input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>
```

```
recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
_ctx = _localctx;
_prevctx
 = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( _parseListeners!=null ) triggerExitRuleEvent();
_prevctx = _localctx;
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
package <lexerFile.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.Lexer;
import org.antlr.v4.runtime.CharStream;
import org.antlr.v4.runtime.Token;
import org.antlr.v4.runtime.TokenStream;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.misc.*;

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <lexer.name> extends <superClass; null="Lexer"> {
 static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }

 protected static final DFA[] _decisionToDFA;
 protected static final PredictionContextCache
 _sharedContextCache =
  new PredictionContextCache();
 public static final int
  <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
 <if(lexer.channels)>
 public static final int
  <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
 <endif>
 <rest(lexer.modes):{m| public static final int <m> = <i>;}; separator="\n">
 public static String[] modeNames = {
```

```
 <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
};

public static final String[] ruleNames = {
 <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
};

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<namedActions.members>

public <lexer.name>(CharStream input) {
 super(input);
 _interp = new LexerATNSimulator(this,_ATN,_decisionToDFA,_sharedContextCache);
}

@Override
public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String
getSerializedATN() { return _serializedATN; }

@Override
public String[] getModeNames() { return modeNames; }

@Override
public ATN getATN() { return _ATN; }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private static final int _serializedATNSegments = <length(model.segments)>;
<model.segments:{segment|private static final String _serializedATNSegment<i0> =
 "<segment; wrap={"+<\n><\t>"}>";}; separator="\n">
public static final String _serializedATN = Utils.join(
 new String[] {
  <model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
 },
 ""
```

);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
 "<model.serialized; wrap={"+<\n><\t>"}>";
<endif>
public static final ATN _ATN =
 new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
 _decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
 for
 (int i = 0; i \< _ATN.getNumberOfDecisions(); i++) {
  _decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
 }
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2], ruleNames, false));!>
}
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".java"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the

```
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** How to generate rules derived from left-recursive rules.
*  These rely on recRuleAltPredicate(),
*  recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()
*  templates in main language.stg
*/
group LeftRecursiveRules;

recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,
      userRetvals, leftRecursiveRuleRefLabels) ::=
<<
<ruleName><if(userRetvals)>
 returns [<userRetvals>]<endif>
  :  ( {} <primaryAlts:{alt | <alt.altText> }; separator="\n       | ">
     )
     (
       <opAlts; separator="\n       | ">
     )*
  ;
>>

recRuleAlt(alt, precOption, opPrec, pred) ::= <<
{<pred>}?\<<precOption>=<opPrec>\> <alt.altText>
>>

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg
No license file was found, but licenses were detected in source scan.

* [The "BSD license"]
*  All rights reserved.
```

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
[The "BSD licence"]
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must
retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRParser.g
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

```
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

tree grammar SourceGenTriggers;
options {
 language     = Java;
 tokenVocab   = ANTLRParser;
 ASTLabelType = GrammarAST;
}

@header {
package org.antlr.v4.codegen;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.codegen.model.*;
import org.antlr.v4.codegen.model.decl.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.Collections;
import
 java.util.Map;
import java.util.HashMap;
}

@members {
 public OutputModelController controller;
   public boolean hasLookaheadBlock;
   public SourceGenTriggers(TreeNodeStream input, OutputModelController controller) {
    this(input);
    this.controller = controller;
   }
}

dummy : block[null, null] ;

block[GrammarAST label, GrammarAST ebnfRoot] returns [List<? extends SrcOp> omos]
   : ^( blk=BLOCK (^(OPTIONS .+))?
   {List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();}
     ( alternative {alts.add($alternative.altCodeBlock);} )+
    )
    {
```

```
   if ( alts.size()==1 && ebnfRoot==null) return alts;
   if ( ebnfRoot==null ) {
      $omos = DefaultOutputModelFactory.list(controller.getChoiceBlock((BlockAST)$blk, alts, $label));
   }
   else {
        Choice choice = controller.getEBNFBlock($ebnfRoot, alts);
        hasLookaheadBlock |= choice instanceof PlusBlock || choice instanceof StarBlock;
      $omos = DefaultOutputModelFactory.list(choice);
    }
   }
  ;

alternative returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]
@init {
  boolean outerMost = inContext("RULE BLOCK");
}
@after {
  controller.finishAlternative($altCodeBlock, $ops, outerMost);
}
  : a=alt[outerMost] {$altCodeBlock=$a.altCodeBlock; $ops=$a.ops;}
 ;

alt[boolean outerMost] returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]
@init {
 // set alt if outer ALT only (the only ones with alt field set to Alternative object)
 AltAST altAST = (AltAST)retval.start;
 if ( outerMost ) controller.setCurrentOuterMostAlt(altAST.alt);
}
 : {
  List<SrcOp> elems = new ArrayList<SrcOp>();
  // TODO: shouldn't we pass $start to controller.alternative()?
  $altCodeBlock = controller.alternative(controller.getCurrentOuterMostAlt(), outerMost);
  $altCodeBlock.ops = $ops = elems;
  controller.setCurrentBlock($altCodeBlock);
  }
  ^( ALT elementOptions? ( element {if ($element.omos!=null) elems.addAll($element.omos);} )+ )

 | ^(ALT elementOptions?
 EPSILON)
      {$altCodeBlock = controller.epsilon(controller.getCurrentOuterMostAlt(), outerMost);}
  ;

element returns [List<? extends SrcOp> omos]
 : labeledElement     {$omos = $labeledElement.omos;}
 | atom[null,false]   {$omos = $atom.omos;}
 | subrule       {$omos = $subrule.omos;}
 |   ACTION       {$omos = controller.action((ActionAST)$ACTION);}
 |   SEMPRED       {$omos = controller.sempred((ActionAST)$SEMPRED);}
```

```
 | ^(ACTION elementOptions)  {$omos = controller.action((ActionAST)$ACTION);}
 |   ^(SEMPRED elementOptions)  {$omos = controller.sempred((ActionAST)$SEMPRED);}
 ;

labeledElement returns [List<? extends SrcOp> omos]
 : ^(ASSIGN ID atom[$ID,false] )   {$omos = $atom.omos;}
 | ^(PLUS_ASSIGN ID atom[$ID,false])  {$omos = $atom.omos;}
 | ^(ASSIGN ID block[$ID,null] )   {$omos = $block.omos;}
 | ^(PLUS_ASSIGN ID block[$ID,null])  {$omos = $block.omos;}
 ;

subrule returns [List<? extends SrcOp> omos]
 : ^(OPTIONAL b=block[null,$OPTIONAL])
  {
  $omos = $block.omos;
  }
 | ( ^(op=CLOSURE
 b=block[null,null])
  | ^(op=POSITIVE_CLOSURE b=block[null,null])
  )
  {
  List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
  SrcOp blk = $b.omos.get(0);
  CodeBlockForAlt alt = new CodeBlockForAlt(controller.delegate);
  alt.addOp(blk);
  alts.add(alt);
  SrcOp loop = controller.getEBNFBlock($op, alts); // "star it"
      hasLookaheadBlock |= loop instanceof PlusBlock || loop instanceof StarBlock;
      $omos = DefaultOutputModelFactory.list(loop);
  }
 |  block[null, null]     {$omos = $block.omos;}
   ;

blockSet[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
   : ^(SET atom[label,invert]+) {$omos = controller.set($SET, $label, invert);}
   ;

/*
setElement
 : STRING_LITERAL
 | TOKEN_REF
 | ^(RANGE STRING_LITERAL STRING_LITERAL)
 ;
*/

// TODO: combine ROOT/BANG into one then just make new op ref'ing return value of atom/terminal...
// TODO: same for NOT
atom[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
```

```
 : ^(NOT
 a=atom[$label, true])  {$omos = $a.omos;}
 | range[label]       {$omos = $range.omos;}
 | ^(DOT ID terminal[$label])
 | ^(DOT ID ruleref[$label])
   | ^(WILDCARD .)       {$omos = controller.wildcard($WILDCARD, $label);}
   | WILDCARD        {$omos = controller.wildcard($WILDCARD, $label);}
   |   terminal[label]     {$omos = $terminal.omos;}
   |   ruleref[label]     {$omos = $ruleref.omos;}
 | blockSet[$label, invert]  {$omos = $blockSet.omos;}
 ;

ruleref[GrammarAST label] returns [List<SrcOp> omos]
   : ^(RULE_REF ARG_ACTION? elementOptions?)  {$omos = controller.ruleRef($RULE_REF, $label,
$ARG_ACTION);}
   ;

range[GrammarAST label] returns [List<SrcOp> omos]
   : ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
   ;

terminal[GrammarAST label] returns [List<SrcOp> omos]
   :  ^(STRING_LITERAL .)   {$omos = controller.stringRef($STRING_LITERAL, $label);}
   | STRING_LITERAL    {$omos = controller.stringRef($STRING_LITERAL, $label);}
   | ^(TOKEN_REF ARG_ACTION .) {$omos =
 controller.tokenRef($TOKEN_REF, $label, $ARG_ACTION);}
   | ^(TOKEN_REF .)    {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
   | TOKEN_REF     {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
   ;

elementOptions
   : ^(ELEMENT_OPTIONS elementOption+)
   ;

elementOption
   : ID
   |   ^(ASSIGN ID ID)
   |   ^(ASSIGN ID STRING_LITERAL)
   |   ^(ASSIGN ID ACTION)
   |   ^(ASSIGN ID INT)
   ;

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/SourceGenTriggers.g
No license file was found, but licenses were detected in source scan.

/*
```

```
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

lexer grammar ActionSplitter;

options { filter=true; }

@header {
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

@members {
ActionSplitterListener delegate;

public ActionSplitter(CharStream input, ActionSplitterListener delegate) {
  this(input, new RecognizerSharedState());
  this.delegate = delegate;
}
```

```
/** force filtering
 (and return tokens). triggers all above actions. */
public List<Token> getActionTokens() {
  List<Token> chunks = new ArrayList<Token>();
  Token t = nextToken();
  while ( t.getType()!=Token.EOF ) {
     chunks.add(t);
     t = nextToken();
  }
  return chunks;
}

private boolean isIDStartChar(int c) {
 return c == '_' || Character.isLetter(c);
}
}

// ignore comments right away

COMMENT
  :   '/*' ( options {greedy=false;} : . )* '*/' {delegate.text($text);}
  ;

LINE_COMMENT
  : '//' ~('\n'|'\r')* '\r'? '\n' {delegate.text($text);}
  ;

SET_NONLOCAL_ATTR
 : '$' x=ID '::' y=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
  {
  delegate.setNonLocalAttr($text, $x, $y, $expr);
  }
 ;

NONLOCAL_ATTR
 : '$' x=ID '::' y=ID {delegate.nonLocalAttr($text, $x, $y);}
 ;

QUALIFIED_ATTR
 : '$' x=ID '.' y=ID {input.LA(1)!='('}? {delegate.qualifiedAttr($text, $x, $y);}
 ;

SET_ATTR
 : '$' x=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
  {
  delegate.setAttr($text, $x, $expr);
  }
 ;
```

```
ATTR
 : '$'
 x=ID {delegate.attr($text, $x);}
 ;

// Anything else is just random text
TEXT
@init {StringBuilder buf = new StringBuilder();}
@after {delegate.text(buf.toString());}
 : ( c=~('\\'| '$') {buf.append((char)$c);}
  | '\\$' {buf.append('$');}
  | '\\' c=~('$') {buf.append('\\').append((char)$c);}
  | {!isIDStartChar(input.LA(2))}? => '$' {buf.append('$');}
  )+
 ;

fragment
ID  : ('a'..'z'|'A'..'Z'|'_') ('a'..'z'|'A'..'Z'|'0'..'9'|'_')*
   ;

/** Don't allow an = as first char to prevent $x == 3; kind of stuff. */
fragment
ATTR_VALUE_EXPR
 : ~'=' (~';')*
 ;

fragment
WS : (' '|'\t'|'\n'|'\r')+
 ;
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ActionSplitter.g
No license file was found, but licenses were detected in source scan.


```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2014 Eric Vergnaud
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
```

```
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** ANTLR tool checks output templates are compatible with tool code generation.
*  For now, a simple string match used on x.y of x.y.z scheme.
*  Must match Tool.VERSION during load to templates.
*
*  REQUIRED.
*/

pythonTypeInitMap ::= [
 "bool":"False",
 "int":"0",
 "float":"0.0",
 "str":"",
 default:"None" // anything other
 than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');
<if(file.genListener)>
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;
<endif>
<if(file.genVisitor)>
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;
<endif>

<namedActions.header>
```

```
<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete listener for a parse tree produced by <file.parserName>.
function <file.grammarName>Listener() {
 antlr4.tree.ParseTreeListener.call(this);
 return this;
}

<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);
<file.grammarName>Listener.prototype.constructor
 = <file.grammarName>Listener;

<file.listenerNames:{lname |
// Enter a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.enter<lname; format="cap"> = function(ctx) {
\};

// Exit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.exit<lname; format="cap"> = function(ctx) {
\};

}; separator="\n">

exports.<file.grammarName>Listener = <file.grammarName>Listener;
>>


VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
 antlr4.tree.ParseTreeVisitor.call(this);
 return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames:{lname
```

```
|
// Visit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Visitor.prototype.visit<lname; format="cap"> = function(ctx) {
 return this.visitChildren(ctx);
\};

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>


fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames:{t | <t>}; null="null", separator=", ", wrap,
 anchor> ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var ruleNames =  [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ];

function <parser.name> (input) {
 <superClass; null="antlr4.Parser">.call(this, input);
   this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
   this.ruleNames = ruleNames;
   this.literalNames = literalNames;
   this.symbolicNames = symbolicNames;
 <namedActions.members>
   return this;
}
```

```
<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

Object.defineProperty(<parser.name>.prototype, "atn", {
 get : function() {
  return atn;
 }
});

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>;}; separator="\n", wrap, anchor>
<endif>

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>;};
 separator="\n", wrap, anchor>

<funcs; separator="\n">

<if(sempredFuncs)>
<parser.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
 switch(ruleIndex) {
 <parser.sempredFuncs.values:{f | case <f.ruleIndex>:
  return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
   default:
       throw "No predicate with index:" + ruleIndex;
  }
};

<sempredFuncs.values; separator="\n">
<endif>

exports.<parser.name> = <parser.name>;

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
 this.<f.name>_action(localctx, actionIndex);
 break;}; separator="\n">
 default:
  throw "No registered action for:" + ruleIndex;
 }
```

```
};

<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
<lexer.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
 switch (ruleIndex) {
  <recog.sempredFuncs.values:{f|
 case <f.ruleIndex>:
 return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
    default:
     throw "No registered predicate for:" + ruleIndex;
   }
};

<sempredFuncs.values; separator="\n">
<endif>
>>


/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {
 switch (actionIndex) {
 <actions:{index|
case <index>:
 <actions.(index)>
 break;}; separator="\n">
 default:
  throw "No registered action for:" + actionIndex;
 }
};
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
 switch(predIndex) {
  <actions:{index|
 case <index>:
 return <actions.(index)>;}; separator="\n">
  default:
```

```
  throw "No predicate with index:" + predIndex;
 }
};

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<! Define fields of this parser to export the context classes !>
<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>}; separator=", ">) {

  var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | , <a.name>}>);
  this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);
  <namedActions.init>
  <locals; separator="\n">
  try {
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  } catch (re)
 {
   if(re instanceof antlr4.error.RecognitionException) {
       localctx.exception = re;
       this._errHandler.reportError(this, re);
       this._errHandler.recover(this, re);
    } else {
     throw re;
    }
  }<endif> finally {
     <finallyAction>
     this.exitRule();
  }
  return localctx;
};

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
```

```
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a>}><endif>) {
 if(_p===undefined) {
    _p = 0;
 }
  var _parentctx = this._ctx;
  var _parentState = this.state;
  var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{a | , <a.name>}>);
  var _prevctx = localctx;
  var _startState = <currentRule.startState>;
  this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>,
_p);
  <namedActions.init>
  <locals; separator="\n">
  try {
     <code>
     <postamble; separator="\n">
     <namedActions.after>
  } catch( error) {
     if(error instanceof antlr4.error.RecognitionException) {
       localctx.exception = error;
       this._errHandler.reportError(this, error);
       this._errHandler.recover(this, error);
    } else {
     throw error;
    }
  } finally {
     <finallyAction>
     this.unrollRecursionContexts(_parentctx)
  }
  return localctx;
};

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>
this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
```

```
<locals;
 separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break;}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble,
 iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
```

```
  <alts; separator="\n">
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  this.state = <choice.stateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  <iteration>
} while(<loopExpr>);
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
case <i>:
  <alt>
  break;
}; separator="\n">
}
>>

OptionalBlock(choice,
 alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
<alts:{alt |
if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {
  <alt>
}; separator="\n} else ">
}
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)
while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {
  if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {
    <iteration>
    <alts> <! should only be one !>
  }
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
}

>>

PlusBlock(choice, alts, error) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
var
 _alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break;}; separator="\n">
 default:
  <error>
 }
 this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>
 this._errHandler.sync(this);
 _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Javascript language spec - shift operators are 32 bits long max
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x1f) == 0
```

```
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName,
 bits.shift)>})> && ((1 \<\< <offsetShiftVar(s.varName, bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\<
<offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) !== 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <parser.name>.<t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
this.state = <r.stateNumber>;
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>this.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>);
>>

MatchToken(m)
 ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>this.match(<parser.name>.<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>\<=0 || <expr>)<else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>this._errHandler.recoverInline(this);
}
else {
 this._errHandler.reportMatch(this);
  this.consume();
}
>>

Wildcard(w) ::= <<
this.state = <w.stateNumber>;
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
this.state
 = <p.stateNumber>;
if (!( <chunks>)) {
  throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "this.skip()"
LexerMoreCommand()  ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar)      ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar)   ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar)      ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar)  ::= "this.pushMode(<arg>)"
```

```
ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValueRef(a) ::= "localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t)
 ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)
 ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r)  ::= "(<ctx(r)>.<r.label>===null ? null : this._input.getText(new
antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "this"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r)  ::= "localctx.stop"
ThisRulePropertyRef_text(r)  ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "localctx"
ThisRulePropertyRef_parser(r)  ::= "this"

NonLocalAttrRef(s)     ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks)  ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"

TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType()>"
TokenTypeDecl(t) ::= "var <t.name>
 = 0; // <TokenLabelType()> type"
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType()>s"
```

```
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"

ContextTokenGetterDecl(t)      ::= <<
<t.name> = function() {
  return this.getToken(<parser.name>.<t.name>, 0);
};
>>

// should never be called
ContextTokenListGetterDecl(t)  ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t)  ::= <<
<t.name> = function(i) {
 if(i===undefined) {
  i = null;
 }
  if(i===null) {
     return this.getTokens(<parser.name>.<t.name>);
  } else {
     return this.getToken(<parser.name>.<t.name>, i);
  }
};

>>

ContextRuleGetterDecl(r)       ::= <<
<r.name> = function() {
  return this.getTypedRuleContext(<r.ctxName>,0);
};
>>

// should never be called
ContextRuleListGetterDecl(r)   ::= <<
def <r.name>_list(self):
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)
  ::= <<
<r.name> = function(i) {
  if(i===undefined) {
     i = null;
  }
```

```
  if(i===null) {
     return this.getTypedRuleContexts(<r.ctxName>);
  } else {
     return this.getTypedRuleContext(<r.ctxName>,i);
  }
};
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}>) {
 if(parent===undefined)
 {
    parent = null;
 }
 if(invokingState===undefined || invokingState===null) {
  invokingState = -1;
 }
 <if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,
invokingState);
  this.parser = parser;
  this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
  <attrs:{a | <a>}; separator="\n">
  <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
  return this;
}

<struct.name>.prototype =
Object.create(<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
```

```
<struct.name>.prototype.copyFrom = function(ctx) {
<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,
ctx);
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>;};
 separator="\n">
};
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
function <struct.name>(parser, ctx) {
 <currentRule.name; format="cap">Context.call(this, parser);
  <attrs:{a | <a>;}; separator="\n">
  <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
  return this;
}

<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<! Define fields of this parser to export this struct/context class !>
<parser.name>.<struct.name> = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
<dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {
  if(listener instanceof <parser.grammarName>Listener ) {
     listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
 format="cap">(this);
 }
};

>>

VisitorDispatchMethod(method) ::= <<
<struct.name>.prototype.accept = function(visitor) {
  if ( visitor instanceof <parser.grammarName>Visitor ) {
     return visitor.visit<struct.derivedFromName; format="cap">(this);
  } else {
     return visitor.visitChildren(this);
  }
```

```
};

>>

AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "this.precpred(this._ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                 ::= "this._ctx.stop = this._input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName,
 label) ::= <<
localctx = new <ctxName>Context(this, _parentctx, _parentState);
<if(label)>localctx.<label> = _prevctx;<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,
_parentctx, _parentState));
<if(label)>
<if(isListLabel)>
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>
<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!==null) {
   this.triggerExitRuleEvent();
}
_prevctx = localctx;
```

```
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
var
 antlr4 = require('antlr4/index');

<namedActions.header>

<lexer>

>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

function <lexer.name>(input) {
 <if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);
   this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new
antlr4.PredictionContextCache());
   return this;
}

<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);
<lexer.name>.prototype.constructor = <lexer.name>;

<lexer.name>.EOF = antlr4.Token.EOF;
<lexer.tokens:{k | <lexer.name>.<k> = <lexer.tokens.(k)>;}; separator="\n", wrap, anchor>

<rest(lexer.modes):{m| <lexer.name>.<m> = <i>;}; separator="\n">

<lexer.name>.prototype.modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ",
 wrap, anchor> ];

<lexer.name>.prototype.literalNames = [ <lexer.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

<lexer.name>.prototype.symbolicNames = [ <lexer.symbolicNames:{t | <t>}; null="null", separator=", ", wrap,
anchor> ];

<lexer.name>.prototype.ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";
```

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

var serializedATN = ["<model.serialized; wrap={",<\n>   "}>"].join("");

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".js"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2016, Mike Lischke
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2006 Kay Roepke
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*
This file contains the actual layout of the messages emitted by ANTLR.
This file contains the default format ANTLR uses.
*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "(<id>) <text>"

report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg
No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]
Copyright (c) 2010 Terence Parr
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ATNBuilder.java
No license file was found, but licenses were detected in source scan.

/*
[The "BSD licence"]
Copyright (c) 2006 Kay Roepke
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*
This file contains the actual layout of the messages emitted by ANTLR.
The text itself is coming out of the languages/*stg files, according to the chosen locale.
This file contains the format that mimicks GCC output.
*/

location(file, line, column) ::= "<file>:<line>:"

message(id, text) ::= "<text> (<id>)"

report(location, message, type) ::= "<location> <type>: <message>"

wantsSingleLineMessage() ::= "true"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2012-2016 The ANTLR Project. All rights reserved.
* Use of this file is governed by the BSD 3-clause license that
* can be found in the LICENSE.txt file in the project root.
*/
/**

[The "BSD license"]
Copyright (c) 2011 Cay Horstmann
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS
SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/GraphicsSupport.java
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.

```
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** templates used to generate make-compatible dependencies */

/** Generate "f : x, y, z" dependencies for input
*  dependencies and generated files. in and out
*  are File objects.  For example, you can say
*  <f.canonicalPath>
*/
dependencies(grammarFileName,in,out) ::= <<
<if(in)><grammarFileName>: <in; separator=", "><endif>
<out:{f | <f> : <grammarFileName>};
 separator="\n">
>>
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/depend.stg
No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  Copyright (c) 2014 Eric Vergnaud
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
```

```
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** ANTLR tool checks output templates are compatible with tool code generation.
*  For now, a simple string match used on x.y of x.y.z scheme.
*  Must match Tool.VERSION during load to templates.
*
*  REQUIRED.
*/

pythonTypeInitMap ::= [
 "bool":"False",
 "int":"0",
 "float":"0.0",
 "str":"",
 default:"None" // anything other
 than a primitive type is an object
]

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

  <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx):
  pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx):
  pass

}; separator="\n">

>>


VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName,
 file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

  <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx):
  return self.visitChildren(ctx)

}; separator="\n">

>>


fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>
```

```
Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

  grammarFileName = "<parser.grammarFileName>"

  atn = ATNDeserializer().deserialize(serializedATN())

  decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState)
 ]

  sharedContextCache = PredictionContextCache()

  literalNames = [ <parser.literalNames:{t | u<t>}; null="u\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\"\<INVALID>\"", separator=", ", wrap, anchor> ]

  <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

  ruleNames =  [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

  EOF = <TokenLabelType()>.EOF
  <if(parser.tokens)>
  <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
  <endif>

  <parser:(ctor)()>

  <namedActions.members>

  <funcs; separator="\n">


<if(sempredFuncs)>
  def sempred(self, localctx, ruleIndex, predIndex):
      if self._predicates == None:
          self._predicates = dict()
<parser.sempredFuncs.values:{f |
      self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n        ">
      pred = self._predicates.get(ruleIndex,
 None)
      if pred is None:
```

```
            raise Exception("No predicate with index:" + str(ruleIndex))
        else:
            return pred(localctx, predIndex)

    <sempredFuncs.values; separator="\n">
<endif>



>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
 if self._actions is None:
  actions = dict()
<recog.actionFuncs.values:{f|
  actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
  self._actions = actions
 action = self._actions.get(ruleIndex, None)
 if action is not None:
  action(localctx, actionIndex)
 else:
  raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
    if self._predicates is None:
        preds = dict()
<recog.sempredFuncs.values:{f|
        preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
        self._predicates =
 preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input):
```

```
  super(<parser.name>, self).__init__(input)
  self.checkVersion("<file.ANTLRVersion>")
  self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
  self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx , actionIndex):
<actions:{index|
<if(first(actions))>
  if actionIndex == <index>:
      <actions.(index)>
<elseif(rest(actions))>
  elif actionIndex == <index>:
      <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method
 since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
  <actions:{index|
<if(first(actions))>
  if predIndex == <index>:
      return <actions.(index)>
<elseif(rest(actions))>
  elif predIndex == <index>:
      return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):
```

```
  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
     <code>
     <postamble; separator="\n">
     <namedActions.after>
   <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  except RecognitionException as re:
     localctx.exception = re
     self._errHandler.reportError(self, re)
     self._errHandler.recover(self, re)
  <endif>
  finally:
     <finallyAction>
     self.exitRule()
  return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
  _parentctx = self._ctx
  _parentState = self.state
  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
  _prevctx = localctx
  _startState = <currentRule.startState>
  self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  try:
      <code>
     <postamble; separator="\n">
     <namedActions.after>
  except RecognitionException as re:
     localctx.exception = re
     self._errHandler.reportError(self, re)
     self._errHandler.recover(self, re)
```

```
  finally:
     <finallyAction>
     self.unrollRecursionContexts(_parentctx)
  return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)>
 = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>

>>

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>
>>

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
```

```
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr>) ) <error>!>
>>


LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
   <iteration>

>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
     break

>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">
```

```
>>

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ ==
 <i><if(!choice.ast.greedy)>+1<endif>:
   <alt>
}; separator="\nel">

>>

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
   if _alt==1<if(!choice.ast.greedy)>+1<endif>:
      <iteration>
      <alts> <! should only be one !>
   self.state = <choice.loopBackStateNumber>
   self._errHandler.sync(self)
   _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
   <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
   <alt>
}; separator="\nel">
   else:
      <error>
   self.state = <choice.loopBackStateNumber>
 <! loopback/exit decision !>
   self._errHandler.sync(self)
   _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

Sync(s) ::= "sync(<s.expecting.name>)"
```

```
ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<\< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount,
 offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>
```

```
MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m,
 expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{l |     <labelref(l)> = }><else>    <endif>self._errHandler.recoverInline(self)
else:
  self._errHandler.reportMatch(self)
  self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
  from antlr4.error.Errors import FailedPredicateException
  raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction)
 ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>
```

```
// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip()"
LexerMoreCommand()  ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar)      ::= "_type = <arg>"
LexerChannelCommand(arg, grammar)   ::= "_channel = <arg>"
LexerModeCommand(arg, grammar)      ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar)  ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValueRef(a) ::= "localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t)
 ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)  ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r)  ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)
 ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r)  ::= "localctx.stop"
ThisRulePropertyRef_text(r)  ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "localctx"
ThisRulePropertyRef_parser(r)  ::= "self"
```

```
NonLocalAttrRef(s)     ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks)  ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t)
     ::= <<
def <t.name>(self):
  return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t)  ::= <<
def <t.name>_list(self):
  return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t)  ::= <<
def <t.name>(self, i=None):
  if i is None:
     return self.getTokens(<parser.name>.<t.name>)
  else:
     return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r)       ::= <<
def <r.name>(self):
  return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r)   ::= <<
def <r.name>_list(self):
  return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)   ::= <<
def <r.name>(self, i=None):
  if i is None:
```

```
      return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
      return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext()
 ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)    ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

  def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None}>):
    super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)
    self.parser = parser
    <attrs:{a | <a>}; separator="\n">
    <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">

  <getters:{g | <g>};
 separator="\n\n">

  def getRuleIndex(self):
    return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  def copyFrom(self, ctx):
    super(<parser.name>.<struct.name>, self).copyFrom(ctx)
    <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">

>>
```

```
AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

  def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)
     super(<parser.name>.<struct.name>, self).__init__(parser)
     <attrs:{a | <a>}; separator="\n">
     self.copyFrom(ctx)

  <getters:{g | <g>}; separator="\n">

  <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):
   if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):
      listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor):
  if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
     return visitor.visit<struct.derivedFromName; format="cap">(self)
  else:
     return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)  ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()
             ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
```

```
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>


recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
   self.triggerExitRuleEvent()
_prevctx = localctx
>>


LexerFile(lexerFile,
 lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO

<namedActions.header>

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):
```

```
  atn = ATNDeserializer().deserialize(serializedATN())

  decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

  <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

  <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

  modeNames = [ <lexer.modes:{m| u"<m>"}; separator=", ", wrap, anchor> ]

  literalNames = [ u"\<INVALID>",
        <lexer.literalNames:{t | u<t>}; separator=", ", wrap, anchor> ]

  symbolicNames = [ u"\<INVALID>",
        <lexer.symbolicNames:{t | u<t>}; separator=", ", wrap, anchor> ]

  ruleNames = [ <lexer.ruleNames:{r
| u"<r>"}; separator=", ", wrap, anchor> ]

  grammarFileName = u"<lexer.grammarFileName>"

  def __init__(self, input=None):
     super(<lexer.name>, self).__init__(input)
     self.checkVersion("<lexerFile.ANTLRVersion>")
     self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
     self._actions = None
     self._predicates = None

  <namedActions.members>

  <dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
  with StringIO() as buf:
     buf.write(u"<model.serialized; wrap={")<\n>       buf.write(u"}>")
     return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
```

<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

/** The definitive ANTLR v3 tree grammar to walk/visit ANTLR v4 grammars.
* Parses trees created by ANTLRParser.g.
*
* Rather than have multiple tree grammars, one for each visit, I'm
* creating this generic visitor that knows about context. All of the
* boilerplate pattern recognition is done here. Then, subclasses can
* override the methods they care about.

```
 This prevents a lot of the same
*  context tracking stuff like "set current alternative for current
*  rule node" that is repeated in lots of tree filters.
*/
tree grammar GrammarTreeVisitor;
options {
 language      = Java;
 tokenVocab    = ANTLRParser;
 ASTLabelType  = GrammarAST;
}

// Include the copyright in this source and also the generated source
@header {
/*
[The "BSD license"]
Copyright (c) 2011 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse
 or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
package org.antlr.v4.parse;
import org.antlr.v4.Tool;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.lang.reflect.InvocationTargetException;
import java.lang.reflect.Method;
```

```
}

@members
 {
public String grammarName;
public GrammarAST currentRuleAST;
public String currentModeName = LexerGrammar.DEFAULT_MODE_NAME;
public String currentRuleName;
public GrammarAST currentOuterAltRoot;
public int currentOuterAltNumber = 1; // 1..n
public int rewriteEBNFLevel = 0;

public GrammarTreeVisitor() { this(null); }

// Should be abstract but can't make gen'd parser abstract;
// subclasses should implement else everything goes to stderr!
public ErrorManager getErrorManager() { return null; }

public void visitGrammar(GrammarAST t) { visit(t, "grammarSpec"); }
public void visit(GrammarAST t, String ruleName) {
 CommonTreeNodeStream nodes = new CommonTreeNodeStream(new GrammarASTAdaptor(), t);
 setTreeNodeStream(nodes);
 try {
  Method m = getClass().getMethod(ruleName);
  m.invoke(this);
 }
 catch (Throwable e) {
  ErrorManager errMgr = getErrorManager();
  if ( e instanceof InvocationTargetException ) {
   e = e.getCause();
  }
  //e.printStackTrace(System.err);
  if
 ( errMgr==null ) {
   System.err.println("can't find rule "+ruleName+
         " or tree structure error: "+t.toStringTree()
         );
   e.printStackTrace(System.err);
  }
  else errMgr.toolError(ErrorType.INTERNAL_ERROR, e);
 }
}

public void discoverGrammar(GrammarRootAST root, GrammarAST ID) { }
public void finishPrequels(GrammarAST firstPrequel) { }
public void finishGrammar(GrammarRootAST root, GrammarAST ID) { }

public void grammarOption(GrammarAST ID, GrammarAST valueAST) { }
```

```
public void ruleOption(GrammarAST ID, GrammarAST valueAST) { }
public void blockOption(GrammarAST ID, GrammarAST valueAST) { }
public void defineToken(GrammarAST ID) { }
public void defineChannel(GrammarAST ID) { }
public void globalNamedAction(GrammarAST scope, GrammarAST ID, ActionAST action) { }
public void importGrammar(GrammarAST label, GrammarAST ID) { }

public void modeDef(GrammarAST m, GrammarAST ID) { }

public void discoverRules(GrammarAST rules) { }
public void finishRules(GrammarAST
 rule) { }
public void discoverRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
      ActionAST arg, ActionAST returns, GrammarAST thrws,
      GrammarAST options, ActionAST locals,
      List<GrammarAST> actions,
      GrammarAST block) { }
public void finishRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void discoverLexerRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
                  GrammarAST block) { }
public void finishLexerRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void ruleCatch(GrammarAST arg, ActionAST action) { }
public void finallyAction(ActionAST action) { }
public void discoverOuterAlt(AltAST alt) { }
public void finishOuterAlt(AltAST alt) { }
public void discoverAlt(AltAST alt) { }
public void finishAlt(AltAST alt) { }

public void ruleRef(GrammarAST ref, ActionAST arg) { }
public void tokenRef(TerminalAST ref) { }
public void elementOption(GrammarASTWithOptions t, GrammarAST ID, GrammarAST
 valueAST) { }
public void stringRef(TerminalAST ref) { }
public void wildcardRef(GrammarAST ref) { }
public void actionInAlt(ActionAST action) { }
public void sempredInAlt(PredAST pred) { }
public void label(GrammarAST op, GrammarAST ID, GrammarAST element) { }
public void lexerCallCommand(int outerAltNumber, GrammarAST ID, GrammarAST arg) { }
public void lexerCommand(int outerAltNumber, GrammarAST ID) { }

protected void enterGrammarSpec(GrammarAST tree) { }
protected void exitGrammarSpec(GrammarAST tree) { }

protected void enterPrequelConstructs(GrammarAST tree) { }
protected void exitPrequelConstructs(GrammarAST tree) { }

protected void enterPrequelConstruct(GrammarAST tree) { }
protected void exitPrequelConstruct(GrammarAST tree) { }
```

```
protected void enterOptionsSpec(GrammarAST tree) { }
protected void exitOptionsSpec(GrammarAST tree) { }

protected void enterOption(GrammarAST tree) { }
protected void exitOption(GrammarAST tree) { }

protected void enterOptionValue(GrammarAST
 tree) { }
protected void exitOptionValue(GrammarAST tree) { }

protected void enterDelegateGrammars(GrammarAST tree) { }
protected void exitDelegateGrammars(GrammarAST tree) { }

protected void enterDelegateGrammar(GrammarAST tree) { }
protected void exitDelegateGrammar(GrammarAST tree) { }

protected void enterTokensSpec(GrammarAST tree) { }
protected void exitTokensSpec(GrammarAST tree) { }

protected void enterTokenSpec(GrammarAST tree) { }
protected void exitTokenSpec(GrammarAST tree) { }

protected void enterChannelsSpec(GrammarAST tree) { }
protected void exitChannelsSpec(GrammarAST tree) { }

protected void enterChannelSpec(GrammarAST tree) { }
protected void exitChannelSpec(GrammarAST tree) { }

protected void enterAction(GrammarAST tree) { }
protected void exitAction(GrammarAST tree) { }

protected void enterRules(GrammarAST tree) { }
protected void exitRules(GrammarAST tree) { }

protected void enterMode(GrammarAST tree) { }
protected void exitMode(GrammarAST tree) { }

protected
 void enterLexerRule(GrammarAST tree) { }
protected void exitLexerRule(GrammarAST tree) { }

protected void enterRule(GrammarAST tree) { }
protected void exitRule(GrammarAST tree) { }

protected void enterExceptionGroup(GrammarAST tree) { }
protected void exitExceptionGroup(GrammarAST tree) { }
```

```
protected void enterExceptionHandler(GrammarAST tree) { }
protected void exitExceptionHandler(GrammarAST tree) { }

protected void enterFinallyClause(GrammarAST tree) { }
protected void exitFinallyClause(GrammarAST tree) { }

protected void enterLocals(GrammarAST tree) { }
protected void exitLocals(GrammarAST tree) { }

protected void enterRuleReturns(GrammarAST tree) { }
protected void exitRuleReturns(GrammarAST tree) { }

protected void enterThrowsSpec(GrammarAST tree) { }
protected void exitThrowsSpec(GrammarAST tree) { }

protected void enterRuleAction(GrammarAST tree) { }
protected void exitRuleAction(GrammarAST tree) { }

protected void enterRuleModifier(GrammarAST tree) { }
protected
 void exitRuleModifier(GrammarAST tree) { }

protected void enterLexerRuleBlock(GrammarAST tree) { }
protected void exitLexerRuleBlock(GrammarAST tree) { }

protected void enterRuleBlock(GrammarAST tree) { }
protected void exitRuleBlock(GrammarAST tree) { }

protected void enterLexerOuterAlternative(AltAST tree) { }
protected void exitLexerOuterAlternative(AltAST tree) { }

protected void enterOuterAlternative(AltAST tree) { }
protected void exitOuterAlternative(AltAST tree) { }

protected void enterLexerAlternative(GrammarAST tree) { }
protected void exitLexerAlternative(GrammarAST tree) { }

protected void enterLexerElements(GrammarAST tree) { }
protected void exitLexerElements(GrammarAST tree) { }

protected void enterLexerElement(GrammarAST tree) { }
protected void exitLexerElement(GrammarAST tree) { }

protected void enterLabeledLexerElement(GrammarAST tree) { }
protected void exitLabeledLexerElement(GrammarAST tree) { }

protected void enterLexerBlock(GrammarAST tree) { }
protected
```

```
 void exitLexerBlock(GrammarAST tree) { }

protected void enterLexerAtom(GrammarAST tree) { }
protected void exitLexerAtom(GrammarAST tree) { }

protected void enterActionElement(GrammarAST tree) { }
protected void exitActionElement(GrammarAST tree) { }

protected void enterAlternative(AltAST tree) { }
protected void exitAlternative(AltAST tree) { }

protected void enterLexerCommand(GrammarAST tree) { }
protected void exitLexerCommand(GrammarAST tree) { }

protected void enterLexerCommandExpr(GrammarAST tree) { }
protected void exitLexerCommandExpr(GrammarAST tree) { }

protected void enterElement(GrammarAST tree) { }
protected void exitElement(GrammarAST tree) { }

protected void enterAstOperand(GrammarAST tree) { }
protected void exitAstOperand(GrammarAST tree) { }

protected void enterLabeledElement(GrammarAST tree) { }
protected void exitLabeledElement(GrammarAST tree) { }

protected void enterSubrule(GrammarAST tree) { }
protected void exitSubrule(GrammarAST tree) { }

protected
 void enterLexerSubrule(GrammarAST tree) { }
protected void exitLexerSubrule(GrammarAST tree) { }

protected void enterBlockSuffix(GrammarAST tree) { }
protected void exitBlockSuffix(GrammarAST tree) { }

protected void enterEbnfSuffix(GrammarAST tree) { }
protected void exitEbnfSuffix(GrammarAST tree) { }

protected void enterAtom(GrammarAST tree) { }
protected void exitAtom(GrammarAST tree) { }

protected void enterBlockSet(GrammarAST tree) { }
protected void exitBlockSet(GrammarAST tree) { }

protected void enterSetElement(GrammarAST tree) { }
protected void exitSetElement(GrammarAST tree) { }
```

```
protected void enterBlock(GrammarAST tree) { }
protected void exitBlock(GrammarAST tree) { }

protected void enterRuleref(GrammarAST tree) { }
protected void exitRuleref(GrammarAST tree) { }

protected void enterRange(GrammarAST tree) { }
protected void exitRange(GrammarAST tree) { }

protected void enterTerminal(GrammarAST tree) { }
protected void exitTerminal(GrammarAST tree) { }

protected
 void enterElementOptions(GrammarAST tree) { }
protected void exitElementOptions(GrammarAST tree) { }

protected void enterElementOption(GrammarAST tree) { }
protected void exitElementOption(GrammarAST tree) { }

 @Override
 public void traceIn(String ruleName, int ruleIndex)  {
  System.err.println("enter "+ruleName+": "+input.LT(1));
 }

 @Override
 public void traceOut(String ruleName, int ruleIndex)  {
  System.err.println("exit "+ruleName+": "+input.LT(1));
 }
}

grammarSpec
@init {
 enterGrammarSpec($start);
}
@after {
 exitGrammarSpec($start);
}
  :   ^( GRAMMAR ID {grammarName=$ID.text;}
     {discoverGrammar((GrammarRootAST)$GRAMMAR, $ID);}
      prequelConstructs
     {finishPrequels($prequelConstructs.firstOne);}
      rules mode*
     {finishGrammar((GrammarRootAST)$GRAMMAR, $ID);}
  )
 ;

prequelConstructs returns [GrammarAST firstOne=null]
@init {
```

```
 enterPrequelConstructs($start);
}
@after {
 exitPrequelConstructs($start);
}
 : {$firstOne=$start;} prequelConstruct+
 |
 ;

prequelConstruct
@init
 {
 enterPrequelConstructs($start);
}
@after {
 exitPrequelConstructs($start);
}
 :   optionsSpec
   |   delegateGrammars
   |   tokensSpec
   |   channelsSpec
   |   action
   ;

optionsSpec
@init {
 enterOptionsSpec($start);
}
@after {
 exitOptionsSpec($start);
}
 : ^(OPTIONS option*)
   ;

option
@init {
 enterOption($start);
 boolean rule = inContext("RULE ...");
 boolean block = inContext("BLOCK ...");
}
@after {
 exitOption($start);
}
   :   ^(a=ASSIGN ID v=optionValue)
    {
    if ( block ) blockOption($ID, $v.start); // most specific first
    else if ( rule ) ruleOption($ID, $v.start);
    else grammarOption($ID, $v.start);
```

```
    }
  ;

optionValue returns [String v]
@init {
 enterOptionValue($start);
 $v = $start.token.getText();
}
@after {
 exitOptionValue($start);
}
  :  ID
  |  STRING_LITERAL
  |  INT
  ;

delegateGrammars
@init {
 enterDelegateGrammars($start);
}
@after {
 exitDelegateGrammars($start);
}
 :  ^(IMPORT
 delegateGrammar+)
 ;

delegateGrammar
@init {
 enterDelegateGrammar($start);
}
@after {
 exitDelegateGrammar($start);
}
  :  ^(ASSIGN label=ID id=ID) {importGrammar($label, $id);}
  |  id=ID      {importGrammar(null, $id);}
  ;

tokensSpec
@init {
 enterTokensSpec($start);
}
@after {
 exitTokensSpec($start);
}
 :  ^(TOKENS_SPEC tokenSpec+)
 ;
```

```
tokenSpec
@init {
 enterTokenSpec($start);
}
@after {
 exitTokenSpec($start);
}
 : ID     {defineToken($ID);}
 ;

channelsSpec
@init {
 enterChannelsSpec($start);
}
@after {
 exitChannelsSpec($start);
}
 :   ^(CHANNELS channelSpec+)
 ;

channelSpec
@init {
 enterChannelSpec($start);
}
@after {
 exitChannelSpec($start);
}
 : ID     {defineChannel($ID);}
 ;

action
@init {
 enterAction($start);
}
@after {
 exitAction($start);
}
 : ^(AT sc=ID? name=ID ACTION) {globalNamedAction($sc, $name, (ActionAST)$ACTION);}
 ;

rules
@init {
 enterRules($start);
}
@after {
 exitRules($start);
}
   : ^(RULES {discoverRules($RULES);} (rule|lexerRule)*
```

```
 {finishRules($RULES);})
  ;

mode
@init {
 enterMode($start);
}
@after {
 exitMode($start);
}
 : ^( MODE ID {currentModeName=$ID.text; modeDef($MODE, $ID);} lexerRule* )
 ;

lexerRule
@init {
 enterLexerRule($start);
 List<GrammarAST> mods = new ArrayList<GrammarAST>();
 currentOuterAltNumber=0;
}
@after {
 exitLexerRule($start);
}
 : ^( RULE TOKEN_REF
   {currentRuleName=$TOKEN_REF.text; currentRuleAST=$RULE;}
   (^(RULEMODIFIERS m=FRAGMENT {mods.add($m);}))?
      {discoverLexerRule((RuleAST)$RULE, $TOKEN_REF, mods, (GrammarAST)input.LT(1));}
      lexerRuleBlock
      {
      finishLexerRule((RuleAST)$RULE, $TOKEN_REF, $lexerRuleBlock.start);
      currentRuleName=null; currentRuleAST=null;
      }
      )
 ;

rule
@init {
 enterRule($start);
 List<GrammarAST> mods = new ArrayList<GrammarAST>();
 List<GrammarAST> actions = new ArrayList<GrammarAST>(); // track roots
 currentOuterAltNumber=0;
}
@after {
 exitRule($start);
}
 :   ^( RULE RULE_REF {currentRuleName=$RULE_REF.text;
 currentRuleAST=$RULE;}
   (^(RULEMODIFIERS (m=ruleModifier{mods.add($m.start);})+))?
   ARG_ACTION?
```

```
      ret=ruleReturns?
      thr=throwsSpec?
      loc=locals?
      ( opts=optionsSpec
     |  a=ruleAction {actions.add($a.start);}
     )*
      {discoverRule((RuleAST)$RULE, $RULE_REF, mods, (ActionAST)$ARG_ACTION,
          $ret.start!=null?(ActionAST)$ret.start.getChild(0):null,
          $thr.start, $opts.start,
          $loc.start!=null?(ActionAST)$loc.start.getChild(0):null,
          actions, (GrammarAST)input.LT(1));}
      ruleBlock exceptionGroup
      {finishRule((RuleAST)$RULE, $RULE_REF, $ruleBlock.start); currentRuleName=null; currentRuleAST=null;}
      )
  ;

exceptionGroup
@init {
 enterExceptionGroup($start);
}
@after {
 exitExceptionGroup($start);
}
   : exceptionHandler* finallyClause?
   ;

exceptionHandler
@init {
 enterExceptionHandler($start);
}
@after {
 exitExceptionHandler($start);
}
 : ^(CATCH ARG_ACTION ACTION) {ruleCatch($ARG_ACTION,
 (ActionAST)$ACTION);}
 ;

finallyClause
@init {
 enterFinallyClause($start);
}
@after {
 exitFinallyClause($start);
}
 : ^(FINALLY ACTION)    {finallyAction((ActionAST)$ACTION);}
 ;

locals
```

```
@init {
 enterLocals($start);
}
@after {
 exitLocals($start);
}
 : ^(LOCALS ARG_ACTION)
 ;

ruleReturns
@init {
 enterRuleReturns($start);
}
@after {
 exitRuleReturns($start);
}
 : ^(RETURNS ARG_ACTION)
 ;

throwsSpec
@init {
 enterThrowsSpec($start);
}
@after {
 exitThrowsSpec($start);
}
   : ^(THROWS ID+)
   ;

ruleAction
@init {
 enterRuleAction($start);
}
@after {
 exitRuleAction($start);
}
 : ^(AT ID ACTION)
 ;

ruleModifier
@init {
 enterRuleModifier($start);
}
@after {
 exitRuleModifier($start);
}
   : PUBLIC
   | PRIVATE
```

```
  | PROTECTED
  | FRAGMENT
  ;

lexerRuleBlock
@init {
 enterLexerRuleBlock($start);
}
@after {
 exitLexerRuleBlock($start);
}
  : ^( BLOCK
    ( {
     currentOuterAltRoot = (GrammarAST)input.LT(1);
   currentOuterAltNumber++;
   }
      lexerOuterAlternative
    )+
   )
  ;

ruleBlock
@init {
 enterRuleBlock($start);
}
@after {
 exitRuleBlock($start);
}
  : ^( BLOCK
    ( {
     currentOuterAltRoot = (GrammarAST)input.LT(1);
   currentOuterAltNumber++;
   }
      outerAlternative
    )+
   )
  ;

lexerOuterAlternative
@init {
 enterLexerOuterAlternative((AltAST)$start);
 discoverOuterAlt((AltAST)$start);
}
@after {
 finishOuterAlt((AltAST)$start);
 exitLexerOuterAlternative((AltAST)$start);
}
 : lexerAlternative
```

```
 ;


outerAlternative
@init {
 enterOuterAlternative((AltAST)$start);
 discoverOuterAlt((AltAST)$start);
}
@after {
 finishOuterAlt((AltAST)$start);
 exitOuterAlternative((AltAST)$start);
}
 : alternative
 ;

lexerAlternative
@init {
 enterLexerAlternative($start);
}
@after {
 exitLexerAlternative($start);
}
 : ^(LEXER_ALT_ACTION lexerElements lexerCommand+)
  |  lexerElements
  ;

lexerElements
@init {
 enterLexerElements($start);
}
@after {
 exitLexerElements($start);
}
   : ^(ALT lexerElement+)
  ;

lexerElement
@init {
 enterLexerElement($start);
}
@after {
 exitLexerElement($start);
}
 : labeledLexerElement
 | lexerAtom
 | lexerSubrule
 |  ACTION     {actionInAlt((ActionAST)$ACTION);}
 |  SEMPRED     {sempredInAlt((PredAST)$SEMPRED);}
```

```
|   ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
|   ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
| EPSILON
;

labeledLexerElement
@init {
 enterLabeledLexerElement($start);
}
@after {
 exitLabeledLexerElement($start);
}
   :   ^((ASSIGN|PLUS_ASSIGN) ID (lexerAtom|block))
 ;

lexerBlock
@init {
 enterLexerBlock($start);
}
@after {
 exitLexerBlock($start);
}
 : ^(BLOCK optionsSpec? lexerAlternative+)
   ;

lexerAtom
@init {
 enterLexerAtom($start);
}
@after {
 exitLexerAtom($start);
}
   :   terminal
   |   ^(NOT blockSet)
   |   blockSet
   |   ^(WILDCARD elementOptions)
   |   WILDCARD
   | LEXER_CHAR_SET
   |   range
   |   ruleref
   ;

actionElement
@init {
 enterActionElement($start);
}
@after
```

```
 {
 exitActionElement($start);
}
 : ACTION
 |  ^(ACTION elementOptions)
 |  SEMPRED
 |  ^(SEMPRED elementOptions)
 ;

alternative
@init {
 enterAlternative((AltAST)$start);
 discoverAlt((AltAST)$start);
}
@after {
 finishAlt((AltAST)$start);
 exitAlternative((AltAST)$start);
}
 : ^(ALT elementOptions? element+)
 | ^(ALT elementOptions? EPSILON)
  ;

lexerCommand
@init {
 enterLexerCommand($start);
}
@after {
 exitLexerCommand($start);
}
 : ^(LEXER_ACTION_CALL ID lexerCommandExpr)
      {lexerCallCommand(currentOuterAltNumber, $ID, $lexerCommandExpr.start);}
 | ID
      {lexerCommand(currentOuterAltNumber, $ID);}
 ;

lexerCommandExpr
@init {
 enterLexerCommandExpr($start);
}
@after {
 exitLexerCommandExpr($start);
}
 : ID
 | INT
 ;

element
@init {
```

```
 enterElement($start);
}
@after {
 exitElement($start);
}
 : labeledElement
 | atom
 | subrule
 |   ACTION      {actionInAlt((ActionAST)$ACTION);}
 |   SEMPRED      {sempredInAlt((PredAST)$SEMPRED);}
 |
   ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
 |   ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}

 | ^(NOT blockSet)
 | ^(NOT block)
 ;

astOperand
@init {
 enterAstOperand($start);
}
@after {
 exitAstOperand($start);
}
 : atom
 | ^(NOT blockSet)
 | ^(NOT block)
 ;

labeledElement
@init {
 enterLabeledElement($start);
}
@after {
 exitLabeledElement($start);
}
 : ^((ASSIGN|PLUS_ASSIGN) ID element) {label($start, $ID, $element.start);}
 ;

subrule
@init {
 enterSubrule($start);
}
@after {
 exitSubrule($start);
}
 : ^(blockSuffix block)
```

```
 | block
   ;

lexerSubrule
@init {
 enterLexerSubrule($start);
}
@after {
 exitLexerSubrule($start);
}
 : ^(blockSuffix lexerBlock)
 | lexerBlock
   ;

blockSuffix
@init {
 enterBlockSuffix($start);
}
@after {
 exitBlockSuffix($start);
}
   : ebnfSuffix
   ;

ebnfSuffix
@init {
 enterEbnfSuffix($start);
}
@after {
 exitEbnfSuffix($start);
}
 : OPTIONAL
  | CLOSURE
   | POSITIVE_CLOSURE
 ;

atom
@init {
 enterAtom($start);
}
@after
 {
 exitAtom($start);
}
 : ^(DOT ID terminal)
 | ^(DOT ID ruleref)
   | ^(WILDCARD elementOptions) {wildcardRef($WILDCARD);}
   | WILDCARD     {wildcardRef($WILDCARD);}
```

```
  |   terminal
  | blockSet
  |   ruleref
  ;

blockSet
@init {
 enterBlockSet($start);
}
@after {
 exitBlockSet($start);
}
 : ^(SET setElement+)
 ;

setElement
@init {
 enterSetElement($start);
}
@after {
 exitSetElement($start);
}
 : ^(STRING_LITERAL elementOptions)    {stringRef((TerminalAST)$STRING_LITERAL);}
 | ^(TOKEN_REF elementOptions)   {tokenRef((TerminalAST)$TOKEN_REF);}
 | STRING_LITERAL                  {stringRef((TerminalAST)$STRING_LITERAL);}
 | TOKEN_REF                    {tokenRef((TerminalAST)$TOKEN_REF);}
 | ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
  {
  stringRef((TerminalAST)$a);
  stringRef((TerminalAST)$b);
  }
     |      LEXER_CHAR_SET
 ;

block
@init {
 enterBlock($start);
}
@after {
 exitBlock($start);
}
   : ^(BLOCK optionsSpec? ruleAction* ACTION? alternative+)
    ;

ruleref
@init {
 enterRuleref($start);
}
```

```
@after {
 exitRuleref($start);
}
   : ^(RULE_REF arg=ARG_ACTION? elementOptions?)
    {
    ruleRef($RULE_REF, (ActionAST)$ARG_ACTION);
    if ( $arg!=null ) actionInAlt((ActionAST)$arg);
    }
   ;

range
@init {
 enterRange($start);
}
@after {
 exitRange($start);
}
   : ^(RANGE STRING_LITERAL STRING_LITERAL)
   ;

terminal
@init {
 enterTerminal($start);
}
@after {
 exitTerminal($start);
}
   :  ^(STRING_LITERAL elementOptions)
         {stringRef((TerminalAST)$STRING_LITERAL);}
   | STRING_LITERAL    {stringRef((TerminalAST)$STRING_LITERAL);}
   | ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
   | TOKEN_REF        {tokenRef((TerminalAST)$TOKEN_REF);}
   ;

elementOptions
@init {
 enterElementOptions($start);
}
@after {
 exitElementOptions($start);
}
   : ^(ELEMENT_OPTIONS elementOption[(GrammarASTWithOptions)$start.getParent()]*)
   ;

elementOption[GrammarASTWithOptions t]
@init {
 enterElementOption($start);
}
```

```
@after
 {
 exitElementOption($start);
}
  : ID       {elementOption(t, $ID, null);}
  |  ^(ASSIGN id=ID v=ID)   {elementOption(t, $id, $v);}
  |  ^(ASSIGN ID v=STRING_LITERAL) {elementOption(t, $ID, $v);}
  |  ^(ASSIGN ID v=ACTION)   {elementOption(t, $ID, $v);}
  |  ^(ASSIGN ID v=INT)    {elementOption(t, $ID, $v);}
  ;
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.g
No license file was found, but licenses were detected in source scan.


```
/*
* [The "BSD license"]
*  Copyright (c) 2012-2016 Terence Parr
*  Copyright (c) 2012-2016 Sam Harwell
*  All rights reserved.
*
*  Redistribution and use in source and binary forms, with or without
*  modification, are permitted provided that the following conditions
*  are met:
*
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```


```
tree grammar ATNBuilder;
```

```
options {
 language     = Java;
 tokenVocab   = ANTLRParser;
 ASTLabelType = GrammarAST;
// filter       = true;
}

// Include the copyright in this source and also the generated source
@header {
/*
[The "BSD license"]
Copyright (c) 2010 Terence Parr
All rights reserved.
Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import org.antlr.v4.automata.ATNFactory;
}

@members {
  ATNFactory factory;
  public ATNBuilder(TreeNodeStream input, ATNFactory factory) {
   this(input);
   this.factory = factory;
  }
}
```

```
dummy : block[null] ; // avoid error about no start rule

ruleBlock[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
@init {
  List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();
  int alt = 1;
  factory.setCurrentOuterAlt(alt);
}
  : ^(BLOCK
        (^(OPTIONS .*))?
        (   a=alternative
           {alts.add($a.p); factory.setCurrentOuterAlt(++alt);}
        )+
     )
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
  ;

block[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();}
  : ^(BLOCK (^(OPTIONS .*))? (a=alternative {alts.add($a.p);})+)
   {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
  ;

alternative returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> els = new ArrayList<ATNFactory.Handle>();}
  : ^(LEXER_ALT_ACTION a=alternative lexerCommands)
     {$p = factory.lexerAltCommands($a.p,$lexerCommands.p);}
  | ^(ALT elementOptions? EPSILON)       {$p = factory.epsilon($EPSILON);}
  |   ^(ALT elementOptions? (e=element {els.add($e.p);})+) {$p = factory.alt(els);}
  ;

lexerCommands returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> cmds = new ArrayList<ATNFactory.Handle>();}
  :   (c=lexerCommand {if ($c.cmd != null) cmds.add($c.cmd);})+
      {
      $p = factory.alt(cmds);
      }
  ;

lexerCommand returns
 [ATNFactory.Handle cmd]
 : ^(LEXER_ACTION_CALL ID lexerCommandExpr)
      {$cmd = factory.lexerCallCommand($ID, $lexerCommandExpr.start);}
 | ID
      {$cmd = factory.lexerCommand($ID);}
 ;
```

```
lexerCommandExpr
 : ID
 | INT
 ;

element returns [ATNFactory.Handle p]
 : labeledElement    {$p = $labeledElement.p;}
 | atom      {$p = $atom.p;}
 | subrule      {$p = $subrule.p;}
 |   ACTION      {$p = factory.action((ActionAST)$ACTION);}
 |   SEMPRED      {$p = factory.sempred((PredAST)$SEMPRED);}
 |   ^(ACTION .)     {$p = factory.action((ActionAST)$ACTION);}
 |   ^(SEMPRED .)    {$p = factory.sempred((PredAST)$SEMPRED);}
  | ^(NOT b=blockSet[true])  {$p = $b.p;}
  | LEXER_CHAR_SET     {$p = factory.charSetLiteral($start);}
 ;

astOperand returns [ATNFactory.Handle p]
 : atom      {$p = $atom.p;}
 | ^(NOT blockSet[true])  {$p = $blockSet.p;}
 ;

labeledElement returns [ATNFactory.Handle p]
 : ^(ASSIGN ID element)     {$p = factory.label($element.p);}
 | ^(PLUS_ASSIGN ID element)
   {$p = factory.listLabel($element.p);}
 ;

subrule returns [ATNFactory.Handle p]
 : ^(OPTIONAL block[$start])   {$p = $block.p;}
 | ^(CLOSURE block[$start])   {$p = $block.p;}
 | ^(POSITIVE_CLOSURE block[$start]) {$p = $block.p;}
 |  block[null]       {$p = $block.p;}
   ;

blockSet[boolean invert] returns [ATNFactory.Handle p]
@init {List<GrammarAST> alts = new ArrayList<GrammarAST>();}
 : ^(SET (setElement {alts.add($setElement.start);})+) {$p = factory.set($start, alts, $invert);}
 ;

/** Don't combine with atom otherwise it will build spurious ATN nodes */
setElement
 : ^(STRING_LITERAL .)
 | ^(TOKEN_REF .)
 | STRING_LITERAL
 | TOKEN_REF
 | ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
   |   LEXER_CHAR_SET
```

```
 ;

atom returns [ATNFactory.Handle p]
 : range     {$p = $range.p;}
 | ^(DOT ID terminal)  {$p = $terminal.p;}
 | ^(DOT ID ruleref)  {$p = $ruleref.p;}
   | ^(WILDCARD .)   {$p = factory.wildcard($start);}
   | WILDCARD    {$p = factory.wildcard($start);}
   | blockSet[false]   {$p
 = $blockSet.p;}
   |   terminal    {$p = $terminal.p;}
   |   ruleref     {$p = $ruleref.p;}
   ;

ruleref returns [ATNFactory.Handle p]
   : ^(RULE_REF ARG_ACTION? ^(ELEMENT_OPTIONS .*))  {$p = factory.ruleRef($RULE_REF);}
   | ^(RULE_REF ARG_ACTION?)        {$p = factory.ruleRef($RULE_REF);}
   | RULE_REF          {$p = factory.ruleRef($RULE_REF);}
   ;

range returns [ATNFactory.Handle p]
   : ^(RANGE a=STRING_LITERAL b=STRING_LITERAL) {$p = factory.range($a,$b);}
   ;

terminal returns [ATNFactory.Handle p]
   :  ^(STRING_LITERAL .)   {$p = factory.stringLiteral((TerminalAST)$start);}
   | STRING_LITERAL    {$p = factory.stringLiteral((TerminalAST)$start);}
   | ^(TOKEN_REF ARG_ACTION .) {$p = factory.tokenRef((TerminalAST)$start);}
   | ^(TOKEN_REF .)    {$p = factory.tokenRef((TerminalAST)$start);}
   | TOKEN_REF     {$p = factory.tokenRef((TerminalAST)$start);}
   ;

elementOptions
 : ^(ELEMENT_OPTIONS elementOption*)
 ;

elementOption
 : ID
 | ^(ASSIGN ID
 ID)
 | ^(ASSIGN ID STRING_LITERAL)
 | ^(ASSIGN ID ACTION)
 | ^(ASSIGN ID INT)
 ;

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ATNBuilder.g
```

No license file was found, but licenses were detected in source scan.

/*
[The "BSD license"]
Copyright (c) 2011 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/parse/GrammarTreeVisitor.java
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* Copyright (c) 2015 Janyou
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

```
*  1. Redistributions of source code must retain the above copyright
*     notice, this list of conditions and the following disclaimer.
*  2. Redistributions in binary form must reproduce the above copyright
*     notice, this list of conditions and the following disclaimer in the
*     documentation and/or other materials provided with the distribution.
*  3. The name of the author may not be used to endorse or promote products
*     derived from this software without specific prior written permission.
*
*  THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
*  IMPLIED WARRANTIES,
 INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*  IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*  INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*  NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*  DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*  THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*  THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

SwiftTypeInitMap ::= [
 "Int":"0",
 "Int64":"0",
 "Float":"0.0",
 "Double":"0.0",
 "Bool":"false",
 default:"nil" // anything other than a primitive type is an object
]
SwiftTypeMap ::= [
 "int":"Int",
 "float":"Float",
 "long":"Int64",
 "double":"Double",
 "bool":"Bool",
 "boolean":"Bool",
 default : key
]
// args must be <object-model-object>,
 <fields-resulting-in-STs>

ParserFile(file, parser, namedActions,contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4
```

```
<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This interface defines a complete listener for a parse tree produced by
* {@link <file.parserName>}.
*/
public protocol <file.grammarName>Listener: ParseTreeListener {
 <file.listenerNames:{lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
* Enter a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Enter a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func enter<lname;
 format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
```

```
<endif>
<header>

import Antlr4


/**
* This class provides an empty implementation of {@link <file.grammarName>Listener},
* which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
open class <file.grammarName>BaseListener: <file.grammarName>Listener {
  public init() { \}
 <file.listenerNames:{lname
 |

/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) { \}
/**
* {@inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) { \}};
separator="\n">

 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 open func enterEveryRule(_ ctx: ParserRuleContext) { }
 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 open func exitEveryRule(_ ctx: ParserRuleContext) { }
 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 open func visitTerminal(_ node: TerminalNode) { }
```

```
 /**
  * {@inheritDoc\}
  *
  * \<p>The default implementation does nothing.\</p>
  */
 open func visitErrorNode(_ node: ErrorNode) { }
}
>>

VisitorFile(file, header, namedActions)
 ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This interface defines a complete generic visitor for a parse tree produced
* by {@link <file.parserName>}.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
open class <file.grammarName>Visitor\<T>: ParseTreeVisitor\<T> {
 <file.visitorNames:{lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the {@code <lname>\}
* labeled alternative in {@link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
<else>
* Visit a parse tree produced by {@link <file.parserName>#<lname>\}.
<endif>
- Parameters:
 - ctx: the parse tree
- returns: the visitor result
*/
open func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) -> T{
 fatalError(#function + " must be overridden")
\}
}; separator="\n">
}
>>

BaseVisitorFile(file,
 header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This class provides an empty implementation of {@link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use {@link Void} for
* operations with no return type.
*/
open class <file.grammarName>BaseVisitor\<T>: AbstractParseTreeVisitor\<T> {
 <file.visitorNames:{lname |
/**
* {@inheritDoc\}
*
* \<p>The default implementation returns the result of calling
* {@link #visitChildren\} on {@code ctx\}.\</p>
*/
open func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) -> T? { return
visitChildren(ctx) \}}; separator="\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape">
 by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<!//@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
open class <parser.name>: <superClass; null="Parser"> {

 internal static var _decisionToDFA: [DFA] = {
        var decisionToDFA = [DFA]()
        let length = <parser.name>._ATN.getNumberOfDecisions()
        for i in 0..\<length {
         <!// decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!, i);!>
          decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
         }
         return decisionToDFA
```

```
   }()
 internal static let _sharedContextCache: PredictionContextCache = PredictionContextCache()
 <if(parser.tokens)>
 public enum Tokens: Int {
  case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
 }
      <endif>
 public
 static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>
 public static let ruleNames: [String] = [
  <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
 ]

 <vocabulary(parser.literalNames, parser.symbolicNames)>

 override
 open func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

 override
 open func getRuleNames() -> [String] { return <parser.name>.ruleNames }

 override
 open func getSerializedATN() -> String { return <parser.name>._serializedATN }

 override
 open func getATN() -> ATN { return <parser.name>._ATN }

 <namedActions.members>
 <parser:(ctor)()>
 <funcs; separator="\n">

<if(sempredFuncs)>
   override
 open func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int,  _ predIndex: Int)throws -> Bool {
  switch (ruleIndex) {
  <parser.sempredFuncs.values:{f|
case  <f.ruleIndex>:
 return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex)}; separator="\n">

  default: return true
  }
  <!return true;!>
 }
 <sempredFuncs.values; separator="\n">
<endif>

 <atn>
  public static let _serializedATN : String = <parser.name>ATN().jsonString
```

```
  public static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static let _LITERAL_NAMES: [String?] = [
 <literalNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
private static let _SYMBOLIC_NAMES: [String?] = [
 <symbolicNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
public static let VOCABULARY: Vocabulary = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)

/**
* @deprecated Use {@link #VOCABULARY} instead.
*/
//@Deprecated
public let tokenNames: [String?]? = {
   let length = _SYMBOLIC_NAMES.count
   var tokenNames = [String?](repeating: nil, count: length)
 for i in 0..\<length {
  var name = VOCABULARY.getLiteralName(i)
  if name == nil {
   name = VOCABULARY.getSymbolicName(i)
  }
  if name == nil
 {
   name = "\<INVALID>"
  }
  tokenNames[i] = name
 }
 return tokenNames
}()

override
<!//@Deprecated!>
open func getTokenNames() -> [String?]? {
 return tokenNames
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override
open func action(_ _localctx: RuleContext?,  _ ruleIndex: Int, _ actionIndex: Int) throws {
 switch (ruleIndex) {
 <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
```

```
 <f.name>_action((_localctx as <f.ctxType>?), actionIndex)
  }; separator="\n">
 default: break
 }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override
open func sempred(_ _localctx: RuleContext?, _  ruleIndex: Int,_   predIndex: Int) throws -> Bool{
 switch (ruleIndex) {
 <recog.sempredFuncs.values:{f|
case <f.ruleIndex>:
 return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex)}; separator="\n">
 default: return true
 }
 <!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<

open override
 func getVocabulary() -> Vocabulary {
   return <p.name>.VOCABULARY
}

public override init(_ input:TokenStream)throws {
   RuntimeMetaData.checkVersion("4.6", RuntimeMetaData.VERSION)
 try super.init(input)
 _interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
<parser.name>._sharedContextCache)
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ _localctx: <r.ctxType>?,  _ actionIndex: Int) {
 switch (actionIndex) {
 <actions:{index|
case <index>:
 <actions.(index)>
  }; separator="\n">
  default: break
```

```
 }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ _localctx: <r.ctxType>!,  _ predIndex: Int) throws -> Bool {
 switch (predIndex) {
 <actions:{index|
   case <index>:return <actions.(index)>}; separator="\n">
    default: return true
 }
 <!return true;!>
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>open func
<endif><currentRule.name>(<if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
 var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState()<currentRule.args:{a | ,
<a.name>}>)
 try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
 <namedActions.init>
 <locals; separator="\n">
 defer {
    <finallyAction>
    try! exitRule()
  }
 do {
<if(currentRule.hasLookaheadBlock)>
 var _alt:Int
<endif>
  <code>
 <postamble; separator="\n">
  <namedActions.after>
 }
 <if(exceptions)>
 <exceptions; separator="\n">
 <else>
 catch
 ANTLRException.recognition(let re) {
  _localctx.exception = re
```

```
 _errHandler.reportError(self, re)
 try _errHandler.recover(self, re)
 }
 <endif>

 return _localctx
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
 namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif> func <currentRule.name>(
<if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType>    {
 return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
}
@discardableResult
private func <currentRule.name>(_ _p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType>    {
 let _parentctx: ParserRuleContext? = _ctx
 var _parentState: Int = getState()
 var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>)
 var  _prevctx: <currentRule.ctxType>
 = _localctx
 var _startState: Int = <currentRule.startState>
 try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
 <namedActions.init>
 <locals; separator="\n">
 defer {
    <finallyAction>
    try! unrollRecursionContexts(_parentctx)
  }
 do {
<if(currentRule.hasLookaheadBlock)>
  var _alt: Int
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
 }
 catch ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
```

```
 }

 return _localctx;
}
>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx =  <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock,
 locals, preamble, ops) ::= <<
<!//{!>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!//}!>
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
 <alt>
 break}; separator="\n">
default:
 <error>
}
>>

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
 <alt>
 break}; separator="\n">
default:
 <error>
}
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
if (<expr>) {
 <alts; separator="\n">
}
<!else
 if ( !(<followExpr>) ) <error>!>
>>

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
while (<loopExpr>) {
 <alts; separator="\n">
 setState(<choice.loopBackStateNumber>)
 try _errHandler.sync(self)
 <iteration>
}
>>

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>) <! alt block decision !>
try _errHandler.sync(self)
<preamble; separator="\n">
repeat {
 <alts; separator="\n">
 setState(<choice.stateNumber>); <! loopback/exit decision !>
 try _errHandler.sync(self)
 <iteration>
} while (<loopExpr>)
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch(try getInterpreter().adaptivePredict(_input,<choice.decision>, _ctx)) {
<alts:{alt |
case
 <i>:
 <alt>
 break}; separator="\n">
```

```
default: break
}
>>

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break}; separator="\n">
default: break
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {
 if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
 }
 setState(<choice.loopBackStateNumber>)
 try _errHandler.sync(self)
 _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
}
>>

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
try _errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
repeat
 {
 switch (_alt) {
 <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
 <alt>
 break}; separator="\n">
 default:
  <error>
 }
 setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
 try _errHandler.sync(self)
 _alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
```

```
} while (_alt != <choice.exitAlt> && _alt !=  ATN.INVALID_ALT_NUMBER)
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw try ANTLRException.recognition(e: NoViableAltException(self))"

TestSetInline(s) ::= <<
<!<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">!>
//closure
{ () -> Bool in
    <if(rest(s.bitsets))>var<else>let<endif> testSet: Bool = <first(s.bitsets):{bits |
<if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>
        <rest(s.bitsets):{bits | testSet =
 testSet || <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator="\n">
    return testSet
}()
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
<!(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1 \<\< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1 \<\< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)!>
{  () -> Bool in
   <! let test: Bool = (<testShiftInRange({<offsetShift(s.varName, bits.shift)>})>)!>
  <!var temp: Int64 =  Int64(<offsetShift(s.varName, bits.shift)>)!>
  <!temp = (temp \< 0) ? (64 + (temp % 64 )) : (temp % 64)!>
  <!let test1: Int64 = (Int64(1) \<\< temp)!>
  <!var test2: Int64 = (<first(bits.ttypes):{ttype
 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>)!>
  <!<rest(bits.ttypes):{ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)};
separator="\n">!>
  let testArray: [Int] = [<s.varName>, <bits.ttypes:{ttype |<parserName(ttype)>}; separator=",">]
  <!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)!>
   return  Utils.testBitLeftShiftArray(testArray, <bits.shift>)
}()
>>

isZero ::= [
"0": true,
default: false
```

```
]
parserName(ttype) ::= <%
<parser.name>.Tokens.<ttype>.rawValue
%>
offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue}; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): {t | case .<t>:fallthrough}  ; separator="\n">
<last(ttypes): {t
 | case .<t>:}  ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
  let assignmentValue = try
<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>)
  <r.labels:{l | <labelref(l)> = assignmentValue} ; separator="\n">
    }()
<else>try
<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>)<endif>
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>)
<if(m.labels)>
try {
  let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
  <m.labels:{l | <labelref(l)> = assignmentValue}  ; separator="\n">
    }()
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>)
<if(m.labels)><m.labels:{l | <labelref(l)>
```

```
 = }>try _input.LT(1)<endif>
<capture>
if (<if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>)) {
 <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as
Token<endif>
}
else {
 _errHandler.reportMatch(self)
 try consume()
}
>>

Wildcard(w) ::= <<
setState(<w.stateNumber>)
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>try matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>)
if (!(<chunks>)) {
  throw try ANTLRException.recognition(e:FailedPredicateException(self, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>))
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
 <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand()  ::= "skip()"
LexerMoreCommand()  ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg)
     ::= "_type = <arg>"
LexerChannelCommand(arg)   ::= "_channel = <arg>"
LexerModeCommand(arg)      ::= "_mode = <arg>"
LexerPushModeCommand(arg)  ::= "pushMode(<arg>)"
```

```
ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValueRef(a) ::= "_localctx.<a.name>"
QRetValueRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\")"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label>
 != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\")"
RulePropertyRef_stop(r)  ::= "(<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\")"
RulePropertyRef_text(r)  ::= "(<ctx(r)>.<r.label> != nil ? try
_input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\")"
RulePropertyRef_ctx(r)  ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r)  ::= "self"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r)  ::=
 "_localctx.stop"
ThisRulePropertyRef_text(r)  ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r)  ::= "_localctx"
ThisRulePropertyRef_parser(r)  ::= "self"

NonLocalAttrRef(s)   ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks)   ::=
 "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType())>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: Array\<Token> = Array\<Token>()"
```

```
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl) ::= "<rdecl.name>:Array\<<rdecl.ctxName>> = Array\<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t)      ::=
   "open func <t.name>() -> TerminalNode? { return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0) }"
ContextTokenListGetterDecl(t)
  ::=
   "open func <t.name>() -> Array\<TerminalNode> { return getTokens(<parser.name>.Tokens.<t.name>.rawValue)
}"
ContextTokenListIndexedGetterDecl(t)  ::= <<
open func <t.name>(_ i:Int) -> TerminalNode?{
 return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
}
>>
ContextRuleGetterDecl(r)       ::= <<
open func <r.name>() -> <r.ctxName>? {
 return getRuleContext(<r.ctxName>.self,0)
}
>>
ContextRuleListGetterDecl(r)   ::= <<
open func <r.name>() -> Array\<<r.ctxName>\> {
 return getRuleContexts(<r.ctxName>.self)
}
>>
ContextRuleListIndexedGetterDecl(r)   ::= <<
open func <r.name>(_ i: Int) -> <r.ctxName>? {
 return getRuleContext(<r.ctxName>.self,i)
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName)   ::= "_<ruleName>"
ImplicitSetLabel(id)    ::= "_tset<id>"
ListLabelName(label)
  ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
        superClass={ParserRuleContext}) ::= <<
```

```
open class
<struct.name>:<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>,
<interfaces; separator=", "><endif> {
 <attrs:{a | public var <a>}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 <! <if(ctorAttrs)>public init(_ parent: ParserRuleContext,_ invokingState: Int) { super.init(parent, invokingState)
}<endif> !>
  <if(ctorAttrs)>
  public convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a | , _ <a>}>) {
  self.init(parent, invokingState)
  <struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
  }
 <endif>
 open override func getRuleIndex() -> Int { return <parser.name>.RULE_<struct.derivedFromName> }
<if(struct.provideCopyFrom)>
 <! don't need copy unless we have subclasses !>
 <!public init() { }!>
 public  func copyFrom(_ ctx: <struct.name>) {
  super.copyFrom(ctx)
  <struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
 }
<endif>
 <dispatchMethods; separator="\n">
 <extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
public  final class <struct.name>: <currentRule.name; format="cap">Context {
 <attrs:{a | public var <a>}; separator="\n">
 <getters:{g | <g>}; separator="\n">
 public init(_ ctx: <currentRule.name; format="cap">Context) {
  super.init()
  copyFrom(ctx)
 }
 <dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
override
open func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
 if listener is <parser.grammarName>Listener {
   (listener as!
<parser.grammarName>Listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
format="cap">(self)
 }
}
```

```
>>

VisitorDispatchMethod(method)
 ::= <<
override
open func accept\<T>(_ visitor: ParseTreeVisitor\<T>) -> T? {
 if visitor is <parser.grammarName>Visitor {
     return (visitor as! <parser.grammarName>Visitor\<T>).visit<struct.derivedFromName; format="cap">(self)
 }else if visitor is <parser.grammarName>BaseVisitor {
    return (visitor as! <parser.grammarName>BaseVisitor\<T>).visit<struct.derivedFromName; format="cap">(self)
  }
 else {
     return visitor.visitChildren(self)
 }
}
>>

AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"

/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */
labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr?    */
ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec)
  ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name)   ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()                ::= "_ctx!.stop = try _input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.append(_prevctx)
<else>
_localctx.<label> = _prevctx
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = <currentAltLabel; format="cap">Context(  <ruleName; format="cap">Context(_parentctx,
_parentState))
<if(label)>
```

```
<if(isListLabel)>
(_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)
<else>
(_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx
<endif>
<endif>
try pushNewRecursionContext(_localctx, _startState,
 <parser.name>.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = <ctxName>Context(_localctx)
_ctx = _localctx
_prevctx = _localctx
>>

recRuleSetPrevCtx() ::= <<
if _parseListeners != nil {
  try triggerExitRuleEvent()
}
_prevctx = _localctx
>>


LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
<!package <lexerFile.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<lexer>
>>
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
open class <lexer.name>: <superClass; null="Lexer"> {
 internal static var _decisionToDFA: [DFA] = {
        var decisionToDFA = [DFA]()
        let length = <lexer.name>._ATN.getNumberOfDecisions()
        for i in 0..\<length {
          <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i)!, i);!>
            decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i)!, i))
        }

  return decisionToDFA
    }()

 internal static let _sharedContextCache:PredictionContextCache = PredictionContextCache()
```

```
public static let <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>
<if(lexer.channels)>
  public let <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>
<endif>
<rest(lexer.modes):{m| public static let <m>: Int = <i>;}; separator="\n">
public static let modeNames: [String] = [
 <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
]

public static let ruleNames: [String] = [
 <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<namedActions.members>
  open override func getVocabulary() -> Vocabulary {
     return <lexer.name>.VOCABULARY
  }

public override init(_ input: CharStream) {
   RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
 super.init(input)
 _interp = LexerATNSimulator(self, <lexer.name>._ATN,
<lexer.name>._decisionToDFA, <lexer.name>._sharedContextCache)
}

override
open func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

  override
open func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

override
open func getSerializedATN() -> String { return <lexer.name>._serializedATN }

override
open func getModeNames() -> [String] { return <lexer.name>.modeNames }

override
open func getATN() -> ATN { return <lexer.name>._ATN }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
  public static let _serializedATN: String = <lexer.name>ATN().jsonString
public static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>
```

```
/** Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
*  which is referenced from static field _serializedATN.  This json string is passed to
*  deserializeFromJson(). Note this is not the "serialization as array of ints" that
 other targets
*  do. It is more or less the output of ATNPrinter which gets read back in.
*/
SerializedATN(model) ::= <<
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<SwiftTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".swift"
```

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg

1.105 commons-dbutils 1.5

1.105.1 Available under license :

Apache Commons DbUtils
Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.106 xz-java 1.9

1.106.1 Available under license :

Licensing of XZ for Java
==========

All the files in this package have been written by Lasse Collin,
Igor Pavlov, and/or Brett Okken. All these files have been put into
the public domain. You can do whatever you want with these files.

This software is provided "as is", without any warranty.

1.107 activation-api 1.2.0

1.107.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and
the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b)
Modifications, or (c) the combination of files containing Original
Software with files containing Modifications, in each case including
portions thereof.

1.4. "Executable" means the Covered Software in any form other than
Source Code.

1.5. "Initial Developer" means the individual or entity that first
makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or
portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation,
method, process,
and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual
property claims, the Initial Developer
hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You
delete from the Original Software, or
(2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor
Version (or portions of such
combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective

on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to

offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License
if You: (a) rename the license and
remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED
HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH

LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer

software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of
Goods is expressly excluded. Any law or
regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to

work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.
This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute
copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making
the program
proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this
License; they are outside its scope. The act of running
the Program is not restricted, and the output from the Program is

covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy
and distribute
such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy

the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.
These actions are
prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License,
they do not
excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief
idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your
program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its
affiliates are subject to the following clarification and special
exception to the GPLv2, based on the GNU Project exception for its
Classpath libraries, known as the GNU Classpath Exception, but only
where Oracle has expressly included in the particular source file's
header the words "Oracle designates this particular file as subject to
the "Classpath" exception as provided by Oracle in the LICENSE file
that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and
others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included
in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION
Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet,
for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement

from your version.

1.108 kotlin 1.3.70

1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","kotlin/UByte.kt","kotlin/UInt.kt","kotlin/UShort.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","kotlin/UnsignedUtils.kt","collections/Iterables.kt","collections/Sequences.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","generated/_Sequences.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/text/string.kt","kotlin/UByteArray.kt","kotlin/UIntArray.kt","kotlin/ULongArray.kt","kotlin/ULong.kt","kotlin/UShortArray.kt","generated/_UArrays.kt","generated/_UCollections.kt","generated/_UComparisons.kt","generated/_URanges.kt","generated/_USequences.kt","Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotations.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/coroutines/CoroutineImpl.kt","util/Result.kt","coroutines/Continuation.kt","kotlin/coroutines/intrinsics/IntrinsicsJs.kt","kotlin/currentBeMisc.kt","kotlin/jsOperators.kt","kotlin/math_js-v1.kt","kotlin/numbers_js-v1.kt","kotlin/text/numberConversions_js-v1.kt","generated/_CollectionsJs.kt","generated/_StringsJs.kt","generated/_UArraysJs.kt","jquery/ui.kt","kotlin/annotations.kt","kotlin/annotationsJVM.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/AbstractMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/collections/ArrayList.kt","kotlin/collections/ArraySorting.kt","kotlin/collections/ArraysJs.kt","kotlin/collections/EqualityComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCodeMap.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedHashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines/SafeContinuationJs.kt","kotlin/coroutines/js/internal/EmptyContinuation.kt","kotlin/date.kt","kotlin/dom/Builders.kt","kotlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/dom/EventListener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptionUtils.kt","kotlin/exceptions.kt","kotlin/grouping.kt","collections/Grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/math.kt","kotlin/numbers.kt","kotlin/promise.kt","kotlin/random/PlatformRandom.kt","kotlin/reflect/JsClass.kt","kotlin/reflect/KClassImpl.kt","kotlin/reflect/KTypeHelpers.kt","kotlin/reflect/KTypeImpl.kt","kotlin/reflect/KTypeParameterImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regexp.kt","kotlin/sequence.kt","kotlin/text/CharacterCodingExceptionJs.kt","kotlin/text/StringBuilderJs.kt","kotlin/text/char.kt","kotlin/text/numberConversions.kt","kotlin/text/regex.kt","kotlin/text/stringsCode.kt","kotlin/text/utf8Encoding.kt","kotlin/time/DurationUnit.kt","kotlin/time/MonoTimeSource.kt","kotlin/time/formatToDecimals.kt","org.w3c/deprecated.kt","org.w3c/org.khronos.webgl.kt","org.w3c/org.w3c.dom.clipboard.kt","org.w3c/org.w3c.dom.css.kt","org.w3c/org.w3c.dom.events.kt","org.w3c/org.w3c.dom.kt","org.w3c/org.w3c.fetch.kt","org.w3c/org.w3c.dom.mediacapture.kt","org.w3c/org.w3c.dom.pointerevents.kt","org.w3c/org.w3c.dom.svg.kt","org.w3c/org.w3c.files.kt","org.w3c/org.w3c.notifications.kt","org.w3c/org.w3c.workers.kt","org.w3c/org.w3c.xhr.kt","annotations/Experimental.kt","annotations/ExperimentalStdlibApi.kt","annotations/Inference.kt","annotations/Multiplatform.kt","annotations/OptIn.kt","collections/AbstractCollection.kt","collections/AbstractIterator.kt","collections/AbstractList.kt","collections/AbstractMap.kt","collections/AbstractSet.kt","collections/ArrayDeque.kt","collections/Arrays.kt","collections/IndexedValue.kt","collections

/MapAccessors.kt","collections/MapWithDefault.kt","collections/MutableCollections.kt","collections/ReversedViews.kt","collections/SequenceBuilder.kt","collections/SlidingWindow.kt","collections/UArraySorting.kt","contracts/ContractBuilder.kt","coroutines/ContinuationInterceptor.kt","coroutines/CoroutineContext.kt","coroutines/CoroutineContextImpl.kt","coroutines/intrinsics/Intrinsics.kt","experimental/bitwiseOperations.kt","experimental/inferenceMarker.kt","internal/Annotations.kt","properties/Delegates.kt","properties/ObservableProperty.kt","random/Random.kt","random/URandom.kt","random/XorWowRandom.kt","ranges/Ranges.kt","reflect/KClasses.kt","reflect/typeOf.kt","text/Appendable.kt","text/Char.kt","text/Indent.kt","text/Typography.kt","text/regex/MatchResult.kt","time/Duration.kt","time/DurationUnit.kt","time/ExperimentalTime.kt","time/TimeSource.kt","time/TimeSources.kt","time/measureTime.kt","util/HashCode.kt","util/KotlinVersion.kt","util/Lateinit.kt","util/Lazy.kt","util/Numbers.kt","util/Suspend.kt","util/Tuples.kt","kotlin/UIntRange.kt","kotlin/UIterators.kt","kotlin/ULongRange.kt","kotlin/UMath.kt","kotlin/UNumbers.kt","kotlin/UProgressionUtil.kt","kotlin/UStrings.kt","kotlin/annotations/Unsigned.kt","kotlin/MathH.kt","coroutines.kt","CoroutinesLibrary.kt","coroutinesIntrinsics.kt","ContinuationInterceptor.kt","CoroutineContext.kt","CoroutineContextImpl.kt","Coroutines.kt","Intrinsics.kt","SequenceBuilder.kt"],"sourcesContent":["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n}\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n}(this, function (Kotlin) {\n var _ = Kotlin;\n\n insertContent();\n}));\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.$type$!== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.$type$ === \"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n array.sort(Kotlin.doubleCompareTo)\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n f.callableName = name;\n return f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n getter.get = getter;\n getter.set = setter;\n getter.callableName = name;\n return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n obj.constructor = obj;\n return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n {\n mutable: { value:

null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KMutableProperty0 }\n },\n immutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KProperty0 }\n }\n },\n {\n mutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KMutableProperty1 }\n },\n immutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KProperty1 }\n }\n }\n];\n\nfunction getPropertyRefMetadata(cache) {\n if (cache.value === null) {\n cache.value = {\n interfaces: [cache.implementedInterface()],\n baseClass: null,\n functions: {},\n properties: {},\n types: {},\n staticMembers: {}\n };\n }\n return cache.value;\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n return (a & 0xFFFF) << 16 >> 16;\n};\n\nKotlin.toByte = function (a) {\n return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n return Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n return Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n return +a;\n};\n\nKotlin.numberToChar = function (a) {\n return Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n if (a > 2147483647) return 2147483647;\n if (a < -2147483648) return -2147483648;\n return a | 0;\n};\n\nKotlin.toBoxedChar = function (a) {\n if (a == null) return a;\n if (a instanceof Kotlin.BoxedChar) return a;\n return new Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n if (a == null) return a;\n return Kotlin.toChar(a);\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n if (obj1 == null) {\n return obj2 == null;\n }\n\n if (obj2 == null) {\n return false;\n }\n\n if (obj1 !== obj1) {\n return obj2 !== obj2;\n }\n\n if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n return obj1.equals(obj2);\n }\n\n if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n }\n\n return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n if (obj == null) {\n return 0;\n }\n var objType = typeof obj;\n if (\"object\" === objType) {\n return \"function\" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n }\n if (\"function\" === objType) {\n return getObjectHashCode(obj);\n }\n if (\"number\" === objType) {\n return Kotlin.numberHashCode(obj);\n }\n if (\"boolean\" === objType) {\n return Number(obj)\n }\n\n var str = String(obj);\n return getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n if (o == null) {\n return \"null\";\n }\n else if (Kotlin.isArrayish(o)) {\n return \"[...]\";\n }\n else {\n return o.toString();\n }\n};\n\n/** @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol type once we are on ES6.\n/** @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME = \"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n var hash = (Math.random() * POW_2_32) | 0; // Make 32-bit singed integer.\n Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n }\n return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n var hash = 0;\n for (var i = 0; i < str.length; i++) {\n var code = str.charCodeAt(i);\n hash = (hash * 31 + code) | 0; // Keep it 32-bit.\n }\n return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n//\n// Licensed under the Apache License, Version 2.0 (the \"License\");\n//

you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n//\n// http://www.apache.org/licenses/LICENSE-2.0\n//\n// Unless required by applicable law or agreed to in writing, software\n// distributed under the License is distributed on an \"AS-IS\" BASIS,\n// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\nKotlin.Long = function(low, high) {\n /**\n * @type {number}\n * @private\n */\n this.low_ = low | 0; // force into 32 signed bits.\n\n /**\n * @type {number}\n * @private\n */\n this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ = {\n kind: \"class\",\n simpleName: \"Long\",\n interfaces:[]\n};\n\n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n\n/**\n * A cache of the Long representations of small integer values.\n * @type {!Object}\n * @private\n */\nKotlin.Long.IntCache_ = {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromInt = function(value) {\n if (-128 <= value && value < 128) {\n var cachedObj = Kotlin.Long.IntCache_[value];\n if (cachedObj) {\n return cachedObj;\n }\n }\n\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n if (-128 <= value && value < 128) {\n Kotlin.Long.IntCache_[value] = obj;\n }\n return obj;\n};\n\n\n/**\n * Converts this number value to `Long`.\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`,\n * `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.\n * @param {number} value The number in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromNumber = function(value)
{\n if (isNaN(value)) {\n return Kotlin.Long.ZERO;\n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_) {\n return Kotlin.Long.MIN_VALUE;\n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {\n return Kotlin.Long.MAX_VALUE;\n } else if (value < 0) {\n return Kotlin.Long.fromNumber(-value).negate();\n } else {\n return new Kotlin.Long(\n (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n }\n};\n\n\n/**\n * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and low bits. Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number} highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromBits = function(lowBits, highBits) {\n return new Kotlin.Long(lowBits, highBits);\n};\n\n\n/**\n * Returns a Long representation of the given string, written using the given\n * radix.\n * @param {string}
str The textual representation of the Long.\n * @param {number=} opt_radix The radix in which the text is written.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str, opt_radix) {\n if (str.length == 0) {\n throw Error('number format error: empty string');\n }\n\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (str.charAt(0) == '-') {\n return Kotlin.Long.fromString(str.substring(1), radix).negate();\n } else if (str.indexOf('-') >= 0) {\n throw Error('number format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));\n\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length;

```
i += 8) {\n    var size = Math.min(8, str.length - i);\n    var value
 = parseInt(str.substring(i, i + size), radix);\n    if (size < 8) {\n      var power =
Kotlin.Long.fromNumber(Math.pow(radix, size));\n      result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n    } else {\n      result =
result.multiply(radixToPower);\n      result = result.add(Kotlin.Long.fromNumber(value));\n    }\n  }\n  return
result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_32_DBL_ =\n    Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_31_DBL_
 =\n    Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_48_DBL_ =\n    Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_64_DBL_ =\n    Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_63_DBL_ =\n    Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type
{!Kotlin.Long} */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long}
*/\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long}
*/\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *
@private\n */\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1
 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer. */\nKotlin.Long.prototype.toInt =
function() {\n  return this.low_;\n};\n\n\n/** @return {number} The closest floating-point representation to this
value. */\nKotlin.Long.prototype.toNumber = function() {\n  return this.high_ *
Kotlin.Long.TWO_PWR_32_DBL_ +\n        this.getLowBitsUnsigned();\n};\n\n/** @return {number} The 32-bit
hashCode of this value. */\nKotlin.Long.prototype.hashCode = function() {\n  return this.high_ ^
this.low_;\n};\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return
{string} The textual representation of this value.\n * @override\n */\nKotlin.Long.prototype.toString =
function(opt_radix) {\n  var radix = opt_radix || 10;\n  if (radix < 2 || 36 < radix) {\n    throw Error('radix out of
range: ' + radix);\n  }\n\n  if (this.isZero()) {\n    return '0';\n  }\n\n  if (this.isNegative()) {\n    if
(this.equalsLong(Kotlin.Long.MIN_VALUE))
 {\n      // We need to change the Long value before it can be negated, so we remove\n      // the bottom-most digit in
this base and then recurse to do the rest.\n      var radixLong = Kotlin.Long.fromNumber(radix);\n      var div =
this.div(radixLong);\n      var rem = div.multiply(radixLong).subtract(this);\n      return div.toString(radix) +
rem.toInt().toString(radix);\n    } else {\n      return '-' + this.negate().toString(radix);\n    }\n  }\n\n  // Do several (6)
digits each time through the loop, so as to\n  // minimize the calls to the very expensive emulated div.\n  var
radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n  var rem = this;\n  var result = '';\n  while (true)
{\n    var remDiv = rem.div(radixToPower);\n    var intval =
rem.subtract(remDiv.multiply(radixToPower)).toInt();\n    var digits = intval.toString(radix);\n\n    rem = remDiv;\n
 if (rem.isZero()) {\n      return digits + result;\n    } else {\n      while (digits.length < 6) {\n
      digits = '0' + digits;\n      }\n      result = '' + digits + result;\n    }\n  }\n};\n\n\n/** @return {number} The high
32-bits as a signed value. */\nKotlin.Long.prototype.getHighBits = function() {\n  return this.high_;\n};\n\n\n/**
@return {number} The low 32-bits as a signed value. */\nKotlin.Long.prototype.getLowBits = function() {\n  return
this.low_;\n};\n\n\n/** @return {number} The low 32-bits as an unsigned value.
```

```
*/\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n  return (this.low_ >= 0) ?\n      this.low_ :
Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns the number of bits
needed to represent the absolute\n *     value of this Long.\n */\nKotlin.Long.prototype.getNumBitsAbs = function()
{\n  if (this.isNegative()) {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return 64;\n    } else {\n
return this.negate().getNumBitsAbs();\n    }\n  } else {\n    var val = this.high_ != 0 ? this.high_ : this.low_;\n
  for (var bit = 31; bit > 0; bit--) {\n      if ((val & (1 << bit)) != 0) {\n        break;\n      }\n    }\n    return this.high_ !=
0 ? bit + 33 : bit + 1;\n  }\n};\n\n\n/** @return {boolean} Whether this value is zero.
*/\nKotlin.Long.prototype.isZero = function() {\n  return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return
{boolean} Whether this value is negative. */\nKotlin.Long.prototype.isNegative = function() {\n  return this.high_ <
0;\n};\n\n\n/** @return {boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n
return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n  return
(this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long does not equal the other.\n
*/\nKotlin.Long.prototype.notEqualsLong
 = function(other) {\n  return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param
{Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than the other.\n
*/\nKotlin.Long.prototype.lessThan = function(other) {\n  return this.compare(other) < 0;\n};\n\n\n/**\n * @param
{Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the
other.\n */\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n  return this.compare(other) <=
0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this
Long is greater than the other.\n */\nKotlin.Long.prototype.greaterThan = function(other) {\n  return
this.compare(other) > 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is greater than or equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual
 = function(other) {\n  return this.compare(other) >= 0;\n};\n\n\n/**\n * Compares this Long with the given one.\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is
greater, and -1\n *     if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n  if
(this.equalsLong(other)) {\n    return 0;\n  }\n\n  var thisNeg = this.isNegative();\n  var otherNeg =
other.isNegative();\n  if (thisNeg && !otherNeg) {\n    return -1;\n  }\n  if (!thisNeg && otherNeg) {\n    return 1;\n
}\n\n  // at this point, the signs are the same, so subtraction will not overflow\n  if (this.subtract(other).isNegative())
{\n    return -1;\n  } else {\n    return 1;\n  }\n};\n\n\n/** @return {!Kotlin.Long} The negation of this value.
*/\nKotlin.Long.prototype.negate = function() {\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return
Kotlin.Long.MIN_VALUE;\n  } else {\n    return this.not().add(Kotlin.Long.ONE);\n
  }\n};\n\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to
this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add =
function(other) {\n  // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n  var a48 =
this.high_ >>> 16;\n  var a32 = this.high_ & 0xFFFF;\n  var a16 = this.low_ >>> 16;\n  var a00 = this.low_ &
0xFFFF;\n\n  var b48 = other.high_ >>> 16;\n  var b32 = other.high_ & 0xFFFF;\n  var b16 = other.low_ >>> 16;\n
var b00 = other.low_ & 0xFFFF;\n\n  var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n  c00 += a00 + b00;\n  c16 += c00
>>> 16;\n  c00 &= 0xFFFF;\n  c16 += a16 + b16;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c32 += a32 + b32;\n
c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c48 += a48 + b48;\n  c48 &= 0xFFFF;\n  return
Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the difference of this and the
given Long.\n * @param
 {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The difference of this and the given
Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n  return this.add(other.negate());\n};\n\n\n/**\n *
Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n *
@return {!Kotlin.Long} The product of this and the other.\n */\nKotlin.Long.prototype.multiply = function(other)
{\n  if (this.isZero()) {\n    return Kotlin.Long.ZERO;\n  } else if (other.isZero()) {\n    return Kotlin.Long.ZERO;\n
```

```
}\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return other.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n  } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return this.isOdd() ?
Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n  }\n\n  if (this.isNegative()) {\n    if (other.isNegative()) {\n
return this.negate().multiply(other.negate());\n    } else {\n      return this.negate().multiply(other).negate();\n
    }\n  } else if (other.isNegative()) {\n    return this.multiply(other.negate()).negate();\n  }\n\n  // If both longs are
small, use float multiplication\n  if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n    return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n  }\n\n  // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n  // We can
skip products that would overflow.\n\n  var a48 = this.high_ >>> 16;\n  var a32 = this.high_ & 0xFFFF;\n  var a16 =
this.low_ >>> 16;\n  var a00 = this.low_ & 0xFFFF;\n\n  var b48 = other.high_ >>> 16;\n  var b32 = other.high_ &
0xFFFF;\n  var b16 = other.low_ >>> 16;\n  var b00 = other.low_ & 0xFFFF;\n\n  var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n  c00 += a00 * b00;\n  c16 += c00 >>> 16;\n  c00 &= 0xFFFF;\n  c16 += a16 * b00;\n  c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n  c16 += a00 * b16;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c32 += a32 * b00;\n  c48 +=
 c32 >>> 16;\n  c32 &= 0xFFFF;\n  c32 += a16 * b16;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c32 += a00 *
b32;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n  c48
&= 0xFFFF;\n  return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns this
Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return
{!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n  if
(other.isZero()) {\n    throw Error('division by zero');\n  } else if (this.isZero()) {\n    return Kotlin.Long.ZERO;\n
}\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    if (other.equalsLong(Kotlin.Long.ONE) ||\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\n      return Kotlin.Long.MIN_VALUE;  // recall that -MIN_VALUE
== MIN_VALUE\n    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ONE;\n
} else {\n      // At
 this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n      var halfThis = this.shiftRight(1);\n      var
approx = halfThis.div(other).shiftLeft(1);\n      if (approx.equalsLong(Kotlin.Long.ZERO)) {\n        return
other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;\n      } else {\n        var rem =
this.subtract(other.multiply(approx));\n        var result = approx.add(rem.div(other));\n        return result;\n      }\n
}\n  } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if
(this.isNegative()) {\n    if (other.isNegative()) {\n      return this.negate().div(other.negate());\n    } else {\n      return
this.negate().div(other).negate();\n    }\n  } else if (other.isNegative()) {\n    return
this.div(other.negate()).negate();\n  }\n\n  // Repeat the following until the remainder is less than other:  find a\n  //
floating-point that approximates remainder / other *from below*, add this\n  // into the result, and subtract
 it from the remainder.  It is critical that\n  // the approximate value is less than or equal to the real value so that the\n
// remainder never becomes negative.\n  var res = Kotlin.Long.ZERO;\n  var rem = this;\n  while
(rem.greaterThanOrEqual(other)) {\n    // Approximate the result of division. This may be a little greater or\n    //
smaller than the actual value.\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
// We will tweak the approximate result by changing it in the 48-th digit or\n    // the smallest non-fractional digit,
whichever is larger.\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n    var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n\n    // Decrease the approximation until it is smaller than the remainder.  Note\n    // that if
it is too large, the product overflows and is negative.\n    var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n    while (approxRem.isNegative()
 || approxRem.greaterThan(rem)) {\n      approx -= delta;\n      approxRes = Kotlin.Long.fromNumber(approx);\n
approxRem = approxRes.multiply(other);\n    }\n\n    // We know the answer can't be zero... and actually, zero would
cause\n    // infinite recursion since we would make no progress.\n    if (approxRes.isZero()) {\n      approxRes =
Kotlin.Long.ONE;\n    }\n\n    res = res.add(approxRes);\n    rem = rem.subtract(approxRem);\n  }\n  return
res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to
mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo =
function(other) {\n  return this.subtract(this.div(other).multiply(other));\n};\n\n\n/** @return {!Kotlin.Long} The
```

```
bitwise-NOT of this value. */\nKotlin.Long.prototype.not = function() {\n  return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n  return Kotlin.Long.fromBits(this.low_ & other.low_,\n                              this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or = function(other) {\n  return Kotlin.Long.fromBits(this.low_ | other.low_,\n                              this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n  return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n                              this.high_ ^ other.high_);\n};\n\n\n/**\n * Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var low = this.low_;\n    if (numBits < 32) {\n      var high = this.high_;\n      return Kotlin.Long.fromBits(\n          low << numBits,\n          (high << numBits) | (low >>> (32 - numBits)));\n    } else {\n      return Kotlin.Long.fromBits(0, low << (numBits - 32));\n    }\n  }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n          (low >>> numBits) | (high << (32 - numBits)),\n          high >> numBits);\n    } else {\n      return Kotlin.Long.fromBits(\n          high >> (numBits - 32),\n          high >= 0 ? 0 : -1);\n    }\n  }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *     zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n          (low >>> numBits) | (high << (32 - numBits)),\n          high >>> numBits);\n    } else if (numBits == 32) {\n      return Kotlin.Long.fromBits(high, 0);\n    } else {\n      return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n  }\n};\n\n// Support for Kotlin\nKotlin.Long.prototype.equals = function (other) {\n    return other instanceof Kotlin.Long && this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ = Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n    return this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n    return this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n    return this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n    return this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv = Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n    return new Kotlin.kotlin.ranges.LongRange(this, other);\n};","/*\n
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n    return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n    var f = function() {\n        f = fun();\n        return f.apply(this, arguments);\n    };\n    return function() {\n        return f.apply(this, arguments);\n    };\n};\n\nKotlin.isTypeOf = function(type) {\n    return function (object) {\n        return typeof object === type;\n    }\n};\n\nKotlin.isInstanceOf = function (klass) {\n    return function (object) {\n        return Kotlin.isType(object, klass);\n    }\n};\n\nKotlin.orNull = function (fn) {\n
```

return function (object) {\n return object == null || fn(object);\n }\n};\n\nKotlin.andPredicate = function (a, b) {\n return function (object) {\n return a(object) && b(object);\n }\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n throwMarkerError();\n};\n\nfunction throwMarkerError() {\n throw new Error(\n \"This marker function should never been called. \" +\n \"Looks like compiler did not eliminate it properly. \" +\n \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n return function() {\n return defaultValue;\n }\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n var typeA = typeof a;\n if (typeA === \"number\") {\n if (typeof b === \"number\") {\n return Kotlin.doubleCompareTo(a, b);\n }\n return Kotlin.primitiveCompareTo(a, b);\n }\n if (typeA === \"string\" || typeA === \"boolean\") {\n return Kotlin.primitiveCompareTo(a, b);\n }\n return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n if (a < b) return -1;\n if (a > b) return 1;\n\n if (a === b) {\n if (a !== 0) return 0;\n\n var ia = 1 / a;\n return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n }\n\n return a !== a ? (b !== b ? 0 : 1) : -1\n};\n\nKotlin.charInc = function (value) {\n return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n var buf = new ArrayBuffer(8);\n var bufFloat64 = new Float64Array(buf);\n var bufFloat32 = new Float32Array(buf);\n var bufInt32 = new Int32Array(buf);\n var lowIndex = 0;\n var highIndex = 1;\n\n bufFloat64[0] = -1; // bff00000_00000000\n if (bufInt32[lowIndex] !== 0) {\n lowIndex = 1;\n highIndex = 0;\n }\n\n Kotlin.doubleToBits = function(value) {\n return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n };\n\n Kotlin.doubleToRawBits = function(value) {\n bufFloat64[0] = value;\n return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n };\n\n Kotlin.doubleFromBits = function(value) {\n bufInt32[lowIndex] = value.low_;\n bufInt32[highIndex] = value.high_;\n return bufFloat64[0];\n };\n\n Kotlin.floatToBits = function(value) {\n return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n };\n\n Kotlin.floatToRawBits = function(value) {\n bufFloat32[0] = value;\n return bufInt32[0];\n };\n\n Kotlin.floatFromBits = function(value) {\n bufInt32[0] = value;\n return bufFloat32[0];\n };\n\n // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n Kotlin.doubleSignBit = function(value) {\n bufFloat64[0] = value;\n return bufInt32[highIndex] & 0x80000000;\n };\n\n Kotlin.numberHashCode = function(obj) {\n if ((obj | 0) === obj) {\n return obj | 0;\n }\n else {\n bufFloat64[0] = obj;\n return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n }\n }\n})();\n\nKotlin.ensureNotNull = function(x) {\n return x != null ? x : Kotlin.throwNPE();\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof String.prototype.startsWith === \"undefined\") {\n String.prototype.startsWith = function(searchString, position) {\n position = position || 0;\n return this.lastIndexOf(searchString, position) === position;\n };\n}\nif (typeof String.prototype.endsWith === \"undefined\") {\n String.prototype.endsWith = function(searchString, position) {\n var subjectString = this.toString();\n if (position === undefined || position > subjectString.length) {\n position = subjectString.length;\n }\n

```
    position -= searchString.length;\n        var lastIndex = subjectString.indexOf(searchString, position);\n        return lastIndex !== -1 && lastIndex === position;\n    };\n}\n// ES6 Math polyfills\nif (typeof Math.sign === \"undefined\") {\n    Math.sign = function(x) {\n        x = +x; // convert to a number\n        if (x === 0 || isNaN(x)) {\n            return Number(x);\n        }\n        return x > 0 ? 1 : -1;\n    };\n}\nif (typeof Math.trunc === \"undefined\") {\n    Math.trunc = function(x) {\n        if (isNaN(x)) {\n            return NaN;\n        }\n        if (x > 0) {\n            return Math.floor(x);\n        }\n        return Math.ceil(x);\n    };\n}\n\n(function() {\n    var epsilon = 2.220446049250313E-16;\n    var taylor_2_bound = Math.sqrt(epsilon);\n    var taylor_n_bound = Math.sqrt(taylor_2_bound);\n    var upper_taylor_2_bound = 1/taylor_2_bound;\n    var upper_taylor_n_bound = 1/taylor_n_bound;\n\n    if (typeof Math.sinh === \"undefined\") {\n        Math.sinh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 6;\n                }\n                return result;\n            } else {\n                var y = Math.exp(x);\n                var y1 = 1 / y;\n                if (!isFinite(y)) return Math.exp(x - Math.LN2);\n                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n                return (y - y1) / 2;\n            }\n        };\n    }\n    if (typeof Math.cosh === \"undefined\") {\n        Math.cosh = function(x) {\n            var y = Math.exp(x);\n            var y1 = 1 / y;\n            if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n            return (y + y1) / 2;\n        };\n    }\n\n    if (typeof Math.tanh === \"undefined\") {\n        Math.tanh = function(x){\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result -= (x * x * x) / 3;\n                }\n                return result;\n            }\n            else {\n                var a = Math.exp(+x), b = Math.exp(-x);\n                return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n            }\n        };\n    }\n\n    // Inverse hyperbolic function implementations derived from boost special math functions,\n    // Copyright Eric Ford & Hubert Holin 2001.\n\n    if (typeof Math.asinh === \"undefined\") {\n        var asinh = function(x) {\n            if (x >= +taylor_n_bound)\n            {\n                if (x > upper_taylor_n_bound)\n                {\n                    if (x > upper_taylor_2_bound)\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n                    }\n                    else\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                        return Math.log(x * 2 + (1 / (x * 2)));\n                    }\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x + 1));\n                }\n            }\n            else if (x <= -taylor_n_bound)\n            {\n                return -asinh(-x);\n            }\n            else\n            {\n                // approximation by taylor series in x at 0 up to order 2\n                var result = x;\n                if (Math.abs(x) >= taylor_2_bound)\n                {\n                    var x3 = x * x * x;\n                    // approximation by taylor series in x at 0 up to order 4\n                    result -= x3 / 6;\n                }\n                return result;\n            }\n        };\n        Math.asinh = asinh;\n    }\n    if (typeof Math.acosh === \"undefined\")\n    {\n        Math.acosh = function(x) {\n            if (x < 1)\n            {\n                return NaN;\n            }\n            else if (x - 1 >= taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                {\n                    // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                    return Math.log(x) + Math.LN2;\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x - 1));\n                }\n            }\n            else\n            {\n                var y = Math.sqrt(x - 1);\n                // approximation by taylor series in y at 0 up to order 2\n                var result = y;\n                if (y >= taylor_2_bound)\n                {\n                    var y3 = y * y * y;\n                    // approximation by taylor series in y at 0 up to order 4\n                    result -= y3 / 12;\n                }\n\n                return Math.sqrt(2) * result;\n            }\n        };\n    }\n    if (typeof Math.atanh === \"undefined\") {\n        Math.atanh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 3;\n                }\n                return result;\n            }\n            return Math.log((1 + x) / (1 - x)) / 2;\n        };\n    }\n    if (typeof Math.log1p === \"undefined\") {\n        Math.log1p = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n                var x4 = x3 * x;\n                // approximation by taylor series in x at 0 up to order 4\n                return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n            }\n            return Math.log(x + 1);\n        };\n    }\n    if (typeof Math.expm1
```

```
=== \"undefined\") {\n        Math.expm1 = function(x) {\n            if (Math.abs(x)
 < taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n                var x4 = x3 * x;\n                //
approximation by taylor series in x at 0 up to order 4\n                return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n            }\n
    return Math.exp(x) - 1;\n        };\n    }\n})();\nif (typeof Math.hypot === \"undefined\") {\n    Math.hypot =
function() {\n        var y = 0;\n        var length = arguments.length;\n\n        for (var i = 0; i < length; i++) {\n
if (arguments[i] === Infinity || arguments[i] === -Infinity) {\n                return Infinity;\n            }\n            y +=
arguments[i] * arguments[i];\n        }\n        return Math.sqrt(y);\n    };\n}\nif (typeof Math.log10 === \"undefined\")
{\n    Math.log10 = function(x) {\n        return Math.log(x) * Math.LOG10E;\n    };\n}\nif (typeof Math.log2 ===
\"undefined\") {\n    Math.log2 = function(x) {\n        return Math.log(x) * Math.LOG2E;\n    };\n}\nif
 (typeof Math.clz32 === \"undefined\") {\n    Math.clz32 = (function(log, LN2) {\n        return function(x) {\n
var asUint = x >>> 0;\n            if (asUint === 0) {\n                return 32;\n            }\n            return 31 - (log(asUint) /
LN2 | 0) | 0; // the \"| 0\" acts like math.floor\n        };\n    })(Math.log, Math.LN2);\n}\n\n// For HtmlUnit and
PhantomJs\nif (typeof ArrayBuffer.isView === \"undefined\") {\n    ArrayBuffer.isView = function(a) {\n
return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n
};\n}\n\nif (typeof Array.prototype.fill === \"undefined\") {\n    // Polyfill from https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n    Array.prototype.fill = function() {\n      //
Steps 1-2.\n      if (this == null) {\n        throw new TypeError('this is null or not defined');\n      }\n\n      var O =
Object(this);\n\n      // Steps 3-5.\n
      var len = O.length >>> 0;\n\n      // Steps 6-7.\n      var start = arguments[1];\n      var relativeStart = start >>
0;\n\n      // Step 8.\n      var k = relativeStart < 0 ?\n        Math.max(len + relativeStart, 0) :\n
Math.min(relativeStart, len);\n\n      // Steps 9-10.\n      var end = arguments[2];\n      var relativeEnd = end ===
undefined ?\n        len : end >> 0;\n\n      // Step 11.\n      var final = relativeEnd < 0 ?\n        Math.max(len +
relativeEnd, 0) :\n        Math.min(relativeEnd, len);\n\n      // Step 12.\n      while (k < final) {\n        O[k] = value;\n
    k++;\n      }\n\n      // Step 13.\n      return O;\n    };\n}\n\n(function() {\n    function normalizeOffset(offset,
length) {\n        if (offset < 0) return Math.max(0, offset + length);\n        return Math.min(offset, length);\n    }\n
function typedArraySlice(begin, end) {\n        if (typeof end === \"undefined\") {\n            end = this.length;\n
}\n        begin = normalizeOffset(begin
 || 0, this.length);\n        end = Math.max(begin, normalizeOffset(end, this.length));\n        return new
this.constructor(this.subarray(begin, end));\n    }\n\n    var arrays = [Int8Array, Int16Array, Uint16Array,
Int32Array, Float32Array, Float64Array];\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray =
arrays[i];\n        if (typeof TypedArray.prototype.fill === \"undefined\") {\n            TypedArray.prototype.fill =
Array.prototype.fill;\n        }\n        if (typeof TypedArray.prototype.slice === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'slice', {\n                value: typedArraySlice\n            });\n        }\n
}\n\n    // Patch apply to work with TypedArrays if needed.\n    try {\n        (function() {}).apply(null, new
Int32Array(0))\n    } catch (e) {\n        var apply = Function.prototype.apply;\n
Object.defineProperty(Function.prototype, 'apply', {\n            value: function(self, array)
 {\n                return apply.call(this, self, [].slice.call(array));\n            }\n        });\n    }\n\n\n    // Patch map to work
with TypedArrays if needed.\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray = arrays[i];\n        if
(typeof TypedArray.prototype.map === \"undefined\") {\n            Object.defineProperty(TypedArray.prototype,
'map', {\n                value: function(callback, self) {\n                    return [].slice.call(this).map(callback, self);\n
    }\n            });\n        }\n    }\n\n    // Patch sort to work with TypedArrays if needed.\n    // TODO: consider to
remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n    var
totalOrderComparator = function (a, b) {\n        if (a < b) return -1;\n        if (a > b) return 1;\n\n        if (a === b) {\n
        if (a !== 0) return 0;\n\n            var ia = 1 / a;\n            return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n        }\n\n
       return a !== a ? (b !== b ? 0 : 1) : -1\n    };\n\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray =
arrays[i];\n        if (typeof TypedArray.prototype.sort === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'sort', {\n                value: function(compareFunction) {\n
return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n                }\n            });\n        }\n
```

}\n})();\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n CLASS: \"class\",\n INTERFACE: \"interface\",\n OBJECT: \"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.get != null) {\n return propertyDescriptor.get.call(thisObject);\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n return thisObject[propertyName];\n }\n\n return Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName, value) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.set != null) {\n propertyDescriptor.set.call(thisObject, value);\n return;\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n thisObject[propertyName] = value;\n return\n }\n\n Kotlin.callSetter(thisObject, Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n if (ctor === iface) return true;\n\n var metadata = ctor.$metadata$;\n if (metadata != null) {\n var interfaces = metadata.interfaces;\n for (var i = 0; i < interfaces.length; i++) {\n if (isInheritanceFromInterface(interfaces[i], iface)) {\n return true;\n }\n }\n }\n\n var superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n return superConstructor != null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n *\n * @param {*} object\n * @param {Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n if (klass === Object) {\n switch (typeof object) {\n case \"string\":\n case \"number\":\n case \"boolean\":\n case \"function\":\n return true;\n default:\n return object instanceof Object;\n }\n }\n\n if (object == null || klass == null || (typeof object !== 'object' && typeof object !== 'function')) {\n return false;\n }\n\n if (typeof klass === \"function\" && object instanceof klass) {\n return true;\n }\n\n var proto = Object.getPrototypeOf(klass);\n var constructor = proto != null ? proto.constructor : null;\n if (constructor != null && \"$metadata$\" in constructor) {\n var metadata = constructor.$metadata$;\n if (metadata.kind === Kotlin.Kind.OBJECT) {\n return object === klass;\n }\n }\n\n var klassMetadata = klass.$metadata$;\n\n // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n if (klassMetadata == null) {\n return object instanceof klass;\n\n }\n\n if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n return isInheritanceFromInterface(object.constructor, klass);\n }\n\n return false;\n};\n\nKotlin.isNumber = function (a) {\n return typeof a == \"number\" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n return value instanceof Kotlin.BoxedChar\n};\n\nKotlin.isComparable = function (value) {\n var type = typeof value;\n\n return type === \"string\" ||\n type === \"boolean\" ||\n Kotlin.isNumber(value) ||\n Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n return typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};",null,"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n @JsName(\"name$\") private var _name: String = \"\"\n @JsName(\"ordinal$\") private var _ordinal: Int = 0\n\n val name: String\n get() = _name\n\n val ordinal: Int\n get() = _ordinal\n\n override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n override fun equals(other: Any?) = this === other\n\n override fun hashCode(): Int = js(\"Kotlin.identityHashCode\")(this)\n\n override fun toString() = name\n\n companion

object\n}",null,"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun

ByteArray.contains(element: Byte): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun IntArray.contains(element: Int): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun FloatArray.contains(element: Float): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun <T> Array<out T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ByteArray.elementAt(index: Int): Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <=

lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n   return if (index >= 0 && index <= lastIndex)
get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling
the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n   return

this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate],
or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n return lastOrNull(predicate)\n}\n\n/**\n
* Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate:

(Boolean) -> Boolean): Boolean? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns the first element matching the given
[predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array
contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the

predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull(): Int? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]

function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ByteArray.getOrNull(index:
Int): Byte? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ShortArray.getOrNull(index: Int): Short? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun IntArray.getOrNull(index: Int): Int? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun LongArray.getOrNull(index: Int): Long? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun FloatArray.getOrNull(index: Int): Float? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n

*/\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n if (element == null) {\n for (index in indices) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.indexOf(element: Double): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not
contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate],
or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first

element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n for (index
in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n
throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n
throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.last(): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is

empty.\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean): Long {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n for (index in indices.reversed()) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of

[element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element:
Short): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n
return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element, or `null` if the
array is empty.\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
* Returns the last element, or `null` if the array is empty.\n */\npublic fun DoubleArray.lastOrNull(): Double? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun CharArray.lastOrNull(): Char? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic
inline fun ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element

matching the given [predicate], or `null`
if no such element was found.\n */\npublic inline fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.random(): Float {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array
using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Array<out T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ByteArray.random(random: Random): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ShortArray.random(random: Random): Short {\n if (isEmpty())\n

throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntArray.random(random: Random): Int {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongArray.random(random: Random): Long {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun FloatArray.random(random: Random): Float {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun DoubleArray.random(random: Random): Double {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun BooleanArray.random(random: Random): Boolean {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharArray.random(random: Random): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.randomOrNull(): T? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.randomOrNull(): Byte? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.randomOrNull(): Short? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.randomOrNull(): Int? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.randomOrNull(): Long? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.randomOrNull(): Float? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.randomOrNull(): Double? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.randomOrNull(): Boolean? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T> Array<out T>.randomOrNull(random: Random): T? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun ByteArray.randomOrNull(random: Random): Byte? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun ShortArray.randomOrNull(random: Random): Short? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun IntArray.randomOrNull(random: Random): Int? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun LongArray.randomOrNull(random: Random): Long? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun FloatArray.randomOrNull(random: Random): Float? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun DoubleArray.randomOrNull(random: Random): Double? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun BooleanArray.randomOrNull(random: Random): Boolean? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun CharArray.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single(): Short {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float

{\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single(): Double {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single(): Boolean {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char {\n return when (size) {\n 0 -> throw NoSuchElementException(\"Array is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"Array has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n

var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean):
Int {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if
(!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Long\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if

(!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n var single: Short? = null\n var found = false\n for

(element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single:
Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n

*/\npublic fun LongArray.drop(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n
 * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.drop(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n
 */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list
 containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n:
 Int): List<Float> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int):

```
List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
 [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte)
 -> Boolean): List<Byte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n   return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n return take(index
 + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n    for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy
 the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate:
 (Char) -> Boolean): List<Char> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n   return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
```

satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n var yielding = false\n val list = ArrayList<Byte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n var yielding = false\n val list = ArrayList<Short>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n var yielding = false\n val list = ArrayList<Int>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropWhile(predicate: (Long) -> Boolean): List<Long> {\n var yielding = false\n val list = ArrayList<Long>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n var yielding = false\n val list = ArrayList<Float>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {\n var yielding = false\n val list = ArrayList<Double>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n var yielding = false\n val list = ArrayList<Boolean>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n var yielding = false\n val list = ArrayList<Char>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun FloatArray.filter(predicate: (Float) -

> Boolean): List<Float> {\n   return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n   return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n   return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n   return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n
 * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n   return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n   return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
 returns the result of predicate evaluation on the element.\n */\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n   return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n   return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n   return filterIndexedTo(ArrayList<Long>(),
 predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n   return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n   return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element
 and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n   return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n   return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination:
 C, predicate: (index: Int, T) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C :

MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic
inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function
that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element
is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) ->

Boolean): List<Short> {\n   return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n   return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n   return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n   return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {\n   return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n   return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n   return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n   for (element in this) if (element != null) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the
given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (element in this) if

(!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at

```
indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start,
 indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list
 = ArrayList<Short>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n
    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
 CharArray.slice(indices: Iterable<Int>): List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this,
indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n    val result =
ByteArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array
 containing elements of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices:
Collection<Int>): ShortArray {\n    val result = ShortArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices:
Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
```

```
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result = BooleanArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++]
    = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result = CharArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n    if (indices.isEmpty()) return copyOfRange(0, 0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if (indices.isEmpty()) return ByteArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns
    an array containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n    if (indices.isEmpty()) return ShortArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n    if (indices.isEmpty()) return IntArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n    if (indices.isEmpty()) return LongArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if (indices.isEmpty())
    return FloatArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n    if (indices.isEmpty()) return DoubleArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n    if (indices.isEmpty()) return BooleanArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices: IntRange): CharArray {\n    if (indices.isEmpty()) return CharArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n
    * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count
    = 0\n    val list = ArrayList<Byte>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
```

```
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Short>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n:
 Int): List<Int> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return
emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list =
ArrayList<Int>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return
list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
LongArray.take(n: Int): List<Long> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if
(n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n
val list = ArrayList<Long>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n
}\n    return list\n}\n\n/**\n * Returns
 a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Float>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if
 (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Double>(n)\n    for (item in this) {\n
list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Boolean>(n)\n
for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
 */\npublic fun CharArray.take(n: Int): List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n
var count = 0\n    val list = ArrayList<Char>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n
        break\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<T>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n
   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
ByteArray.takeLast(n: Int): List<Byte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
 if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return
listOf(this[size - 1])\n    val list = ArrayList<Byte>(n)\n    for (index in size - n until size)\n
```

list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Short>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Int>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Long>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Float>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Double>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Boolean>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   val size = size\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[size - 1])\n   val list = ArrayList<Char>(n)\n   for (index in size - n until size)\n   list.add(this[index])\n   return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return drop(index + 1)\n   }\n   }\n   return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n   for (index in lastIndex

```
downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate: (Char) -> Boolean): List<Char> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    val list = ArrayList<Byte>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n    val list = ArrayList<Short>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n    val list = ArrayList<Int>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n    val list = ArrayList<Long>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n    val list = ArrayList<Float>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
```

*/\npublic
inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n val list = ArrayList<Double>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n val list = ArrayList<Boolean>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n val list = ArrayList<Char>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex
= lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun
FloatArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex]
= tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n if (isEmpty())
return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n if (isEmpty()) return emptyList()\n

val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun FloatArray.reversed(): List<Float> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns
a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n   if (isEmpty()) return this\n   val result = arrayOfNulls(this, size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n   if (isEmpty()) return this\n   val result = ByteArray(size)\n   val lastIndex = lastIndex\n
for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n   if (isEmpty()) return this\n   val result = ShortArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n   if (isEmpty()) return this\n   val result = IntArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n   if (isEmpty()) return this\n   val result = LongArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex
- i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n   if (isEmpty()) return this\n   val result = FloatArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n   if (isEmpty()) return this\n   val result = DoubleArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n   if (isEmpty()) return this\n   val result = BooleanArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n
return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n   if (isEmpty()) return this\n   val result = CharArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n   if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n

sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array
in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n if (size > 1)
{\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {\n return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according
to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray():
Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n if (isEmpty()) return
this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of

this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after
sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n
* Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedArrayDescending(): CharArray {\n if (isEmpty())
return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned
by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline
selector: (Long) -> R?): List<Long> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>>

BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n
 * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n   return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n

```
 * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending(): List<Char> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n    return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n    return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n    return toTypedArray().apply
 { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n    return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n    return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n    return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n    return toTypedArray().apply
 { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n    return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n    return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun IntArray.asList(): List<Int>\n\n/**\n
 * Returns a [List] that wraps the original array.\n */\npublic expect fun LongArray.asList(): List<Long>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals]
 function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n
 * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the
```

[equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same
elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for
equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating
point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect
fun LongArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is

[List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's

allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of

range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting
at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or
[endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n
* @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ShortArray.copyOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun LongArray.copyOf(): LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun FloatArray.copyOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\npublic expect fun DoubleArray.copyOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun BooleanArray.copyOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of

the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *

@param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array

by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val <T> Array<out T>.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ByteArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val LongArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n   get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n

* Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n   return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n   get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array
and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean):
BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements:

Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/**\n
* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original
array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun IntArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun

CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n   return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n   return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n   return CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n   return DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n   return FloatArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out Int>.toIntArray(): IntArray {\n   return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray(): LongArray {\n   return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n   return ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the

map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline

fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Byte>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,

valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K,

in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform]

function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function
applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n

destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char)
-> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n
* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided
by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n for (element in this) {\n
destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by

[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n
 * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n
 */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the
 given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte>
 {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n return toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n return toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun BooleanArray.toHashSet():

```
HashSet<Boolean> {\n    return toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun CharArray.toHashSet(): HashSet<Char> {\n    return toCollection(HashSet<Char>(mapCapacity(size)))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ByteArray.toList(): List<Byte> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ShortArray.toList(): List<Short> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun IntArray.toList(): List<Int> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun LongArray.toList(): List<Long> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun FloatArray.toList(): List<Float> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun DoubleArray.toList(): List<Double> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun BooleanArray.toList(): List<Boolean>
{\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun CharArray.toList(): List<Char> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n    return ArrayList(this.asCollection())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n    val list = ArrayList<Byte>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n    val list = ArrayList<Short>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n    val list = ArrayList<Int>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun LongArray.toMutableList(): MutableList<Long> {\n    val list = ArrayList<Long>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n    val list = ArrayList<Float>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n    val list = ArrayList<Double>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns
a [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n    return when (size)
{\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
```

The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n
    return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet(): Set<Double> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toSet():
 Set<Boolean> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n   return when (size) {\n   0 -> emptySet()\n   1 -> setOf(this[0])\n   else -> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n   }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked
 on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
 list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R>

{\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n   return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original

array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves
the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n
* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the

element\n
 * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic
 inline fun <K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original
 array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n *
 @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n
 * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups

values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>>
{\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n
* \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<Short>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Int>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated
with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key

associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this)
{\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts
to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M,
keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n
return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function
applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the

original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long)
-> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function
applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n

```
*/\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n    return object : Grouping<T, K> {\n        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n        override fun keyOf(element: T): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and
```

its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the
result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform
applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends
the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++,

item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination:
C, transform: (index: Int, Long) -> R): C {\n   var index = 0\n   for (item in this)\n destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in
R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n   forEach { element -> transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends
the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n   for (item in this)\n destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each

element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator()\n }\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Array<out T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct

elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ByteArray.distinct(): List<Byte> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ShortArray.distinct(): List<Short> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun IntArray.distinct(): List<Int> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun LongArray.distinct(): List<Long> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun FloatArray.distinct(): List<Float> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun DoubleArray.distinct(): List<Double> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun CharArray.distinct(): List<Char> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n   val set = HashSet<K>()\n   val list = ArrayList<T>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n   val set = HashSet<K>()\n   val list = ArrayList<Byte>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n   val set = HashSet<K>()\n   val list = ArrayList<Short>()\n   for (e in this) {\n   val key = selector(e)\n   if (set.add(key))\n   list.add(e)\n   }\n   return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by

the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n val set = HashSet<K>()\n val list = ArrayList<Int>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n val set = HashSet<K>()\n val list = ArrayList<Long>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n val set = HashSet<K>()\n val list = ArrayList<Float>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n val set = HashSet<K>()\n val list = ArrayList<Double>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n val set = HashSet<K>()\n val list = ArrayList<Boolean>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n val set = HashSet<K>()\n val list = ArrayList<Char>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this

array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set

= this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n   val set = LinkedHashSet<T>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n   val set = LinkedHashSet<Byte>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n   val set = LinkedHashSet<Short>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n   val set = LinkedHashSet<Int>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n   val set = LinkedHashSet<Long>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n   val set = LinkedHashSet<Float>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n   val set = LinkedHashSet<Double>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n   val set = LinkedHashSet<Boolean>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n   val set = LinkedHashSet<Char>(mapCapacity(size))\n   for (item in this) set.add(item)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated

in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean>
{\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun
LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean):

Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return

true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value

starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]

function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n to each element and current accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic

inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator
= initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index:
Int, T, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation:
(index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R,

operation: (index: Int, Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial:
R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given
[action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n
for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of

an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max(): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun LongArray.max(): Long? {\n if (isEmpty())\n return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the

largest element
or `null` if there are no elements.\n */\npublic fun CharArray.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue
= selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n
* \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n
for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem =

this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.min(): Double? {\n   if (isEmpty()) return null\n   var min = this[0]\n   if (min.isNaN()) return min\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (e.isNaN()) return e\n   if (min > e) min = e\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.min(): Float? {\n   if (isEmpty()) return null\n   var min = this[0]\n   if (min.isNaN()) return min\n   for (i in 1..lastIndex) {\n   val e =

this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ByteArray.min(): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ShortArray.min(): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun IntArray.min(): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun LongArray.min(): Long? {\n

if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.min(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun CharArray.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given

function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n

var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if

there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are
no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min
= e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun LongArray.minWith(comparator:
Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n

*/\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min,
e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*/\npublic fun <T> Array<out T>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none():
Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n
* \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun

FloatArray.none(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun BooleanArray.none(predicate:
(Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator
= this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long):
Long {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with\n the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an\n element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to

right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun FloatArray.reduceIndexed(operation:
(index: Int, acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator
= this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator

value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char):
Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from

right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates
 value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator
 = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRight(operation:
 (Double, acc: Double) -> Double): Double {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation]
 from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation:
 (index: Int, T, acc: S) -> S): S {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n

* to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation:
(index: Int, Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n

* to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun FloatArray.reduceRightOrNull(operation:

(Float, acc: Float) -> Float): Float? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun CharArray.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <T, R> Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting
list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val

result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect
the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n
* otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index,\n accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`

value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element
of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n if (isEmpty()) return emptyList()\n var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts
with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.scanReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.scanReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.scanReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Int>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.scanReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Long>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.scanReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Float>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.scanReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.scanReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.scanReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns
```

a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n if (isEmpty()) return emptyList()\n var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.scanReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.scanReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.scanReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Int>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.scanReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Long>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n

}\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.scanReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Float>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.scanReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Double>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.scanReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns

the sum of all values produced by [selector] function applied to
each element in the array.\n */\npublic inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n var sum: Int
= 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n
* Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\npublic inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Array<T?>.requireNoNulls(): Array<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Array<T>\n}\n\n/**\n * Splits the original array into pair
of

lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n val first = ArrayList<Short>()\n val second = ArrayList<Short>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun IntArray.partition(predicate:
(Int) -> Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n val second = ArrayList<Int>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n val first = ArrayList<Long>()\n val second = ArrayList<Long>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n val first = ArrayList<Float>()\n val second = ArrayList<Float>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n val first = ArrayList<Double>()\n val second = ArrayList<Double>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first = ArrayList<Boolean>()\n val second = ArrayList<Boolean>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun CharArray.partition(predicate:
(Char) -> Boolean): Pair<List<Char>, List<Char>> {\n val first = ArrayList<Char>()\n val second = ArrayList<Char>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built

from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n   val size = minOf(size,

other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a:
Double, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the

elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*/\npublic inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if
(i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a

list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list
of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n

```
* Returns a list of pairs built from the elements of `this`
 array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other:
FloatArray): List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other:
 BooleanArray): List<Pair<Boolean, Boolean>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic
infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*/\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n    val
size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for
 (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
 */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values
 built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform:
```

(a: Double, b: Double) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence
= \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
ByteArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>
ShortArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If
the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer:

A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the

elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n
 * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
 of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Array<out T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) ->
 CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and
 using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be

appended, followed
by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun FloatArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun DoubleArray.joinToString(separator:
CharSequence = \", \", prefix:
CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform:
((Double) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit,
truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun
BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator,
prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated
using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you
can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended,
followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable():
Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun
ByteArray.asIterable(): Iterable<Byte> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator()
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n if (isEmpty()) return emptyList()\n return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n if (isEmpty()) return
emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n */\npublic
fun LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return emptyList()\n return Iterable {
this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n if (isEmpty()) return emptyList()\n
return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning
its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n if (isEmpty())
return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the
original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable():
Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates
an [Iterable] instance that wraps the original array returning its

elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n   if (isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence(): Sequence<T> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence(): Sequence<Byte> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence(): Sequence<Short> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence(): Sequence<Int> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence(): Sequence<Long> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence(): Sequence<Float> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence(): Sequence<Double> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun BooleanArray.asSequence(): Sequence<Boolean> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun CharArray.asSequence(): Sequence<Char> {\n   if (isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Array<out Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Array<out Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Array<out Int>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Array<out Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Array<out Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Array<out Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   ++count\n   }\n   return if (count == 0) Double.NaN else sum /

count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun ShortArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int
= 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun LongArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun FloatArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun DoubleArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0)
Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Array<out Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Array<out Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Array<out Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Array<out Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n
* Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Array<out Float>.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Array<out Double>.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ShortArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun LongArray.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun FloatArray.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun DoubleArray.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage
kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws

IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntRange.random(random: Random): Int {\n try {\n return random.nextInt(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongRange.random(random: Random): Long {\n try {\n return random.nextLong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharRange.random(random: Random): Char {\n try {\n return random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.randomOrNull(): Int? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.randomOrNull(): Long? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified
source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun IntRange.randomOrNull(random: Random): Int? {\n if (isEmpty())\n return null\n return random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun LongRange.randomOrNull(random: Random): Long? {\n if (isEmpty())\n return null\n return random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun CharRange.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n *
\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element: Int?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element: Long?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element: Char?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator
fun ClosedRange<Int>.contains(value: Byte): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator

fun ClosedRange<Long>.contains(value: Byte): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n   return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Byte): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n

*/\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator
fun ClosedRange<Double>.contains(value: Float): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing
integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Int): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun
ClosedRange<Float>.contains(value: Int): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun
ClosedRange<Int>.contains(value: Long): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic
operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Long): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun
ClosedRange<Float>.contains(value: Long): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun
ClosedRange<Int>.contains(value: Short): Boolean {\n   return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun
ClosedRange<Long>.contains(value: Short): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator
fun ClosedRange<Byte>.contains(value: Short): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This
`contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Short): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun
ClosedRange<Float>.contains(value: Short): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Returns a

progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Byte): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this`
value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Char.downTo(to: Char): CharProgression {\n return CharProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n
* Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Int): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned
progression is empty.\n */\npublic infix fun Short.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified
[to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to:

Short): IntProgression {\n   return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Short): LongProgression {\n   return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The
[to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n   return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n   return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n   return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n   return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n
* Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n   checkStepIsPositive(step > 0, step)\n   return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n   checkStepIsPositive(step > 0, step)\n   return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n   checkStepIsPositive(step > 0, step)\n   return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt())
this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun Short.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun Double.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun Float.toByteExactOrNull(): Byte? {\n   return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n   return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n   return
if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n   return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n   return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun

Double.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n   return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat())
this.toShort() else null\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n   return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n   return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n   if (to <= '\\u0000') return CharRange.EMPTY\n   return this .. (to - 1).toChar()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n   if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n   return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less
than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n   if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n   return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n   return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n   return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]

value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than
or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n
* \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n
* Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int

{\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float): Float {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue: Double): Double {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n   if (minimumValue !== null && maximumValue !== null) {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   }\n   else {\n   if (minimumValue !== null && this < minimumValue) return minimumValue\n   if (maximumValue !== null && this > maximumValue) return maximumValue\n   }\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short, maximumValue:
Short): Short {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n   if (minimumValue > maximumValue)

throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin(\"1.1\")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   // this < start equiv to this <= start && !(this >= start)\n   range.lessThanOrEquals(this, range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n   // this > end equiv to this >= end && !(this <= end)\n   range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedRange<T>): T {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<T>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<Int>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<Long>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT

EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UByte can have.\n */\n public const val MIN_VALUE: UByte = UByte(0)\n\n /**\n * A constant holding the maximum value an instance of UByte can have.\n */\n public const val MAX_VALUE: UByte = UByte(-1)\n\n /**\n * The number of bytes used to represent an instance of UByte in a binary form.\n */\n public const val SIZE_BYTES: Int = 1\n\n /**\n * The number of bits used to represent an instance of UByte in a binary form.\n */\n public const val SIZE_BITS: Int = 8\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n

public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n   /** Increments this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun inc(): UByte = UByte(data.inc())\n   /** Decrements this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UByte = UByte(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n   /** Performs a bitwise AND operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n   /** Performs a bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n   /** Inverts the bits in this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun inv(): UByte = UByte(data.inv())\n\n   /**\n   * Converts this [UByte] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n   * the same numerical value as this `UByte`. Otherwise the result is negative.\n   *\n   * The resulting `Byte` value has the same binary representation as this `UByte` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data\n   /**\n   * Converts this [UByte] value to [Short].\n   *\n   * The resulting `Short` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `Short` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 8 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short = data.toShort() and 0xFF\n   /**\n   * Converts this [UByte] value to [Int].\n   *\n   * The resulting `Int` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 24 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt() and 0xFF\n   /**\n   * Converts this [UByte] value to [Long].\n   *\n   * The resulting `Long` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 56 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long = data.toLong() and 0xFF\n\n   /** Returns this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun toUByte(): UByte = this\n   /**\n   * Converts this [UByte] value to [UShort].\n   *\n   * The resulting `UShort` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 8 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n   /**\n   * Converts this [UByte] value to [UInt].\n   *\n   * The resulting `UInt` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 24 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\n   /**\n   * Converts this [UByte] value to [ULong].\n   *\n   * The resulting `ULong` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `ULong` value are

the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n * Converts this [UByte] value to [Float].\n *\n * The resulting `Float` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UByte] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n *\n * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n *\n
* The resulting `UByte` value has the same binary representation as this `Byte` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Short`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Int`
value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
inline class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UInt can have.\n */\n public const val MIN_VALUE: UInt = UInt(0)\n\n /**\n * A constant holding the maximum value an instance of UInt can have.\n */\n public const val MAX_VALUE: UInt = UInt(-1)\n\n /**\n * The number of bytes used to represent an instance of UInt in a binary form.\n */\n public const val SIZE_BYTES: Int = 4\n\n /**\n * The number of bits used to represent an instance of UInt in a binary form.\n */\n public const val SIZE_BITS: Int = 32\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other:

UInt): Int = uintCompare(this.data, other.data)\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UInt): UInt = UInt(this.data.minus(other.data))\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UShort): UInt = this.times(other.toUInt())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UShort): UInt = this.div(other.toUInt())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UInt): UInt\n   = uintDivide(this, other)\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n   /** Increments this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun inc(): UInt = UInt(data.inc())\n   /** Decrements this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UInt = UInt(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this, other)\n\n   /** Shifts this value left by the [bitCount] number of bits. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n   /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n   /** Performs a bitwise AND operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\n   /**

Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UInt = UInt(data.inv())\n\n /**\n * Converts this [UInt] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value.\n * Note that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline
fun toByte(): Byte = data.toByte()\n /**\n * Converts this [UInt] value to [Short].\n *\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value.\n * Note that the resulting `Short` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n /**\n * Converts this [UInt] value to [Int].\n *\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n * the same numerical value as this `UInt`. Otherwise the result is negative.\n *\n * The resulting `Int` value has the same binary representation as this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data\n /**\n * Converts this [UInt] value
to [Long].\n *\n * The resulting `Long` value represents the same numerical value as this `UInt`.\n *\n * The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFFFF_FFFF\n\n /**\n * Converts this [UInt] value to [UByte].\n *\n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [UInt] value to [UShort].\n *\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort`
value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = this\n /**\n * Converts this [UInt] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UInt`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)\n\n /**\n * Converts this [UInt] value to [Float].\n *\n * The resulting value is the closest `Float` to this `UInt` value.\n
* In case when this `UInt` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [UInt] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UInt`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = uintToDouble(data)\n\n public override fun toString(): String = toLong().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,\n * whereas the most significant 24 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun Byte.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Short] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\n * whereas the most significant 16 bits are filled with the sign bit of this value.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.\n *\n * The resulting `UInt` value has the same binary representation as this `Int` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n *\n * If this value is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUInt(): UInt = UInt(this.toInt())\n\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n   companion object {\n   /**\n   * A constant holding the minimum value an instance of UShort can have.\n   */\n   public const val MIN_VALUE: UShort = UShort(0)\n\n   /**\n   * A constant holding the maximum value an instance of UShort can have.\n   */\n   public const val MAX_VALUE: UShort = UShort(-1)\n\n   /**\n   * The number of bytes used to represent an instance of UShort in a binary form.\n   */\n   public const val SIZE_BYTES: Int = 2\n\n   /**\n   * The number of bits used to represent an instance of UShort in a binary form.\n   */\n   public const val SIZE_BITS: Int = 16\n   }\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   @Suppress(\"OVERRIDE_BY_INLINE\")\n   public override inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n   /**\n   * Compares this value with the specified value for order.\n   * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n   * or a positive number if it's greater than other.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n   /** Adds the other value

to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n@kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n   /** Subtracts the other value from this value. */\n@kotlin.internal.InlineOnly\n   public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n   /** Multiplies this value by the other value. */\n@kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n   /** Divides this value by the other value. */\n@kotlin.internal.InlineOnly\n   public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n   /** Calculates the remainder of dividing this value by the other value. */\n@kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n   /** Increments this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun inc(): UShort = UShort(data.inc())\n   /** Decrements this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UShort = UShort(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n   /** Performs a bitwise AND operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun and(other: UShort): UShort = UShort(this.data and other.data)\n   /** Performs a bitwise OR operation between the two values. */\n@kotlin.internal.InlineOnly\n   public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n   /** Performs a bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun xor(other: UShort): UShort = UShort(this.data xor other.data)\n   /** Inverts the bits in this value. */\n@kotlin.internal.InlineOnly\n   public inline fun inv(): UShort = UShort(data.inv())\n\n   /**\n   * Converts this [UShort] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n   * the same numerical value as this `UShort`.\n   *\n   * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort` value.\n   * Note that the resulting `Byte` value may be negative.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data.toByte()\n   /**\n   * Converts this [UShort] value to [Short].\n   *\n   * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n   * the same numerical value as this `UShort`. Otherwise the result is negative.\n   *\n   * The resulting `Short` value has the same binary

representation as this `UShort` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short = data\n   /**\n   * Converts this [UShort] value to [Int].\n   *\n   * The resulting `Int` value represents the same numerical value as this `UShort`.\n   *\n   *
The least significant 16 bits of the resulting `Int` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 16 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt() and 0xFFFF\n   /**\n   * Converts this [UShort] value to [Long].\n   *\n   * The resulting `Long` value represents the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `Long` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 48 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long = data.toLong() and 0xFFFF\n\n   /**\n   * Converts this [UShort] value to [UByte].\n   *\n   * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n   * the same numerical value as this `UShort`.\n   *\n   * The resulting `UByte` value
is represented by the least significant 8 bits of this `UShort` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUByte(): UByte = data.toUByte()\n   /** Returns this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun toUShort(): UShort = this\n   /**\n   * Converts this [UShort] value to [UInt].\n   *\n   * The resulting `UInt` value represents the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n   * whereas the most significant 16 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n   /**\n   * Converts this [UShort] value to [ULong].\n   *\n   * The resulting `ULong` value represents the same numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `ULong` value are the same as the bits
of this `UShort` value,\n   * whereas the most significant 48 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)\n\n   /**\n   * Converts this [UShort] value to [Float].\n   *\n   * The resulting `Float` value represents the same numerical value as this `UShort`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toFloat(): Float = this.toInt().toFloat()\n   /**\n   * Converts this [UShort] value to [Double].\n   *\n   * The resulting `Double` value represents the same numerical value as this `UShort`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toDouble(): Double = this.toInt().toDouble()\n\n   public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.\n *\n * The least
significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value,\n * whereas the most significant 8 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Short] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.\n *\n * The resulting `UShort` value has the same binary representation as this `Short` value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUShort(): UShort = UShort(this)\n/**\n * Converts this [Int] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UShort` value is represented
by the least significant 16 bits of this `Int` value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Long] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Long` value.\n
/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())\n","/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin

```
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of
 type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n    override val start: Char get() = first\n    override val endInclusive: Char get() = last\n\n    override fun contains(value: Char): Boolean = first <= value && value <= last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is CharRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Char. */\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive,
 1), ClosedRange<Int> {\n    override val start: Int get() = first\n    override val endInclusive: Int get() = last\n\n    override fun contains(value: Int): Boolean = first <= value && value <= last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first + last)\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Int. */\n        public val EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n    override val start: Long get() = first\n    override val endInclusive: Long get() = last\n\n    override
 fun contains(value: Long): Boolean = first <= value && value <= last\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n@file:UseExperimental(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage
 kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n    override fun hasNext(): Boolean = false\n    override fun hasPrevious(): Boolean = false\n    override fun nextIndex(): Int = 0\n    override fun previousIndex(): Int = -1\n    override fun next(): Nothing = throw NoSuchElementException()\n    override fun previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n    override fun hashCode(): Int = 1\n    override fun toString(): String = \"[]\"\n\n    override val size: Int get() = 0\n    override fun isEmpty(): Boolean = true\n    override fun contains(element: Nothing): Boolean = false\n    override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n
    override fun get(index: Int): Nothing = throw IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\n    override fun indexOf(element: Nothing): Int = -1\n    override fun lastIndexOf(element: Nothing): Int = -1\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw IndexOutOfBoundsException(\"Index: $index\")\n        return EmptyIterator\n    }\n\n    override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n
        throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\n    }\n\n    private fun
```

readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {\n override val size: Int get() = values.size\n override fun isEmpty(): Boolean = values.isEmpty()\n override fun contains(element: T): Boolean = values.contains(element)\n override fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n override fun iterator(): Iterator<T> = values.iterator()\n // override hidden toArray implementation to prevent copying of values array\n public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\npublic fun <T> emptyList(): List<T> = EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample samples.collections.Collections.Lists.emptyArrayList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample samples.collections.Collections.Lists.mutableList\n */\npublic fun <T> mutableListOf(vararg elements: T): MutableList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample samples.collections.Collections.Lists.arrayList\n */\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.mutableListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n val list = ArrayList<T>(size)\n repeat(size) { index -> list.add(init(index)) }\n return list\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * @sample

samples.collections.Builders.Lists.buildListSample\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return ArrayList<E>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using
the given [builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Lists.buildListSample\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n checkBuilderCapacity(capacity)\n return ArrayList<E>(capacity).apply(builderAction)\n}\n\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n
/\npublic val Collection<>.indices: IntRange\n get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n *\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n */\npublic val <T> List<T>.lastIndex: Int\n get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is either null or empty.\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.isEmpty()\n}\n\n/**\n * Returns this Collection
if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrEmpty\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n * Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is empty.\n *\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n
/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Collection<>, C : R =\n if (isEmpty()) defaultValue() else this\n\n\n/**\n * Checks if all elements in the specified collection are contained in this collection.\n
*\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n
*/\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which
one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-

insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\npublic fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = compareValues(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the specified [comparator],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted according to the specified [comparator].\n
* @sample samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparator.compare(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys
of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element with the specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(\n key: K?,\n fromIndex: Int = 0,\n toIndex: Int = size,\n crossinline selector: (T) -> K?\n): Int =\n binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this overload --- too rare\n//public fun
<T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n// binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which the given [comparison] function returns zero using the binary search algorithm.\n *\n * The list is expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,\n * i.e. negative values come before zero and zeroes come before positive values.\n * Otherwise, the result is undefined.\n *\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n *\n * @param comparison function that returns zero when called on the list element being searched.\n * On the elements coming before the target element, the function must return negative values;\n * on the elements coming after the target
element, the function must return positive values.\n *\n * @return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample

samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparison(midVal)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n */\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\n when {\n fromIndex > toIndex -> throw IllegalArgumentException(\"fromIndex ($fromIndex) is greater than toIndex ($toIndex).\")\n fromIndex < 0 -> throw IndexOutOfBoundsException(\"fromIndex ($fromIndex) is less than zero.\")\n toIndex > size -> throw IndexOutOfBoundsException(\"toIndex ($toIndex) is greater than size ($size).\")\n }\n}\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkIndexOverflow(index: Int): Int\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkCountOverflow(count: Int): Int\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwIndexOverflow() { throw ArithmeticException(\"Index overflow has happened.\") }\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwCountOverflow() { throw ArithmeticException(\"Count overflow has happened.\") }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n@file:UseExperimental(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n private const val serialVersionUID: Long = 8246714829545688274\n\n override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()\n override fun hashCode(): Int = 0\n override fun toString(): String = \"{}\"\n\n override val size: Int get() = 0\n override fun isEmpty(): Boolean = true\n\n override fun containsKey(key: Any?): Boolean = false\n override fun containsValue(value: Nothing): Boolean = false\n override fun get(key: Any?): Nothing? = null\n override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n override val keys: Set<Any?> get() = EmptySet\n override val values: Collection<Nothing> get() = EmptyList\n\n private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress(\"UNCHECKED_CAST\") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()\n\n/**\n * Returns an empty read-only map.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the

same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n   LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n *\n * @sample samples.collections.Maps.Instantiation.emptyHashMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> =
 HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new [LinkedHashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map
 passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return LinkedHashMap<K, V>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint
 the expected number of pairs added in the [builderAction].\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   checkBuilderCapacity(capacity)\n
 return LinkedHashMap<K, V>(mapCapacity(capacity)).apply(builderAction)\n}\n\n/**\n * Calculate the initial capacity of a map.\n */\n@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int): Int\n\n/**\n * Checks a collection builder function capacity argument.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@PublishedApi\ninternal expect fun checkBuilderCapacity(capacity:
 Int)\n\n/** Returns `true` if this map is not empty. */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n

```
 return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n *\n * @sample samples.collections.Maps.Usage.mapOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n * or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample samples.collections.Maps.Usage.mapIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if the map contains the given key.\n *\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n    @Suppress(\"UNCHECKED_CAST\") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing values in a mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n    put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n * @sample samples.collections.Maps.Usage.containsValue\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n\n/**\n * Removes the specified key and its corresponding
 value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableMap<K, V>).remove(key)\n\n/**\n * Returns the key component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n/**\n * Returns the value component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n
 *     // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n/**\n * Converts entry to [Pair] with key being first component and value being second.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n/**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\n\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n    val value = get(key)\n    if (value == null && !containsKey(key)) {\n        return defaultValue()\n    } else {\n        @Suppress(\"UNCHECKED_CAST\")\n
 return value as V\n
 }\n}\n\n/**\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by [withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key
```

and\n * no implicit default value was provided for that map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\n\n/**\n * Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n *\n * Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\n *\n * @sample samples.collections.Maps.Usage.getOrPut\n */\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\n val value = get(key)\n return if (value == null) {\n val answer = defaultValue()\n put(key, answer)\n answer\n } else {\n value\n }\n}\n\n/**\n * Returns an [Iterator] over the entries in the [Map].\n *\n * @sample samples.collections.Maps.Usage.forOverEntries\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n/**\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n *\n */\n@kotlin.jvm.JvmName(\"mutableIterator\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n/**\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by applying the [transform] function to each entry in this [Map].\n */\npublic inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n * [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.key)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n *

@sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.value)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\n *\n * @return the destination map.\n
* @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K,
in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (!predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(if (this is List) this[0] else iterator().next())\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n }\n }\n return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(this[0])\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n}\n\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only map containing all key-value
pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> toSingletonMap()\n else -> toMutableMap()\n}\n\n/**\n * Returns a new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMutableMap():

MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Creates a new read-only map by replacing or adding an entry to this map from a given key-value [pair].\n *\n * The returned map preserves the entry
 iteration order of the original map.\n * The [pair] is iterated in the end if it has a unique key.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =\n   if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with
 unique keys are iterated in the end in the order of [pairs] array.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from another [map].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those entries of another [map] that are missing in this map are iterated in the end in the order
 of that [map].\n */\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\n LinkedHashMap(this).apply { putAll(map) }\n\n\n/**\n * Appends or replaces the given [pair] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n   put(pair.first, pair.second)\n}\n\n/**\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic
 inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n putAll(pairs)\n}\n\n/**\n * Appends or replaces all entries from the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n   putAll(map)\n}\n\n/**\n * Returns a map containing all entries of the original map except the entry with the given [key].\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =\n this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] collection.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic
 operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys)

}.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] sequence.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {\n   remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n   this.keys.removeAll(keys)\n}\n\n\n// do not expose for now @PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n   0 -> emptyMap()\n   1 -> toSingletonMapOrSelf()\n   else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n@file:UseExperimental(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n   private const val serialVersionUID: Long = 3406603774387020532\n\n   override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n   override fun hashCode(): Int = 0\n   override fun toString(): String = \"[]\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n   override fun contains(element: Nothing): Boolean = false\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n   private fun readResolve(): Any = EmptySet\n}\n\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\npublic fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n *\n * The returned set preserves the element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n */\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [HashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> = HashSet()\n\n/** Returns a new [HashSet] with the given elements. */\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [LinkedHashSet].\n

```
* @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*/\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Builds a new read-only [Set] by
populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same
elements.\n *\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it
outside of the function produces an
 unspecified behavior.\n *\n * Elements of the set are iterated in the order they were added by the [builderAction].\n
*\n * @sample samples.collections.Builders.Sets.buildSetSample\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildSet(@BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
LinkedHashSet<E>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet]
using the given [builderAction]\n * and returning a read-only set with the same elements.\n *\n * The set passed as a
receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an
unspecified behavior.\n *\n * [capacity] is used to hint the expected number of elements added in the
[builderAction].\n *\n * Elements of the set are iterated in the order they were added by the [builderAction].\n
 *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample
samples.collections.Builders.Sets.buildSetSample\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    checkBuilderCapacity(capacity)\n    return
LinkedHashSet<E>(mapCapacity(capacity)).apply(builderAction)\n}\n\n\n/** Returns this Set if it's not `null` and
the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this
?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 ->
setOf(iterator().next())\n    else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache
 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"PLATFOR
M_CLASS_MAPPED_TO_KOTLIN\")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses
the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n    val int =
this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n
return int.toByte()\n}\n\n/**\n * Parses the string as a [Short]
 number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses
the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(radix: Int): Short? {\n    val int =
this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n
return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string
is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(): Int? =
toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or
```

`null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Int\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Int.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Int.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Int.MAX_VALUE\n }\n\n\n val limitForMaxRadix = (-Int.MAX_VALUE)
/ 36\n\n var limitBeforeMul = limitForMaxRadix\n var result = 0\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / radix\n\n if (result < limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(radix: Int): Long? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Long\n\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Long.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -Long.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Long.MAX_VALUE\n }\n\n\n val limitForMaxRadix = (-Long.MAX_VALUE)
/ 36\n\n var limitBeforeMul = limitForMaxRadix\n var result = 0L\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / radix\n\n if (result < limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n\n\ninternal fun numberFormatError(input: String): Nothing = throw NumberFormatException(\"Invalid number format: '$input'\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmName(\"UnsignedKt\")\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin\n\n@PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n@PublishedApi\ninternal fun ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n@PublishedApi\ninternal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava Authors\n\n@PublishedApi\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2) ULong(0) else ULong(1)\n }\n\n // Optimization - use

signed division if both dividend and divisor < 2^63\n   if (dividend >= 0) {\n   return ULong(dividend / divisor)\n   }\n\n   // Otherwise, approximate the quotient, check, and correct if necessary.\n   val quotient = ((dividend ushr 1) / divisor) shl 1\n   val rem = dividend - quotient * divisor\n   return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n\n}\n\n@PublishedApi\ninternal fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n   val dividend = v1.toLong()\n   val divisor = v2.toLong()\n   if (divisor < 0) { // i.e., divisor >= 2^63:\n   return if (v1 < v2) {\n   v1 // dividend < divisor\n   } else {\n   v1 - v2 // dividend >= divisor\n   }\n   }\n\n   // Optimization - use signed modulus if both dividend and divisor < 2^63\n   if (dividend >= 0) {\n   return ULong(dividend % divisor)\n   }\n\n   // Otherwise, approximate the quotient, check, and correct if necessary.\n   val quotient = ((dividend ushr 1) / divisor) shl 1\n   val rem = dividend - quotient * divisor\n   return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n   v.isNaN() -> 0u\n   v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n   v >= UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n   v <= Int.MAX_VALUE -> v.toInt().toUInt()\n   else -> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt()   // Int.MAX_VALUE < v < UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n   v.isNaN() -> 0u\n   v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n   v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n   v < Long.MAX_VALUE -> v.toLong().toULong()\n\n   // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\n   else -> (v - 9223372036854775808.0).toLong().toULong() + 9223372036854775808uL   // Long.MAX_VALUE + 1 < v < ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun ulongToString(v: Long): String = ulongToString(v, 10)\n\ninternal fun ulongToString(v: Long, base: Int): String {\n   if (v >= 0) return v.toString(base)\n\n   var quotient = ((v ushr 1) / base) shl 1\n   var rem = v - quotient * base\n   if (rem >= base) {\n   rem -= base\n   quotient += 1\n   }\n   return quotient.toString(base) + rem.toString(base)\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\n   override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another [Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\ninternal class IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n   override fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if it is known, or `null` otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of this iterable if it is known, or the specified [default] value otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/** Returns true when it's safe to convert this collection to a set without changing contains method behavior. */\nprivate fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\ninternal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n   when (this) {\n   is Set -> this\n   is Collection ->\n   when {\n   source is Collection && source.size < 2 -> this\n   else -> if (this.safeToConvertToSet()) toHashSet() else this\n   }\n   else -> toHashSet()\n   }\n\n/**

Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> toHashSet()\n }\n\n\n/**\n * Returns a single list of all elements from all collections in the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT = ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\n/**\n * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\npublic fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n override fun iterator(): Iterator<Nothing> = EmptyIterator\n override fun drop(n: Int) = EmptySequence\n override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns this sequence if it's not `null` and the empty sequence otherwise.\n * @sample samples.collections.Sequences.Usage.sequenceOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty(): Sequence<T> = this ?: emptySequence()\n\n\n/**\n * Returns a sequence that iterates through the elements either of this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n *\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n val iterator = this@ifEmpty.iterator()\n if (iterator.hasNext()) {\n yieldAll(iterator)\n } else {\n yieldAll(defaultValue())\n }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.jvm.JvmName(\"flattenSequenceOfIterable\")\npublic fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\n if (this is TransformingSequence<*, *>) {\n return (this as TransformingSequence<*, T>).flatten(iterator)\n }\n return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the

```
second values of each pair from this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T, R>
Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR =
ArrayList<R>()\n    for (pair in this)
 {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * A sequence that
returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n
*\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values
for which the predicate returns `false` are returned\n */\ninternal class FilteringSequence<T>(\n    private val
sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean\n) :
Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =
sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T?
= null\n\n        private fun calcNext() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n
            if (predicate(item) == sendWhen)
 {\n                    nextItem = item\n                    nextState = 1\n                    return\n                }\n            }\n
nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext()\n            if
(nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem\n            nextItem =
null\n            nextState = -1\n            @Suppress(\"UNCHECKED_CAST\")\n            return result as T\n        }\n\n
  override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState ==
1\n        }\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to
the values\n * in the underlying [sequence].\n */\n\ninternal class TransformingSequence<T,
R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n
override fun
 iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R
{\n            return transformer(iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return
iterator.hasNext()\n        }\n    }\n\n    internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n
return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which returns
the results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the
transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n
*/\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private
val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n
 val iterator = sequence.iterator()\n        var
 index = 0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++),
iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n
}\n}\n\n/**\n * A sequence which combines values from the underlying [sequence] with their indices and returns
them as\n * [IndexedValue] objects.\n */\ninternal class IndexingSequence<T>\nconstructor(private val sequence:
Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object :
Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next():
IndexedValue<T> {\n            return IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n\n
override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which
takes the values from two parallel underlying sequences, passes them
 to the given\n * [transform] function and returns the values returned by that function. The sequence stops
returning\n * values as soon as one of the underlying sequences stops returning values.\n */\ninternal class
MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1: Sequence<T1>,\n    private val sequence2:
Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator(): Iterator<V>
= object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n
override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n        }\n\n        override fun
hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n    }\n}\n\ninternal class
FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T)
-> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E>
```

```
{\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n\n            while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else {\n                    val element = iterator.next()\n                    val nextItemIterator = iterator(transformer(element))\n                    if (nextItemIterator.hasNext()) {\n                        itemIterator = nextItemIterator\n                        return true\n                    }\n                }\n            }\n            return true\n        }\n    }\n}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int): Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n    private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(startIndex >= 0) { \"startIndex should be non-negative, but is $startIndex\" }\n        require(endIndex >= 0) { \"endIndex should be non-negative, but is $endIndex\" }\n        require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\" }\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n    override fun iterator() = object : Iterator<T> {\n\n        val iterator = sequence.iterator()\n        var position = 0\n\n        // Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position < startIndex && iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n        }\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw NoSuchElementException()\n            position++\n\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * A sequence that returns at most [count] values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var left = count\n        val iterator = sequence.iterator()\n\n        override fun next(): T {\n            if (left == 0)\n                throw NoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return left > 0 && iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n */\ninternal class TakeWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            if (iterator.hasNext()) {\n                val item = iterator.next()\n                if (predicate(item)) {\n                    nextState = 1\n                    nextItem = item\n                    return\n                }\n            }\n            nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext() // will change nextState\n            if (nextState == 0)\n                throw NoSuchElementException()\n            @Suppress(\"UNCHECKED_CAST\")\n            val result = nextItem as T\n\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n\n
```

```
override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext() // will change nextState\n return nextState == 1\n }\n }\n}\n\n/**\n * A sequence that skips the specified number of values from the underlying [sequence] and returns\n * all values after that.\n */\ninternal class DropSequence<T>(\n private val sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n init {\n require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var left = count\n\n // Shouldn't be called from constructor to avoid premature iteration\n private fun drop() {\n while (left > 0 && iterator.hasNext()) {\n iterator.next()\n left--\n }\n }\n\n override fun next(): T {\n drop()\n return iterator.next()\n }\n\n override fun hasNext(): Boolean {\n drop()\n return iterator.hasNext()\n }\n }\n}\n\n/**\n * A sequence that skips the values
 from the underlying [sequence] while the given [predicate] returns `true` and returns\n * all values after that.\n */\ninternal class DropWhileSequence<T>\nconstructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator = sequence.iterator()\n var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n var nextItem: T? = null\n\n private fun drop() {\n while (iterator.hasNext()) {\n val item = iterator.next()\n if (!predicate(item)) {\n nextItem = item\n dropState = 1\n return\n }\n }\n dropState = 0\n }\n\n override fun next(): T {\n if (dropState == -1)\n drop()\n\n if (dropState == 1) {\n @Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n nextItem = null\n dropState = 0\n return result\n }\n return iterator.next()\n }\n\n override fun hasNext(): Boolean {\n if (dropState == -1)\n drop()\n return dropState == 1 || iterator.hasNext()\n }\n }\n}\n\ninternal class DistinctSequence<T, K>(private val source: Sequence<T>, private val keySelector: (T) -> K) : Sequence<T> {\n override fun iterator(): Iterator<T> = DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(private val source: Iterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\n private val observed = HashSet<K>()\n\n override fun computeNext() {\n while (source.hasNext()) {\n val next = source.next()\n val key = keySelector(next)\n\n if (observed.add(key)) {\n setNext(next)\n return\n }\n }\n\n done()\n }\n}\n\n\nprivate class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n var nextItem: T? = null\n var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n\n private fun calcNext() {\n nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n nextState = if (nextItem == null) 0 else 1\n }\n\n override fun next(): T {\n if (nextState < 0)\n calcNext()\n\n if (nextState == 0)\n throw NoSuchElementException()\n val result = nextItem as T\n // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n nextState = -1\n return result\n }\n\n override fun hasNext(): Boolean {\n if (nextState < 0)\n calcNext()\n return nextState == 1\n }\n }\n}\n\n/**\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * [IllegalStateException] is thrown on iterating the returned sequence from the second time.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n // as? does not work in js\n //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\n return if (this is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n\n/**\n * Returns a sequence which invokes the function to calculate the next value on each iteration until the function returns `null`.\n *\n * The
```

returned sequence is constrained to be iterated only once.\n *\n * @see constrainOnce\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n   return GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting with [seed].\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?, nextFunction: (T) -> T?): Sequence<T> =\n   if (seed == null)\n   EmptySequence\n   else\n   GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times.\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun <T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n   GeneratorSequence(seedFunction, nextFunction)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"PreconditionsKt\")\n\npackage kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n   contract {\n   returns() implies value\n   }\n   require(value) { \"Failed requirement.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n   contract {\n   returns() implies value\n   }\n   if (!value) {\n   val message = lazyMessage()\n   throw IllegalArgumentException(message.toString())\n   }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n   contract {\n   returns() implies (value != null)\n   }\n   return requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n   contract {\n   returns() implies (value != null)\n   }\n\n   if (value == null) {\n   val message = lazyMessage()\n   throw IllegalArgumentException(message.toString())\n   } else {\n   return value\n   }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n   contract {\n   returns() implies value\n   }\n   check(value) { \"Check failed.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n   contract {\n   returns() implies value\n   }\n   if (!value) {\n   val message = lazyMessage()\n   throw IllegalStateException(message.toString())\n   }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n

*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?): T {\n   contract {\n   returns() implies (value != null)\n   }\n   return checkNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n   contract {\n   returns() implies (value != null)\n   }\n\n   if (value == null) {\n   val message = lazyMessage()\n   throw IllegalStateException(message.toString())\n   } else {\n   return value\n   }\n}\n\n\n/**\n * Throws an [IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n */\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun <T> Array<out T>.elementAt(index: Int): T {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ByteArray.elementAt(index: Int): Byte {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ShortArray.elementAt(index: Int): Short {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun IntArray.elementAt(index: Int): Int {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun LongArray.elementAt(index: Int): Long {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun FloatArray.elementAt(index: Int): Float {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun DoubleArray.elementAt(index: Int): Double {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun BooleanArray.elementAt(index: Int): Boolean {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample

samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharArray.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList(): List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n return this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n return this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n return this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n return object : AbstractList<Char>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: Char): Boolean = this@asList.contains(element)\n override fun get(index: Int): Char {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: Char): Int {\n if ((element as Any?) !is Char) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: Char): Int {\n if ((element as Any?) !is Char) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepEquals\")\npublic actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepHashCode\")\npublic actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayDeepToString\")\npublic actual fun <T> Array<out T>.contentDeepToString(): String {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating

point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayEquals\")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ByteArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun ShortArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun IntArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun LongArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents

of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun FloatArray.contentHashCode(): Int {\n
definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun DoubleArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun BooleanArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayHashCode\")\npublic actual fun CharArray.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun <T> Array<out T>.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ByteArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun ShortArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun IntArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns
a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun LongArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun FloatArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun DoubleArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun BooleanArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.1\")\n@library(\"arrayToString\")\npublic actual fun CharArray.contentToString(): String {\n definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex
the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so

that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException
when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(),
destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index
is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the

[destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOf(): IntArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun LongArray.copyOf(): LongArray {\n return withType(\"LongArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun BooleanArray.copyOf(): BooleanArray {\n return withType(\"BooleanArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun CharArray.copyOf(): CharArray {\n return withType(\"CharArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero

values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ShortArray.copyOf(newSize: Int): ShortArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with
null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements

in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n return arrayCopyResize(this, newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"LongArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range

(exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"BooleanArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"CharArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive),
size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range
(exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,

toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end
of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic
actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array

and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n   return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n   return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n   return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n   return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator
fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(elements:
Array<out T>): Array<T> {\n   return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n

*/\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n *
 Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
 of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(elements: CharArray): CharArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n   return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun IntArray.sort(): Unit
 {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic actual fun LongArray.sort(): Unit {\n   if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ByteArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ShortArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun DoubleArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic
 actual fun FloatArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun CharArray.sort(): Unit {\n   definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n   if (size > 1) sortArrayWith(this,
 comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given

[comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline
 comparison: (a: Long, b: Long) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n   asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n
 * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n   if (size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun LongArray.toTypedArray():
 Array<Long> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n   return Array(size) { index -> this[index] }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
 contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do not\n * compare as equal, the result of that comparison is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n   require(selectors.size > 0)\n   return compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?>): Int
 {\n   for (fn in selectors) {\n   val v1 = fn(a)\n   val v2 = fn(b)\n   val diff = compareValues(v1, v2)\n   if (diff != 0) return diff\n   }\n   return 0\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n *\n * @sample

samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n   return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects of type K which are then being\n * compared with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n   return comparator.compare(selector(a), selector(b))\n}\n\n//// Not so useful without type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n///**\n// * Compares two values using the specified [comparator].\n// */\n//@Suppress(\"NOTHING_TO_INLINE\")\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a, b)\n//\n\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n * @sample samples.comparisons.Comparisons.compareValues\n */\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n   if (a === b) return 0\n   if (a == null) return -1\n   if (b == null) return 1\n\n   @Suppress(\"UNCHECKED_CAST\")\n   return (a as Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {\n   require(selectors.size > 0)\n   return Comparator { a, b -> compareValuesByImpl(a, b, selectors) }\n}\n\n\n/**\n * Creates a comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is reversed by this wrapper.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n   Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n   Comparator { a, b ->\n   val previousCompare = this@thenBy.compare(a, b)\n   if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n   }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function

to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenBy.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\n }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n */\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenByDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenByDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n }\n\n\n/**\n * Creates a comparator
using the primary comparator and function to calculate a result of comparison.\n *\n * @sample samples.comparisons.Comparisons.thenComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenComparator.compare(a, b)\n if (previousCompare != 0) previousCompare else comparison(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.then\n */\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@then.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter
is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n */\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n Comparator<T> { a, b ->\n val previousCompare = this@thenDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(b, a)\n }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n Comparator { a, b ->\n when {\n a === b -> 0\n a == null -> -1\n b == null -> 1\n else -> comparator.compare(a, b)\n }\n }\n\n/**\n *
Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n Comparator { a, b ->\n when {\n a === b -> 0\n a == null -> 1\n b == null -> -1\n else -> comparator.compare(a, b)\n }\n }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any other value.\n *\n * @sample

samples.comparisons.Comparisons.nullsFirstLastComparator\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n */\npublic fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as
Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n
*\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\")
(ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n */\npublic fun <T>
Comparator<T>.reversed(): Comparator<T> = when (this) {\n   is ReversedComparator
-> this.comparator\n   NaturalOrderComparator -> @Suppress(\"UNCHECKED_CAST\")
(ReverseOrderComparator as Comparator<T>)\n   ReverseOrderComparator ->
@Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n   else ->
ReversedComparator(this)\n}\n\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) :
Comparator<T> {\n   override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n
@Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n   fun reversed(): Comparator<T> = comparator\n}\n\nprivate
object NaturalOrderComparator : Comparator<Comparable<Any>> {\n   override fun compare(a:
Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
@Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n   fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n
    fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\n}\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual
interface Comparator<T> {\n   @JsName(\"compare\")\n   actual fun compare(a: T, b: T): Int\n}\n\npublic actual
inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T>
{\n   override fun compare(a: T, b: T): Int = comparison(a, b)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StandardKt\")\npackage kotlin\n\nimport
kotlin.contracts.*\n\n/**\n * An exception
is thrown to indicate that a method body remains to be implemented.\n */\npublic class
NotImplementedError(message: String = \"An operation is not implemented.\") : Error(message)\n\n/**\n * Always
throws [NotImplementedError] stating that operation is not implemented.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string
explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError(\"An operation is not implemented: $reason\")\n\n\n\n/**\n * Calls
the specified function [block] and returns its result.\n *\n * For detailed usage information see the documentation for
[scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R):
R {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n   return
block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n *\n
* For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n   contract {\n

callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block()\n return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n block(this)\n return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeUnless(predicate: (T) ->
Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n *\n * A zero-based index of current iteration is passed as a parameter to [action].\n *\n * @sample samples.misc.ControlFlow.repeat\n */\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n contract { callsInPlace(action) }\n\n for (index in 0 until times) {\n action(index)\n }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n *
Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n return Math.max(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"DEPRECATION_ERROR\", \"NOTHING_TO_INLINE\")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of

two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Float, b: Float): Float {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Double, b: Double): Double {\n   return Math.max(a, b)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Byte,
 b: Byte, c: Byte): Byte {\n   return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Short, b: Short, c: Short): Short {\n   return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Int, b: Int, c: Int): Int {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long, c: Long): Long {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a:
 Float, b: Float, c: Float): Float {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n   return Math.max(a, b, c)\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Byte, b: Byte): Byte {\n   return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Short, b: Short): Short
 {\n   return Math.min(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Int, b: Int): Int {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@Suppress(\"DEPRECATION_ERROR\", \"NOTHING_TO_INLINE\")\npublic actual inline fun minOf(a: Long, b: Long): Long {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Float, b: Float): Float {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Double, b: Double): Double {\n   return Math.min(a, b)\n}\n\n/**\n * Returns the smaller
 of three values.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T
 {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n   return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n

*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Short, b: Short, c: Short): Short {\n   return Math.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Int, b: Int, c: Int): Int {\n   return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long): Long {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Float, b: Float, c: Float): Float {\n   return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\n@Suppress(\"DEPRECATION_ERROR\")\npublic actual inline fun minOf(a: Double, b: Double, c: Double): Double {\n   return Math.min(a, b, c)\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE:
THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 2.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component2(): T {\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 3.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component3(): T {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 5.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n   return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n   if (this is Collection)\n   return contains(element)\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Iterable<T>.elementAt(index:
Int): T {\n   if (this is List)\n   return get(index)\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Collection doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n   return get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   if (this is List)\n   return this.getOrElse(index, defaultValue)\n   if (index < 0)\n   return defaultValue(index)\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n   return element\n   }\n   return defaultValue(index)\n}\n\n/**\n * Returns an element at the given

[index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Iterable<T>.elementAtOrNull(index: Int): T? {\n if (this is List)\n return this.getOrNull(index)\n if (index < 0)\n return null\n
val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.first(): T {\n when (this) {\n is List -> return this.first()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first element matching the
given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n when (this) {\n is List -> {\n if (isEmpty())\n return null\n else\n return this[0]\n }\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n */\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element:
T): Int {\n if (this is List) return this.indexOf(element)\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in

some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {\n return indexOf(element)\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n if (predicate(iterator.previous())) {\n return iterator.nextIndex()\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n when (this) {\n is List -> return this.last()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n }\n }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n last = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return last as T\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"List contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n if (this is List) return this.lastIndexOf(element)\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n when (this) {\n is List -> return if (isEmpty()) null else this[size - 1]\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n }\n }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last =

element\n }\n }\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Collection<T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Collection is empty.\")\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.randomOrNull(): T? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T> Collection<T>.randomOrNull(random: Random): T? {\n if (isEmpty())\n return null\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n when (this) {\n is List -> return this.single()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Collection has more than one element.\")\n return single\n }\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"List is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"List has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Collection contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n when (this) {\n is List -> return if (size == 1) this[0] else null\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return toList()\n val list: ArrayList<T>\n if (this is Collection<*>) {\n val resultSize = size - n\n if (resultSize <= 0)\n return emptyList()\n if (resultSize == 1)\n return listOf(last())\n list = ArrayList<T>(resultSize)\n if

(this is List<T>) {\n
if (this is RandomAccess) {\n for (index in n until size)\n list.add(this[index])\n } else {\n for (item in listIterator(n))\n list.add(item)\n }\n return list\n }\n }\n else {\n list = ArrayList<T>()\n }\n var count = 0\n for (item in this) {\n if (count >= n) list.add(item) else ++count\n }\n return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n return take(iterator.nextIndex() + 1)\n }\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n */\npublic inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n */\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n if (indices.isEmpty()) return listOf()\n return

```
this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (this is Collection<T>) {\n        if (n >= size) return toList()\n        if (n == 1) return listOf(first())\n    }\n    var count = 0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this is RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in listIterator(size - n))\n            list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (isEmpty())\n        return emptyList()\n    val iterator = listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (!predicate(iterator.previous())) {\n            iterator.next()\n            val expectedSize = size - iterator.nextIndex()\n            if (expectedSize == 0) return emptyList()\n            return ArrayList<T>(expectedSize).apply {\n                while (iterator.hasNext())\n                    add(iterator.next())\n            }\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
    (T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the list in-place.\n */\npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place
    descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n    sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T>
    {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>>
```

Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {\n   return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n   if (this is Collection) {\n   if (size <= 1) return this.toList()\n   @Suppress(\"UNCHECKED_CAST\")\n   return (toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n   }\n   return toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n   val result = BooleanArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n   val result = ByteArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n   val result = CharArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n   val result = DoubleArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n   val result = FloatArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun Collection<Int>.toIntArray(): IntArray {\n   val result = IntArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n   val result = LongArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun Collection<Short>.toShortArray(): ShortArray {\n   val result = ShortArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n   val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K,

T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order
of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element),
element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given collection and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n
return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n
}\n return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n if (this is Collection) {\n return when (size)

{\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else iterator().next())\n else -> this.toMutableList()\n }\n }\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n return this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K>

Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R>
{\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?):
List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original collection.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n
* Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list =

```
ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this collection and the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Iterable<T>.intersect(other:
 Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n    return when (this) {\n        is Collection<T> -> LinkedHashSet(this)\n        else -> toCollection(LinkedHashSet<T>())\n    }\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
 preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Iterable<T>.union(other:
 Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n    if (this
 is Collection) return !isEmpty()\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return false\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of elements in this collection.\n */\npublic fun <T> Iterable<T>.count(): Int {\n    if (this is Collection) return size\n    var count = 0\n    for (element in this) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements in this collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.count(predicate: (T) ->
 Boolean): Int {\n    if (this is Collection && isEmpty()) return 0\n    var count = 0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation:
 (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n    var accumulator = initial\n    if (!isEmpty()) {\n        val iterator = listIterator(size)\n        while (iterator.hasPrevious()) {\n            accumulator = operation(iterator.previous(), accumulator)\n        }\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
```

left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action:
(index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.max(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.max(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n
val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n if (!iterator.hasNext()) return maxElem\n var maxValue = selector(maxElem)\n do {\n val e = iterator.next()\n
val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n } while (iterator.hasNext())\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.min(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext())
{\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.min(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Iterable<T>.min(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns

```
the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each element and returns the collection itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the collection is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) return null\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if (!iterator.hasPrevious())\n        throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n    var accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator = operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in
```

the original list and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n val iterator = listIterator(size)\n if (!iterator.hasPrevious())\n throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n var accumulator: S = iterator.previous()\n while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the list is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n val iterator = listIterator(size)\n if (!iterator.hasPrevious())\n return null\n var accumulator: S = iterator.previous()\n while (iterator.hasPrevious()) {\n accumulator = operation(iterator.previous(), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <T, R> Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n val estimatedSize = collectionSizeOrDefault(9)\n if (estimatedSize == 0) return listOf(initial)\n val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <T, R> Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n val estimatedSize = collectionSizeOrDefault(9)\n if (estimatedSize == 0) return listOf(initial)\n val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n var index = 0\n var accumulator = initial\n for (element in this) {\n accumulator = operation(index++, accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Iterable<T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return emptyList()\n var accumulator: S = iterator.next()\n val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator

value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Iterable<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return emptyList()\n var accumulator: S = iterator.next()\n val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n var index = 1\n while (iterator.hasNext()) {\n accumulator = operation(index++, accumulator, iterator.next())\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Iterable<T>\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n val result = ArrayList<T>(collectionSizeOrDefault(10))\n var removed = false\n return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n if (elements.isEmpty()) return this.toList()\n val other = elements.toHashSet()\n return this.filterNot { it in other }\n}\n\n/**\n

```
 * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n    val other = elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n    val other = elements.toHashSet()\n    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n    return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second = ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Iterable<T>.plus(element: T): List<T> {\n    if (this is Collection) return this.plus(element)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Collection<T>.plus(element: T): List<T> {\n    val result = ArrayList<T>(size + 1)\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n    val result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if (elements is Collection) {\n        val result = ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n        result.addAll(elements)\n        return result\n    } else {\n        val result = ArrayList<T>(this)\n        result.addAll(elements)\n        return result\n    }\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given
```

```
[element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result = ArrayList<List<T>>(resultCapacity)\n        var index = 0\n        while (index in 0 until thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (windowSize < size && !partialWindows) break\n            result.add(List(windowSize) { this[it + index] })\n            index += step\n        }\n        return result\n    }\n    val result = ArrayList<List<T>>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n        result.add(it)\n    }\n    return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result = ArrayList<R>(resultCapacity)\n        val window = MovingSubList(this)\n        var index = 0\n        while (index in 0 until thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (!partialWindows && windowSize < size) break\n            window.move(index, index + windowSize)\n            result.add(transform(window))\n            index += step\n        }\n        return result\n    }\n    val result = ArrayList<R>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n        result.add(transform(it))\n    }\n    return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n        if (i >= arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
```

samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val first = iterator()\n val second = other.iterator()\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))\n while (first.hasNext() && second.hasNext()) {\n list.add(transform(first.next(), second.next()))\n }\n return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n val iterator = iterator()\n if (!iterator.hasNext()) return emptyList()\n val result = mutableListOf<R>()\n var current = iterator.next()\n while (iterator.hasNext()) {\n val next = iterator.next()\n result.add(transform(current, next))\n current = next\n }\n return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Iterable<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun <T> Iterable<T>.asSequence(): Sequence<T> {\n return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Iterable<Byte>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Iterable<Short>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n

```
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Iterable<Int>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Iterable<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Iterable<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Iterable<Double>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Iterable<Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Iterable<Int>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Iterable<Long>.sum(): Long {\n    var sum: Long\n    = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Iterable<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Iterable<Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/** Returns the array if it's not `null`, or an empty array otherwise. */\n@kotlin.internal.InlineOnly\npublic
 actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toTypedArray(): Array<T> = copyToArray(this)\n\n@JsName(\"copyToArray\")\n@PublishedApi\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n        copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName(\"copyToArrayImpl\")\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator = collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return array\n}\n\n@JsName(\"copyToExistingArrayImpl\")\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n    val iterator = collection.iterator()\n    var index = 0\n    while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size) {\n        array[index] = null.unsafeCast<T>()\n    }\n    return array\n}\n\n/**\n * Returns an immutable
```

list containing only the specified object [element].\n */\npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills the list with the provided [value].\n *\n * Each element in the list gets replaced with the [value].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n for (index in 0..lastIndex) {\n this[index] = value\n }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n *\n * The sort is _stable_.
It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if (list.size <= 1) return\n\n val array = copyToArray(list)\n sortArrayWith(array, comparator)\n\n for (i in 0 until array.size) {\n list[i] = array[i]\n }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@JsName(\"arrayCopy\")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n val rangeSize = endIndex - startIndex\n AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n\n if (js(\"ArrayBuffer\").isView(destination) && js(\"ArrayBuffer\").isView(source)) {\n val subrange = source.asDynamic().subarray(startIndex, endIndex)\n destination.asDynamic().set(subrange, destinationOffset)\n } else {\n if (source !== destination || destinationOffset <= startIndex) {\n for (index in 0 until rangeSize) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n } else {\n for (index in rangeSize - 1 downTo 0) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n }\n}\n\n// no singleton map implementation in js, return map as is\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n if (isVarargs)\n // no need to copy vararg array in JS\n this\n else\n this.copyOf()\n\n\n\n@PublishedApi\ninternal actual fun checkIndexOverflow(index: Int): Int {\n if (index < 0) {\n throwIndexOverflow()\n }\n return index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n if (count < 0) {\n throwCountOverflow()\n }\n return count\n}\n\n\n/**\n * JS map and set implementations do not make use of capacities or load factors.\n */\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) = expectedSize\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in Map/Set constructor yet.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@PublishedApi\ninternal actual fun checkBuilderCapacity(capacity: Int) {\n require(capacity >= 0) { \"capacity must be non-negative.\" }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for` loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/**\n * Returns an [Iterator] that wraps each element produced by the original iterator\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * @sample samples.collections.Iterators.withIndexIterator\n */\npublic fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>>
= IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n for (element in this) operation(element)\n}\n\n/**\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n private var index = 0\n final override fun hasNext(): Boolean = iterator.hasNext()\n final override fun next(): IndexedValue<T> = IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double): Double\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n

*/\n@SinceKotlin(\"1.1\")\npublic
fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given [comparator].\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n return if (comparator.compare(a, b) <= 0) a else b\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a [List] containing all key-value pairs.\n */\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size == 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result = ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n } while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each entry of original map.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each

entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each entry in the original map.\n * \n * @sample samples.collections.Maps.Transformations.mapToList\n */\npublic inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each entry in the original map.\n */\npublic inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it)
} }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n * and appends the results to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K, V>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true`
if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return false\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of entries in this map.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n if (isEmpty()) return 0\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Performs the given [action] on each entry.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n for
(element in this) action(element)\n}\n\n/**\n * Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return entries.maxBy(selector)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return entries.maxWith(comparator)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector:
(Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return entries.minBy(selector)\n}\n\n/**\n * Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n */\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return entries.minWith(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n

return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n if (isEmpty()) return true\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each entry and returns
the map itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n return entries.asSequence()\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns `true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index]
is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n if (index < 0)\n return defaultValue(index)\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Sequence<T>.elementAtOrNull(index: Int): T? {\n if (index < 0)\n return null\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element = iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.first(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first

element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns first
index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun
<T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n
for (element in this) {\n if (predicate(element)) {\n last = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n
while (iterator.hasNext())\n last = iterator.next()\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Sequence is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Sequence has more than one element.\")\n return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Sequence contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n *

Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n == 0 -> this\n this is DropTakeSequence -> this.drop(n)\n else -> DropSequence(this, n)\n }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n // TODO: Rewrite with generalized MapFilterIndexingSequence\n return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter R.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic inline fun <reified R> Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n @Suppress(\"UNCHECKED_CAST\")\n return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a sequence containing all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n @Suppress(\"UNCHECKED_CAST\")\n return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic fun <C : MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching

the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return when {\n n == 0 -> emptySequence()\n this is DropTakeSequence -> this.take(n)\n else -> TakeSequence(this, n)\n }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n
* \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sorted.toMutableList()\n sortedList.sort()\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_.
It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means
that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The

returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector:
(T) -> K): Map<K, T> {\n return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n *
and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n
*/\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given sequence and values
are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n

destination.add(item)\n   }\n   return destination\n}\n\n/**\n * Returns a [HashSet] of all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n   return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n   return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a [MutableList] filled with all elements of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n   return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n   return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n   return FlatteningSequence(this, transform, { it.iterator() })\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n   return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<T>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Creates a [Grouping] source from a

sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a sequence containing the results of applying
the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index
in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index,
element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a sequence that wraps each element of the original sequence\n *
into an [IndexedValue] containing the index of that element and the element itself.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n

```
 return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n    return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n
 * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n    return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n    val set = LinkedHashSet<T>()\n    for (item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n *
 The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.count(): Int {\n    var count = 0\n    for (element in this) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n    var count = 0\n    for
 (element in this) if (predicate(element)) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T)
 -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n
 * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.max(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    if (max.isNaN()) return max\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (max <
```

e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.max(): Float? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   if (max.isNaN()) return max\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (e.isNaN()) return e\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
 *\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var maxElem = iterator.next()\n   if (!iterator.hasNext()) return maxElem\n   var maxValue = selector(maxElem)\n   do {\n   val e = iterator.next()\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n
    } while (iterator.hasNext())\n   return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.min(): Double? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   if (min.isNaN()) return min\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n
        if (e.isNaN()) return e\n   if (min > e) min = e\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.min(): Float? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   if (min.isNaN()) return min\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (e.isNaN()) return e\n   if (min > e) min = e\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (min > e) min = e\n   }\n
    return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var minElem = iterator.next()\n   if (!iterator.hasNext()) return minElem\n   var minValue = selector(minElem)\n   do {\n   val e = iterator.next()\n   val v = selector(e)\n   if (minValue > v) {\n   minElem = e\n   minValue = v\n   }\n   } while (iterator.hasNext())\n   return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n
    val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none(): Boolean {\n   return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n

*/\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n return map {\n action(it)\n it\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the sequence is empty.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return null\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T, R> Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {\n return sequence {\n yield(initial)\n var accumulator = initial\n for (element in this@scan) {\n accumulator = operation(accumulator, element)\n yield(accumulator)\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n return sequence {\n yield(initial)\n var index = 0\n var accumulator = initial\n for (element in this@scanIndexed) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n

```
    yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive
 accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n
* \n * @param [operation] function that takes current accumulator value and the element, and calculates the next
accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <S, T : S> Sequence<T>.scanReduce(operation:
(acc: S, T) -> S): Sequence<S> {\n    return sequence {\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n
            var accumulator: S = iterator.next()\n            yield(accumulator)\n            while (iterator.hasNext()) {\n
 accumulator = operation(accumulator,
 iterator.next())\n                yield(accumulator)\n            }\n        }\n    }\n}\n\n/**\n * Returns a sequence containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original sequence and current accumulator value that starts with the first element of this sequence.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting sequence.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is
_intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <S, T : S>
Sequence<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n    return sequence
 {\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n
yield(accumulator)\n            var index = 1\n            while (iterator.hasNext()) {\n                accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n                yield(accumulator)\n            }\n
 }\n    }\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) ->
Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.sumByDouble(selector:
(T) -> Double): Double {\n    var sum: Double = 0.0\n
    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original
collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null`
elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any>
Sequence<T?>.requireNoNulls(): Sequence<T> {\n    return map { it ?: throw IllegalArgumentException(\"null
element found in $this.\") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given
[size].\n * \n * The last list in the resulting sequence may have less elements than the given [size].\n * \n * @param
size the number of elements to take in each list, must be positive and can be greater than the number of elements in
this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T>
Sequence<T>.chunked(size:
 Int): Sequence<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this
sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an
each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed
to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it
to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given
[size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the
number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample
samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R>
Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n    return windowed(size, size,
```

partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.toHashSet()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n * the resulting

sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n   return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n * \n * Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n   return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n   return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n   return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n   return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n   return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n   return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V>

```
Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n    return MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n
 * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n    return sequence result@ {\n        val iterator = iterator()\n        if (!iterator.hasNext()) return@result\n        var current = iterator.next()\n        while (iterator.hasNext()) {\n            val next = iterator.next()\n            yield(transform(current, next))\n            current = next\n        }\n    }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated]
 string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in
 which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Sequence<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n    return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T> {\n    return this\n}\n\n/**\n * Returns
 an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Sequence<Byte>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Sequence<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Sequence<Int>.average(): Double {\n    var sum: Double
```

= 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Sequence<Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Sequence<Float>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Sequence<Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Sequence<Byte>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Sequence<Short>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements
in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Sequence<Int>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Sequence<Long>.sum(): Long {\n   var sum: Long = 0L\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Sequence<Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Sequence<Double>.sum(): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size))\n   var removed = false\n   return this.filterTo(result)
{ if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] collection may be converted to a [HashSet]

to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n   val other = elements.convertToSetForSetOperationWith(this)\n   if (other.isEmpty())\n   return this.toSet()\n   if (other is Set)\n   return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(other)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change between successive
invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n   return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size + 1))\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n   return plus(element)\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample

samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n */\npublic fun CharSequence.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.lastOrNull(): Char? {\n return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharSequence.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char

sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.randomOrNull(): Char? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of randomness, or `null` if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun CharSequence.randomOrNull(random: Random): Char? {\n   if (isEmpty())\n   return null\n   return get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n   return when (length) {\n   0 -> throw NoSuchElementException(\"Char sequence
 is empty.\")\n   1 -> this[0]\n   else -> throw IllegalArgumentException(\"Char sequence has more than one element.\")\n   }\n}\n\n/**\n * Returns the single character matching the given [predicate], or throws exception if there is no or more than one matching character.\n */\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n   var single: Char? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Char sequence contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char? {\n   return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given [predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n   var single: Char? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) return null\n   single = element\n   found = true\n   }\n   }\n   if (!found) return null\n   return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.drop(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with
 the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun String.dropLast(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\"
 }\n   return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n   for (index in lastIndex downTo 0)\n   if (!predicate(this[index]))\n   return subSequence(0, index + 1)\n   return \"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate: (Char) -> Boolean): String {\n   for (index in lastIndex downTo 0)\n   if (!predicate(this[index]))\n   return substring(0, index + 1)\n   return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all characters except first characters that satisfy the given [predicate].\n
 * \n * @sample samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n   for (index in this.indices)\n   if (!predicate(this[index]))\n   return subSequence(index, length)\n   return \"\"\n}\n\n/**\n * Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun

String.dropWhile(predicate: (Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n */\npublic inline fun String.filter(predicate: (Char) -> Boolean): String {\n return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n */\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match the given [predicate].\n */\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.append(element)\n return destination\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (index in 0 until length) {\n val element = get(index)\n if (predicate(element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n if (indices.isEmpty()) return \"\"\n return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return \"\"\n return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return \"\"\n val result = StringBuilder(size)\n for (i in indices) {\n result.append(get(i))\n }\n return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.take(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if

[n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n return substring(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.takeLast(n: Int): String {\n require(n >= 0) { \"Requested character count $n is less than zero.\" }\n val length = length\n return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return subSequence(index + 1, length)\n }\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return substring(index + 1)\n }\n }\n return this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return subSequence(0, index)\n }\n return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeWhile(predicate: (Char) -> Boolean): String {\n for (index in 0 until length)\n if (!predicate(get(index))) {\n return substring(0, index)\n }\n return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associate\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateBy\n */\npublic inline fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V> CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),

keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied
to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K,
in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each character.\n * \n * If any two characters
are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result = LinkedHashMap<Char, V>(mapCapacity(length).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,\n * where key is the character itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V):
M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length)))\n}\n\n/**\n * Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n return when (length) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n\n/**\n
* Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform]

function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n return object : Grouping<Char, K> {\n override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n override fun keyOf(element: Char): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n * @sample samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result

of the transform applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each character of the original char sequence\n * into an [IndexedValue] containing the index of that character and the character itself.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each character.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R>

CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each character and current accumulator value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the desired action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\npublic fun CharSequence.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun CharSequence.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharSequence.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S : CharSequence>

S.onEach(action: (Char) -> Unit): S {\n   return apply { for (element
 in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself and calculates the next accumulator value.\n * \n * @sample
 samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character. Returns null if the char sequence is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator,
 this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next
 accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to left to each character and current accumulator value. Returns null if the char sequence is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n   var index = lastIndex\n   if (index < 0) return null\n   var
 accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n   if (isEmpty()) return

listOf(initial)\n   val result = ArrayList<R>(length + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <R> CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(length + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.scanReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n   if (isEmpty())\n   return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Char>(length).apply { add(accumulator) }\n   for (index in 1 until length) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Char>(length).apply { add(accumulator) }\n   for (index in 1 until length) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunked(size: Int): List<String> {\n   return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid

only inside that function.\n * You should
not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n
*/\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunkedSequence(size:
Int, transform: (CharSequence) -> R): Sequence<R> {\n return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n */\npublic inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which
[predicate] yielded `false`.\n */\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to
keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number

```
 of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param
step the number of elements to move the window forward by on an each step, by default 1\n * @param
partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which
means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R>
CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    val thisSize = this.length\n    val resultCapacity = thisSize / step
+ if (thisSize % step == 0) 0 else 1\n    val result = ArrayList<R>(resultCapacity)\n    var index = 0\n    while (index
in 0 until thisSize) {\n        val end = index + size\n        val coercedEnd = if (end < 0 || end > thisSize) { if
(partialWindows) thisSize else break } else
 end\n        result.add(transform(subSequence(index, coercedEnd)))\n        index += step\n    }\n    return
result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char
sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less
characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number
of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step
the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows
controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial
windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n
*/\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows:
 Boolean = false): Sequence<String> {\n    return windowedSequence(size, step, partialWindows) { it.toString()
}\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char
sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given
[step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside
that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n *
Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be
positive and can be greater than the number of elements in this char sequence.\n * @param size the number of
elements to take in each window\n * @param step the number of elements to move the window forward by on an
each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows
 in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R>
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform:
(CharSequence) -> R): Sequence<R> {\n    checkWindowSizeStep(size, step)\n    val windows = (if
(partialWindows) indices else 0 until length - size + 1) step step\n    return windows.asSequence().map { index ->\n
    val end = index + size\n        val coercedEnd = if (end < 0 || end > length) length else end\n
transform(subSequence(index, coercedEnd))\n    }\n}\n\n/**\n * Returns a list of pairs built from the characters of
`this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char
sequence.\n * \n * @sample samples.text.Strings.zip\n */\npublic infix fun CharSequence.zip(other: CharSequence):
List<Pair<Char, Char>>
 {\n    return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this`
and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair
of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample
samples.text.Strings.zipWithTransform\n */\npublic inline fun <V> CharSequence.zip(other: CharSequence,
transform: (a: Char, b: Char) -> V): List<V> {\n    val length = minOf(this.length, other.length)\n    val list =
ArrayList<V>(length)\n    for (i in 0 until length) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The returned
list is empty if this char sequence contains less than two characters.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun
CharSequence.zipWithNext():
```

List<Pair<Char, Char>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n   val size = length - 1\n   if (size < 1) return emptyList()\n   val result = ArrayList<R>(size)\n   for (index in 0 until size) {\n   result.add(transform(this[index], this[index + 1]))\n   }\n   return result\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asIterable(): Iterable<Char> {\n   if (this is String && isEmpty())\n   return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n   if (this is String && isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\nimport kotlin.contracts.contract\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n   var startIndex = 0\n   var endIndex = length - 1\n   var startFound = false\n\n   while (startIndex <= endIndex) {\n   val index = if (!startFound) startIndex else endIndex\n   val match = predicate(this[index])\n\n   if (!startFound) {\n   if (!match)\n   startFound = true\n   else\n   startIndex += 1\n   } else {\n   if (!match)\n   break\n   else\n   endIndex -= 1\n   }\n   }\n\n   return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n   (this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n   for (index in this.indices)\n   if (!predicate(this[index]))\n   return subSequence(index, length)\n\n   return \"\"\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n   (this as CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n   for (index in this.indices.reversed())\n   if (!predicate(this[index]))\n   return subSequence(0, index + 1)\n\n   return \"\"\n}\n\n/**\n * Returns a string having trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n   (this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading characters from the [chars] array removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun CharSequence.trim(): CharSequence =

trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n * Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)\n\n/**\n * Returns a
string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the beginning\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n   if (length < 0)\n   throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n   if (length <= this.length)\n   return this.subSequence(0, this.length)\n\n
    val sb = StringBuilder(length)\n   for (i in 1..(length - this.length))\n   sb.append(padChar)\n   sb.append(this)\n   return sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n   (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n
 * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n   if (length < 0)\n   throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n   if (length <= this.length)\n   return this.subSequence(0, this.length)\n\n   val sb = StringBuilder(length)\n   sb.append(this)\n   for (i in 1..(length - this.length))\n   sb.append(padChar)\n   return sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less
 than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n   (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n *\n * @sample samples.text.Strings.stringIsNullOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n *\n * @sample samples.text.Strings.stringIsEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length ==
 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n *\n * @sample samples.text.Strings.stringIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun

```
String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n\n/**\n * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNotBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNullOrBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrBlank != null)\n    }\n\n    return
 this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n */\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n    private var index = 0\n\n    public override fun nextChar(): Char = get(index++)\n\n    public override fun hasNext(): Boolean = index < length\n}\n\n/** Returns the string if it is not `null`, or the empty string otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: \"\"\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace
 characters,\n * or the result of calling [defaultValue] function otherwise.\n *\n * @sample samples.text.Strings.stringIfBlank\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n    if (isBlank()) defaultValue() else this\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val CharSequence.indices: IntRange\n    get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n    get() = this.length - 1\n\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n            && this[index].isHighSurrogate()\n            && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the
 given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n *\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n
*/\n@kotlin.internal.InlineOnly\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning\n@Deprecated(\"Use parameters named startIndex and endIndex.\", ReplaceWith(\"subSequence(startIndex = start, endIndex = end)\"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex]
 and ending right before the [endIndex].\n *\n * @param startIndex the start index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0,
```

index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\n@UseExperimental(ExperimentalStdlibApi::class)\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n val sb = StringBuilder()\n sb.appendRange(this, 0, startIndex)\n sb.append(replacement)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range]\n * is replaced with the [replacement] char sequence.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n * Replace the part of string at the given [range] with the [replacement] string.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(range, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range is removed.\n *\n * @param startIndex

the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\n@UseExperimental(ExperimentalStdlibApi::class)\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n   if (endIndex < startIndex)\n   throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n\n   if (endIndex == startIndex)\n   return this.subSequence(0, length)\n\n   val sb = StringBuilder(length - (endIndex - startIndex))\n   sb.appendRange(this, 0, startIndex)\n   sb.appendRange(this, endIndex, length)\n   return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n   (this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\n *\n * The end index of the [range] is included in the removed part.\n */\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\n\n/**\n * Removes the part of a string at the given [range].\n *\n * The end index of the [range] is included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String =\n   (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n   if (startsWith(prefix)) {\n   return subSequence(prefix.length, length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * If this string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n   if (startsWith(prefix)) {\n   return substring(prefix.length)\n   }\n   return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n   if (endsWith(suffix)) {\n   return subSequence(0, length - suffix.length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n   if (endsWith(suffix)) {\n   return substring(0, length - suffix.length)\n   }\n   return this\n}\n\n/**\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n   if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n   return subSequence(prefix.length, length - suffix.length)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n   if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n   return substring(prefix.length, length - suffix.length)\n   }\n   return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it
starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string

does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the given [replacement].\n *\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n

```
*\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n\n/**\n * Returns `true` if this char sequence matches the given regular expression.\n */\n@kotlin.internal.InlineOnly\npublic inline
 infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n        return false\n    }\n\n    for (index in 0 until length) {\n        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n            return false\n    }\n    return true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified character.\n */\npublic fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[0].equals(char, ignoreCase)\n\n/**\n * Returns
 `true` if this char sequence ends with the specified character.\n */\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n        return regionMatchesImpl(startIndex,
 prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return this.endsWith(suffix)\n    else\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common prefix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n */\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val shortestLength = minOf(this.length, other.length)\n\n    var i = 0\n    while (i < shortestLength && this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) || other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n    val otherLength = other.length\n    val shortestLength = minOf(thisLength, otherLength)\n\n    var i = 0\n    while (i < shortestLength
 && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n        i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n
```

```
    return nativeIndexOf(char, startIndex)\n
    }\n\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n    return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n        return nativeLastIndexOf(char, startIndex)\n    }\n\n\n    for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n        val charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n\n    return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n    val indices = if (!last)\n        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n    else\n        startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)\n\n    if (this is String && other is String) { // smart cast\n        for (index in indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return index\n        }\n    } else {\n        for (index in indices) {\n            if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n                return index\n        }\n    }\n    return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase && strings.size == 1) {\n        val string = strings.single()\n        val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n        return if (index < 0) null else index to string\n    }\n\n    val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n    if (this is String) {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    } else {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    }\n\n    return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last = true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param
```

ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n\n// indexOf\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or `-1` if none is found.\n * @sample samples.text.Strings.indexOf\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, length, ignoreCase)\n else\n nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, 0, ignoreCase, last = true)\n else\n nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n if (other is String)\n indexOf(other, ignoreCase = ignoreCase) >= 0\n else\n indexOf(other, 0, length, ignoreCase) >= 0\n\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n

```
*/\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean = regex.containsMatchIn(this)\n\n\n// rangesDelimitedBy\n\n\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?\n) : Sequence<IntRange> {\n\n    override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n        var nextItem: IntRange? = null\n        var counter: Int = 0\n\n        private fun calcNext() {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem = currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val match = input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem = currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n                    } else {\n                        val (index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex = index + length\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                    }\n                }\n                nextState = 1\n            }\n        }\n\n        override fun next(): IntRange {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as IntRange\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\n    })\n}\n\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" } )\n    val delimitersList = delimiters.asList()\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length } })\n}\n\n\n// split\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true`
```

to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous
results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to
the end of this string, and matches at each position the first element in [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n val delimiter = delimiters[0]\n if (!delimiter.isEmpty()) {\n return split(delimiter, ignoreCase, limit)\n }\n }\n\n return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char,
ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n return split(delimiters[0].toString(), ignoreCase, limit)\n }\n\n return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\n * This is specialized version
of split which receives single non-empty delimiter and offers better performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n require(limit >= 0, { \"Limit must be non-negative, but was $limit.\" })\n\n var currentOffset = 0\n var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n if (nextIndex == -1 || limit == 1) {\n return listOf(this.toString())\n }\n\n val isLimited = limit > 0\n val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n do {\n result.add(substring(currentOffset, nextIndex))\n currentOffset = nextIndex + delimiter.length\n // Do not search for next occurrence if we're reaching limit\n if (isLimited && result.size
== limit - 1) break\n nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n } while (nextIndex != -1)\n\n result.add(substring(currentOffset, length))\n return result\n}\n\n/**\n * Splits this char sequence around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence(\"\\r\\n\", \"\\n\", \"\\r\")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences: CRLF, LF or

CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun CharSequence.lines(): List<String> = lineSequence().toList()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun String(chars: CharArray): String {\n var result = \"\"\n for (char in chars) {\n result += char\n }\n return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars] array bounds.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun String(chars: CharArray, offset: Int, length:
Int): String {\n if (offset < 0 || length < 0 || chars.size - offset < length)\n throw IndexOutOfBoundsException(\"size: ${chars.size}; offset: $offset; length: $length\")\n var result = \"\"\n for (index in offset until offset + length) {\n result += chars[index]\n }\n return result\n}\n\n/**\n * Concatenates characters in this [CharArray] into a String.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun CharArray.concatToString(): String {\n var result = \"\"\n for (char in this) {\n result += char\n }\n return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n@ExperimentalStdlibApi\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n var result = \"\"\n for (index in startIndex until endIndex) {\n result += this[index]\n }\n return result\n}\n\n/**\n * Returns a [CharArray] containing characters of this string.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun String.toCharArray(): CharArray {\n return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray] containing characters of this string or its substring.\n *\n * @param startIndex the beginning (inclusive) of the substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n *\n *
@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n@ExperimentalStdlibApi\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n return CharArray(endIndex - startIndex) { get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array.\n *\n * Malformed byte sequences are replaced by the replacement char `\\uFFFD`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun ByteArray.decodeToString(): String {\n return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array or its subrange.\n *\n * @param startIndex the beginning (inclusive)
of the subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of this array by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char `\\uFFFD`.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n@ExperimentalStdlibApi\npublic actual fun ByteArray.decodeToString(\n startIndex: Int = 0,\n endIndex: Int = this.size,\n throwOnInvalidSequence: Boolean = false\n): String {\n

AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n   return decodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8 encoding.\n *\n * Any malformed char sequence is replaced by the replacement byte sequence.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun String.encodeToByteArray(): ByteArray {\n   return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this string or its substring to an array of bytes in UTF-8 encoding.\n *\n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\n * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n@ExperimentalStdlibApi\npublic actual fun String.encodeToByteArray(\n   startIndex: Int = 0,\n   endIndex: Int = this.length,\n   throwOnInvalidSequence: Boolean = false\n): ByteArray {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n   return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the default locale.\n *\n * @sample samples.text.Strings.toUpperCase\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string converted to lower case using the rules of the default locale.\n *\n * @sample samples.text.Strings.toLowerCase\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex, endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String = asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern, replacement)\n\n@SinceKotlin(\"1.2\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n   if (ignoreCase) {\n   val n1 = this.length\n   val n2 = other.length\n   val min = minOf(n1, n2)\n   if (min == 0) return n1 - n2\n   var start = 0\n   while (true) {\n   val end = minOf(start + 16, min)\n   var s1 = this.substring(start, end)\n   var s2 = other.substring(start, end)\n   if (s1 != s2) {\n   s1 = s1.toUpperCase()\n   s2 = s2.toUpperCase()\n   if (s1 != s2) {\n   s1 = s1.toLowerCase()\n   s2 = s2.toLowerCase()\n   if (s1 != s2) {\n   return s1.compareTo(s2)\n   }\n   }\n   }\n   if (end == min) break\n   start = end\n   }\n   return n1 - n2\n   } else {\n   return compareTo(other)\n   }\n}\n\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin(\"1.2\")\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n   get() = STRING_CASE_INSENSITIVE_ORDER\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the

Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UByteArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) : Collection<UByte> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(ByteArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UByte = storage[index].toUByte()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UByte) {\n storage[index] = value.toByte()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): UByteIterator = Iterator(storage)\n\n private class Iterator(private val array: ByteArray) : UByteIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUByte() = if (index < array.size) array[index++].toUByte() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UByte): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is UByte) return false\n\n return storage.contains(element.toByte())\n }\n\n override fun containsAll(elements: Collection<UByte>): Boolean {\n return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n return UByteArray(ByteArray(size) { index -> init(index).toByte()\n })\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class UIntArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(IntArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UInt = storage[index].toUInt()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UInt) {\n storage[index] = value.toInt()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): UIntIterator = Iterator(storage)\n\n private class Iterator(private val array: IntArray) : UIntIterator() {\n private

var index = 0\n override fun hasNext() = index < array.size\n override fun nextUInt() = if (index < array.size) array[index++].toUInt()
else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UInt): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is UInt) return false\n\n return storage.contains(element.toInt())\n }\n\n override fun containsAll(elements: Collection<UInt>): Boolean {\n return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n return UIntArray(IntArray(size) { index -> init(index).toInt()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun uintArrayOf(vararg elements: UInt): UIntArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class ULongArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(LongArray(size))\n\n
/**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): ULong = storage[index].toULong()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: ULong) {\n storage[index] = value.toLong()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator
fun iterator(): ULongIterator = Iterator(storage)\n\n private class Iterator(private val array: LongArray) : ULongIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextULong() = if (index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: ULong): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is ULong) return false\n\n return storage.contains(element.toLong())\n }\n\n override fun containsAll(elements: Collection<ULong>): Boolean {\n return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is
calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n return ULongArray(LongArray(size) { index -> init(index).toLong()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ulongArrayOf(vararg elements: ULong): ULongArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o.

and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\n\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
inline class ULong @PublishedApi internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of ULong can have.\n */\n public const val MIN_VALUE: ULong = ULong(0)\n\n /**\n * A constant holding the maximum value an instance of ULong can have.\n */\n public const val MAX_VALUE: ULong = ULong(-1)\n\n /**\n * The number of bytes used to represent an instance of ULong in a binary form.\n */\n public const val SIZE_BYTES: Int = 8\n\n /**\n * The number of bits used to represent an instance of ULong in a binary form.\n */\n public const val SIZE_BITS: Int = 64\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value,
a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n
/**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n /** Adds the other value to this value.
*/\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): ULong = this.minus(other.toULong())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): ULong =
this.times(other.toULong())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): ULong

= this.div(other.toULong())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public
 inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n   /** Divides this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)\n\n   /** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n   /** Calculates the remainder of dividing this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong):
 ULong = ulongRemainder(this, other)\n\n   /** Increments this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun inc(): ULong = ULong(data.inc())\n   /** Decrements this value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun dec(): ULong = ULong(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n   /** Shifts this value left by the [bitCount] number of bits. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\n   /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\n   /** Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n
    public inline infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n   /** Performs a bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun xor(other: ULong): ULong = ULong(this.data xor other.data)\n   /** Inverts the bits in this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun inv(): ULong = ULong(data.inv())\n\n   /**\n   * Converts this [ULong] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n   * the same numerical value as this `ULong`.\n   *\n   * The resulting `Byte` value is represented by the least significant 8 bits of this `ULong` value.\n   * Note that the resulting `Byte` value may
 be negative.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data.toByte()\n   /**\n * Converts this [ULong] value to [Short].\n   *\n   * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n   * the same numerical value as this `ULong`.\n   *\n   * The resulting `Short` value is represented by the least significant 16 bits of this `ULong` value.\n   * Note that the resulting `Short` value may be negative.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short = data.toShort()\n   /**\n   * Converts this [ULong] value to [Int].\n   *\n   * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n   * the same numerical value as this `ULong`.\n   *\n * The resulting `Int` value is represented by the least significant 32 bits of this `ULong` value.\n   * Note that the resulting `Int` value may be negative.\n
    */\n   @kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt()\n   /**\n   * Converts this [ULong] value to [Long].\n   *\n   * If this value is less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n   * the same numerical value as this `ULong`. Otherwise the result is negative.\n   *\n * The resulting `Long` value has the same binary representation as this `ULong` value.\n   */\n @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long = data\n\n   /**\n   * Converts this [ULong] value to [UByte].\n   *\n   * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n   * the same numerical value as this `ULong`.\n   *\n   * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun

toUByte(): UByte = data.toUByte()\n   /**\n   * Converts this [ULong]
value to [UShort].\n   *\n   * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n   * the same numerical value as this `ULong`.\n   *\n   * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUShort(): UShort = data.toUShort()\n   /**\n   * Converts this [ULong] value to [UInt].\n   *\n   * If this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n   * the same numerical value as this `ULong`.\n   *\n   * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toUInt(): UInt = data.toUInt()\n   /** Returns this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun toULong(): ULong = this\n\n   /**\n   * Converts this [ULong] value to [Float].\n
     *\n   * The resulting value is the closest `Float` to this `ULong` value.\n   * In case when this `ULong` value is exactly between two `Float`s,\n   * the one with zero at least significant bit of mantissa is selected.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toFloat(): Float = this.toDouble().toFloat()\n   /**\n   * Converts this [ULong] value to [Double].\n   *\n   * The resulting value is the closest `Double` to this `ULong` value.\n   * In case when this `ULong` value is exactly between two `Double`s,\n   * the one with zero at least significant bit of mantissa is selected.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toDouble(): Double = ulongToDouble(data)\n\n   public override fun toString(): String = ulongToString(data)\n\n}\n\n/**\n * Converts this [Byte] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Byte`.\n *\n * The least
significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,\n * whereas the most significant 56 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Short] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,\n * whereas the most significant 48 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Short.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Int] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this
`Int`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n * whereas the most significant 32 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Int.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting `ULong` value has the same binary representation as this `Long` value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Long.toULong(): ULong = ULong(this)\n\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\n/**\n * Converts this [Double] value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun Double.toULong(): ULong = doubleToULong(this)\n","/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline class

UShortArray\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@PublishedApi\ninternal constructor(@PublishedApi
internal val storage: ShortArray) : Collection<UShort> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(ShortArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UShort = storage[index].toUShort()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UShort) {\n storage[index] = value.toShort()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): UShortIterator = Iterator(storage)\n\n private class Iterator(private val array: ShortArray) : UShortIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUShort() = if (index < array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UShort): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n if ((element as Any?) !is UShort) return false\n\n return storage.contains(element.toShort())\n }\n\n override fun containsAll(elements: Collection<UShort>): Boolean {\n return (elements
as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n return UShortArray(ShortArray(size) { index -> init(index).toShort()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UArraysKt\")\n@file:kotlin.jvm.JvmPackageName(\"kotlin.collections.unsigned\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except
in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component1(): ULong {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component1(): UByte {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the

behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component1(): UShort {\n   return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n
 * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component2(): UInt {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component2(): ULong {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2():
 UByte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component3(): UInt {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline operator fun ULongArray.component3(): ULong {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element*
 from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component3(): UShort {\n   return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException]
 except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component4(): UInt {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component4(): ULong {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component4(): UByte {\n   return get(3)\n}\n\n/**\n * Returns 4th *element*
 from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component4(): UShort {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component5(): UInt {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator
fun ULongArray.component5(): ULong {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component5(): UShort {\n   return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index
>= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrNull(index: Int): UByte? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrNull(index: Int): UShort? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.first(): UInt {\n return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(): ULong {\n   return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.first(): UByte {\n   return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(): UShort {\n   return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if

element was not found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (element in this) if
(predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n return if (index >=
0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index]
or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this
array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int):
UInt? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element],
or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain
element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.indexOf(element: UShort): Int {\n return storage.indexOf(element.toShort())\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n return storage.indexOfFirst { predicate(it.toUInt())

}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(): UInt {\n   return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(): ULong {\n   return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(): UByte {\n   return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(): UShort {\n   return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n   for (index in this.indices.reversed()) {\n

val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastIndexOf(element: UInt): Int {\n return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastIndexOf(element: ULong): Int {\n return storage.lastIndexOf(element.toLong())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastIndexOf(element: UByte): Int {\n return storage.lastIndexOf(element.toByte())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastIndexOf(element: UShort): Int {\n return storage.lastIndexOf(element.toShort())\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.random(): UByte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.random(): UShort {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random): ULong {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random): UByte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random): UShort {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun ULongArray.randomOrNull(random: Random): ULong? {\n   if (isEmpty())\n   return null\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun UByteArray.randomOrNull(random: Random): UByte? {\n   if (isEmpty())\n   return null\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null`\n if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun UShortArray.randomOrNull(random: Random): UShort? {\n   if (isEmpty())\n   return null\n   return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(): UInt {\n   return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(): ULong {\n   return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun UByteArray.single(): UByte {\n   return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(): UShort {\n   return storage.single().toUShort()\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n   var single: UInt? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UInt\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n   var single: ULong? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as ULong\n}\n\n/**\n * Returns the single element matching the given\n [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n   var single: UByte? = null\n   var found = false\n   for (element in this) {\n   if (predicate(element)) {\n   if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n   single = element\n   found = true\n   }\n   }\n   if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n   @Suppress(\"UNCHECKED_CAST\")\n   return single as UByte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```
UShortArray.single(predicate: (UShort) -> Boolean):
 UShort {\n    var single: UShort? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one
matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException(\"Array contains no element matching the predicate.\")\n
@Suppress(\"UNCHECKED_CAST\")\n    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
 element, or `null` if the array is empty or has more than one element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n
 found = true\n
    }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n    var single: ULong? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n    var single: UByte? = null\n
 var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n    var single: UShort? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a list
containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *
\n * @sample samples.collections.Collections.Transformations.drop\n
 */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
```

```
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n:
 Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return
takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n
* \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
 require(n >= 0) { \"Requested element count $n is less than zero.\"
 }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
 [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy the given [predicate].\n
 * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0)
{\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    for (index in lastIndex downTo 0)
{\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy
 the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex downTo
```

0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n var yielding = false\n val list = ArrayList<UInt>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n var yielding = false\n val list = ArrayList<ULong>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n var yielding = false\n val list = ArrayList<UByte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n var yielding = false\n val list = ArrayList<UShort>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n return filterTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n return filterTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n return filterTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n return filterTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n return filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean):

List<ULong> {\n   return filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n   return filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n   return filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n   return filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n   return filterNotTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n   return filterNotTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n   return filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n   for (element in this) if (predicate(element))\n   destination.add(element)\n   return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange): List<UInt> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange): List<ULong> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange): List<UByte> {\n   if (indices.isEmpty()) return listOf()\n   return copyOfRange(indices.start,\n   indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange): List<UShort> {\n   if (indices.isEmpty()) return listOf()\n   return

copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>): List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<ULong>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>): List<UByte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UByte>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>): List<UShort> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UShort>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {\n return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {\n return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: Collection<Int>): UByteArray {\n return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: Collection<Int>): UShortArray {\n return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange): UIntArray {\n return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange): ULongArray {\n return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange): UByteArray {\n return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: IntRange): UShortArray {\n return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<UInt>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<ULong>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<ULong>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UShortArray.takeLast(n: Int): List<UShort> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */
```

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n val list = ArrayList<UInt>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list = ArrayList<ULong>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list = ArrayList<UShort>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.reversed(): List<ULong> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n

if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list
 with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.reversed(): List<UShort> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n
list.reverse()\n   return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reversedArray(): UIntArray {\n   return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array with elements of this array in reversed order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reversedArray(): ULongArray {\n   return ULongArray(storage.reversedArray())\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reversedArray(): UByteArray
 {\n   return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in
reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.reversedArray(): UShortArray {\n   return
UShortArray(storage.reversedArray())\n}\n\n/**\n * Sorts elements in the array in-place descending according to
their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n   if
(size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts elements in the array in-place descending
according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UByteArray.sortDescending(): Unit {\n   if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n
if (size > 1) {\n   sort()\n   reverse()\n   }\n}\n\n/**\n * Returns a list of all elements sorted according to their
natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted():
List<UInt> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sorted(): List<ULong> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all
elements sorted according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UByteArray.sorted(): List<UByte> {\n   return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of
all elements sorted according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n
return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted
according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortedArray(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray
{\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of
 this array sorted according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n
  if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray

{\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending(): List<ULong> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending(): List<UByte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending(): List<UShort> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.asByteArray(): ByteArray {\n   return storage\n}\n\n/**\n * Returns an array of type [IntArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.asIntArray(): IntArray {\n   return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList(): List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList(): List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList(): List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList(): List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.asLongArray():

LongArray {\n   return storage\n}\n\n/**\n * Returns an array of type [ShortArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.asShortArray(): ShortArray {\n   return storage\n}\n\n/**\n * Returns an array of type [UByteArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.asUByteArray(): UByteArray {\n   return UByteArray(this)\n}\n\n/**\n * Returns an array of type [UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.asUIntArray(): UIntArray {\n   return UIntArray(this)\n}\n\n/**\n * Returns an array of type [ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.asULongArray(): ULongArray {\n   return ULongArray(this)\n}\n\n/**\n * Returns an array of type [UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.asUShortArray(): UShortArray {\n   return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray): Boolean {\n   return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n   return storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n   return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n return joinToString(\", \", \"[\", \"]\")\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange
to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UIntArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the
subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex:
Int = 0, endIndex: Int = size): ULongArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination]
array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UByteArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return

destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(): UIntArray {\n return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(): ULongArray {\n return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOf(): UByteArray {\n return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.copyOf(): UShortArray {\n return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(newSize: Int): UIntArray {\n return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size
of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(newSize: Int): ULongArray {\n return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOf(newSize: Int): UByteArray {\n return
UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero

values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(newSize: Int): UShortArray {\n return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n return UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n return ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n return UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n return UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toLong(), fromIndex,
toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toShort(), fromIndex,

toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
inline val UShortArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the last valid index for the
array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n
get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage +
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toLong()\n return
ULongArray(result)\n}\n\n/**\n
* Returns an array containing all elements of the original array and then all elements of the given [elements]
collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun
UByteArray.plus(elements: Collection<UByte>): UByteArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toByte()\n return
UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator
fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toShort()\n return
UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements

of the given [elements] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {\n   return UIntArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {\n   return ULongArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {\n   return UByteArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original
array and then all elements of the given [elements] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {\n   return UShortArray(storage + elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n   if (size > 1) sortArray(this)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element
is a signed reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.toTypedArray(): Array<ULong> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array

containing all of the elements of this primitive array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray():
Array<UShort> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n   return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each
element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.toUByteArray(): UByteArray {\n   return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray
{\n   return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.toUIntArray(): UIntArray {\n   return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun Array<out ULong>.toULongArray(): ULongArray {\n   return ULongArray(size) { index -> this[index]
}\n}\n\n/**\n * Returns an array of type [ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.toULongArray(): ULongArray {\n   return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this generic array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray():
UShortArray {\n   return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.toUShortArray(): UShortArray {\n   return UShortArray(this.copyOf())\n}\n\n/**\n *
Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(),

transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n   return groupByTo(LinkedHashMap<K, MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n   return groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n   return groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n   return groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given

[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UInt>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :

MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<UByte>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<UShort>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.map(transform: (UInt) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *

Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.map(transform:
(ULong) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.map(transform: (UShort) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.mapIndexed(transform:
(index: Int, UShort) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n

* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex(): Iterable<IndexedValue<UShort>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
* \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.any(): Boolean {\n   return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n
* \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.any(predicate:
(UShort) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.count(predicate: (UInt) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n   var count = 0\n   for (element in this) if

(predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.count(predicate: (UByte)
 -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
 to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates
 value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself,
 and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the

next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n   var index = 0\n   var accumulator = initial\n
    for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n
    while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator
 = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n
    --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each
 element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
 */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {\n   var index =

lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator
 = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEach(action: (ULong) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEach(action: (UByte) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
 fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEachIndexed(action:
 (index: Int, UShort) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (max < e) max

= e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n   if (isEmpty()) return null\n   var max
 = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (max < e) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n
    for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest
 value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxBy(selector:
 (UShort) -> R): UShort? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if
 there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun

UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWith(comparator:

Comparator<in UInt>): UInt? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n val e = this[i]\n   if (comparator.compare(min,
 e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having
 the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns
 `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(): Boolean {\n   return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n
 * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(predicate:
 (UShort) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n   if (isEmpty())\n   throw

UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to

right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte,\n UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each\n element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0)\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index <

0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n var index =

lastIndex\n   if (index < 0) throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt): UInt? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation]
from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightOrNull(operation:
(UByte, acc: UByte) -> UByte): UByte? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a
list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n   if

(isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the

next accumulator value.\n
 * \n * @sample samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R>
{\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var
accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n
  result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
 function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R>
{\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var
accumulator = initial\n   for (index in indices) {\n   accumulator = operation(index, accumulator, this[index])\n
  result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation]
 function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntArray.scanReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n   if (isEmpty())
return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UInt>(size).apply { add(accumulator)
}\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the
 first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongArray.scanReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n   if
(isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<ULong>(size).apply {
add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to
 right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element,
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByteArray.scanReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n   if
(isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n

result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.scanReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UShort>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.scanReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UInt>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.scanReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<ULong>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.scanReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UByte>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function

that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.scanReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<UShort>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out R>): List<Pair<UInt, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Array<out R>): List<Pair<ULong, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of

pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out R>): List<Pair<UByte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Array<out R>): List<Pair<UShort, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:

Iterable<R>): List<Pair<UByte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list
 of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
 length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun <R, V> UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray): List<Pair<UInt, UInt>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
 samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray): List<Pair<ULong, ULong>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray): List<Pair<UByte, UByte>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray): List<Pair<UShort, UShort>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UIntArray.sum(): UInt {\n   return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sum(): ULong {\n   return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sum(): UInt {\n   return sumBy { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sum(): UInt {\n   return sumBy
{ it.toUInt() }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UCollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UByte>.toUByteArray(): UByteArray {\n   val result = UByteArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UInt containing all of the elements
of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UInt>.toUIntArray(): UIntArray {\n   val result = UIntArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray(): ULongArray {\n   val result = ULongArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray(): UShortArray {\n   val result = UShortArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns the sum of all elements
in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Iterable<UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun Iterable<UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, b: UInt): UInt {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, b: ULong): ULong

{\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, b: UByte): UByte {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, b: UShort): UShort {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, b: UInt): UInt {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, b: ULong): ULong {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, b: UByte): UByte {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, b: UShort): UShort {\n return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UByte, b: UByte, c: UByte): UByte {\n return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n return minOf(a, minOf(b, c))\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"URangesKt\")\n\npackage kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntRange.random(random: Random): UInt {\n try {\n return random.nextUInt(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using

the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random): ULong {\n try {\n return random.nextULong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull(): ULong? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: UByte): Boolean {\n return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UByte): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UInt): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: ULong): Boolean {\n return (value shr UInt.SIZE_BITS) == 0uL && contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value: UShort): Boolean {\n return contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value: UShort): Boolean {\n return contains(value.toULong())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.downTo(to: UByte): UIntProgression {\n return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.downTo(to: UInt): UIntProgression {\n return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal

to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.downTo(to: ULong): ULongProgression {\n   return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.downTo(to: UShort): UIntProgression {\n   return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntProgression.reversed(): UIntProgression {\n   return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongProgression.reversed(): ULongProgression {\n   return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntProgression.step(step: Int): UIntProgression {\n   checkStepIsPositive(step > 0, step)\n   return UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongProgression.step(step: Long): ULongProgression {\n   checkStepIsPositive(step > 0, step)\n   return ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.until(to: UByte): UIntRange {\n   if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n   return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.until(to: UInt): UIntRange {\n   if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n   return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.until(to: ULong): ULongRange {\n   if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n   return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.until(to: UShort): UIntRange {\n   if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n   return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtLeast(minimumValue: UInt): UInt {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtLeast(minimumValue: ULong): ULong {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this

value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtLeast(minimumValue: UByte): UByte {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue: UShort): UShort {\n   return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtMost(maximumValue: UInt): UInt {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtMost(maximumValue: ULong): ULong {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtMost(maximumValue: UByte): UByte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtMost(maximumValue: UShort): UShort {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(minimumValue: UInt, maximumValue: UInt):
UInt {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this

value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<UInt>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n   if (range is ClosedFloatingPointRange) {\n   return this.coerceIn<ULong>(range)\n   }\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   this < range.start -> range.start\n   this > range.endInclusive -> range.endInclusive\n   else -> this\n   }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"USequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Sequence<UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun

Sequence<UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n * @param T the type of element being iterated over. The iterator is covariant on its element type.\n */\npublic interface Iterable<out T> {\n   /**\n   * Returns an iterator over the elements of this object.\n   */\n   public operator fun iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n * @param T the type of element being iterated over. The mutable iterator is invariant on its element type.\n */\npublic interface MutableIterable<out T> : Iterable<T> {\n   /**\n   * Returns an iterator over the elements of this sequence that supports removing elements during iteration.\n   */\n   override fun iterator(): MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n   // Query Operations\n   /**\n   * Returns the size of the collection.\n   */\n   public val size: Int\n\n   /**\n   * Returns `true` if the collection is empty (contains no elements), `false` otherwise.\n   */\n   public fun isEmpty(): Boolean\n\n   /**\n   * Checks if the specified element is contained in this collection.\n   */\n   public operator fun contains(element: @UnsafeVariance E): Boolean\n\n   override fun iterator(): Iterator<E>\n\n   // Bulk Operations\n   /**\n   * Checks if all elements in the specified collection are contained in this collection.\n   */\n   public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements that supports adding and removing elements.\n *\n * @param E the type of elements contained in the collection. The mutable collection is invariant on its element type.\n */\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\n   // Query Operations\n   override fun iterator(): MutableIterator<E>\n\n   // Modification Operations\n   /**\n   * Adds the specified element to the collection.\n   *\n   * @return `true` if the element has been added, `false` if the collection does not support duplicates\n   * and the element is already contained in the collection.\n   */\n   public fun add(element: E): Boolean\n\n   /**\n   * Removes a single instance of the specified element from this\n   * collection, if it is present.\n   *\n   * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n   */\n   public fun remove(element: E): Boolean\n\n   // Bulk Modification Operations\n   /**\n   * Adds all of the elements of the specified collection to this collection.\n   *\n   * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\n   */\n   public fun addAll(elements: Collection<E>): Boolean\n\n   /**\n   * Removes all of this collection's elements that are also contained in the specified collection.\n   *\n   * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n   */\n   public fun removeAll(elements: Collection<E>): Boolean\n\n   /**\n   * Retains only the elements in this collection that are contained in the specified collection.\n   *\n   * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n   */\n   public fun retainAll(elements: Collection<E>): Boolean\n\n   /**\n   * Removes all elements from this collection.\n   */\n   public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements contained in the list. The list is covariant on its element type.\n */\npublic interface List<out E> : Collection<E> {\n   // Query Operations\n\n   override val size: Int\n   override fun isEmpty(): Boolean\n   override fun

contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n */\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified\n * element is not contained
in the list.\n */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the elements in this list (in proper sequence).\n */\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n *\n * Structural changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing
elements.\n * @param E the type of elements contained in the list. The mutable list is invariant on its element type.\n */\npublic interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to the end of this list.\n *\n * The elements are appended in the order they appear in the [elements] collection.\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n override fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Inserts all of the elements of the specified collection [elements] into this list at the specified
[index].\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n public fun addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces the element at the specified position in this list with the specified element.\n *\n * @return the element previously at the specified position.\n */\n public operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n */\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from the list.\n *\n * @return the element that has been removed.\n */\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n
override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements.\n * Methods in this interface support only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\npublic interface Set<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements, and supports\n * adding and
removing elements.\n * @param E the type of elements contained in the set. The mutable set is invariant on its element type.\n */\npublic interface MutableSet<E> : Set<E>, MutableCollection<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n\n /**\n * Adds the specified element to the set.\n *\n * @return `true` if the element has been added, `false` if the element is already contained in the set.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E):

Boolean\n\n   // Bulk Modification Operations\n\n   override fun addAll(elements: Collection<E>): Boolean\n   override fun removeAll(elements: Collection<E>): Boolean\n   override fun retainAll(elements: Collection<E>): Boolean\n   override fun clear(): Unit\n}\n\n/**\n * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique;
 the map holds only one value for each key.\n * Methods in this interface support only read-only access to the map; read-write access is supported through\n * the [MutableMap] interface.\n * @param K the type of map keys. The map is invariant on its key type, as it\n *   can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n * @param V the type of map values. The map is covariant on its value type.\n */\npublic interface Map<K, out V> {\n   // Query Operations\n   /**\n   * Returns the number of key/value pairs in the map.\n   */\n   public val size: Int\n\n   /**\n   * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n   */\n   public fun isEmpty(): Boolean\n\n   /**\n   * Returns `true` if the map contains the specified [key].\n   */\n   public fun containsKey(key: K): Boolean\n\n   /**\n   * Returns `true` if the map maps one or more keys to the specified [value].\n   */\n   public
 fun containsValue(value: @UnsafeVariance V): Boolean\n\n   /**\n   * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n   */\n   public operator fun get(key: K): V?\n\n   /**\n   * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n   *\n   * @since JDK 1.8\n   */\n   @SinceKotlin(\"1.1\")\n   @PlatformDependent\n   public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n   // See default implementation in JDK sources\n   return null as V\n   }\n\n   // Views\n   /**\n   * Returns a read-only [Set] of all keys in this map.\n   */\n   public val keys: Set<K>\n\n   /**\n   * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n   */\n   public val values: Collection<V>\n\n   /**\n   * Returns a read-only [Set] of all key/value pairs in this map.\n
     */\n   public val entries: Set<Map.Entry<K, V>>\n\n   /**\n   * Represents a key/value pair held by a [Map].\n   */\n   public interface Entry<out K, out V> {\n   /**\n   * Returns the key of this key/value pair.\n   */\n   public val key: K\n\n   /**\n   * Returns the value of this key/value pair.\n   */\n   public val value: V\n   }\n}\n\n/**\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The mutable map is invariant on its value type.\n */\npublic interface MutableMap<K, V> : Map<K, V> {\n
 // Modification Operations\n   /**\n   * Associates the specified [value] with the specified [key] in the map.\n   *\n   * @return the previous value associated with
 the key, or `null` if the key was not present in the map.\n   */\n   public fun put(key: K, value: V): V?\n\n   /**\n   * Removes the specified key and its corresponding value from this map.\n   *\n   * @return the previous value associated with the key, or `null` if the key was not present in the map.\n   */\n   public fun remove(key: K): V?\n\n   /**\n   * Removes the entry for the specified key only if it is mapped to the specified value.\n   *\n   * @return true if entry was removed\n   */\n   @SinceKotlin(\"1.1\")\n   @PlatformDependent\n   public fun remove(key: K, value: V): Boolean {\n   // See default implementation in JDK sources\n   return true\n   }\n\n
 // Bulk Modification Operations\n   /**\n   * Updates this map with key/value pairs from the specified map [from].\n   */\n   public fun putAll(from: Map<out K, V>): Unit\n\n   /**\n   * Removes all elements from this map.\n   */\n   public fun clear(): Unit\n\n   // Views\n
    /**\n   * Returns a [MutableSet] of all keys in this map.\n   */\n   override val keys: MutableSet<K>\n\n   /**\n   * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n   */\n   override val values: MutableCollection<V>\n\n   /**\n   * Returns a [MutableSet] of all key/value pairs in this map.\n   */\n   override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n   /**\n   * Represents a key/value pair held by a [MutableMap].\n   */\n   public interface MutableEntry<K, V> : Map.Entry<K, V> {\n   /**\n   * Changes the value associated with the key of this entry.\n   *\n   * @return the previous value corresponding to the key.\n   */\n   public fun setValue(newValue: V): V\n   }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of

this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `Byte`. */\npublic abstract class ByteIterator : Iterator<Byte> {\n override final fun next() = nextByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextByte(): Byte\n}\n\n/** An iterator over a sequence of values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextChar(): Char\n}\n\n/** An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator : Iterator<Short> {\n override final fun next() = nextShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextShort(): Short\n}\n\n/** An iterator over a sequence of values of type
`Int`. */\npublic abstract class IntIterator : Iterator<Int> {\n override final fun next() = nextInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of values of type `Float`. */\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() = nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextFloat(): Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence
without boxing. */\n public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean> {\n override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextBoolean(): Boolean\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement = last.toInt()\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first.toInt() else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value.toChar()\n }\n}\n\n/**\n * An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value = next\n if (value
== finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextLong(): Long {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n","/*\n *
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated

file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n) : Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Char = start\n\n /**\n * The last element in the progression.\n */\n public val last:
Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): CharIterator =
CharProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is CharProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates CharProgression within the specified bounds of a closed range.\n\n * The progression starts
with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n internal constructor\n (\n start: Int,\n endInclusive: Int,\n step: Int\n) : Iterable<Int> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public
val first: Int = start\n\n /**\n * The last element in the progression.\n */\n public val last: Int = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is IntProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates IntProgression
within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n internal constructor\n (\n start: Long,\n endInclusive: Long,\n step: Long\n) : Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on
negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Long = start\n\n /**\n * The last element in the progression.\n */\n public val last: Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n /**\n * The step of the progression.\n */\n public val step: Long = step\n\n override fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun

isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is LongProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n   companion object {\n   /**\n   * Creates LongProgression within the specified bounds of a closed range.\n\n   * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n   * In order to go backwards the [step] must be negative.\n   *\n   * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n   */\n   public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\n   }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic interface ClosedRange<T: Comparable<T>> {\n   /**\n   * The minimum value in the range.\n   */\n   public val start: T\n\n   /**\n   * The maximum value in the range (inclusive).\n   */\n   public val endInclusive: T\n\n   /**\n   * Checks whether the specified [value] belongs to the range.\n   */\n   public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\n\n   /**\n   * Checks whether the range is empty.\n   */\n   public fun isEmpty(): Boolean = start > endInclusive\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n   override fun toString() = \"kotlin.Unit\"\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n   /** Class, interface or object, annotation class is also included */\n   CLASS,\n   /** Annotation class only */\n   ANNOTATION_CLASS,\n   /** Generic type parameter (unsupported yet) */\n   TYPE_PARAMETER,\n   /** Property */\n   PROPERTY,\n   /** Field, including property's backing field */\n   FIELD,\n   /** Local variable */\n   LOCAL_VARIABLE,\n   /** Value parameter of a function or a constructor */\n   VALUE_PARAMETER,\n   /** Constructor only (primary or secondary) */\n   CONSTRUCTOR,\n   /** Function (constructors are not included) */\n   FUNCTION,\n   /** Property getter only */\n   PROPERTY_GETTER,\n   /** Property setter only */\n   PROPERTY_SETTER,\n   /** Type usage */\n   TYPE,\n   /** Any expression */\n   EXPRESSION,\n   /** File */\n   FILE,\n   /** Type alias */\n   @SinceKotlin(\"1.1\")\n   TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n   /** Annotation isn't stored in binary output */\n   SOURCE,\n   /** Annotation is stored in binary output, but invisible for reflection */\n

BINARY,\n   /** Annotation is stored in binary output and visible for reflection (default retention) */\n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR],
 [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property allowedTargets list of allowed annotation targets\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n *\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value: AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation
 for the element to which the annotation is applied.\n
/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n
 */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n
/\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n   val mod = a % b\n
 return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n   val mod = a % b\n return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n
  return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements
 in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n   step > 0 -> if (start >= end) end else

end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param
 step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n
 * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a parameter passed to a function or a property getter/setter,\n * including `this` and extension receiver parameters.\n */\npublic interface KParameter : KAnnotatedElement {\n   /**\n   * 0-based index of this parameter in the parameter list of its containing callable.\n   */\n   public val index: Int\n\n   /**\n   * Name of this parameter as it was declared in the source code,\n   * or `null` if the parameter has no name or its name is not available at runtime.\n   * Examples of nameless parameters include `this` instance for member functions,\n   * extension receiver for extension functions or properties, parameters of Java methods\n   * compiled without the debug information, and others.\n   */\n   public val name: String?\n\n   /**\n   * Type of this parameter. For a `vararg` parameter, this is the
 type of the corresponding array,\n   * not the individual element.\n   */\n   public val type: KType\n\n   /**\n   * Kind of this parameter.\n   */\n   public val kind: Kind\n\n   /**\n   * Kind represents a particular position of the parameter declaration in the source code,\n   * such as an instance, an extension receiver parameter or a value parameter.\n   */\n   public enum class Kind {\n   /** Instance required to make a call to the member, or an outer class instance for an inner class constructor. */\n   INSTANCE,\n\n   /** Extension receiver of an extension function or property. */\n   EXTENSION_RECEIVER,\n\n   /** Ordinary named value parameter. */\n   VALUE,\n   }\n\n   /**\n   * `true` if this parameter is optional and can be omitted when making a call via [KCallable.callBy], or `false` otherwise.\n   *\n   * A parameter is optional in any of the two cases:\n   * 1. The default value is provided at the declaration
 of this parameter.\n   * 2. The parameter is declared in a member function and one of the corresponding parameters in the super functions is optional.\n   */\n   public val isOptional: Boolean\n\n   /**\n   * `true` if this parameter is `vararg`.\n   * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\n   * for more information.\n   */\n   @SinceKotlin(\"1.1\")\n   public val isVararg: Boolean\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents a type. Type is usually either a class with optional type arguments,\n * or a type parameter of some declaration, plus nullability.\n */\npublic interface KType : KAnnotatedElement {\n   /**\n   * The declaration of the classifier used
 in this type.\n   * For example, in the type `List<String>` the classifier would be the [KClass] instance for [List].\n   *\n   * Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.\n   */\n   @SinceKotlin(\"1.1\")\n   public val classifier: KClassifier?\n\n   /**\n   * Type arguments passed for the

parameters of the classifier in this type.\n * For example, in the type `Array<out Number>` the only type argument is `out Number`.\n *\n * In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first,\n * then its outer class, and so on.\n * For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.\n */\n @SinceKotlin(\"1.1\")\n public val arguments: List<KTypeProjection>\n\n /**\n * `true` if this type was marked nullable in the source code.\n *\n * For Kotlin types, it means that `null`
value is allowed to be represented by this type.\n * In practice it means that the type was declared with a question mark at the end.\n * For non-Kotlin types, it means the type or the symbol which was declared with this type\n * is annotated with a runtime-retained nullability annotation such as [javax.annotation.Nullable].\n *\n * Note that even if [isMarkedNullable] is false, values of the type can still be `null`.\n * This may happen if it is a type of the type parameter with a nullable upper bound:\n *\n * ```\n * fun <T> foo(t: T) {\n * // isMarkedNullable == false for t's type, but t can be null here when T = \"Any?\"\n * }\n * ```\n */\n public val isMarkedNullable: Boolean\n}\n\n/**\n * Represents a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n
*\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for more information.\n */\n@SinceKotlin(\"1.1\")\npublic data class KTypeProjection constructor(\n /**\n * The use-site variance specified in the projection, or `null` if this is a star projection.\n */\n public val variance: KVariance?,\n /**\n * The type specified in the projection, or `null` if this is a star projection.\n */\n public val type: KType?\n) {\n public companion object {\n /**\n * Star projection, denoted by the `*` character.\n * For example, in the type `KClass<*>`, `*` is the star projection.\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n * for more information.\n
*/\n public val STAR: KTypeProjection = KTypeProjection(null, null)\n\n /**\n * Creates an invariant projection of a given type. Invariant projection is just the type itself,\n * without any use-site variance modifiers applied to it.\n * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\n */\n public fun invariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.INVARIANT, type)\n\n /**\n * Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n */\n public fun contravariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.IN, type)\n\n /**\n * Creates a covariant projection
of a given type, denoted by the `out` modifier applied to a type.\n * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.\n */\n public fun covariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.OUT, type)\n }\n}\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n *
Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type in a projection (*use-site variance*).\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n */\n@SinceKotlin(\"1.1\")\nenum class KVariance {\n /**\n * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n

```
*/\n    INVARIANT,\n\n    /**\n     * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.\n     */\n    IN,\n\n    /**\n     * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.\n     */\n    OUT,\n}\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in
 compliance with the License.\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.reflect\n\n/**\n * Visibility is an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.\n * Visibility can be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.\n *\n * Note that some Java visibilities such as package-private and protected (which also gives access to items from the same package)\n * cannot be represented in Kotlin, so there's no [KVisibility] value corresponding to them.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html)\n
 * for more information.\n */\n@SinceKotlin(\"1.1\")\nenum class KVisibility {\n    /**\n     * Visibility of declarations marked with the `public` modifier, or with no modifier at all.\n     */\n    PUBLIC,\n\n    /**\n     * Visibility of declarations marked with the `protected` modifier.\n     */\n    PROTECTED,\n\n    /**\n     * Visibility of declarations marked with the `internal` modifier.\n     */\n    INTERNAL,\n\n    /**\n     * Visibility of declarations marked with the `private` modifier.\n     */\n    PRIVATE,\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@JsName(\"arrayIterator\")\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\n    null -> {\n        val arr: Array<dynamic> = array\n
   object : Iterator<dynamic>
 {\n            var index = 0\n            override fun hasNext() = index < arr.size\n            override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException(\"$index\")\n        }\n    }\n    \"BooleanArray\" -> booleanArrayIterator(array)\n    \"ByteArray\" -> byteArrayIterator(array)\n    \"ShortArray\" -> shortArrayIterator(array)\n    \"CharArray\" -> charArrayIterator(array)\n    \"IntArray\" -> intArrayIterator(array)\n
 \"LongArray\" -> longArrayIterator(array)\n    \"FloatArray\" -> floatArrayIterator(array)\n    \"DoubleArray\" -> doubleArrayIterator(array)\n    else -> throw IllegalStateException(\"Unsupported type argument for arrayIterator: $type\")\n}\n\n@JsName(\"booleanArrayIterator\")\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"byteArrayIterator\")\ninternal
 fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"shortArrayIterator\")\ninternal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextShort() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"charArrayIterator\")\ninternal fun charArrayIterator(array: CharArray) = object : CharIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"intArrayIterator\")\ninternal fun intArrayIterator(array:
 IntArray) = object : IntIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"floatArrayIterator\")\ninternal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextFloat() = if (index < array.size) array[index++] else throw
```

NoSuchElementException(\"$index\")\n}\n\n@JsName(\"doubleArrayIterator\")\ninternal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"longArrayIterator\")\ninternal fun longArrayIterator(array: LongArray) = object : LongIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"PropertyMetadata\")\ninternal class PropertyMetadata(@JsName(\"callableName\") val name: String)\n\n@JsName(\"noWhenBranchMatched\")\ninternal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()\n\n@JsName(\"subSequence\")\ninternal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {\n if (c is String) {\n return c.substring(startIndex, endIndex)\n } else {\n return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n }\n}\n\n@JsName(\"captureStack\")\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance: Throwable) {\n if (js(\"Error\").captureStackTrace) {\n js(\"Error\").captureStackTrace(instance, instance::class.js);\n } else {\n instance.asDynamic().stack = js(\"new Error()\").stack;\n }\n}\n\n@JsName(\"newThrowable\")\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\n val throwable = js(\"new Error()\")\n throwable.message = if (jsTypeOf(message) == \"undefined\") {\n if (cause != null) cause.toString() else null\n } else {\n message\n }\n throwable.cause = cause\n throwable.name = \"Throwable\"\n return throwable\n}\n\n@JsName(\"BoxedChar\")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n override fun equals(other: Any?): Boolean {\n return other is BoxedChar && c == other.c\n }\n\n override fun hashCode(): Int {\n return c\n }\n\n override fun toString(): String {\n return js(\"this.c\").unsafeCast<Char>().toString()\n }\n\n override fun compareTo(other: Int): Int {\n return js(\"this.c - other\").unsafeCast<Int>()\n }\n\n @JsName(\"valueOf\")\n public fun valueOf(): Int {\n return c\n }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n val typed = js(\"Array\")(args.size)\n for (i in args.indices) {\n val arr = args[i]\n if (arr !is Array<*>) {\n typed[i] = js(\"[]\").slice.call(arr)\n } else {\n typed[i] = arr\n }\n }\n return js(\"[]\").concat.apply(js(\"[]\"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n */\n@PublishedApi\n@JsName(\"arrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> arrayConcat(a: T, b: T): T {\n return concat(js(\"arguments\"))\n}\n\n/** Concat primitive arrays. Main use: prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\n *\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\n * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property default to arrayConcat.\n */\n@PublishedApi\n@JsName(\"primitiveArrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> primitiveArrayConcat(a: T, b: T): T {\n val args: Array<T> = js(\"arguments\")\n if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n return concat(args)\n } else {\n var size = 0\n for (i in args.indices) {\n size += args[i].asDynamic().length as Int\n }\n val result = js(\"new a.constructor(size)\")\n kotlin.copyArrayType(a, result)\n size = 0\n for (i in args.indices) {\n val arr = args[i].asDynamic()\n for (j in 0 until arr.length) {\n result[size++] = arr[j]\n }\n }\n return result\n }\n}\n\n@JsName(\"booleanArrayOf\")\ninternal fun booleanArrayOf() = withType(\"BooleanArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"charArrayOf\") // The arguments have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new Uint16Array([].slice.call(arguments))\"))\n\n@JsName(\"longArrayOf\")\ninternal fun longArrayOf() = withType(\"LongArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"withType\")\n@kotlin.internal.InlineOnly\ninternal inline fun

withType(type: String, array: dynamic): dynamic {\n   array.`$type$` = type\n   return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function corresponding to JavaScript's `typeof` operator\n */\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun jsTypeOf(a: Any?): String = js(\"typeof a\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n */\npublic inline fun <T> emptyArray(): Array<T> = js(\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray = definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements:
Byte): ByteArray = definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n */\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode] parameter is ignored. */\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is ignored.\n */\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n   val srcLen: Int = src.length\n   val dstLen: Int = dst.length\n
    var index: Int = 0\n   while (index < srcLen && index < dstLen) dst[index] = src[index++]\n   return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n   val result = source.slice(0, newSize)\n   copyArrayType(source, result)\n   var index: Int = source.length\n   if (newSize > index) {\n   result.length = newSize\n   while (index < newSize) result[index++] = defaultValue\n   }\n   return result\n}\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n   val result = array.slice()\n   result.length += collection.size\n   copyArrayType(array, result)\n   var index: Int = array.length\n   for (element in collection) result[index++] = element\n   return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n   var index = startIndex\n   for (element in collection) dst[index++] = element\n   return
    dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n   if (from.`$type$` !== undefined) {\n   to.`$type$` = from.`$type$`\n   }\n}\n\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js(\"Kotlin\").isType(obj, jsClass)","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin(\"1.3\")\n@JsName(\"CoroutineImpl\")\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {\n   protected var state = 0\n   protected var exceptionState = 0\n   protected var result: Any? = null\n   protected var exception: Throwable? = null\n   protected var finallyPath: Array<Int>? = null\n\n   public override val context: CoroutineContext = resultContinuation.context\n\n

```
    private var intercepted_: Continuation<Any?>? = null\n\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_\n            ?: (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n                .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? = result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n\n        // This loop unrolls recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n            with(current) {\n                val completion = resultContinuation\n\n                // Set result and exception fields in the current continuation\n                if (currentException == null) {\n                    this.result = currentResult\n                } else {\n                    state = exceptionState\n                    exception = currentException\n                }\n\n                try {\n                    val outcome = doResume()\n                    if (outcome === COROUTINE_SUSPENDED) return\n                    currentResult = outcome\n                    currentException = null\n                } catch (exception: dynamic) { // Catch all exceptions\n                    currentResult = null\n                    currentException = exception.unsafeCast<Throwable>()\n                }\n\n                releaseIntercepted() // this state machine instance is terminating\n\n                if (completion is CoroutineImpl) {\n                    // unrolling recursion via loop\n                    current = completion\n                } else {\n                    // top-level completion reached -- invoke and return\n                    currentException?.let {\n                        completion.resumeWithException(it)\n                    } ?: completion.resume(currentResult)\n                    return\n                }\n            }\n        }\n    }\n\n    private fun releaseIntercepted() {\n        val intercepted = intercepted_\n        if (intercepted != null && intercepted !== this) {\n            context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_ = CompletedContinuation // just in case\n    }\n\n    protected abstract fun doResume(): Any?\n}\n\ninternal object CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n        get() = error(\"This continuation is already complete\")\n\n    override fun resumeWith(result: Result<Any?>) {\n        error(\"This continuation is already complete\")\n    }\n\n    override fun toString(): String = \"This continuation is already complete\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
    file.\n */\n\n@file:Suppress(\"UNCHECKED_CAST\", \"RedundantVisibilityModifier\")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\n\n/**\n * A discriminated union that encapsulates a successful outcome with a value of type [T]\n * or a failure with an arbitrary [Throwable] exception.\n
*/\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\n@SinceKotlin(\"1.3\")\npublic inline class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value: Any?\n) : Serializable {\n    // discovery\n\n    /**\n     * Returns `true` if this instance represents a successful outcome.\n     * In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean get() = value !is Failure\n\n    /**\n     * Returns `true` if this instance represents a failed outcome.\n     * In this case [isSuccess] returns `false`.\n     */\n    public val isFailure: Boolean get() = value is Failure\n\n    // value & exception retrieval\n\n    /**\n     * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or `null`\n     * if it is [failure][Result.isFailure].\n     *\n     * This function is a shorthand for `getOrElse { null }` (see [getOrElse]) or\n     * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n     */\n    @InlineOnly\n    public inline fun getOrNull(): T? =\n        when {\n            isFailure -> null\n            else -> value as T\n        }\n\n    /**\n     * Returns the encapsulated [Throwable] exception if this instance represents [failure][isFailure] or `null`\n     * if it is [success][isSuccess].\n     *\n     * This function is a shorthand for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n     */\n    public fun exceptionOrNull(): Throwable? =\n        when (value) {\n            is Failure -> value.exception\n            else -> null\n        }\n\n    /**\n     * Returns a string
    `Success(v)` if this instance represents [success][Result.isSuccess]\n     * where `v` is a string representation of the value or a string `Failure(x)` if\n     * it is [failure][isFailure] where `x` is a string representation of the exception.\n
    */\n    public override fun toString(): String =\n        when (value) {\n            is Failure -> value.toString() //
```

```
\"Failure($exception)\"\n            else -> \"Success($value)\"\n        }\n\n    // companion with constructors\n\n    /**\n     * Companion object for [Result] class that contains its constructor functions\n     * [success] and [failure].\n     */\n    public companion object {\n        /**\n         * Returns an instance that encapsulates the given [value] as successful value.\n         */\n        @InlineOnly\n        public inline fun <T> success(value: T): Result<T> =\n            Result(value)\n\n        /**\n         * Returns an instance that encapsulates the given [Throwable] [exception] as failure.\n
         */\n        @InlineOnly\n        public inline fun <T> failure(exception: Throwable): Result<T> =\n            Result(createFailure(exception))\n    }\n\n    internal class Failure(\n        @JvmField\n        val exception: Throwable\n    ) : Serializable {\n        override fun equals(other: Any?): Boolean = other is Failure && exception == other.exception\n        override fun hashCode(): Int = exception.hashCode()\n        override fun toString(): String = \"Failure($exception)\"\n    }\n}\n\n/**\n * Creates an instance of internal marker [Result.Failure] class to\n * make sure that this class is not exposed in ABI.\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun createFailure(exception: Throwable): Any =\n    Result.Failure(exception)\n\n/**\n * Throws exception if the result is failure. This internal function minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-augmenting logic here (if needed).\n
*/\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal
fun Result<*>.throwOnFailure() {\n    if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if it is [failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n    throwOnFailure()\n    return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [onFailure] function.\n *\n * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic
inline fun <R, T : R> Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n    contract {\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> value as T\n        else -> onFailure(exception)\n    }\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {\n    if (isFailure) return defaultValue\n    return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n
 * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.fold(\n    onSuccess: (value: T) -> R,\n    onFailure: (exception: Throwable) -> R\n): R {\n    contract {\n        callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> onSuccess(value as T)\n        else ->
```

```
onFailure(exception)\n    }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when {\n        isSuccess -> Result.success(transform(value as T))\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [map] for an alternative that rethrows exceptions from `transform` function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n    return when {\n        isSuccess -> runCatching { transform(value as T) }\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [recoverCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else -> Result.success(transform(exception))\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [recover] for an alternative that rethrows exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n    val value = value // workaround for inline classes BE bug\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else -> runCatching { transform(exception) }\n    }\n}\n\n// \"peek\" onto value/exception and pipe\n\n/**\n * Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n    }\n    exceptionOrNull()?.let { action(it) }\n    return this\n}\n\n/**\n * Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n    }\n    if (isSuccess) action(value as T)\n    return this\n}\n\n// ----------\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing
 a continuation after a suspension point that returns a value of type `T`.\n */\n@SinceKotlin(\"1.3\")\npublic interface Continuation<in T> {\n    /**\n     * The context of the coroutine that corresponds to this continuation.\n     */\n    public val context: CoroutineContext\n\n    /**\n     * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\n     * return value of the last suspension point.\n     */\n    public fun resumeWith(result: Result<T>)\n}\n\n/**\n * Classes and interfaces marked with this annotation are restricted when
```

used as receivers for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver and are restricted from calling arbitrary suspension functions.\n */\n@SinceKotlin(\"1.3\")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n resumeWith(Result.success(value))\n\n/**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\n resumeWith(Result.failure(exception))\n\n\n/**\n * Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation(\n context: CoroutineContext,\n crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T> =\n object : Continuation<T> {\n override val context: CoroutineContext\n get() = context\n\n override fun resumeWith(result: Result<T>) =\n resumeWith(result)\n }\n\n/**\n * Creates a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).createCoroutine(\n completion: Continuation<T>\n): Continuation<Unit> =\n SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).createCoroutine(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> =\n SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).startCoroutine(\n completion: Continuation<T>\n) {\n createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts a coroutine with receiver type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>\n) {\n createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n *\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\n * from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic suspend inline fun <T> suspendCoroutine(crossinline block:

(Continuation<T>) -> Unit): T =\n   suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\n   val safe = SafeContinuation(c.intercepted())\n   block(safe)\n   safe.getOrThrow()\n   }\n\n/**\n * Returns the context of the current coroutine.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"WRONG_MODIFIER_TARGET\")\n@InlineOnly\npublic suspend inline val coroutineContext: CoroutineContext\n   get() {\n   throw NotImplementedError(\"Implemented as intrinsic\")\n   }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\n *\n * The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n   completion: Continuation<T>\n): Any? = this.asDynamic()(completion, false)\n\n/**\n * Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\n *\n * The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\n   receiver: R,\n   completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, completion, false)\n\n\n/**\n * Creates unintercepted coroutine without receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n   completion: Continuation<T>\n): Continuation<Unit> =\n   // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n   if (this.asDynamic().length == 2) {\n   // When `suspended` is true the continuation is created, but not executed\n   this.asDynamic()(completion, true)\n   } else {\n   createCoroutineFromSuspendFunction(completion) {\n   this.asDynamic()(completion)\n   }\n   }\n\n/**\n * Creates unintercepted coroutine with receiver type [R]

and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function may get invoked in
an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if (this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(receiver, completion)\n }\n }\n\n/**\n * Intercepts this continuation with [ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes [ContinuationInterceptor.interceptContinuation], caches and returns the result.\n *\n * If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?: this\n\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n crossinline block: () -> Any?\n): Continuation<Unit> {\n @Suppress(\"UNCHECKED_CAST\")\n return object : CoroutineImpl(completion as Continuation<Any?>)
{\n override fun doResume(): Any? {\n exception?.let { throw it }\n return block()\n }\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR BE\n// Used for js.translator/testData/box/number/mulInt32.kt\n@library\n@JsName(\"imulEmulated\")\ninternal fun imul(x: Int, y: Int): Int = definedExternally\n\ninternal inline fun isArrayish(o: dynamic) = js(\"Kotlin\").isArrayish(o)","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n\n@file:Suppress(\"UNUSED_PARAMETER\")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\ninternal inline fun jsDeleteProperty(obj: Any, property: Any) {\n js(\"delete obj[property]\")\n}\n\n@kotlin.internal.InlineOnly\ninternal
inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n js(\"lhs | rhs\").unsafeCast<Int>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.withSign(sign: Double): Double {\n val thisSignBit = js(\"Kotlin\").doubleSignBit(this).unsafeCast<Int>()\n val newSignBit = js(\"Kotlin\").doubleSignBit(sign).unsafeCast<Int>()\n return if (thisSignBit == newSignBit) this else -this\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToBits\")\npublic actual fun Double.toBits(): Long =

definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long = definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation of the specified floating-point
value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int = definedExternally\n\n/**\n * Returns the [Float] value
corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits: Int): Float = js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\n\n\ninternal inline fun Long(low: Int, high: Int) = js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\ninternal inline val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get() = this.asDynamic().getHighBits().unsafeCast<Int>()","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual
fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n   val midPoint = (size / 2) - 1\n   if (midPoint < 0) return\n   var reverseIndex = lastIndex\n   for (index in 0..midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharSequence.elementAt(index: Int): Char {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n//

NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n   return object : AbstractList<UInt>(), RandomAccess {\n   override val size: Int get() = this@asList.size\n   override fun isEmpty(): Boolean = this@asList.isEmpty()\n   override fun contains(element: UInt): Boolean = this@asList.contains(element)\n   override fun get(index: Int): UInt {\n   AbstractList.checkElementIndex(index, size)\n   return this@asList[index]\n   }\n   override fun indexOf(element: UInt): Int {\n   if ((element as Any?) !is UInt) return -1\n   return this@asList.indexOf(element)\n   }\n   override fun lastIndexOf(element: UInt): Int {\n   if ((element as Any?) !is UInt) return -1\n   return this@asList.lastIndexOf(element)\n   }\n   }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong> {\n   return object : AbstractList<ULong>(), RandomAccess {\n   override val size: Int get() = this@asList.size\n   override fun isEmpty(): Boolean = this@asList.isEmpty()\n   override fun contains(element: ULong): Boolean = this@asList.contains(element)\n   override fun get(index: Int): ULong {\n   AbstractList.checkElementIndex(index, size)\n   return this@asList[index]\n   }\n   override fun indexOf(element: ULong): Int {\n   if ((element as Any?) !is ULong) return -1\n   return this@asList.indexOf(element)\n   }\n   override fun lastIndexOf(element: ULong): Int {\n   if ((element as Any?) !is ULong) return -1\n   return this@asList.lastIndexOf(element)\n   }\n   }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList(): List<UByte> {\n   return object : AbstractList<UByte>(), RandomAccess {\n   override val size: Int get() = this@asList.size\n   override fun isEmpty(): Boolean = this@asList.isEmpty()\n   override fun contains(element: UByte): Boolean = this@asList.contains(element)\n   override fun get(index: Int): UByte {\n   AbstractList.checkElementIndex(index, size)\n   return this@asList[index]\n   }\n   override fun indexOf(element: UByte): Int {\n   if ((element as Any?) !is UByte) return -1\n   return this@asList.indexOf(element)\n   }\n   override fun lastIndexOf(element: UByte): Int {\n   if ((element as Any?) !is UByte) return -1\n   return this@asList.lastIndexOf(element)\n   }\n   }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.asList(): List<UShort> {\n   return object : AbstractList<UShort>(),

RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UShort): Boolean = this@asList.contains(element)\n override fun get(index: Int): UShort {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UShort): Int {\n if ((element as Any?) !is UShort) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UShort): Int {\n if ((element as Any?) !is UShort) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n","@file: Suppress(\"DEPRECATION\")\npackage jquery.ui\n\n\n//jquery UI\nimport jquery.JQuery\nimport kotlin.js.Json\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic
inline fun JQuery.buttonset(): JQuery = asDynamic().buttonset()\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.dialog(): JQuery = asDynamic().dialog()\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.dialog(params: Json): JQuery = asDynamic().dialog(params)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.dialog(mode: String, param: String): Any? = asDynamic().dialog(mode, param)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.dialog(mode: String): JQuery = asDynamic().dialog(mode)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic
inline fun JQuery.dialog(mode: String, param: String, value: Any?): JQuery = asDynamic().dialog(mode, param, value)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.button(): JQuery = asDynamic().button()\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.accordion(): JQuery = asDynamic().accordion()\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.draggable(params: Json): JQuery = asDynamic().draggable(params)\n\n@Deprecated(\"Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.\")\npublic inline fun JQuery.selectable(): JQuery = asDynamic().selectable()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\n@Deprecated(\"Use `external` modifier instead\", level = DeprecationLevel.ERROR)\npublic annotation class native(public val name: String = \"\")\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\ninternal annotation class library(public val name: String = \"\")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration
(a function, a property or a class) specific name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n * * There are two functions for which the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration, which in uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println(\"Hello $name!\")\n * }\n *\n *

@JsName(\"helloWithGreeting\")\n *   fun hello(greeting: String) {\n *   println(\"$greeting $name!\")\n *   }\n * }\n * ```\n *\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\n *   It's required to denote a valid JavaScript identifier.\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that contain all the declarations from the file.\n *\n * Example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * external abstract class JQuery() {\n *   // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @property import name of a module to import declaration from.\n *   It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\n * as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external abstract class JQuery() {\n *   // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @see JsModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\n * or to plain imports.\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)`\n * annotation.\n *\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n *\n * ```\n * @file:JsQualifier(\"my.jsPackageName\")\n * package some.kotlinPackage\n *\n * external fun foo(x: Int)\n *\n * external fun bar(): String\n * ```\n *\n * @property value the qualifier to add to the declarations in the generated code.\n *   It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n *   Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`.\n *\n * @see JsModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\npublic annotation class JsQualifier(val value: String)\n\n/**\n * Marks experimental JS export annotations.\n *\n * Note that behaviour of these annotations will likely be changed in the future.\n *\n * Usages of such annotations will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`,\n * or with the `-Xopt-in=kotlin.js.ExperimentalJsExport` compiler option is given.\n */\n@Suppress(\"DEPRECATION\")\n@Experimental(level = Experimental.Level.WARNING)\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalJsExport\n\n/**\n * Exports top-level declaration.\n *\n * Used in future IR-based backend.\n * Has no effect in current JS backend.\n

/\n@ExperimentalJsExport\n@SinceKotlin(\"1.3\")\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsExport\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.jvm\n\n// these are used in common generated code in stdlib\n\n// TODO: find how to deprecate these ones\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Synchronized\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is invariant on its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n   actual abstract override fun add(element: E): Boolean\n\n   actual override fun remove(element: E): Boolean {\n   val iterator = iterator()\n   while (iterator.hasNext()) {\n   if (iterator.next() == element) {\n   iterator.remove()\n   return true\n   }\n   }\n   return false\n   }\n\n   actual override fun addAll(elements: Collection<E>): Boolean {\n   var modified = false\n   for (element in elements) {\n   if (add(element)) modified = true\n   }\n   return modified\n   }\n\n   actual override fun removeAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it in elements }\n   actual override fun retainAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it !in elements }\n\n   actual override fun clear(): Unit {\n   val iterator = this.iterator()\n   while (iterator.hasNext()) {\n   iterator.next()\n   iterator.remove()\n   }\n   }\n\n   @JsName(\"toJSON\")\n   open fun toJSON(): Any = this.toArray()\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList] interface.\n *\n * @param E the type of elements contained in the list. The list is invariant on its element type.\n */\npublic actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n   protected var modCount: Int = 0\n\n   abstract override fun add(index: Int, element: E): Unit\n   abstract override fun removeAt(index: Int): E\n   abstract override fun set(index: Int, element: E): E\n\n   /**\n   * Adds the specified element to the end of this list.\n   *\n   * @return `true` because the list is always modified as the result of this operation.\n   */\n   actual override fun add(element: E): Boolean {\n   add(size, element)\n   return true\n   }\n\n   actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n   var _index = index\n   var changed = false\n   for (e in elements) {\n   add(_index++, e)\n   changed = true\n   }\n   return changed\n   }\n\n   actual override fun clear() {\n   removeRange(0, size)\n   }\n\n   actual override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }\n   actual override fun retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }\n\n\n   actual override fun iterator(): MutableIterator<E> = IteratorImpl()\n\n   actual override fun contains(element: E): Boolean = indexOf(element) >= 0\n\n   actual override fun indexOf(element: E): Int {\n   for (index in 0..lastIndex) {\n   if (get(index) == element) {\n   return index\n   }\n   }\n   return -1\n   }\n\n   actual override fun lastIndexOf(element: E): Int {\n   for (index in lastIndex downTo 0) {\n   if (get(index) == element) {\n   return index\n   }\n   }\n   return -1\n   }\n\n   actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\n   actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n   actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n   /**\n   * Removes

the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n */\n protected open fun removeRange(fromIndex:
Int, toIndex: Int) {\n val iterator = listIterator(fromIndex)\n repeat(toIndex - fromIndex) {\n iterator.next()\n iterator.remove()\n }\n }\n\n /**\n * Compares this list with another list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return AbstractList.orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n\n private open inner class IteratorImpl : MutableIterator<E> {\n /** the index of the item that will be returned on the next call to [next]`()` */\n protected var index = 0\n /** the index of the item that was returned on the previous call to [next]`()`\n * or [ListIterator.previous]`()` (for `ListIterator`),\n * -1 if no such item exists\n */\n protected var last = -1\n\n override fun hasNext(): Boolean = index < size\n\n override fun next(): E {\n if (!hasNext()) throw NoSuchElementException()\n last = index++\n return get(last)\n }\n\n override fun remove() {\n check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n removeAt(last)\n index = last\n last = -1\n }\n }\n\n /**\n * Implementation of `MutableListIterator` for abstract lists.\n */\n private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n\n init {\n AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n this.index = index\n
}\n\n override fun hasPrevious(): Boolean = index > 0\n\n override fun nextIndex(): Int = index\n\n override fun previous(): E {\n if (!hasPrevious()) throw NoSuchElementException()\n\n last = --index\n return get(last)\n }\n\n override fun previousIndex(): Int = index - 1\n\n override fun add(element: E) {\n add(index, element)\n index++\n last = -1\n }\n\n override fun set(element: E) {\n check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\n this@AbstractMutableList[last] = element\n }\n }\n\n private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n private var _size: Int = 0\n\n init {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n
this._size = toIndex - fromIndex\n }\n\n override fun add(index: Int, element: E) {\n AbstractList.checkPositionIndex(index, _size)\n\n list.add(fromIndex + index, element)\n _size++\n }\n\n override fun get(index: Int): E {\n AbstractList.checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n }\n\n override fun removeAt(index: Int): E {\n AbstractList.checkElementIndex(index, _size)\n\n val result = list.removeAt(fromIndex + index)\n _size--\n return result\n }\n\n override fun set(index: Int, element: E): E {\n AbstractList.checkElementIndex(index, _size)\n\n return list.set(fromIndex + index, element)\n }\n\n override val size: Int get() = _size\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableMap] interface.\n *\n * The implementor is required to implement [entries] property, which should return mutable set of map entries, and [put] function.\n *\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The map is invariant on its value type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n /**\n * A mutable [Map.Entry] shared by several [Map] implementations.\n */\n internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n\n\n private var
_value = value\n\n override val value: V get() = _value\n\n override fun setValue(newValue: V): V {\n val oldValue = this._value\n this._value = newValue\n return oldValue\n }\n\n override fun

hashCode(): Int = entryHashCode(this)\n override fun toString(): String = entryToString(this)\n override fun equals(other: Any?): Boolean = entryEquals(this, other)\n\n }\n\n actual override fun clear() {\n entries.clear()\n }\n\n private var _keys: MutableSet<K>? = null\n actual override val keys: MutableSet<K>\n get() {\n if (_keys == null) {\n _keys = object : AbstractMutableSet<K>() {\n override fun add(element: K): Boolean = throw UnsupportedOperationException(\"Add is not supported on keys\")\n override fun clear() {\n this@AbstractMutableMap.clear()\n }\n\n override
operator fun contains(element: K): Boolean = containsKey(element)\n\n override operator fun iterator(): MutableIterator<K> {\n val entryIterator = entries.iterator()\n return object : MutableIterator<K> {\n override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): K = entryIterator.next().key\n override fun remove() = entryIterator.remove()\n }\n }\n\n override fun remove(element: K): Boolean {\n if (containsKey(element)) {\n this@AbstractMutableMap.remove(element)\n return true\n }\n return false\n }\n\n override val size: Int get() = this@AbstractMutableMap.size\n }\n }\n
return _keys!!\n }\n\n actual abstract override fun put(key: K, value: V): V?\n\n actual override fun putAll(from: Map<out K, V>) {\n for ((key, value) in from) {\n put(key, value)\n }\n }\n\n private var _values: MutableCollection<V>? = null\n actual override val values: MutableCollection<V>\n get() {\n if (_values == null) {\n _values = object : AbstractMutableCollection<V>() {\n override fun add(element: V): Boolean = throw UnsupportedOperationException(\"Add is not supported on values\")\n override fun clear() = this@AbstractMutableMap.clear()\n\n override operator fun contains(element: V): Boolean = containsValue(element)\n\n override operator fun iterator(): MutableIterator<V> {\n val entryIterator = entries.iterator()\n return object : MutableIterator<V> {\n
override fun hasNext(): Boolean = entryIterator.hasNext()\n override fun next(): V = entryIterator.next().value\n override fun remove() = entryIterator.remove()\n }\n }\n\n override val size: Int get() = this@AbstractMutableMap.size\n\n // TODO: should we implement them this way? Currently it's unspecified in JVM\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n if (other !is Collection<*>) return false\n return AbstractList.orderedEquals(this, other)\n }\n\n override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n }\n }\n return _values!!\n }\n\n actual override fun remove(key: K): V? {\n val iter = entries.iterator()\n while (iter.hasNext()) {\n val entry = iter.next()\n val k = entry.key\n if (key == k) {\n val value = entry.value\n iter.remove()\n return value\n }\n }\n return null\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableSet] interface.\n *\n * @param E the type of elements contained in the set. The set is invariant on its element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableSet<E> {\n\n /**\n * Compares this set with another set instance with the unordered structural equality.\n *\n * @return `true`, if [other] instance
is a [Set] of the same size, all elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Set<*>) return false\n return AbstractSet.setEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing storage.\n *\n * This implementation doesn't provide a

way to manage capacity, as backing JS array is resizeable itself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does
not include any of the\n * capacity and \"growth increment\" concepts.\n */\npublic actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n\n /**\n * Creates an empty [ArrayList].\n */\n public actual constructor() : this(emptyArray()) {}\n\n /**\n * Creates an empty [ArrayList].\n * @param initialCapacity initial capacity (ignored)\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n public actual constructor(initialCapacity: Int = 0) : this(emptyArray()) {}\n\n /**\n * Creates an [ArrayList] filled from the [elements] collection.\n */\n public actual constructor(elements: Collection<E>) : this(elements.toTypedArray<Any?>()) {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun trimToSize() {}\n\n /** Does nothing in this ArrayList implementation. */\n public actual fun ensureCapacity(minCapacity: Int)
{}\n\n actual override val size: Int get() = array.size\n @Suppress(\"UNCHECKED_CAST\")\n actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n actual override fun set(index: Int, element: E): E {\n rangeCheck(index)\n @Suppress(\"UNCHECKED_CAST\")\n return array[index].apply { array[index] = element } as E\n }\n\n actual override fun add(element: E): Boolean {\n array.asDynamic().push(element)\n modCount++\n return true\n }\n\n actual override fun add(index: Int, element: E): Unit {\n array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n modCount++\n }\n\n actual override fun addAll(elements: Collection<E>): Boolean {\n if (elements.isEmpty()) return false\n\n array += elements.toTypedArray<Any?>()\n modCount++\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n insertionRangeCheck(index)\n\n
if (index == size) return addAll(elements)\n if (elements.isEmpty()) return false\n when (index) {\n size -> return addAll(elements)\n 0 -> array = elements.toTypedArray<Any?>() + array\n else -> array = array.copyOfRange(0, index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\n }\n\n modCount++\n return true\n }\n\n actual override fun removeAt(index: Int): E {\n rangeCheck(index)\n modCount++\n return if (index == lastIndex)\n array.asDynamic().pop()\n else\n array.asDynamic().splice(index, 1)[0]\n }\n\n actual override fun remove(element: E): Boolean {\n for (index in array.indices) {\n if (array[index] == element) {\n array.asDynamic().splice(index, 1)\n modCount++\n return true\n }\n }\n return false\n }\n\n
override fun removeRange(fromIndex: Int, toIndex: Int) {\n modCount++\n array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n }\n\n actual override fun clear() {\n array = emptyArray()\n modCount++\n }\n\n\n actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n override fun toArray(): Array<Any?> = js(\"[]\").slice.call(array)\n\n\n private fun rangeCheck(index: Int) = index.apply {\n AbstractList.checkElementIndex(index, size)\n }\n\n private fun insertionRangeCheck(index: Int) = index.apply {\n AbstractList.checkPositionIndex(index, size)\n }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n if (getStableSortingIsSupported()) {\n array.asDynamic().sort(comparison)\n } else {\n mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n }\n}\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {\n if (getStableSortingIsSupported()) {\n val comparison = { a: T, b: T -> comparator.compare(a, b) }\n array.asDynamic().sort(comparison)\n } else {\n mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n }\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n if (getStableSortingIsSupported()) {\n val

comparison = { a: T, b: T -> a.compareTo(b) }\n array.asDynamic().sort(comparison)\n } else {\n mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean {\n _stableSortingIsSupported?.let { return it }\n _stableSortingIsSupported = false\n\n val array = js(\"[]\").unsafeCast<Array<Int>>()\n // known implementations may use stable sort for arrays of up to 512 elements\n // so we create slightly more elements to test stability\n for (index in 0 until 600) array.asDynamic().push(index)\n val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n array.asDynamic().sort(comparison)\n for (index in 1 until array.size) {\n val a = array[index - 1]\n val b = array[index]\n if ((a and 3) == (b and 3) && a >= b) return false\n }\n _stableSortingIsSupported = true\n return true\n}\n\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator: Comparator<in T>) {\n val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n val result = mergeSort(array,
buffer, start, endInclusive, comparator)\n if (result !== array) {\n result.forEachIndexed { i, v -> array[i] = v }\n }\n}\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n if (start == end) {\n return array\n }\n\n val median = (start + end) / 2\n val left = mergeSort(array, buffer, start, median, comparator)\n val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n val target = if (left === buffer) array else buffer\n\n // Merge.\n var leftIndex = start\n var rightIndex = median + 1\n for (i in start..end) {\n when {\n leftIndex <= median && rightIndex <= end -> {\n val leftValue = left[leftIndex]\n val rightValue = right[rightIndex]\n\n if (comparator.compare(leftValue, rightValue) <= 0) {\n target[i] = leftValue\n leftIndex++\n } else {\n target[i] = rightValue\n rightIndex++\n }\n }\n leftIndex <= median -> {\n target[i] = left[leftIndex]\n leftIndex++\n }\n else /* rightIndex <= end */ -> {\n target[i] = right[rightIndex]\n rightIndex++\n Unit // TODO: Fix KT-31506\n }\n }\n }\n\n return target\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@kotlin.js.JsName(\"contentDeepHashCodeImpl\")\ninternal fun <T> Array<out T>.contentDeepHashCodeImpl(): Int {\n var result = 1\n for (element
in this) {\n val elementHash = when {\n element == null -> 0\n isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n\n element is UByteArray -> element.contentHashCode()\n element is UShortArray -> element.contentHashCode()\n element is UIntArray -> element.contentHashCode()\n element is ULongArray -> element.contentHashCode()\n\n else -> element.hashCode()\n }\n\n result = 31 * result + elementHash\n }\n return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n /**\n * Subclasses must override to return a value indicating\n * whether or not two keys or values are equal.\n */\n abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n /**\n * Subclasses must override to return the hash code of a given key.\n */\n abstract fun getHashCode(value: Any?): Int\n\n\n object HashCode : EqualityComparator {\n override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values]

and [entries] collections.\n
*/\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n override fun clear() {\n this@HashMap.clear()\n }\n\n override operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n override fun remove(element: MutableEntry<K, V>): Boolean {\n if (contains(element)) {\n this@HashMap.remove(element.key)\n return true\n }\n return false\n }\n\n override val size: Int get() = this@HashMap.size\n }\n\n\n /**\n * Internal implementation of the map: either string-based or hashcode-based.\n
*/\n private val internalMap: InternalMap<K, V>\n\n private val equality: EqualityComparator\n\n internal constructor(internalMap: InternalMap<K, V>) : super() {\n this.internalMap = internalMap\n this.equality = internalMap.equality\n }\n\n /**\n * Constructs an empty [HashMap] instance.\n */\n actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n /**\n * Constructs an empty [HashMap] instance.\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : this() {\n // This implementation of HashMap has no need of load factors or capacities.\n require(initialCapacity >= 0) {
\"Negative initial capacity: $initialCapacity\" }\n require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\n }\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n /**\n * Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n */\n actual constructor(original: Map<out K, V>) : this() {\n this.putAll(original)\n }\n\n actual override fun clear() {\n internalMap.clear()\n// structureChanged(this)\n }\n\n actual override fun containsKey(key: K): Boolean = internalMap.contains(key)\n\n actual override fun containsValue(value: V): Boolean = internalMap.any { equality.equals(it.value, value) }\n\n private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? = null\n actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n get() {\n if (_entries == null) {\n _entries = createEntrySet()\n }\n return _entries!!\n }\n\n protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual override operator fun get(key: K): V? = internalMap.get(key)\n\n actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n actual override fun remove(key: K): V? = internalMap.remove(key)\n\n actual override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of [HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n return HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n/*\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [HashMap] instance.\n */\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n private val map: HashMap<E, Any>\n\n /**\n * Constructs a new empty [HashSet].\n */\n actual constructor() {\n map = HashMap<E, Any>()\n }\n\n /**\n * Constructs a new [HashSet] filled with the elements of the specified collection.\n */\n actual constructor(elements: Collection<E>) {\n map = HashMap<E, Any>(elements.size)\n addAll(elements)\n }\n\n /**\n * Constructs a new empty [HashSet].\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n

```
@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n
    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\n        map = HashMap<E,
Any>(initialCapacity, loadFactor)\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n
/**\n     * Protected constructor to specify the underlying map. This is used by\n     * LinkedHashSet.\n\n     *
@param map underlying map to use.\n     */\n    internal constructor(map: HashMap<E, Any>) {\n        this.map =
map\n    }\n\n    actual override fun add(element: E): Boolean {\n        val old = map.put(element, this)\n        return
old == null\n    }\n\n    actual override fun clear() {\n        map.clear()\n    }\n\n//    public override fun clone(): Any
{\n//        return HashSet<E>(this)\n//    }\n\n    actual override operator fun contains(element: E): Boolean =
map.containsKey(element)\n\n    actual override fun isEmpty(): Boolean = map.isEmpty()\n\n    actual override fun
iterator(): MutableIterator<E>
 = map.keys.iterator()\n\n    actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n
actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized
implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS
object without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n    return
HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalHashCodeMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n
* A simple wrapper around JavaScriptObject
 to provide [java.util.Map]-like semantics for any\n * key type.\n *\n *\n * Implementation notes:\n *\n *\n * A key's
hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same
hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n
*/\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V>
{\n\n    private var backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n        private set\n\n
override fun put(key: K, value: V): V? {\n        val hashCode = equality.getHashCode(key)\n        val chainOrEntry
= getChainOrEntryOrNull(hashCode)\n        if (chainOrEntry == null) {\n            // This is a new chain, put it to the
map.\n            backingMap[hashCode] = SimpleEntry(key, value)\n        } else {\n            if (chainOrEntry !is
Array<*>) {\n                // It is an entry\n                val entry: SimpleEntry<K,
 V> = chainOrEntry\n                if (equality.equals(entry.key, key)) {\n                    return entry.setValue(value)\n
                } else {\n                    backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n
size++\n                    return null\n                }\n            } else {\n                // Chain already exists, perhaps key also
exists.\n                val chain: Array<MutableEntry<K, V>> = chainOrEntry\n                val entry =
chain.findEntryInChain(key)\n                if (entry != null) {\n                    return entry.setValue(value)\n                }\n
                chain.asDynamic().push(SimpleEntry(key, value))\n            }\n        }\n        size++\n//
structureChanged(host)\n        return null\n    }\n\n    override fun remove(key: K): V? {\n        val hashCode =
equality.getHashCode(key)\n        val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n        if
(chainOrEntry
 !is Array<*>) {\n            val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key,
key)) {\n                jsDeleteProperty(backingMap, hashCode)\n                size--\n                return entry.value\n
} else {\n                return null\n            }\n        } else {\n            val chain: Array<MutableEntry<K, V>> =
chainOrEntry\n            for (index in chain.indices) {\n                val entry = chain[index]\n                if
(equality.equals(key, entry.key)) {\n                    if (chain.size == 1) {\n                        chain.asDynamic().length =
0\n                        // remove the whole array\n                        jsDeleteProperty(backingMap, hashCode)\n
} else {\n                        // splice out the entry we're removing\n                        chain.asDynamic().splice(index, 1)\n
                    }\n                    size--\n//                    structureChanged(host)\n
                    return entry.value\n                }\n            }\n        }\n        return null\n    }\n\n    override fun clear() {\n
    backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun contains(key: K): Boolean = getEntry(key) !=
```

null\n\n   override fun get(key: K): V? = getEntry(key)?.value\n\n   private fun getEntry(key: K): MutableEntry<K, V>? {\n   val chainOrEntry = getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n   if (chainOrEntry !is Array<*>) {\n   val entry: MutableEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   return entry\n   } else {\n   return null\n   }\n   } else {\n   val chain: Array<MutableEntry<K, V>> = chainOrEntry\n   return chain.findEntryInChain(key)\n   }\n   }\n\n   private fun Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n   firstOrNull { entry\n -> equality.equals(entry.key, key) }\n\n   override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n return object : MutableIterator<MutableEntry<K, V>> {\n   var state = -1 // -1 not ready, 0 - ready, 1 - done\n\n   val keys: Array<String> = js(\"Object\").keys(backingMap)\n   var keyIndex = -1\n\n   var chainOrEntry: dynamic = null\n   var isChain = false\n   var itemIndex = -1\n   var lastEntry: MutableEntry<K, V>? = null\n\n   private fun computeNext(): Int {\n   if (chainOrEntry != null && isChain) {\n   val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n   if (++itemIndex < chainSize)\n   return 0\n   }\n\n   if (++keyIndex < keys.size) {\n   chainOrEntry = backingMap[keys[keyIndex]]\n   isChain = chainOrEntry is Array<*>\n\n   itemIndex = 0\n   return 0\n   } else {\n   chainOrEntry = null\n   return 1\n   }\n   }\n\n   override fun hasNext(): Boolean {\n   if (state == -1)\n   state = computeNext()\n   return state == 0\n   }\n\n   override fun next(): MutableEntry<K, V> {\n   if (!hasNext()) throw NoSuchElementException()\n   val lastEntry = if (isChain) {\n   chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n   } else {\n   chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n   }\n   this.lastEntry = lastEntry\n   state = -1\n   return lastEntry\n   }\n\n   override fun remove() {\n   checkNotNull(lastEntry)\n   this@InternalHashCodeMap.remove(lastEntry!!.key)\n   lastEntry = null\n   // the chain being iterated just got modified by InternalHashCodeMap.remove\n   itemIndex--\n   }\n   }\n   }\n\n   private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n val chainOrEntry = backingMap[hashCode]\n   return if (chainOrEntry === undefined) null else chainOrEntry\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and [InternalHashCodeMap].\n */\ninternal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\n   val equality: EqualityComparator\n   val size: Int\n   operator fun contains(key: K): Boolean\n   operator fun get(key: K): V?\n\n   fun put(key: K, value: V): V?\n   fun remove(key: K):
 V?\n   fun clear(): Unit\n\n   fun createJsMap(): dynamic {\n   val result = js(\"Object.create(null)\")\n   // force to switch object representation to dictionary mode\n   result[\"foo\"] = 1\n   jsDeleteProperty(result, \"foo\")\n   return result\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n *\n * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n
 */\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n
 private var backingMap: dynamic = createJsMap()\n   override var size: Int = 0\n   private set\n\n//   /**\n//   * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n//   * iterator entry is guaranteed to be still correct.\n//   * This is to optimize for the common scenario where the values are not modified during\n//   * iterations where the entries are never stale.\n//   */\n//   private var valueMod: Int = 0\n\n

override operator fun contains(key: K): Boolean {\n if (key !is String) return false\n return backingMap[key] !== undefined\n }\n\n override operator fun get(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n return if (value !== undefined) value.unsafeCast<V>() else null\n }\n\n\n override fun put(key: K, value: V):
V? {\n require(key is String)\n val oldValue = backingMap[key]\n backingMap[key] = value\n\n if (oldValue === undefined) {\n size++\n// structureChanged(host)\n return null\n } else {\n// valueMod++\n return oldValue.unsafeCast<V>()\n }\n }\n\n override fun remove(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n if (value !== undefined) {\n jsDeleteProperty(backingMap, key)\n size--\n// structureChanged(host)\n return value.unsafeCast<V>()\n } else {\n// valueMod++\n return null\n }\n }\n\n\n override fun clear() {\n backingMap = createJsMap()\n size = 0\n }\n\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n return object : MutableIterator<MutableEntry<K, V>> {\n private val keys: Array<String>
= js(\"Object\").keys(backingMap)\n private val iterator = keys.iterator()\n private var lastKey: String? = null\n\n override fun hasNext(): Boolean = iterator.hasNext()\n\n override fun next(): MutableEntry<K, V> {\n val key = iterator.next()\n lastKey = key\n @Suppress(\"UNCHECKED_CAST\")\n return newMapEntry(key as K)\n }\n\n override fun remove() {\n @Suppress(\"UNCHECKED_CAST\")\n this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n }\n }\n }\n\n private fun newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n override val key: K get() = key\n override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n override fun setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n override fun hashCode():
Int = AbstractMap.entryHashCode(this)\n override fun toString(): String = AbstractMap.entryToString(this)\n override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries during the iteration.\n *\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\n */\npublic actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n /**\n * The entry we use includes next/prev pointers for a
doubly-linked circular\n * list with a head node. This reduces the special cases we have to deal with\n * in the list operations.\n\n * Note that we duplicate the key from the underlying hash map so we can find\n * the eldest entry. The alternative would have been to modify HashMap so more\n * of the code was directly usable here, but this would have added some\n * overhead to HashMap, or to reimplement most of the HashMap code here with\n * small modifications. Paying a small storage cost only if you use\n * LinkedHashMap and minimizing code size seemed like a better tradeoff\n */\n private class ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n internal var next: ChainEntry<K, V>? = null\n internal var prev: ChainEntry<K, V>? = null\n }\n\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n private inner class EntryIterator : MutableIterator<MutableEntry<K,
V>> {\n // The last entry that was returned from this iterator.\n private var last: ChainEntry<K, V>? = null\n\n // The next entry to return from this iterator.\n private var next: ChainEntry<K, V>? = null\n\n init {\n next = head\n// recordLastKnownStructure(map, this)\n }\n\n override fun hasNext(): Boolean {\n return next !== null\n }\n\n override fun next(): MutableEntry<K, V> {\n// checkStructuralChange(map, this)\n if (!hasNext()) throw

```
NoSuchElementException()\n\n                val current = next!!\n                last = current\n                next =
current.next.takeIf { it !== head }\n                return current\n            }\n\n            override fun remove() {\n
check(last != null)\n//                checkStructuralChange(map, this)\n\n                last!!.remove()\n
            map.remove(last!!.key)\n//                recordLastKnownStructure(map, this)\n                last = null\n            }\n
    }\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw
UnsupportedOperationException(\"Add is not supported on entries\")\n        override fun clear() {\n
this@LinkedHashMap.clear()\n        }\n\n        override operator fun contains(element: MutableEntry<K, V>):
Boolean = containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>>
= EntryIterator()\n\n        override fun remove(element: MutableEntry<K, V>): Boolean {\n            if
(contains(element)) {\n                this@LinkedHashMap.remove(element.key)\n                return true\n            }\n
    return false\n        }\n\n        override val size: Int get() = this@LinkedHashMap.size\n    }\n\n\n    /*\n    * The
head of the insert order chain, which is a doubly-linked circular\n    * list.\n    *\n
 * The most recently inserted node is at the end of the chain, ie.\n    * chain.prev.\n    */\n    private var head:
ChainEntry<K, V>? = null\n\n    /**\n     * Add this node to the end of the chain.\n     */\n    private fun
ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev ==
null)\n\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev =
this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n
        prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n
_head.prev = this\n            _tail.next = this\n        }\n    }\n\n    /**\n     * Remove this node from the chain it is a part
of.\n     */\n    private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single
element, remove
 head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first element, move head
to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next = next\n        }\n        next
= null\n        prev = null\n    }\n\n    /*\n    * The hashmap that keeps track of our entries and the chain. Note that
we\n    * duplicate the key here to eliminate changes to HashMap and minimize the\n    * code here, at the expense of
additional space.\n    */\n    private val map: HashMap<K, ChainEntry<K, V>>\n\n    /**\n     * Constructs an empty
[LinkedHashMap] instance.\n     */\n    actual constructor() : super() {\n        map = HashMap<K, ChainEntry<K,
V>>()\n    }\n\n    internal constructor(backingMap: HashMap<K, Any>) : super() {\n
@Suppress(\"UNCHECKED_CAST\") // expected to work due to erasure\n        map = backingMap as
HashMap<K, ChainEntry<K, V>>\n    }\n\n    /**\n     * Constructs
 an empty [LinkedHashMap] instance.\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     *
@param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial
capacity or load factor are negative\n     */\n
@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K,
V>>()\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    /**\n     * Constructs an
instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n     */\n    actual
constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n
this.putAll(original)\n    }\n\n    actual override fun clear() {\n        map.clear()\n        head = null\n    }\n\n\n//
override fun clone(): Any {\n//        return LinkedHashMap(this)\n//
    }\n\n\n    actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n    actual override fun
containsValue(value: V): Boolean {\n        var node: ChainEntry<K, V> = head ?: return false\n        do {\n            if
(node.value == value) {\n                return true\n            }\n            node = node.next!!\n        } while (node !==
head)\n        return false\n    }\n\n\n    override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K,
V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = map.get(key)?.value\n\n    actual override fun
put(key: K, value: V): V? {\n        val old = map.get(key)\n        if (old == null) {\n            val newEntry =
ChainEntry(key, value)\n            map.put(key, newEntry)\n            newEntry.addToEnd()\n            return null\n
} else {\n            return old.setValue(value)\n        }\n    }\n\n    actual override fun remove(key: K): V? {\n        val
```

entry = map.remove(key)\n
    if (entry != null) {\n   entry.remove()\n   return entry.value\n   }\n   return null\n   }\n\n   actual override val size: Int get() = map.size\n\n}\n\n/**\n * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n   return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\n *\n * This implementation preserves the insertion order of elements during the iteration.\n */\npublic actual open class LinkedHashSet<E> : HashSet<E>, MutableSet<E> {\n\n   internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n   /**\n   * Constructs a new empty [LinkedHashSet].\n   */\n   actual constructor() : super(LinkedHashMap<E, Any>())\n\n   /**\n   * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n   */\n   actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\n   addAll(elements)\n   }\n\n   /**\n   * Constructs a new empty [LinkedHashSet].\n   *\n   * @param initialCapacity the initial capacity (ignored)\n   * @param loadFactor the load factor (ignored)\n   *\n   * @throws IllegalArgumentException if the initial capacity or load factor are negative\n   */\n   @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n   actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n   actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n//   public override fun clone(): Any {\n//   return LinkedHashSet(this)\n//   }\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n   return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.contracts.*\n\n\n@Deprecated(\"Do not use Synchronized annotation in pure Kotlin/JS code\", level = DeprecationLevel.ERROR)\npublic typealias Synchronized = kotlin.jvm.Synchronized\n\n@Deprecated(\"Do not use Volatile annotation in pure Kotlin/JS code\", level = DeprecationLevel.ERROR)\npublic typealias Volatile = kotlin.jvm.Volatile\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <R> synchronized(lock: Any, block: () -> R): R {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n   return block()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n   open fun println() {\n   print(\"\\n\")\n   }\n\n   open fun println(message: Any?) {\n   print(message)\n   println()\n   }\n\n   abstract fun print(message: Any?)\n\n   open fun flush() {}\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"NodeJsOutput\")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n   override fun print(message: Any?) {\n   // TODO: Using local variable because of bug in block decomposition lowering in IR backend\n   val messageString = String(message)\n   outputStream.write(messageString)\n   }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"OutputToConsoleLog\")\ninternal class OutputToConsoleLog : BaseOutput() {\n   override fun print(message: Any?) {\n   console.log(message)\n   }\n\n   override fun println(message: Any?) {\n   console.log(message)\n   }\n\n   override fun println() {\n   console.log(\"\")\n   }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"BufferedOutput\")\ninternal open class BufferedOutput : BaseOutput() {\n   var buffer = \"\"\n\n   override fun print(message: Any?) {\n   buffer += String(message)\n   }\n\n   override

fun flush() {\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"BufferedOutputToConsoleLog\")\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\n override fun print(message: Any?) {\n var s = String(message)\n val i = s.nativeLastIndexOf(\"\\n\", 0)\n if (i >= 0) {\n buffer += s.substring(0, i)\n flush()\n s = s.substring(i + 1)\n }\n buffer += s\n }\n\n override fun flush() {\n console.log(buffer)\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"output\")\ninternal var output = run {\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n if (isNode) NodeJsOutput(js(\"process.stdout\")) else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js(\"String\")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic actual fun println(message: Any?) {\n output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. */\npublic actual fun print(message: Any?) {\n output.print(message)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal actual class SafeContinuation<in T>\ninternal actual constructor(\n private val delegate: Continuation<T>,\n initialResult: Any?\n) : Continuation<T> {\n @PublishedApi\n internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\n\n public actual override val context: CoroutineContext\n get() = delegate.context\n\n private var result: Any? = initialResult\n\n public actual override fun resumeWith(result: Result<T>) {\n val cur = this.result\n when {\n cur === UNDECIDED -> {\n this.result = result.value\n }\n cur === COROUTINE_SUSPENDED -> {\n this.result = RESUMED\n delegate.resumeWith(result)\n }\n else -> throw IllegalStateException(\"Already resumed\")\n }\n }\n\n @PublishedApi\n internal actual fun getOrThrow(): Any? {\n if (result === UNDECIDED) {\n result = COROUTINE_SUSPENDED\n return COROUTINE_SUSPENDED\n }\n val result = this.result\n return when {\n result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\n result is Result.Failure -> throw result.exception\n else -> result // either COROUTINE_SUSPENDED or data\n }\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n result.getOrThrow()\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class Date() {\n public constructor(milliseconds: Number)\n\n public constructor(dateString: String)\n\n public constructor(year: Int, month: Int)\n\n public constructor(year: Int, month: Int, day: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n public fun getDate(): Int\n\n public fun getDay(): Int\n\n public fun getFullYear(): Int\n\n public fun getHours(): Int\n\n public fun getMilliseconds(): Int\n\n public fun

getMinutes(): Int\n\n public fun getMonth(): Int\n\n public fun getSeconds(): Int\n\n public fun getTime(): Double\n\n public fun getTimezoneOffset(): Int\n\n public fun getUTCDate(): Int\n\n public fun getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: String,
options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond:
Number): Double\n }\n\n public interface LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone: String?\n\n public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday: String?\n\n public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n public var day: String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var second: String?\n\n public var timeZoneName: String?\n }\n}\n\npublic inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js(\"new Object()\").unsafeCast<Date.LocaleOptions>()\n init(result)\n return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the speicifed [init] function.\n */\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element = createElement(name).apply(init)\n\n/**\n * Appends a newly created element with the specified [name] to this element.\n *\n * The element is initialized with the speicifed [init] function.\n */\npublic fun Element.appendElement(name: String, init: Element.() -> Unit): Element =\n ownerDocument!!.createElement(name, init).also { appendChild(it) }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\nfun Element.hasClass(cssClass:
String): Boolean = className.matches(\"\"\"(^|.*\\s+)$cssClass($|\\s+.*)\"\"\".toRegex())\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n */\nfun Element.addClass(vararg cssClasses: String): Boolean {\n val missingClasses = cssClasses.filterNot { hasClass(it) }\n if (missingClasses.isNotEmpty()) {\n val presentClasses = className.trim()\n className = buildString {\n append(presentClasses)\n if (!presentClasses.isEmpty()) {\n append(\" \")\n }\n missingClasses.joinTo(this, \" \")\n }\n return true\n }\n\n return false\n}\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\nfun Element.removeClass(vararg

cssClasses: String): Boolean {\n if (cssClasses.any { hasClass(it) }) {\n val toBeRemoved = cssClasses.toSet()\n className = className.trim().split(\"\\\\s+\".toRegex()).filter { it !in toBeRemoved }.joinToString(\" \")\n return true\n }\n\n return false\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified single [option].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified set of [options].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * A mutable sequence of characters.\n *\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\nexpect class StringBuilder : Appendable, CharSequence {\n /** Constructs an empty string builder. */\n constructor()\n\n /** Constructs an empty string builder with the specified initial [capacity]. */\n constructor(capacity: Int)\n\n /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n constructor(content: CharSequence)\n\n /** Constructs a string builder that contains the same characters as the specified [content] string. */\n @SinceKotlin(\"1.3\")\n// @ExperimentalStdlibApi\n constructor(content: String)\n\n override val length: Int\n\n override operator fun get(index: Int): Char\n\n override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n\n override fun append(value: Char): StringBuilder\n override fun append(value: CharSequence?): StringBuilder\n override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n /**\n * Reverses the contents of this string builder and returns this instance.\n *\n * Surrogate pairs included in this string builder are treated as single characters.\n * Therefore, the order of the high-low surrogates is never reversed.\n *\n * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n * For example, reversing `\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n */\n fun reverse(): StringBuilder\n\n /**\n * Appends the string representation of the specified object [value] to this string builder and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n fun append(value: Any?): StringBuilder\n\n /**\n * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n @SinceKotlin(\"1.3\")\n// @ExperimentalStdlibApi\n fun append(value: Boolean): StringBuilder\n\n /**\n * Appends characters in the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at the index 0.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n fun append(value: CharArray): StringBuilder\n\n /**\n * Appends the specified string [value] to this string builder and returns this instance.\n */\n @SinceKotlin(\"1.3\")\n// @ExperimentalStdlibApi\n fun append(value: String): StringBuilder\n\n /**\n * Returns the current capacity of this string builder.\n *\n * The capacity is the maximum length this string builder can have before an allocation occurs.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n fun capacity(): Int\n\n /**\n * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n

```
 *\n     * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise, this method takes no action and simply returns.\n     */\n @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun ensureCapacity(minimumCapacity: Int)\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n    fun indexOf(string: String): Int\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string],\n     * starting at the specified [startIndex].\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun
 indexOf(string: String, startIndex: Int): Int\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string].\n     * The last occurrence of empty string `\"\"` is considered to be at the index equal to `this.length`.\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder.\n     */\n
 @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun lastIndexOf(string: String): Int\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string],\n     * starting from the specified [startIndex] toward the beginning.\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun lastIndexOf(string: String, startIndex: Int): Int\n\n    /**\n     * Inserts the string representation of the specified boolean [value] into
 this string builder at the specified [index] and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was inserted into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun insert(index: Int, value: Boolean): StringBuilder\n\n    /**\n     * Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun insert(index: Int, value: Char): StringBuilder\n\n
 /**\n     * Inserts characters in the specified character array
 [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The inserted characters go in same order as in the [value] character array, starting at [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n
@SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun insert(index: Int, value: CharArray): StringBuilder\n\n
/**\n     * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n     *\n     * @param index the position in this string builder to insert at.\n     * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `\"null\"` are inserted.\n     *\n     * @throws IndexOutOfBoundsException
 if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n
@ExperimentalStdlibApi\n    fun insert(index: Int, value: CharSequence?): StringBuilder\n\n    /**\n     * Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was inserted into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun insert(index: Int, value: Any?): StringBuilder\n\n    /**\n     * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * @throws
 IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n
@SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    fun insert(index: Int, value: String): StringBuilder\n\n
/**\n     *  Sets the length of this string builder to the specified [newLength].\n     *\n     *  If the [newLength] is less
```

than the current length, it is changed to the specified [newLength].\n * Otherwise, null characters '\\u0000' are appended to this string builder until its length is less than the [newLength].\n *\n * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n * Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n fun setLength(newLength: Int)\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n fun substring(startIndex: Int): String\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n fun substring(startIndex: Int, endIndex: Int): String\n\n /**\n * Attempts to reduce storage used for this string builder.\n *\n * If the backing storage of this string builder is larger than necessary to hold its current contents,\n * then it may be resized to become more space efficient.\n * Calling this method may, but is not required to, affect the value of the [capacity] property.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n fun trimToSize()\n}\n\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n@SinceKotlin(\"1.3\")\npublic expect fun StringBuilder.clear(): StringBuilder\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect operator fun StringBuilder.set(index: Int, value: Char)\n\n/**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.deleteAt(index: Int): StringBuilder\n\n/**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.toCharArray(destination:

CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n * then characters are appended as if [value] contained the four characters `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.appendRange(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index]
is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted. If [value] is `null`,\n * then characters will be inserted as if [value] contained the four characters `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException]
when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\n@Deprecated(\"Use append(value: Any?) instead\", ReplaceWith(\"append(value = obj)\"), DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?): StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided [builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction: StringBuilder.() -> Unit): String =\n StringBuilder().apply(builderAction).toString()\n\n/**\n
* Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to [String].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction:

StringBuilder.() -> Unit): String =\n   StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n   for (item in value)\n   append(item)\n   return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n   for (item in value)\n   append(item)\n   return this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in
 the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\npublic val Node.isText: Boolean\n   get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\npublic val Node.isElement: Boolean\n   get() = nodeType == Node.ELEMENT_NODE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler: (Event) -> Unit) : EventListener {\n   public override fun handleEvent(event: Event) {\n   handler(event)\n   }\n\n   public override fun toString():
 String = \"EventListenerHandler($handler)\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n   val length: Int\n   fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n   override val size: Int get() = this@asList.length\n\n   override fun get(index: Int): T = when (index) {\n   in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n   else -> throw IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n   }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache
 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.*\n\n/** Removes all the children from this node. */\npublic fun Node.clear() {\n   while (hasChildNodes()) {\n   removeChild(firstChild!!)\n   }\n}\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\nfun Element.appendText(text: String): Element {\n   appendChild(ownerDocument!!.createTextNode(text))\n   return this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual
 type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic` object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an instance of [kotlin.collections.Iterable]\n */\n@kotlin.internal.DynamicExtension\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\n   val r: Any? = this\n\n   return when {\n   this[\"iterator\"] != null ->\n   this[\"iterator\"]()\n   isArrayish(r) ->\n   r.unsafeCast<Array<*>>().iterator()\n\n   else ->\n   (r as Iterable<*>).iterator()\n

}\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n throw NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun throwCCE() {\n throw ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun throwISE(message: String) {\n throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName: String) {\n throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\n/*\npublic open class MyException : Exception {\n constructor() : super()\n constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n*/\n\n\n// TODO: remove workarounds for KT-22053 from direct Throwable inheritors\n// TODO: remove primary constructors, make all secondary KT-22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null) {\n Error::class.js.asDynamic().call(this, null, null)\n }\n\n actual constructor(message: String?) : this(message, null) {\n Error::class.js.asDynamic().call(this, message, null)\n }\n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n Error::class.js.asDynamic().call(this, undefined, cause)\n }\n}\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Exception actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null) {\n Exception::class.js.asDynamic().call(this, null, null)\n }\n\n actual constructor(message: String?) : this(message, null) {\n Exception::class.js.asDynamic().call(this, message, null)\n }\n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n Exception::class.js.asDynamic().call(this, undefined, cause)\n }\n}\n\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?)
: this(undefined, cause)\n}\n\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n
actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n\npublic actual open class NumberFormatException actual constructor(message: String?) : IllegalArgumentException(message) {\n actual constructor() : this(null)\n}\n\n\npublic actual open class NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) :

RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic
 actual open class AssertionError private constructor(message: String?, cause: Throwable?) : Error(message, cause) {\n   actual constructor() : this(null)\n   constructor(message: String?) : this(message, null)\n   actual constructor(message: Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\n@SinceKotlin(\"1.3\")\npublic actual open class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open
 class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\n   fold(0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function
 for elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n   fold(0) { acc, e -> acc + valueSelector(e) }\n*/","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n *\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by their keys and then fold each group with some aggregating operation.\n *\n * It is created by attaching `keySelector: (T) ->
 K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin(\"1.1\")\npublic interface Grouping<T, out K> {\n   /** Returns an [Iterator] over the elements of the source of this grouping. */\n   fun sourceIterator(): Iterator<T>\n   /** Extracts the key of an [element]. */\n   fun keyOf(element: T): K\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation function is invoked
 on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadix\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.aggregate(\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K, R> {\n   return aggregateTo(mutableMapOf<K, R>(),

operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * If the [destination] map already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n *\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n   destination: M,\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M {\n   for (e in this.sourceIterator()) {\n   val key = keyOf(e)\n   val accumulator = destination[key]\n   destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n   }\n   return destination\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n   initialValueSelector: (key: K, element: T) -> R,\n   operation: (key: K, accumulator: R, element: T) -> R\n): Map<K, R> =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector] function is not called for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n   destination: M,\n   initialValueSelector: (key: K, element: T) -> R,\n   operation: (key: K, accumulator: R, element: T) -> R\n): M =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * @param operation a function that is

invoked on each element with
the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValue: R,\n operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress(\"UNCHECKED_CAST\")\n aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.\n
*\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValue: R,\n operation: (accumulator: R, element: T) -> R\n): M =\n @Suppress(\"UNCHECKED_CAST\")\n aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n/**\n * Groups elements from the
[Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new map.\n * An initial value of accumulator is the first element of the group.\n *\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowels\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n operation: (key: K, accumulator: S, element: T) -> S\n): Map<K, S>
=\n aggregate { key, acc, e, first ->\n @Suppress(\"UNCHECKED_CAST\")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`:
the element from the source being folded;\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowelsTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n destination: M,\n operation: (key: K, accumulator: S, element: T) -> S\n): M =\n aggregateTo(destination) { key, acc, e, first ->\n @Suppress(\"UNCHECKED_CAST\")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group

with the count of elements in the group.\n *\n
 * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n   foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n *\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n * @return the [destination] map associating the key of each group with the sum of elements in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n   foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\n*/\n\n\n/*\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n   foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n   fold(0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n   foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double): Map<K, Double> =\n   fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n */\n@Deprecated(\"Use top-level functions from kotlin.math package instead.\", level = DeprecationLevel.WARNING)\npublic external object Math {\n   @Deprecated(\"Use kotlin.math.PI instead.\", ReplaceWith(\"PI\", \"kotlin.math.PI\"), level = DeprecationLevel.ERROR)\n   public val PI: Double\n   @Deprecated(\"Use Random.nextDouble instead\", ReplaceWith(\"kotlin.random.Random.nextDouble()\", \"kotlin.random.Random\"), level = DeprecationLevel.WARNING)\n   public fun random(): Double\n   @Deprecated(\"Use kotlin.math.abs instead.\", ReplaceWith(\"abs(value)\", \"kotlin.math.abs\"), level = DeprecationLevel.ERROR)\n   public fun abs(value: Double): Double\n   @Deprecated(\"Use kotlin.math.acos instead.\", ReplaceWith(\"acos(value)\", \"kotlin.math.acos\"), level = DeprecationLevel.ERROR)\n   public fun acos(value: Double): Double\n   @Deprecated(\"Use kotlin.math.asin instead.\", ReplaceWith(\"asin(value)\", \"kotlin.math.asin\"), level = DeprecationLevel.ERROR)\n   public fun asin(value: Double): Double\n   @Deprecated(\"Use kotlin.math.atan instead.\", ReplaceWith(\"atan(value)\", \"kotlin.math.atan\"), level = DeprecationLevel.ERROR)\n   public fun atan(value: Double): Double\n   @Deprecated(\"Use kotlin.math.atan2 instead.\", ReplaceWith(\"atan2(y, x)\", \"kotlin.math.atan2\"), level = DeprecationLevel.ERROR)\n   public fun atan2(y: Double, x: Double): Double\n   @Deprecated(\"Use kotlin.math.cos instead.\", ReplaceWith(\"cos(value)\", \"kotlin.math.cos\"), level = DeprecationLevel.ERROR)\n   public fun cos(value: Double): Double\n   @Deprecated(\"Use kotlin.math.sin instead.\", ReplaceWith(\"sin(value)\", \"kotlin.math.sin\"), level = DeprecationLevel.ERROR)\n   public fun sin(value: Double): Double\n   @Deprecated(\"Use kotlin.math.exp instead.\", ReplaceWith(\"exp(value)\", \"kotlin.math.exp\"), level = DeprecationLevel.ERROR)\n   public fun exp(value:
 Double): Double\n   @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n   public fun max(vararg values: Int): Int\n   @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n   public fun max(vararg values: Float): Float\n   @Deprecated(\"Use maxOf or kotlin.math.max instead\", level = DeprecationLevel.ERROR)\n   public fun max(vararg values: Double): Double\n   @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n   public fun min(vararg values: Int): Int\n   @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n   public fun min(vararg values: Float): Float\n   @Deprecated(\"Use minOf or kotlin.math.min instead\", level = DeprecationLevel.ERROR)\n   public fun min(vararg values: Double): Double\n   @Deprecated(\"Use kotlin.math.sqrt instead.\",

ReplaceWith(\"sqrt(value)\", \"kotlin.math.sqrt\"), level = DeprecationLevel.ERROR)\n public fun sqrt(value: Double): Double\n @Deprecated(\"Use kotlin.math.tan instead.\", ReplaceWith(\"tan(value)\", \"kotlin.math.tan\"), level = DeprecationLevel.ERROR)\n public fun tan(value: Double): Double\n @Deprecated(\"Use kotlin.math.ln instead.\", ReplaceWith(\"ln(value)\", \"kotlin.math.ln\"), level = DeprecationLevel.ERROR)\n public fun log(value: Double): Double\n @Deprecated(\"Use kotlin.math.pow instead.\", ReplaceWith(\"base.pow(exp)\", \"kotlin.math.pow\"), level = DeprecationLevel.ERROR)\n public fun pow(base: Double, exp: Double): Double\n @Deprecated(\"Use kotlin.math.round instead.\", ReplaceWith(\"round(value)\", \"kotlin.math.round\"), level = DeprecationLevel.ERROR)\n public fun round(value: Number): Int\n @Deprecated(\"Use kotlin.math.floor instead.\", ReplaceWith(\"floor(value)\", \"kotlin.math.floor\"), level = DeprecationLevel.ERROR)\n public fun floor(value: Number): Int\n @Deprecated(\"Use kotlin.math.ceil instead.\", ReplaceWith(\"ceil(value)\", \"kotlin.math.ceil\"), level = DeprecationLevel.ERROR)\n public fun ceil(value: Number): Int\n\n @PublishedApi\n internal fun trunc(value: Number): Double\n @PublishedApi\n internal fun sign(value: Number): Double\n\n @PublishedApi\n internal fun sinh(value: Double): Double\n @PublishedApi\n internal fun cosh(value: Double): Double\n @PublishedApi\n internal fun tanh(value: Double): Double\n @PublishedApi\n internal fun asinh(value: Double): Double\n @PublishedApi\n internal fun acosh(value: Double): Double\n @PublishedApi\n internal fun atanh(value: Double): Double\n\n @PublishedApi\n internal fun hypot(x: Double, y: Double): Double\n\n @PublishedApi\n internal fun expm1(value: Double): Double\n\n @PublishedApi\n internal fun log10(value: Double): Double\n @PublishedApi\n internal fun log2(value: Double): Double\n @PublishedApi\n internal fun log1p(value: Double): Double\n\n @PublishedApi\n internal fun clz32(value: Int): Int\n}\n\n/**\n * Returns the smaller of two values.\n */\n@Suppress(\"DEPRECATION\")\n@Deprecated(\"Use minOf or kotlin.math.min instead\", ReplaceWith(\"minOf(a, b)\"), level = DeprecationLevel.ERROR)\npublic fun Math.min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@Suppress(\"DEPRECATION\")\n@Deprecated(\"Use maxOf or kotlin.math.max instead\", ReplaceWith(\"maxOf(a, b)\"), level = DeprecationLevel.ERROR)\npublic fun Math.max(a: Long, b: Long): Long = if (a >= b) a else b\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n */\npublic external interface Json {\n

/**\n * Calls to the function will be translated to indexing operation (square brackets) on the receiver with [propertyName] as the argument.\n *\n * E.g. for next code:\n * ```kotlin\n * fun test(j: Json, p: String) = j[\"prop\"] + j.get(p)\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p) {\n * return j[\"prop\"] + j[p];\n * }\n * ```\n */\n operator fun get(propertyName: String): Any?\n\n /**\n * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n *\n * E.g. for the following code:\n * ```kotlin\n * fun test(j: Json, p: String, newValue: Any) {\n * j[\"prop\"] = 1\n * j.set(p, newValue)\n * }\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p, newValue) {\n * j[\"prop\"] = 1;\n * j[p] = newValue;\n * }\n * }\n * ```\n */\n operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic = js(\"({})\")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n val keys: Array<String> = js(\"Object\").keys(other)\n for (key in keys) {\n if (other.asDynamic().hasOwnProperty(key)) {\n this[key] = other[key];\n }\n }\n return this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n

```
*/\n@Suppress(\"NOT_DOCUMENTED\")\npublic external object JSON {\n    public fun
 stringify(o: Any?): String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)): String\n
 public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int):
String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space:
String): String\n    public fun stringify(o: Any?, replacer: Array<String>): String\n    public fun stringify(o: Any?,
replacer: Array<String>, space: Int): String\n    public fun stringify(o: Any?, replacer: Array<String>, space:
String): String\n\n    public fun <T> parse(text: String): T\n    public fun <T> parse(text: String, reviver: ((key:
String, value: Any?) -> Any?)): T\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n@file:Suppress(\"DEPRECATION\", \"DEPRECATION_ERROR\")\npackage
 kotlin.math\n\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.Math as nativeMath\n\n\n// region
================ Double Math =======================================\n\n/** Computes the
sine of the angle [x] given in radians.\n *\n *  Special cases:\n *    - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double =
nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n *  Special cases:\n *    -
`cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Double):
Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n *  Special cases:\n
*    - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x:
Double): Double = nativeMath.tan(x)\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an
angle in the range from `-PI/2`
 to `PI/2` radians.\n *\n * Special cases:\n *    - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double =
nativeMath.asin(x)\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the
range from `0.0` to `PI` radians.\n *\n * Special cases:\n *    - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double =
nativeMath.acos(x)\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the
range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `atan(NaN)` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double =
nativeMath.atan(x)\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the
rectangular coordinates `(x, y)` by computing the arc tangent
 of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special
cases:\n *   - `atan2(0.0, 0.0)` is `0.0`\n *   - `atan2(0.0, x)` is  `0.0` for `x > 0` and `PI` for `x < 0`\n *   - `atan2(-0.0,
x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *   - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y <
0`\n *   - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *   - `atan2(y, 0.0)` is `PI/2` for `y >
0` and `-PI/2` for `y < 0`\n *   - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *   - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n
*   - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline
fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/**\n * Computes the hyperbolic sine of the
value [x].\n *\n * Special cases:\n *   - `sinh(NaN)` is `NaN`\n *   - `sinh(+Inf)` is `+Inf`\n *   - `sinh(-Inf)` is `-
Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/**\n * Computes the hyperbolic cosine of the
value [x].\n *\n * Special cases:\n *   - `cosh(NaN)` is `NaN`\n *   - `cosh(+Inf|-Inf)` is `+Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double =
nativeMath.cosh(x)\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *   -
`tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double =
nativeMath.tanh(x)\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is
`y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   -
`asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double
```

= nativeMath.asinh(x)\n\n/**\n
 * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n *   - `acosh(NaN)` is `NaN`\n *   - `acosh(x)` is `NaN` when `x < 1`\n *   - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n *   - `tanh(1.0)` is `+Inf`\n *   - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *   - returns `+Inf` if any of arguments is infinite\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n *   - `exp(NaN)` is `NaN`\n *   - `exp(+Inf)` is `+Inf`\n *   - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `expm1(NaN)` is `NaN`\n *   - `expm1(+Inf)` is `+Inf`\n *   - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n *   - `log(+Inf, +Inf)` is `NaN`\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun log(x: Double, base: Double): Double {\n   if (base <= 0.0 || base == 1.0) return Double.NaN\n   return nativeMath.log(x) / nativeMath.log(base)\n}\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n *   - `ln(NaN)` is `NaN`\n *   - `ln(x)` is `NaN` when `x < 0.0`\n *   - `ln(+Inf)` is `+Inf`\n *   - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun ln(x: Double): Double = nativeMath.log(x)\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Double): Double = nativeMath.log10(x)\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x: Double): Double = nativeMath.log2(x)\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `ln1p(NaN)` is `NaN`\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\n *   - `ln1p(-1.0)` is `-Inf`\n *   - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\n\n/**\n
 * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x).unsafeCast<Double>()\n\n/**\n * Rounds the

given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun round(x: Double): Double {\n   if (x % 0.5 != 0.0) {\n   return nativeMath.round(x).unsafeCast<Double>()\n   }\n   val floor = floor(x)\n   return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Double): Double = nativeMath.sign(x)\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic actual val Double.ulp: Double get() = when {\n   this < 0 -> (-this).ulp\n   this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n   this == Double.MAX_VALUE -> this - this.nextDown()\n   else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextUp(): Double = when {\n   this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n   this == 0.0 -> Double.MIN_VALUE\n   else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextDown(): Double = when {\n   this.isNaN() || this == Double.NEGATIVE_INFINITY -> this\n   this == 0.0 -> -Double.MIN_VALUE\n   else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextTowards(to:

Double): Double = when {\n   this.isNaN() || to.isNaN() -> Double.NaN\n   to == this -> to\n   to > this -> this.nextUp()\n   else /* to < this */ -> this.nextDown()\n}\n\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n *   - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToInt(): Int = when {\n   isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n   this > Int.MAX_VALUE -> Int.MAX_VALUE\n   this < Int.MIN_VALUE -> Int.MIN_VALUE\n   else -> nativeMath.round(this).unsafeCast<Double>().toInt()\n}\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n *   - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToLong(): Long = when {\n   isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n   this > Long.MAX_VALUE -> Long.MAX_VALUE\n   this < Long.MIN_VALUE -> Long.MIN_VALUE\n   else -> nativeMath.round(this).unsafeCast<Double>().toLong()\n}\n\n// endregion\n\n\n\n// region ================ Float Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n *   - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n *   - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n *   - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n *   - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *   - `atan2(0.0, 0.0)` is `0.0`\n *   - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n *   - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *   - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n *   - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *   - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *   - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *   - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n *   - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *   - `sinh(NaN)` is `NaN`\n *   - `sinh(+Inf)` is `+Inf`\n *   - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *   - `cosh(NaN)` is `NaN`\n *   - `cosh(+Inf|-Inf)` is `+Inf`\n

*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n
 * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n *   - `acosh(NaN)` is `NaN`\n *   - `acosh(x)` is `NaN` when `x < 1`\n *   - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n *   - `tanh(1.0)` is `+Inf`\n *   - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *   - returns `+Inf` if any of arguments is infinite\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n
 *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n *   - `exp(NaN)` is `NaN`\n *   - `exp(+Inf)` is `+Inf`\n *   - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `expm1(NaN)` is `NaN`\n *   - `expm1(+Inf)` is `+Inf`\n *   - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n
 *   - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n *   - `log(+Inf, +Inf)` is `NaN`\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n *   - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n *   - `ln(NaN)` is `NaN`\n *   - `ln(x)` is `NaN` when `x < 0.0`\n *   - `ln(+Inf)` is `+Inf`\n *   - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n
 */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n *   - `ln1p(NaN)` is `NaN`\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\n *   - `ln1p(-1.0)` is `-Inf`\n *   - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than or equal to the given

value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical
integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)`
is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual
inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns
this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\n\n/**\n

```
 * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n *   - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n *   - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\n\n\n// endregion\n\n// region ================ Integer Math ========================================\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *   - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n// TODO: remove manual 'or' when KT-19290 is fixed\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n * Returns the sign of this value:\n *   - `-1` if the value is negative,\n *   - `0` if the value is zero,\n *   - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Int.sign: Int get() = when {\n    this < 0 -> -1\n    this > 0 -> 1\n    else -> 0\n}\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n *   - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\n\n/**\n * Returns the sign of this value:\n *   - `-1` if the value is negative,\n *   - `0` if the value is zero,\n *   - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Long.sign: Int get() = when {\n    this < 0 -> -1\n    this > 0 -> 1\n    else -> 0\n}\n\n\n// endregion\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Int.countOneBits(): Int {\n    // Hacker's Delight 5-1 algorithm\n    var v = this\n    v = (v and 0x55555555) + (v.ushr(1) and 0x55555555)\n    v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n    v = (v and 0x0F0F0F0F) + (v.ushr(4) and 0x0F0F0F0F)\n    v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n    v = (v and 0x0000FFFF)
```

```
 + (v.ushr(16))\n    return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"DEPRECATION\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Int.countLeadingZeroBits(): Int = kotlin.js.Math.clz32(this)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Int.countTrailingZeroBits(): Int =\n    // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\n    Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual
 fun Int.takeHighestOneBit(): Int =\n    if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Int.takeLowestOneBit(): Int =\n    // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n    this and -this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
 number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\n    shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateRight(bitCount: Int): Int =\n    shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n\n/**\n * Counts the number of set bits in the binary representation of this
 [Long] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Long.countOneBits(): Int =\n    high.countOneBits() + low.countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Long.countLeadingZeroBits(): Int =\n    when (val high = this.high) {\n        0 -> Int.SIZE_BITS + low.countLeadingZeroBits()\n        else -> high.countLeadingZeroBits()\n    }\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n        0 -> Int.SIZE_BITS + high.countTrailingZeroBits()\n        else -> low.countTrailingZeroBits()\n    }\n\n/**\n * Returns a number having a single bit set in the position of the
 most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Long.takeHighestOneBit(): Long =\n    when (val high = this.high) {\n        0 -> Long(low.takeHighestOneBit(), 0)\n        else -> Long(0, high.takeHighestOneBit())\n    }\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Long.takeLowestOneBit(): Long =\n    when (val low = this.low) {\n        0 -> Long(0, high.takeLowestOneBit())\n        else -> Long(low.takeLowestOneBit(), 0)\n    }\n\n/**\n * Rotates the binary representation of this [Long] number left by
```

the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number
left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual fun Long.rotateLeft(bitCount: Int): Long {\n if ((bitCount and 31) != 0) {\n val low = this.low\n val high = this.high\n val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n val newHigh = high.shl(bitCount) or low.ushr(-bitCount)\n return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)\n } else {\n return if ((bitCount and 32) == 0) this else Long(high, low)\n }\n}\n\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*/\n@Suppress(\"NOT_DOCUMENTED\")\npublic open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\n @LowPriorityInOverloadResolution\n public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n @LowPriorityInOverloadResolution\n public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n companion object {\n public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n public fun reject(e: Throwable): Promise<Nothing>\n\n public fun <S> resolve(e: S): Promise<S>\n public fun <S> resolve(e: Promise<S>): Promise<S>\n }\n}\n\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled:
((T) -> S)?\n): Promise<S> {\n return this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled: ((T) -> S)?,\n noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n Random(js(\"(Math.random() * Math.pow(2, 32)) | 0\").unsafeCast<Int>())\n\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val INV_2_53: Double = 2.0.pow(-53)\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n hi26 * INV_2_26 + low27 * INV_2_53","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n /**\n * Returns the unqualified name of the class represented by this instance.\n */\n val name: String\n}\n\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith =

ReplaceWith(\"T::class.js\"), level = DeprecationLevel.ERROR)\nexternal fun <T : Any> jsClass(): JsClass<T>\n\n@Deprecated(\"Use class literal and extension property `js` instead.\", replaceWith = ReplaceWith(\"this::class.js\"), level = DeprecationLevel.ERROR)\nval <T : Any> T.jsClass: JsClass<T>\n get() = when (jsTypeOf(this)) {\n \"string\" -> js(\"String\")\n \"number\" -> js(\"Number\")\n \"boolean\" -> js(\"Boolean\")\n else -> js(\"Object\").getPrototypeOf(this).constructor\n }\n\n/**\n * Obtains a constructor reference for the given `KClass`.\n */\nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n get() = getKClass(this)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract class KClassImpl<T : Any>(\n internal open val jClass: JsClass<T>\n) : KClass<T> {\n override val annotations: List<Annotation>\n get() = TODO()\n override val constructors: Collection<KFunction<T>>\n get() = TODO()\n override val isAbstract: Boolean\n get() = TODO()\n override val isCompanion: Boolean\n get() = TODO()\n override val isData: Boolean\n get() = TODO()\n override val isFinal: Boolean\n get() = TODO()\n override val isInner: Boolean\n get() = TODO()\n override val isOpen: Boolean\n get() = TODO()\n override val isSealed: Boolean\n get() = TODO()\n override val members: Collection<KCallable<*>>\n get() = TODO()\n override val nestedClasses: Collection<KClass<*>>\n get() = TODO()\n override val objectInstance: T?\n get() = TODO()\n override val qualifiedName: String?\n get() = TODO()\n override val supertypes: List<KType>\n get() = TODO()\n override val typeParameters: List<KTypeParameter>\n get() = TODO()\n override val sealedSubclasses: List<KClass<out T>>\n get() = TODO()\n override val visibility: KVisibility?\n get() = TODO()\n\n override fun equals(other: Any?): Boolean {\n return other is KClassImpl<*> && jClass == other.jClass\n }\n\n // TODO: use FQN\n override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n override fun toString(): String {\n // TODO: use FQN\n return \"class $simpleName\"\n }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n override val simpleName: String? = jClass.asDynamic().`$metadata$`?.simpleName.unsafeCast<String?>()\n\n override fun isInstance(value: Any?): Boolean {\n return jsIsType(value, jClass)\n }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n jClass: JsClass<T>,\n private val givenSimpleName: String,\n private val isInstanceFunction: (Any?) -> Boolean\n) : KClassImpl<T>(jClass) {\n override fun equals(other: Any?): Boolean {\n if (other !is PrimitiveKClassImpl<*>) return false\n return super.equals(other) && givenSimpleName == other.givenSimpleName\n }\n\n override val simpleName: String? get() = givenSimpleName\n\n override fun isInstance(value: Any?): Boolean {\n return isInstanceFunction(value)\n }\n}\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js(\"Object\")) {\n override val simpleName: String = \"Nothing\"\n\n override fun isInstance(value: Any?): Boolean = false\n\n override val jClass: JsClass<Nothing>\n get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing type\")\n\n override fun equals(other: Any?): Boolean = other === this\n\n override fun hashCode(): Int = 0\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n// TODO: Remove once JsReflectionAPICallChecker supports more reflection types\n@file:Suppress(\"Unsupported\")\n\nimport kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"createKType\")\ninternal fun createKType(\n classifier: KClassifier,\n arguments: Array<KTypeProjection>,\n isMarkedNullable: Boolean\n) =\n KTypeImpl(classifier, arguments.asList(), isMarkedNullable)\n\n@JsName(\"createDynamicKType\")\ninternal fun createDynamicKType(): KType = DynamicKType\n\n@JsName(\"markKTypeNullable\")\ninternal fun markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments, true)\n\n@JsName(\"createKTypeParameter\")\ninternal fun createKTypeParameter(\n name: String,\n

upperBounds: Array<KType>,\n   variance: String\n): KTypeParameter {\n   val kVariance = when (variance) {\n   \"in\" -> KVariance.IN\n   \"out\" -> KVariance.OUT\n   else -> KVariance.INVARIANT\n   }\n\n   return KTypeParameterImpl(name, upperBounds.asList(), kVariance,
false)\n}\n\n@JsName(\"getStarKTypeProjection\")\ninternal
 fun getStarKTypeProjection(): KTypeProjection =\n
KTypeProjection.STAR\n\n@JsName(\"createCovariantKTypeProjection\")\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.covariant(type)\n\n@JsName(\"createInvariantKTypeProjection\")\ninternal fun
createInvariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.invariant(type)\n\n@JsName(\"createContravariantKTypeProjection\")\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.contravariant(type)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n   override val classifier: KClassifier,\n   override val arguments: List<KTypeProjection>,\n   override val isMarkedNullable: Boolean\n) : KType {\n   override val annotations: List<Annotation>\n   get() = emptyList()\n\n   override fun equals(other: Any?): Boolean =\n   other is KTypeImpl &&\n   classifier == other.classifier && arguments == other.arguments && isMarkedNullable == other.isMarkedNullable\n\n
override fun hashCode(): Int =\n   (classifier.hashCode() * 31 + arguments.hashCode()) * 31 +
isMarkedNullable.hashCode()\n\n   override fun toString(): String {\n   val kClass = (classifier as? KClass<*>)\n
    val classifierName = when {\n   kClass == null -> classifier.toString()\n   kClass.simpleName != null -> kClass.simpleName\n   else -> \"(non-denotable type)\"\n   }\n\n   val args =\n   if (arguments.isEmpty()) \"\"\n   else arguments.joinToString(\", \", \"<\", \">\") { it.asString() }\n   val nullable = if (isMarkedNullable) \"?\" else \"\"\n\n   return
 classifierName + args + nullable\n   }\n\n   // TODO: this should be the implementation of KTypeProjection.toString, see KT-30071\n   private fun KTypeProjection.asString(): String {\n   if (variance == null) return \"*\"\n   return variance.prefixString() + type.toString()\n   }\n}\n\ninternal object DynamicKType : KType {\n   override val classifier: KClassifier? = null\n   override val arguments: List<KTypeProjection> = emptyList()\n   override val isMarkedNullable: Boolean = false\n   override val annotations: List<Annotation> = emptyList()\n   override fun toString(): String = \"dynamic\"\n}\n\ninternal fun KVariance.prefixString() =\n
when (this) {\n   KVariance.INVARIANT -> \"\"\n   KVariance.IN -> \"in \"\n   KVariance.OUT -> \"out \"\n   }\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
 file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal data class
KTypeParameterImpl(\n   override val name: String,\n   override val upperBounds: List<KType>,\n   override val variance: KVariance,\n   override val isReified: Boolean\n) : KTypeParameter {\n   override fun toString(): String = name\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\ninternal
object PrimitiveClasses {\n   @JsName(\"anyClass\")\n   val anyClass =
PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n
@JsName(\"numberClass\")\n   val numberClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n
@JsName(\"nothingClass\")\n
    val nothingClass = NothingKClassImpl\n\n   @JsName(\"booleanClass\")\n   val booleanClass =
PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean })\n\n
@JsName(\"byteClass\")\n   val byteClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(),
\"Byte\", { it is Byte })\n\n   @JsName(\"shortClass\")\n   val shortClass =

```
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(), \"Short\", { it is Short })\n\n
@JsName(\"intClass\")\n    val intClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\",
{ it is Int })\n\n    @JsName(\"floatClass\")\n    val floatClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(), \"Float\", { it is Float })\n\n
@JsName(\"doubleClass\")\n    val doubleClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n
@JsName(\"arrayClass\")\n    val arrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(),
 \"Array\", { it is Array<*> })\n\n    @JsName(\"stringClass\")\n    val stringClass =
PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(), \"String\", { it is String })\n\n
@JsName(\"throwableClass\")\n    val throwableClass =
PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n
@JsName(\"booleanArrayClass\")\n    val booleanArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray
})\n\n    @JsName(\"charArrayClass\")\n    val charArrayClass =
PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(), \"CharArray\", { it is CharArray
})\n\n    @JsName(\"byteArrayClass\")\n    val byteArrayClass =
PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n
@JsName(\"shortArrayClass\")\n    val shortArrayClass =
PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(),
 \"ShortArray\", { it is ShortArray })\n\n    @JsName(\"intArrayClass\")\n    val intArrayClass =
PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n
@JsName(\"longArrayClass\")\n    val longArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\n\n
@JsName(\"floatArrayClass\")\n    val floatArrayClass =
PrimitiveKClassImpl(js(\"Float32Array\").unsafeCast<JsClass<FloatArray>>(), \"FloatArray\", { it is FloatArray
})\n\n    @JsName(\"doubleArrayClass\")\n    val doubleArrayClass =
PrimitiveKClassImpl(js(\"Float64Array\").unsafeCast<JsClass<DoubleArray>>(), \"DoubleArray\", { it is
DoubleArray })\n\n    @JsName(\"functionClass\")\n    fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n            val result =
PrimitiveKClassImpl(js(\"Function\").unsafeCast<JsClass<Any>>(),
 \"Function$arity\",\n                                    { jsTypeOf(it) === \"function\" && it.asDynamic().length ===
arity })\n            functionClasses.asDynamic()[arity] = result\n            result\n        }\n    }\n}\n\nprivate val
functionClasses = arrayOfNulls<KClassImpl<Any>>(0)","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the
module\n\nimport kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"getKClass\")\ninternal fun <T :
Any> getKClass(jClass: JsClass<T>): KClass<T> =
getOrCreateKClass(jClass)\n\n@JsName(\"getKClassFromExpression\")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n    when (jsTypeOf(e)) {\n        \"string\" ->
PrimitiveClasses.stringClass\n        \"number\" -> if (jsBitwiseOr(e,
 0).asDynamic() === e) PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n        \"boolean\" ->
PrimitiveClasses.booleanClass\n        \"function\" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n
else -> {\n            when {\n                e is BooleanArray -> PrimitiveClasses.booleanArrayClass\n                e is
CharArray -> PrimitiveClasses.charArrayClass\n                e is ByteArray -> PrimitiveClasses.byteArrayClass\n
      e is ShortArray -> PrimitiveClasses.shortArrayClass\n                e is IntArray ->
PrimitiveClasses.intArrayClass\n                e is LongArray -> PrimitiveClasses.longArrayClass\n                e is
FloatArray -> PrimitiveClasses.floatArrayClass\n                e is DoubleArray ->
```

PrimitiveClasses.doubleArrayClass\n e is KClass<*> -> KClass::class\n e is Array<*> -> PrimitiveClasses.arrayClass\n else -> {\n val constructor = js(\"Object\").getPrototypeOf(e).constructor\n when {\n constructor === js(\"Object\") -> PrimitiveClasses.anyClass\n constructor === js(\"Error\") -> PrimitiveClasses.throwableClass\n else -> {\n val jsClass: JsClass<T> = constructor\n getOrCreateKClass(jsClass)\n }\n }\n }\n }\n }\n }.unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n if (jClass === js(\"String\")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n val metadata = jClass.asDynamic().`$metadata$`\n\n return if (metadata != null) {\n if (metadata.`$kClass$` == null) {\n val kClass = SimpleKClassImpl(jClass)\n metadata.`$kClass$` = kClass\n kClass\n } else {\n metadata.`$kClass$`\n }\n } else {\n SimpleKClassImpl(jClass)\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class RegExp(pattern: String, flags: String? = definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.\n */\n public var lastIndex: Int\n\n public val global: Boolean\n public val ignoreCase: Boolean\n public val multiline: Boolean\n}\n\n/**\n * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\n */\npublic fun RegExp.reset() {\n lastIndex = 0\n}\n\n// TODO: Inherit from array or introduce asArray() extension\n\n/**\n * Represents the return value of [RegExp.exec].\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external interface RegExpMatch {\n public val index: Int\n public val input: String\n public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n private var sequenceRef: Sequence<T>? = sequence\n\n actual override fun iterator(): Iterator<T> {\n val sequence = sequenceRef ?: throw IllegalStateException(\"This sequence can be consumed only once.\")\n sequenceRef = null\n return sequence.iterator()\n }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * The exception thrown when a character encoding or decoding error occurs.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic actual open class CharacterCodingException(message: String?) : Exception(message) {\n actual constructor() : this(null)\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * A mutable sequence of characters.\n *\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\npublic actual class StringBuilder actual constructor(content: String) : Appendable, CharSequence {\n /**\n * Constructs an empty string builder with the specified initial [capacity].\n *\n * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the further performance

```
of operations.\n     */\n    actual constructor(capacity: Int) : this() {\n
  this.asDynamic()._capacity = capacity\n    }\n\n    /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n    actual constructor(content: CharSequence) : this(content.toString()) {}\n\n    /** Constructs an empty string builder. */\n    actual constructor() : this(\"\")\n\n    private var string: String = if (content !== undefined) content else \"\"\n\n    actual override val length: Int\n        get() = string.asDynamic().length\n\n    actual override fun get(index: Int): Char =\n        string.getOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n\n    actual override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n    actual override fun append(value: Char): StringBuilder {\n        string += value\n        return this\n    }\n\n    actual override fun append(value: CharSequence?): StringBuilder {\n        string += value.toString()\n
        return this\n    }\n\n    @UseExperimental(ExperimentalStdlibApi::class)\n    actual override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder = this.appendRange(value, startIndex, endIndex)\n\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n     *\n     * Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-low surrogates is never reversed.\n     *\n     * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n     * For example, reversing `\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n     */\n    actual fun reverse(): StringBuilder {\n        var reversed = \"\"\n        var index = string.length - 1\n        while (index >= 0) {\n            val low = string[index--]\n
   if (low.isLowSurrogate() && index
 >= 0) {\n                val high = string[index--]\n                if (high.isHighSurrogate()) {\n                    reversed = reversed + high + low\n                } else {\n                    reversed = reversed + low + high\n                }\n            } else {\n                reversed += low\n            }\n        }\n        string = reversed\n        return this\n    }\n\n    /**\n     * Appends the string representation of the specified object [value] to this string builder and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n    actual fun append(value: Any?): StringBuilder {\n        string += value.toString()\n        return this\n    }\n\n    /**\n     * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n     *\n     * The
 overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n//    @ExperimentalStdlibApi\n    actual fun append(value: Boolean): StringBuilder {\n        string += value\n        return this\n    }\n\n    /**\n     * Appends characters in the specified character array [value] to this string builder and returns this instance.\n     *\n     * Characters are appended in order, starting at the index 0.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun append(value: CharArray): StringBuilder {\n        string += value.concatToString()\n        return this\n    }\n\n    /**\n     * Appends the specified string [value] to this string builder and returns this instance.\n     */\n    @SinceKotlin(\"1.3\")\n//    @ExperimentalStdlibApi\n    actual fun append(value: String): StringBuilder {\n        this.string += value\n
        return this\n    }\n\n    /**\n     * Returns the current capacity of this string builder.\n     *\n     * The capacity is the maximum length this string builder can have before an allocation occurs.\n     *\n     * In Kotlin/JS implementation of StringBuilder the value returned from this method may not indicate the actual size of the backing storage.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun capacity(): Int = if (this.asDynamic()._capacity !== undefined) maxOf(this.asDynamic()._capacity, length) else length\n\n    /**\n     * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n     *\n     * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise, this method takes no action and simply returns.\n     *\n     * In Kotlin/JS implementation of StringBuilder the size of the backing storage is not extended to comply
 the given [minimumCapacity],\n     * thus calling this method has no effect on the further performance of operations.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun ensureCapacity(minimumCapacity: Int) {\n        if (minimumCapacity > capacity()) {\n
```

```
this.asDynamic()._capacity = minimumCapacity\n        }\n    }\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun indexOf(string: String): Int = this.string.asDynamic().indexOf(string)\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string],\n     * starting at the specified [startIndex].\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun indexOf(string: String, startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string].\n     * The last occurrence of empty string `\"\"` is considered to be at the index equal to `this.length`.\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string],\n     * starting from the specified [startIndex] toward the beginning.\n     *\n     * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun lastIndexOf(string: String, startIndex: Int): Int {\n        if (string.isEmpty() && startIndex < 0) return -1\n        return this.string.asDynamic().lastIndexOf(string, startIndex)\n    }\n\n    /**\n     * Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was inserted into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun insert(index: Int, value: Boolean): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index)\n            + value + string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun insert(index: Int, value: Char): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value + string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The inserted characters go in same order as in the [value] character array, starting at [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun insert(index: Int, value: CharArray): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value.concatToString() + string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n     *\n     * @param index the position in this string builder to insert at.\n     * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `\"null\"` are inserted.\n     *\n     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    actual fun insert(index: Int, value: CharSequence?): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value.toString() + string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was inserted into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if
```

[index] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n   actual fun insert(index: Int, value: Any?): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n
  string = string.substring(0, index) + value.toString() + string.substring(index)\n   return this\n   }\n\n   /**\n * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.3\")\n   @ExperimentalStdlibApi\n   actual fun insert(index: Int, value: String): StringBuilder {\n   AbstractList.checkPositionIndex(index, length)\n\n   this.string = this.string.substring(0, index) + value + this.string.substring(index)\n   return this\n   }\n\n   /**\n   * Sets the length of this string builder to the specified [newLength].\n   *\n   * If the [newLength] is less than the current length, it is changed to the specified [newLength].\n   * Otherwise, null characters '\\u0000' are appended to this string builder until its length is less than the [newLength].\n
    *\n   * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n   * Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n   */\n   @SinceKotlin(\"1.3\")\n   @ExperimentalStdlibApi\n   actual fun setLength(newLength: Int) {\n   if (newLength < 0) {\n   throw IllegalArgumentException(\"Negative new length: $newLength.\")\n   }\n\n   if (newLength <= length) {\n   string = string.substring(0, newLength)\n   } else {\n   for (i in length until newLength) {\n   string += '\\u0000'\n   }\n   }\n   }\n\n   /**\n   * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n   *\n   * @throws IndexOutOfBoundsException
 if [startIndex] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n   actual fun substring(startIndex: Int): String {\n AbstractList.checkPositionIndex(startIndex, length)\n\n   return string.substring(startIndex)\n   }\n\n   /**\n   * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n   */\n   @SinceKotlin(\"1.3\")\n   @ExperimentalStdlibApi\n   actual fun substring(startIndex: Int, endIndex: Int): String {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n\n   return string.substring(startIndex, endIndex)\n   }\n\n   /**\n   * Attempts to reduce storage
 used for this string builder.\n   *\n   * If the backing storage of this string builder is larger than necessary to hold its current contents,\n   * then it may be resized to become more space efficient.\n   * Calling this method may, but is not required to, affect the value of the [capacity] property.\n   *\n   * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal to the length of the string builder.\n   */\n   @SinceKotlin(\"1.3\")\n   @ExperimentalStdlibApi\n   actual fun trimToSize() {\n   if (this.asDynamic()._capacity !== undefined) {\n   this.asDynamic()._capacity = length\n   }\n   }\n\n   override fun toString(): String = string\n\n   /**\n   * Clears the content of this string builder making it empty and returns this instance.\n   *\n   * @sample samples.text.Strings.clearStringBuilder\n   */\n   @SinceKotlin(\"1.3\")\n   public fun clear(): StringBuilder {\n   string = \"\"\n
    return this\n   }\n\n   /**\n   * Sets the character at the specified [index] to the specified [value].\n   *\n   * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n   */\n   @SinceKotlin(\"1.3\")\n   @ExperimentalStdlibApi\n   public operator fun set(index: Int, value: Char) {\n AbstractList.checkElementIndex(index, length)\n\n   string = string.substring(0, index) + value + string.substring(index + 1)\n   }\n\n   /**\n   * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n   *\n   * @param startIndex the beginning (inclusive) of the range to replace.\n   * @param endIndex the end (exclusive) of the range to replace.\n   * @param value the string to replace with.\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder,

```
 or `startIndex > endIndex`.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    public fun
setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder {\n        checkReplaceRange(startIndex,
endIndex, length)\n\n        this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n
        return this\n    }\n\n    private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n        if
(startIndex < 0 || startIndex > length) {\n            throw IndexOutOfBoundsException(\"startIndex: $startIndex,
length: $length\")\n        }\n        if (startIndex > endIndex) {\n            throw
IllegalArgumentException(\"startIndex($startIndex) > endIndex($endIndex)\")\n        }\n    }\n\n    /**\n     *
Removes the character at the specified [index] from this string builder and returns this instance.\n     *\n     * If the
`Char` at the specified [index] is part of a supplementary code point, this method does not
 remove the entire supplementary character.\n     *\n     * @param index the index of `Char` to remove.\n     *\n     *
@throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n     */\n
@SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    public fun deleteAt(index: Int): StringBuilder {\n
AbstractList.checkElementIndex(index, length)\n\n        string = string.substring(0, index) + string.substring(index +
1)\n        return this\n    }\n\n    /**\n     * Removes characters in the specified range from this string builder and
returns this instance.\n     *\n     * @param startIndex the beginning (inclusive) of the range to remove.\n     *
@param endIndex the end (exclusive) of the range to remove.\n     *\n     * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    public
 fun deleteRange(startIndex: Int, endIndex: Int): StringBuilder {\n        checkReplaceRange(startIndex, endIndex,
length)\n\n        string = string.substring(0, startIndex) + string.substring(endIndex)\n        return this\n    }\n\n
/**\n     * Copies characters from this string builder into the [destination] character array.\n     *\n     * @param
destination the array to copy to.\n     * @param destinationOffset the position in the array to copy to, 0 by default.\n
     * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n     * @param endIndex the end
(exclusive) of the range to copy, length of this string builder by default.\n     *\n     * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
string builder indices or when `startIndex > endIndex`.\n     * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n
     *  or when that index is out of the [destination] array indices range.\n     */\n    @SinceKotlin(\"1.3\")\n
@ExperimentalStdlibApi\n    public fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex:
Int = 0, endIndex: Int = this.length) {\n        AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n
AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
    var dstIndex = destinationOffset\n        for (index in startIndex until endIndex) {\n            destination[dstIndex++]
= string[index]\n        }\n    }\n\n    /**\n     * Appends characters in a subarray of the specified character array
[value] to this string builder and returns this instance.\n     *\n     * Characters are appended in order, starting at
specified [startIndex].\n     *\n     * @param value the array from which characters are appended.\n     * @param
startIndex the beginning (inclusive)
 of the subarray to append.\n     * @param endIndex the end (exclusive) of the subarray to append.\n     *\n     *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] array indices or when `startIndex > endIndex`.\n     */\n    @SinceKotlin(\"1.3\")\n
@ExperimentalStdlibApi\n    public fun appendRange(value: CharArray, startIndex: Int, endIndex: Int):
StringBuilder {\n        string += value.concatToString(startIndex, endIndex)\n        return this\n    }\n\n    /**\n     *
Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n
     *\n     * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n     *
then characters are appended as if [value] contained the four characters `\"null\"`.\n     * @param startIndex the
beginning (inclusive) of the subsequence to append.\n     * @param endIndex the end (exclusive)
 of the subsequence to append.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException]
when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex >
endIndex`.\n     */\n    @SinceKotlin(\"1.3\")\n    @ExperimentalStdlibApi\n    public fun appendRange(value:
```

CharSequence?, startIndex: Int, endIndex: Int): StringBuilder {\n val stringCsq = value.toString()\n AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string += stringCsq.substring(startIndex, endIndex)\n return this\n }\n\n /**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n public fun insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {\n AbstractList.checkPositionIndex(index, this.length)\n\n string = string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)\n return this\n }\n\n /**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted. If [value] is `null`,\n * then characters will be inserted as if [value] contained the four characters `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.3\")\n @ExperimentalStdlibApi\n public fun insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n val stringCsq = value.toString()\n AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) + string.substring(index)\n return this\n }\n}\n\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n/**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n this.setRange(startIndex, endIndex, value)\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of

bounds of this string builder.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.deleteAt(index: Int): StringBuilder = this.deleteAt(index)\n\n/**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex, endIndex)\n\n/**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\", \"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) =\n   this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex]\n is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n   this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n * then characters are appended as if [value] contained the four characters `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or\n when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.appendRange(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n   this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array\n indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n   this.insertRange(index, value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted. If [value] is `null`,\n * then characters will be inserted as if [value] contained the four characters
 `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n   this.insertRange(index, value, startIndex, endIndex)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// actually \\s is enough to match all whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\npublic actual fun Char.isWhitespace(): Boolean = toString().matches(\"[\\\\s\\\\xA0]\")\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char =
js(\"String.fromCharCode\")(toInt()).toLowerCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char =
js(\"String.fromCharCode\")(toInt()).toUpperCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n */\npublic actual fun Char.isHighSurrogate(): Boolean = this in Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun Char.isLowSurrogate():
 Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\n/**\n * Returns `true` if the contents of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\n */\npublic actual fun String.toBoolean(): Boolean = toLowerCase() == \"true\"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException
 when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws

NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toInt():
Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long
= toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toDouble(): Double = (+(this.asDynamic())).unsafeCast<Double>().also {\n if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float = toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? = (+(this.asDynamic())).unsafeCast<Double>().takeIf {\n !(it.isNaN() && !this.isNaN() || it
== 0.0 && this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n
* Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) {\n \"nan\", \"+nan\", \"-nan\" -> true\n else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n if (radix !in 2..36) {\n throw IllegalArgumentException(\"radix $radix was not in valid range 2..36\")\n }\n return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n char >= '0' && char <= '9' -> char - '0'\n char >= 'A' && char <= 'Z' -> char - 'A' + 10\n char >= 'a' && char <= 'z' -> char - 'a' + 10\n else
-> -1\n}.let { if (it >= radix) -1 else it }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOption(val value: String) {\n /** Enables case-insensitive matching. */\n IGNORE_CASE(\"i\"),\n /** Enables multiline mode.\n *\n * In multiline mode the expressions `^` and `$` match just after or just before,\n * respectively, a line terminator or the end of the input sequence. */\n MULTILINE(\"m\")\n}\n\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n *\n * @param value The value of captured group.\n */\npublic actual data class MatchGroup(actual val value: String)\n\n\n/**\n * Represents

```
 a compiled regular expression.\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n *\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n *\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set of [options].\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n    /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n    public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n    /** Creates a regular expression from the specified [pattern] string and the default options.
     */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n\n\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n    private val nativePattern: RegExp = RegExp(pattern, options.map { it.value }.joinToString(separator = \"|\") + \"g\")\n\n    /** Indicates whether the regular expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match = nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n    }\n\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n        return nativePattern.test(input.toString())\n    }\n\n    /** Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n     *\n     * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? = nativePattern.findNext(input.toString(), startIndex)\n\n    /**\n     * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n     *\n     * @sample samples.text.Regexps.findAll\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n        generateSequence({ find(input, startIndex) }, { match -> match.next() })\n\n    /**\n     * Attempts to match the entire [input] CharSequence against the pattern.\n     *\n     * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n     */\n    public actual fun matchEntire(input: CharSequence): MatchResult? {\n        if (pattern.startsWith('^') && pattern.endsWith('$'))\n            return find(input)\n        else\n            return Regex(\"^${pattern.trimStart('^').trimEnd('$')}$\", options).find(input)\n    }\n\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * @param replacement A replacement expression that can include substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n     */\n    public actual fun replace(input:
     CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern, replacement)\n\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with the result of\n     * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n     * replacement for that match.\n     */\n    public actual inline fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n        var match = find(input)\n        if (match == null) return input.toString()\n\n        var lastStart = 0\n        val length = input.length\n        val sb = StringBuilder(length)\n        do {\n            val foundMatch = match!!\n            sb.append(input, lastStart, foundMatch.range.start)\n            sb.append(transform(foundMatch))\n            lastStart = foundMatch.range.endInclusive + 1\n            match =
```

```
foundMatch.next()\n        } while (lastStart < length && match != null)\n\n
 if (lastStart < length) {\n            sb.append(input, lastStart, length)\n        }\n\n        return sb.toString()\n    }\n\n
/**\n     * Replaces the first occurrence of this regular expression in the specified [input] string with specified
[replacement] expression.\n     *\n     * @param replacement A replacement expression that can include
substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n     */\n    public
actual fun replaceFirst(input: CharSequence, replacement: String): String {\n        val nonGlobalOptions =
options.map { it.value }.joinToString(separator = \"\")\n        return input.toString().nativeReplace(RegExp(pattern,
nonGlobalOptions), replacement)\n    }\n\n    /**\n     * Splits the [input] CharSequence around matches of this
regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings
the string
 can be split to.\n     * Zero by default means no limit is set.\n     */\n
@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n        require(limit >= 0) { \"Limit must be non-negative, but was
$limit\" }\n        val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n        val result =
mutableListOf<String>()\n        var lastStart = 0\n\n        for (match in matches) {\n
result.add(input.subSequence(lastStart, match.range.start).toString())\n            lastStart = match.range.endInclusive +
1\n        }\n        result.add(input.subSequence(lastStart, input.length).toString())\n        return result\n    }\n\n\n
/**\n     * Returns the string representation of this regular expression, namely the [pattern] of this regular
expression.\n     *\n     * Note that another regular expression constructed from the same pattern string may have
different [options]\n
    * and may match strings differently.\n     */\n    public override fun toString(): String =
nativePattern.toString()\n\n    actual companion object {\n        /**\n         * Returns a regular expression that
matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when
searching for an occurrence of the regular expression.\n         */\n        public actual fun fromLiteral(literal: String):
Regex = Regex(escape(literal))\n\n        /**\n         * Returns a regular expression pattern string that matches the
specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for
an occurrence of the regular expression.\n         */\n        public actual fun escape(literal: String): String =
literal.nativeReplace(patternEscape, \"\\\\$&\")\n\n        /**\n         * Returns a literal replacement expression for the
specified [literal] string.\n         * No characters
 of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.\n
*/\n        public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape,
\"$$$$\")\n\n        private val patternEscape = RegExp(\"\"\"[-\\\\^$*+?.()|[\\]{}]\"\"\", \"g\")\n        private val
replacementEscape = RegExp(\"\"\"\\$\"\"\", \"g\")\n    }\n}\n\n/** Creates a regular expression from the specified
[pattern] string and the specified single [option].  */\n@Deprecated(\"Provided for binary compatibility\", level =
DeprecationLevel.HIDDEN)\n@JsName(\"Regex_sb3q2\\$\")\npublic fun Regex_0(pattern: String, option:
RegexOption): Regex = Regex(pattern, setOf(option))\n\n/** Creates a regular expression from the specified
[pattern] string and the default options.  */\n@Deprecated(\"Provided for binary compatibility\", level =
DeprecationLevel.HIDDEN)\n@JsName(\"Regex_61zpoe\\$\")\npublic fun Regex_1(pattern: String): Regex
 = Regex(pattern, emptySet())\n\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\n
this.lastIndex = from\n    val match = exec(input)\n    if (match == null) return null\n    val range =
match.index..lastIndex - 1\n\n    return object : MatchResult {\n        override val range: IntRange = range\n
override val value: String\n            get() = match[0]!!\n\n        override val groups: MatchGroupCollection = object :
MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n            override val size: Int get() = match.length\n
        override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n
override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n        }\n\n\n        private var
groupValues_: List<String>? = null\n\n        override val groupValues: List<String>\n            get() {\n                if
(groupValues_ == null) {\n                    groupValues_
```

```
 = object : AbstractList<String>() {\n                override val size: Int get() = match.length\n
override fun get(index: Int): String = match[index] ?: \"\"\n            }\n        }\n        return
groupValues_!!\n        }\n\n    override fun next(): MatchResult? = this@findNext.findNext(input, if
(range.isEmpty()) range.start + 1 else range.endInclusive + 1)\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport
kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char,
fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual
inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(),
 fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n
*/\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n
*/\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun
String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n
return nativeStartsWith(prefix, startIndex)\n    else\n        return regionMatches(startIndex, prefix, 0, prefix.length,
ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n
*/\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
 actual fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeEndsWith(suffix)\n    else\n        return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n\npublic fun String.matches(regex: String): Boolean {\n    val result = this.match(regex)\n
return result != null && result.size != 0\n}\n\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || (if
(this is String) this else
this.toString()).matches(\"^[\\\\s\\\\xA0]+$\")\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS\")\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =\n    if (this ==
null)\n        other == null\n    else if (!ignoreCase)\n        this == other\n    else\n        other != null &&
this.toLowerCase() ==
other.toLowerCase()\n\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun CharSequence.regionMatches(thisOffset: Int,
 other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =\n
regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n\n/**\n * Returns a copy of this string
having its first letter uppercased, or the original string,\n * if it's empty or already starts with an upper case letter.\n
*\n * @sample samples.text.Strings.capitalize\n */\npublic actual fun String.capitalize(): String {\n    return if
(isNotEmpty()) substring(0, 1).toUpperCase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string
having its first letter lowercased, or the original string,\n * if it's empty or already starts with a lower case letter.\n
*\n * @sample samples.text.Strings.decapitalize\n */\npublic actual fun String.decapitalize(): String {\n    return if
(isNotEmpty()) substring(0, 1).toLowerCase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this
char sequence repeated [n] times.\n * @throws [IllegalArgumentException] when
 n < 0.\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n >= 0) { \"Count 'n' must be non-
negative, but was $n.\" }\n    return when (n) {\n        0 -> \"\"\n        1 -> this.toString()\n        else -> {\n            var
result = \"\"\n            if (!isEmpty()) {\n                var s = this.toString()\n                var count = n\n                while
(true) {\n                    if ((count and 1) == 1) {\n                        result += s\n                    }\n                    count =
count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n                    s += s\n
}\n            }\n            return result\n        }\n
}\n}\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gi\" else \"g\"),
```

Regex.escapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gi\" else \"g\"), newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"i\" else \"\"), Regex.escapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"i\" else \"\"), newChar.toString())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is false, throws [CharacterCodingException] otherwise. */\n@UseExperimental(ExperimentalStdlibApi::class)\nprivate fun malformed(size: Int, index: Int, throwOnMalformed: Boolean): Int {\n if (throwOnMalformed) throw CharacterCodingException(\"Malformed sequence starting at ${index - 1}\")\n return -size\n}\n\n/**\n * Returns code point corresponding to UTF-16 surrogate pair,\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (high !in 0xD800..0xDBFF || index >= endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n val low = string[index].toInt()\n if (low !in 0xDC00..0xDFFF) {\n return malformed(0, index, throwOnMalformed)\n }\n return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (byte1 and 0x1E == 0 || index >= endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n val byte2 = bytes[index].toInt()\n if (byte2 and 0xC0 != 0x80) {\n return malformed(0,
index, throwOnMalformed)\n }\n return (byte1 shl 6) xor byte2 xor 0xF80\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of three bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (index >= endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n\n val byte2 = bytes[index].toInt()\n if (byte1 and 0xF == 0) {\n if (byte2 and 0xE0 != 0xA0) {\n // Non-shortest form\n return malformed(0, index, throwOnMalformed)\n
}\n } else if (byte1 and 0xF == 0xD) {\n if (byte2 and 0xE0 != 0x80) {\n // Surrogate code point\n
return malformed(0, index, throwOnMalformed)\n }\n } else if (byte2 and 0xC0 != 0x80) {\n return malformed(0, index, throwOnMalformed)\n }\n\n if (index + 1 == endIndex) {\n return malformed(1, index, throwOnMalformed)\n }\n val byte3 = bytes[index + 1].toInt()\n if (byte3 and 0xC0 != 0x80) {\n return malformed(1, index, throwOnMalformed)\n }\n\n return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -0x1E080\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of four bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException

```
 if the sequence of four bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        malformed(0, index, throwOnMalformed)\n    }\n\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0x0) {\n        if (byte2 and 0xF0 <= 0x80) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0x4) {\n        if (byte2 and 0xF0 != 0x80) {\n            // Out of Unicode code points domain (larger than U+10FFFF)\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF > 0x4) {\n        return malformed(0, index, throwOnMalformed)\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    if (index + 1 == endIndex) {\n        return malformed(1, index, throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return malformed(1, index, throwOnMalformed)\n    }\n\n    if (index + 2 == endIndex) {\n        return malformed(2, index, throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 != 0x80) {\n        return malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor byte4 xor 0x381F80\n}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n *\n * Code points in `0..0x7F` are encoded in a single byte.\n * Code points in `0x80..0x7FF` are encoded in two bytes.\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n */\nprivate const
 val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a malformed UTF-16 char sequence is replaced by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n *\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param throwOnMalformed whether to throw on malformed char sequence or replace by the [REPLACEMENT_BYTE_SEQUENCE].\n *\n * @throws CharacterCodingException if the char sequence is malformed and [throwOnMalformed] is true.\n */\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): ByteArray {\n    require(startIndex >= 0 && endIndex <= string.length && startIndex <= endIndex)\n\n    val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n    var byteIndex = 0\n    var charIndex = startIndex\n\n    while (charIndex < endIndex) {\n        val code = string[charIndex++].toInt()\n        when {\n            code < 0x80 ->\n                bytes[byteIndex++] = code.toByte()\n            code < 0x800 -> {\n                bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 -> {\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            else -> { // Surrogate char value\n                val codePoint = codePointFromSurrogate(string, code, charIndex, endIndex, throwOnMalformed)\n                if (codePoint <= 0) {\n                    bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[0]\n                    bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[1]\n                    bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[2]\n                } else {\n                    bytes[byteIndex++] = ((codePoint shr 18) or 0xF0).toByte()\n                    bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n                    bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n                    bytes[byteIndex++] = ((codePoint and 0x3F) or 0x80).toByte()\n                    charIndex++\n                }\n            }\n        }\n    }\n\n    return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed UTF-8 byte sequence is replaced by.\n */\nprivate const val REPLACEMENT_CHAR = '\\uFFFD'\n\n/**\n * Decodes the UTF-8 [bytes] array and returns the resulting [String].\n *\n * @param bytes the byte array to decode.\n * @param startIndex the start offset (inclusive) of the array to be decoded.\n
```

```
 * @param endIndex the end offset (exclusive) of the array to be encoded.\n * @param throwOnMalformed whether to throw on malformed byte sequence or replace by the [REPLACEMENT_CHAR].\n *\n * @throws CharacterCodingException if the array is malformed UTF-8 byte sequence and [throwOnMalformed] is true.\n */\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <= bytes.size && startIndex <= endIndex)\n\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n\n    while (byteIndex < endIndex) {\n        val byte = bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->\n                stringBuilder.append(byte.toChar())\n            byte shr 5 == -2 -> {\n                val code = codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0) {\n                    stringBuilder.append(REPLACEMENT_CHAR)\n

                byteIndex += -code\n                } else {\n                    stringBuilder.append(code.toChar())\n                    byteIndex += 1\n                }\n            }\n            byte shr 4 == -2 -> {\n                val code = codePointFrom3(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0) {\n                    stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else {\n                    stringBuilder.append(code.toChar())\n                    byteIndex += 2\n                }\n            }\n            byte shr 3 == -2 -> {\n                val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0) {\n                    stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else {\n                    val high = (code - 0x10000) shr 10 or 0xD800\n                    val low = (code and 0x3FF) or 0xDC00\n
                    stringBuilder.append(high.toChar())\n                    stringBuilder.append(low.toChar())\n                    byteIndex += 3\n                }\n            }\n            else -> {\n                malformed(0, byteIndex, throwOnMalformed)\n                stringBuilder.append(REPLACEMENT_CHAR)\n            }\n        }\n    }\n\n    return stringBuilder.toString()\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic actual enum class DurationUnit(internal val scale: Double) {\n    /**\n     * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n     */\n    NANOSECONDS(1e0),\n    /**\n     * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n     */\n    MICROSECONDS(1e3),\n
    /**\n     * Time unit representing one millisecond, which is 1/1000 of a second.\n     */\n    MILLISECONDS(1e6),\n    /**\n     * Time unit representing one second.\n     */\n    SECONDS(1e9),\n    /**\n     * Time unit representing one minute.\n     */\n    MINUTES(60e9),\n    /**\n     * Time unit representing one hour.\n     */\n    HOURS(3600e9),\n    /**\n     * Time unit representing one day, which is always equal to 24 hours.\n     */\n    DAYS(86400e9);\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal actual fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n        sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\n        sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale)\n        else -> value\n    }\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
    contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\nimport org.w3c.performance.Performance\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal actual object MonotonicTimeSource : TimeSource {\n\n    private val actualSource: TimeSource = run {\n        val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n\n        if (isNode)\n            HrTimeSource(js(\"process\").unsafeCast<Process>())\n        else\n            js(\"self\").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n                ?: DateNowTimeSource\n\n    }\n\n    override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal external interface Process {\n    fun hrtime(time: Array<Double> = definedExternally): Array<Double>\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal
```

class HrTimeSource(val process: Process) : TimeSource {\n\n override fun markNow(): TimeMark = object : TimeMark() {\n val startedAt = process.hrtime()\n override fun elapsedNow(): Duration =\n process.hrtime(startedAt).let { (seconds, nanos) -> seconds.seconds + nanos.nanoseconds }\n }\n\n override fun toString(): String = \"TimeSource(process.hrtime())\"\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal class PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n override fun read(): Double = performance.now()\n override fun toString(): String = \"TimeSource(self.performance.now())\"\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n override fun read(): Double = kotlin.js.Date.now()\n override fun toString(): String = \"TimeSource(Date.now())\"\n}","/*\n * Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.js.json\nimport kotlin.math.*\n\ninternal actual fun formatToExactDecimals(value: Double, decimals: Int): String {\n val rounded = if (decimals == 0) {\n value\n } else {\n val pow = 10.0.pow(decimals)\n @Suppress(\"DEPRECATION\", \"DEPRECATION_ERROR\")\n kotlin.js.Math.round(abs(value) * pow) / pow * sign(value)\n }\n return rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n}\n\ninternal actual fun formatUpToDecimals(value: Double, decimals: Int): String {\n return value.asDynamic().toLocaleString(\"en-us\", json(\"maximumFractionDigits\" to decimals)).unsafeCast<String>()\n}\n\ninternal actual fun formatScientific(value: Double): String {\n return value.asDynamic().toExponential(2).unsafeCast<String>()\n}","/*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\n@Deprecated(\"Use UnionMessagePortOrWindowProxy instead.\", ReplaceWith(\"UnionMessagePortOrWindowProxy\"))\ntypealias UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy\n\n@Deprecated(\"Use `as` instead.\", ReplaceWith(\"`as`\"))\nvar HTMLLinkElement.as_\n get() = `as`\n set(value) {\n `as` = value\n }\n\n@Deprecated(\"Use `is` instead.\", ReplaceWith(\"`is`\"))\nvar ElementCreationOptions.is_\n get() = `is`\n set(value) {\n `is` = value\n }","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface WebGLContextAttributes {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var depth: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stencil: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var antialias: Boolean? /* = true */\n get()
= definedExternally\n set(value) = definedExternally\n var premultipliedAlpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var preferLowPowerToHighPerformance: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false,

preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n val o = js(\"({})\")\n o[\"alpha\"] = alpha\n o[\"depth\"] = depth\n o[\"stencil\"] = stencil\n o[\"antialias\"] = antialias\n o[\"premultipliedAlpha\"] = premultipliedAlpha\n o[\"preserveDrawingBuffer\"] = preserveDrawingBuffer\n o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\n o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n return o\n}\n\npublic external abstract class WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external abstract class WebGLProgram : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript [WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic external abstract class WebGLActiveInfo {\n open val size: Int\n open val type: Int\n open val name: String\n}\n\n/**\n * Exposes the JavaScript [WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n open val rangeMin: Int\n open val rangeMax: Int\n open val precision: Int\n}\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface WebGLRenderingContextBase {\n val canvas: HTMLCanvasElement\n val drawingBufferWidth: Int\n val drawingBufferHeight: Int\n fun getContextAttributes(): WebGLContextAttributes?\n fun isContextLost(): Boolean\n fun getSupportedExtensions(): Array<String>?\n fun getExtension(name: String): dynamic\n fun activeTexture(texture: Int)\n fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n fun bindBuffer(target: Int, buffer: WebGLBuffer?)\n fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n fun bindTexture(target: Int, texture: WebGLTexture?)\n fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun blendEquation(mode: Int)\n fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n fun blendFunc(sfactor: Int, dfactor: Int)\n fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int)\n fun bufferData(target: Int, size: Int, usage: Int)\n fun bufferData(target: Int, data: BufferDataSource?, usage: Int)\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n fun checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int)\n fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)\n fun clearDepth(depth: Float)\n fun clearStencil(s: Int)\n fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)\n fun compileShader(shader: WebGLShader?)\n fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int,

height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture: WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float, zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n fun disableVertexAttribArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun enableVertexAttribArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program: WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int)\n fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int, pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x: Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location:

WebGLUniformLocation?, x: Int)\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y: Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix2fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n fun vertexAttrib4fv(index:
Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA:
Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST:

Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val

TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n */\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n

val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val

SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n

```
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n        val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT:
 Int\n        val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n        val
FRAMEBUFFER_UNSUPPORTED: Int\n        val FRAMEBUFFER_BINDING: Int\n        val
RENDERBUFFER_BINDING: Int\n        val MAX_RENDERBUFFER_SIZE: Int\n        val
INVALID_FRAMEBUFFER_OPERATION: Int\n        val UNPACK_FLIP_Y_WEBGL: Int\n        val
UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n        val CONTEXT_LOST_WEBGL: Int\n        val
UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n        val BROWSER_DEFAULT_WEBGL: Int\n
}\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n\n    companion object {\n        val NONE: Short\n
    val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface WebGLContextEventInit
 : EventInit {\n    var statusMessage: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextEventInit(statusMessage:
String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
WebGLContextEventInit {\n    val o = js(\"({})\")\n    o[\"statusMessage\"] = statusMessage\n    o[\"bubbles\"] =
bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n */\npublic
external open class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun slice(begin:
Int, end: Int = definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value: Any?): Boolean\n
 }\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView)
 to Kotlin\n */\npublic external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val
byteOffset: Int\n    val byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class
Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array:
Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Int8Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline operator fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the
JavaScript [Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external
open class Uint8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8Array)\n
constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: Uint8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Uint8Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline operator fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun Uint8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the
JavaScript [Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n
*/\npublic external open class Uint8ClampedArray : ArrayBufferView {\n    constructor(length: Int)\n
constructor(array: Uint8ClampedArray)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer,
byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer:
```

ArrayBuffer\n override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Uint8ClampedArray, offset: Int = definedExternally)\n fun set(array: Array<Byte>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class Int16Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Int16Array)\n constructor(array: Array<Short>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Int16Array, offset: Int = definedExternally)\n fun set(array: Array<Short>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Int16Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open class Uint16Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Uint16Array)\n constructor(array: Array<Short>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Uint16Array, offset: Int = definedExternally)\n fun set(array: Array<Short>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Uint16Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class Int32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Int32Array)\n constructor(array: Array<Int>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Int32Array, offset: Int = definedExternally)\n fun set(array: Array<Int>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Int32Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open class Uint32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Uint32Array)\n constructor(array: Array<Int>)\n constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n open val length: Int\n override val buffer: ArrayBuffer\n override val byteOffset: Int\n override val byteLength: Int\n fun set(array: Uint32Array, offset: Int = definedExternally)\n fun set(array: Array<Int>, offset: Int = definedExternally)\n fun subarray(start: Int, end: Int): Uint32Array\n\n companion object {\n val BYTES_PER_ELEMENT: Int\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open class Float32Array : ArrayBufferView {\n constructor(length: Int)\n constructor(array: Float32Array)\n

constructor(array: Array<Float>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float32Array, offset: Int = definedExternally)\n   fun set(array: Array<Float>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Float32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int, value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open class Float64Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float64Array)\n   constructor(array: Array<Double>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float64Array, offset: Int = definedExternally)\n   fun set(array: Array<Double>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Float64Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int): Double = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int, value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) : ArrayBufferView {\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun getInt8(byteOffset: Int): Byte\n   fun getUint8(byteOffset: Int): Byte\n   fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n   fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n   fun setInt8(byteOffset: Int, value: Byte)\n   fun setUint8(byteOffset: Int, value: Byte)\n   fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n   fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n   fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n   fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n   fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally)\n   fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface TexImageSource","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface ClipboardEventInit : EventInit {\n   var clipboardData: DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\n   val o = js(\"({})\")\n   o[\"clipboardData\"] = clipboardData\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript

[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n open val clipboardData: DataTransfer?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n fun read(): Promise<DataTransfer>\n fun readText(): Promise<String>\n fun write(data: DataTransfer): Promise<Unit>\n fun writeText(data: String): Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n var allowWithoutGesture: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n val o = js(\"({})\")\n o[\"allowWithoutGesture\"] = allowWithoutGesture\n return o\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n open var mediaText: String\n fun appendMedium(medium: String)\n fun deleteMedium(medium: String)\n override fun item(index: Int): String?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode: UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n open val media: MediaList\n open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n override fun item(index: Int): StyleSheet?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface LinkStyle {\n val sheet: StyleSheet?\n get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n override fun item(index: Int): CSSRule?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class CSSRule {\n open val type: Short\n open var cssText: String\n open val parentRule: CSSRule?\n open val parentStyleSheet: CSSStyleSheet?\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n *

```
Exposes the JavaScript [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n
*/\npublic external abstract class CSSStyleRule : CSSRule {\n    open var selectorText: String\n    open val style:
CSSStyleDeclaration\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE:
Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n
  val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n
}\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n    open val href: String\n    open val media:
MediaList\n    open val
 styleSheet: CSSStyleSheet\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE:
Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n
  val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\npublic
external abstract class CSSGroupingRule : CSSRule {\n    open val cssRules: CSSRuleList\n    fun insertRule(rule:
String, index: Int): Int\n    fun deleteRule(index: Int)\n\n    companion object {\n        val STYLE_RULE: Short\n
 val CHARSET_RULE: Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val
FONT_FACE_RULE: Short\n        val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val
NAMESPACE_RULE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule)
 to Kotlin\n */\npublic external abstract class CSSMediaRule : CSSGroupingRule {\n    open val media:
MediaList\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE: Short\n        val
IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n        val
PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n
*/\npublic external abstract class CSSPageRule : CSSGroupingRule {\n    open var selectorText: String\n    open val
style: CSSStyleDeclaration\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE:
Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n
  val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n
}\n}\n\npublic
 external abstract class CSSMarginRule : CSSRule {\n    open val name: String\n    open val style:
CSSStyleDeclaration\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE:
Short\n        val IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n
  val PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\npublic
external abstract class CSSNamespaceRule : CSSRule {\n    open val namespaceURI: String\n    open val prefix:
String\n\n    companion object {\n        val STYLE_RULE: Short\n        val CHARSET_RULE: Short\n        val
IMPORT_RULE: Short\n        val MEDIA_RULE: Short\n        val FONT_FACE_RULE: Short\n        val
PAGE_RULE: Short\n        val MARGIN_RULE: Short\n        val NAMESPACE_RULE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript
 [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\npublic
external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n    open var cssText: String\n    open val
parentRule: CSSRule?\n    open var cssFloat: String\n    open var alignContent: String\n    open var alignItems:
String\n    open var alignSelf: String\n    open var animation: String\n    open var animationDelay: String\n    open
var animationDirection: String\n    open var animationDuration: String\n    open var animationFillMode: String\n
open var animationIterationCount: String\n    open var animationName: String\n    open var animationPlayState:
String\n    open var animationTimingFunction: String\n    open var backfaceVisibility: String\n    open var
background: String\n    open var backgroundAttachment: String\n    open var backgroundClip: String\n    open var
backgroundColor: String\n    open var backgroundImage: String\n    open var backgroundOrigin:
```

String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n

open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n

open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps:
String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open
var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open
var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var

pageBreakInside: String\n   open var perspective: String\n   open var perspectiveOrigin: String\n   open var phonemes: String\n   open var position: String\n   open var quotes: String\n   open var resize: String\n   open var rest: String\n   open var restAfter: String\n   open var restBefore: String\n   open var right: String\n   open var tabSize: String\n   open var tableLayout: String\n   open var textAlign: String\n   open var textAlignLast: String\n open var textCombineUpright: String\n   open var textDecoration: String\n   open var textDecorationColor: String\n   open var textDecorationLine: String\n   open var textDecorationStyle: String\n   open var textIndent: String\n   open var textJustify: String\n   open var textOrientation: String\n
open var textOverflow: String\n   open var textShadow: String\n   open var textTransform: String\n   open var textUnderlinePosition: String\n   open var top: String\n   open var transform: String\n   open var transformOrigin: String\n   open var transformStyle: String\n   open var transition: String\n   open var transitionDelay: String\n open var transitionDuration: String\n   open var transitionProperty: String\n   open var transitionTimingFunction: String\n   open var unicodeBidi: String\n   open var verticalAlign: String\n   open var visibility: String\n   open var voiceBalance: String\n   open var voiceDuration: String\n   open var voicePitch: String\n   open var voicePitchRange: String\n   open var voiceRate: String\n   open var voiceStress: String\n   open var voiceVolume: String\n   open var whiteSpace: String\n   open var widows: String\n   open var width: String\n   open var wordBreak: String\n   open var wordSpacing: String\n   open var wordWrap:
String\n   open var writingMode: String\n   open var zIndex: String\n   open var _dashed_attribute: String\n open var _camel_cased_attribute: String\n   open var _webkit_cased_attribute: String\n   fun getPropertyValue(property: String): String\n   fun getPropertyPriority(property: String): String\n   fun setProperty(property: String, value: String, priority: String = definedExternally)\n   fun setPropertyValue(property: String, value: String)\n   fun setPropertyPriority(property: String, priority: String)\n   fun removeProperty(property: String): String\n   override fun item(index: Int): String\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface ElementCSSInlineStyle {\n   val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n companion object
{\n   fun escape(ident: String): String\n   }\n}\n\npublic external interface UnionElementOrProcessingInstruction","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent)
to Kotlin\n */\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n   open val view: Window?\n   open val detail: Int\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface UIEventInit : EventInit {\n   var view: Window? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var detail: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n   val o = js(\"({})\")\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class

FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget: EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FocusEventInit : UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\n val o = js(\"({})\")\n o[\"relatedTarget\"] = relatedTarget\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n open val clientY: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val button: Short\n open val buttons: Short\n open val relatedTarget: EventTarget?\n open val region: String?\n open val pageX: Double\n open val pageY: Double\n open val x: Double\n open val y: Double\n open val offsetX: Double\n open val offsetY: Double\n fun getModifierState(keyArg: String): Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n var screenX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var screenY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var button: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var buttons: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var region: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n val o = js(\"({})\")\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n var ctrlKey: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var shiftKey: Boolean? /* = false */\n get() = definedExternally\n set(value) =

definedExternally\n   var altKey: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var metaKey: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierAltGraph: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierCapsLock: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierFn: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierFnLock: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierHyper:
Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierNumLock: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierScrollLock: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierSuper: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierSymbol: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var modifierSymbolLock: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n   val o = js(\"({})\")\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n
    o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n   open val deltaX: Double\n   open val deltaY: Double\n   open val deltaZ: Double\n   open val deltaMode: Int\n\n   companion object {\n   val DOM_DELTA_PIXEL: Int\n   val DOM_DELTA_LINE: Int\n   val DOM_DELTA_PAGE: Int\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n   var deltaX: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaY: Double? /* = 0.0 */\n
        get() = definedExternally\n   set(value) = definedExternally\n   var deltaZ: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var deltaMode: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean?
= false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n   val o = js(\"({})\")\n   o[\"deltaX\"] = deltaX\n   o[\"deltaY\"] = deltaY\n   o[\"deltaZ\"] = deltaZ\n

o[\"deltaMode\"] = deltaMode\n   o[\"screenX\"] = screenX\n   o[\"screenY\"] = screenY\n   o[\"clientX\"] = clientX\n   o[\"clientY\"] = clientY\n   o[\"button\"] = button\n   o[\"buttons\"] = buttons\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"region\"] = region\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n   open val data: String\n   open val isComposing: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface InputEventInit : UIEventInit {\n   var data: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var isComposing: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n   val o = js(\"({})\")\n   o[\"data\"] = data\n   o[\"isComposing\"] = isComposing\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n   open val key: String\n   open val code: String\n   open val location: Int\n   open val ctrlKey: Boolean\n   open val shiftKey: Boolean\n   open val altKey: Boolean\n   open val metaKey: Boolean\n   open val repeat: Boolean\n   open val isComposing: Boolean\n   open val charCode: Int\n   open val keyCode: Int\n   open val which: Int\n   fun getModifierState(keyArg: String): Boolean\n\n   companion object {\n   val DOM_KEY_LOCATION_STANDARD: Int\n   val DOM_KEY_LOCATION_LEFT: Int\n   val DOM_KEY_LOCATION_RIGHT: Int\n   val DOM_KEY_LOCATION_NUMPAD: Int\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n   var key: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var code: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var location: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var repeat: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var isComposing: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n   val o = js(\"({})\")\n   o[\"key\"] = key\n   o[\"code\"] = code\n   o[\"location\"] = location\n   o[\"repeat\"] = repeat\n   o[\"isComposing\"] = isComposing\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n

o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\n open val data: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n var data: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"]
= composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n open val type: String\n open val target: EventTarget?\n open val currentTarget: EventTarget?\n open val eventPhase: Short\n open val bubbles: Boolean\n open val cancelable: Boolean\n open val defaultPrevented: Boolean\n open val composed: Boolean\n open val isTrusted: Boolean\n open val timeStamp: Number\n fun composedPath(): Array<EventTarget>\n fun stopPropagation()\n fun stopImmediatePropagation()\n fun preventDefault()\n fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n */\npublic external abstract class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n */\npublic external interface EventListener {\n fun handleEvent(event: Event)\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n open val length: Int\n fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n fun namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript

[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n */\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n */\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n */\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n */\npublic external abstract class HTMLElement : Element, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n fun blur()\n fun forceSpellCheck()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n */\npublic external abstract class HTMLUnknownElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n */\npublic external abstract class DOMStringMap\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMStringMap.set(name: String, value: String) { asDynamic()[name] = value }\n\n/**\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n */\npublic external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n\n companion object

{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n */\npublic external abstract class HTMLHeadElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n */\npublic external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */\npublic external abstract class HTMLBaseElement : HTMLElement {\n open var href: String\n open var target: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n open var href: String\n open var crossOrigin: String?\n open var rel: String\n open var `as`: RequestDestination\n open val relList: DOMTokenList\n open var media: String\n open var nonce: String\n open var hreflang: String\n open var type: String\n open val sizes: DOMTokenList\n open var referrerPolicy: String\n open var charset:

String\n   open var rev: String\n   open var target: String\n   open var scope: String\n   open var workerType: WorkerType\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic external abstract class HTMLMetaElement : HTMLElement {\n   open var name: String\n   open var httpEquiv: String\n   open var content: String\n   open var scheme: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n */\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n   open var media: String\n   open var nonce: String\n   open var type: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n   open var text: String\n   open var link: String\n   open var vLink: String\n   open var aLink: String\n   open var bgColor: String\n   open var background: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING:

Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n */\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n */\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n */\npublic external abstract class HTMLHRElement : HTMLElement {\n open var align: String\n open var color: String\n open var noShade: Boolean\n open var size: String\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n */\npublic external abstract class HTMLPreElement : HTMLElement {\n open var width: Int\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:

Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n */\npublic external abstract class HTMLQuoteElement : HTMLElement {\n open var cite: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\n */\npublic external abstract class HTMLOListElement : HTMLElement {\n open var reversed: Boolean\n open var start: Int\n open var type: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE:
Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement) to Kotlin\n */\npublic external abstract class HTMLUListElement : HTMLElement {\n open var compact: Boolean\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n */\npublic external abstract class HTMLLIElement : HTMLElement {\n open var value: Int\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to

Kotlin\n */\npublic external abstract class HTMLDListElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n */\npublic external abstract class HTMLDivElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n */\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open var referrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n open var rev: String\n open var shape: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic external abstract class HTMLDataElement : HTMLElement {\n open var value: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript

[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic external abstract class HTMLTimeElement : HTMLElement {\n open var dateTime: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic external abstract class HTMLSpanElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic external abstract class HTMLBRElement : HTMLElement {\n open var clear: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n */\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n/**\n * Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n */\npublic external abstract class HTMLModElement : HTMLElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n */\npublic external abstract class HTMLPictureElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE:
Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n */\npublic external abstract class HTMLSourceElement : HTMLElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n */\npublic external abstract class HTMLImageElement : HTMLElement, HTMLOrSVGImageElement, TexImageSource {\n open var alt: String\n open var src: String\n open var srcset: String\n open var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name: String\n open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n open var longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:
Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n */\npublic external abstract class HTMLIFrameElement : HTMLElement {\n open var src: String\n open var srcdoc: String\n open var name: String\n open val sandbox: DOMTokenList\n open var allowFullscreen: Boolean\n open var allowUserMedia: Boolean\n open var width: String\n open var height: String\n open var referrerPolicy: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var align: String\n open var scrolling: String\n open var frameBorder: String\n open var

longDesc: String\n   open var marginHeight: String\n   open var marginWidth: String\n
    fun getSVGDocument(): Document?\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val
ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val
ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val
PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val
DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val
DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val
DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript
[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n
*/\npublic external abstract class HTMLEmbedElement
 : HTMLElement {\n   open var src: String\n   open var type: String\n   open var width: String\n   open var height:
String\n   open var align: String\n   open var name: String\n   fun getSVGDocument(): Document?\n\n
companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val
TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE:
Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val
COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val
DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n
*/\npublic external abstract class HTMLObjectElement : HTMLElement {\n   open var data: String\n   open var
type: String\n   open var typeMustMatch: Boolean\n   open var name: String\n   open var useMap: String\n   open
val form: HTMLFormElement?\n   open var width: String\n   open var height: String\n   open val
contentDocument: Document?\n   open val contentWindow: Window?\n   open val willValidate: Boolean\n   open
val validity: ValidityState\n   open val validationMessage: String\n   open var align: String\n   open var archive:
String\n   open var code: String\n   open var declare: Boolean\n   open var hspace: Int\n   open var standby:
String\n   open var vspace: Int\n   open var codeBase: String\n   open var codeType: String\n   open var border:
String\n   fun getSVGDocument(): Document?\n   fun checkValidity(): Boolean\n
    fun reportValidity(): Boolean\n   fun setCustomValidity(error: String)\n\n   companion object {\n   val
ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val
CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE:
Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val
DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val
DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val
DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript
[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n
*/\npublic
 external abstract class HTMLParamElement : HTMLElement {\n   open var name: String\n   open var value:
String\n   open var type: String\n   open var valueType: String\n\n   companion object {\n   val

ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic external abstract class HTMLTrackElement : HTMLElement {\n open var kind:
String\n open var src: String\n open var srclang: String\n open var label: String\n open var default: Boolean\n open val readyState: Short\n open val track: TextTrack\n\n companion object {\n val NONE: Short\n val LOADING: Short\n val LOADED: Short\n val ERROR: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLElement {\n open val error: MediaError?\n open var src: String\n open var srcObject: dynamic\n open val currentSrc: String\n open var crossOrigin: String?\n open val networkState: Short\n open var preload: String\n open val buffered: TimeRanges\n open val readyState: Short\n open val seeking: Boolean\n open var currentTime: Double\n open val duration: Double\n open val paused: Boolean\n open var defaultPlaybackRate: Double\n open var playbackRate: Double\n open val played: TimeRanges\n open val seekable: TimeRanges\n open val ended: Boolean\n open var autoplay: Boolean\n open var loop: Boolean\n open var controls: Boolean\n open var volume: Double\n open var muted: Boolean\n open var defaultMuted: Boolean\n open val audioTracks: AudioTrackList\n open val videoTracks: VideoTrackList\n open val textTracks: TextTrackList\n fun load()\n fun canPlayType(type: String): CanPlayTypeResult\n fun fastSeek(time: Double)\n fun getStartDate(): dynamic\n fun play(): Promise<Unit>\n fun pause()\n fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract class MediaError {\n open val code: Short\n\n companion object {\n val MEDIA_ERR_ABORTED: Short\n val MEDIA_ERR_NETWORK: Short\n val MEDIA_ERR_DECODE: Short\n val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n }\n}\n\n/**\n * Exposes the JavaScript [AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\npublic external abstract class AudioTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String): AudioTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n */\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind: String\n open val label: String\n open val language: String\n open var enabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n */\npublic external abstract class VideoTrackList : EventTarget {\n open val length: Int\n open val selectedIndex: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) ->

dynamic)?\n   open var onremovetrack: ((TrackEvent) -> dynamic)?\n   fun getTrackById(id: String): VideoTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n   open val id: String\n   open val kind: String\n   open val label: String\n   open val language: String\n   open var selected: Boolean\n}\n\npublic external abstract class TextTrackList : EventTarget {\n   open val length: Int\n   open var onchange: ((Event) -> dynamic)?\n   open var onaddtrack: ((TrackEvent) -> dynamic)?\n   open var onremovetrack: ((TrackEvent) -> dynamic)?\n   fun getTrackById(id: String): TextTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n   open val kind: TextTrackKind\n   open val label: String\n   open val language: String\n   open val id: String\n   open val inBandMetadataTrackDispatchType: String\n   open var mode: TextTrackMode\n   open val cues: TextTrackCueList?\n   open val activeCues: TextTrackCueList?\n   open var oncuechange: ((Event) -> dynamic)?\n   fun addCue(cue: TextTrackCue)\n   fun removeCue(cue: TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n   open val length: Int\n   fun getCueById(id: String): TextTrackCue?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\npublic external abstract class TextTrackCue : EventTarget {\n   open val track: TextTrack?\n   open var id: String\n   open var startTime: Double\n   open var endTime: Double\n   open var pauseOnExit: Boolean\n   open var onenter: ((Event) -> dynamic)?\n   open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract class TimeRanges {\n   open val length: Int\n   fun start(index: Int): Double\n   fun end(index: Int): Double\n}\n\n/**\n * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n   open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface TrackEventInit : EventInit {\n   var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\n   val o = js(\"({})\")\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\n */\npublic external abstract class HTMLMapElement : HTMLElement {\n   open var name: String\n   open val areas: HTMLCollection\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n

val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n */\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n open var alt: String\n open var coords: String\n open var shape: String\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var referrerPolicy: String\n open var noHref: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic external abstract class HTMLTableElement : HTMLElement {\n open var caption: HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot: HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption()\n fun createTHead(): HTMLTableSectionElement\n fun deleteTHead()\n fun createTFoot(): HTMLTableSectionElement\n fun deleteTFoot()\n fun createTBody(): HTMLTableSectionElement\n fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n fun deleteRow(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n */\npublic external abstract class HTMLTableColElement : HTMLElement {\n open var span: Int\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n */\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n open val rows: HTMLCollection\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n fun insertRow(index: Int = definedExternally): HTMLElement\n fun deleteRow(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n */\npublic external abstract class HTMLTableRowElement : HTMLElement {\n open val rowIndex: Int\n open val sectionRowIndex: Int\n open val cells: HTMLCollection\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var bgColor: String\n fun insertCell(index: Int = definedExternally): HTMLElement\n fun deleteCell(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n */\npublic external abstract class HTMLTableCellElement : HTMLElement {\n open var colSpan: Int\n open var rowSpan: Int\n open var headers: String\n open val cellIndex: Int\n open var scope: String\n open var abbr: String\n open var align: String\n open var axis: String\n open var height: String\n open var width: String\n open var ch: String\n open var chOff: String\n open var noWrap: Boolean\n open var vAlign: String\n open var bgColor: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n */\npublic external abstract class HTMLFormElement : HTMLElement {\n open var acceptCharset: String\n open var action: String\n open var autocomplete: String\n open var enctype: String\n open var encoding: String\n open var method: String\n open var name: String\n open var noValidate: Boolean\n open var target: String\n open val elements: HTMLFormControlsCollection\n open val length: Int\n fun submit()\n fun reset()\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic external abstract class HTMLLabelElement : HTMLElement {\n open val form: HTMLFormElement?\n open var htmlFor: String\n open val control: HTMLElement?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLElement {\n open var accept: String\n open var alt: String\n open var autocomplete: String\n open var autofocus: Boolean\n open var defaultChecked: Boolean\n open var checked: Boolean\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open val files: FileList?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var height: Int\n open var indeterminate: Boolean\n open var inputMode: String\n open val list: HTMLElement?\n open var max: String\n open var maxLength: Int\n open var min: String\n open var

minLength: Int\n   open var multiple: Boolean\n   open var name: String\n   open var pattern: String\n   open var placeholder: String\n   open var readOnly: Boolean\n   open var required: Boolean\n   open var size: Int\n   open var src: String\n   open var step: String\n   open var type: String\n   open var defaultValue: String\n   open var value: String\n   open var valueAsDate: dynamic\n   open var valueAsNumber: Double\n   open var width: Int\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   open var selectionStart: Int?\n   open var selectionEnd: Int?\n   open var selectionDirection: String?\n   open var align: String\n   open var useMap: String\n   fun stepUp(n: Int = definedExternally)\n   fun stepDown(n: Int = definedExternally)\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String)\n   fun select()\n   fun setRangeText(replacement: String)\n   fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n   fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLElement {\n   open var autofocus: Boolean\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var formAction: String\n   open var formEnctype: String\n   open var formMethod: String\n   open var formNoValidate: Boolean\n   open var formTarget: String\n   open var name: String\n   open var type: String\n   open var value: String\n   open var menu: HTMLMenuElement?\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var multiple: Boolean\n   open var name: String\n   open var required: Boolean\n   open var size: Int\n   open val type: String\n   open val options: HTMLOptionsCollection\n   override var length: Int\n   open val selectedOptions: HTMLCollection\n   open var selectedIndex: Int\n   open var value: String\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   fun namedItem(name: String): HTMLOptionElement?\n   fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n   fun remove(index: Int)\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun

setCustomValidity(error: String)\n   override fun item(index: Int): Element?\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE:
Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript [HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n */\npublic external abstract class HTMLDataListElement : HTMLElement
{\n   open val options: HTMLCollection\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n */\npublic external abstract class HTMLOptGroupElement
: HTMLElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n   open var disabled: Boolean\n   open var label: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement)
to Kotlin\n */\npublic external abstract class HTMLOptionElement : HTMLElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var label: String\n   open var defaultSelected: Boolean\n   open var selected: Boolean\n   open var value: String\n   open var text: String\n   open val index: Int\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*/\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n open var autocomplete: String\n
open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open var disabled: Boolean\n
open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var
minLength: Int\n open var name: String\n open var placeholder: String\n open var readOnly: Boolean\n open
var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var
defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate:
Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n
open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun
checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun
select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int,
selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String
= definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n
*/\npublic external abstract class HTMLKeygenElement : HTMLElement {\n open var autofocus: Boolean\n
open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var
keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val
validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity():
Boolean\n
fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n
*/\npublic external
abstract class HTMLOutputElement : HTMLElement {\n open val htmlFor: DOMTokenList\n open val form:
HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n
open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val

validationMessage: String\n   open val labels: NodeList\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n */\npublic external abstract class HTMLProgressElement : HTMLElement {\n   open var value: Double\n   open var max: Double\n   open val position: Double\n   open val labels: NodeList\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n */\npublic external abstract class HTMLMeterElement : HTMLElement {\n   open var value: Double\n   open var min: Double\n   open var max: Double\n   open var low: Double\n   open var high: Double\n   open var optimum: Double\n   open val labels: NodeList\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n */\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open var name: String\n   open val type: String\n   open val elements: HTMLCollection\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   fun checkValidity(): Boolean\n   fun reportValidity(): Boolean\n   fun setCustomValidity(error: String)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n */\npublic external abstract class HTMLLegendElement : HTMLElement {\n open val form: HTMLFormElement?\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n */\npublic external abstract class HTMLDetailsElement : HTMLElement {\n open var open: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuElement : HTMLElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n

```
    val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n    open val
relatedTarget: EventTarget?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
RelatedEventInit : EventInit {\n    var relatedTarget: EventTarget? /* =
 null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget:
EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit {\n    val o = js(\"({})\")\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n
*/\npublic external abstract class HTMLDialogElement : HTMLElement {\n    open var open: Boolean\n    open var
returnValue: String\n    fun show(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun
showModal(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun close(returnValue: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n
    val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
    val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n */\npublic
external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n    open var src:
String\n    open var type: String\n
    open var charset: String\n    open var async: Boolean\n    open var defer: Boolean\n    open var crossOrigin:
String?\n    open var text: String\n    open var nonce: String\n    open var event: String\n    open var htmlFor:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
 Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n
*/\npublic external abstract class HTMLTemplateElement : HTMLElement {\n    open val content:
DocumentFragment\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
```

Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic external abstract class HTMLSlotElement : HTMLElement {\n open var name: String\n fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? = false): AssignedNodesOptions {\n val o = js(\"({})\")\n o[\"flatten\"] = flatten\n return o\n}\n\n/**\n * Exposes the JavaScript [HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource, TexImageSource {\n open var width: Int\n open var height: Int\n fun getContext(contextId: String, vararg arguments: Any?): RenderingContext?\n fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally): String\n fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface CanvasRenderingContext2DSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n val o = js(\"({})\")\n o[\"alpha\"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript [CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform, CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,

CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n fun save()\n fun restore()\n}\n\npublic external interface CanvasTransform {\n fun scale(x: Double, y: Double)\n fun rotate(angle: Double)\n fun translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double)\n fun setTransform(transform: dynamic = definedExternally)\n fun resetTransform()\n}\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n var imageSmoothingEnabled: Boolean\n var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var fillStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n var shadowOffsetX: Double\n var shadowOffsetY: Double\n var shadowBlur: Double\n var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n var filter: String\n}\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y: Double, w: Double, h: Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double, y: Double, w: Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun fill(fillRule: CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule = definedExternally)\n fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y: Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n fun drawFocusIfNeeded(path: Path2D, element: Element)\n fun scrollPathIntoView()\n fun scrollPathIntoView(path: Path2D)\n}\n\npublic external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n fun drawImage(image:
CanvasImageSource, dx: Double, dy: Double)\n fun drawImage(image: CanvasImageSource, dx: Double, dy: Double, dw: Double, dh: Double)\n fun drawImage(image: CanvasImageSource, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n fun createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData): ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic external interface CanvasPathDrawingStyles {\n var lineWidth:
Double\n var lineCap: CanvasLineCap\n var lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments: Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x: Double, y: Double)\n fun lineTo(x: Double, y: Double)\n fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n fun

bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n fun rect(x: Double, y: Double, w: Double, h: Double)\n fun arc(x:
Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\npublic external abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\npublic external abstract class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft:
Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent: Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\n get() = definedExternally\n set(value) = definedExternally\n var id: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\" */\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var role: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n val o = js(\"({})\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] = id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n o[\"role\"] = role\n return o\n}\n\n/**\n *
Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript [Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\npublic external open class Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n constructor(d: String)\n fun addPath(path: Path2D, transform: dynamic = definedExternally)\n override fun closePath()\n override fun moveTo(x: Double, y: Double)\n override fun lineTo(x: Double, y: Double)\n override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n override fun bezierCurveTo(cp1x:
Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n override fun rect(x: Double, y: Double, w: Double, h: Double)\n override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */)\n override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* =

```
definedExternally */)\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n    open val canvas:
HTMLCanvasElement\n    fun transferFromImageBitmap(bitmap:
 ImageBitmap?)\n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n    var alpha: Boolean? /*
= true */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n    val o
= js(\"({})\")\n    o[\"alpha\"] = alpha\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\npublic external abstract class CustomElementRegistry {\n    fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally)\n    fun get(name: String): Any?\n    fun
whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n    var
extends: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\n    val o =
js(\"({})\")\n    o[\"extends\"] = extends\n    return o\n}\n\npublic external interface ElementContentEditable {\n
var contentEditable: String\n    val isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n */\npublic external
abstract class DataTransfer {\n    open var dropEffect: String\n    open var effectAllowed: String\n    open val items:
DataTransferItemList\n    open val types: Array<out String>\n    open val files: FileList\n    fun
setDragImage(image: Element, x: Int, y: Int)\n    fun getData(format: String): String\n    fun setData(format: String,
data: String)\n    fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n */\npublic
 external abstract class DataTransferItemList {\n    open val length: Int\n    fun add(data: String, type: String):
DataTransferItem?\n    fun add(data: File): DataTransferItem?\n    fun remove(index: Int)\n    fun
clear()\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DataTransferItemList.get(index: Int):
DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic
external abstract class DataTransferItem {\n    open val kind: String\n    open val type: String\n    fun
getAsString(_callback: ((String) -> Unit)?)\n    fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/DragEvent) to Kotlin\n */\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n    open val
dataTransfer: DataTransfer?\n\n    companion object {\n
  val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface DragEventInit : MouseEventInit {\n    var
dataTransfer: DataTransfer? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer?
= null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? =
0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false,
altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock:
Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? =
false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean?
 = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n    val o = js(\"({})\")\n
o[\"dataTransfer\"] = dataTransfer\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] =
clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] =
```

relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"]
= modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindowProxy {\n open val window: Window\n open val self: Window\n open val document: Document\n open var name: String\n open val location: Location\n open val history: History\n open val customElements: CustomElementRegistry\n open val locationbar: BarProp\n open val menubar: BarProp\n open val personalbar: BarProp\n open val scrollbars: BarProp\n open val statusbar: BarProp\n open val toolbar: BarProp\n
open var status: String\n open val closed: Boolean\n open val frames: Window\n open val length: Int\n open val top: Window\n open var opener: Any?\n open val parent: Window\n open val frameElement: Element?\n open val navigator: Navigator\n open val applicationCache: ApplicationCache\n open val external: External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n open val scrollX: Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val pageYOffset: Double\n open val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val outerHeight: Int\n open val devicePixelRatio: Double\n fun close()\n fun stop()\n fun focus()\n fun blur()\n fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n fun alert()\n fun alert(message: String)\n fun confirm(message: String
= definedExternally): Boolean\n fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n fun print()\n fun requestAnimationFrame(callback: (Double) -> Unit): Int\n fun cancelAnimationFrame(handle: Int)\n fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n fun captureEvents()\n fun releaseEvents()\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x: Int, y: Int)\n fun moveBy(x: Int, y: Int)\n fun resizeTo(x: Int, y: Int)\n fun resizeBy(x: Int, y: Int)\n fun scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x: Double, y: Double)\n fun scrollTo(options: ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n fun scrollBy(options: ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally): CSSStyleDeclaration\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic external abstract class History {\n open val length: Int\n open var scrollRestoration: ScrollRestoration\n open val state: Any?\n fun go(delta: Int = definedExternally)\n fun back()\n fun forward()\n fun pushState(data: Any?, title: String, url: String? = definedExternally)\n fun replaceState(data: Any?, title: String, url: String? = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class Location {\n open var href: String\n open val origin: String\n open var protocol: String\n open var host: String\n open var hostname:
String\n open var port: String\n open var pathname: String\n open var search: String\n open var hash: String\n open val ancestorOrigins: Array<out String>\n fun assign(url: String)\n fun replace(url: String)\n fun reload()\n}\n\n/**\n * Exposes the JavaScript

[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n open val state: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface PopStateEventInit : EventInit {\n var state: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): PopStateEventInit {\n val o = js(\"({})\")\n o[\"state\"] = state\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\n open val oldURL: String\n open val newURL: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n var oldURL: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var newURL: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun HashChangeEventInit(oldURL: String? = \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n val o = js(\"({})\")\n o[\"oldURL\"] = oldURL\n o[\"newURL\"] = newURL\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\n open val persisted: Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n var persisted: Boolean? /* = false */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {\n val o = js(\"({})\")\n o[\"persisted\"] = persisted\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n */\npublic external open class BeforeUnloadEvent : Event {\n var returnValue: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n open val status: Short\n open var onchecking: ((Event) -> dynamic)?\n open var onerror: ((Event)
-> dynamic)?\n open var onnoupdate: ((Event) -> dynamic)?\n open var ondownloading: ((Event) -> dynamic)?\n open var onprogress: ((ProgressEvent) -> dynamic)?\n open var onupdateready: ((Event) -> dynamic)?\n open var oncached: ((Event) -> dynamic)?\n open var onobsolete: ((Event) -> dynamic)?\n fun update()\n fun abort()\n fun swapCache()\n\n companion object {\n val UNCACHED: Short\n val IDLE: Short\n val CHECKING: Short\n val DOWNLOADING: Short\n val UPDATEREADY: Short\n val OBSOLETE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n */\npublic external interface NavigatorOnLine {\n val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n */\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally)

: Event {\n   open val message: String\n   open val filename: String\n   open val lineno: Int\n   open val colno: Int\n   open val error: Any?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface ErrorEventInit : EventInit {\n   var message: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var filename: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var lineno: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var colno: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var error: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n   val o = js(\"({})\")\n   o[\"message\"] = message\n   o[\"filename\"] = filename\n   o[\"lineno\"] = lineno\n   o[\"colno\"] = colno\n   o[\"error\"] = error\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n */\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {\n   open val promise: Promise<Any?>\n   open val reason: Any?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n   var promise: Promise<Any?>?\n   get() = definedExternally\n   set(value) = definedExternally\n   var reason: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n   val o = js(\"({})\")\n   o[\"promise\"] = promise\n   o[\"reason\"] = reason\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n */\npublic external interface GlobalEventHandlers {\n   var onabort: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var onblur: ((FocusEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var oncancel: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var oncanplay: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var oncanplaythrough: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var onchange: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var onclick: ((MouseEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var onclose: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var oncontextmenu: ((MouseEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var oncuechange: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondblclick: ((MouseEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondrag: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondragend: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondragenter: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondragexit: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondragleave: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondragover: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ondragstart: ((DragEvent) -> dynamic)?\n   get() = definedExternally\n

set(value) = definedExternally\n var ondrop: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondurationchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onemptied: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onended: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onfocus: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninput: ((InputEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninvalid: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeydown: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeypress: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeyup: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadeddata: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadedmetadata: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadend: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadstart: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmousedown: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseenter: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseleave: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmousemove: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseout: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseover: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseup: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onwheel: ((WheelEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpause: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onplaying: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onprogress: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onratechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onreset: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onresize: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onscroll: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onseeked: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onseeking: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onselect: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onshow: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstalled: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onsubmit: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onsuspend: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ontimeupdate: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ontoggle: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onvolumechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onwaiting: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ongotpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var

onlostpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerdown: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointermove: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerup: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointercancel: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerover: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerout: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerenter: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerleave: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n */\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onbeforeprint: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onbeforeunload: ((BeforeUnloadEvent) -> String?)?\n get() = definedExternally\n set(value) = definedExternally\n var onhashchange: ((HashChangeEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onlanguagechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmessage: ((MessageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onoffline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ononline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpagehide: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpageshow: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpopstate: ((PopStateEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onrejectionhandled: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstorage: ((StorageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onunload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n var oncopy: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncut: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpaste: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\n */\npublic external interface WindowOrWorkerGlobalScope {\n val origin: String\n val caches: CacheStorage\n fun btoa(data: String): String\n fun atob(data: String): String\n fun setTimeout(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearTimeout(handle: Int = definedExternally)\n fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearInterval(handle: Int = definedExternally)\n fun createImageBitmap(image: ImageBitmapSource, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun createImageBitmap(image: ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun fetch(input: dynamic, init: RequestInit = definedExternally): Promise<Response>\n}\n\n/**\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,

NavigatorPlugins, NavigatorConcurrentHardware {\n   open val clipboard: Clipboard\n   open val mediaDevices: MediaDevices\n   open val maxTouchPoints: Int\n   open val serviceWorker: ServiceWorkerContainer\n   fun getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n   fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface NavigatorID {\n   val appCodeName: String\n   val appName: String\n   val appVersion: String\n   val platform: String\n   val product: String\n   val productSub: String\n   val userAgent: String\n   val vendor: String\n   val vendorSub: String\n   val oscpu: String\n   fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic external interface NavigatorLanguage {\n   val language: String\n   val languages: Array<out String>\n}\n\npublic external interface NavigatorContentUtils {\n   fun registerProtocolHandler(scheme: String, url: String, title: String)\n   fun registerContentHandler(mimeType: String, url: String, title: String)\n   fun isProtocolHandlerRegistered(scheme: String, url: String): String\n   fun isContentHandlerRegistered(mimeType: String, url: String): String\n   fun unregisterProtocolHandler(scheme: String, url: String)\n   fun unregisterContentHandler(mimeType: String, url: String)\n}\n\npublic external interface NavigatorCookies {\n   val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic external interface NavigatorPlugins {\n   val plugins: PluginArray\n   val mimeTypes: MimeTypeArray\n   fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract class PluginArray : ItemArrayLike<Plugin> {\n   fun refresh(reload: Boolean = definedExternally)\n   override fun item(index: Int): Plugin?\n   fun namedItem(name: String): Plugin?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n   override fun item(index: Int): MimeType?\n   fun namedItem(name: String): MimeType?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract class Plugin : ItemArrayLike<MimeType> {\n   open val name: String\n   open val description: String\n   open val filename: String\n   override fun item(index: Int): MimeType?\n   fun namedItem(name: String): MimeType?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract class MimeType {\n   open val type: String\n   open val description: String\n   open val suffixes: String\n   open val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript [ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n   open val width: Int\n   open val height: Int\n   fun close()\n}\n\npublic external interface ImageBitmapOptions {\n   var imageOrientation: ImageOrientation? /* = ImageOrientation.NONE */\n   get() = definedExternally\n   set(value) = definedExternally\n   var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n   get() = definedExternally\n   set(value) = definedExternally\n   var colorSpaceConversion: ColorSpaceConversion? /* = ColorSpaceConversion.DEFAULT */\n   get() = definedExternally\n   set(value) = definedExternally\n

```
    var resizeWidth: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeHeight:
Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js(\"({})\")\n    o[\"imageOrientation\"]
= imageOrientation\n    o[\"premultiplyAlpha\"] = premultiplyAlpha\n    o[\"colorSpaceConversion\"] =
colorSpaceConversion\n    o[\"resizeWidth\"] = resizeWidth\n    o[\"resizeHeight\"]
 = resizeHeight\n    o[\"resizeQuality\"] = resizeQuality\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data:
Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source:
UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type:
String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source:
UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n        get()
= definedExternally\n
        set(value) = definedExternally\n    var origin: String? /* = \"\" */\n        get() = definedExternally\n
set(value) = definedExternally\n    var lastEventId: String? /* = \"\" */\n        get() = definedExternally\n
set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>? /* = arrayOf() */\n
get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source:
UnionMessagePortOrWindowProxy? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n    val o = js(\"({})\")\n
o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"]
 = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n    open
val url: String\n    open val withCredentials: Boolean\n    open val readyState: Short\n    var onopen: ((Event) ->
dynamic)?\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    fun
close()\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val CLOSED:
Short\n    }\n}\n\npublic external interface EventSourceInit {\n    var withCredentials: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
EventSourceInit(withCredentials:
 Boolean? = false): EventSourceInit {\n    val o = js(\"({})\")\n    o[\"withCredentials\"] = withCredentials\n    return
o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to
Kotlin\n */\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) :
EventTarget {\n    open val url: String\n    open val readyState: Short\n    open val bufferedAmount: Number\n    var
onopen: ((Event) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    var onclose: ((Event) -> dynamic)?\n
open val extensions: String\n    open val protocol: String\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var
binaryType: BinaryType\n    fun close(code: Short = definedExternally, reason: String = definedExternally)\n    fun
send(data: String)\n    fun send(data: Blob)\n    fun send(data: ArrayBuffer)\n    fun send(data:
ArrayBufferView)\n\n    companion object {\n        val CONNECTING: Short\n
```

```
    val OPEN: Short\n        val CLOSING: Short\n        val CLOSED: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external
open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n    open val
wasClean: Boolean\n    open val code: Short\n    open val reason: String\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface CloseEventInit : EventInit {\n    var wasClean: Boolean? /* = false */\n
  get() = definedExternally\n        set(value) = definedExternally\n    var code: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var reason: String? /* = \"\" */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n    val o = js(\"({})\")\n
o[\"wasClean\"] = wasClean\n    o[\"code\"] = code\n    o[\"reason\"] = reason\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external
open class MessageChannel {\n    open val port1: MessagePort\n    open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*/\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n    open var onmessage:
((MessageEvent) ->
 dynamic)?\n    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n    fun start()\n
fun close()\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n */\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n    open val name: String\n    var onmessage:
((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?)\n    fun close()\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*/\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n    open val self: WorkerGlobalScope\n    open val location: WorkerLocation\n    open val
navigator: WorkerNavigator\n    open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    open var
onlanguagechange: ((Event) -> dynamic)?\n    open var onoffline: ((Event) -> dynamic)?\n
    open var ononline: ((Event) -> dynamic)?\n    open var onrejectionhandled: ((Event) -> dynamic)?\n    open var
onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n    fun importScripts(vararg urls:
String)\n}\n\n/**\n * Exposes the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n    open var
onmessage: ((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n    fun close()\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n    open val name:
String\n    open val applicationCache: ApplicationCache\n    open var onconnect: ((Event) -> dynamic)?\n    fun
close()\n}\n\n/**\n * Exposes
 the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n
*/\npublic external interface AbstractWorker {\n    var onerror: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n    var
onmessage: ((MessageEvent) -> dynamic)?\n    override var onerror: ((Event) -> dynamic)?\n    fun terminate()\n
fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface
WorkerOptions {\n    var type: WorkerType? /* = WorkerType.CLASSIC */\n        get() = definedExternally\n
```

set(value) = definedExternally\n   var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n get() = definedExternally\n
        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n   val o = js(\"({})\")\n   o[\"type\"] = type\n   o[\"credentials\"] = credentials\n   return o\n}\n\n/**\n * Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n   open val port: MessagePort\n   override var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n   val hardwareConcurrency: Number\n}\n\n/**\n * Exposes the JavaScript [WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator)
 to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n   open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external abstract class WorkerLocation {\n   open val href: String\n   open val origin: String\n   open val protocol: String\n   open val host: String\n   open val hostname: String\n   open val port: String\n   open val pathname: String\n   open val search: String\n   open val hash: String\n}\n\n/**\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class Storage {\n   open val length: Int\n   fun key(index: Int): String?\n   fun removeItem(key: String)\n   fun clear()\n   fun getItem(key:
 String): String?\n   fun setItem(key: String, value: String)\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript [WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\npublic external interface WindowSessionStorage {\n   val sessionStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\npublic external interface WindowLocalStorage {\n   val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n   open
 val key: String?\n   open val oldValue: String?\n   open val newValue: String?\n   open val url: String\n   open val storageArea: Storage?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface StorageEventInit : EventInit {\n   var key: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var oldValue: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var newValue: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var url: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var storageArea: Storage? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key:
 String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n   val o = js(\"({})\")\n   o[\"key\"] = key\n   o[\"oldValue\"] = oldValue\n   o[\"newValue\"] = newValue\n   o[\"url\"] = url\n   o[\"storageArea\"] = storageArea\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\npublic external abstract class HTMLAppletElement :

HTMLElement {\n open var align: String\n open var alt: String\n open var archive: String\n open var code: String\n open var codeBase: String\n open var height: String\n open var hspace: Int\n open var name: String\n open var _object: String\n open var vspace: Int\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n */\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n open var behavior: String\n open var bgColor: String\n open var direction: String\n open var height: String\n open var hspace: Int\n open var loop: Int\n open var scrollAmount: Int\n open var scrollDelay: Int\n open var trueSpeed: Boolean\n open var vspace: Int\n open var width: String\n open var onbounce: ((Event) -> dynamic)?\n open var onfinish: ((Event) -> dynamic)?\n open var onstart: ((Event) -> dynamic)?\n fun start()\n fun stop()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n */\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n open var cols: String\n open var rows: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLFrameElement : HTMLElement {\n open var name: String\n open var scrolling: String\n open var src: String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open var marginWidth: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:

```
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n    open var compact: Boolean\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED:
 Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val
DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\npublic
external abstract class HTMLFontElement : HTMLElement {\n    open var color: String\n    open var face: String\n
open var size: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
 Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface External {\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n    var bubbles: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var cancelable: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var composed: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean?
 = false): EventInit {\n    val o = js(\"({})\")\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic external open
class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n    open val detail:
Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?)\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CustomEventInit : EventInit {\n    var detail: Any?
/* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
 Boolean? = false): CustomEventInit {\n    val o = js(\"({})\")\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
  o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external interface
EventListenerOptions {\n    var capture: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? =
```

false): EventListenerOptions {\n   val o = js(\"({})\")\n   o[\"capture\"] = capture\n   return o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n   var passive: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var once: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive: Boolean? = false, once: Boolean?
 = false, capture: Boolean? = false): AddEventListenerOptions {\n   val o = js(\"({})\")\n   o[\"passive\"] = passive\n   o[\"once\"] = once\n   o[\"capture\"] = capture\n   return o\n}\n\npublic external interface NonElementParentNode {\n   fun getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the JavaScript [DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n */\npublic external interface DocumentOrShadowRoot {\n   val fullscreenElement: Element?\n   get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\npublic external interface ParentNode {\n   val children: HTMLCollection\n   val firstElementChild: Element?\n   get() = definedExternally\n   val lastElementChild: Element?\n   get() = definedExternally\n   val childElementCount: Int\n   fun prepend(vararg nodes: dynamic)\n   fun append(vararg
 nodes: dynamic)\n   fun querySelector(selectors: String): Element?\n   fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript [NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to Kotlin\n */\npublic external interface NonDocumentTypeChildNode {\n   val previousElementSibling: Element?\n
    get() = definedExternally\n   val nextElementSibling: Element?\n   get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n */\npublic external interface ChildNode {\n   fun before(vararg nodes: dynamic)\n   fun after(vararg nodes: dynamic)\n   fun replaceWith(vararg nodes: dynamic)\n   fun remove()\n}\n\n/**\n * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\npublic external interface Slotable {\n   val assignedSlot: HTMLSlotElement?\n   get() = definedExternally\n}\n\n/**\n
 * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n */\npublic external abstract class NodeList : ItemArrayLike<Node> {\n   override fun item(index: Int): Node?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n   override fun item(index: Int): Element?\n   fun namedItem(name: String): Element?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver)
 to Kotlin\n */\npublic external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n   fun observe(target: Node, options: MutationObserverInit = definedExternally)\n   fun disconnect()\n   fun takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n */\npublic external interface MutationObserverInit {\n   var childList: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributes: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterData: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var subtree: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterDataOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeFilter: Array<String>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun

MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n val o = js(\"({})\")\n o[\"childList\"] = childList\n o[\"attributes\"] = attributes\n o[\"characterData\"] = characterData\n o[\"subtree\"] = subtree\n o[\"attributeOldValue\"] = attributeOldValue\n o[\"characterDataOldValue\"] = characterDataOldValue\n o[\"attributeFilter\"] = attributeFilter\n return o\n}\n\n/**\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes: NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling: Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin\n */\npublic external abstract class Node : EventTarget {\n open val nodeType: Short\n open val nodeName: String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument: Document?\n open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes: NodeList\n open val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n open val nextSibling: Node?\n open var nodeValue: String?\n open var textContent: String?\n fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun normalize()\n fun cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode: Node?): Boolean\n fun isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other: Node): Short\n fun contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun lookupNamespaceURI(prefix: String?): String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun insertBefore(node: Node, child: Node?): Node\n fun appendChild(node: Node): Node\n fun replaceChild(node: Node, child: Node): Node\n fun removeChild(child: Node): Node\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface GetRootNodeOptions {\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\n val o = js(\"({})\")\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n open val implementation: DOMImplementation\n open val URL: String\n open val documentURI: String\n open val origin: String\n open val compatMode: String\n open val characterSet: String\n open val charset: String\n open val inputEncoding: String\n open val contentType: String\n open val doctype: DocumentType?\n open val documentElement: Element?\n open val location: Location?\n var domain: String\n open val referrer: String\n var cookie: String\n open val lastModified: String\n open val readyState: DocumentReadyState\n var title: String\n var dir: String\n var body: HTMLElement?\n open val head: HTMLHeadElement?\n open val images: HTMLCollection\n open

val embeds: HTMLCollection\n open val plugins: HTMLCollection\n open val links: HTMLCollection\n open val forms: HTMLCollection\n open val scripts: HTMLCollection\n open val currentScript: HTMLOrSVGScriptElement?\n open val defaultView: Window?\n open val activeElement: Element?\n var designMode: String\n var onreadystatechange: ((Event) -> dynamic)?\n var fgColor: String\n var linkColor: String\n var vlinkColor: String\n var alinkColor: String\n var bgColor: String\n open val anchors: HTMLCollection\n open val applets: HTMLCollection\n open val all: HTMLAllCollection\n open val scrollingElement: Element?\n open val styleSheets: StyleSheetList\n open val rootElement: SVGSVGElement?\n open val fullscreenEnabled: Boolean\n open val fullscreen: Boolean\n var onfullscreenchange: ((Event) -> dynamic)?\n var onfullscreenerror: ((Event) -> dynamic)?\n override var onabort: ((Event) -> dynamic)?\n override var onblur:
((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove:
((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event)
-> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n

override var onpaste: ((ClipboardEvent)
-> dynamic)?\n override val fullscreenElement: Element?\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun getElementsByClassName(classNames: String): HTMLCollection\n fun createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun createProcessingInstruction(target: String, data: String): ProcessingInstruction\n
fun importNode(node: Node, deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n fun getElementsByName(elementName: String): NodeList\n fun open(type: String = definedExternally, replace: String = definedExternally): Document\n
fun open(url: String, name: String, features: String): Window\n fun close()\n fun write(vararg text: String)\n fun writeln(vararg text: String)\n fun hasFocus(): Boolean\n fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally): Boolean\n fun queryCommandEnabled(commandId: String): Boolean\n fun queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String): Boolean\n fun queryCommandSupported(commandId: String): Boolean\n fun queryCommandValue(commandId: String): String\n fun clear()\n fun captureEvents()\n
fun releaseEvents()\n fun elementFromPoint(x: Double, y: Double): Element?\n fun elementsFromPoint(x: Double, y: Double): Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n fun createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n fun createTouchList(vararg
touches: Touch): TouchList\n fun exitFullscreen(): Promise<Unit>\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String): dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external open class XMLDocument : Document {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface ElementCreationOptions {\n var `is`: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String? = undefined): ElementCreationOptions {\n val o = js(\"({})\")\n o[\"is\"] = `is`\n return o\n}\n\n/**\n * Exposes the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n */\npublic external abstract class DOMImplementation {\n fun createDocumentType(qualifiedName: String, publicId: String, systemId: String): DocumentType\n fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n fun createHTMLDocument(title: String = definedExternally): Document\n fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n open val name: String\n open val publicId: String\n open val systemId: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override fun getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS:
 Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n    open val mode: ShadowRootMode\n
open val host: Element\n    override val fullscreenElement: Element?\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
 Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
 val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external
abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction {\n    open val namespaceURI: String?\n    open val prefix: String?\n    open
val localName: String\n    open val tagName: String\n    open var id: String\n    open var className: String\n    open
val classList: DOMTokenList\n    open var slot: String\n    open val attributes: NamedNodeMap\n    open val
shadowRoot: ShadowRoot?\n    open var scrollTop: Double\n    open var scrollLeft: Double\n    open val
 scrollWidth: Int\n    open val scrollHeight: Int\n    open val clientTop: Int\n    open val clientLeft: Int\n    open val
clientWidth: Int\n    open val clientHeight: Int\n    open var innerHTML: String\n    open var outerHTML: String\n
fun hasAttributes(): Boolean\n    fun getAttributeNames(): Array<String>\n    fun getAttribute(qualifiedName:
String): String?\n    fun getAttributeNS(namespace: String?, localName: String): String?\n    fun
setAttribute(qualifiedName: String, value: String)\n    fun setAttributeNS(namespace: String?, qualifiedName:
String, value: String)\n    fun removeAttribute(qualifiedName: String)\n    fun removeAttributeNS(namespace:
String?, localName: String)\n    fun hasAttribute(qualifiedName: String): Boolean\n    fun
hasAttributeNS(namespace: String?, localName: String): Boolean\n    fun getAttributeNode(qualifiedName: String):
Attr?\n    fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n    fun setAttributeNode(attr:
Attr): Attr?\n
    fun setAttributeNodeNS(attr: Attr): Attr?\n    fun removeAttributeNode(attr: Attr): Attr\n    fun attachShadow(init:
ShadowRootInit): ShadowRoot\n    fun closest(selectors: String): Element?\n    fun matches(selectors: String):
Boolean\n    fun webkitMatchesSelector(selectors: String): Boolean\n    fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n    fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n    fun
getElementsByClassName(classNames: String): HTMLCollection\n    fun insertAdjacentElement(where: String,
element: Element): Element?\n    fun insertAdjacentText(where: String, data: String)\n    fun getClientRects():
Array<DOMRect>\n    fun getBoundingClientRect(): DOMRect\n    fun scrollIntoView()\n    fun
scrollIntoView(arg: dynamic)\n    fun scroll(options: ScrollToOptions = definedExternally)\n    fun scroll(x: Double,
y: Double)\n    fun scrollTo(options: ScrollToOptions = definedExternally)\n    fun scrollTo(x: Double, y: Double)\n
    fun scrollBy(options: ScrollToOptions = definedExternally)\n    fun scrollBy(x: Double, y: Double)\n    fun
insertAdjacentHTML(position: String, text: String)\n    fun setPointerCapture(pointerId: Int)\n    fun
releasePointerCapture(pointerId: Int)\n    fun hasPointerCapture(pointerId: Int): Boolean\n    fun requestFullscreen():
Promise<Unit>\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
```

```
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS:
 Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
ShadowRootInit {\n    var mode: ShadowRootMode?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n    val o = js(\"({})\")\n    o[\"mode\"] = mode\n    return o\n}\n\n/**\n *
Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n    fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n    fun setNamedItem(attr: Attr): Attr?\n    fun
setNamedItemNS(attr: Attr): Attr?\n    fun removeNamedItem(qualifiedName: String): Attr\n    fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n    override fun item(index: Int): Attr?\n    fun
getNamedItem(qualifiedName:
 String): Attr?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(index: Int): Attr?
= asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class
Attr : Node {\n    open val namespaceURI: String?\n    open val prefix: String?\n    open val localName: String\n
open val name: String\n    open var value: String\n    open val ownerElement: Element?\n    open val specified:
Boolean\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE:
 Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n
val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n
*/\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n    open var
data: String\n    open val length: Int\n    fun substringData(offset: Int, count: Int): String\n    fun appendData(data:
String)\n    fun insertData(offset: Int, data: String)\n    fun deleteData(offset: Int, count: Int)\n    fun
replaceData(offset: Int, count: Int, data: String)\n\n    companion object {\n
 val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
     val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n    open val wholeText: String\n
```

override val assignedSlot: HTMLSlotElement?\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n fun splitText(offset: Int): Text\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external open class CDATASection : Text {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n */\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle, UnionElementOrProcessingInstruction {\n open val target: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external open class Comment(data: String = definedExternally) : CharacterData {\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n */\npublic external open class Range {\n open val startContainer: Node\n open val startOffset: Int\n open val endContainer: Node\n open val endOffset: Int\n open val collapsed: Boolean\n open val commonAncestorContainer: Node\n fun setStart(node: Node, offset: Int)\n fun setEnd(node: Node, offset: Int)\n fun setStartBefore(node: Node)\n fun setStartAfter(node: Node)\n fun setEndBefore(node: Node)\n fun setEndAfter(node: Node)\n fun collapse(toStart: Boolean = definedExternally)\n fun selectNode(node: Node)\n fun selectNodeContents(node: Node)\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n fun deleteContents()\n fun extractContents(): DocumentFragment\n fun cloneContents(): DocumentFragment\n fun insertNode(node: Node)\n fun surroundContents(newParent: Node)\n fun cloneRange(): Range\n fun detach()\n fun isPointInRange(node: Node, offset: Int): Boolean\n fun comparePoint(node: Node, offset: Int): Short\n fun intersectsNode(node: Node): Boolean\n fun getClientRects(): Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun createContextualFragment(fragment: String): DocumentFragment\n\n companion object {\n val START_TO_START: Short\n val START_TO_END: Short\n val END_TO_END: Short\n val END_TO_START: Short\n }\n}\n\n/**\n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n */\npublic external abstract class NodeIterator {\n open val root: Node\n open val referenceNode: Node\n open val pointerBeforeReferenceNode: Boolean\n open val whatToShow: Int\n open val filter: NodeFilter?\n fun nextNode(): Node?\n fun previousNode(): Node?\n fun detach()\n}\n\n/**\n * Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n */\npublic external abstract class TreeWalker {\n open val root: Node\n open val whatToShow: Int\n open val filter: NodeFilter?\n open var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun previousSibling(): Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode(): Node?\n}\n\n/**\n * Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NodeFilter {\n fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n\n/**\n * Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n */\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n open var value: String\n fun contains(token: String): Boolean\n fun add(vararg tokens: String)\n fun remove(vararg tokens: String)\n fun toggle(token: String, force: Boolean = definedExternally): Boolean\n fun replace(token: String, newToken: String)\n fun supports(token: String): Boolean\n override fun item(index: Int): String?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index: Int): String? =

asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\npublic external open class DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n override var x: Double\n override var y: Double\n override var z: Double\n override var w: Double\n}\n\n/**\n * Exposes the JavaScript [DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n */\npublic external interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var z: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var w: Double? /* = 1.0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n val o = js(\"({})\")\n o[\"x\"] = x\n o[\"y\"] = y\n o[\"z\"] = z\n o[\"w\"] = w\n return o\n}\n\n/**\n * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {\n override var x: Double\n override var y: Double\n override var width: Double\n override var height: Double\n}\n\n/**\n * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n open val x: Double\n open val y: Double\n open val width: Double\n open val height: Double\n open val top: Double\n open val right: Double\n open val bottom: Double\n open val left: Double\n}\n\npublic external interface DOMRectInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var width: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n var height: Double? /* = 0.0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n val o = js(\"({})\")\n o[\"x\"] = x\n o[\"y\"] = y\n o[\"width\"] = width\n o[\"height\"] = height\n return o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n override fun item(index: Int): DOMRect?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class DOMQuad {\n constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n constructor(rect: DOMRectInit)\n open val p1: DOMPoint\n open val p2: DOMPoint\n open val p3: DOMPoint\n open val p4: DOMPoint\n open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n open val a: Double\n open val b: Double\n open val c: Double\n open val d: Double\n open val e: Double\n open val f: Double\n open val m11: Double\n open val m12: Double\n open val m13: Double\n open val m14: Double\n open val m21: Double\n open val m22: Double\n open val m23: Double\n open val m24: Double\n open val

m31: Double\n   open val m32: Double\n   open val m33: Double\n   open val m34: Double\n   open val m41: Double\n   open val m42: Double\n   open val m43: Double\n   open val m44: Double\n   open val is2D: Boolean\n   open val isIdentity: Boolean\n   fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally):
DOMMatrix\n   fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVector(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewX(sx: Double): DOMMatrix\n   fun skewY(sy: Double): DOMMatrix\n   fun multiply(other: DOMMatrix): DOMMatrix\n   fun flipX(): DOMMatrix\n   fun flipY(): DOMMatrix\n   fun inverse(): DOMMatrix\n   fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n   fun toFloat32Array(): Float32Array\n   fun toFloat64Array():
Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n   constructor(transformList: String)\n   constructor(other: DOMMatrixReadOnly)\n   constructor(array32: Float32Array)\n   constructor(array64: Float64Array)\n   constructor(numberSequence: Array<Double>)\n   override var a: Double\n   override var b: Double\n   override var c: Double\n   override var d: Double\n   override var e: Double\n   override var f: Double\n   override var m11: Double\n   override var m12: Double\n   override var m13: Double\n   override var m14: Double\n   override var m21: Double\n   override var m22: Double\n   override var m23: Double\n   override var m24: Double\n   override var m31: Double\n   override var m32: Double\n   override var m33: Double\n   override var m34: Double\n   override var m41: Double\n   override var m42:
Double\n   override var m43: Double\n   override var m44: Double\n   fun multiplySelf(other: DOMMatrix): DOMMatrix\n   fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n   fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngleSelf(x: Double,
y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewXSelf(sx: Double): DOMMatrix\n   fun skewYSelf(sy: Double): DOMMatrix\n   fun invertSelf(): DOMMatrix\n   fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n   var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n   val o = js(\"({})\")\n   o[\"behavior\"] = behavior\n   return o\n}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external interface ScrollToOptions : ScrollOptions {\n   var left: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var top: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n   val o = js(\"({})\")\n   o[\"left\"] = left\n   o[\"top\"] = top\n

o[\"behavior\"] = behavior\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n   open val media: String\n   open val matches: Boolean\n   open var onchange: ((Event) -> dynamic)?\n   fun addListener(listener: EventListener?)\n   fun addListener(listener: ((Event) -> Unit)?)\n   fun removeListener(listener: EventListener?)\n   fun removeListener(listener: ((Event) -> Unit)?)\n}\n\n/**\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n */\npublic external open class MediaQueryListEvent(type:
 String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n   open val media: String\n   open val matches: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface MediaQueryListEventInit : EventInit {\n   var media: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var matches: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n   val o = js(\"({})\")\n   o[\"media\"] = media\n   o[\"matches\"] = matches\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"]
 = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class Screen {\n   open val availWidth: Int\n   open val availHeight: Int\n   open val width: Int\n   open val height: Int\n   open val colorDepth: Int\n   open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external abstract class CaretPosition {\n   open val offsetNode: Node\n   open val offset: Int\n   fun getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n   var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
 inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n   val o = js(\"({})\")\n   o[\"block\"] = block\n   o[\"inline\"] = inline\n   o[\"behavior\"] = behavior\n   return o\n}\n\npublic external interface BoxQuadOptions {\n   var box: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var relativeTo: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n   val o = js(\"({})\")\n   o[\"box\"] = box\n   o[\"relativeTo\"] = relativeTo\n   return o\n}\n\npublic external interface ConvertCoordinateOptions
 {\n   var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n   var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n   val o = js(\"({})\")\n   o[\"fromBox\"] = fromBox\n   o[\"toBox\"] = toBox\n   return o\n}\n\n/**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external interface GeometryUtils {\n   fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n   fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n   fun convertRectFromNode(rect:

```
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions
 = definedExternally): DOMQuad\n    fun convertPointFromNode(point: DOMPointInit, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch
{\n    open val identifier: Int\n    open val target: EventTarget\n    open val screenX: Int\n    open val screenY: Int\n
open val clientX: Int\n    open val clientY: Int\n    open val pageX: Int\n    open val pageY: Int\n    open val region:
String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n    override fun item(index: Int):
Touch?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int): Touch? =
asDynamic()[index]\n\npublic external open class TouchEvent : UIEvent {\n    open val touches: TouchList\n
open val targetTouches: TouchList\n    open val changedTouches: TouchList\n    open val
 altKey: Boolean\n    open val metaKey: Boolean\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n\n
 companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n */\npublic external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n    override var
onabort: ((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) -> dynamic)?\n    override var oncancel:
((Event) -> dynamic)?\n    override var oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough:
((Event) -> dynamic)?\n    override var onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) ->
dynamic)?\n    override var onclose: ((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n    override var oncuechange:
 ((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) -> dynamic)?\n    override var ondrag:
((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) -> dynamic)?\n    override var ondragenter:
((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) -> dynamic)?\n    override var ondragleave:
((DragEvent) -> dynamic)?\n    override var ondragover: ((DragEvent) -> dynamic)?\n    override var ondragstart:
((DragEvent) -> dynamic)?\n    override var ondrop: ((DragEvent) -> dynamic)?\n    override var ondurationchange:
((Event) -> dynamic)?\n    override var onemptied: ((Event) -> dynamic)?\n    override var onended: ((Event) ->
dynamic)?\n    override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    override var onfocus:
((FocusEvent) -> dynamic)?\n    override var oninput: ((InputEvent) -> dynamic)?\n    override var oninvalid:
((Event) -> dynamic)?\n    override var onkeydown: ((KeyboardEvent) -> dynamic)?\n    override var onkeypress:
 ((KeyboardEvent) -> dynamic)?\n    override var onkeyup: ((KeyboardEvent) -> dynamic)?\n    override var onload:
((Event) -> dynamic)?\n    override var onloadeddata: ((Event) -> dynamic)?\n    override var onloadedmetadata:
((Event) -> dynamic)?\n    override var onloadend: ((Event) -> dynamic)?\n    override var onloadstart:
((ProgressEvent) -> dynamic)?\n    override var onmousedown: ((MouseEvent) -> dynamic)?\n    override var
onmouseenter: ((MouseEvent) -> dynamic)?\n    override var onmouseleave: ((MouseEvent) -> dynamic)?\n
override var onmousemove: ((MouseEvent) -> dynamic)?\n    override var onmouseout: ((MouseEvent) ->
dynamic)?\n    override var onmouseover: ((MouseEvent) -> dynamic)?\n    override var onmouseup: ((MouseEvent)
-> dynamic)?\n    override var onwheel: ((WheelEvent) -> dynamic)?\n    override var onpause: ((Event) ->
dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n    override var onplaying: ((Event) -> dynamic)?\n
override var onprogress:
 ((ProgressEvent) -> dynamic)?\n    override var onratechange: ((Event) -> dynamic)?\n    override var onreset:
((Event) -> dynamic)?\n    override var onresize: ((Event) -> dynamic)?\n    override var onscroll: ((Event) ->
dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n    override var onseeking: ((Event) -> dynamic)?\n
override var onselect: ((Event) -> dynamic)?\n    override var onshow: ((Event) -> dynamic)?\n    override var
onstalled: ((Event) -> dynamic)?\n    override var onsubmit: ((Event) -> dynamic)?\n    override var onsuspend:
((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) -> dynamic)?\n    override var ontoggle: ((Event) ->
dynamic)?\n    override var onvolumechange: ((Event) -> dynamic)?\n    override var onwaiting: ((Event) ->
dynamic)?\n    override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    override var
onlostpointercapture: ((PointerEvent) -> dynamic)?\n    override var onpointerdown: ((PointerEvent) -> dynamic)?\n
```

override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override var contentEditable: String\n override val isContentEditable: Boolean\n override val style: CSSStyleDeclaration\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling:
Element?\n override val assignedSlot: HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class Audio(src: String = definedExternally) : HTMLAudioElement {\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override
var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n

override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent)
-> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n
override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n
override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override var contentEditable: String\n
override val isContentEditable: Boolean\n override val style: CSSStyleDeclaration\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions
/* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n
val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE:
Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes

the JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open class Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override var contentEditable: String\n override val isContentEditable: Boolean\n override val style: CSSStyleDeclaration\n

override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n

override fun before(vararg nodes: dynamic)\n   override fun after(vararg nodes: dynamic)\n   override fun replaceWith(vararg nodes: dynamic)\n   override fun remove()\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n   }\n}\n\npublic external interface UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic external interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement : CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic external interface ImageBitmapSource\n\npublic external interface UnionMessagePortOrWindowProxy\n\npublic external interface HTMLOrSVGScriptElement\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface DocumentReadyState {\n   companion object\n}\n\npublic inline val DocumentReadyState.Companion.LOADING: DocumentReadyState get() = \"loading\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic
inline val DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() = \"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() = \"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanPlayTypeResult {\n   companion object\n}\n\npublic inline val CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() = \"\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() = \"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() = \"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
TextTrackMode {\n   companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val TextTrackMode.Companion.HIDDEN: TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val TextTrackMode.Companion.SHOWING: TextTrackMode get() = \"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface TextTrackKind {\n   companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =

\"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.CAPTIONS: TextTrackKind get() = \"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.DESCRIPTIONS: TextTrackKind get() = \"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.CHAPTERS: TextTrackKind get() = \"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.METADATA: TextTrackKind get() = \"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SelectionMode {\n   companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get() = \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START: SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.END: SelectionMode get() = \"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE: SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasFillRule {\n   companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO: CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val CanvasFillRule.Companion.EVENODD: CanvasFillRule get() = \"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ImageSmoothingQuality {\n   companion object\n}\n\npublic inline val ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() = \"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() = \"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasLineCap {\n   companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.ROUND: CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE: CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasLineJoin {\n   companion object\n}\n\npublic inline val CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() = \"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL: CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.MITER: CanvasLineJoin get() = \"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasTextAlign {\n   companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.END: CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() = \"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT:

CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() = \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasTextBaseline {\n companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() = \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() = \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() = \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() = \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasDirection {\n companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.RTL: CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollRestoration {\n companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val ScrollRestoration.Companion.MANUAL: ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ImageOrientation {\n companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val ImageOrientation.Companion.FLIPY: ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface PremultiplyAlpha {\n companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() = \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() = \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ColorSpaceConversion {\n companion object\n}\n\npublic inline val ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ResizeQuality {\n companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() =

\"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.LOW: ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM: ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.HIGH: ResizeQuality
get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface BinaryType {\n companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface WorkerType {\n companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val WorkerType.Companion.MODULE: WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ShadowRootMode {\n companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN: ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val ShadowRootMode.Companion.CLOSED: ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollBehavior {\n companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.INSTANT: ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollLogicalPosition {\n
companion object\n}\n\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() = \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() = \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() = \"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() = \"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CSSBoxType {\n companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER: CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic
inline val CSSBoxType.Companion.PADDING: CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.CONTENT: CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport

org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\npublic external open class Headers(init: dynamic = definedExternally) {\n fun append(name: String, value: String)\n fun delete(name: String)\n fun get(name: String): String?\n fun has(name: String): Boolean\n fun set(name: String, value: String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n */\npublic external interface Body {\n val bodyUsed: Boolean\n fun arrayBuffer(): Promise<ArrayBuffer>\n fun blob(): Promise<Blob>\n fun formData(): Promise<FormData>\n fun json(): Promise<Any?>\n fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class Request(input: dynamic, init: RequestInit = definedExternally)
: Body {\n open val method: String\n open val url: String\n open val headers: Headers\n open val type: RequestType\n open val destination: RequestDestination\n open val referrer: String\n open val referrerPolicy: dynamic\n open val mode: RequestMode\n open val credentials: RequestCredentials\n open val cache: RequestCache\n open val redirect: RequestRedirect\n open val integrity: String\n open val keepalive: Boolean\n override val bodyUsed: Boolean\n fun clone(): Request\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n var method: String?\n get() = definedExternally\n set(value) = definedExternally\n var headers: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var body: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var referrer: String?\n get() = definedExternally\n set(value) = definedExternally\n var referrerPolicy: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var mode: RequestMode?\n get() = definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials?\n get() = definedExternally\n set(value) = definedExternally\n var cache: RequestCache?\n get() = definedExternally\n set(value) = definedExternally\n var redirect: RequestRedirect?\n get() = definedExternally\n set(value) = definedExternally\n var integrity: String?\n get() = definedExternally\n set(value) = definedExternally\n var keepalive: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var window: Any?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? = undefined, window: Any? = undefined): RequestInit {\n val o = js(\"({})\")\n o[\"method\"] = method\n o[\"headers\"] = headers\n o[\"body\"] = body\n o[\"referrer\"] = referrer\n o[\"referrerPolicy\"] = referrerPolicy\n o[\"mode\"] = mode\n o[\"credentials\"] = credentials\n o[\"cache\"] = cache\n o[\"redirect\"] = redirect\n o[\"integrity\"] = integrity\n o[\"keepalive\"] = keepalive\n o[\"window\"] = window\n return o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response)
to Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\n open val type: ResponseType\n open val url: String\n open val redirected: Boolean\n open val status: Short\n open val ok: Boolean\n open val statusText: String\n open val headers: Headers\n open val body: dynamic\n open val trailer: Promise<Headers>\n override val bodyUsed: Boolean\n fun clone(): Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n\n companion object {\n fun error(): Response\n fun redirect(url: String, status: Short = definedExternally): Response\n }\n}\n\npublic external interface ResponseInit {\n var status: Short? /* = 200 */\n get() = definedExternally\n

```
set(value) = definedExternally\n    var statusText: String? /* = \"OK\" */\n        get() = definedExternally\n    set(value) = definedExternally\n    var headers: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200, statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n    val o = js(\"({})\")\n    o[\"status\"] = status\n    o[\"statusText\"] = statusText\n    o[\"headers\"] = headers\n    return o\n}\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestType {\n    companion object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO: RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT:
 RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT: RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK: RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this interface!
*/\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestDestination {\n    companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY: RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.DOCUMENT:
 RequestDestination get() = \"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.IMAGE: RequestDestination get() =
\"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.REPORT:
 RequestDestination get() = \"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
```

RequestDestination.Companion.XSLT: RequestDestination get() = \"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestMode {\n companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE: RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-origin\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.NO_CORS: RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestCredentials {\n companion object\n}\n\npublic inline val RequestCredentials.Companion.OMIT: RequestCredentials get() = \"omit\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-origin\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val RequestCredentials.Companion.INCLUDE: RequestCredentials get() = \"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestCache {\n companion object\n}\n\npublic inline val RequestCache.Companion.DEFAULT: RequestCache get() = \"default\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE: RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.RELOAD: RequestCache get() = \"reload\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE: RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestRedirect {\n companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR: RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.MANUAL: RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ResponseType {\n companion object\n}\n\npublic inline val ResponseType.Companion.BASIC: ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.CORS: ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT: ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.ERROR: ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE: ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport

kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */\npublic external open class MediaStream() : EventTarget {\n constructor(stream: MediaStream)\n constructor(tracks: Array<MediaStreamTrack>)\n open val id: String\n open val active: Boolean\n var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n fun getAudioTracks(): Array<MediaStreamTrack>\n fun getVideoTracks(): Array<MediaStreamTrack>\n fun getTracks(): Array<MediaStreamTrack>\n fun getTrackById(trackId: String): MediaStreamTrack?\n fun addTrack(track: MediaStreamTrack)\n fun removeTrack(track: MediaStreamTrack)\n fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n */\npublic external abstract class MediaStreamTrack : EventTarget {\n open val kind: String\n open val id: String\n open val label: String\n open var enabled: Boolean\n open val muted: Boolean\n open var onmute: ((Event) -> dynamic)?\n open var onunmute: ((Event) -> dynamic)?\n open val readyState: MediaStreamTrackState\n open var onended: ((Event) -> dynamic)?\n open var onoverconstrained: ((Event) -> dynamic)?\n fun clone(): MediaStreamTrack\n fun stop()\n fun getCapabilities(): MediaTrackCapabilities\n fun getConstraints(): MediaTrackConstraints\n fun getSettings(): MediaTrackSettings\n fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints) to Kotlin\n */\npublic external interface MediaTrackSupportedConstraints {\n var width: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var height: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var frameRate: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var facingMode: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var volume: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var latency: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var channelCount: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var deviceId: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var groupId: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true, frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true, sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n val o = js(\"({})\")\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n

```
o[\"resizeMode\"]
 = resizeMode\n    o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] =
sampleSize\n    o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return o\n}\n\npublic external interface
MediaTrackCapabilities {\n    var width: ULongRange?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: ULongRange?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var aspectRatio: DoubleRange?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var frameRate: DoubleRange?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var facingMode: Array<String>?\n        get() = definedExternally\n        set(value) =
definedExternally\n
  var resizeMode: Array<String>?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
volume: DoubleRange?\n        get() = definedExternally\n        set(value) = definedExternally\n    var sampleRate:
ULongRange?\n        get() = definedExternally\n        set(value) = definedExternally\n    var sampleSize:
ULongRange?\n        get() = definedExternally\n        set(value) = definedExternally\n    var echoCancellation:
Array<Boolean>?\n        get() = definedExternally\n        set(value) = definedExternally\n    var autoGainControl:
Array<Boolean>?\n        get() = definedExternally\n        set(value) = definedExternally\n    var noiseSuppression:
Array<Boolean>?\n        get() = definedExternally\n        set(value) = definedExternally\n    var latency:
DoubleRange?\n        get() = definedExternally\n        set(value) = definedExternally\n    var channelCount:
ULongRange?\n        get() = definedExternally\n        set(value) = definedExternally\n
  var deviceId: String?\n        get() = definedExternally\n        set(value) = definedExternally\n    var groupId:
String?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize:
ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>?
= undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{\n    val o = js(\"({})\")\n    o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"aspectRatio\"]
 = aspectRatio\n    o[\"frameRate\"] = frameRate\n    o[\"facingMode\"] = facingMode\n    o[\"resizeMode\"] =
resizeMode\n    o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*/\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n    var advanced:
Array<MediaTrackConstraintSet>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width:
 dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic =
undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined,
sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined,
autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined,
channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined):
MediaTrackConstraints {\n    val o = js(\"({})\")\n    o[\"advanced\"] = advanced\n    o[\"width\"] = width\n
o[\"height\"] = height\n    o[\"aspectRatio\"] = aspectRatio\n    o[\"frameRate\"] = frameRate\n    o[\"facingMode\"]
= facingMode\n    o[\"resizeMode\"] = resizeMode\n    o[\"volume\"] = volume\n    o[\"sampleRate\"] =
```

```
sampleRate\n    o[\"sampleSize\"] = sampleSize\n    o[\"echoCancellation\"] = echoCancellation\n
o[\"autoGainControl\"] = autoGainControl\n
    o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n
    o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return o\n}\n\npublic external interface
MediaTrackConstraintSet {\n    var width: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n
var aspectRatio: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n    var frameRate:
dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n    var facingMode: dynamic\n
get() = definedExternally\n        set(value) = definedExternally\n    var resizeMode: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var volume: dynamic\n        get() = definedExternally\n
    set(value) = definedExternally\n    var sampleRate: dynamic\n
    get() = definedExternally\n        set(value) = definedExternally\n    var sampleSize: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var echoCancellation: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var autoGainControl: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var noiseSuppression: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var latency: dynamic\n        get() = definedExternally\n
    set(value) = definedExternally\n    var channelCount: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n    var deviceId: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n
    var groupId: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width: dynamic
    = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined,
facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate:
dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl:
dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount:
dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet
{\n    val o = js(\"({})\")\n    o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"aspectRatio\"] = aspectRatio\n
o[\"frameRate\"] = frameRate\n    o[\"facingMode\"] = facingMode\n    o[\"resizeMode\"] = resizeMode\n
o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n
    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n    o[\"deviceId\"] = deviceId\n    o[\"groupId\"]
= groupId\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n */\npublic
external interface MediaTrackSettings {\n    var width: Int?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
aspectRatio: Double?\n        get() = definedExternally\n        set(value) = definedExternally\n    var frameRate:
Double?\n        get() = definedExternally\n        set(value) = definedExternally\n    var facingMode: String?\n
get() = definedExternally\n        set(value) = definedExternally\n    var resizeMode: String?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var volume: Double?\n        get() = definedExternally\n
        set(value) = definedExternally\n    var sampleRate: Int?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var sampleSize: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n
var echoCancellation: Boolean?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
autoGainControl: Boolean?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
noiseSuppression: Boolean?\n        get() = definedExternally\n        set(value) = definedExternally\n    var latency:
Double?\n        get() = definedExternally\n        set(value) = definedExternally\n    var channelCount: Int?\n
get() = definedExternally\n        set(value) = definedExternally\n    var deviceId: String?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var groupId: String?\n        get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
```

```
 inline fun MediaTrackSettings(width: Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined, facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int? = undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n    val o = js(\"({})\")\n    o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"aspectRatio\"] = aspectRatio\n    o[\"frameRate\"] = frameRate\n    o[\"facingMode\"] = facingMode\n    o[\"resizeMode\"] = resizeMode\n    o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] = sampleSize\n    o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n    o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n    o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return o\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n */\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) : Event {\n    open val track: MediaStreamTrack\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n    var track: MediaStreamTrack?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaStreamTrackEventInit {\n    val o = js(\"({})\")\n    o[\"track\"] = track\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n    open val error: dynamic\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n    var error: dynamic /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): OverconstrainedErrorEventInit {\n    val o = js(\"({})\")\n    o[\"error\"] = error\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n */\npublic external abstract class MediaDevices : EventTarget {\n    open var ondevicechange: ((Event) -> dynamic)?\n    fun enumerateDevices(): Promise<Array<MediaDeviceInfo>>\n    fun getSupportedConstraints(): MediaTrackSupportedConstraints\n    fun getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n}\n\n/**\n * Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n */\npublic external abstract class MediaDeviceInfo {\n    open val deviceId: String\n    open val kind: MediaDeviceKind\n    open val label: String\n    open val groupId: String\n    fun toJSON(): dynamic\n}\n\npublic external abstract class InputDeviceInfo : MediaDeviceInfo {\n    fun getCapabilities(): MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n */\npublic external interface MediaStreamConstraints {\n    var video: dynamic /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var audio: dynamic /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n    val o = js(\"({})\")\n    o[\"video\"] = video\n    o[\"audio\"] = audio\n    return o\n}\n\npublic external interface ConstrainablePattern {\n    var onoverconstrained: ((Event) -> dynamic)?\n        get() = definedExternally\n
```

set(value) = definedExternally\n   fun getCapabilities(): Capabilities\n   fun getConstraints(): Constraints\n   fun getSettings():
Settings\n   fun applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\npublic external interface DoubleRange {\n   var max: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var min: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? = undefined, min: Double? = undefined): DoubleRange {\n   val o = js(\"({})\")\n   o[\"max\"] = max\n   o[\"min\"] = min\n   return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n   var exact: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact: Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined): ConstrainDoubleRange {\n   val o = js(\"({})\")\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n   o[\"max\"] = max\n   o[\"min\"] = min\n   return o\n}\n\npublic external interface ULongRange {\n   var max: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var min: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? = undefined, min: Int? = undefined): ULongRange {\n   val o = js(\"({})\")\n   o[\"max\"] = max\n   o[\"min\"] = min\n   return o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n   var exact: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n   val o = js(\"({})\")\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n   o[\"max\"] = max\n   o[\"min\"] = min\n   return o\n}\n\n/**\n * Exposes the JavaScript [ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to Kotlin\n */\npublic external interface ConstrainBooleanParameters {\n   var exact: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n   val o = js(\"({})\")\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n   return o\n}\n\n/**\n * Exposes the JavaScript [ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters) to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n   var exact: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n   var ideal: dynamic\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined): ConstrainDOMStringParameters {\n   val o = js(\"({})\")\n   o[\"exact\"] = exact\n   o[\"ideal\"] = ideal\n   return o\n}\n\npublic external interface Capabilities\n\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n   val o = js(\"({})\")\n   return o\n}\n\npublic external interface Settings\n\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n   val o = js(\"({})\")\n   return o\n}\n\npublic external interface ConstraintSet\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n   val o = js(\"({})\")\n   return o\n}\n\npublic external interface Constraints : ConstraintSet {\n   var advanced: Array<ConstraintSet>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced: Array<ConstraintSet>? = undefined): Constraints {\n   val o = js(\"({})\")\n   o[\"advanced\"] = advanced\n   return o\n}\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface

MediaStreamTrackState {\n   companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() = \"live\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() = \"ended\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/*
 please, don't implement this interface!
/\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface VideoFacingModeEnum {\n   companion object\n}\n\npublic inline val VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() = \"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() = \"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() = \"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() = \"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/ please, don't implement this interface!
*/\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface VideoResizeModeEnum {\n   companion object\n}\n\npublic inline val VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get()
 = \"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
/\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaDeviceKind {\n   companion object\n}\n\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() = \"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() = \"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() = \"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()","/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
 file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface PointerEventInit : MouseEventInit {\n   var pointerId: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var width: Double? /* = 1.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var height: Double? /* = 1.0 */\n   get() = definedExternally\n   set(value)
 = definedExternally\n   var pressure: Float? /* = 0f */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tangentialPressure: Float? /* = 0f */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tiltX: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tiltY: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var twist: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var pointerType: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var isPrimary: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f,

tangentialPressure: Float? =
0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n val o = js(\"({})\")\n o[\"pointerId\"] = pointerId\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"pressure\"] = pressure\n o[\"tangentialPressure\"] = tangentialPressure\n o[\"tiltX\"] = tiltX\n o[\"tiltY\"] = tiltY\n o[\"twist\"] = twist\n o[\"pointerType\"] = pointerType\n o[\"isPrimary\"] = isPrimary\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n open val pointerId: Int\n open val width: Double\n open val height: Double\n open val pressure: Float\n open val tangentialPressure: Float\n open val tiltX: Int\n open val tiltY: Int\n open val twist: Int\n open val pointerType: String\n open val isPrimary: Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus()\n fun blur()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
SVGBoundingBoxOptions
 {\n    var fill: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
stroke: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var markers:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var clipped:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? =
true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n
  val o = js(\"({})\")\n    o[\"fill\"] = fill\n    o[\"stroke\"] = stroke\n    o[\"markers\"] = markers\n    o[\"clipped\"] =
clipped\n    return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n
*/\npublic external abstract class SVGGraphicsElement
 : SVGElement, SVGTests {\n    open val transform: SVGAnimatedTransformList\n    fun getBBox(options:
SVGBoundingBoxOptions = definedExternally): DOMRect\n    fun getCTM(): DOMMatrix?\n    fun
getScreenCTM(): DOMMatrix?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
 Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n
*/\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n    open val pathLength:
SVGAnimatedNumber\n    fun isPointInFill(point: DOMPoint): Boolean\n    fun isPointInStroke(point: DOMPoint):
Boolean\n    fun getTotalLength(): Float\n    fun getPointAtLength(distance: Float): DOMPoint\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
 Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
  val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n */\npublic
external abstract class SVGNumber {\n    open var value: Float\n}\n\n/**\n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n */\npublic external abstract
class SVGLength {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE:
```

Short\n val SVG_LENGTHTYPE_EMS: Short\n val SVG_LENGTHTYPE_EXS: Short\n val SVG_LENGTHTYPE_PX: Short\n val SVG_LENGTHTYPE_CM: Short\n val SVG_LENGTHTYPE_MM: Short\n val SVG_LENGTHTYPE_IN: Short\n val SVG_LENGTHTYPE_PT: Short\n val SVG_LENGTHTYPE_PC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n */\npublic external abstract class SVGAngle {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits: Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits: Float)\n fun convertToSpecifiedUnits(unitType: Short)\n\n companion object {\n val SVG_ANGLETYPE_UNKNOWN: Short\n val SVG_ANGLETYPE_UNSPECIFIED: Short\n val SVG_ANGLETYPE_DEG: Short\n val SVG_ANGLETYPE_RAD: Short\n val SVG_ANGLETYPE_GRAD: Short\n }\n}\n\npublic external abstract class SVGNameList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: dynamic): dynamic\n fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n fun replaceItem(newItem: dynamic, index: Int): dynamic\n fun removeItem(index: Int): dynamic\n fun appendItem(newItem: dynamic): dynamic\n fun getItem(index: Int): dynamic\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.set(index: Int, newItem: dynamic) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n */\npublic external abstract class SVGNumberList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGNumber): SVGNumber\n fun insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n fun removeItem(index: Int): SVGNumber\n fun appendItem(newItem: SVGNumber): SVGNumber\n fun getItem(index: Int): SVGNumber\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.set(index: Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n */\npublic external abstract class SVGLengthList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGLength): SVGLength\n fun insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n */\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal: Int\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal: Float\n}\n\n/**\n * Exposes the JavaScript

[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n */\npublic external abstract class SVGAnimatedLength {\n   open val baseVal: SVGLength\n   open val animVal: SVGLength\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic external abstract class SVGAnimatedAngle {\n   open val baseVal: SVGAngle\n   open val animVal: SVGAngle\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic external abstract class SVGAnimatedString {\n   open var baseVal: String\n   open val animVal: String\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n */\npublic external abstract class SVGAnimatedRect {\n   open val baseVal: DOMRect\n   open val animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n */\npublic external abstract class SVGAnimatedNumberList {\n   open val baseVal: SVGNumberList\n   open val animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n */\npublic external abstract class SVGAnimatedLengthList {\n   open val baseVal: SVGLengthList\n   open val animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\npublic external abstract class SVGStringList {\n   open val length: Int\n   open val numberOfItems: Int\n   fun clear()\n   fun initialize(newItem: String): String\n   fun insertItemBefore(newItem: String, index: Int): String\n   fun replaceItem(newItem: String, index: Int): String\n   fun removeItem(index: Int): String\n   fun appendItem(newItem: String): String\n   fun getItem(index: Int): String\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index: Int, newItem: String) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGUnitTypes {\n   companion object {\n   val SVG_UNIT_TYPE_UNKNOWN: Short\n   val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n   val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\n */\npublic external interface SVGTests {\n   val requiredExtensions: SVGStringList\n   val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n   val viewBox: SVGAnimatedRect\n   val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGZoomAndPan {\n   var zoomAndPan: Short\n\n   companion object {\n   val SVG_ZOOMANDPAN_UNKNOWN: Short\n   val SVG_ZOOMANDPAN_DISABLE: Short\n   val SVG_ZOOMANDPAN_MAGNIFY: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic external interface SVGURIReference {\n   val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n   open val x: SVGAnimatedLength\n   open val y: SVGAnimatedLength\n   open val width: SVGAnimatedLength\n   open val height: SVGAnimatedLength\n   open var currentScale: Float\n   open val currentTranslate: DOMPointReadOnly\n   fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n   fun getEnclosureList(rect:

DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll()\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun unsuspendRedraw(suspendHandleID: Int)\n fun unsuspendRedrawAll()\n fun forceRedraw()\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external abstract class SVGGElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING:

Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic external abstract class SVGDescElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic external abstract class SVGTitleElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n

```
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n
*/\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n    open val instanceRoot: SVGElement?\n    open val animatedInstanceRoot:
SVGElement?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
 Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val
 DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface SVGElementInstance {\n    val correspondingElement: SVGElement?\n        get() = definedExternally\n
val correspondingUseElement: SVGUseElement?\n        get() = definedExternally\n}\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n    open val sourceAnimation: dynamic\n}\n\n/**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n */\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n
        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\npublic
external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n    open var media:
String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE:
 Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
```

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\npublic external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle: Float\n

fun setMatrix(matrix: DOMMatrixReadOnly)\n fun setTranslate(tx: Float, ty: Float)\n fun setScale(sx: Float, sy: Float)\n fun setRotate(angle: Float, cx: Float, cy: Float)\n fun setSkewX(angle: Float)\n fun setSkewY(angle: Float)\n\n companion object {\n val SVG_TRANSFORM_UNKNOWN: Short\n val SVG_TRANSFORM_MATRIX: Short\n val SVG_TRANSFORM_TRANSLATE: Short\n val SVG_TRANSFORM_SCALE: Short\n val SVG_TRANSFORM_ROTATE: Short\n val SVG_TRANSFORM_SKEWX: Short\n val SVG_TRANSFORM_SKEWY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n */\npublic external abstract class SVGTransformList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGTransform): SVGTransform\n fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n fun replaceItem(newItem: SVGTransform, index: Int): SVGTransform\n fun removeItem(index: Int): SVGTransform\n fun appendItem(newItem: SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun consolidate(): SVGTransform?\n fun getItem(index: Int): SVGTransform\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.get(index: Int): SVGTransform? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal: SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript [SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice: Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSLICE_UNKNOWN: Short\n val SVG_MEETORSLICE_MEET: Short\n val SVG_MEETORSLICE_SLICE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal: SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic external abstract class SVGPathElement : SVGGeometryElement {\n companion object {\n val

ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic external abstract class SVGRectElement : SVGGeometryElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic external abstract class SVGCircleElement : SVGGeometryElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic

```
external abstract class SVGLineElement : SVGGeometryElement {\n    open val x1: SVGAnimatedLength\n    open val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val y2: SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n */\npublic external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints: SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: DOMPoint): DOMPoint\n    fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n    fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n    fun removeItem(index: Int): DOMPoint\n    fun appendItem(newItem: DOMPoint): DOMPoint\n    fun getItem(index: Int): DOMPoint\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n */\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n */\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n
```

companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n */\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n open val textLength: SVGAnimatedLength\n open val lengthAdjust: SVGAnimatedEnumeration\n fun getNumberOfChars(): Int\n fun getComputedTextLength(): Float\n fun getSubStringLength(charnum: Int, nchars: Int): Float\n fun getStartPositionOfChar(charnum: Int): DOMPoint\n fun getEndPositionOfChar(charnum: Int): DOMPoint\n fun getExtentOfChar(charnum: Int): DOMRect\n fun getRotationOfChar(charnum: Int): Float\n fun getCharNumAtPosition(point: DOMPoint): Int\n fun selectSubString(charnum: Int, nchars: Int)\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin\n */\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n open val x: SVGAnimatedLengthList\n open val y: SVGAnimatedLengthList\n open val dx: SVGAnimatedLengthList\n open val dy: SVGAnimatedLengthList\n open val rotate: SVGAnimatedNumberList\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n */\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n

val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n */\npublic external abstract
class SVGTSpanElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n */\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open val startOffset: SVGAnimatedLength\n open val method: SVGAnimatedEnumeration\n open val spacing: SVGAnimatedEnumeration\n\n companion object {\n val TEXTPATH_METHODTYPE_UNKNOWN: Short\n val TEXTPATH_METHODTYPE_ALIGN: Short\n val TEXTPATH_METHODTYPE_STRETCH: Short\n val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n val TEXTPATH_SPACINGTYPE_AUTO: Short\n val TEXTPATH_SPACINGTYPE_EXACT: Short\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n */\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference, HTMLOrSVGImageElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n open

var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n */\npublic external abstract class SVGForeignObjectElement
: SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val refY: SVGAnimatedLength\n open val markerUnits: SVGAnimatedEnumeration\n open val markerWidth: SVGAnimatedLength\n open val markerHeight: SVGAnimatedLength\n open val orientType: SVGAnimatedEnumeration\n open val orientAngle: SVGAnimatedAngle\n open var orient: String\n fun setOrientToAuto()\n fun setOrientToAngle(angle: SVGAngle)\n\n companion object {\n val SVG_MARKERUNITS_UNKNOWN: Short\n val SVG_MARKERUNITS_USERSPACEONUSE: Short\n val SVG_MARKERUNITS_STROKEWIDTH: Short\n val SVG_MARKER_ORIENT_UNKNOWN: Short\n val SVG_MARKER_ORIENT_AUTO: Short\n val SVG_MARKER_ORIENT_ANGLE: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val

DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n */\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n open val gradientUnits: SVGAnimatedEnumeration\n open val gradientTransform: SVGAnimatedTransformList\n open val spreadMethod: SVGAnimatedEnumeration\n\n companion object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n open val x1: SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2: SVGAnimatedLength\n\n companion object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n open val fx: SVGAnimatedLength\n open val fy: SVGAnimatedLength\n open val fr: SVGAnimatedLength\n\n companion object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:

Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMeshGradientElement : SVGGradientElement {\n companion object {\n val SVG_SPREADMETHOD_UNKNOWN: Short\n val SVG_SPREADMETHOD_PAD: Short\n val SVG_SPREADMETHOD_REFLECT: Short\n val SVG_SPREADMETHOD_REPEAT: Short\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMeshrowElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMeshpatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement)\n to Kotlin\n */\npublic external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n open var type: String\n open var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin\n */\npublic external abstract class SVGAElement : SVGGraphicsElement, SVGURIReference {\n open val target: SVGAnimatedString\n open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open val relList: SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type: SVGAnimatedString\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n */\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}","/*\n * Copyright 2010-2019

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) : ImageBitmapSource {\n   open val size: Number\n   open val type: String\n   open val isClosed: Boolean\n   fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n   fun close()\n}\n\npublic external interface BlobPropertyBag {\n   var type: String?
/* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\n   val o = js(\"({})\")\n   o[\"type\"] = type\n   return o\n}\n\n/**\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n   open val name: String\n   open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n   var lastModified: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = \"\"): FilePropertyBag {\n   val o = js(\"({})\")\n   o[\"lastModified\"] = lastModified\n   o[\"type\"] = type\n   return o\n}\n\n/**\n
* Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class FileList : ItemArrayLike<File> {\n   override fun item(index: Int): File?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class FileReader : EventTarget {\n   open val readyState: Short\n   open val result: dynamic\n   open val error: dynamic\n   var onloadstart: ((ProgressEvent) -> dynamic)?\n   var onprogress: ((ProgressEvent) -> dynamic)?\n   var onload: ((Event) -> dynamic)?\n   var onabort: ((Event) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   var onloadend: ((Event) -> dynamic)?\n   fun readAsArrayBuffer(blob: Blob)\n   fun readAsBinaryString(blob: Blob)\n   fun readAsText(blob: Blob, label: String = definedExternally)\n
    fun readAsDataURL(blob: Blob)\n   fun abort()\n\n   companion object {\n   val EMPTY: Short\n   val LOADING: Short\n   val DONE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external open class FileReaderSync {\n   fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n   fun readAsBinaryString(blob: Blob): String\n   fun readAsText(blob: Blob, label: String = definedExternally): String\n   fun readAsDataURL(blob: Blob): String\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript

[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n var onclick: ((MouseEvent) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n open val title: String\n open val dir: NotificationDirection\n open val lang: String\n open val body: String\n open val tag: String\n open val image: String\n open val icon: String\n open val badge: String\n open val sound: String\n open val vibrate: Array<out
Int>\n open val timestamp: Number\n open val renotify: Boolean\n open val silent: Boolean\n open val noscreen: Boolean\n open val requireInteraction: Boolean\n open val sticky: Boolean\n open val data: Any?\n open val actions: Array<out NotificationAction>\n fun close()\n\n companion object {\n val permission: NotificationPermission\n val maxActions: Int\n fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n }\n}\n\npublic external interface NotificationOptions {\n var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n get() = definedExternally\n set(value) = definedExternally\n var lang: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var body: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var tag: String? /* = \"\"
/\n get() = definedExternally\n set(value) = definedExternally\n var image: String?\n get() = definedExternally\n set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n var badge: String?\n get() = definedExternally\n set(value) = definedExternally\n var sound: String?\n get() = definedExternally\n set(value) = definedExternally\n var vibrate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var timestamp: Number?\n get() = definedExternally\n set(value) = definedExternally\n var renotify: Boolean? / = false */\n get() = definedExternally\n set(value) = definedExternally\n var silent: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var noscreen: Boolean? /* = false */\n get() = definedExternally\n set(value)
= definedExternally\n var requireInteraction: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var sticky: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var data: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var actions: Array<NotificationAction>? /* = arrayOf() */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\", image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? =
false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n val o = js(\"({})\")\n o[\"dir\"] = dir\n o[\"lang\"] = lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] = badge\n o[\"sound\"] = sound\n o[\"vibrate\"] = vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] = renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] = noscreen\n o[\"requireInteraction\"] = requireInteraction\n o[\"sticky\"] = sticky\n o[\"data\"] = data\n o[\"actions\"] = actions\n return o\n}\n\npublic external interface NotificationAction {\n var action: String?\n get() = definedExternally\n set(value) = definedExternally\n var title: String?\n get() = definedExternally\n set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\n val o = js(\"({})\")\n o[\"action\"] = action\n o[\"title\"] = title\n o[\"icon\"] = icon\n return o\n}\n\npublic external interface GetNotificationOptions {\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = \"\"): GetNotificationOptions {\n val o = js(\"({})\")\n o[\"tag\"] = tag\n return o\n}\n\n/**\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to

Kotlin\n */\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\n open val notification: Notification\n open val action: String\n\n companion object {\n val NONE: Short\n

val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n var notification: Notification?\n get() = definedExternally\n set(value) = definedExternally\n var action: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n val o = js(\"({})\")\n o[\"notification\"] = notification\n o[\"action\"] = action\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NotificationPermission

{\n companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.DENIED: NotificationPermission get() = \"denied\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.GRANTED: NotificationPermission get() = \"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NotificationDirection {\n companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() = \"ltr\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.RTL:

NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker)

to Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n open val scriptURL: String\n open val state: ServiceWorkerState\n open var onstatechange: ((Event) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to Kotlin\n */\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n open val installing: ServiceWorker?\n open val waiting: ServiceWorker?\n open val active: ServiceWorker?\n open val scope: String\n open var onupdatefound: ((Event) -> dynamic)?\n open val APISpace: dynamic\n fun update(): Promise<Unit>\n fun unregister(): Promise<Boolean>\n fun showNotification(title: String, options: NotificationOptions =

definedExternally): Promise<Unit>\n fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<Array<Notification>>\n fun methodName(): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n

/\npublic external abstract class ServiceWorkerContainer : EventTarget {\n   open val controller: ServiceWorker?\n   open val ready: Promise<ServiceWorkerRegistration>\n   open var oncontrollerchange: ((Event) -> dynamic)?\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun register(scriptURL: String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n   fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\n   fun getRegistrations(): Promise<Array<ServiceWorkerRegistration>>\n   fun startMessages()\n}\n\npublic external interface RegistrationOptions {\n   var scope: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var type: WorkerType? / = WorkerType.CLASSIC */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? = undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n   val o = js(\"({})\")\n   o[\"scope\"] = scope\n   o[\"type\"] = type\n   return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {\n   open val data: Any?\n   open val origin: String\n   open val lastEventId: String\n   open val source: UnionMessagePortOrServiceWorker?\n   open val ports: Array<out MessagePort>?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n   var data: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n   var origin: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var lastEventId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var source: UnionMessagePortOrServiceWorker?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ports: Array<MessagePort>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n   val o = js(\"({})\")\n   o[\"data\"] = data\n   o[\"origin\"] = origin\n   o[\"lastEventId\"] = lastEventId\n   o[\"source\"] = source\n   o[\"ports\"] = ports\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n   open val clients: Clients\n   open val registration: ServiceWorkerRegistration\n   open var oninstall: ((Event) -> dynamic)?\n   open var onactivate: ((Event) -> dynamic)?\n   open var onfetch: ((FetchEvent) -> dynamic)?\n   open var onforeignfetch: ((Event) -> dynamic)?\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   open var onnotificationclick: ((NotificationEvent) -> dynamic)?\n   open var onnotificationclose: ((NotificationEvent) -> dynamic)?\n   open var onfunctionalevent: ((Event) -> dynamic)?\n   fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client : UnionClientOrMessagePortOrServiceWorker {\n   open val url: String\n   open val frameType: FrameType\n   open val id: String\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin\n */\npublic external abstract class WindowClient : Client {\n   open val visibilityState: dynamic\n   open val focused: Boolean\n   fun focus(): Promise<WindowClient>\n   fun navigate(url: String): Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external

```
abstract class Clients {\n    fun get(id: String): Promise<Any?>\n    fun matchAll(options: ClientQueryOptions = definedExternally): Promise<Array<Client>>\n    fun openWindow(url: String): Promise<WindowClient?>\n    fun claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n    var includeUncontrolled: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var type: ClientType? /* = ClientType.WINDOW */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n    val o = js(\"({})\")\n    o[\"includeUncontrolled\"] = includeUncontrolled\n    o[\"type\"] = type\n    return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external
open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ExtendableEventInit : EventInit\n\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n    val o = js(\"({})\")\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun registerForeignFetch(options: ForeignFetchOptions)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchOptions {\n    var scopes: Array<String>?\n        get() = definedExternally\n        set(value) = definedExternally\n    var origins: Array<String>?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes: Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\"({})\")\n    o[\"scopes\"] = scopes\n    o[\"origins\"] = origins\n    return o\n}\n\n/**\n * Exposes the JavaScript [FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open val clientId: String?\n    open val isReload: Boolean\n    fun respondWith(r: Promise<Response>)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n    var request: Request?\n        get() = definedExternally\n        set(value) = definedExternally\n    var clientId: String? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var isReload: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\n    val o = js(\"({})\")\n    o[\"request\"] = request\n    o[\"clientId\"] = clientId\n    o[\"isReload\"] = isReload\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open val origin: String\n    fun respondWith(r: Promise<ForeignFetchResponse>)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n    var request: Request?\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String? /* = \"null\" */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request: Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
```

ForeignFetchEventInit
{\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"origin\"] = origin\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface ForeignFetchResponse {\n var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var headers: Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n val o = js(\"({})\")\n o[\"response\"] = response\n o[\"origin\"] = origin\n o[\"headers\"] = headers\n return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n */\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\n open val data: Any?\n open val origin: String\n open val lastEventId: String\n open val source: UnionClientOrMessagePortOrServiceWorker?\n open val ports: Array<out MessagePort>?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n var data: Any?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) = definedExternally\n var source: UnionClientOrMessagePortOrServiceWorker?\n get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Response>>\n fun add(request: dynamic): Promise<Unit>\n fun addAll(requests: Array<dynamic>): Promise<Unit>\n fun put(request: dynamic, response: Response): Promise<Unit>\n fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n var ignoreSearch: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreMethod: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreVary: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var cacheName: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined): CacheQueryOptions {\n val o = js(\"({})\")\n o[\"ignoreSearch\"] = ignoreSearch\n o[\"ignoreMethod\"] = ignoreMethod\n o[\"ignoreVary\"] = ignoreVary\n o[\"cacheName\"] = cacheName\n return o\n}\n\npublic external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) = definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n

var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options: CacheQueryOptions?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? = undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? = undefined): CacheBatchOperation {\n val o = js(\"({})\")\n o[\"type\"] = type\n o[\"request\"] = request\n o[\"response\"] = response\n o[\"options\"] = options\n return o\n}\n\n/**\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String): Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys(): Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ServiceWorkerState {\n companion object\n}\n\npublic inline val ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() = \"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() = \"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() = \"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() = \"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() = \"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface FrameType {\n companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY: FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.TOP_LEVEL: FrameType get() = \"top-level\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType get() = \"nested\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE: FrameType get() = \"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ClientType {\n companion object\n}\n\npublic inline val ClientType.Companion.WINDOW: ClientType get() = \"window\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER: ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.SHAREDWORKER: ClientType get() = \"sharedworker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL: ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport

org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to Kotlin\n */\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n open var onloadstart: ((ProgressEvent) -> dynamic)?\n open var onprogress: ((ProgressEvent) -> dynamic)?\n open var onabort: ((Event) -> dynamic)?\n open var onerror: ((Event) -> dynamic)?\n open var onload: ((Event) -> dynamic)?\n open var ontimeout: ((Event) -> dynamic)?\n open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n * Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n */\npublic external open class XMLHttpRequest
: XMLHttpRequestEventTarget {\n var onreadystatechange: ((Event) -> dynamic)?\n open val readyState: Short\n var timeout: Int\n var withCredentials: Boolean\n open val upload: XMLHttpRequestUpload\n open val responseURL: String\n open val status: Short\n open val statusText: String\n var responseType: XMLHttpRequestResponseType\n open val response: Any?\n open val responseText: String\n open val responseXML: Document?\n fun open(method: String, url: String)\n fun open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? = definedExternally)\n fun setRequestHeader(name: String, value: String)\n fun send(body: dynamic = definedExternally)\n fun abort()\n fun getResponseHeader(name: String): String?\n fun getAllResponseHeaders(): String\n fun overrideMimeType(mime: String)\n\n companion object {\n val UNSENT: Short\n val OPENED: Short\n val HEADERS_RECEIVED:
Short\n val LOADING: Short\n val DONE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\npublic external open class FormData(form: HTMLFormElement = definedExternally) {\n fun append(name: String, value: String)\n fun append(name: String, value: Blob, filename: String = definedExternally)\n fun delete(name: String)\n fun get(name: String): dynamic\n fun getAll(name: String): Array<dynamic>\n fun has(name: String): Boolean\n fun set(name: String, value: String)\n fun set(name: String, value: Blob, filename: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n open val lengthComputable: Boolean\n open val loaded: Number\n open
val total: Number\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ProgressEventInit : EventInit {\n var lengthComputable: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var loaded: Number? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var total: Number? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\n val o = js(\"({})\")\n o[\"lengthComputable\"] = lengthComputable\n o[\"loaded\"] = loaded\n o[\"total\"] = total\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/* please, don't implement this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface XMLHttpRequestResponseType {\n companion object\n}\n\npublic inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =

\"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an experimental API.\n *\n * Any declaration annotated with that marker is considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.\n *\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated(\"Please use RequiresOptIn instead.\")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n   /**\n   * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\n   * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n   */\n   public enum class Level {\n   /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n   WARNING,\n   /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n   ERROR,\n   }\n}\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(\n   CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE, TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated(\"Please use OptIn instead.\", ReplaceWith(\"OptIn(*markerClass)\", \"kotlin.OptIn\"))\npublic annotation class UseExperimental(\n   vararg val markerClass: KClass<out Annotation>\n)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n@Retention(BINARY)\ninternal annotation class WasExperimental(\n   vararg val markerClass: KClass<out Annotation>\n)\n","package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the standard library API that is considered experimental and is not subject to the\n * [general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard library:\n * the behavior of such API may be changed or the API may be removed completely in any further release.\n *\n * > Beware using the annotated API especially if you're developing a library, since your library might become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.ExperimentalStdlibApi`.\n */\n@Suppress(\"DEPRECATION\")\n@Experimental(level = Experimental.Level.ERROR)\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n   CLASS,\n   ANNOTATION_CLASS,\n   PROPERTY,\n   FIELD,\n   LOCAL_VARIABLE,\n   VALUE_PARAMETER,\n   CONSTRUCTOR,\n   FUNCTION,\n   PROPERTY_GETTER,\n   PROPERTY_SETTER,\n

TYPEALIAS\n)\n@MustBeDocumented\n@ExperimentalStdlibApi\n@SinceKotlin(\"1.3\") // TODO: Remove experimental status from itself and advance SinceKotlin to 1.4\npublic annotation class ExperimentalStdlibApi\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a generic function parameter of a function,\n * it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\n *\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n *\n * Example: we declare\n * ```\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T>\n * ```\n * and use it like\n * ```\n * val result = sequence { yield(\"result\") }\n * ```\n * Here the type argument of the resulting sequence is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(VALUE_PARAMETER, FUNCTION, PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@ExperimentalTypeInference\npublic annotation class BuilderInference\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.ExperimentalMultiplatform`.\n */\n@Suppress(\"DEPRECATION\")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/**\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as \"optional\".\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased when compiling code on that platform.\n *\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptionalExpectation\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an API that requires an explicit opt-in.\n *\n * Call sites of any declaration

annotated with that marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker themselves, effectively causing further propagation of the opt-in requirement.\n *\n * This class requires opt-in itself and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.\n *\n * @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The default message is: \"This declaration is experimental and its usage should be marked with 'Marker'\n * or '@OptIn(Marker::class)'\", where `Marker` is the opt-in requirement marker.\n * @property level specifies how usages of API without an explicit opt-in are reported in code.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.3\")\n@RequireKotlin(\"1.3.70\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n val message:
String = \"\",\n val level: Level = Level.ERROR\n) {\n /**\n * Severity of the diagnostic that should be reported on usages which did not explicitly opted into\n * the API either by using [OptIn] or by being annotated with the corresponding marker annotation.\n */\n public enum class Level {\n /** Specifies that a warning should be reported on incorrect usages of this API. */\n WARNING,\n\n /** Specifies that an error should be reported on incorrect usages of this API. */\n ERROR,\n }\n}\n\n/**\n * Allows to use the API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [OptIn], its usages are **not** required to opt in to that API.\n *\n * This class requires opt-in itself and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.\n */\n@Target(\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER,
EXPRESSION, FILE,
TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.3\")\n@RequireKotlin(\"1.3.70\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptIn(\n vararg val markerClass: KClass<out Annotation>\n)\n\","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nimport kotlin.js.JsName\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract override fun iterator(): Iterator<E>\n\n override fun contains(element: @UnsafeVariance E): Boolean
= any { it == element }\n\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\n elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n override fun isEmpty(): Boolean = size == 0\n\n override fun toString(): String = joinToString(\", \", \"[\", \"]\") {\n if (it === this) \"(this Collection)\" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with the elements of this collection.\n */\n @JsName(\"toArray\")\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n * Fills the provided [array] or creates new array of the same type\n * and fills it with the elements of this collection.\n */\n protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\nprivate enum class State {\n Ready,\n NotReady,\n Done,\n Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n private var state = State.NotReady\n private var nextValue: T? = null\n\n override fun hasNext(): Boolean {\n require(state != State.Failed)\n return when (state) {\n State.Done -> false\n State.Ready -> true\n else -> tryToComputeNext()\n }\n }\n\n override fun next(): T {\n if (!hasNext()) throw NoSuchElementException()\n state = State.NotReady\n @Suppress(\"UNCHECKED_CAST\")\n return nextValue as T\n }\n\n private fun

```
tryToComputeNext(): Boolean {\n        state = State.Failed\n        computeNext()\n        return state == State.Ready\n    }\n\n    /**\n     * Computes the next item in the iterator.\n     *\n     * This callback method should call one of these two methods:\n     *\n     * * [setNext] with the next value of the iteration\n     * * [done] to indicate there are no more elements\n     *\n     * Failure to call either method will result in the iteration terminating with a failed state\n     */\n    abstract protected fun computeNext(): Unit\n\n    /**\n     * Sets the next value in the iteration, called from the [computeNext] function\n     */\n    protected fun setNext(value: T): Unit {\n        nextValue = value\n        state = State.Ready\n    }\n\n    /**\n     * Sets the state to done so that the iteration terminates.\n     */\n    protected fun done() {\n        state = State.Done\n    }\n}\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [List] interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the list. The list is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\n    abstract override val size: Int\n    abstract override fun get(index: Int): E\n\n    override fun iterator(): Iterator<E> = IteratorImpl()\n\n    override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }\n\n    override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element
 }\n\n    override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n    override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n    override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n    private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n        private var _size: Int = 0\n\n        init {\n            checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex - fromIndex\n        }\n\n        override fun get(index: Int): E {\n            checkElementIndex(index, _size)\n\n            return list[fromIndex + index]\n        }\n\n        override val size: Int get() = _size\n    }\n\n    /**\n     * Compares this list with other list instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [List] of the same size, which contains the same elements
 in the same order.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is List<*>) return false\n\n        return orderedEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this list.\n     */\n    override fun hashCode(): Int = orderedHashCode(this)\n\n    private open inner class IteratorImpl : Iterator<E> {\n        /** the index of the item that will be returned on the next call to [next]`()` */\n        protected var index = 0\n\n        override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n            if (!hasNext()) throw NoSuchElementException()\n            return get(index++)\n        }\n    }\n\n    /**\n     * Implementation of [ListIterator] for abstract lists.\n     */\n    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n\n        init {\n            checkPositionIndex(index, this@AbstractList.size)\n
            this.index = index\n        }\n\n        override fun hasPrevious(): Boolean = index > 0\n\n        override fun nextIndex(): Int = index\n\n        override fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n            return get(--index)\n        }\n\n        override fun previousIndex(): Int = index - 1\n    }\n\n    internal companion object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n            if (index < 0 || index >= size) {\n                throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n            }\n        }\n\n        internal fun checkPositionIndex(index: Int, size: Int) {\n            if (index < 0 || index > size) {\n                throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n            }\n        }\n\n        internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex < 0 || toIndex > size) {\n                throw IndexOutOfBoundsException(\"fromIndex:
 $fromIndex, toIndex: $toIndex, size: $size\")\n            }\n            if (fromIndex > toIndex) {\n                throw IllegalArgumentException(\"fromIndex: $fromIndex > toIndex: $toIndex\")\n            }\n        }\n\n        internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n            if (startIndex < 0 || endIndex > size) {\n
```

```
    throw IndexOutOfBoundsException(\"startIndex: $startIndex, endIndex: $endIndex, size: $size\")\n        }\n    if (startIndex > endIndex) {\n        throw IllegalArgumentException(\"startIndex: $startIndex > endIndex: $endIndex\")\n        }\n    }\n\n    internal fun orderedHashCode(c: Collection<*>): Int {\n        var hashCode = 1\n        for (e in c) {\n            hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n        }\n        return hashCode\n    }\n\n    internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {\n        if (c.size != other.size) return false\n\n        val otherIterator = other.iterator()\n        for (elem in c) {\n            val elemOther = otherIterator.next()\n            if (elem != elemOther) {\n                return false\n            }\n        }\n        return true\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n *\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map values. The map is covariant on its value type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n    override fun containsKey(key: K): Boolean {\n        return implFindEntry(key) != null\n    }\n\n    override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n    internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\n        // since entry comes from @UnsafeVariance parameters it can be virtually anything\n        if (entry !is Map.Entry<*, *>) return false\n        val key = entry.key\n        val value = entry.value\n        val ourValue = get(key)\n\n        if (value != ourValue) {\n            return false\n        }\n\n        // Perhaps it was null and we don't contain the key?\n        if (ourValue == null && !containsKey(key)) {\n            return false\n        }\n\n        return true\n    }\n\n\n    /**\n     * Compares this map with other instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the [entries] set of this map.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Map<*, *>) return false\n        if (size != other.size) return false\n\n        return other.entries.all { containsEntry(it) }\n    }\n\n    override operator fun get(key: K): V? = implFindEntry(key)?.value\n\n\n    /**\n     * Returns the hash code value for this map.\n     *\n     * It is the same as the hashCode of [entries] set.\n     */\n    override fun hashCode(): Int = entries.hashCode()\n\n    override fun isEmpty(): Boolean = size == 0\n    override val size: Int get() = entries.size\n\n    /**\n     * Returns a read-only [Set] of all keys in this map.\n     *\n     * Accessing this property first time creates a keys view from [entries].\n     * All subsequent accesses just return the created instance.\n     */\n    override val keys: Set<K>\n        get() {\n            if (_keys == null) {\n                _keys = object : AbstractSet<K>() {\n                    override operator fun contains(element: K): Boolean = containsKey(element)\n\n                    override operator fun iterator(): Iterator<K> {\n                        val entryIterator = entries.iterator()\n                        return object : Iterator<K> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n                            override fun next(): K = entryIterator.next().key\n                        }\n                    }\n\n                    override val size: Int get() = this@AbstractMap.size\n                }\n            }\n            return _keys!!\n        }\n\n    @kotlin.jvm.Volatile\n    private var _keys: Set<K>? = null\n\n\n    override fun toString(): String = entries.joinToString(\", \", \"{\", \"}\") { toString(it) }\n\n    private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + \"=\" + toString(entry.value)\n\n    private fun toString(o: Any?): String = if (o === this) \"(this Map)\" else o.toString()\n\n    /**\n     * Returns a read-only [Collection] of all values in this map.\n     *\n     * Accessing this property first time creates a values view from [entries].\n     * All subsequent accesses just return the created instance.\n     */\n    override val values: Collection<V>\n        get() {\n            if (_values == null) {\n                _values = object : AbstractCollection<V>() {\n                    override operator fun contains(element: @UnsafeVariance V): Boolean = containsValue(element)\n\n                    override operator fun iterator(): Iterator<V> {\n                        val entryIterator = entries.iterator()\n                        return object : Iterator<V> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n
```

```
    override fun next(): V = entryIterator.next().value\n                }\n            }\n\n            override val size: Int get() = this@AbstractMap.size\n            }\n        }\n        return _values!!\n    }\n\n    @kotlin.jvm.Volatile\n    private var _values: Collection<V>? = null\n\n    private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n    internal companion object {\n\n        internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n        internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\n        internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n            if (other !is Map.Entry<*, *>) return false\n            return e.key == other.key && e.value == other.value\n        }\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Set] interface.\n *\n * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\n\n    /**\n     * Compares this set with other set instance with the unordered structural equality.\n     *\n     * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Set<*>) return false\n        return setEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this set.\n     */\n    override fun hashCode(): Int = unorderedHashCode(this)\n\n    internal companion object {\n        internal fun unorderedHashCode(c: Collection<*>): Int {\n            var hashCode = 0\n            for (element in c) {\n                hashCode += (element?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n\n        internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n            if (c.size != other.size) return false\n            return c.containsAll(other)\n        }\n    }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.native.concurrent.SharedImmutable\n\n@SharedImmutable\nprivate val emptyElementData = emptyArray<Any?>()\nprivate const val maxArraySize = Int.MAX_VALUE - 8\nprivate const val defaultMinCapacity = 10\n\n/**\n * Resizable-array implementation of the deque data structure.\n *\n * The name deque is short for \"double ended queue\" and is usually pronounced \"deck\".\n *\n * The collection provide methods for convenient access to the both ends.\n * It also implements [MutableList] interface and supports efficient get/set operations by index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic class ArrayDeque<E> : AbstractMutableList<E> {\n    private var head: Int = 0\n    private var elementData: Array<Any?>\n\n    override var size: Int = 0\n        private set\n\n    /**\n     * Constructs an empty deque with specified [initialCapacity], or throws [IllegalArgumentException] if [initialCapacity] is negative.\n     */\n    public constructor(initialCapacity: Int) {\n        elementData = when {\n            initialCapacity == 0 -> emptyElementData\n            initialCapacity > 0 -> arrayOfNulls(initialCapacity)\n            else -> throw IllegalArgumentException(\"Illegal Capacity: $initialCapacity\")\n        }\n    }\n\n    /**\n     * Constructs an empty deque.\n     */\n    public constructor() {\n        elementData = emptyElementData\n    }\n\n    /**\n     * Constructs a deque that contains the same elements as the specified [elements] collection in the same order.\n     */\n    public constructor(elements: Collection<E>) {\n        elementData = elements.toTypedArray()\n        size = elementData.size\n        if (elementData.isEmpty()) elementData = emptyElementData\n    }\n\n    /**\n     * Ensures that the capacity of this deque is at least equal to the specified [minCapacity].\n     *\n     * If the current capacity is less than the [minCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise, this method takes no action and simply returns.\n     */\n    private fun ensureCapacity(minCapacity: Int) {\n        if (minCapacity < 0) throw IllegalStateException(\"Deque
```

```
is too big.\")    // overflow\n        if (minCapacity <= elementData.size) return\n        if (elementData ===
emptyElementData) {\n            elementData = arrayOfNulls(minCapacity.coerceAtLleast(defaultMinCapacity))\n
    return\n        }\n\n        val newCapacity = newCapacity(elementData.size, minCapacity)\n
copyElements(newCapacity)\n    }\n\n    // made internal for testing\n    internal fun newCapacity(oldCapacity: Int,
minCapacity: Int): Int {\n        // overflow-conscious\n        var newCapacity = oldCapacity + (oldCapacity shr 1)\n
  if (newCapacity - minCapacity < 0)\n            newCapacity = minCapacity\n        if (newCapacity - maxArraySize >
0)\n            newCapacity = if (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n        return
newCapacity\n    }\n\n    /**\n     * Creates a new array with the specified [newCapacity] size and copies elements in
the [elementData] array to it.\n     */\n    private fun copyElements(newCapacity:
 Int) {\n        val newElements = arrayOfNulls<Any?>(newCapacity)\n        elementData.copyInto(newElements, 0,
head, elementData.size)\n        elementData.copyInto(newElements, elementData.size - head, 0, head)\n        head =
0\n        elementData = newElements\n    }\n\n    @kotlin.internal.InlineOnly\n    private inline fun
internalGet(internalIndex: Int): E {\n        @Suppress(\"UNCHECKED_CAST\")\n        return
elementData[internalIndex] as E\n    }\n\n    private fun positiveMod(index: Int): Int = if (index >=
elementData.size) index - elementData.size else index\n\n    private fun negativeMod(index: Int): Int = if (index < 0)
index + elementData.size else index\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalIndex(index:
Int): Int = positiveMod(head + index)\n\n    private fun incremented(index: Int): Int = if (index ==
elementData.lastIndex) 0 else index + 1\n\n    private fun decremented(index: Int): Int = if (index == 0)
elementData.lastIndex
 else index - 1\n\n    override fun isEmpty(): Boolean = size == 0\n\n    /**\n     * Returns the first element, or throws
[NoSuchElementException] if this deque is empty.\n     */\n    public fun first(): E = if (isEmpty()) throw
NoSuchElementException(\"ArrayDeque is empty.\") else internalGet(head)\n\n    /**\n     * Returns the first
element, or `null` if this deque is empty.\n     */\n    public fun firstOrNull(): E? = if (isEmpty()) null else
internalGet(head)\n\n    /**\n     * Returns the last element, or throws [NoSuchElementException] if this deque is
empty.\n     */\n    public fun last(): E = if (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\")
else internalGet(internalIndex(lastIndex))\n\n    /**\n     * Returns the last element, or `null` if this deque is empty.\n
  */\n    public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n    /**\n     *
Prepends the specified [element] to this deque.\n     */\n    public
 fun addFirst(element: E) {\n        ensureCapacity(size + 1)\n\n        head = decremented(head)\n
elementData[head] = element\n        size += 1\n    }\n\n    /**\n     * Appends the specified [element] to this deque.\n
  */\n    public fun addLast(element: E) {\n        ensureCapacity(size + 1)\n\n        elementData[internalIndex(size)] =
element\n        size += 1\n    }\n\n    /**\n     * Removes the first element from this deque and returns that removed
element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun removeFirst(): E {\n
if (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\")\n\n        val element =
internalGet(head)\n        elementData[head] = null\n        head = incremented(head)\n        size -= 1\n        return
element\n    }\n\n    /**\n     * Removes the first element from this deque and returns that removed element, or
returns `null` if this deque is empty.\n     */\n    public fun removeFirstOrNull():
 E? = if (isEmpty()) null else removeFirst()\n\n    /**\n     * Removes the last element from this deque and returns
that removed element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun
removeLast(): E {\n        if (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\")\n\n        val
internalLastIndex = internalIndex(lastIndex)\n        val element = internalGet(internalLastIndex)\n
elementData[internalLastIndex] = null\n        size -= 1\n        return element\n    }\n\n    /**\n     * Removes the last
element from this deque and returns that removed element, or returns `null` if this deque is empty.\n     */\n    public
fun removeLastOrNull(): E? = if (isEmpty()) null else removeLast()\n\n    // MutableList, MutableCollection\n
public override fun add(element: E): Boolean {\n        addLast(element)\n        return true\n    }\n\n    public override
fun add(index: Int, element: E) {\n        AbstractList.checkPositionIndex(index,
 size)\n\n        if (index == size) {\n            addLast(element)\n            return\n        } else if (index == 0) {\n
addFirst(element)\n            return\n        }\n\n        ensureCapacity(size + 1)\n\n        // Elements in circular array lay
```

```
in 2 ways:\n        //   1. `head` is less than `tail`:      [#, #, e1, e2, e3, #]\n        //   2. `head` is greater than `tail`:    [e3, #, #, #, e1, e2]\n        // where head is the index of the first element in the circular array,\n        // and tail is the index following the last element.\n        //\n        // At this point the insertion index is not equal to head or tail.\n        // Also the circular array can store at least one more element.\n        //\n        // Depending on where the given element must be inserted the preceding or the succeeding\n        // elements will be shifted to make room for the element to be inserted.\n        //\n        // In case the preceding elements are shifted:\n
        //   * if the insertion index is greater than the head (regardless of circular array form)\n        //      -> shift the preceding elements\n        //   * otherwise, the circular array has (2) form and the insertion index is less than tail\n        //      -> shift all elements in the back of the array\n        //      -> shift preceding elements in the front of the array\n
        // In case the succeeding elements are shifted:\n        //   * if the insertion index is less than the tail (regardless of circular array form)\n        //      -> shift the succeeding elements\n        //   * otherwise, the circular array has (2) form and the insertion index is greater than head\n        //      -> shift all elements in the front of the array\n        //      -> shift succeeding elements in the back of the array\n\n        val internalIndex = internalIndex(index)\n\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding elements\n
            val decrementedInternalIndex = decremented(internalIndex)\n            val decrementedHead = decremented(head)\n\n            if (decrementedInternalIndex >= head) {\n                elementData[decrementedHead] = elementData[head]  // head can be zero\n                elementData.copyInto(elementData, head, head + 1, decrementedInternalIndex + 1)\n            } else { // head > tail\n                elementData.copyInto(elementData, head - 1, head, elementData.size) // head can't be zero\n                elementData[elementData.size - 1] = elementData[0]\n
            elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n            }\n\n            elementData[decrementedInternalIndex] = element\n            head = decrementedHead\n        } else {\n            // closer to the last element -> shift succeeding elements\n            val tail = internalIndex(size)\n\n            if (internalIndex < tail) {\n                elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n            } else { // head > tail\n                elementData.copyInto(elementData, 1, 0, tail)\n                elementData[0] = elementData[elementData.size - 1]\n                elementData.copyInto(elementData, internalIndex + 1, internalIndex, elementData.size - 1)\n            }\n\n            elementData[internalIndex] = element\n        }\n        size += 1\n    }\n\n    private fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n        val iterator = elements.iterator()\n\n        for (index in internalIndex until elementData.size) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        for (index in 0 until head) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n\n        size += elements.size\n    }\n\n    public override fun addAll(elements: Collection<E>): Boolean {\n        if (elements.isEmpty())
            return false\n        ensureCapacity(this.size + elements.size)\n        copyCollectionElements(internalIndex(size), elements)\n        return true\n    }\n\n    public override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        AbstractList.checkPositionIndex(index, size)\n\n        if (elements.isEmpty()) {\n            return false\n        } else if (index == size) {\n            return addAll(elements)\n        }\n\n        ensureCapacity(this.size + elements.size)\n\n
        val tail = internalIndex(size)\n        val internalIndex = internalIndex(index)\n        val elementsSize = elements.size\n\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding elements\n\n            var shiftedHead = head - elementsSize\n\n            if (internalIndex >= head) {\n                if (shiftedHead >= 0) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n                } else
                { // head < tail, insertion leads to head >= tail\n                    shiftedHead += elementData.size\n                    val elementsToShift = internalIndex - head\n                    val shiftToBack = elementData.size - shiftedHead\n\n
                    if (shiftToBack >= elementsToShift) {\n                        elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n                    } else {\n                        elementData.copyInto(elementData, shiftedHead, head, head + shiftToBack)\n                        elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n
                    }\n                }\n            } else { // head > tail, internalIndex < tail\n                elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n                if (elementsSize >= internalIndex) {\n
```

```
elementData.copyInto(elementData, elementData.size - elementsSize, 0, internalIndex)\n            } else {\n                elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n            }\n        }\n        head = shiftedHead\n        copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n    } else {\n        // closer to the last element -> shift succeeding elements\n\n        val shiftedInternalIndex = internalIndex + elementsSize\n\n        if (internalIndex < tail) {\n            if (tail + elementsSize <= elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n            } else { // head < tail, insertion leads to head >= tail\n                if (shiftedInternalIndex >= elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                } else {\n                    val shiftToFront = tail + elementsSize - elementData.size\n elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                    elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                }\n            }\n        } else { // head > tail, internalIndex > head\n            elementData.copyInto(elementData, elementsSize, 0, tail)\n            if (shiftedInternalIndex >= elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, elementData.size)\n            } else {\n elementData.copyInto(elementData, 0, elementData.size - elementsSize, elementData.size)\n elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n            }\n        }\n        copyCollectionElements(internalIndex, elements)\n    }\n\n    return true\n  }\n\n  public override fun get(index: Int): E {\n AbstractList.checkElementIndex(index, size)\n\n    return internalGet(internalIndex(index))\n  }\n\n  public override fun set(index: Int, element: E): E {\n    AbstractList.checkElementIndex(index, size)\n\n    val internalIndex = internalIndex(index)\n    val oldElement = internalGet(internalIndex)\n elementData[internalIndex] = element\n\n    return oldElement\n  }\n\n  public override fun contains(element: E): Boolean = indexOf(element) != -1\n\n  public override fun indexOf(element: E): Int {\n    val tail = internalIndex(size)\n\n    if (head < tail) {\n        for (index in head until tail) {\n            if (element == elementData[index]) return index - head\n        }\n    } else if (head >= tail) {\n        for (index in head until elementData.size) {\n            if (element == elementData[index]) return index - head\n        }\n        for (index in 0 until tail) {\n            if (element == elementData[index]) return index + elementData.size - head\n        }\n    }\n\n    return -1\n  }\n\n  public override fun lastIndexOf(element: E): Int {\n    val tail = internalIndex(size)\n\n    if (head < tail) {\n        for (index in tail - 1 downTo head) {\n            if (element == elementData[index]) return index - head\n        }\n    } else if (head > tail) {\n        for (index in tail - 1 downTo 0) {\n            if (element == elementData[index]) return index + elementData.size - head\n        }\n        for (index in elementData.lastIndex downTo head) {\n if (element == elementData[index]) return index - head\n        }\n    }\n\n    return -1\n  }\n\n  public override fun remove(element: E): Boolean {\n    val index = indexOf(element)\n    if (index == -1) return false\n removeAt(index)\n    return true\n  }\n\n  public override fun removeAt(index: Int): E {\n AbstractList.checkElementIndex(index, size)\n\n    if (index == lastIndex) {\n        return removeLast()\n    } else if (index == 0) {\n        return removeFirst()\n    }\n\n    val internalIndex = internalIndex(index)\n val element = internalGet(internalIndex)\n\n    if (index < size shr 1) {\n        // closer to the first element -> shift preceding elements\n        if (internalIndex >= head) {\n            elementData.copyInto(elementData, head + 1, head, internalIndex)\n        } else { // head > tail, internalIndex < head\n elementData.copyInto(elementData, 1, 0, internalIndex)\n            elementData[0] = elementData[elementData.size - 1]\n            elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n        }\n\n elementData[head] = null\n head = incremented(head)\n    } else {\n        // closer to the last element -> shift succeeding elements\n val internalLastIndex = internalIndex(lastIndex)\n\n        if (internalIndex <= internalLastIndex) {\n
```

elementData.copyInto(elementData, internalIndex, internalIndex + 1, internalLastIndex + 1)\n } else { // head > tail, internalIndex > head\n elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n elementData[elementData.size - 1] = elementData[0]\n elementData.copyInto(elementData, 0, 1, internalLastIndex + 1)\n }\n\n elementData[internalLastIndex] = null\n }\n size -= 1\n\n return element\n }\n\n public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace { !elements.contains(it) }\n\n public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace { elements.contains(it) }\n\n private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n if (this.isEmpty() || elementData.isEmpty())\n return false\n\n val tail = internalIndex(size)\n var newTail = head\n var modified = false\n\n if (head < tail) {\n for (index in head until tail) {\n val element = elementData[index]\n\n @Suppress(\"UNCHECKED_CAST\")\n if (predicate(element as E))\n elementData[newTail++] = element\n else\n modified = true\n }\n\n elementData.fill(null, newTail, tail)\n\n } else {\n for (index in head until elementData.size) {\n val element = elementData[index]\n elementData[index] = null\n\n @Suppress(\"UNCHECKED_CAST\")\n if (predicate(element as E))\n elementData[newTail++] = element\n else\n modified = true\n }\n\n newTail = positiveMod(newTail)\n\n for (index in 0 until tail) {\n val element = elementData[index]\n elementData[index] = null\n\n @Suppress(\"UNCHECKED_CAST\")\n if (predicate(element as E)) {\n elementData[newTail] = element\n newTail = incremented(newTail)\n } else {\n modified = true\n }\n }\n }\n if (modified)\n size = negativeMod(newTail - head)\n\n return modified\n }\n\n public override fun clear() {\n val tail = internalIndex(size)\n if (head < tail) {\n elementData.fill(null, head, tail)\n } else if (isNotEmpty()) {\n elementData.fill(null, head, elementData.size)\n elementData.fill(null, 0, tail)\n }\n head = 0\n size = 0\n }\n\n // For testing only\n internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n val tail = internalIndex(size)\n\n if (isEmpty()) {\n structure(head, emptyArray())\n return\n }\n\n val elements = arrayOfNulls<Any?>(size)\n if (head < tail) {\n elementData.copyInto(elements, startIndex = head, endIndex = tail)\n structure(head, elements)\n } else {\n elementData.copyInto(elements, startIndex = head)\n elementData.copyInto(elements, elementData.size - head, startIndex = 0, endIndex = tail)\n structure(head - elementData.size, elements)\n }\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\n\n/**\n * Returns a single list of all elements from all arrays in the given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic fun <T> Array<out Array<out T>>.flatten(): List<T> {\n val result = ArrayList<T>(sumBy { it.size })\n for (element in this) {\n result.addAll(element)\n }\n return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n val listT = ArrayList<T>(size)\n val listR = ArrayList<R>(size)\n for (pair in this) {\n listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.isEmpty()\n}\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if

the array is empty.\n *\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"UPPER_BOUND_CANNOT_BE_ARRAY\")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n if (isEmpty()) defaultValue() else this\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepEquals\")\n@kotlin.js.JsName(\"contentDeepEqualsImpl\")\ninternal fun <T> Array<out
T>.contentDeepEqualsImpl(other: Array<out T>): Boolean {\n if (this === other) return true\n if (this.size != other.size) return false\n\n for (i in indices) {\n val v1 = this[i]\n val v2 = other[i]\n\n if (v1 === v2) {\n continue\n } else if (v1 == null || v2 == null) {\n return false\n }\n\n when {\n v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\n v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is IntArray && v2 is IntArray -> if (!v1.contentEquals(v2)) return false\n v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2)) return false\n v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n v1 is DoubleArray
&& v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false\n v1 is BooleanArray && v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false\n\n v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\n v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2)) return false\n v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n\n else -> if (v1 != v2) return false\n }\n\n }\n return true\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepToString\")\n@kotlin.js.JsName(\"contentDeepToStringImpl\")\ninternal fun <T> Array<out T>.contentDeepToStringImpl(): String {\n val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5)
* 5 + 2 // in order not to overflow Int.MAX_VALUE\n return buildString(length) {\n contentDeepToStringInternal(this, mutableListOf())\n }\n}\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out
T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n if (this in processed) {\n result.append(\"[...]\")\n return\n }\n processed.add(this)\n result.append('[')\n\n for (i in indices) {\n if (i != 0) {\n result.append(\", \")\n }\n val element = this[i]\n when (element) {\n null -> result.append(\"null\")\n is Array<*> -> element.contentDeepToStringInternal(result, processed)\n is ByteArray -> result.append(element.contentToString())\n is ShortArray -> result.append(element.contentToString())\n is IntArray -> result.append(element.contentToString())\n is LongArray -> result.append(element.contentToString())\n is FloatArray -> result.append(element.contentToString())\n is DoubleArray -> result.append(element.contentToString())\n is CharArray -> result.append(element.contentToString())\n is BooleanArray -> result.append(element.contentToString())\n\n is UByteArray -> result.append(element.contentToString())\n is UShortArray -> result.append(element.contentToString())\n is UIntArray -> result.append(element.contentToString())\n is ULongArray -> result.append(element.contentToString())\n\n else -> result.append(element.toString())\n }\n }\n\n result.append(']')\n processed.removeAt(processed.lastIndex)\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\n *\n * @property value the underlying value.\n * @property

index the index of the value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"MapAccessorsKt\")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the
value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName(\"getVar\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n@Deprecated(\"Use getValue() with two type parameters instead\", level = DeprecationLevel.ERROR)\n@kotlin.jvm.JvmName(\"getVarContravariant\")\n@kotlin.internal.LowPriorityInOverloadResolution\n@kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in V>.getValue(thisRef: Any?, property: KProperty<*>): V =\n @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n this.put(property.name, value)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault] method.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n
*/\n@kotlin.jvm.JvmName(\"getOrImplicitDefaultNullable\")\n@PublishedApi\ninternal fun <K,
V> Map<K, V>.getOrImplicitDefault(key: K): V {\n if (this is MapWithDefault)\n return this.getOrImplicitDefault(key)\n\n return getOrElseNullable(key, { throw NoSuchElementException(\"Key $key is missing in the map.\") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n when (this) {\n is MapWithDefault -> this.map.withDefault(defaultValue)\n else -> MapWithDefaultImpl(this, defaultValue)\n }\n\n/**\n * Returns a

wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\n@kotlin.jvm.JvmName(\"withDefaultMutable\")\npublic fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n when (this) {\n is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n else -> MutableMapWithDefaultImpl(this, defaultValue)\n }\n\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n public val map: Map<K, V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> : MutableMap<K, V>,
MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\n\nprivate class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) : MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: Set<K> get() = map.keys\n override val values: Collection<V> get() = map.values\n override val entries: Set<Map.Entry<K, V>> get() = map.entries\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K,
V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: MutableSet<K> get() = map.keys\n override val values: MutableCollection<V> get() = map.values\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n override fun put(key: K, value: V): V? = map.put(key, value)\n override fun remove(key: K): V? = map.remove(key)\n override fun putAll(from: Map<out K, V>)
= map.putAll(from)\n override fun clear() = map.clear()\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.\n *\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean
=\n @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also contained in the specified collection.\n\n * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\n @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * Allows to overcome type-safety restriction of `retainAll` that requires

to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any element was removed from the collection, `false`
if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Adds the specified [element] to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\n this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] array to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\n this.addAll(elements)\n}\n\n/**\n * Adds all
elements of the given [elements] sequence to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\n this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given [elements] collection from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] array from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\n this.removeAll(elements)\n}\n\n/**\n
* Removes all elements contained in the given [elements] sequence from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n this.removeAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n when (elements) {\n is Collection -> return addAll(elements)\n else -> {\n var result: Boolean = false\n for (item in elements)\n if (add(item)) result = true\n return result\n }\n }\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\n var result: Boolean = false\n for (item in elements) {\n if (add(item)) result = true\n }\n return result\n}\n\n/**\n
* Adds all elements of the given [elements] array to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n val set = elements.toHashSet()\n return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean
{\n return elements.isNotEmpty() && removeAll(elements.toHashSet())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n return retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n if (elements.isNotEmpty())\n return retainAll(elements.toHashSet())\n else\n return retainNothing()\n}\n\n/**\n * Retains only elements of this

[MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n val set = elements.toHashSet()\n if (set.isNotEmpty())\n return retainAll(set)\n else\n return retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n val result = isNotEmpty()\n clear()\n return result\n}\n\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n var result = false\n with(iterator()) {\n while (hasNext())\n if (predicate(next()) == predicateResultToRemove) {\n remove()\n result = true\n }\n }\n return result\n}\n\n\n/**\n * Returns a new list with the elements of this list randomly shuffled\n * using the specified [random] instance as the source of randomness.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\n\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n */\n@Deprecated(\"Use removeAt(index) instead.\", ReplaceWith(\"removeAt(index)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException(\"List is empty.\") else removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException(\"List is empty.\") else removeAt(lastIndex)\n\n/**\n * Removes the last element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n if (this !is RandomAccess)\n return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n var writeIndex: Int = 0\n for (readIndex in 0..lastIndex) {\n val element = this[readIndex]\n if (predicate(element) == predicateResultToRemove)\n continue\n\n if (writeIndex != readIndex)\n this[writeIndex] = element\n\n writeIndex++\n }\n if (writeIndex < size) {\n for (removeIndex in lastIndex downTo writeIndex)\n removeAt(removeIndex)\n\n return true\n } else {\n return false\n }\n}\n\n/**\n * Randomly shuffles elements in this mutable list using the specified [random] instance as the source of

randomness.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) : AbstractMutableList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n\n override fun clear() = delegate.clear()\n override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))\n\n override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\n override fun add(index: Int, element: T) {\n delegate.add(reversePositionIndex(index), element)\n }\n}\n\nprivate fun List<*>.reverseElementIndex(index: Int) =\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException(\"Element index $index must be in range [${0..lastIndex}].\")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n if (index in 0..size) size - index else throw IndexOutOfBoundsException(\"Position index $index must be in range [${0..size}].\")\n\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n */\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n */\n@kotlin.jvm.JvmName(\"asReversedMutable\")\npublic fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n@file:UseExperimental(ExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a [Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(block) }\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'sequence { }' function instead.\", ReplaceWith(\"sequence(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(builderAction) }\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Iterator<T> {\n val iterator = SequenceBuilderIterator<T>()\n iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n return iterator\n}\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'iterator { }' function instead.\", ReplaceWith(\"iterator(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildIterator(@BuilderInference

```
noinline builderAction: suspend SequenceScope<T>.() -> Unit): Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.3\")\npublic abstract class SequenceScope<in T> internal constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value: T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence of values returned by the given iterator can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values  to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n}\n\n@Deprecated(\"Use SequenceScope class instead.\", ReplaceWith(\"SequenceScope<T>\"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> = SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\nprivate const val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready: State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\n\nprivate class SequenceBuilderIterator<T> : SequenceScope<T>(),
    Iterator<T>, Continuation<Unit> {\n    private var state = State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when (state) {\n                State_NotReady -> {}\n                State_ManyNotReady ->\n                    if (nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    } else {\n                        nextIterator = null\n                    }\n                State_Done -> return false\n                State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n\n            state = State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n\n    override fun next(): T {\n        when (state)
    {\n            State_NotReady, State_ManyNotReady -> return nextNotReady()\n            State_ManyReady -> {\n                state = State_ManyNotReady\n                return nextIterator!!.next()\n            }\n            State_Ready -> {\n                state = State_NotReady\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextValue as T\n                nextValue = null\n                return result\n            }\n            else -> throw exceptionalState()\n        }\n    }\n\n    private fun nextNotReady(): T {\n        if (!hasNext()) throw NoSuchElementException() else return next()\n    }\n\n    private fun exceptionalState(): Throwable = when (state) {\n        State_Done -> NoSuchElementException()\n        State_Failed -> IllegalStateException(\"Iterator has failed.\")\n        else -> IllegalStateException(\"Unexpected state of the iterator: $state\")\n    }\n\n\n    override suspend fun yield(value: T) {\n        nextValue = value\n        state = State_Ready\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    override suspend fun yieldAll(iterator: Iterator<T>) {\n        if (!iterator.hasNext()) return\n        nextIterator = iterator\n        state = State_ManyReady\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n
```

```
}\n    }\n\n    // Completion continuation implementation\n    override fun resumeWith(result: Result<Unit>) {\n        result.getOrThrow() // just rethrow exception if it is there\n        state = State_Done\n    }\n\n    override val context: CoroutineContext\n        get() = EmptyCoroutineContext\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n            \"Both size $size and step $step must be greater than zero.\"\n        else\n            \"size $size must be greater than zero.\"\n    }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size, step)\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n        val bufferInitialCapacity = size.coerceAtMost(1024)\n        val gap = step - size\n        if (gap >= 0) {\n            var buffer = ArrayList<T>(bufferInitialCapacity)\n            var skip = 0\n            for (e in iterator) {\n                if (skip > 0) { skip -= 1; continue }\n                buffer.add(e)\n                if (buffer.size == size) {\n                    yield(buffer)\n                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n                    skip = gap\n                }\n            }\n            if (buffer.isNotEmpty()) {\n                if (partialWindows || buffer.size == size) yield(buffer)\n            }\n        } else {\n            var buffer = RingBuffer<T>(bufferInitialCapacity)\n            for (e in iterator) {\n                buffer.add(e)\n                if (buffer.isFull()) {\n                    if (buffer.size < size) { buffer = buffer.expanded(maxCapacity = size); continue }\n\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n            }\n            if (partialWindows) {\n                while (buffer.size > step) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n                if (buffer.isNotEmpty()) yield(buffer)\n            }\n        }\n    }\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n    private var fromIndex: Int = 0\n    private var _size: Int = 0\n\n    fun move(fromIndex: Int, toIndex: Int) {\n        checkRangeIndexes(fromIndex, toIndex, list.size)\n        this.fromIndex = fromIndex\n        this._size = toIndex - fromIndex\n    }\n\n    override fun get(index: Int): E {\n        checkElementIndex(index, _size)\n\n        return list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n}\n\n\n/**\n * Provides ring buffer implementation.\n *\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n */\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(), RandomAccess {\n    init {\n        require(filledSize >= 0) { \"ring buffer filled size should not be negative but it is $filledSize\" }\n        require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize cannot be larger than the buffer size: ${buffer.size}\" }\n    }\n\n    constructor(capacity: Int) : this(arrayOfNulls<Any?>(capacity), 0)\n\n    private val capacity = buffer.size\n    private var startIndex: Int = 0\n\n    override var size: Int = filledSize\n        private set\n\n    override fun get(index: Int): T {\n        checkElementIndex(index, size)\n        @Suppress(\"UNCHECKED_CAST\")\n        return buffer[startIndex.forward(index)] as T\n    }\n\n    fun isFull() = size == capacity\n\n    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n        private var count = size\n        private var index = startIndex\n\n        override fun computeNext() {\n            if (count == 0) {\n                done()\n            } else {\n                @Suppress(\"UNCHECKED_CAST\")\n                setNext(buffer[index] as T)\n                index = index.forward(1)\n                count--\n            }\n        }\n    }\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        val result: Array<T?> =\n            if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n        val size = this.size\n\n        var widx = 0\n        var idx = startIndex\n\n        while (widx < size && idx < capacity) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n\n        idx = 0\n        while (widx < size) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n        if (result.size > this.size) result[this.size] = null\n\n        return result as Array<T>\n    }\n\n    override fun toArray(): Array<Any?> {\n        return toArray(arrayOfNulls(size))\n
```

}\n\n /**\n * Creates a new ring buffer with the capacity equal to the minimum of [maxCapacity] and 1.5 * [capacity].\n * The returned ring buffer contains the same elements as this ring buffer.\n */\n fun expanded(maxCapacity: Int): RingBuffer<T> {\n val newCapacity = (capacity + (capacity shr 1) + 1).coerceAtMost(maxCapacity)\n val newBuffer = if (startIndex == 0) buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n return RingBuffer(newBuffer, size)\n }\n\n /**\n * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the buffer\n */\n fun add(element: T) {\n if (isFull()) {\n throw IllegalStateException(\"ring buffer is full\")\n }\n\n buffer[startIndex.forward(size)] = element\n size++\n }\n\n /**\n * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in
the buffer to remove\n */\n fun removeFirst(n: Int) {\n require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n, size = $size\" }\n\n if (n > 0) {\n val start = startIndex\n val end = start.forward(n)\n\n if (start > end) {\n buffer.fill(null, start, capacity)\n buffer.fill(null, 0, end)\n } else {\n buffer.fill(null, start, end)\n }\n\n startIndex = end\n size -= n\n }\n }\n\n @Suppress(\"NOTHING_TO_INLINE\")\n private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// UByteArray
==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: UByteArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UByteArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// UShortArray
==\n@ExperimentalUnsignedTypes\nprivate
fun partition(\n array: UShortArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UShortArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// UIntArray
==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: UIntArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot
= array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UIntArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// ULongArray
==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: ULongArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j]
> pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun

quickSort(\n   array: ULongArray, left: Int, right: Int) {\n   val index = partition(array, left, right)\n   if (left < index - 1)\n   quickSort(array, left, index - 1)\n   if (index < right)\n   quickSort(array, index, right)\n}\n\n\n// Interfaces
==========\n/**\n * Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray)   = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray)   = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray)   = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray)   = quickSort(array, 0, array.size - 1)","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n *\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.contracts.ExperimentalContracts`.\n */\n@Suppress(\"DEPRECATION\")\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n *\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n *\n * @see contract\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic interface ContractBuilder {\n   /**\n   * Describes a situation when a function returns normally, without any exceptions thrown.\n   *\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n   *\n   */\n   // @sample samples.contracts.returnsContract\n   @ContractsDsl public fun returns(): Returns\n\n   /**\n   * Describes a situation when a function returns normally with the specified return [value].\n   *\n   * The possible values of [value] are limited to `true`, `false` or `null`.\n   *\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n   *\n   */\n   // @sample samples.contracts.returnsTrueContract\n   // @sample samples.contracts.returnsFalseContract\n   // @sample samples.contracts.returnsNullContract\n   @ContractsDsl public fun returns(value: Any?): Returns\n\n   /**\n   * Describes a situation when a function returns normally with any value that is not `null`.\n   *\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n   *\n   */\n   // @sample samples.contracts.returnsNotNullContract\n   @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n\n   /**\n   * Specifies that the function parameter [lambda] is invoked in place.\n   *\n   * This contract specifies that:\n   * 1. the function [lambda] can only be invoked during the call of the owner function,\n   * and it won't be invoked after that owner function call
    is completed;\n   * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter,\n   * see the [InvocationKind] enum for possible values.\n   *\n   * A function declaring the `callsInPlace` effect must be _inline_.\n   *\n   */\n   /* @sample samples.contracts.callsInPlaceAtMostOnceContract\n   * @sample samples.contracts.callsInPlaceAtLeastOnceContract\n   * @sample samples.contracts.callsInPlaceExactlyOnceContract\n   * @sample samples.contracts.callsInPlaceUnknownContract\n   */\n   @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n/**\n * Specifies how many times a function invokes its function parameter in place.\n *\n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic enum class InvocationKind {\n   /**\n   * A function

parameter will be invoked one time or not invoked at all.\n */\n // @sample samples.contracts.callsInPlaceAtMostOnceContract\n @ContractsDsl AT_MOST_ONCE,\n\n /**\n * A function parameter will be invoked one or more times.\n *\n */\n // @sample samples.contracts.callsInPlaceAtLeastOnceContract\n @ContractsDsl AT_LEAST_ONCE,\n\n /**\n * A function parameter will be invoked exactly one time.\n *\n */\n // @sample samples.contracts.callsInPlaceExactlyOnceContract\n @ContractsDsl EXACTLY_ONCE,\n\n /**\n * A function parameter is called in place, but it's unknown how many times it can be called.\n *\n */\n // @sample samples.contracts.callsInPlaceUnknownContract\n @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the contract of a function.\n *\n * The contract description must be at the beginning of a function and have at least one effect.\n *\n * Only the top-level functions can have a contract for now.\n *\n * @param builder
the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n *\n */\n/* @sample samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n* @sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample samples.contracts.callsInPlaceExactlyOnceContract\n* @sample samples.contracts.callsInPlaceUnknownContract\n*/\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun contract(builder: ContractBuilder.() -> Unit) { }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines\n\n/**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n *\n * [ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n * its implementation delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey]\n * to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n * [ContinuationInterceptor] subtypes can be extracted from the coroutine context using either [ContinuationInterceptor.Key]\n * or subtype key if it extends [AbstractCoroutineContextKey].\n */\n@SinceKotlin(\"1.3\")\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n /**\n * The key that defines *the* context interceptor.\n */\n companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n
/**\n * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n * This function is invoked by coroutines framework when needed and the resulting continuations are\n * cached internally per each instance of the original [continuation].\n *\n * This function may simply return original [continuation] if it does not want to intercept this particular continuation.\n *\n * When the original [continuation] completes, coroutine framework invokes [releaseInterceptedContinuation]\n * with the resulting continuation if it was intercepted, that is if `interceptContinuation` had previously\n * returned a different continuation instance.\n */\n public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n /**\n * Invoked for the continuation instance returned by [interceptContinuation] when the original\n * continuation completes and
will not be used anymore. This function is invoked only if [interceptContinuation]\n * had returned a different continuation instance from the one it was invoked with.\n *\n * Default implementation does nothing.\n *\n * @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n */\n public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n /* do nothing by default */\n }\n\n public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? {\n // getPolymorphicKey specialized for ContinuationInterceptor key\n @OptIn(ExperimentalStdlibApi::class)\n if (key is AbstractCoroutineContextKey<*, *>) {\n @Suppress(\"UNCHECKED_CAST\")\n return if (key.isSubKey(this.key)) key.tryCast(this) as? E else

```
null\n    }\n    @Suppress(\"UNCHECKED_CAST\")\n    return if (ContinuationInterceptor === key) this as E else null\n  }\n\n\n  public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {\n    // minusPolymorphicKey specialized for ContinuationInterceptor key\n    @OptIn(ExperimentalStdlibApi::class)\n    if (key is AbstractCoroutineContextKey<*, *>) {\n      return if (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (ContinuationInterceptor === key) EmptyCoroutineContext else this\n  }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].\n */\n@SinceKotlin(\"1.3\")\npublic interface CoroutineContext {\n  /**\n   * Returns the element with the given [key] from this context or `null`.\n   */\n  public operator fun <E : Element> get(key: Key<E>): E?\n\n  /**\n   * Accumulates entries of this context starting with [initial] value and applying [operation]\n   * from left to right to current accumulator value and each element of this context.\n   */\n  public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n  /**\n   * Returns a context containing elements from this context and elements from  other [context].\n   * The elements from this context with the same key as in the other one are dropped.\n   */\n  public operator fun plus(context: CoroutineContext): CoroutineContext =\n    if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n      context.fold(this) { acc, element ->\n        val removed = acc.minusKey(element.key)\n        if (removed === EmptyCoroutineContext) element\n        else {\n          // make sure interceptor is always last in the context (and thus is fast to get when present)\n          val interceptor = removed[ContinuationInterceptor]\n          if (interceptor == null) CombinedContext(removed, element) else {\n            val left = removed.minusKey(ContinuationInterceptor)\n            if (left === EmptyCoroutineContext) CombinedContext(element, interceptor) else\n              CombinedContext(CombinedContext(left, element), interceptor)\n          }\n        }\n      }\n\n  /**\n   * Returns a context containing elements from this context, but without an element with\n   * the specified [key].\n   */\n  public fun minusKey(key: Key<*>): CoroutineContext\n\n  /**\n   * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n   */\n  public interface Key<E : Element>\n\n  /**\n   * An element of the [CoroutineContext].\n   * An element of the coroutine context is a singleton context by itself.\n   */\n  public interface Element : CoroutineContext {\n    /**\n     * A key of this coroutine context element.\n     */\n    public val key: Key<*>\n\n    public override operator fun <E : Element> get(key: Key<E>): E? =\n      @Suppress(\"UNCHECKED_CAST\")\n      if (this.key == key) this as E else null\n\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n      operation(initial, this)\n\n    public override fun minusKey(key: Key<*>): CoroutineContext =\n      if (this.key == key) EmptyCoroutineContext else this\n  }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.CoroutineContext.Element\nimport kotlin.coroutines.CoroutineContext.Key\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n */\n@SinceKotlin(\"1.3\")\npublic abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * Base class for [CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.\n * Polymorphic element implementation implies delegating its [get][Element.get] and [minusKey][Element.minusKey]\n * to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n *\n * Polymorphic elements can be extracted from the coroutine context using both element key and its supertype key.\n * Example of polymorphic elements:\n * ```\n * open class BaseElement : CoroutineContext.Element {\n *     companion object Key : CoroutineContext.Key<BaseElement>\n *     override val key: CoroutineContext.Key<*> get() = Key\n *     // It is important to use getPolymorphicKey and minusPolymorphicKey\n *     override fun <E :
```

```
CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? = getPolymorphicElement(key)\n * override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext = minusPolymorphicKey(key)\n * }\n *\n * class DerivedElement : BaseElement() {\n *     companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as? DerivedElement })\n * }\n * // Now it is possible to query both `BaseElement` and `DerivedElement`\n * someContext[BaseElement] // Returns BaseElement?, non-null both for BaseElement and DerivedElement instances\n * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement instance\n * ```\n * @param B base class of a polymorphic element\n * @param baseKey an instance of base key\n * @param E element type associated with the current key\n * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type\n *                 and return the element if it is a
 subtype of [E] or `null` otherwise.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic abstract class AbstractCoroutineContextKey<B : Element, E : B>(\n    baseKey: Key<B>,\n    private val safeCast: (element: Element) -> E?\n) : Key<E> {\n    private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey\n\n    internal fun tryCast(element: Element): E? = safeCast(element)\n    internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey === key\n}\n\n/**\n * Returns the current element is it is associated with the given [key] in a polymorphic manner or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See [AbstractCoroutineContextKey] for the example of usage.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <E : Element> Element.getPolymorphicElement(key:
 Key<E>): E? {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        @Suppress(\"UNCHECKED_CAST\")\n        return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n    }\n    @Suppress(\"UNCHECKED_CAST\")\n    return if (this.key === key) this as E else null\n}\n\n/**\n * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or `null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See [AbstractCoroutineContextKey] for the example of usage.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>): CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key) EmptyCoroutineContext
 else this\n}\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin(\"1.3\")\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long = 0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key: Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n    public override fun plus(context: CoroutineContext): CoroutineContext = context\n    public override fun minusKey(key: Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString(): String = \"EmptyCoroutineContext\"\n}\n\n//---------- internal impl ----------\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works naturally\n@SinceKotlin(\"1.3\")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext, Serializable {\n\n    override fun <E : Element> get(key: Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n            val next = cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return next[key]\n            }\n        }\n    }\n\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n        operation(left.fold(initial, operation), element)\n\n    public override fun minusKey(key: Key<*>): CoroutineContext {\n        element[key]?.let { return left }\n        val newLeft = left.minusKey(key)\n        return when {\n            newLeft === left -> this\n            newLeft === EmptyCoroutineContext -> element\n            else ->
```

```
CombinedContext(newLeft, element)\n        }\n    }\n\n    private fun size(): Int {\n        var cur = this\n        var size = 2\n
        while (true) {\n            cur = cur.left as? CombinedContext ?: return size\n            size++\n        }\n    }\n\n    private fun contains(element: Element): Boolean =\n        get(element.key) == element\n\n    private fun containsAll(context: CombinedContext): Boolean {\n        var cur = context\n        while (true) {\n            if (!contains(cur.element)) return false\n            val next = cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return contains(next as Element)\n            }\n        }\n    }\n\n    override fun equals(other: Any?): Boolean =\n        this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\n    override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n    override fun toString(): String =\n        \"[\" + fold(\"\") { acc, element ->\n            if (acc.isEmpty()) element.toString() else \"$acc, $element\"\n        } + \"]\"\n\n    private fun writeReplace(): Any {\n        val n = size()\n        val elements = arrayOfNulls<CoroutineContext>(n)\n        var index = 0\n        fold(Unit) { _, element -> elements[index++] = element }\n        check(index == n)\n        @Suppress(\"UNCHECKED_CAST\")\n        return Serialized(elements as Array<CoroutineContext>)\n    }\n\n    private class Serialized(val elements: Array<CoroutineContext>) : Serializable {\n        companion object {\n            private const val serialVersionUID: Long = 0L\n        }\n\n        private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"IntrinsicsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.coroutines.intrinsics\n\nimport
 kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n *\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\n * resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes available to resume the computation.\n *\n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper
 return type remains on the conscience of the suspend function's author.\n *\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n *\n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\n@Suppress(\"UNUSED_PARAMETER\", \"RedundantSuspendModifier\")\npublic suspend inline fun <T> suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n    throw NotImplementedError(\"Implementation
 of suspendCoroutineUninterceptedOrReturn is intrinsic\")\n\n/**\n * This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n *\n * **Note: this value should not be used in general code.** Using it outside of the context of\n * `suspendCoroutineUninterceptedOrReturn` function return value  (including, but not limited to,\n * storing this value in other properties, returning it from other functions, etc)\n * can lead to unspecified behavior of the code.\n */\n// It is implemented as property with getter to avoid ProGuard <clinit> problem with multifile IntrinsicsKt class\n@SinceKotlin(\"1.3\")\npublic val COROUTINE_SUSPENDED: Any get() =
```

CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what package they come from\n@SinceKotlin(\"1.3\")\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n\n/** Performs a bitwise AND operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/**\n * The experimental marker for type inference augmenting annotations.\n *\n * Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.experimental.ExperimentalTypeInference`.\n */\n@Suppress(\"DEPRECATION\")\n@Experimental(level = Experimental.Level.ERROR)\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalTypeInference\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION,

AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n */\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n */\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin(\"1.2\")\ninternal annotation class RequireKotlin(\n   val version: String,\n   val message: String = \"\",\n   val level: DeprecationLevel = DeprecationLevel.ERROR,\n   val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,\n   val errorCode: Int = -1\n)\n\n/**\n * The kind of the version that is required by [RequireKotlin].\n */\n@SinceKotlin(\"1.2\")\ninternal enum class RequireKotlinVersionKind {\n   LANGUAGE_VERSION,\n   COMPILER_VERSION,\n   API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class ContractsDsl\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property delegates.\n */\npublic object Delegates {\n   /**\n   * Returns a property delegate for a read/write property with a non-`null` value that is initialized not during\n   * object construction time but at a later time. Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   *\n   * @sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull():

ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n
    * Returns a property delegate for a read/write property that calls a specified callback function when changed.\n * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   *\n   * @sample samples.properties.Delegates.observableDelegate\n   */\n   public inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n   }\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed,\n   * allowing the callback to veto the modification.\n
    * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called before a change to the property value is attempted.\n   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns `true` the value of the property is being set to the new value,\n
     * and if the callback returns `false` the new value is discarded and the property remains its old value.\n   *\n   * @sample samples.properties.Delegates.vetoableDelegate\n   * @sample samples.properties.Delegates.throwVetoableDelegate\n   */\n   public inline fun <T> vetoable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue, newValue)\n
    }\n\n}\n\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n   private var value: T? = null\n\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n   return value ?: throw IllegalStateException(\"Property ${property.name} should be initialized before get.\")\n   }\n\n   public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n   this.value = value\n   }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?, T> {\n   private var value = initialValue\n\n   /**\n   * The callback which is called before a change to the property value is attempted.\n   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns `true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value is discarded and the property remains its old value.\n   */\n   protected open fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n   /**\n   * The callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   */\n   protected open fun afterChange(property: KProperty<*>, oldValue: T, newValue: T): Unit {}\n\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n   return value\n   }\n\n   public override fun setValue(thisRef:
 Any?, property: KProperty<*>, value: T) {\n   val oldValue = this.value\n   if (!beforeChange(property, oldValue, value)) {\n   return\n   }\n   this.value = value\n   afterChange(property, oldValue, value)\n
 }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n *\n * The companion object [Random.Default] is the default instance of [Random].\n *\n * To get a seeded instance of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n */\n@SinceKotlin(\"1.3\")\npublic abstract class Random {\n\n   /**\n
     * Gets the next random [bitCount] number of bits.\n   *\n   * Generates an `Int` whose

```
 lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\n     *\n     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\n     */\n    public abstract fun nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next random `Int` from the random number generator.\n     *\n     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE` (inclusive).\n     */\n    public open fun nextInt(): Int = nextBits(32)\n\n    /**\n     * Gets the next random non-negative `Int` from the random number generator less than the specified [until] bound.\n     *\n     * Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextInt(until: Int): Int =
 nextInt(0, until)\n\n    /**\n     * Gets the next random `Int` from the random number generator in the specified range.\n     *\n     * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextInt(from: Int, until: Int): Int {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0 || n == Int.MIN_VALUE) {\n            val rnd = if (n and -n == n) {\n                val bitCount = fastLog2(n)\n                nextBits(bitCount)\n            } else {\n                var v: Int\n                do {\n                    val bits = nextInt().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextInt()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random `Long` from the random number generator.\n     *\n     * Generates a `Long` random value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     */\n    public open fun nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextLong(until: Long): Long = nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random number generator in the specified range.\n     *\n
     * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextLong(from: Long, until: Long): Long {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0) {\n            val rnd: Long\n            if (n and -n == n) {\n                val nLow = n.toInt()\n                val nHigh = (n ushr 32).toInt()\n                rnd = when {\n                    nLow != 0 -> {\n                        val bitCount = fastLog2(nLow)\n                        // toUInt().toLong()\n                        nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                    }\n                    nHigh == 1 ->\n                        // toUInt().toLong()\n                        nextInt().toLong() and 0xFFFF_FFFF\n                    else -> {\n                        val bitCount = fastLog2(nHigh)\n                        nextBits(bitCount).toLong().shl(32) + nextInt()\n                    }\n                }\n            } else {\n                var v: Long\n                do {\n                    val bits = nextLong().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n                rnd = v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextLong()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random [Boolean] value.\n     */\n    public open fun nextBoolean(): Boolean = nextBits(1) != 0\n\n    /**\n     * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n     */\n    public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n\n    /**\n     * Gets the next random non-negative `Double`
 from the random number generator less than the specified [until] bound.\n     *\n     * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\n\n    /**\n     * Gets the next random `Double` from the random number generator in the specified range.\n     *\n     * Generates a `Double` random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * [from] and [until] must be finite otherwise the
```

```
behavior is unspecified.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextDouble(from: Double, until: Double): Double {\n checkRangeBounds(from, until)\n        val size = until - from\n        val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n            val r1 = nextDouble() * (until / 2 - from / 2)\n            from + r1 + r1\n        } else {\n            from + nextDouble() * size\n        }\n        return if (r >= until) until.nextDown() else r\n    }\n\n    /**\n     * Gets the next random [Float] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n     */\n    public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n\n    /**\n     * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n     * with random bytes.\n     *\n     * @return [array] with the subrange filled with random bytes.\n     */\n    public open fun nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\n        require(fromIndex in 0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range: 0..${array.size}.\" }\n require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than toIndex ($toIndex).\" }\n\n        val steps = (toIndex - fromIndex) / 4\n\n        var position = fromIndex\n        repeat(steps) {\n            val v = nextInt()\n array[position] = v.toByte()\n            array[position + 1] = v.ushr(8).toByte()\n            array[position + 2] = v.ushr(16).toByte()\n            array[position + 3] = v.ushr(24).toByte()\n            position += 4\n        }\n\n        val remainder = toIndex - position\n        val vr = nextBits(remainder * 8)\n        for (i in 0 until remainder) {\n array[position + i] = vr.ushr(i * 8).toByte()\n        }\n\n        return array\n    }\n\n    /**\n     * Fills the specified byte [array] with random bytes and returns it.\n     *\n     * @return [array] filled with random bytes.\n     */\n    public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\n\n    /**\n     * Creates a byte array of the specified
 [size], filled with random bytes.\n     */\n    public open fun nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n\n    /**\n     * The default random number generator.\n     *\n     * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\n     *\n     * @sample samples.random.Randoms.defaultRandom\n     */\n    companion object Default : Random() {\n\n        private val defaultRandom: Random = defaultPlatformRandom()\n\n        override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n        override fun nextInt(): Int = defaultRandom.nextInt()\n        override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\n        override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\n\n        override fun nextLong(): Long = defaultRandom.nextLong()\n override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n        override fun nextLong(from: Long, until: Long):
 Long = defaultRandom.nextLong(from, until)\n\n        override fun nextBoolean(): Boolean = defaultRandom.nextBoolean()\n\n        override fun nextDouble(): Double = defaultRandom.nextDouble()\n override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n        override fun nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n        override fun nextFloat(): Float = defaultRandom.nextFloat()\n\n        override fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\n        override fun nextBytes(size: Int): ByteArray = defaultRandom.nextBytes(size)\n        override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int): ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\n\n        @Deprecated(\"Use Default companion object instead\", level = DeprecationLevel.HIDDEN)\n        @Suppress(\"DEPRECATION_ERROR\")\n @kotlin.jvm.JvmField\n        public val Companion: Random.Companion
 = Random.Companion\n    }\n\n    @Deprecated(\"Use Default companion object instead\", level = DeprecationLevel.HIDDEN)\n    public object Companion : Random() {\n        override fun nextBits(bitCount: Int): Int = Default.nextBits(bitCount)\n    }\n}\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n *\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current one for a given seed.\n *\n * @sample samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Int):
```

Random = XorWowRandom(seed, seed.shr(31))\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current one for a given seed.\n *\n * @sample samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n\n\n/**\n * Gets the next random `Int` from the random number generator in the specified [range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextInt(range: IntRange): Int = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n   range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n   else -> nextInt()\n}\n\n/**\n * Gets the next random `Long` from the random number generator in the specified [range].\n *\n * Generates a `Long` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextLong(range: LongRange): Long = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < Long.MAX_VALUE -> nextLong(range.first, range.last + 1)\n   range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) + 1\n   else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom(): Random\ninternal expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\n@UseExperimental(ExperimentalStdlibApi::class)\ninternal fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n/** Takes upper [bitCount] bits (0..32) from this number. */\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n   this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = \"Random range is empty: [$from, $until).\"\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(): UInt = nextInt().toUInt()\n\n/**\n * Gets the next random [UInt] from the random number generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(from: UInt, until: UInt): UInt {\n   checkUIntRangeBounds(from, until)\n\n   val signedFrom = from.toInt() xor Int.MIN_VALUE\n   val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n   val signedResult = nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n   return signedResult.toUInt()\n}\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(range: UIntRange): UInt = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < UInt.MAX_VALUE -> nextUInt(range.first, range.last + 1u)\n   range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) + 1u\n   else -> nextUInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and [ULong.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(from: ULong, until: ULong): ULong {\n   checkULongRangeBounds(from, until)\n\n   val signedFrom = from.toLong() xor Long.MIN_VALUE\n   val signedUntil = until.toLong() xor Long.MIN_VALUE\n\n   val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n   return signedResult.toULong()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(range: ULongRange): ULong = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n   range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n   else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned byte [array] with random bytes and returns it.\n *\n * @return [array] filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray): UByteArray {\n   nextBytes(array.asByteArray())\n   return array\n}\n\n/**\n * Creates an unsigned byte array of the specified [size], filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the subrange filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n   nextBytes(array.asByteArray(), fromIndex, toIndex)\n   return array\n}\n\n\n@ExperimentalUnsignedTypes\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until) }\n@ExperimentalUnsignedTypes\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until) }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n/**\n * Random number generator, using Marsaglia's \"xorwow\" algorithm\n *\n * Cycles after 2^192 - 2^32 repetitions.\n *\n * For more details, see Marsaglia, George (July 2003). \"Xorshift RNGs\". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n *\n * Available at https://www.jstatsoft.org/v08/i14/paper\n *\n */\ninternal class XorWowRandom\ninternal constructor(\n   private var x: Int,\n   private var y: Int,\n   private var z: Int,\n   private var w: Int,\n   private var v: Int,\n   private var

addend: Int\n) : Random() {\n\n   internal constructor(seed1: Int, seed2: Int) :\n   this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n   init {\n   require((x or y or z or w or v) != 0) { \"Initial state must have at least one non-zero element.\" }\n\n   // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\n   repeat(64) { nextInt() }\n   }\n\n   override fun nextInt(): Int {\n   // Equivalent to the xorxow algorithm\n   // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5\n   var t = x\n   t = t xor (t ushr 2)\n   x = y\n   y = z\n   z = w\n   val v0 = v\n   w = v0\n   t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\n   v = t\n   addend += 362437\n   return t + addend\n   }\n\n   override fun nextBits(bitCount: Int): Int =\n nextInt().takeUpperBits(bitCount)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\n/**\n * Represents a range of [Comparable] values.\n */\nprivate open class ComparableRange<T : Comparable<T>>(\n   override val start: T,\n   override val endInclusive: T\n) : ClosedRange<T> {\n\n   override fun equals(other: Any?): Boolean {\n   return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\n   start == other.start && endInclusive
 == other.endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$start..$endInclusive\"\n}\n\n/**\n * Creates a range from this [Comparable] value to the specified [that] value.\n *\n * This value needs to be smaller than [that] value, otherwise the returned range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n\n/**\n * Represents a range of floating point numbers.\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\n */\n@SinceKotlin(\"1.1\")\npublic
 interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n   override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n   override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n   /**\n   * Compares two values of range domain type and returns true if first is less than or equal to second.\n   */\n   fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n\n/**\n * A closed range of values of type `Double`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n   start: Double,\n   endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n   private val _start = start\n   private val _endInclusive = endInclusive\n   override val start: Double get() = _start\n   override val endInclusive: Double get() = _endInclusive\n\n   override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n
 override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Double] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n\n/**\n * A closed range of values of type `Float`.\n *\n *
 Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedFloatRange(\n   start: Float,\n   endInclusive: Float\n) : ClosedFloatingPointRange<Float> {\n   private val _start = start\n   private val _endInclusive = endInclusive\n   override val start: Float get() = _start\n   override val endInclusive: Float get()

= _endInclusive\n\n   override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n   override fun contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedFloatRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromFloat\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n\n/**\n * Returns `true` if this iterable range contains the specified [element].\n *\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n   element != null && contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n   if (!isPositive) throw IllegalArgumentException(\"Step must be positive, was: $step.\")\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"KClasses\")\n@file:Suppress(\"UNCHECKED_CAST\")\n\npackage kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@LowPriorityInOverloadResolution\nfun <T : Any> KClass<T>.cast(value: Any?): T {\n   if (!isInstance(value)) throw ClassCastException(\"Value cannot be cast to $qualifiedName\")\n   return value as T\n}\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is not an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@LowPriorityInOverloadResolution\nfun <T : Any> KClass<T>.safeCast(value: Any?): T? {\n   return if (isInstance(value)) value as T else null\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Returns a runtime representation of the given reified type [T] as an instance of [KType].\n */\n@Suppress(\"unused\") // KT-12448\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun <reified T> typeOf(): KType =\n   throw UnsupportedOperationException(\"This function is implemented as an intrinsic on all supported platforms.\")\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * An object to which char sequences and values can be appended.\n */\nexpect interface Appendable {\n   /**\n   * Appends the specified character [value] to this Appendable and returns this instance.\n   *\n   * @param value the character to append.\n   */\n   fun append(value: Char): Appendable\n\n   /**\n   * Appends the specified character sequence [value] to this Appendable and returns this instance.\n   *\n   * @param value the character sequence to append. If [value] is `null`, then the four characters `\"null\"` are appended to this Appendable.\n   */\n   fun append(value: CharSequence?): Appendable\n\n

```
/**\n     * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n     *  then characters are appended as if [value] contained the four characters `\"null\"`.\n     * @param startIndex the beginning (inclusive) of the subsequence to append.\n     * @param endIndex the end (exclusive) of the subsequence to append.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n     */\n    fun append(value: CharSequence?, startIndex: Int, endIndex: Int): Appendable\n}\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended. If [value]
 is `null`,\n *  then characters are appended as if [value] contained the four characters `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <T : Appendable> T.appendRange(value: CharSequence?, startIndex: Int, endIndex: Int): T {\n    @Suppress(\"UNCHECKED_CAST\")\n    return append(value, startIndex, endIndex) as T\n}\n\n/**\n * Appends all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n    for (item in value)\n        append(item)\n    return this\n}\n\n\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence)?) {\n    when
 {\n        transform != null -> append(transform(element))\n        element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else -> append(element.toString())\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CharsKt\")\n\npackage kotlin.text\n\n/**\n * Concatenates this Char and a String.\n *\n * @sample samples.text.Chars.plus\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n *\n * Two characters are considered the same
 ignoring case if at least one of the following is `true`:\n *   - The two characters are the same (as compared by the == operator)\n *   - Applying the method [toUpperCase] to each character produces the same result\n *   - Applying the method [toLowerCase] to each character produces the same result\n *\n * @sample samples.text.Chars.equals\n */\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n    if (this == other) return true\n    if (!ignoreCase) return false\n\n    if (this.toUpperCase() == other.toUpperCase()) return true\n    if (this.toLowerCase() == other.toLowerCase()) return true\n    return false\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in
 the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = \"|\"): String =\n    replaceIndentByMargin(\"\", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and
```

```
replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which
 is used as a margin delimiter. Default is `|` (pipe character).\n */\npublic fun
String.replaceIndentByMargin(newIndent: String = \"\", marginPrefix: String = \"|\"): String {\n
require(marginPrefix.isNotBlank()) { \"marginPrefix must be non-blank string.\" }\n    val lines = lines()\n\n    return
lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n        val
firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n\n        when {\n
firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix, firstNonWhitespaceIndex) ->
line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n/**\n *
Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and
the last\n * lines if they are blank (notice difference blank vs empty).\n *\n * Note that blank lines do not affect the
detected indent level.\n
 *\n * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\n *
common indent is 0, and therefore this function doesn't change the indentation.\n *\n * Doesn't preserve the original
line endings.\n *\n * @sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n
*/\npublic fun String.trimIndent(): String = replaceIndent(\"\")\n\n/**\n * Detects a common minimal indent like it
does [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent:
String = \"\"): String {\n    val lines = lines()\n\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n
    .map(String::indentWidth)\n        .min() ?: 0\n\n    return lines.reindent(length + newIndent.length * lines.size,
getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every
line of the original string.\n *\n * Doesn't preserve the original
 line endings.\n */\npublic fun String.prependIndent(indent: String = \"    \"): String =\n    lineSequence()\n        .map
{\n            when {\n                it.isBlank() -> {\n                    when {\n                        it.length < indent.length ->
indent\n                        else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n
.joinToString(\"\\n\")\n\nprivate fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1)
length else it }\n\nprivate fun getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String ->
line }\n    else -> { line: String -> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n
resultSizeEstimate: Int,\n    indentAddFunction: (String) -> String,\n    indentCutFunction: (String) -> String?\n):
String {\n    val lastIndex = lastIndex\n    return mapIndexedNotNull { index, value ->\n        if ((index == 0 || index
 == lastIndex) && value.isBlank())\n            null\n        else\n
indentCutFunction(value)?.let(indentAddFunction) ?: value\n    }\n        .joinTo(StringBuilder(resultSizeEstimate),
\"\\n\")\n        .toString()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper
Typography.\n */\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark */\n    public
const val quote: Char = '\\u0022'\n    /** The character &#x24; \u2013 dollar sign */\n    public const val dollar:
Char = '\\u0024'\n    /** The character &#x26; \u2013 ampersand */\n    public const val amp: Char = '\\u0026'\n
/** The character &#x3C; \u2013 less-than sign */\n    public const val less: Char = '\\u003C'\n    /** The character
&#x3E;
 \u2013 greater-than sign */\n    public const val greater: Char = '\\u003E'\n    /** The non-breaking space character
*/\n    public const val nbsp: Char = '\\u00A0'\n    /** The character &#xD7; */\n    public const val times: Char =
'\\u00D7'\n    /** The character &#xA2; */\n    public const val cent: Char = '\\u00A2'\n    /** The character &#xA3;
*/\n    public const val pound: Char = '\\u00A3'\n    /** The character &#xA7; */\n    public const val section: Char =
'\\u00A7'\n    /** The character &#xA9; */\n    public const val copyright: Char = '\\u00A9'\n    /** The character
&#xAB; */\n    public const val leftGuillemete: Char = '\\u00AB'\n    /** The character &#xBB; */\n    public const
val rightGuillemete: Char = '\\u00BB'\n    /** The character &#xAE; */\n    public const val registered: Char =
'\\u00AE'\n    /** The character &#xB0; */\n    public const val degree: Char = '\\u00B0'\n    /** The character
&#xB1; */\n    public const val plusMinus: Char = '\\u00B1'\n    /**
```

The character ¶ */\n public const val paragraph: Char = '\\u00B6'\n /** The character · */\n public const val middleDot: Char = '\\u00B7'\n /** The character ½ */\n public const val half: Char = '\\u00BD'\n /** The character – */\n public const val ndash: Char = '\\u2013'\n /** The character — */\n public const val mdash: Char = '\\u2014'\n /** The character ‘ */\n public const val leftSingleQuote: Char = '\\u2018'\n /** The character ’ */\n public const val rightSingleQuote: Char = '\\u2019'\n /** The character ‚ */\n public const val lowSingleQuote: Char = '\\u201A'\n /** The character “ */\n public const val leftDoubleQuote: Char = '\\u201C'\n /** The character ” */\n public const val rightDoubleQuote: Char = '\\u201D'\n /** The character „ */\n public const val lowDoubleQuote: Char = '\\u201E'\n /** The character † */\n public const val dagger: Char = '\\u2020'\n /** The character ‡ */\n public const val doubleDagger: Char = '\\u2021'\n /** The character • */\n public const val bullet: Char = '\\u2022'\n /** The character … */\n public const val ellipsis: Char = '\\u2026'\n /** The character ′ */\n public const val prime: Char = '\\u2032'\n /** The character ″ */\n public const val doublePrime: Char = '\\u2033'\n /** The character € */\n public const val euro: Char = '\\u20AC'\n /** The character ™ */\n public const val tm: Char = '\\u2122'\n /** The character ≈ */\n public const val almostEqual: Char = '\\u2248'\n /** The character ≠ */\n public const val notEqual: Char = '\\u2260'\n /** The character ≤ */\n public const val lessOrEqual: Char = '\\u2264'\n /** The character ≥ */\n public const val greaterOrEqual: Char = '\\u2265'\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index can be `null`,\n * if the corresponding group in the regular expression is optional and\n * there was no match captured by that group.\n */\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n /** Returns a group with the specified [index].\n *\n * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n *\n * Groups are indexed
from 1 to the count of groups in the regular expression. A group with the index 0\n * corresponds to the entire match.\n */\n public operator fun get(index: Int): MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n */\n@SinceKotlin(\"1.1\")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n /**\n * Returns a named group with the specified [name].\n * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n * @throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.\n * @throws UnsupportedOperationException if getting named groups isn't supported on the current platform.\n */\n public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the results from a single regular expression match.\n */\npublic interface MatchResult {\n
/** The range of indices in the original string where match was captured. */\n public val range: IntRange\n /** The substring from the input string captured by this match. */\n public val value: String\n /**\n * A collection of groups matched by the regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n */\n public val groups: MatchGroupCollection\n /**\n * A list of matched indexed group values.\n *\n * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding
item in [groupValues] is an empty string.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val groupValues: List<String>\n\n /**\n * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment

of group values.\n *\n * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val destructured: Destructured get() = Destructured(this)\n\n /** Returns a new [MatchResult] with the results for the next match, starting at the position\n * at which the last match ended (at the character after the last matched character).\n */\n public fun next(): MatchResult?\n\n /**\n * Provides components for destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group, [component2] \u2014
of the second, and so on.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding component value is an empty string.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public class Destructured internal constructor(public val match: MatchResult) {\n @kotlin.internal.InlineOnly\n public operator inline fun component1(): String = match.groupValues[1]\n @kotlin.internal.InlineOnly\n public operator inline fun component2(): String = match.groupValues[2]\n @kotlin.internal.InlineOnly\n public operator inline fun component3(): String = match.groupValues[3]\n @kotlin.internal.InlineOnly\n public operator inline fun component4(): String = match.groupValues[4]\n @kotlin.internal.InlineOnly\n public operator inline fun component5(): String = match.groupValues[5]\n @kotlin.internal.InlineOnly\n
public operator inline fun component6(): String = match.groupValues[6]\n @kotlin.internal.InlineOnly\n public operator inline fun component7(): String = match.groupValues[7]\n @kotlin.internal.InlineOnly\n public operator inline fun component8(): String = match.groupValues[8]\n @kotlin.internal.InlineOnly\n public operator inline fun component9(): String = match.groupValues[9]\n @kotlin.internal.InlineOnly\n public operator inline fun component10(): String = match.groupValues[10]\n\n /**\n * Returns destructured group values as a list of strings.\n * First value in the returned list corresponds to the value of the first group, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.math.abs\n\n@UseExperimental(ExperimentalTime::class)\nprivate inline val storageUnit get() = DurationUnit.NANOSECONDS\n\n/**\n * Represents the amount of time one instant of time is away from another instant.\n *\n * A negative duration is possible in a situation when the second instant is earlier than the first one.\n * An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.\n *\n * To construct a duration use either the extension function [toDuration],\n * or the extension properties [hours], [minutes], [seconds], and so on,\n * available on [Int], [Long], and [Double] numeric types.\n *\n * To get the value of this duration expressed in a particular [duration units][DurationUnit]\n * use the functions [toInt], [toLong], and [toDouble]\n * or the properties
[inHours], [inMinutes], [inSeconds], [inNanoseconds], and so on.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Suppress(\"NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS\")\npublic inline class Duration internal constructor(internal val value: Double) : Comparable<Duration> {\n// TODO: backend fails on init block, wait for KT-28055\n\n// init {\n// require(_value.isNaN().not())\n// }\n\n companion object {\n /** The duration equal to exactly 0 seconds. */\n public val ZERO: Duration = Duration(0.0)\n\n /** The duration whose value is positive infinity. It is useful for representing timeouts that should never expire. */\n public val INFINITE: Duration = Duration(Double.POSITIVE_INFINITY)\n\n /** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\n public fun convert(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =\n
convertDurationUnit(value, sourceUnit, targetUnit)\n }\n\n // arithmetic operators\n\n /** Returns the negative of this value. */\n public operator fun unaryMinus(): Duration = Duration(-value)\n\n /** Returns a duration whose value is the sum of this and [other] duration values. */\n public operator fun plus(other: Duration):

Duration = Duration(value + other.value)\n\n   /** Returns a duration whose value is the difference between this and [other] duration values. */\n   public operator fun minus(other: Duration): Duration = Duration(value - other.value)\n\n   /** Returns a duration whose value is this duration value multiplied by the given [scale] number. */\n   public operator fun times(scale: Int): Duration = Duration(value * scale)\n\n   /** Returns a duration whose value is this duration value multiplied by the given [scale] number. */\n   public operator fun times(scale: Double): Duration = Duration(value * scale)\n\n   /** Returns a duration whose value
 is this duration value divided by the given [scale] number. */\n   public operator fun div(scale: Int): Duration = Duration(value / scale)\n\n   /** Returns a duration whose value is this duration value divided by the given [scale] number. */\n   public operator fun div(scale: Double): Duration = Duration(value / scale)\n\n   /** Returns a number that is the ratio of this and [other] duration values. */\n   public operator fun div(other: Duration): Double = this.value / other.value\n\n   /** Returns true, if the duration value is less than zero. */\n   public fun isNegative(): Boolean = value < 0\n\n   /** Returns true, if the duration value is greater than zero. */\n   public fun isPositive(): Boolean = value > 0\n\n   /** Returns true, if the duration value is infinite. */\n   public fun isInfinite(): Boolean = value.isInfinite()\n\n   /** Returns true, if the duration value is finite. */\n   public fun isFinite(): Boolean = value.isFinite()\n\n   /** Returns the absolute
 value of this value. The returned value is always non-negative. */\n   public val absoluteValue: Duration get() = if (isNegative()) -this else this\n\n   override fun compareTo(other: Duration): Int = this.value.compareTo(other.value)\n\n\n   // splitting to components\n\n   /**\n   * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n   * The result of [action] is returned as the result of this function.\n   *\n   * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n   * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n   * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n   * - `hours` represents the whole number of hours in this duration, and its absolute value is less than 24;\n   * -
 `days` represents the whole number of days in this duration.\n   * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n   * it is coerced into that range.\n   */\n   public inline fun <T> toComponents(action: (days: Int, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\n   action(inDays.toInt(), hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\n\n   /**\n   * Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n   * The result of [action] is returned as the result of this function.\n   *\n   * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n   * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n   * - `minutes` represents the whole number of minutes
 in this duration, and its absolute value is less than 60;\n   * - `hours` represents the whole number of hours in this duration.\n   * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n   * it is coerced into that range.\n   */\n   public inline fun <T> toComponents(action: (hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\n   action(inHours.toInt(), minutesComponent, secondsComponent, nanosecondsComponent)\n\n   /**\n   * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these components.\n   * The result of [action] is returned as the result of this function.\n   *\n   * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n   * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n   * - `minutes`
 represents the whole number of minutes in this duration.\n   * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n   * it is coerced into that range.\n   */\n   public inline fun <T> toComponents(action: (minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\n   action(inMinutes.toInt(), secondsComponent, nanosecondsComponent)\n\n   /**\n   * Splits this duration into seconds, and nanoseconds and executes the given [action] with these components.\n   * The result of [action] is returned as the result of this function.\n   *\n   * - `nanoseconds` represents the whole number of nanoseconds in

```
this duration, and its absolute value is less than 1_000_000_000;\n     * - `seconds` represents the whole number of seconds in this duration.\n     *   If the value doesn't fit in [Long] range, i.e. it's greater than [Long.MAX_VALUE] or less than [Long.MIN_VALUE],\n     *   it is coerced into that range.\n
   */\n    public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T =\n action(inSeconds.toLong(), nanosecondsComponent)\n\n    @PublishedApi\n    internal val hoursComponent: Int get() = (inHours % 24).toInt()\n    @PublishedApi\n    internal val minutesComponent: Int get() = (inMinutes % 60).toInt()\n    @PublishedApi\n    internal val secondsComponent: Int get() = (inSeconds % 60).toInt()\n @PublishedApi\n    internal val nanosecondsComponent: Int get() = (inNanoseconds % 1e9).toInt()\n\n\n    // conversion to units\n\n    /** Returns the value of this duration expressed as a [Double] number of the specified [unit]. */\n    public fun toDouble(unit: DurationUnit): Double = convertDurationUnit(value, storageUnit, unit)\n\n /**\n     * Returns the value of this duration expressed as a [Long] number of the specified [unit].\n     *\n     * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong]
 for details.\n     */\n    public fun toLong(unit: DurationUnit): Long = toDouble(unit).toLong()\n\n    /**\n     * Returns the value of this duration expressed as an [Int] number of the specified [unit].\n     *\n     * If the value doesn't fit in the range of [Int] type, it is coerced into that range, see the conversion [Double.toInt] for details.\n */\n    public fun toInt(unit: DurationUnit): Int = toDouble(unit).toInt()\n\n    /** The value of this duration expressed as a [Double] number of days. */\n    public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n    /** The value of this duration expressed as a [Double] number of hours. */\n public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n    /** The value of this duration expressed as a [Double] number of minutes. */\n    public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n    /** The value of this duration expressed as a [Double] number of seconds. */\n    public val
 inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\n\n    /** The value of this duration expressed as a [Double] number of milliseconds. */\n    public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\n\n    /** The value of this duration expressed as a [Double] number of microseconds. */\n    public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n /** The value of this duration expressed as a [Double] number of nanoseconds. */\n    public val inNanoseconds: Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n    // shortcuts\n\n    /**\n     * Returns the value of this duration expressed as a [Long] number of nanoseconds.\n     *\n     * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n     *\n     * The range of durations that can be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n     */\n public fun toLongNanoseconds():
 Long = toLong(DurationUnit.NANOSECONDS)\n\n    /**\n     * Returns the value of this duration expressed as a [Long] number of milliseconds.\n     *\n     * The value is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n     *\n     * The range of durations that can be expressed as a `Long` number of milliseconds is approximately \u00b1292 million years.\n     */\n    public fun toLongMilliseconds(): Long = toLong(DurationUnit.MILLISECONDS)\n\n    /**\n     * Returns a string representation of this duration value expressed in the unit which yields the most compact and readable number value.\n     *\n     * Special cases:\n     *  - zero duration is formatted as `\"0s\"`\n     *  - the infinite duration is formatted as `\"Infinity\"` without unit\n     *  - very small durations (less than 1e-15 s) are expressed in seconds and formatted in scientific notation\n     *  - very big durations (more than 1e+7 days)
 are expressed in days and formatted in scientific notation\n     *\n     * @return the value of duration in the automatically determined unit followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n     *\n     * @sample samples.time.Durations.toStringDefault\n     */\n    override fun toString(): String = when {\n isInfinite() -> value.toString()\n        value == 0.0 -> \"0s\"\n        else -> {\n            val absNs = absoluteValue.inNanoseconds\n            var scientific = false\n            var maxDecimals = 0\n            val unit = when {\n                absNs < 1e-6 -> DurationUnit.SECONDS.also { scientific = true }\n                absNs < 1 -> DurationUnit.NANOSECONDS.also { maxDecimals = 7 }\n                absNs < 1e3 ->
```

```
DurationUnit.NANOSECONDS\n                absNs < 1e6 -> DurationUnit.MICROSECONDS\n                absNs < 1e9 -> DurationUnit.MILLISECONDS\n                absNs < 1000e9 -> DurationUnit.SECONDS\n                absNs < 60_000e9 -> DurationUnit.MINUTES\n                absNs < 3600_000e9 -> DurationUnit.HOURS\n                absNs < 86400e9 * 1e7 -> DurationUnit.DAYS\n                else -> DurationUnit.DAYS.also { scientific = true }\n        }\n        val value = toDouble(unit)\n        when {\n            scientific -> formatScientific(value)\n            maxDecimals > 0 -> formatUpToDecimals(value, maxDecimals)\n            else -> formatToExactDecimals(value, precision(abs(value)))\n        } + unit.shortName()\n    }\n}\n\nprivate fun precision(value: Double): Int = when {\n    value < 1 -> 3\n    value < 10 -> 2\n    value < 100 -> 1\n    else -> 0\n}\n\n/**\n * Returns a string representation of this duration value expressed in the given [unit]\n * and formatted with the specified [decimals] number of digits after decimal point.\n *\n * Special cases:\n *  - the infinite duration is formatted as `\"Infinity\"`
 without unit\n *\n * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n *\n * @throws IllegalArgumentException if [decimals] is less than zero.\n *\n * @sample samples.time.Durations.toStringDecimals\n */\npublic fun toString(unit: DurationUnit, decimals: Int = 0): String {\n    require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n    if (isInfinite()) return value.toString()\n    val number = toDouble(unit)\n    return when {\n        abs(number) < 1e14 -> formatToExactDecimals(number, decimals.coerceAtMost(12))\n        else -> formatScientific(number)\n    } + unit.shortName()\n}\n\n/**\n * Returns an ISO-8601 based string representation of this duration.\n *\n * The returned value is presented in the format `PThHmMs.fS`, where `h`, `m`, `s` are the integer components of this duration
 (see [toComponents])\n * and `f` is a fractional part of second. Depending on the roundness of the value the fractional part can be formatted with either\n * 0, 3, 6, or 9 decimal digits.\n *\n * If the hours component absolute value of this duration is greater than [Int.MAX_VALUE], it is replaced with [Int.MAX_VALUE],\n * so the infinite duration is formatted as `\"PT2147483647H\".\n *\n * Negative durations are indicated with the sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\n *\n * @sample samples.time.Durations.toIsoString\n */\n@UseExperimental(ExperimentalStdlibApi::class)\npublic fun toIsoString(): String = buildString {\n    if (isNegative()) append('-')\n    append(\"PT\")\n    absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n        val hasHours = hours != 0\n        val hasSeconds = seconds != 0 || nanoseconds != 0\n        val hasMinutes = minutes
 != 0 || (hasSeconds && hasHours)\n        if (hasHours) {\n            append(hours).append('H')\n        }\n        if (hasMinutes) {\n            append(minutes).append('M')\n        }\n        if (hasSeconds || (!hasHours && !hasMinutes)) {\n            append(seconds)\n            if (nanoseconds != 0) {\n                append('.')\n                val nss = nanoseconds.toString().padStart(9, '0')\n                when {\n                    nanoseconds % 1_000_000 == 0 -> appendRange(nss, 0, 3)\n                    nanoseconds % 1_000 == 0 -> appendRange(nss, 0, 6)\n                    else -> append(nss)\n                }\n            }\n            append('S')\n        }\n    }\n}\n\n// constructing from number of units\n// extension functions\n\n/** Returns a [Duration] equal to this [Int] number of the specified [unit]. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic fun Int.toDuration(unit:
 DurationUnit): Duration = toDouble().toDuration(unit)\n\n/** Returns a [Duration] equal to this [Long] number of the specified [unit]. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic fun Long.toDuration(unit: DurationUnit): Duration = toDouble().toDuration(unit)\n\n/** Returns a [Duration] equal to this [Double] number of the specified [unit]. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic fun Double.toDuration(unit: DurationUnit): Duration = Duration(convertDurationUnit(this, unit, storageUnit))\n\n// constructing from number of units\n// extension properties\n\n/** Returns a [Duration] equal to this [Int] number of nanoseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of nanoseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal
```

to this [Double] number of nanoseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of
milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Int.minutes
get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Double] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Int] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Double] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Int] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic
val Int.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Long.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Double] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\ninternal expect fun formatToExactDecimals(value:
Double, decimals: Int): String\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String\ninternal expect fun formatScientific(value: Double): String","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

*/\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName(\"DurationUnitKt\")\n\npackage kotlin.time\n\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24 [HOURS].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic expect enum class DurationUnit {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n */\n NANOSECONDS,\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n */\n MICROSECONDS,\n /**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n */\n MILLISECONDS,\n /**\n * Time unit representing one second.\n */\n SECONDS,\n /**\n * Time unit representing one minute.\n */\n MINUTES,\n /**\n * Time unit representing one hour.\n */\n HOURS,\n /**\n * Time unit representing one day, which is always equal to 24 hours.\n */\n DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal expect fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\n\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal fun DurationUnit.shortName(): String = when (this) {\n DurationUnit.NANOSECONDS -> \"ns\"\n DurationUnit.MICROSECONDS -> \"us\"\n DurationUnit.MILLISECONDS -> \"ms\"\n DurationUnit.SECONDS -> \"s\"\n DurationUnit.MINUTES -> \"m\"\n DurationUnit.HOURS -> \"h\"\n DurationUnit.DAYS -> \"d\"\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the experimental preview of the standard library API for measuring time and working with durations.\n *\n * > Note that this API is in a preview state and has a very high chance of being changed in the future.\n * Do not use it if you develop a library since your library will become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.time.ExperimentalTime`.\n */\n@Suppress(\"DEPRECATION\")\n@Experimental(level = Experimental.Level.ERROR)\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalTime\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n *\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to query the elapsed time later.\n *\n * @see [measureTime]\n * @see [measureTimedValue]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic interface TimeSource {\n /**\n * Marks a point in time on this time source.\n *\n * The returned [TimeMark] instance encapsulates the captured time point and allows querying\n * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n */\n public fun markNow(): TimeMark\n\n /**\n * The most precise time source available in the platform.\n *\n * This time source returns its readings from a source of monotonic time when it is available in a target platform,\n * and resorts to a non-monotonic time source otherwise.\n */\n public object Monotonic : TimeSource by MonotonicTimeSource {\n override fun toString(): String = MonotonicTimeSource.toString()\n }\n\n\n public companion object {\n\n }\n}\n\n/**\n * Represents a time point notched on a particular [TimeSource]. Remains bound to the time source

it was taken from\n * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class TimeMark {\n /**\n * Returns the amount of time passed from this mark measured with the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n */\n public abstract fun elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same time source that is ahead of this time mark by the specified [duration].\n *\n * The returned time mark is more _late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n */\n public open operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n * Returns a time mark on the same time source that is behind this time mark by the specified [duration].\n *\n * The returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is negative.\n */\n public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n\n /**\n * Returns true if this time mark has passed according to the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind the current point of the time source.\n */\n public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\n\n /**\n * Returns false if this time mark has not passed according to the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can change only from `true` to `false`, namely,
when the time mark becomes behind the current point of the time source.\n */\n public fun hasNotPassedNow(): Boolean = elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Deprecated(\n \"Subtracting one TimeMark from another is not a well defined operation because these time marks could have been obtained from the different time sources.\",\n level = DeprecationLevel.ERROR\n)\npublic inline operator fun TimeMark.minus(other: TimeMark): Duration = throw Error(\"Operation is disallowed.\")\n\n@ExperimentalTime\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Deprecated(\n \"Comparing one TimeMark to another is not a well defined operation because these time marks could have been obtained from the different time sources.\",\n level = DeprecationLevel.ERROR\n)\npublic inline operator fun TimeMark.compareTo(other: TimeMark): Int = throw Error(\"Operation is disallowed.\")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val
mark: TimeMark, val adjustment: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)\n}\n\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use TimeSource interface instead.\", ReplaceWith(\"TimeSource\", \"kotlin.time.TimeSource\"))\npublic typealias Clock = TimeSource\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use TimeMark class instead.\", ReplaceWith(\"TimeMark\", \"kotlin.time.TimeMark\"))\npublic typealias ClockMark = TimeMark\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal expect object MonotonicTimeSource : TimeSource\n\n/**\n * An abstract class
used to implement time sources that return their readings as [Long] values in the specified [unit].\n *\n * @property unit The unit in which this time source's readings are expressed.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current reading of the time source expressed as a [Long] number\n * in the unit specified by the [unit] property.\n */\n protected abstract fun read(): Long\n\n private class LongTimeMark(private val startedAt: Long, private val timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n override fun

plus(duration: Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n   }\n\n   override fun markNow(): TimeMark
 = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * An abstract class used to implement time sources that return their readings as [Double] values in the specified [unit].\n *\n * @property unit The unit in which this time source's readings are expressed.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class AbstractDoubleTimeSource(protected val unit: DurationUnit) : TimeSource {\n   /**\n   * This protected method should be overridden to return the current reading of the time source expressed as a [Double] number\n   * in the unit specified by the [unit] property.\n   */\n   protected abstract fun read(): Double\n\n   private class DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {\n   override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n   override fun plus(duration: Duration): TimeMark = DoubleTimeMark(startedAt,
 timeSource, offset + duration)\n   }\n\n   override fun markNow(): TimeMark = DoubleTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.\n *\n * The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:\n *\n * ```\n * val timeSource = TestTimeSource()\n * timeSource += 10.seconds\n * ```\n *\n * Implementation note: the current reading value is stored as a [Long] number of nanoseconds,\n * thus it's capable to represent a time range of approximately \u00b1292 years.\n * Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic class TestTimeSource : AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n   private var reading: Long = 0L\n\n   override fun read(): Long = reading\n\n
 /**\n
  * Advances the current reading value of this time source by the specified [duration].\n   *\n   * [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds.\n   * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't advance because\n   * the duration value is rounded to zero nanoseconds.\n   *\n   * @throws IllegalStateException when the reading value overflows as the result of this operation.\n   */\n   public operator fun plusAssign(duration: Duration) {\n   val delta = duration.toDouble(unit)\n   val longDelta = delta.toLong()\n   reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n   // when delta fits in long, add it as long\n   val newReading = reading + longDelta\n   if (reading xor longDelta >= 0 && reading xor newReading < 0) overflow(duration)\n   newReading\n   } else {\n   // when delta is greater than
 long, add it as double\n   val newReading = reading + delta\n   if (newReading > Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n   newReading.toLong()\n   }\n   }\n\n   private fun overflow(duration: Duration) {\n   throw IllegalStateException(\"TestTimeSource will overflow if its reading ${reading}ns is advanced by $duration.\")\n
}\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use TimeSource.Monotonic instead.\", ReplaceWith(\"TimeSource.Monotonic\", \"kotlin.time.TimeSource\"))\npublic typealias MonoClock = TimeSource.Monotonic\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use AbstractLongTimeSource instead.\", ReplaceWith(\"AbstractLongTimeSource\", \"kotlin.time.AbstractLongTimeSource\"))\npublic typealias AbstractLongClock = AbstractLongTimeSource\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use AbstractDoubleTimeSource instead.\", ReplaceWith(\"AbstractDoubleTimeSource\",
 \"kotlin.time.AbstractDoubleTimeSource\"))\npublic typealias AbstractDoubleClock = AbstractDoubleTimeSource\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use TestTimeSource instead.\", ReplaceWith(\"TestTimeSource\", \"kotlin.time.TestTimeSource\"))\npublic typealias TestClock = TestTimeSource\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\n\n/**\n * Executes the given function [block] and returns the

duration of elapsed time interval.\n *\n * The elapsed time is measured with [TimeSource.Monotonic].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun measureTime(block: () -> Unit): Duration {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return TimeSource.Monotonic.measureTime(block)\n}\n\n\n/**\n * Executes the given function [block] and returns the duration of elapsed time interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: () -> Unit): Duration {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n val mark = markNow()\n block()\n return mark.elapsedNow()\n}\n\n\n/**\n * Data class representing a result of executing an action, along with the duration of elapsed time interval.\n *\n * @property value the result of the action.\n * @property duration the time elapsed to execute the action.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic data class TimedValue<T>(val value: T, val duration: Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue] class, containing both\n * the result of the function execution and the duration of elapsed time interval.\n *\n *

The elapsed time is measured with [TimeSource.Monotonic].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun <T> measureTimedValue(block: () -> T): TimedValue<T> {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n return TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun <T> TimeSource.measureTimedValue(block: () -> T): TimedValue<T> {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n val mark = markNow()\n val result = block()\n return TimedValue(result, mark.elapsedNow())\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n *\n * @see Any.hashCode\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three components.\n */\n@SinceKotlin(\"1.1\")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n /**\n * Creates a version from [major] and [minor] components, leaving [patch] component zero.\n */\n public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n private val version = versionOf(major, minor, patch)\n\n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in 0..MAX_COMPONENT_VALUE) {\n \"Version components are out of range: $major.$minor.$patch\"\n }\n return major.shl(16) + minor.shl(8) + patch\n }\n\n /**\n * Returns the string representation of this version\n */\n override fun toString(): String = \"$major.$minor.$patch\"\n\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n val otherVersion = (other as? KotlinVersion) ?: return false\n return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major] and [minor] components.\n */\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major || (this.major == major &&\n this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with

the provided [major], [minor] and [patch] components.\n */\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n this.major > major || (this.major == major &&\n (this.minor > minor || this.minor == minor &&\n this.patch >= patch))\n\n companion object {\n /**\n * Maximum value
a version component can have, a constant value 255.\n */\n // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized in JS\n public const val MAX_COMPONENT_VALUE = 255\n\n /**\n * Returns the current version of the Kotlin standard library.\n */\n @kotlin.jvm.JvmField\n public val CURRENT: KotlinVersion = KotlinVersion(1, 3, 70) // value is written here automatically during build\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\n@file:Suppress(\"unused\")\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned
a value, and `false` otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral KProperty0<*>.isInitialized: Boolean\n get() = throw NotImplementedError(\"Implementation is intrinsic\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"LazyKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n */\npublic interface Lazy<out T> {\n /**\n * Gets the lazily initialized value of the current Lazy instance.\n * Once the value was initialized it must not change during the rest of lifetime of
this Lazy instance.\n */\n public val value: T\n\n /**\n * Returns `true` if a value for this Lazy instance has been already initialized, and `false` otherwise.\n * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n */\n public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already initialized with the specified [value].\n */\npublic fun <T> lazyOf(value: T): Lazy<T> = InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of [Lazy].\n *\n * This extension allows to use instances of Lazy for property delegation:\n * `val property: String by lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization among multiple threads.\n */\npublic enum class LazyThreadSafetyMode
{\n\n /**\n * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n */\n SYNCHRONIZED,\n\n /**\n * Initializer function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n * but only the first returned value will be used as the value of [Lazy] instance.\n */\n PUBLICATION,\n\n /**\n * No locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n *\n * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one thread.\n */\n NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n private var initializer: (() -> T)? = initializer\n private var _value: Any? = UNINITIALIZED_VALUE\n\n override val value: T\n get() {\n if (_value === UNINITIALIZED_VALUE) {\n _value = initializer!!()\n initializer = null\n }\n @Suppress(\"UNCHECKED_CAST\")\n return _value as T\n }\n\n override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE\n\n override fun toString(): String = if (isInitialized()) value.toString() else \"Lazy value not initialized yet.\"\n\n private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {\n\n override fun isInitialized(): Boolean = true\n\n override fun toString(): String = value.toString()\n\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin

Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\npackage kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.takeLowestOneBit(): Int\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.rotateLeft(bitCount: Int): Int\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Int.rotateRight(bitCount: Int): Int\n\n/**\n * Counts the number of set bits in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.takeHighestOneBit(): Long\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.takeLowestOneBit(): Long\n\n/**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.rotateLeft(bitCount: Int): Long\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as

rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic expect fun Long.rotateRight(bitCount: Int): Long\n\n/**\n * Counts the number of set bits in the binary representation of this [Byte] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n\n/**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Byte.rotateLeft(bitCount: Int): Byte =\n (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Byte.rotateRight(bitCount: Int): Byte =\n (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Short.countLeadingZeroBits(): Int =\n (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline

fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n\n/**\n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Short.rotateLeft(bitCount: Int): Short =\n (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\n\n/**\n * Rotates the binary representation of this [Short] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Short.rotateRight(bitCount: Int): Short =\n (toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.2\")\n@Suppress(\"INVISIBLE_MEMBER\", \"INVISIBLE_REFERENCE\")\n@RequireKotlin(\"1.2.30\", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun <R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"TuplesKt\")\n\npackage kotlin\n\n\n/**\n * Represents a generic pair of two values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor Creates a new instance of Pair.\n */\npublic data class Pair<out A, out B>(\n public val first: A,\n public val second: B\n) : Serializable {\n\n /**\n * Returns string representation of the [Pair] including its [first] and [second] values.\n */\n public override fun toString(): String = \"($first, $second)\"\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample samples.misc.Tuples.pairToList\n */\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second Second value.\n * @property third Third value.\n */\npublic data class Triple<out A, out B, out C>(\n public val first: A,\n public val second: B,\n public val third: C\n) : Serializable {\n\n /**\n * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n */\n public override fun toString(): String = \"($first, $second, $third)\"\n}\n\n/**\n * Converts this triple into a list.\n * @sample

samples.misc.Tuples.tripleToList\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n override val start: UInt get() = first\n override val endInclusive: UInt get() = last\n\n override fun contains(value: UInt): Boolean = first <= value && value <= last\n\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is UIntRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type UInt. */\n public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n }\n}\n\n/**\n * A progression of values of type `UInt`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic open class UIntProgression\ninternal constructor(\n start: UInt,\n endInclusive: UInt,\n step: Int\n) : Iterable<UInt> {\n init {\n if (step == 0.toInt()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: UInt = start\n\n /**\n * The last element in the progression.\n */\n public val last: UInt = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is UIntProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates UIntProgression within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * An iterator over a progression of values of type `UInt`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private val step = step.toUInt() // use 2-complement math for negative steps\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextUInt(): UInt {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n } else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class UByteIterator : Iterator<UByte> {\n override final fun next() = nextUByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class UShortIterator : Iterator<UShort> {\n override final fun next() = nextUShort()\n\n /** Returns the next value in the sequence without boxing. */\n

public abstract fun nextUShort(): UShort\n}\n\n/** An iterator over a sequence of values of type `UInt`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class UIntIterator : Iterator<UInt> {\n override final fun next() = nextUInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUInt(): UInt\n}\n\n/** An iterator over a sequence of values of type `ULong`. */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic abstract class ULongIterator : Iterator<ULong> {\n override final fun next() = nextULong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextULong(): ULong\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `ULong`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n override val start: ULong get() = first\n override val endInclusive: ULong get() = last\n\n override fun contains(value: ULong): Boolean = first <= value && value <= last\n\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is ULongRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type ULong. */\n public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n }\n}\n\n/**\n * A progression of values of type `ULong`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic open class ULongProgression\ninternal constructor(\n start: ULong,\n endInclusive: ULong,\n step: Long\n) : Iterable<ULong> {\n init {\n if (step == 0.toLong()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: ULong = start\n\n /**\n * The last element in the progression.\n */\n public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public val step: Long = step\n\n override fun iterator(): ULongIterator = ULongProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is ULongProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates ULongProgression within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\n }\n}\n\n\n\n/**\n * An iterator over a progression of values of type `ULong`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\nprivate class ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private val step = step.toULong() // use 2-complement math for negative steps\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextULong(): ULong {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n

} else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun min(a: UInt, b: UInt): UInt {\n return minOf(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun min(a: ULong, b: ULong): ULong {\n return minOf(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun max(a: UInt, b: UInt): UInt {\n return maxOf(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun max(a: ULong, b: ULong): ULong {\n return maxOf(a, b)\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"UNumbersKt\")\npackage kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [UInt] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits(): Int = toInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UInt] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int = toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UInt] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int = toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt = toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt = toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int): UInt = toInt().rotateLeft(bitCount).toUInt()\n\n\n/**\n * Rotates the binary representation of this [UInt] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl

y\npublic inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n\n/**\n * Counts the number of set bits in the binary representation of this [ULong] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation
of this [ULong] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int = toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [ULong] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int = toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong = toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong = toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte = toInt().takeLowestOneBit().toUByte()\n\n\n/**\n * Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number,
or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount:
Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UShort] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\n\n/**\n
* Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\n\n\n/**\n * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating
the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n

*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n   val ac = a % c\n   val bc = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n   val ac = a % c\n   val bc = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step: Int): UInt = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"UStringsKt\") // string representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix

for number to string conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n\n/**\n * Parses the string as
 a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(): UShort = toUShortOrNull() ?: numberFormatError(this)\n\n/**\n
 * Parses the string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(): UInt = toUIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(): ULong = toULongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatError(this)\n\n\n\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation
 of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(radix: Int): UByte? {\n   val int = this.toUIntOrNull(radix) ?: return null\n   if (int > UByte.MAX_VALUE) return null\n   return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(): UShort? = toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null`
 if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(radix: Int): UShort? {\n   val int = this.toUIntOrNull(radix) ?: return null\n   if (int > UShort.MAX_VALUE) return null\n   return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun

```
String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toUIntOrNull(radix: Int): UInt? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val limit: UInt = UInt.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if (firstChar < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n    val limitForMaxRadix = 119304647u  //  limit / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    val uradix = radix.toUInt()\n    var result = 0u\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n\n        result *= uradix\n\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun String.toULongOrNull(radix: Int): ULong? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val limit: ULong = ULong.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if (firstChar
    < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n\n    val limitForMaxRadix = 512409557603043100uL  //  limit / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    val uradix = radix.toULong()\n    var result = 0uL\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n\n        result *= uradix\n\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the experimental unsigned types, including those types themselves.\n *\n * Usages of such API will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`,\n * or with the `-Xopt-in=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n *\n * It's recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with this annotation.\n */\n@Suppress(\"DEPRECATION\")\n@Experimental(level = Experimental.Level.WARNING)\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS,
    ANNOTATION_CLASS, PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MathKt\")\n\n\npackage
```

kotlin.math\n\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin(\"1.2\")\npublic const val PI: Double = 3.141592653589793\n/** Base of the natural logarithms, approximately 2.71828. */\n@SinceKotlin(\"1.2\")\npublic
const val E: Double = 2.718281828459045\n\n// region ================ Double Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Double): Double\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Double): Double\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Double): Double\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Double): Double\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Double): Double\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for
`x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Double, x: Double): Double\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Double): Double\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Double): Double\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n
*\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)`
is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Double): Double\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Double, y: Double): Double\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Double): Double\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n

```
*   - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Double): Double\n\n/**\n
 * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near
zero.\n *\n * Special cases:\n *   - `expm1(NaN)` is `NaN`\n *   - `expm1(+Inf)` is `+Inf`\n *   - `expm1(-Inf)` is `-
1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Double):
Double\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n *   - `log(x,
b)` is `NaN` if either `x` or `b` are `NaN`\n *   - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n *   -
`log(+Inf, +Inf)` is `NaN`\n *   - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n *   - `log(0.0, b)` is `-Inf`
for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and
[log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Double, base: Double): Double\n\n/**\n * Computes
the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n
 *   - `ln(NaN)` is `NaN`\n *   - `ln(x)` is `NaN` when `x < 0.0`\n *   - `ln(+Inf)` is `+Inf`\n *   - `ln(0.0)` is `-Inf`\n
*/\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Double): Double\n\n/**\n * Computes the common logarithm
(base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect
fun log10(x: Double): Double\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln]
function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Double): Double\n\n/**\n *
Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n
*\n * Special cases:\n *   - `ln1p(NaN)` is `NaN`\n *   - `ln1p(x)` is `NaN` where `x < -1.0`\n *   - `ln1p(-1.0)` is `-
Inf`\n *   - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n
*/\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Double): Double\n\n/**\n * Rounds the given value
 [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than or equal to
the given value [x] and is a mathematical integer.\n *\n * Special cases:\n *   - `ceil(x)` is `x` where `x` is `NaN` or
`+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Double):
Double\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest
double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special
cases:\n *   - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*/\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Double): Double\n\n/**\n * Rounds the given value [x] to an
integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n *   -
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a
 mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Double): Double\n\n/**\n *
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special
cases:\n *   - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*/\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Double): Double\n\n/**\n * Returns the absolute value of the
given value [x].\n *\n * Special cases:\n *   - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property
for [Double]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Double): Double\n\n/**\n * Returns the sign of
the given value [x]:\n *   - `-1.0` if the value is negative,\n *   - zero if the value is zero,\n *   - `1.0` if the value is
positive\n *\n * Special case:\n *   - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x:
Double): Double\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value
 is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Double, b: Double):
Double\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n
*/\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Double, b: Double): Double\n\n// extensions\n\n/**\n * Raises
this value to the power [x].\n *\n * Special cases:\n *   - `b.pow(0.0)` is `1.0`\n *   - `b.pow(1.0) == b`\n *   -
`b.pow(NaN)` is `NaN`\n *   - `NaN.pow(x)` is `NaN` for `x != 0.0`\n *   - `b.pow(Inf)` is `NaN` for `abs(b) ==
1.0`\n *   - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun Double.pow(x: Double): Double\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the
other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(n: Int):
Double\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n *   - `NaN.absoluteValue`
 is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.absoluteValue:
Double\n\n/**\n * Returns the sign of this value:\n *   - `-1.0` if the value is negative,\n *   - zero if the value is
```

zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.sign: Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Double): Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Int): Double\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.ulp: Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextUp(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextDown(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextTowards(to: Double): Double\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n
 * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToInt(): Int\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToLong(): Long\n\n// endregion\n\n\n\n// region ================ Float Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Float):
 Float\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Float): Float\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Float): Float\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Float): Float\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Float): Float\n\n/**\n * Computes the arc tangent of
 the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Float): Float\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0' and `-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n *  - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *  - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *  - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *  - `atan2(-Inf, x)` is `-PI/2` for
 finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Float, x: Float): Float\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * -

`sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Float): Float\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Float): Float\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *
 - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Float): Float\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Float, y: Float): Float\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Float): Float\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Float): Float\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Float): Float\n\n/**\n * Computes
 the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Float, base: Float): Float\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Float): Float\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x:
 Float): Float\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Float): Float\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Float): Float\n\n/**\n
 * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN`

or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Float): Float\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Float): Float\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Float): Float\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Float): Float\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(n: Int): Float\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.absoluteValue: Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Int): Float\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToLong(): Long\n\n\n// endregion\n\n\n// region ================ Integer Math ==\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.sign: Int\n\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the

smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE`
due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.sign: Int\n\n\n// endregion\n",null,null,null,null,null,null,null,null,null],"names":[],"mappings":"AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,EAAwB,OAAxB,C;SAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAAO,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OAAoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAAG,CAAC,OAAQ,KAAI,c;G;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAI,c;G;EAGlD,MAAM,aAAc,GAAE,a;IAClB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,WAAY,IAAG,CAAC,OAAQ,KAAI,W;G;EAGpD,MAAM,WAAY,GAAE,a;IAChB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,aAAc,GAAE,a;IAClB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAY,GAAE,a;IAChB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,WAAW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,WAAW,MAAM,YAAY,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MAAM,S;IACnE,OAAO,GAAI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EAAI,a;MAAc,OAAO,QAAQ,CAAC,CAAD,C;KAAjC,CAAwC,KAAK,CAAC,IAAD,CAAO,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,CAAE,KAAI,CAAC,C;MACI,OAAO,I;KAEX,IAAI,CAAC,MAAM,WAAW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAA3C,C;MACI,OAAO,K;KAGX,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,CAAC,OAArB,EAA8B,CAAE,GAAE,CAAlC,EAAqC,CAAC,EAAtC,C;MACI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAAlB,C;QACI,OAAO,K;;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAAY,sBAAsB,CAAC,CAAD,EAAI,CAAJ,C;G;EAG1D,MAAM,cAAe,GAAE,e;IACnB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,GAAG,OAAvB,EAAgC,CAAE,GAAE,CAApC,EAAuC,CAAC,EAAxC,C;MACI,MAAO,GAAqB,CAAZ,EAAG,GAAE,MAAO,GAAE,CAAG,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM,kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAAoB,GAAE,iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;EClFd,MAAM,eAAgB,GAAE,mB;IACpB,CAAC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IACb,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,EAAiB,6BA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAAI,UAAW,GAAE,KAAK,QAAP,GAAkB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IAClB,OAAO,G;G;EAGX,IAAI,gCAAgC,CAAC,UAAC,QAAS,IAAT,wBAAqB,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADDvB,CADb,aAIe,QAAS,IAAT,wBAAqB,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADDrB,CAJf,CADgC,EAEShC,UACa,QAAS,IAAT,wBAAqB,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADDvB,CADb,aAIe,QAAS,IAAT,wBAAqB,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADDrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KAAK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,IAFD,aAGC,C,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASlB,OAAO,KAAK,M;G;EChDhB,MAAM,QAAS,GAAE,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAAE,a;IACZ,OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IACZ,OAAO,CAAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IAClB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,CAAF,GAAM,MAAM,KAAK,WAAW,CAAC,C;G;EAGjE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,

MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAc,MAAM,YAAY,CAAC,CAAD,C;G;EAGpE,MAAM,cAAe,
GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGzB,MAAM,aAA
c,GAAE,a;IAClB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,eA
AgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IAClB,OAAO,MAAM,OAAO,CAAC,M
AAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,UAAR,C;
MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAAE,C;G;E
AGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,YAAW,M
AAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,MAAM,U
AAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,CAAD,
C;G;EClDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;KAGnB,I
AAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAAI,I;KA
GpB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,OAAO,
CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAhD,C;MACI,OAAO,I
AAK,KAAI,IAAK,KAAI,IAAK,KAAI,CAAE,IAAG,CAAE,GAAE,IAAK,KAAI,CAAE,GAAE,IAAnC,C;KAGzB
,OAAO,IAAK,KAAI,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GAAI,IAAG,IAAX,C;MACI,OAAO,C;KA
EX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAAG,SA
AU,GAAE,GAAG,SAAS,EAAd,GAAmB,iBAAiB,CAAC,GAAD,C;KAElF,IAAI,UAAW,KAAI,OAAnB,C;MACI
,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAAC,GA
AD,C;KAEhC,IAAI,SAAU,KAAI,OAAlB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,MAA
M,CAAC,GAAD,C;IAChB,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,CAA
E,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O;;MA
GP,OAAO,CAAC,SAAS,E;;G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EAAE,8BA
A+B,IAAG,GAApC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MAAM,
eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAAG,C
AAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,GAAG
,OAAvB,EAAgC,CAAC,EAAjC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,GAAG,I
AAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAAkB,GAAE,iB;EC9C1B,MA
AM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAI,GAAE,C;IAMlB,IAAI,MAAO,GAAE,IAAK,GAAE,C;
G;EAGtB,MAAM,KAAK,WAAY,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KAAK,U
AAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAA
E,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,OAAO,
S;QAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAM,GAAE,CAAxB,EAA2B,KAAM,GAAE,CAAE,GAA
E,EAAF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAAM,K
AAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAY,GAAE,iB;IACv
B,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAAC,MA
AM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAAM,KA
AK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MAAM,K
AAK,WAAW,CAAC,CAAC,KAAF,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAAV,CACF,KAAM,GAA
E,MAAM,KAAK,gBAAkB,GAAE,CADrC,EAEF,KAAM,GAAE,MAAM,KAAK,gBAAkB,GAAE,CAFrC,C;;G;E
AcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAyB,QAAzB,C;
G;EAWT,MAAM,KAAK,WAAY,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAlB,C;MACE,MAAM,KAA
K,CAAC,mCAAD,C;KAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAA
E,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,GAAG,OAAO,CAAC,CAA
D,CAAI,IAAG,GAArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd,E
AAmB,KAAnB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MACL,
MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAA
I,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAAb,
EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC,C

AAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD,
EAAI,CAAE,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAAQ,
MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QAClC,MAAO,GAAE,MAAM
,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEnC,MAAO,G
AAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CAA
C,KAAD,CAAvB,C;;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAA
M,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,G
AAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EAOlC,M
AAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBA
AiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAA
M,KAAK,gBAAiB,GAAE,C;EAIlC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIt
C,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,M
AAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GAClB,MAAM,KAAK,SAAS,CAAC,aAA
W,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,
CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EAO5C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CA
AC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,MA
AM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI,
mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;EA
Q1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,C
AAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,IAA
I,OAAO,EAAf,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MA
AM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACCtC,IAAI,MAA
M,IAAI,IAAI,CAAC,SAAD,C;QAClB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAAD,C;
QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;;QAE
jD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;KAMvC,IAAI,eAAe,MAAM,KAAK,WAA
W,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,O
AAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MA
AM,SAAS,CAAC,YAAD,CAAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;MA
E5B,GAAI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,MA
AM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAI,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,MA
AO,GAAE,M;;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IAClC,OAAO,IAAI,M;G;EAKb,MAAM,KAA
K,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACzC,O
AAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;EAQp
D,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAA
C,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEP,OAAO,IAAI,OAAO,EAAE,cAAc,E;;;MAGpC,IAAI
,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAAf,EA
AmB,GAAI,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAlB,GAAI,GAAG,CAAE,IAAG,GAAAM
,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAI,GAAE,EAAR,GAAa,GAAI
,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAE,IAAG,I
AAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GAAE,C;
G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,KAAG,C;
G;EAQ5B,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IA
AI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAAO,IAA
G,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,
OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB;IACtC
,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IAClC,O
AAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB;IACzC,
OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC9B,I

AAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7B,IAAI,
WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;KAET,IAAI,CAAC,O
AAQ,IAAG,QAAhB,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,C;MAC
E,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WAAW,CA
AC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAElB,OAAO,IAAI,IAAI,EAAE,IAAI,
CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM,IAAI,
MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB
,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,
MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;I
AEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAI,IA
AG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;I
ACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,G
AAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,K;IACP,OAAO,MAA
M,KAAK,SAAS,CAAE,GAAI,IAAG,EAAI,GAAE,GAAf,EAAqB,GAAI,IAAG,EAAI,GAAE,GAAlC,C;G;EAS7
B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EASjB,M
AAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAAf,C;MACE,OAAO,MAAM,KAAK,K;WAC
b,IAAI,KAAK,OAAO,EAAhB,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,MAAM,K
AAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,K
AAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,MAAM,EA
AG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAA
I,KAAK,WAAW,EAApB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;QAE7B,O
AAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EAApB,C;MAC
L,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC,MAAM,K
AAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADlB,C;MAEE,OAAO,MAAM,KA
AK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAAjC,C;KAM/B,IAAI,MAAM,IAAI,MAAO,KA
AI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IAAI,MA
AM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,G
AAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAA
I,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAI,IAAG,GAAI,
GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAA
I,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,
E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,
K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG
,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,GAAI,
GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,G;IACjD,GAAI,IAAG,K;IACP,OA
AO,MAAM,KAAK,SAAS,CAAE,GAAI,IAAG,EAAI,GAAE,GAAf,EAAqB,GAAI,IAAG,EAAI,GAAE,GAAlC,C
;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAAhB,C;MACE,MAAM,KAA
K,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAAf,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,W
AAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IAAZ,CAA
kB,IAClC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEE,OAAO,MAAM,KAAK,U;aACb,IAAI,
KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGlB,IAAI,WAAW,
IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAAC,CAAD,C;
QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,WAAW,EAAG,G
AAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,KAAK,SAAS,
CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C;UACvB,
OAAO,M;;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,MAAM,KAA
K,K;KAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAApB,C;QACE,OAAO,IAAI,OAAO,
EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAD,CAAO,OA

AO,E;;WAEnC,IAAI,KAAK,WAAW,EAApB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,CAAgB,
OAAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mBAAmB,CAAC
,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAI,IAAI,MAAM,CAAC,GAAG,SAAS,EAA
G,GAAE,KAAK,SAAS,EAAhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,CAAC,MAAD,C
AAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAI,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,C
AAD,EAAI,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI
,YAAY,SAAS,SAAS,CAAC,KAAD,C;MAClC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY,CAAC,GAAD
,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QAClC,SAA
U,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAApB,C;QACE,SAAU,GAAE,MAAM,K
AAK,I;OAGzB,GAAI,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAI,GAAE,GAAG,SAAS,CAAC,SAAD,C;;
IAEpB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,CAAC,IAAI,IAA
I,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IAC1
B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAN,EAAa,CAAC,IAAI,MAAlB,C;G;EAS7B,MAAM,K
AAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAlB,
EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAI,GAAE,iB;IACzB,OAAO,
MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAlB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;
G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,G
AAE,KAAK,KAAlB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,UAAW,GA
AE,mB;IAChC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,MAAM,IAAI,
K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB
,GAAI,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAI,KAAK,EAAG,GAAE,OAFZ,C;;QAI3B,OAAO,
MAAM,KAAK,SAAS,CAAC,CAAD,EAAI,GAAI,IAAI,OAAQ,GAAE,EAAtB,C;;;G;EAWjC,MAAM,KAAK,UA
AU,WAAY,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,
OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,
SAAS,CACtB,GAAI,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFe,C;;QAI
3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,
CAAF,GAAM,EAFO,C;;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OAAQ,IAAG,E;IACX,I
AAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;Q
ACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAI,KAAI,OAAS,GAAG,IAAK,IAAI
,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAI,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAAf,C;QACL,OAAO,MAAM,
KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ
,GAAE,EAArB,EAA0B,CAA1B,C;;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,OAAO,KAAM,
YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,gBAAiB,GAAE
,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MA
AM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAA
M,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS,E;G;EAGxB,
MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAY,GAAE,MAA
M,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAA
K,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAAxB,CAAmC,IAAnC,EAAAyC,KAAz
C,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;G;EAGX,MA
AM,aAAc,GAAE,e;IAClB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IA
AD,EAAO,SAAP,C;K;IAElB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;G;EAItB,
MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I,K;G;EAIjC,MAAM,aAAc,GA
AE,iB;IAClB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C,K;G;EAI5B,MAAM,OA
AQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C,K;G;EAInC,M
AAM,aAAc,GAAE,gB;IAClB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MA
AD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,K;G;EAGX,
MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBAAgB,E;G;EA

GpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACxB,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IAClC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ,CACF,iDAAkD,GAClD,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;MACH,OAAO,Y;K;G;ECjFf,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,CAAE,GAAE,C;MACd,IAAI,KAAM,CAAE,GAAE,C;QACd,IAAI,KAAM,CAAE,GAAE,C;UACd,IAAI,KAAM,CAAE,GAAE,C;YACd,IAAI,KAAM,CAAE,GAAE,C;cACd,IAAI,KAAM,CAAE,GAAE,C;gBACd,IAAI,KAAM,CAAE,GAAE,C;kBACd,IAAI,KAAM,CAAE,GAAE,C;oBACd,IAAI,KAAM,CAAE,GAAE,C;sBACd,IAAI,KAAM,CAAE,GAAE,C;wBACd,IAAI,KAAM,CAAE,GAAE,C;0BACd,IAAI,KAAM,CAAE,GAAE,C;4BACd,IAAI,KAAM,CAAE,GAAE,C;8BACd,IAAI,KAAM,CAAE,GAAE,C;gCACd,IAAI,KAAM,CAAE,GAAE,C;kCACd,IAAI,KAAM,CAAE,GAAE,C;oCACd,IAAI,KAAM,CAAE,GAAE,C;sCACd,IAAI,KAAM,CAAE,GAAE,C;wCACd,IAAI,KAAM,CAAE,GAAE,C;0CACd,IAAI,KAAM,CAAE,GAAE,C;4CACd,IAAI,KAAM,CAAE,GAAE,C;8CACd,IAAI,KAAM,CAAE,GAAE,C;gDACd,IAAI,KAAM,CAAE,GAAE,C;kDACd,IAAI,KAAM,CAAE,GAAE,C;oDACd,IAAI,KAAM,CAAE,GAAE,C;sDACd,IAAI,KAAM,CAAE,GAAE,C;wDACd,IAAI,KAAM,CAAE,GAAE,C;0DACd,IAAI,KAAM,CAAE,GAAE,C;4DACd,IAAI,KAAM,CAAE,GAAE,C;8DACd,IAAI,KAAM,CAAE,GAAE,C;gEACd,IAAI,KAAM,CAAE,GAAE,C;kEACd,IAAI,KAAM,CAAE,GAAE,C;oEACd,IAAI,KAAM,CAAE,GAAE,C;sEACd,IAAI,KAAM,CAAE,GAAE,C;wEACd,IAAI,KAAM,CAAE,GAAE,C;0EACd,IAAI,KAAM,CAAE,GAAE,C;4EACd,IAAI,KAAM,CAAE,GAAE,C;8EACd,IAAI,KAAM,CAAE,GAAE,C;gFACd,IAAI,KAAM,CAAE,GAAE,C;kFACd,IAAI,KAAM,CAAE,GAAE,C;oFACd,IAAI,KAAM,CAAE,GAAE,C;sFACd,IAAI,KAAM,CAAE,GAAE,C;wFACd,IAAI,KAAM,CAAE,GAAE,C;0FACd,IAAI,KAAM,CAAE,GAAE,C;4FACd,IAAI,KAAM,CAAE,GAAE,C;8FACd,IAAI,KAAM,CAAE,GAAE,C;gGACd,IAAI,KAAM,CAAE,GAAE,C;kGACd,IAAI,KAAM,CAAE,GAAE,C;oGACd,IAAI,KAAM,CAAE,GAAE,C;sGACd,IAAI,KAAM,CAAE,GAAE,C;wGACd,IAAI,KAAM,CAAE,GAAE,C;0GACd,IAAI,KAAM,CAAE,GAAE,C;4GACd,IAAI,KAAM,CAAE,GAAE,C;8GACd,IAAI,KAAM,CAAE,GAAE,C;gHACd,IAAI,KAAM,CAAE,GAAE,C;kHACd,IAAI,KAAM,CAAE,GAAE,C;oHACd,IAAI,KAAM,CAAE,GAAE,C;sHACd,IAAI,KAAM,CAAE,GAAE,C;wHACd,IAAI,KAAM,CAAE,GAAE,C;0HACd,IAAI,KAAM,CAAE,GAAE,C;4HACd,IAAI,KAAM,CAAE,GAAE,C;8HACd,IAAI,KAAM,CAAE,GAAE,C;gIACd,IAAI,KAAM,CAAE,GAAE,C;kIACd,IAAI,KAAM,CAAE,GAAE,C;oIACd,IAAI,KAAM,CAAE,GAAE,C;sIACd,IAAI,KAAM,CAAE,GAAE,C;wIACd,IAAI,KAAM,CAAE,GAAE,C;0IACd,IAAI,KAAM,CAAE,GAAE,C;4IACd,IAAI,KAAM,CAAE,GAAE,C;8IACd,IAAI,KAAM,CAAE,GAAE,C;gJACd,IAAI,KAAM,CAAE,GAAE,C;kJACd,IAAI,KAAM,CAAE,GAAE,C;oJACd,IAAI,KAAM,CAAE,GAAE,C;sJACd,IAAI,KAAM,CAAE,GAAE,C;wJACd,IAAI,KAAM,CAAE,GAAE,C;0JACd,IAAI,KAAM,CAAE,GAAE,C;4JACd,IAAI,KAAM,CAAE,GAAE,C;8JACd,IAAI,KAAM,CAAE,GAAE,C;gKACd,IAAI,KAAM,CAAE,GAAE,C;kKACd,IAAI,KAAM,CAAE,GAAE,C;oKACd,IAAI,KAAM,CAAE,GAAE,C;sKACd,IAAI,KAAM,CAAE,GAAE,C;wKACd,IAAI,KAAM,CAAE,GAAE,C;0KACd,IAAI,KAAM,CAAE,GAAE,C;4KACd,IAAI,KAAM,CAAE,GAAE,C;8KACd,IAAI,KAAM,CAAE,GAAE,C;gLACd,IAAI,KAAM,CAAE,GAAE,C;kLACd,IAAI,KAAM,CAAE,GAAE,C;oLACd,IAAI,KAAM,CAAE,GAAE,C;sLACd,IAAI,KAAM,CAAE,GAAE,C;wLACd,IAAI,KAAM,CAAE,GAAE,C;0LACd,IAAI,KAAM,CAAE,GAAE,C;4LACd,IAAI,KAAM,CAAE,GAAE,C;8LACd,IAAI,KAAM,CAAE,GAAE,C;gMACd,IAAI,KAAM,CAAE,GAAE,C;kMACd,IAAI,KAAM,CAAE,GAAE,C;oMACd,IAAI,KAAM,CAAE,GAAE,C;sMACd,IAAI,KAAM,CAAE,GAAE,C;wMACd,IAAI,KAAM,CAAE,GAAE,C;0MACd,IAAI,KAAM,CAAE,GAAE,C;4MACd,IAAI,KAAM,CAAE,GAAE,C;8MACd,IAAI,KAAM,CAAE,GAAE,C;gNACd,IAAI,KAAM,CAAE,GAAE,C;kNACd,IAAI,KAAM,CAAE,GAAE,C;oNACd,IAAI,KAAM,CAAE,GAAE,C;sNACd,IAAI,KAAM,CAAE,GAAE,C;wNACd,IAAI,KAAM,CAAE,GAAE,C;0NACd,IAAI,KAAM,CAAE,GAAE,C;4NACd,IAAI,KAAM,CAAE,GAAE,C;8NACd,IAAI,KAAM,CAAE,GAAE,C;gOACd,IAAI,KAAM,CAAE,GAAE,C;kOACd,IAAI,KAAM,CAAE,GAAE,C;oOACd,IAAI,KAAM,CAAE,GAAE,C;sOACd,IAAI,KAAM,CAAE,GAAE,C;wOACd,IAAI,KAAM,CAAE,GAAE,C;0OACd,IAAI,KAAM,CAAE,GAAE,C;4OACd,IAAI,KAAM,CAAE,GAAE,C;8OACd,IAAI,KAAM,CAAE,GAAE,C;gPACd,IAAI,KAAM,CAAE,GAAE,C;kPACd,IAAI,KAAM,CAAE,GAAE,C;oPACd,IAAI,KAAM,CAAE,GAAE,C;sPACd,IAAI,KAAM,CAAE,GAAE,C;wPACd,IAAI,KAAM,CAAE,GAAE,C;0PACd,IAAI,KAAM,CAAE,GAAE,C;4PACd,IAAI,KAAM,CAAE,GAAE,C;8PACd,IAAI,KAAM,CAAE,GAAE,C;gQACd,IAAI,KAAM,CAAE,GAAE,C;kQACd,IAAI,KAAM,CAAE,GAAE,C;oQACd,IAAI,KAAM,CAAE,GAAE,C;sQACd,IAAI,KAAM,CAAE,GAAE,C;wQACd,IAAI,KAAM,CAAE,GAAE,C;0QACd,IAAI,KAAM,CAAE,GAAE,C;4QACd,IAAI,KAAM,CAAE,GAAE,C;8QACd,IAAI,KAAM,CAAE,GAAE,C;gRACd,IAAI,KAAM,CAAE,GAAE,C;kRACd,IAAI,KAAM,CAAE,GAAE,C;oRACd,IAAI,KAAM,CAAE,GAAE,C;sRACd,IAAI,KAAM,CAAE,GAAE,C;wRACd,IAAI,KAAM,CAAE,GAAE,C;0RACd,IAAI,KAAM,CAAE,GAAE,C;4RACd,IAAI,KAAM,CAAE,GAAE,C;8RACd,IAAI,KAAM,CAAE,GAAE,C;gSACd,IAAI,KAAM,CAAE,GAAE,C;kSACd,IAAI,KAAM,CAAE,GAAE,C;oSACd,IAAI,KAAM,CAAE,GAAE,C;sSACd,IAAI,KAAM,CAAE,GAAE,C;wSACd,IAAI,KAAM,CAAE,GAAE,C;0SACd,IAAI,KAAM,CAAE,GAAE,C;4SACd,IAAI,KAAM,CAAE,GAAE,C;8SACd,IAAI,KAAM,CAAE,GAAE,C;gTACd,IAAI,KAAM,CAAE,GAAE,C;kTACd,IAAI,KAAM,CAAE,GAAE,C;oTACd,IAAI,KAAM,CAAE,GAAE,C;sTACd,IAAI,KAAM,CAAE,GAAE,C;wTACd,IAAI,KAAM,CAAE,GAAE,C;0TACd,IAAI,KAAM,CAAE,GAAE,C;4TACd,IAAI,KAAM,CAAE,GAAE,C;8TACd,IAAI,KAAM,CAAE,GAAE,C;gUACd,IAAI,KAAM,CAAE,GAAE,C;kUACd,IAAI,KAAM,CAAE,GAAE,C;oUACd,IAAI,KAAM,CAAE,GAAE,C;sUACd,IAAI,KAAM,CAAE,GAAE,C;wUACd,IAAI,KAAM,CAAE,GAAE,C;0UACd,IAAI,KAAM,CAAE,GAAE,C;4UACd,IAAI,KAAM,CAAE,GAAE,C;8UACd,IAAI,KAAM,CAAE,GAAE,C;gVACd,IAAI,KAAM,CAAE,GAAE,C;kVACd,IAAI,KAAM,CAAE,GAAE,C;oVACd,IAAI,KAAM,CAAE,GAAE,C;sVACd,IAAI,KAAM,CAAE,GAAE,C;wVACd,IAAI,KAAM,CAAE,GAAE,C;0VACd,IAAI,KAAM,CAAE,GAAE,C;4VACd,IAAI,KAAM,CAAE,GAAE,C;8VACd,IAAI,KAAM,CAAE,GAAE,C;gWACd,IAAI,KAAM,CAAE,GAAE,C;kWACd,IAAI,KAAM,CAAE,GAAE,C;oWACd,IAAI,KAAM,CAAE,GAAE,C;sWACd,IAAI,KAAM,CAAE,GAAE,C;wWACd,IAAI,KAAM,CAAE,GAAE,C;0WACd,IAAI,KAAM,CAAE,GAAE,C;4WACd,IAAI,KAAM,CAAE,GAAE,C;8WACd,IAAI,KAAM,CAAE,GAAE,C;gXACd,IAAI,KAAM,CAAE,GAAE,C;kXACd,IAAI,KAAM,CAAE,GAAE,C;oXACd,IAAI,KAAM,CAAE,GAAE,C;sXACd,IAAI,KAAM,CAAE,GAAE,C;wXACd,IAAI,KAAM,CAAE,GAAE,C;0XACd,IAAI,KAAM,CAAE,GAAE,C;4XACd,IAAI,KAAM,CAAE,GAAE,C;8XACd,IAAI,KAAM,CAAE,GAAE,C;gYACd,IAAI,KAAM,CAAE,GAAE,C;kYACd,IAAI,KAAM,CAAE,GAAE,C;oYACd,IAAI,KAAM,CAAE,GAAE,C;sYACd,IAAI,KAAM,CAAE,GAAE,C;wYACd,IAAI,KAAM,CAAE,GAAE,C;0YACd,IAAI,KAAM,CAAE,GAAE,C;4YACd,IAAI,KAAM,CAAE,GAAE,C;8YACd,IAAI,KAAM,CAAE,GAAE,C;gZACd,IAAI,KAAM,CAAE,GAAE,C;kZACd,IAAI,KAAM,CAAE,GAAE,C;oZACd,IAAI,KAAM,CAAE,GAAE,C;sZACd,IAAI,KAAM,CAAE,GAAE,C;wZACd,IAAI,KAAM,CAAE,GAAE,C;0ZACd,IAAI,KAAM,CAAE,GAAE,C;4ZACd,IAAI,KAAM,CAAE,GAAE,C;8ZACd,IAAI,KAAM,CAAE,GAAE,C;gaACd,IAAI,KAAM,CAAE,GAAE,C;kaACd,IAAI,KAAM,CAAE,GAAE,C;oaACd,IAAI,KAAM,CAAE,GAAE,C;saACd,IAAI,KAAM,CAAE,GAAE,C;waACd,IAAI,KAAM,CAAE,GAAE,C;0aACd,IAAI,KAAM,CAAE,GAAE,C;4aACd,IAAI,KAAM,CAAE,GAAE,C;8aACd,IAAI,KAAM,CAAE,GAAE,C;gbACd,IAAI,KAAM,CAAE,GAAE,C;kbACd,IAAI,KAAM,CAAE,GAAE,C;obACd,IAAI,KAAM,CAAE,GAAE,C;sbACd,IAAI,KAAM,CAAE,GAAE,C;wbACd,IAAI,KAAM,CAAE,GAAE,C;0bACd,IAAI,KAAM,CAAE,GAAE,C;4bACd,IAAI,KAAM,CAAE,GAAE,C;8bACd,IAAI,KAAM,CAAE,GAAE,C;gcACd,IAAI,KAAM,CAAE,GAAE,C;kcACd,IAAI,KAAM,CAAE,GAAE,C;ocACd,IAAI,KAAM,CAAE,GAAE,C;scACd,IAAI,KAAM,CAAE,GAAE,C;wcACd,IAAI,KAAM,CAAE,GAAE,C;0cACd,IAAI,KAAM,CAAE,GAAE,C;4cACd,IAAI,KAAM,CAAE,GAAE,C;8cACd,IAAI,KAAM,CAAE,GAAE,C;gdACd,IAAI,KAAM,CAAE,GAAE,C;kdACd,IAAI,KAAM,CAAE,GAAE,C;odACd,IAAI,KAAM,CAAE,GAAE,C;sdACd,IAAI,KAAM,CAAE,GAAE,C;wdACd,IAAI,KAAM,CAAE,GAAE,C;0dACd,IAAI,KAAM,CAAE,GAAE,C;4dACd,IAAI,KAAM,CAAE,GAAE,C;8dACd,IAAI,KAAM,CAAE,GAAE,C;geACd,IAAI,KAAM,CAAE,GAAE,C;keACd,IAAI,KAAM,CAAE,GAAE,C;oeACd,IAAI,KAAM,CAAE,GAAE,C;seACd,IAAI,KAAM,CAAE,GAAE,C;weACd,IAAI,KAAM,CAAE,GAAE,C;0eACd,IAAI,KAAM,CAAE,GAAE,C;4eACd,IAAI,KAAM,CAAE,GAAE,C;8eACd,IAAI,KAAM,CAAE,GAAE,C;gfACd,IAAI,KAAM,CAAE,GAAE,C;kfACd,IAAI,KAAM,CAAE,GAAE,C;ofACd,IAAI,KAAM,CAAE,GAAE,C;sfACd,IAAI,KAAM,CAAE,GAAE,C;wfACd,IAAI,KAAM,CAAE,GAAE,C;0fACd,IAAI,KAAM,CAAE,GAAE,C;4fACd,IAAI,KAAM,CAAE,GAAE,C;8fACd,IAAI,KAAM,CAAE,GAAE,C;ggACd,IAAI,KAAM,CAAE,GAAE,C;kgACd,IAAI,KAAM,CAAE,GAAE,C;ogACd,IAAI,KAAM,CAAE,GAAE,C;sgACd,IAAI,KAAM,CAAE,GAAE,C;wgACd,IAAI,KAAM,CAAE,GAAE,C;0gACd,IAAI,KAAM,CAAE,GAAE,C;4gACd,IAAI,KAAM,CAAE,GAAE,C;8gACd,IAAI,KAAM,CAAE,GAAE,C;ghACd,IAAI,KAAM,CAAE,GAAE,C;khACd,IAAI,KAAM,CAAE,GAAE,C;ohACd,IAAI,KAAM,CAAE,GAAE,C;shACd,IAAI,KAAM,CAAE,GAAE,C;whACd,IAAI,KAAM,CAAE,GAAE,C;0hACd,IAAI,KAAM,CAAE,GAAE,C;4hACd,IAAI,KAAM,CAAE,GAAE,C;8hACd,IAAI,KAAM,CAAE,GAAE,C;giACd,IAAI,KAAM,CAAE,GAAE,C;kiACd,IAAI,KAAM,CAAE,GAAE,C;oiACd,IAAI,KAAM,CAAE,GAAE,C;siACd,IAAI,KAAM,CAAE,GAAE,C;wiACd,IAAI,KAAM,CAAE,GAAE,C;0iACd,IAAI,KAAM,CAAE,GAAE,C;4iACd,IAAI,KAAM,CAAE,GAAE,C;8iACd,IAAI,KAAM,CAAE,GAAE,C;gjACd,IAAI,KAAM,CAAE,GAAE,C;kjACd,IAAI,KAAM,CAAE,GAAE,C;ojACd,IAAI,KAAM,CAAE,GAAE,C;sjACd,IAAI,KAAM,CAAE,GAAE,C;wjACd,IAAI,KAAM,CAAE,GAAE,C;0jACd,IAAI,KAAM,CAAE,GAAE,C;4jACd,IAAI,KAAM,CAAE,GAAE,C;8jACd,IAAI,KAAM,CAAE,GAAE,C;gkACd,IAAI,KAAM,CAAE,GAAE,C;kkACd,IAAI,KAAM,CAAE,GAAE,C;okACd,IAAI,KAAM,CAAE,GAAE,C;skACd,IAAI,KAAM,CAAE,GAAE,C;wkACd,IAAI,KAAM,CAAE,GAAE,C;0kACd,IAAI,KAAM,CAAE,GAAE,C;4kACd,IAAI,KAAM,CAAE,GAAE,C;8kACd,IAAI,KAAM,CAAE,GAAE,C;glACd,IAAI,KAAM,CAAE,GAAE,C;klACd,IAAI,KAAM,CAAE,GAAE,C;olACd,IAAI,KAAM,CAAE,GAAE,C;slACd,IAAI,KAAM,CAAE,GAAE,C;wlACd,IAAI,KAAM,CAAE,GAAE,C;0lACd,IAAI,KAAM,CAAE,GAAE,C;4lACd,IAAI,KAAM,CAAE,GAAE,C;8lACd,IAAI,KAAM,CAAE,GAAE,C;gmACd,IAAI,KAAM,CAAE,GAAE,C;kmACd,IAAI,KAAM,CAAE,GAAE,C;omACd,IAAI,KAAM,CAAE,GAAE,C;smACd,IAAI,KAAM,CAAE,GAAE,C;wmACd,IAAI,KAAM,CAAE,GAAE,C;0mACd,IAAI,KAAM,CAAE,GAAE,C;4mACd,IAAI,KAAM,CAAE,GAAE,C;8mACd,IAAI,KAAM,CAAE,GAAE,C;gnACd,IAAI,KAAM,CAAE,GAAE,C;knACd,IAAI,KAAM,CAAE,GAAE,C;onACd,IAAI,KAAM,CAAE,GAAE,C;snACd,IAAI,KAAM,CAAE,GAAE,C;wnACd,IAAI,KAAM,CAAE,GAAE,C;0nACd,IAAI,KAAM,CAAE,GAAE,C;4nACd,IAAI,KAAM,CAAE,GAAE,C;8nACd,IAAI,KAAM,CAAE,GAAE,C;goACd,IAAI,KAAM,CAAE,GAAE,C;koACd,IAAI,KAAM,CAAE,GAAE,C;ooACd,IAAI,KAAM,CAAE,GAAE,C;soACd,IAAI,KAAM,CAAE,GAAE,C;woACd,IAAI,KAAM,CAAE,GAAE,C;0oACd,IAAI,KAAM,CAAE,GAAE,C;4oACd,IAAI,KAAM,CAAE,GAAE,C;8oACd,IAAI,KAAM,CAAE,GAAE,C;gpACd,IAAI,KAAM,CAAE,GAAE,C;kpACd,IAAI,KAAM,CAAE,GAAE,C;opACd,IAAI,KAAM,CAAE,GAAE,C;spACd,IAAI,KAAM,CAAE,GAAE,C;wpACd,IAAI,KAAM,CAAE,GAAE,C;0pACd,IAAI,KAAM,CAAE,GAAE,C;4pACd,IAAI,KAAM,CAAE,GAAE,C;8pACd,IAAI,KAAM,CAAE,GAAE,C;gqACd,IAAI,KAAM,CAAE,GAAE,C;kqACd,IAAI,KAAM,CAAE,GAAE,C;oqACd,IAAI,KAAM,CAAE,GAAE,C;sqACd,IAAI,KAAM,CAAE,GAAE,C;wqACd,IAAI,KAAM,CAAE,GAAE,C;0qACd,IAAI,KAAM,CAAE,GAAE,C;4qACd,IAAI,KAAM,CAAE,GAAE,C;8qACd,IAAI,KAAM,CAAE,GAAE,C;grACd,IAAI,KAAM,CAAE,GAAE,C;krACd,IAAI,KAAM,CAAE,GAAE,C;orACd,IAAI,KAAM,CAAE,GAAE,C;srACd,IAAI,KAAM,CAAE,GAAE,C;wrACd,IAAI,KAAM,CAAE,GAAE,C;0rACd,IAAI,KAAM,CAAE,GAAE,C;4rACd,IAAI,KAAM,CAAE,GAAE,C;8rACd,IAAI,KAAM,CAAE,GAAE,C;gsACd,IAAI,KAAM,CAAE,GAAE,C;ksACd,IAAI,KAAM,CAAE,GAAE,C;osACd,IAAI,KAAM,CAAE,GAAE,C;ssACd,IAAI,KAAM,CAAE,GAAE,C;wsACd,IAAI,KAAM,CAAE,GAAE,C;0sACd,IAAI,KAAM,CAAE,GAAE,C;4sACd,IAAI,KAAM,CAAE,GAAE,C;8sACd,IAAI,KAAM,CAAE,GAAE,C;gtACd,IAAI,KAAM,CAAE,GAAE,C;ktACd,IAAI,KAAM,CAAE,GAAE,C;otACd,IAAI,KAAM,CAAE,GAAE,C;stACd,IAAI,KAAM,CAAE,GAAE,C;wtACd,IAAI,KAAM,CAAE,GAAE,C;0tACd,IAAI,KAAM,CAAE,GAAE,C;4tACd,IAAI,KAAM,CAAE,GAAE,C;8tACd,IAAI,KAAM,CAAE,GAAE,C;guACd,IAAI,KAAM,CAAE,GAAE,C;kuACd,IAAI,KAAM,CAAE,GAAE,C;ouACd,IAAI,KAAM,CAAE,GAAE,C;suACd,IAAI,KAAM,CAAE,GAAE,C;wuACd,IAAI,KAAM,CAAE,GAAE,C;0uACd,IAAI,KAAM,CAAE,GAAE,C;4uACd,IAAI,KAAM,CAAE,GAAE,C;8uACd,IAAI,KAAM,CAAE,GAAE,C;gvACd,IAAI,KAAM,CAAE,GAAE,C;kvACd,IAAI,KAAM,CAAE,GAAE,C;ovACd,IAAI,KAAM,CAAE,GAAE,C;svACd,IAAI,KAAM,CAAE,GAAE,C;wvACd,IAAI,KAAM,CAAE,GAAE,C;0vACd,IAAI,KAAM,CAAE,GAAE,C;4vACd,IAAI,KAAM,CAAE,GAAE,C;8vACd,IAAI,KAAM,CAAE,GAAE,C;gwACd,IAAI,KAAM,CAAE,GAAE,C;kwACd,IAAI,KAAM,CAAE,GAAE,C;owACd,IAAI,KAAM,CAAE,GAAE,C;swACd,IAAI,KAAM,CAAE,GAAE,C;wwACd,IAAI,KAAM,CAAE,GAAE,C;0wACd,IAAI,KAAM,CAAE,GAAE,C;4wACd,IAAI,KAAM,CAAE,GAAE,C;8wACd,IAAI,KAAM,CAAE,GAAE,C;gxACd,IAAI,KAAM,CAAE,GAAE,C;kxACd,IAAI,KAAM,CAAE,GAAE,C;oxACd,IAAI,KAAM,CAAE,GAAE,C;sxACd,IAAI,KAAM,CAAE,GAAE,C;wxACd,IAAI,KAAM,CAAE,GAAE,C;0xACd,IAAI,KAAM,CAAE,GAAE,C;4xACd,IAAI,KAAM,CAAE,GAAE,C;8xACd,IAAI,KAAM,CAAE,GAAE,C;gyACd,IAAI,KAAM,CAAE,GAAE,C;kyACd,IAAI,KAAM,CAAE,GAAE,C;oyACd,IAAI,KAAM,CAAE,GAAE,C;syACd,IAAI,KAAM,CAAE,GAAE,C;wyACd,IAAI,KAAM,CAAE,GAAE,C;0yACd,IAAI,KAAM,CAAE,GAAE,C;4yACd,IAAI,KAAM,CAAE,GAAE,C;8yACd,IAAI,KAAM,CAAE,GAAE,C;gzACd,IAAI,KAAM,CAAE,GAAE,C;kzACd,IAAI,KAAM,CAAE,GAAE,C;ozACd,IAAI,KAAM,CAAE,GAAE,C;szACd,IAAI,KAAM,CAAE,GAAE,C;wzACd,IAAI,KAAM,CAAE,GAAE,C;0zACd,IAAI,KAAM,CAAE,GAAE,C;4zACd,IAAI,KAAM,CAAE,GAAE,C;8zACd,IAAI,KAAM,CAAE,GAAE,C;g0ACd,IAAI,KAAM,CAAE,GAAE,C;k0ACd,IAAI,KAAM,CAAE,GAAE,C;o0ACd,IAAI,KAAM,CAAE,GAAE,C;s0ACd,IAAI,KAAM,CAAE,GAAE,C;w0ACd,IAAI,KAAM,CAAE,GAAE,C;00ACd,IAAI,KAAM,CAAE,GAAE,C;40ACd,IAAI,KAAM,CAAE,GAAE,C;80ACd,IAAI,KAAM,CAAE,GAAE,C;g1ACd,IAAI,KAAM,CAAE,GAAE,C;k1ACd,IAAI,KAAM,CAAE,GAAE,C;o1ACd,IAAI,KAAM,CAAE,GAAE,C;s1ACd,IAAI,KAAM,CAAE,GAAE,C;w1ACd,IAAI,KAAM,CAAE,GAAE,C;01ACd,IAAI,KAAM,CAAE,GAAE,C;41ACd,IAAI,KAAM,CAAE,GAAE,C;81ACd,IAAI,KAAM,CAAE,GAAE,C;g2ACd,IAAI,KAAM,CAAE,GAAE,C;k2ACd,IAAI,KAAM,CAAE,GAAE,C;o2ACd,IAAI,KAAM,CAAE,GAAE,C;s2ACd,IAAI,KAAM,CAAE,GAAE,C;w2ACd,IAAI,KAAM,CAAE,GAAE,C;02ACd,IAAI,KAAM,CAAE,GAAE,C;42ACd,IAAI,KAAM,CAAE,GAAE,C;82ACd,IAAI,KAAM,CAAE,GAAE,C;g3ACd,IAAI,KAAM,CAAE,GAAE,C;k3ACd,IAAI,KAAM,CAAE,GAAE,C;o3ACd,IAAI,KAAM,CAAE,GAAE,C;s3ACd,IAAI,KAAM,CAAE,GAAE,C;w3ACd,IAAI,KAAM,CAAE,GAAE,C;03ACd,IAAI,KAAM,CAAE,GAAE,C;43ACd,IAAI,KAAM,CAAE,GAAE,C;83ACd,IAAI,KAAM,CAAE,GAAE,C;g4ACd,IAAI,KAAM,CAAE,GAAE,C;k4ACd,IAAI,KAAM,CAAE,GAAE,C;o4ACd,IAAI,KAAM,CAAE,GAAE,C;s4ACd,IAAI,KAAM,CAAE,GAAE,C;w4ACd,IAAI,KAAM,CAAE,GAAE,C;04ACd,IAAI,KAAM,CAAE,GAAE,C;44ACd,IAAI,KAAM,CAAE,GAAE,C;84ACd,IAAI,KAAM,CAAE,GAAE,C;g5ACd,IAAI,KAAM,CAAE,GAAE,C;k5ACd,IAAI,KAAM,CAAE,GAAE,C;o5ACd,IAAI,KAAM,CAAE,GAAE,C;s5ACd,IAAI,KAAM,CAAE,GAAE,C;w5ACd,IAAI,KAAM,CAAE,GAAE,C;05ACd,IAAI,KAAM,CAAE,GAAE,C;45ACd,IAAI,KAAM,CAAE,GAAE,C;85ACd,IAAI,KAAM,CAAE,GAAE,C;g6ACd,IAAI,KAAM,CAAE,GAAE,C;k6ACd,IAAI,KAAM,CAAE,GAAE,C;o6ACd,IAAI,KAAM,CAAE,GAAE,C;s6ACd,IAAI,KAAM,CAAE,GAAE,C;w6ACd,IAAI,KAAM,CAAE,GAAE,C;06ACd,IAAI,KAAM,CAAE,GAAE,C;46ACd,IAAI,KAAM,CAAE,GAAE,C;86ACd,IAAI,KAAM,CAAE,GAAE,C;g7ACd,IAAI,KAAM,CAAE,GAAE,C;k7ACd,IAAI,KAAM,CAAE,GAAE,C;o7ACd,IAAI,KAAM,CAAE,GAAE,C;s7ACd,IAAI,KAAM,CAAE,GAAE,C;w7ACd,IAAI,KAAM,CAAE,GAAE,C;07ACd,IAAI,KAAM,CAAE,GAAE,C;47ACd,IAAI,KAAM,CAAE,GAAE,C;87ACd,IAAI,KAAM,CAAE,GAAE,C;g8ACd,IAAI,KAAM,CAAE,GAAE,C;k8ACd,IAAI,KAAM,CAAE,GAAE,C;o8ACd,IAAI,KAAM,CAAE,GAAE,C;s8ACd,IAAI,KAAM,CAAE,GAAE,C;w8ACd,IAAI,KAAM,CAAE,GAAE,C;08ACd,IAAI,KAAM,CAAE,GAAE,C;48ACd,IAAI,KAAM,CAAE,GAAE,C;88ACd,IAAI,KAAM,CAAE,GAAE,C;g9ACd,IAAI,KAAM,CAAE,GAAE,C;k9ACd,IAAI,KAAM,CAAE,GAAE,C;o9ACd,IAAI,KAAM,CAAE,GAAE,C;s9ACd,IAAI,KAAM,CAAE,GAAE,C;w9ACd,IAAI,KAAM,CAAE,GAAE,C;09ACd,IAAI,KAAM,CAAE,GAAE,C;49ACd,IAAI,KAAM,CAAE,GAAE,C;89ACd,IAAI,KAAM,CAAE,GAAE,C;g+ACd,IAAI,KAAM,CAAE,GAAE,C;k+ACd,IAAI,KAAM,CAAE,GAAE,C;o+ACd,IAAI,KAAM,CAAE,GAAE,C;s+ACd,IAAI,KAAM,CAAE,GAAE,C;w+ACd,IAAI,KAAM,CAAE,GAAE,C;0+ACd,IAAI,KAAM,CAAE,GAAE,C;4+ACd,IAAI,KAAM,CAAE,GAAE,C;8+ACd,IAAI,KAAM,CAAE,GAAE,C;gACd,IAAI,KAAM,CAAE,GAAE,C;kACd,IAAI,KAAM,CAAE,GAAE,C;oACd,IAAI,KAAM,CAAE,GAAE,C;sACd,IAAI,KAAM,CAAE,GAAE,C;wACd,IAAI,KAAM,CAAE,GAAE,C;0ACd,IAAI,KAAM,CAAE,GAAE,C;4ACd,IAAI,KAAM,CAAE,GAAE,C;8ACd,IAAI,KAAM,CAAE,GAAE,C;gBACd,IAAI,KAAM,CAAE,GAAE,C;kBACd,IAAI,KAAM,CAAE,GAAE,C;oBACd,IAAI,KAAM,CAAE,GAAE,C;sBACd,IAAI,KAAM,CAAE,GAAE,C;wBACd,IAAI,KAAM,CAAE,GAAE,C;0BACd,IAAI,KAAM,CAAE,GAAE,C;4BACd,IAAI,KAAM,CAAE,GAAE,C;8BACd,IAAI,KAAM,CAAE,GAAE,C;gCACd,IAAI,KAAM,CAAE,GAAE,C;kCACd,IAAI,KAAM,CAAE,GAAE,C;oCACd,IAAI,KAAM,CAAE,GAAE,C;sCACd,IAAI,KAAM,CAAE,GAAE,C;wCACd,IAAI,KAAM,CAAE,GAAE,C;0CACd,IAAI,KAAM,CAAE,GAAE,C;4CACd,IAAI,KAAM,CAAE,GAAE,C;8CACd,IAAI,KAAM,CAAE,GAAE,C;gDACd,IAAI,KAAM,CAAE,GAAE,C;kDACd,IAAI,KAAM,CAAE,GAAE,C;oDACd,IAAI,KAAM,CAAE,GAAE,C;sDACd,IAAI,KAAM,CAAE,GAAE,C;wDACd,IAAI,KAAM,CAAE,GAAE,C;0DACd,IAAI,KAAM,CAAE,GAAE,C;4DACd,IAAI,KAAM,CAAE,GAAE,C;8DACd,IAAI,KAAM,CAAE,GAAE,C;gEACd,IAAI,KAAM,CAAE,GAAE,C;kEACd,IAAI,KAAM,CAAE,GAAE,C;oEACd,IAAI,KAAM,CAAE,GAAE,C;sEACd,IAAI,KAAM,CAAE,GAAE,C;wEACd,IAAI,KAAM,CAAE,GAAE,C;0EACd,IAAI,KAAM,CAAE,GAAE,C;4EACd,IAAI,KAAM,CAAE,GAAE,C;8EACd,IAAI,KAAM,CAAE,GAAE,C;gFACd,IAAI,KAAM,CAAE,GAAE,C;kFACd,IAAI,KAAM,CAAE,GAAE,C;oFACd,IAAI,KAAM,CAAE,GAAE,C;sFACd,IAAI,KAAM,CAAE,GAAE,C;wFACd,IAAI,KAAM,CAAE,GAAE,C;0FACd,IAAI,KAAM,CAAE,GAAE,C;4FACd,IAAI,KAAM,CAAE,GAAE,C;8FACd,IAAI,KAAM,CAAE,GAAE,C;gGACd,IAAI,KAAM,CAAE,GAAE,C;kGACd,IAAI,KAAM,CAAE,GAAE,C;oGACd,IAAI,KAAM,CAAE,GAAE,C;sGACd,IAAI,KAAM,CAAE,GAAE,C;wGACd,IAAI,KAAM,CAAE,GAAE,C;0GACd,IAAI,KAAM,CAAE,GAAE,C;4GACd,IAAI,KAAM,CAAE,GAAE,C;8GACd,IAAI,KAAM,CAAE,GAAE,C;gHACd,IAAI,KAAM,CAAE,GAAE,C;kHACd,IAAI,KAAM,CAAE,GAAE,C;oHACd,IAAI,KAAM,CAAE,GAAE,C;sHACd,IAAI,KAAM,CAAE,GAAE,C;wHACd,IAAI,KAAM,CAAE,GAAE,C;0HACd,IAAI,KAAM,CAAE,GAAE,C;4HACd,IAAI,KAAM,CAAE,GAAE,C;8HACd,IAAI,KAAM,CAAE,GAAE,C;gIACd,IAAI,KAAM,CAAE,GAAE,C;kIACd,IAAI,KAAM,CAAE,GAAE,C;oIACd,IAAI,KAAM,CAAE,GAAE,C;sIACd,IAAI,KAAM,CAAE,GAAE,C;wIACd,IAAI,KAAM,CAAE,GAAE,C;0IACd,IAAI,KAAM,CAAE,GAAE,C;4IACd,IAAI,KAAM,CAAE,GAAE,C;8IACd,IAAI,KAAM,CAAE,GAAE,C;gJACd,IAAI,KAAM,CAAE,GAAE,C;kJACd,IAAI,KAAM,CAAE,GAAE,C;oJACd,IAAI,KAAM,CAAE,GAAE,C;sJACd,IAAI,KAAM,CAAE,GAAE,C;wJACd,IAAI,KAAM,CAAE,GAAE,C;0JACd,IAAI,KAAM,CAAE,GAAE,C;4JACd,IAAI,KAAM,CAAE,GAAE,C;8JACd

AAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,G
AAE,C;WAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UAChB,IAAI,KAAK,CAAE,GAAE,C
;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,IAAT
,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CAAC,CAAC,CAAE,
GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAE,GAAE,EAAI,IAAE,C;;O;KAI9B,IAAI,OAAO,IAAI,KAA
M,KAAI,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;QAChB,IAAI,
KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,CAAC,EAAD,CA
A7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,C;QAClD,OAA
gB,CAAR,CAAE,GAAE,EAAI,IAAE,C;O;KAI1B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KA
AM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IA
AI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C
;WAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAsB,IAAI,IAAI,IAAI,CAAC
,CAAC,CAAF,C;UAClC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,GAAE,EAAF,
GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;KAQtE,IAAI,OAAO,IAAI,MAAO,KAAI,
WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,GAAE,oBAAR,
C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;cAKzB,OA
AO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;YAKnB,OAA
O,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;eAGlB,IA
AI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAAI,SAAS,C;U
ACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;
YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEnB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,K;KAEjB,IAAI,OAAO
,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;UAEI,OAAO,
G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IA
AI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAIzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CA
AE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,CAAL,C;UAE
jB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,
MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;O;KAIlC,IAAI,OA
AO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,G
AAE,cAAlB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;YACI,MAAO
,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;SAEX,OAAO,IAAI,IAAI,CAAS,CAAP,
CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,IAAI,MAA
O,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;
UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;U
AEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SA
ExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;
MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAlB,C;UACI,IAAI,KAAK,
CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ,EAAG,
GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAExC,OAAO,IAAI,IAAI,CA
AC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,
GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,G
AAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CA
AC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GA
AE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,MAAO,
KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;K;
GAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,OAAO,IAAI,IAAI,CA
AC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GA
AG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,KAAI,CAAf,C;UACI,OAAO,
E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAI,GAAE,CAAvB,CAA0B,GAAE,C;O;K

AE5C,CAAC,IAAI,IAAL,EAAW,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAlC,C;IACI,WAA
W,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,UAAU,
UAAW,KAAI,SAAS,UAAU,U;K;GAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,KAAI,WAApC,C;IAEI,KAAK,UA
AU,KAAM,GAAE,Y;MAErB,IAAI,IAAK,IAAG,IAAZ,C;QACE,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;OAGR,IA
AI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAA
C,CAAD,C;MACrB,IAAI,gBAAgB,KAAM,IAAG,C;MAG7B,IAAI,IAAI,aAAc,GAAE,CAAE,GACxB,IAAI,IAA
I,CAAC,GAAI,GAAE,aAAP,EAAsB,CAAtB,CADgB,GAExB,IAAI,IAAI,CAAC,aAAD,EAAgB,GAAhB,C;MAG
V,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,GAAI,KAAI,SAAU,GAClC,GADkC,GAC5B,GAAI
,IAAG,C;MAGf,IAAI,QAAQ,WAAY,GAAE,CAAE,GAC1B,IAAI,IAAI,CAAC,GAAI,GAAE,WAAP,EAAoB,C
AApB,CADkB,GAE1B,IAAI,IAAI,CAAC,WAAD,EAAc,GAAd,C;MAGV,OAAO,CAAE,GAAE,KAAX,C;QAC
E,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIH,OAAO,C;K;GAkFX,CA9ED,Y;IACG,yC;MACI,
IAAI,MAAO,GAAE,CAAb,C;QAAgB,OAAO,IAAI,IAAI,CAAC,CAAD,EAAI,MAAO,GAAE,MAAb,C;MAC/B,
OAO,IAAI,IAAI,CAAC,MAAD,EAAS,MAAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAI,KAAI,WAAnB,C;QA
CI,GAAI,GAAE,IAAI,O;OAEd,KAAM,GAAE,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACv
B,GAAI,GAAE,IAAI,IAAI,CAAC,KAAD,EAAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,O
AAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EAAQ,GAAR,CAAlC,C;K;IAGX,IAAI,SAAS,CAA
C,SAAD,EAAY,UAAZ,EAAwB,WAAxB,EAAqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI
,IAAI,CAAb,EAAgB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAA
C,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACI,UAAU,UAAU,KAAM,GAAE,
KAAK,UAAU,K;OAE/C,IAAI,OAAO,UAAU,UAAU,MAAO,KAAI,WAA1C,C;QACI,MAAM,eAAe,CAAC,UA
AU,UAAX,EAAuB,OAAvB,EAAgC,QAC1C,eAD0C,CAAhC,C;;;MAQJ,CAApB,Y;OAAc,MAAM,CAAC,IAAD
,EAAO,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;MAC9B,MAAM,eAAe,CAA
C,QAAQ,UAAT,EAAqB,OAArB,EAA8B,QACxC,uB;QACH,OAAO,KAAK,KAAK,CAAC,IAAD,EAAO,IAAP,
EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAK,IAAI,IAAI,CAAb,EA
AgB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MAC
vB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAI,WAAxC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAX,EAAuB,KA
AvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAI,CAAC,QAAD,EAA
W,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,E;
MAClB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAElB,IAAI,CAAE,KAAI,CAAV,C;QACI,IAAI,CAAE,
KAAI,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QACb,OAAO,EAAG,KAAI,CAAE,GAA
E,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GAAO,C;OAG7C,OAAO,CAAE,KAAI,CAA
E,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;IAGzC,KAAK,IAAI,IAAI,CAAb,EAA
gB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACv
B,IAAI,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAX,EAAuB,MA
AvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAgB,IAAG,oBA
A1B,C;SAFY,CAA/B,C;;GAO/B,G;EC/WF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C
;EAMd,MAAM,WAAY,GAAE,2C;IAChB,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IAC
xD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAK,C
AAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAm
B,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,MAAM,
WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2C,YAA3C,C;G;EAG5B,MAAM,WAA
Y,GAAE,kD;IAChB,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IA
AG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAb,C;
MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IA
AG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAAe,GAAE,K;MAC3B,M;KAGJ,MA
AM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2C,YAA3C,EAAyD,KAAzD,C;G;E
AGrB,iD;IACI,IAAI,IAAK,KAAI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,
IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,UAAU,O

AA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAgB,KAAhB,CA
A9B,C;UACI,OAAO,I;;KAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UA
AL,CAAvB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7E,OAAO
,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAmB,KAAnB,C;G;EASjE,MAAM,OAAQ,GAAE,yB;I
ACZ,IAAI,KAAM,KAAI,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,O
AAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAIrC,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAAK,KAAI,O
AAO,MAAO,KAAI,QAAS,IAAG,OAAO,MAAO,KAAI,UAApD,CAApC,C;MACI,OAAO,K;KAGX,IAAI,OAA
O,KAAM,KAAI,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,OAAO,I;KAGX,IAAI,QAAQ,MAAM,eAAe,C
AAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAK,YAAP,GAAsB,I;IACtD,IAAI,WAAY,IAA
G,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAW,WAAW,W;MAC1B,IAAI,QAAQ,KAAM,KAAI,M
AAM,KAAK,OAAjC,C;QACI,OAAO,MAAO,KAAI,K;QAI1B,IAAI,gBAAgB,KAAK,W;IAGzB,IAAI,aAAc,IAA
G,IAArB,C;MACI,OAAO,MAAO,YAAW,K;KAG7B,IAAI,aAAa,KAAM,KAAI,MAAM,KAAK,UAAW,IAAG,M
AAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAqB,KAArB,C;KAGrC,OAAO,
K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAAW,MAAM,K;
G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGlC,MAAM,aAAc,GAAE,iB;
IAClB,IAAI,OAAO,OAAO,K;IAElB,OAAO,IAAK,KAAI,QAAS,IAClB,IAAK,KAAI,SAAU,IACnB,MAAM,SA
AS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;G;EAGxB,M
AAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAI,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAA
Q,MAAM,OAAO,aAArB,C;G;;;;;;;;;aCnDV,gB;;;;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;
K;wDAG5C,Y;MAAQ,iB;K;2DAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAyC,OAAQ,0BAAR,YAAQ,EAAU,KAAM,
QAAhB,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAnC,MAAmC,kBAA8B,IAA9B,C;K;8B
AE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IDfJ,mC;MAC4
C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,I
AAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,I
ALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAAA,KAAM,O
AAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAK,CAAL,C;;MAEf,OAAO,K;K;
IAGX,kC;MAIiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACtB,gBAAkB,c;MAEd,IADS,IACT,mBADS,IACT,E
AAM,IAAN,E;QAAc,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U;QAAA,SAaqB
,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAYsC,IAZ3B,CAAK,C
AAL,C;;QAYH,OAAsB,M;;MAHlC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,IAAb,EAAmB,
KAAnB,C;QAlBhF,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAA
N,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAiBiE,OAfzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAFP,aAAa,IAAb,
WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,IAAN,YADS,IACT,EAAY
,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B
+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAmB,M;;MAF/B,W;K;qEAMJ,yB;
MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UAAU,IAAV,EAAgB,IAAhB,C;QACC,OAAA,KAA
M,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,C
AAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,
YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAA
K,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;MAIiB,IAA
N,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,IAAN,E;QAA
c,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAN,GAAa,CAAb,I;
QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;QA2DH,OAA
mB,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAgB,KAAhB,C;QAjEvE
,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAgEwG,IAhE7F
,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa
,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IElFX,iC;MAAA,qC;MAEI,
iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yBACJ,MAAoC,kB;MAEhC,yBACJ,MAAoC,kB;MAEhC,

WACJ,MAAsB,I;K;;;IAftB,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAkBA,gC;MAAA,oC;MAEI,iBACJ,MAA2B,
U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAAmC,kB;MAE/B,yBACJ,MAAmC,kB;MAE/B,WACJ,MAAqB
,I;K;;;IAfrB,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAkBA,8B;MAAA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U
;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;IAeA,+B;MAAA,mC
;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C;MAEvB,iBACsB,E;K;;;
IAZ1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAeA,gC;MAAA,oC;MAEI,iBACuB,U;MAEvB,iBACuB,K;MAE
vB,kBACuB,C;MAEvB,iBACsB,E;K;;;IAZ1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAeA,+B;MAAA,mC;MAE
I,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;;;IAZ1B,2C;MAAA,0C;QAAA,yB;OA
AA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4C,K;MAE5C,0BAC4C,
K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;MAEvC,kBACuB,C;MA
EvB,iBACsB,E;K;;;IA9B1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAiCA,iC;MAAA,qC;K;;;IAAA,6C;MAAA,
4C;QAAA,2B;OAAA,qC;K;IAEA,kC;MAAA,sC;K;;;IAAA,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;;;;;;;;;;;;;;;;;;;
;;;;;;;;;;;;;;aCgwfoB,gB;;;;cC3ze0C,mB;;gBAyEvC,yB;eAAyB,wB;;;uBAgBzB,gC;sBAAwB,+B;mCA4JjC,qB;mC
A5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;;;;eCvdgB,wB;sBCQA,sB;iBCPA,0B;;;;aC1K8B,e;;;;;;;;;;;gCCzChD,yC;+B
CTA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC;gBClF0D,yB;;;
;;;IChFrF,kD;MAM
uF,wC;K;IANvF,4CAOI,Y;MAAuC,8B;K;IAP3C,8E;ICCA,kD;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IA
T3C,8E;0FZSA,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MA
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O
AAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA
AO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAA
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,
UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAG
X,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UA
AI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,
qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA
I,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB
;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C
AAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MA
II,OAAO,mBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,
OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OA
AO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,
qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qB
AAQ,OAAR,KAAoB,C;K;oGAkE/B,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3
B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,O
AAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sG
AUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC
,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS
,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;
QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAP
jE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ
,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAA

c,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MA
AA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;
O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,G
AAsC,UAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KAPjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OA
AY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;qGAUA,yB;MAAA,qD;MAAA,mC;QAOI,OAAY,UAAL,SAAK
,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;
O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGA
UA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD
;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAO
I,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,S
AAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAA
V,C;O;KAPhB,C;8EAUA,gC;MAKW,sB;;QAyXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAA
U,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QA
yXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP
,uB;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QAyXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,
IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAG
J,gC;MAKW,sB;;QAyXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAA
wB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QAyXS,Q;QAAhB,iD;UAA
gB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;
;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QAyXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,
OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QAyX
S,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,u
B;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QAyXS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA
zXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1XP,yB;K;gFAGJ,y
B;MA0XA,oC;MAAA,gC;MA1XA,uC;QAKW,sB;;UAyXS,Q;UAAhB,iD;YAAgB,cAAhB,0B;YAAsB,IAzXH,SA
yXO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I;;;QA1XP,yB;O;KALJ,C;sFAQA,y
B;MAssCA,0D;MAAA,+C;MAtsCA,uC;QAKW,qB;;UAqsCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,
OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAvsCc,SAusCV,CAAU,OAAV,CAAJ,C;cAAwB
,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAzsCP,wB;O;KALJ,C;wFAQA,yB;MAysCA,0D;MAAA,+C;MAzsC
A,uC;QAKW,qB;;UAwsCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,c
AAc,UAAK,KAAL,C;YACd,IA1sCc,SA0sCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oB
AAO,I;;;QA5sCP,wB;O;KALJ,C;wFAQA,yB;MA4sCA,0D;MAAA,+C;MA5sCA,uC;QAKW,qB;;UA2sCO,Q;UA
AA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA7s
Cc,SA6sCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA/sCP,wB;O;KALJ,C;w
FAQA,yB;MA+sCA,0D;MAAA,+C;MA/sCA,uC;QAKW,qB;;UA8sCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W
;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAhtCc,SAgtCV,CAAU,OAAV,CAAJ,C;
cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAltCP,wB;O;KALJ,C;wFAQA,yB;MAktCA,0D;MAAA,+C;M
AltCA,uC;QAKW,qB;;UAitCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YAC
V,cAAc,UAAK,KAAL,C;YACd,IAntCc,SAmtCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,
oBAAO,I;;;QArtCP,wB;O;KALJ,C;wFAQA,yB;MAqtCA,0D;MAAA,+C;MArtCA,uC;QAKW,qB;;UAotCO,Q;UA
AA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAttC
c,SAstCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAxtCP,wB;O;KALJ,C;wF
AQA,yB;MAwtCA,0D;MAAA,+C;MAxtCA,uC;QAKW,qB;;UAutCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;
UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAztCc,SAytCV,CAAU,OAAV,CAAJ,C;c
AAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA3tCP,wB;O;KALJ,C;wFAQA,yB;MA2tCA,0D;MAAA,+C;M
A3tCA,uC;QAKW,qB;;UA0tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YAC
V,cAAc,UAAK,KAAL,C;YACd,IA5tCc,SA4tCV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,o
BAAO,I;;;QA9tCP,wB;O;KALJ,C;wFAQA,yB;MA8tCA,0D;MAAA,+C;MAAA,oC;MA9tCA,uC;QAKW,qB;;UA

6tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;
YACd,IA/tCc,SA+tCV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAjuCP,wB;O
;KALJ,C;IAQA,0B;MAKI,IAsuLO,qBAAQ,CAtuLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK
,CAAL,C;K;IAGX,4B;MAKI,IAouLO,qBAAQ,CApuLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,U
AAK,CAAL,C;K;IAGX,4B;MAKI,IAkuLO,qBAAQ,CAluLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAA
O,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAguLO,qBAAQ,CAhuLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,
OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA8tLO,qBAAQ,CA9tLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA
CV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA4tLO,qBAAQ,CA5tLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;
MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA0tLO,qBAAQ,CA1tLf,C;QACI,MAAM,2BAAuB,iBAAvB
,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAwtLO,qBAAQ,CAxtLf,C;QACI,MAAM,2BAAuB,iBA
AvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAstLO,qBAAQ,CAttLf,C;QACI,MAAM,2BAAuB,iB
AAvB,C;MACV,OAAO,UAAK,CAAL,C;K;kFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SA
AhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gC
AAuB,mDAAvB,C;O;KANV,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAA
gB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAA
vB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA
AhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KAN
V,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAA
sB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,
yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UA
AU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,i
E;MAAA,uC;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,C
AAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC
;QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAA
wB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;
QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,
O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;
QAKoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CA
AJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;IASA,gC;MAII,OA4jLO,qBAAQ,C
A5jLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA6jLO,qBAAQ,CA7jLR,GAAe,IAAf,GAAyB
,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA8jLO,qBAAQ,CA9jLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,
kC;MAII,OA+jLO,qBAAQ,CA/jLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAgkLO,qBAAQ,
CAhkLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAikLO,qBAAQ,CAjkLR,GAAe,IAAf,GAA
yB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAkkLO,qBAAQ,CAlkLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAG
pC,kC;MAII,OAmkLO,qBAAQ,CAnkLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAokLO,qB
AAQ,CApkLR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q
AAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;8FAGX,g
C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UA
AwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh
B,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAh
B,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MA
CrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,U
AAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FA
GX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,
C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,yB;MAAA,oC;
MAAA,gC;MAAA,uC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAA

I,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,qC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,qC;MAII,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAIf,8D;UACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;8FAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGAGX,yB;MAAA,oC;MAAA,uC;QAII,wD;UACI,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAAQ,SAAR,sBAAQ,CAAAR,W;QAAd,OAAAc,cAAd,C;UAAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAAQ,SAAR,sBAAQ,CAAAR,W;QAAd,OAAAc,cAAd,C;UAAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAAQ,SAAR,sBAAQ,CAAAR,W;QAAd,OAAAc,cAAd,C;UAAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIk

B,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAA
L,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;Q
AIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,K
AAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,u
C;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAA
K,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAA
A,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,U
AAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;M
AAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,
IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,yB;MAKI,IAi+
JO,qBAAQ,CAj+Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,wBAAL,C;K;IAGX,2B;MAKI,I
A+9JO,qBAAQ,CA/9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MA
KI,IA69JO,qBAAQ,CA79Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;
MAKI,IA29JO,qBAAQ,CA39Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX
,2B;MAKI,IAy9JO,qBAAQ,CAz9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;I
AGX,2B;MAKI,IAu9JO,qBAAQ,CAv9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C
;K;IAGX,2B;MAKI,IAq9JO,qBAAQ,CAr9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAA
L,C;K;IAGX,2B;MAKI,IAm9JO,qBAAQ,CAn9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0
BAAL,C;K;IAGX,2B;MAKI,IAi9JO,qBAAQ,CAj9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA
K,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,
SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;gFAYA,yB;MAAA,0D;MA
AA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAA
d,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,M
AAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QA
AA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C
;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFA
YA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAA
b,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAw
B,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;M
AAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mD
AAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,Y
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;
MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEn
C,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q
;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KA
AL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,
C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,S
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBA
AV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IAYA,yC;MAKsB,UAMA,
M;MAPlB,IAAI,eAAJ,C;QACkB,OAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAA
I,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,gBAAd,C;UAA
c,2B;UACV,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;K;IAGX,2C;MAIk
B,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,K
AAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,

W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO
,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IA
AI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WA
AR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;U
ACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,
cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;M
AIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK
,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAA
R,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAA
O,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,I
AAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,+B;MAII,OAwqJO,qBAAQ,CAx
qJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OAyqJO,qBAAQ,CAzqJR,GAAe,I
AAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OA0qJO,qBAAQ,CA1qJR,GAAe,IAAf,GAAyB
,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OA2qJO,qBAAQ,CA3qJR,GAAe,IAAf,GAAyB,UAAK,mB
AAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OA4qJO,qBAAQ,CA5qJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,
IAAL,C;K;IAGpC,iC;MAII,OA6qJO,qBAAQ,CA7qJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;I
AGpC,iC;MAII,OA8qJO,qBAAQ,CA9qJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;M
AII,OA+qJO,qBAAQ,CA/qJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OAgrJO,
qBAAQ,CAhrJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;4FAGpC,yB;MAAA,0D;MAAA,+C;M
AAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV
,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;4F
AWA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QA
Ad,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAA
O,O;;QAEnC,OAAO,I;O;KARX,C;6FAWA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAA
R,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,U
AAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;6FAWA,yB;MAAA,0D;MAAA,+C;MA
AA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,c
AAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;6FA
WA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd
,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O
;;QAEnC,OAAO,I;O;KARX,C;6FAWA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,Y
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;6FAWA,yB;MAAA,0D;MAAA,+C;MAAA,
uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc
,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;6FAWA,
yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OA
Ac,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q
AEnC,OAAO,I;O;KARX,C;6FAWA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,S
AAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAA
I,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;kFAWA,yB;MAAA,mC;MAAA,gD;
MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,O
AAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,
C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAW
A,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;M
AAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;
QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAA
O,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,
C;IAWA,qC;MAOI,IAg6IO,qBAAQ,CAh6If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO

,iBAAQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,IA45IO,qBAAQ,CA55If,C;QACI,MAAM,2BAAuB,iBAAvB,C;M
ACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAw5IO,qBAAQ,CAx5If,C;QACI,MA
AM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAo5IO,qB
AAQ,CAp5If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;I
AGX,sC;MAOI,IAg5IO,qBAAQ,CAh5If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iB
AAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA44IO,qBAAQ,CA54If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC
V,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAw4IO,qBAAQ,CAx4If,C;QACI,MAAM,
2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAo4IO,qBAA
Q,CAp4If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAG
X,sC;MAOI,IAg4IO,qBAAQ,CAh4If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAA
Q,gBAAR,CAAX,C;K;8FAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C
;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,
mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAA
A,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,w
BAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KA
PX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MA
AA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;M
AAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA2tIO,qBAAQ,CA3tIf,C;QACI,OAAO,I;
MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IAwtIO,qBAAQ,CAxtIf,C;QACI,OA
AO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAqtIO,qBAAQ,CArtIf,C;QAC
I,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAktIO,qBAAQ,CAltIf,C;
QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA+sIO,qBAAQ,CA/
sIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA4sIO,qBAA
Q,CA5sIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAysIO,
qBAAQ,CAzsIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,I
AssIO,qBAAQ,CAtsIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;M
AMI,IAmsIO,qBAAQ,CAnsIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX
,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iB
AAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,Q
AAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBA
CQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA
AK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAz
B,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAv
B,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;M
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,
CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM
,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,M
AAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,
MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;
MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;
aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIi
B,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CA
AL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;oFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB
;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAg
B,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,
C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,6E;O;KAfX,C;oFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAA
oB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ

,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,C
AAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MA
AA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;
UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gD
AAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;
QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAX
P,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAA
V,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,
IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,
kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SA
AhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8B
AAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,m
DAAvB,C;QAElB,OAAO,iE;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAS
T,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAA
U,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;
QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB
;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACZ,wBAA
gB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAA
M,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAA
uB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB
,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI
,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QA
AQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,4D;O;KAfX,C;qFAk
BA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;Q
ACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,C
AAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IA
AI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,4E;O;KAfX,C;IAkBA,iC;MAII,OAAW
,qBAAQ,CAAZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAAe,UAAK
,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IA
GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAA
Q,CAAZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAAe,UAAK,CAA
L,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,
mC;MAII,OAAW,qBAAQ,CAAZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CA
AZ,GAAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACZ
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAA
W,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M
;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAA
Q,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAq
B,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,
C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAA
Y,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;MACnB,YAAY,K;MACZ,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I
;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX
,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
CI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGh
B,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB
,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IA

AI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;
MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;Q
AAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAA
S,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,
Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UA
AU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAA
C,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAF
hB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UA
AU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YAClB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAA
C,KAAL,C;UAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;Ma3+FI,IAAI,Ebm/FI,KAAK,Can/FT,CAA
J,C;QACI,cbk/Fc,sD;Qaj/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;Obk/FV,OAAO,oBAAoB,gBAAV,mBAAO,CA
AP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,8B;Mav/FI,IAAI,Eb+/FI,KAAK,Ca//FT,CAAJ,C;QACI,cb8/Fc,sD;Qa
7/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob8/FV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,
CAApB,C;K;IAGX,8B;MangGI,IAAI,Eb2gGI,KAAK,Ca3gGT,CAAJ,C;QACI,cb0gGc,sD;QazgGd,MAAM,gCAA
yB,OAAQ,WAAjC,C;Ob0gGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX
,8B;Ma/gGI,IAAI,EbuhGI,KAAK,CavhGT,CAAJ,C;QACI,cbshGc,sD;QarhGd,MAAM,gCAAyB,OAAQ,WAAjC,
C;ObshGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,8B;Ma3hGI,IAAI,
EbmiGI,KAAK,CaniGT,CAAJ,C;QACI,cbkiGc,sD;QajiGd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObkiGV,OAAO,s
BAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,8B;MaviGI,IAAI,Eb+iGI,KAAK,Ca/iG
T,CAAJ,C;QACI,cb8iGc,sD;Qa7iGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob8iGV,OAAO,sBAAoB,gBAAV,mB
AAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,8B;ManjGI,IAAI,Eb2jGI,KAAK,Ca3jGT,CAAJ,C;QACI,cb0
jGc,sD;QazjGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob0jGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,E
AAc,CAAd,CAApB,C;K;IAGX,8B;Ma/jGI,IAAI,EbukGI,KAAK,CavkGT,CAAJ,C;QACI,cbskGc,sD;QarkGd,MA
AM,gCAAyB,OAAQ,WAAjC,C;ObskGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,
C;K;IAGX,8B;Ma3kGI,IAAI,EbmlGI,KAAK,CanlGT,CAAJ,C;QACI,cbklGc,sD;QajlGd,MAAM,gCAAyB,OAAQ
,WAAjC,C;ObklGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,gC;MavlG
I,IAAI,Eb+lGI,KAAK,Ca/lGT,CAAJ,C;QACI,cb8lGc,sD;Qa7lGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob8lGV,O
AAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;ManmGI,IAAI,Eb2mGI,KA
AK,Ca3mGT,CAAJ,C;QACI,cb0mGc,sD;QazmGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob0mGV,OAAO,kBAAg
B,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Ma/mGI,IAAI,EbunGI,KAAK,CavnGT,C
AAJ,C;QACI,cbsnGc,sD;QarnGd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObsnGV,OAAO,kBAAgB,gBAAV,mBAA
O,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Ma3nGI,IAAI,EbmoGI,KAAK,CanoGT,CAAJ,C;QACI,cbko
Gc,sD;QajoGd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObkoGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,E
AAc,CAAd,CAAhB,C;K;IAGX,kC;MavoGI,IAAI,Eb+oGI,KAAK,Ca/oGT,CAAJ,C;QACI,cb8oGc,sD;Qa7oGd,M
AAM,gCAAyB,OAAQ,WAAjC,C;Ob8oGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAh
B,C;K;IAGX,kC;ManpGI,IAAI,Eb2pGI,KAAK,Ca3pGT,CAAJ,C;QACI,cb0pGc,sD;QazpGd,MAAM,gCAAyB,O
AAQ,WAAjC,C;Ob0pGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;
Ma/pGI,IAAI,EbuqGI,KAAK,CavqGT,CAAJ,C;QACI,cbsqGc,sD;QarqGd,MAAM,gCAAyB,OAAQ,WAAjC,C;O
bsqGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Ma3qGI,IAAI,Ebm
rGI,KAAK,CanrGT,CAAJ,C;QACI,cbkrGc,sD;QajrGd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObkrGV,OAAO,kBA
AgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;MavrGI,IAAI,Eb+rGI,KAAK,Ca/rGT,C
AAJ,C;QACI,cb8rGc,sD;Qa7rGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob8rGV,OAAO,kBAAgB,gBAAV,mBAA
O,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBA
Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK
,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;
QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OA
AO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;
MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C

;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;
MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CA
AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D
;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,
KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;
MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA
AU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;
kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,
CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O
;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U
ACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,O
AAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd
,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,C
AAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;
eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;K
AfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,g
B;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CA
AL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAA
A,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI
,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;Y
ACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf
,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;
eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;K
AfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,g
B;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CA
AL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAA
A,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI
,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;Y
ACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf
,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;
eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;K
AfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,g
B;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CA
AL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAA
A,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAA
b,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C
;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;kFAkBA,yB;MAAA,+D;MAAA,u
C;QAIW,kBAAS,gB;QAiaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjaU,SAiaN,CAAU,OAAV,CAAJ,C;YAA
wB,WAAY,WAAI,OAAJ,C;;QAja1D,OAkaO,W;O;KAtaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,g
B;QAkaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlaa,SAkaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI
,OAAJ,C;;QAla1D,OAmaO,W;O;KAvaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAmaA,Q;QA
AhB,iD;UAAgB,cAAhB,e;UAAsB,IAnac,SAmaV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAn
a1D,OAoaO,W;O;KAxaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAoaA,Q;QAAhB,iD;UAAgB
,cAAhB,e;UAAsB,IApaY,SAoaR,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApa1D,OAqaO,W;
O;KAzaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAqaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAA
sB,IAraa,SAqaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAra1D,OAsaO,W;O;KA1aX,C;oFA
OA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAsaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtac,SAsaV,

CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAta1D,OAuaO,W;O;KA3aX,C;oFAOA,yB;MAAA,+
D;MAAA,uC;QAIW,kBAAS,gB;QAuaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvae,SAuaX,CAAU,OAAV,C
AAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAva1D,OAwaO,W;O;KA5aX,C;oFAOA,yB;MAAA,+D;MAAA,uC;Q
AIW,kBAAS,gB;QAwaA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxagB,SAwaZ,CAAU,OAAV,CAAJ,C;YAA
wB,WAAY,WAAI,OAAJ,C;;QAxa1D,OAyaO,W;O;KA7aX,C;oFAOA,yB;MAAA,+D;MAyaA,oC;MAAA,gC;M
AzaA,uC;QAIW,kBAAS,gB;QAyaA,Q;QAAhB,iD;UAAgB,cAAhB,0B;UAAsB,IAzaa,SAyaT,CAAU,oBAAV,CA
AJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAza1D,OA0aO,W;O;KA9aX,C;gGAOA,yB;MAAA,+D;MAAA,uC;QA
MW,kBAAgB,gB;QA8oPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA5jPI,IAlFmC,SAkF/B,EA4jPkB,cA
5jPlB,EA4jPkB,sBA5jPlB,WA4jP2B,IA5jP3B,CAAJ,C;YAA2C,sBA4jPZ,IA5jPY,C;;QAlF/C,OAoFO,W;O;KA1F
X,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QA+oPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WA
Ab,e;UA1jPI,IArFsC,SAqFlC,EA0jPkB,cA1jPlB,EA0jPkB,sBA1jPlB,WA0jP2B,IA1jP3B,CAAJ,C;YAA2C,sBA0j
PZ,IA1jPY,C;;QArF/C,OAuFO,W;O;KA7FX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAgpP
V,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAxjPI,IAxFuC,SAwFnC,EAwjPkB,cAxjPlB,EAwjPkB,sBAxjP
lB,WAwjP2B,IAxjP3B,CAAJ,C;YAA2C,sBAwjPZ,IAxjPY,C;;QAxF/C,OA0FO,W;O;KAhGX,C;kGASA,yB;MA
AA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAipPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAtjPI,IA3FqC
,SA2FjC,EAsjPkB,cAtjPlB,EAsjPkB,sBAtjPlB,WAsjP2B,IAtjP3B,CAAJ,C;YAA2C,sBAsjPZ,IAtjPY,C;;QA3F/C,
OA6FO,W;O;KAnGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAkpPV,gB;QADb,YAAY,C;
QACZ,iD;UAAa,WAAb,e;UApjPI,IA9FsC,SA8FlC,EAojPkB,cApjPlB,EAojPkB,sBApjPlB,WAojP2B,IApjP3B,C
AAJ,C;YAA2C,sBAojPZ,IApjPY,C;;QA9F/C,OAgGO,W;O;KAtGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAM
W,kBAAgB,gB;QAmpPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAljPI,IAjGuC,SAiGnC,EAkjPkB,cAlj
PlB,EAkjPkB,sBAljPlB,WAkjP2B,IAljP3B,CAAJ,C;YAA2C,sBAkjPZ,IAljPY,C;;QAjG/C,OAmGO,W;O;KAzGX
,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAopPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAA
b,e;UAhjPI,IApGwC,SAoGpC,EAgjPkB,cAhjPlB,EAgjPkB,sBAhjPlB,WAgjP2B,IAhjP3B,CAAJ,C;YAA2C,sBAg
jPZ,IAhjPY,C;;QApG/C,OAsGO,W;O;KA5GX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAgB,gB;QAqp
PV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA9iPI,IAvGyC,SAuGrC,EA8iPkB,cA9iPlB,EA8iPkB,sBA9iP
lB,WA8iP2B,IA9iP3B,CAAJ,C;YAA2C,sBA8iPZ,IA9iPY,C;;QAvG/C,OAyGO,W;O;KA/GX,C;kGASA,yB;MAA
A,+D;MAyGA,gC;MA4iPA,oC;MArpPA,uC;QAMW,kBAAgB,gB;QAspPV,gB;QADb,YAAY,C;QACZ,iD;UAAa
,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA5iP/B,IA1GsC,SA0GlC,CAAU,OAAV,
EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA1G/C,OA4GO,W;O;KAlHX,C;oGASA,6C;MAmkPiB,gB;
MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA5jPI,IAAI,WA4jPkB,cA5jPlB,EA4jPkB,sBA5jPlB,WA4jP2B,IA5j
P3B,CAAJ,C;UAA2C,sBA4jPZ,IA5jPY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAikPiB,gB;MADb,YAAY,C;MAC
Z,iD;QAAa,WAAb,e;QA1jPI,IAAI,WA0jPkB,cA1jPlB,EA0jPkB,sBA1jPlB,WA0jP2B,IA1jP3B,CAAJ,C;UAA2C,
sBA0jPZ,IA1jPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;
QAxjPI,IAAI,WAwjPkB,cAxjPlB,EAwjPkB,sBAxjPlB,WAwjP2B,IAxjP3B,CAAJ,C;UAA2C,sBAwjPZ,IAxjPY,C
;;MAE/C,OAAO,W;K;qGAGX,6C;MA6jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtjPI,IAAI,WAsjP
kB,cAtjPlB,EAsjPkB,sBAtjPlB,WAsjP2B,IAtjP3B,CAAJ,C;UAA2C,sBAsjPZ,IAtjPY,C;;MAE/C,OAAO,W;K;sG
AGX,6C;MA2jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QApjPI,IAAI,WAojPkB,cApjPlB,EAojPkB,sB
ApjPlB,WAojP2B,IApjP3B,CAAJ,C;UAA2C,sBAojPZ,IApjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAyjPiB,gB;
MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAljPI,IAAI,WAkjPkB,cAljPlB,EAkjPkB,sBAljPlB,WAkjP2B,IAljP
3B,CAAJ,C;UAA2C,sBAkjPZ,IAljPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAujPiB,gB;MADb,YAAY,C;MACZ,
iD;QAAa,WAAb,e;QAhjPI,IAAI,WAgjPkB,cAhjPlB,EAgjPkB,sBAhjPlB,WAgjP2B,IAhjP3B,CAAJ,C;UAA2C,sB
AgjPZ,IAhjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAqjPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA
9iPI,IAAI,WA8iPkB,cA9iPlB,EA8iPkB,sBA9iPlB,WA8iP2B,IA9iP3B,CAAJ,C;UAA2C,sBA8iPZ,IA9iPY,C;;MA
E/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MA4iPA,oC;MA5iPA,oD;QAmjPiB,gB;QADb,YAAY,C;QACZ,iD;UAA
a,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA5iP/B,IAAI,UAAU,OAAV,EAAiB,O
AAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KATX,C;sGAYA,yB;MAAA,+D;MAAA,sC;QAI
W,kBAAmB,gB;QAOV,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C
;;QAPpD,OAAQO,W;O;KAZX,C;0GAOA,4C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;

QAAsB,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8EH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9ES,SA8ER,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9E3D,OA+EO,W;O;KAnFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+EH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/EY,SA+EP,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/E5D,OA+EqE,W;O;KAnFzE,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhFa,SAgFZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhFjE,OAgF0E,W;O;KAnF9E,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjFkB,SAiFjB,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjFtE,OAiF+E,W;O;KAnFnF,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlFuB,SAkFtB,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlF3E,OAkFoF,W;O;KAnFxF,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnF4B,SAmF3B,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnFhF,OAmFyF,W;O;KAnF7F,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApFiC,SAoFhC,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApFrF,OAoF8F,W;O;KAnFlG,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArFsC,SAqFrC,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArF1F,OAqFmG,W;O;KAnFvG,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtF2C,SAsF1C,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtF/F,OAsFwG,W;O;KAnF5G,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvFgD,SAuF/C,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvFpG,OAuF6G,W;O;KAnFjH,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxFqD,SAwFpD,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxFzG,OAwFkH,W;O;KAnFtH,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyFH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzF0D,SAyFzD,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzF9G,OAyFuH,W;O;KAnF3H,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1F+D,SA0F9D,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1FnH,OA0F4H,W;O;KAnFhI,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3FoE,SA2FnE,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3FxH,OA2FiI,W;O;KAnFrI,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5FyE,SA4FxE,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5F7H,OA4FsI,W;O;KAnF1I,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7F4E,SA6F3E,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7FhI,OA6FyI,W;O;KAnF7I,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9FkF,SA8FjF,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9FtI,OA8F+I,W;O;KAnFnJ,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+FH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/FqF,SA+FpF,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/FzI,OA+FkJ,W;O;KAnFtJ,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhGwF,SAgGvF,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhG5I,OAgGqJ,W;O;KAnFzJ,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjG2F,SAiG1F,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjG/I,OAiGwJ,W;O;KAnF5J,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlG8F,SAkG7F,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlGlJ,OAkG2J,W;O;KAnF/J,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnGiG,SAmGhG,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnGrJ,OAmG8J,W;O;KAnFlK,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApGoG,SAoGnG,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApGxJ,OAoGiK,W;O;KAnFrK,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArGuG,SAqGtG,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArG3J,OAqGoK,W;O;KAnFxK,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtG0G,SAsGzG,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtG9J,OAsGuK,W;O;KAnF3K,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvG6G,SAuG5G,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvGjK,OAuG0K,W;O;KAnF9K,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxGgH,SAwG/G,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxGpK,OAwG6K,W;O;KAnFjL,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyGH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzGmH,SAyGlH,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzGvK,OAyGgL,W;O;KAnFpL,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1GsH,SA0GrH,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1G1K,OA0GmL,W;O;KAnFvL,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3GyH,SA2GxH,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3G7K,OA2GsL,W;O;KAnF1L,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5G4H,SA4G3H,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5GhL,OA4GyL,W;O;KAnF7L,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7G+H,SA6G9H,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7GnL,OA6G4L,W;O;KAnFhM,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9GkI,SA8GjI,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9GtM,OA8G+M,W;O;KAnFnN,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/GqI,SA+GpI,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/GzM,OA+GkN,W;O;KAnFtN,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhHwI,SAgHvI,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhH5N,OAgHqO,W;O;KAnFzO,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjH2I,SAiH1I,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjH/O,OAiHwP,W;O;KAnF5P,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlH8I,SAkH7I,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlHlQ,OAkH2Q,W;O;KAnF/Q,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnHiJ,SAmHhJ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnHrR,OAmH8R,W;O;KAnFlS,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApHoJ,SAoHnJ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApHxS,OAoHiT,W;O;KAnFrT,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArHuJ,SAqHtJ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArH3T,OAqHoU,W;O;KAnFxU,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtH0J,SAsHzJ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtH9U,OAsHuV,W;O;KAnF3V,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvH6J,SAuH5J,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvHjW,OAuH0W,W;O;KAnF9W,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxHgK,SAwH/J,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxHpX,OAwH6X,W;O;KAnFjY,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyHH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzHmK,SAyHlK,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzHvY,OAyHgZ,W;O;KAnFpZ,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1HsK,SA0HrK,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1H1a,OA0Hmb,W;O;KAnFvb,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3HyK,SA2HxK,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3H7b,OA2Hsc,W;O;KAnF1c,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5H4K,SA4H3K,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5Hhd,OA4Hyd,W;O;KAnF7d,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7H+K,SA6H9K,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7Hne,OA6H4e,W;O;KAnFhf,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9HkL,SA8HjL,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9Hte,OA8H+e,W;O;KAnFnf,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+HH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/HqL,SA+HpL,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/Hze,OA+HkgB,W;O;KAnFtgB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhIwL,SAgIvL,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhI5f,OAgIqgB,W;O;KAnFzgB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjI2L,SAiI1L,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjI/gB,OAiIwhB,W;O;KAnF5hB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlI8L,SAkI7L,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlIlhB,OAkI2hB,W;O;KAnF/hB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnIiM,SAmIhM,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnIrhB,OAmI8hB,W;O;KAnFliB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApIoM,SAoInM,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApIxiB,OAoIijB,W;O;KAnFrjB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArIuM,SAqItM,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArI3jB,OAqIokB,W;O;KAnFxkB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtI0M,SAsIzM,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtI9kB,OAsIulB,W;O;KAnF3lB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvI6M,SAuI5M,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvIjmB,OAuI0mB,W;O;KAnF9mB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxIgN,SAwI/M,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxIpnB,OAwI6nB,W;O;KAnFjoB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyIH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzImN,SAyIlN,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzIvoB,OAyIgpB,W;O;KAnFppB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1IsN,SA0IrN,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1I1pB,OA0InqB,W;O;KAnFvqB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3IyN,SA2IxN,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3I7qB,OA2IsrB,W;O;KAnF1rB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5I4N,SA4I3N,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5IhsB,OA4IysB,W;O;KAnF7sB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7I+N,SA6I9N,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7InttB,OA6I4tB,W;O;KAnFhuB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9IkO,SA8IjO,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9IvuB,OA8IgvB,W;O;KAnFpvB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+IH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/IqO,SA+IpO,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/I1vB,OA+InwB,W;O;KAnFvwB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhJwO,SAgJvO,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhJ5wB,OAgJqxB,W;O;KAnFzxB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjJ2O,SAiJ1O,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjJ/xB,OAiJwyB,W;O;KAnF5yB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlJ8O,SAkJ7O,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlJlzB,OAkJ2zB,W;O;KAnF/zB,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnJiP,SAmJhP,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnJr0B,OAmJ80B,W;O;KAnFl1B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApJoP,SAoJnP,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApJx1B,OAoJi2B,W;O;KAnFr2B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArJuP,SAqJtP,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArJ33B,OAqJo3B,W;O;KAnFx3B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtJ0P,SAsJzP,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtJ94B,OAsJu5B,W;O;KAnF35B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvJ6P,SAuJ5P,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvJj6B,OAuJ06B,W;O;KAnF96B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxJgQ,SAwJ/P,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxJp7B,OAwJ67B,W;O;KAnFj8B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyJH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzJmQ,SAyJlQ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzJv8B,OAyJg9B,W;O;KAnFp9B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1JsQ,SA0JrQ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1J19B,OA0Jm+B,W;O;KAnFv+B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3JyQ,SA2JxQ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3J7+B,OA2Js/B,W;O;KAnF1/B,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5J4Q,SA4J3Q,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5JhgC,OA4JyhC,W;O;KAnF7hC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7J+Q,SA6J9Q,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA7JnjC,OA6J4jC,W;O;KAnFhkC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9JkR,SA8JjR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA9JtlC,OA8J+lC,W;O;KAnFnmC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+JH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/JqR,SA+JpR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA/JzmC,OA+JknC,W;O;KAnFtnC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAgKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhKwR,SAgKvR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAhK5oC,OAgKqpC,W;O;KAnFzpC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAiKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjK2R,SAiK1R,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAjK/pC,OAiKwqC,W;O;KAnF5qC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAkKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAlK8R,SAkK7R,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAlKlrC,OAkK2rC,W;O;KAnF/rC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnKiS,SAmKhS,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAnKrsC,OAmK8sC,W;O;KAnFltC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CApKoS,SAoKnS,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApKxtC,OAoKiuC,W;O;KAnFruC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CArKuS,SAqKtS,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArK3vC,OAqKowC,W;O;KAnFxwC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtK0S,SAsKzS,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtK9xC,OAsKuyC,W;O;KAnF3yC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAuKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvK6S,SAuK5S,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvKjzC,OAuK0zC,W;O;KAnF9zC,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAwKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxKgT,SAwK/S,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxKp0C,OAwK60C,W;O;KAnFj1C,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAyKH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzKmT,SAyKlT,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzKv1C,OAyKg2C,W;O;KAnFp2C,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA0KH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1KsT,SA0KrT,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1K13C,OA0Km3C,W;O;KAnFv3C,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA2KH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3KyT,SA2KxT,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3K74C,OA2Ks5C,W;O;KAnF15C,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA4KH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA5K4T,SA4K3T,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA5Kh6C,OA4Ky6C,W;O;KAnF76C,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA6KH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA7K+T,SA6K9T,CAAU,OAAV,CAAL,C;YAAyB,WAAY

C;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KALX,C;IAQA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj6He,W;ONk6HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz6He,W;ON06HtC,Oc74HsC,Od64H/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74H+B,C;K;Idg5H1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj7He,W;ONk7HtC,Oc74HuC,Od64HhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74HgC,C;K;Idg5H3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz7He,W;ON07HtC,Oc74HqC,Od64H9B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74H8B,C;K;Idg5HzC,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj8He,W;ONk8HtC,Oc74HsC,Od64H/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74H+B,C;K;Idg5H1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz8He,W;ON08HtC,Oc74HuC,Od64HhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74HgC,C;K;Idg5H3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj9He,W;ONk9HtC,Oc74HwC,Od64HjC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74HiC,C;K;Idg5H5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz9He,W;ON09HtC,Oc74HyC,Od64HlC,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,Cc74HkC,C;K;Idg5H7C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj+He,W;ONk+HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj+He,W;ONk+HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz+He,W;ON0+HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj/He,W;ONk/HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz/He,W;ON0/HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjgIe,W;ONkgItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzgIe,W;ON0gItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjhIe,W;ONkhItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzhIe,W;ON0hItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjiIe,W;ONkiItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMziIe,W;ON0iItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjjIe,W;ONkjItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzjIe,W;ON0jItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjkIe,W;ONkkItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzkIe,W;ON0kItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjlIe,W;ONklItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzlIe,W;ON0lItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjmIe,W;ONkmItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzmIe,W;ON0mItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjnIe,W;ONknItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMznIe,W;ON0nItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjoIe,W;ONkoItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzoIe,W;ON0oItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjpIe,W;ONkpItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzpIe,W;ON0pItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjqIe,W;ONkqItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzqIe,W;ON0qItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjrIe,W;ONkrItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzrIe,W;ON0rItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjsIe,W;ONksItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzsIe,W;ON0sItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjtIe,W;ONktItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMztIe,W;ON0tItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjuIe,W;ONkuItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzuIe,W;ON0uItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjvIe,W;ONkvItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzvIe,W;ON0vItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjwIe,W;ONkwItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzwIe,W;ON0wItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjxIe,W;ONkxItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzxIe,W;ON0xItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjyIe,W;ONkyItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzyIe,W;ON0yItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjzIe,W;ONkzItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzzIe,W;ON0zItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj0Ie,W;ONk0ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz0Ie,W;ON00ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj1Ie,W;ONk1ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz1Ie,W;ON01ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj2Ie,W;ONk2ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz2Ie,W;ON02ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj3Ie,W;ONk3ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz3Ie,W;ON03ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj4Ie,W;ONk4ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz4Ie,W;ON05ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj5Ie,W;ONk5ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,vB,IAA3B,3B,CAAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz5Ie,W;ON06ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAvB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj6Ie,W;ONk6ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz6Ie,W;ON06ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj7Ie,W;ONk7ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz7Ie,W;ON07ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj8Ie,W;ONk8ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz8Ie,W;ON08ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj9Ie,W;ONk9ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz9Ie,W;ON09ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj+Ie,W;ONk+ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz+Ie,W;ON0+ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj/Ie,W;ONk/ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz/Ie,W;ON0/ItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjgJe,W;ONkgJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzgJe,W;ON0gJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjhJe,W;ONkhJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzhJe,W;ON0hJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjiJe,W;ONkiJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMziJe,W;ON0iJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjjJe,W;ONkjJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzjJe,W;ON0jJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjkJe,W;ONkkJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzkJe,W;ON0kJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjlJe,W;ONklJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzlJe,W;ON0lJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjmJe,W;ONkmJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzmJe,W;ON0mJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjnJe,W;ONknJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMznJe,W;ON0nJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjoJe,W;ONkoJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzoJe,W;ON0oJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjpJe,W;ONkpJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzpJe,W;ON0pJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjqJe,W;ONkqJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzqJe,W;ON0qJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjrJe,W;ONkrJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzrJe,W;ON0rJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjsJe,W;ONksJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzsJe,W;ON0sJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjtJe,W;ONktJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMztJe,W;ON0tJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjuJe,W;ONkuJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzuJe,W;ON0uJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjvJe,W;ONkvJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzvJe,W;ON0vJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjwJe,W;ONkwJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzwJe,W;ON0wJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjxJe,W;ONkxJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzxJe,W;ON0xJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjyJe,W;ONkyJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzyJe,W;ON0yJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMjzJe,W;ONkzJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMzzJe,W;ON0zJtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj0Je,W;ONk0JtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz0Je,W;ON00JtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMj1Je,W;ONk1JtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAuB,vB,IAA3B,3B,CAqD,C;K;IAGhE,sC;MAOI,IAAI,OAAQ,UAAZ,C;QAAuB,OMz1Je,W;ON01JtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAA

GX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAnB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OA
AoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,
M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAAkB,C;MACE,yB;MAA
pB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,O
AAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,kBAAkB,C;MACE,yB;
MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE
5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAlB,C;MACb,kBAAkB,C;MACE
,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QAChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;
MAE5B,OAAO,M;K;IAGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAAZ,EAAe,CAAf,C;MA
C9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,0C;MAII,IAAI,
OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAA
R,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAW,CAAX,C;MAC9B
,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAA
Q,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA
AuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OA
AO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,U
AAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAA
uB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CAAZ,C;MAC9B,OAA
O,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UA
AZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,
CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,0
BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,4B;MAciB,Q;Ma30Ib,IAAI,E
bq0II,KAAK,Car0IT,CAAJ,C;QACI,cbo0Ic,sD;Qan0Id,MAAM,gCAAyB,OAAQ,WAAjC,C;Obo0IV,IAAI,MAAK
,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;Q
AAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa
,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,
OAAO,I;K;IAGX,8B;MAciB,Q;Maj2Ib,IAAI,Eb21II,KAAK,Ca31IT,CAAJ,C;QACI,cb01Ic,sD;Qaz1Id,MAAM,gC
AAyB,OAAQ,WAAjC,C;Ob01IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA
Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;
MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ
,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mav3Ib,IAAI,Ebi3II,KAAK,
Caj3IT,CAAJ,C;QACI,cbg3Ic,sD;Qa/2Id,MAAM,gCAAyB,OAAQ,WAAjC,C;Obg3IV,IAAI,MAAK,CAAT,C;QA
AY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,
OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;
QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K
;IAGX,8B;MAciB,Q;Ma74Ib,IAAI,Ebu4II,KAAK,Cav4IT,CAAJ,C;QACI,cbs4Ic,sD;Qar4Id,MAAM,gCAAyB,OA
AQ,WAAjC,C;Obs4IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,
mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WA
AW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI
,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Man6Ib,IAAI,Eb65II,KAAK,Ca75IT,CAAJ,
C;QACI,cb45Ic,sD;Qa35Id,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob45IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W
;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAA
K,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WA
AA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;
MAciB,Q;Maz7Ib,IAAI,Ebm7II,KAAK,Can7IT,CAAJ,C;QACI,cbk7Ic,sD;Qaj7Id,MAAM,gCAAyB,OAAQ,WAAj
C,C;Obk7IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACt
B,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAA
iB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAA

W,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma/8Ib,IAAI,Eby8II,KAAK,Caz8IT,CAAJ,C;QACI,
cbw8Ic,sD;Qav8Id,MAAM,gCAAyB,OAAQ,WAAjC,C;Obw8IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACn
B,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAA
L,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAA
b,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q
;Mar+Ib,IAAI,Eb+9II,KAAK,Ca/9IT,CAAJ,C;QACI,cb89Ic,sD;Qa79Id,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob89
IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,M
AAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAA
nB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAA
f,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma3/Ib,IAAI,Ebq/II,KAAK,Car/IT,CAAJ,C;QACI,cbo/Ic,sD;
Qan/Id,MAAM,gCAAyB,OAAQ,WAAjC,C;Obo/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAA
K,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,EAAP,C;M
ACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;Q
ACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,gC;MangJI,IAAI,
Eb2gJI,KAAK,Ca3gJT,CAAJ,C;QACI,cb0gJc,sD;QazgJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob0gJV,IAAI,MA
AK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,iB;MACtB,IAA
I,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAa,CAAb,
C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OA
AO,I;K;IAGX,kC;MathJI,IAAI,Eb8hJI,KAAK,Ca9hJT,CAAJ,C;QACI,cb6hJc,sD;Qa5hJd,MAAM,gCAAyB,OAA
Q,WAAjC,C;Ob6hJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,
C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C
;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI
,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MaziJI,IAAI,EbijJI,KAAK,CajjJT,CAAJ,C;QACI,cbgjJc,sD
;Qa/iJd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObgjJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,g
B;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,
OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,I
AA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Ma5jJI,IAAI,EbokJI,KAAK,C
apkJT,CAAJ,C;QACI,cbmkJc,sD;QalkJd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObmkJV,IAAI,MAAK,CAAT,C;Q
AAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAA
T,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAA
c,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,k
C;Ma/kJI,IAAI,EbulJI,KAAK,CavlJT,CAAJ,C;QACI,cbslJc,sD;QarlJd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObslJ
V,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB
;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iB
AAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAA
J,C;MACT,OAAO,I;K;IAGX,kC;MalmJI,IAAI,Eb0mJI,KAAK,Ca1mJT,CAAJ,C;QACI,cbymJc,sD;QaxmJd,MAA
M,gCAAyB,OAAQ,WAAjC,C;ObymJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,I
AAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CA
AP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;Q
ACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MarnJI,IAAI,Eb6nJI,KAAK,Ca7nJT,CA
AJ,C;QACI,cb4nJc,sD;Qa3nJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob4nJV,IAAI,MAAK,CAAT,C;QAAY,OAA
O,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAA
Y,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAlB,C;MACX,iBAAc,OAA
O,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Max
oJI,IAAI,EbgpJI,KAAK,CahpJT,CAAJ,C;QACI,cb+oJc,sD;Qa9oJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob+oJV,I
AAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;M
ACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA
AmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ

,C;MACT,OAAO,I;K;IAGX,kC;Ma3pJI,IAAI,EbmqJI,KAAK,CanqJT,CAAJ,C;QACI,cbkqJc,sD;QajqJd,MAAM,gCAAyB,OAAQ,WAAjC,C;ObkqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EAAJ,C;MACT,OAAO,I;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAeA,4B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAhB,CAAgB,CAAhB,C;MACA,OAAO,I;K;IAGX,8B;MAII,eAAe,CAAC,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR

AAkB,M;MAClB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QAC
V,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CA
AC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,0B;MACn
B,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;
QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I
;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QAC
I,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,
mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,
M;MAClB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAA
K,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mB
AAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,0B;MACnB,iBA
Ac,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd
,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MAC
f,IAAI,WAAW,CAAf,C;QAAkB,M;MAClB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UA
AU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;
K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;M
AClB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,K
AAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,6B;MAII,IA8kDO,qBAAQ,CA
9kDf,C;QAAe,OAAO,W;MACtB,WAAW,wB;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA4k
DO,qBAAQ,CA5kDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,
+B;MAII,IA0kDO,qBAAQ,CA1kDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OA
AO,I;K;IAGX,+B;MAII,IAwkDO,qBAAQ,CAxkDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAA
K,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAskDO,qBAAQ,CAtkDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MAC
N,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAokDO,qBAAQ,CApkDf,C;QAAe,OAAO,W;MACtB,W
AAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAkkDO,qBAAQ,CAlkDf,C;QAAe,OAAO,
W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAgkDO,qBAAQ,CAhkDf,C;
QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA8jDO,qBAAQ
,CA9jDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,kC;MAII,I
Ao/CO,qBAAQ,CAp/Cf,C;QAAe,OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAmB,gBAAnB,C;MACb,gBAAgB,wB;
MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OA
AO,M;K;IAGX,oC;MAII,IAg/CO,qBAAQ,CAh/Cf,C;QAAe,OAAO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gB
AAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;M
AC5B,OAAO,M;K;IAGX,oC;MAII,IA4+CO,qBAAQ,CA5+Cf,C;QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,
C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK
,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAw+CO,qBAAQ,CAx+Cf,C;QAAe,OAAO,S;MACtB,aAAa,eA
AS,gBAAT,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IA
AwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAo+CO,qBAAQ,CAp+Cf,C;QAAe,OAAO,S;MACt
B,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CA
AZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAg+CO,qBAAQ,CAh+Cf,C;QAAe,OA
AO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,
YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IA49CO,qBAAQ,CA59Cf,
C;QAAe,OAAO,S;MACtB,aAAa,iBAAY,gBAAZ,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;
QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAw9CO,qBAAQ
,CAx9Cf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,
SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,I
Ao9CO,qBAAQ,CAp9Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAA
U,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;kFA
GX,yB;MAAA,oD;MersKA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+B

AAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,
gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf8rKf,s
C;QAMI,IAAI,mBAAO,CAAX,C;UAAc,iDepsKH,iBfosKsB,QepsKtB,CfosKG,E;U;KANlB,C;sGASA,yB;MAA
A,oD;Me3rKA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAA
X,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB
,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MforKf,sC;QAMI,IAA
I,mBAAO,CAAX,C;UAAc,iDe1rKH,2Bf0rKgC,Qe1rKhC,Cf0rKG,E;U;KANlB,C;IASA,mC;MAMI,oBAAS,cAA
T,C;K;IAGJ,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QA
CI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,C
AAX,C;QACI,iB;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI
,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,2B;
MAMI,OAAqB,OAAd,sBAAc,C;K;IAGzB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB9zKhC,WjB
8zKgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBr0KhC,WjBq0KgC,C;K;IAG3C,6B;
MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB50KhC,WjB40KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;M
AAuB,mB;MAA9B,OAAuC,OiBn1KhC,WjBm1KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,O
AAuC,OiB11KhC,WjB01KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBj2KhC,WjB
i2KgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,OAAuC,OiBx2KhC,WjBw2KgC,C;K;IAG3C,gC
;MAMI,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScztJiB,Q;MdytJK,mB;MAA7B,OiBl3KO,
W;K;IjBq3KX,kC;MAII,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScvtJiB,Q;MdutJK,iB;MA
A7B,OiB13KO,W;K;IjB63KX,kC;MAII,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScrtJiB,Q;
MdqtJK,iB;MAA7B,OiBl4KO,W;K;IjBq4KX,kC;MAII,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBA
Ad,ScntJiB,Q;MdmtJK,iB;MAA7B,OiB14KO,W;K;IjB64KX,kC;MAII,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO
,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,mB;MAA7B,OiBl5KO,W;K;IjBq5KX,kC;MAII,IA2uCO,qBAAQ,CA
3uCf,C;QAAe,OAAO,S;MACD,kBAAd,SchtJiB,Q;MdgtJK,iB;MAA7B,OiB15KO,W;K;IjB65KX,kC;MAII,IA2uC
O,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,Sc9sJiB,Q;Md8sJK,iB;MAA7B,OiBl6KO,W;K;IjBq6KX,k
C;MAII,IAmvCO,qBAAQ,CAnvCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiB1
6KO,W;K;IjB66KX,0C;MAMI,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,Sc3xJiB,Q;Md2xJK,
sBAAS,cAAT,C;MAA7B,OiBp7KO,W;K;IjBu7KX,4C;MAII,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MAC
D,kBAAd,SczxJiB,Q;MdyxJK,6B;MAA7B,OiB57KO,W;K;IjB+7KX,4C;MAII,IAyqCO,qBAAQ,CAzqCf,C;QAA
e,OAAO,S;MACD,kBAAd,ScvxJiB,Q;MduxJK,6B;MAA7B,OiBp8KO,W;K;IjBu8KX,4C;MAII,IAyqCO,qBAAQ,
CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,ScrxJiB,Q;MdqxJK,6B;MAA7B,OiB58KO,W;K;IjB+8KX,4C;MAII,I
AyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBp9KO,W;
K;IjBu9KX,4C;MAII,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,SclxJiB,Q;MdkxJK,6B;MAA7
B,OiB59KO,W;K;IjB+9KX,4C;MAII,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,SchxJiB,Q;Md
gxJK,6B;MAA7B,OiBp+KO,W;K;IjBu+KX,4C;MAII,IAirCO,qBAAQ,CAjrCf,C;QAAe,OAAO,S;MACD,kBAAT
,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiB5+KO,W;K;IjB++KX,gD;MAMI,IAumCO,qBAAQ,CAvmCf,C;QAAe,
OAAO,S;MACD,kBAAd,Sc71JiB,Q;Md61JK,iC;MAA7B,OiBt/KO,W;K;sFjBy/KX,yB;MAAA,wD;Me9+KA,sC;
MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;
MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4D
gB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mfu+Kf,sC;QAMI,OAAO,mDe7+KI,iBf6
+KiB,Qe7+KjB,Cf6+KJ,E;O;KANX,C;wFASA,yB;MAAA,wD;Mev/KA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;Q
AAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QAr
Ef,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,
CA5DN,CAA3B,C;W;S;OA4DI,C;Mfg/Kf,sC;QAII,OAAO,mDep/KI,iBfo/KiB,Qep/KjB,Cfo/KJ,E;O;KAJX,C;wF
AOA,yB;MAAA,wD;Me9/KA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+
BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB
,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mfu/Kf,
sC;QAII,OAAO,mDe3/KI,iBf2/KiB,Qe3/KjB,Cf2/KJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MergLA,sC;MCjFA,k

C;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,
kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5D
hB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf8/Kf,sC;QAII,OAAO,mDelgLI,iBfkgLiB,QelgLj
B,CfkgLJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;Me5gLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;M
AAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4
B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3
B,C;W;S;OA4DI,C;MfqgLf,sC;QAII,OAAO,mDezgLI,iBfygLiB,QezgLjB,CfygLJ,E;O;KAJX,C;wFAOA,yB;MA
AA,wD;MenhLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CA
AX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAt
B,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf4gLf,sC;QAII,
OAAO,mDehhLI,iBfghLiB,QehhLjB,CfghLJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;Me1hLA,sC;MCjFA,kC;MAA
A,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDi
FA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CA
Ad,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfmhLf,sC;QAII,OAAO,mDevhLI,iBfuhLiB,QevhLjB,Cf
uhLJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MejiLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,
6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UA
AA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;
W;S;OA4DI,C;Mf0hLf,sC;QAII,OAAO,mDe9hLI,iBf8hLiB,Qe9hLjB,Cf8hLJ,E;O;KAJX,C;wFAOA,yB;MAAA,w
D;MexiLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EA
Ac,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5D
d,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfiiLf,sC;QAII,OAAO,m
DeriLI,iBfqiLiB,QeriLjB,CfqiLJ,E;O;KAJX,C;0GAOA,yB;MAAA,wD;Me5hLA,sC;MCpGA,kC;MAAA,oC;MAA
A,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,
yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,S
A+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqhLf,sC;QAMI,OAAO,mDe3hLI,2Bf2hL2B,Qe3hL3B,Cf2hLJ,E;O;K
ANX,C;4GASA,yB;MAAA,wD;MeriLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB
;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;Y
AAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,
C;Mf8hLf,sC;QAII,OAAO,mDeliLI,2BfkiL2B,QeliL3B,CfkiLJ,E;O;KAJX,C;4GAOA,yB;MAAA,wD;Me5iLA,sC;
MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;
O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA
+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqiLf,sC;QAII,OAAO,mDeziLI,2Bfyi
L2B,QeziL3B,CfyiLJ,E;O;KAJX,C;4GAOA,yB;MAAA,wD;MenjLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAA
sG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,
8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/
EN,CAA3B,C;W;S;OA+EI,C;Mf4iLf,sC;QAII,OAAO,mDehjLI,2BfgjL2B,QehjL3B,CfgjLJ,E;O;KAJX,C;4GAOA,
yB;MAAA,wD;Me1jLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAA
W,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;
YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfmjLf,sC;QA
II,OAAO,mDevjLI,2BfujL2B,QevjL3B,CfujLJ,E;O;KAJX,C;4GAOA,yB;MAAA,wD;MejkLA,sC;MCpGA,kC;M
AAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;
MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,
CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf0jLf,sC;QAII,OAAO,mDe9jLI,2Bf8jL2B,Qe9jL3B,C
f8jLJ,E;O;KAJX,C;4GAOA,yB;MAAA,wD;MexkLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAt
G,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;
UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;
W;S;OA+EI,C;MfikLf,sC;QAII,OAAO,mDerkLI,2BfqkL2B,QerkL3B,CfqkLJ,E;O;KAJX,C;4GAOA,yB;MAAA,w
D;Me/kLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,E

AAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfwkLf,sC;QAII,OAAO,mDe5kLI,2Bf4kL2B,Qe5kL3B,Cf4kLJ,E;O;KAJX,C;4GAOA,yB;MAAA,wD;MetlLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf+kLf,sC;QAII,OAAO,mDenlLI,2BfmlL2B,QenlL3B,CfmlLJ,E;O;KAJX,C;IAOA,qC;MAMI,OAAO,sBAAW,cAAX,C;K;IAGX,uC;MAIoB,kBcr+JQ,iB;Mdq+JA,iB;MAAxB,OAAiC,WiBxoL1B,WjBwoL0B,C;K;IAGrC,uC;MAIoB,kBcl+JQ,iB;Mdk+JA,iB;MAAxB,OAAiC,WiB/oL1B,WjB+oL0B,C;K;IAGrC,uC;MAIoB,kBc/9JQ,iB;Md+9JA,iB;MAAxB,OAAiC,WiBtpL1B,WjBspL0B,C;K;IAGrC,uC;MAIoB,kBc59JQ,iB;Md49JA,iB;MAAxB,OAAiC,WiB7pL1B,WjB6pL0B,C;K;IAGrC,uC;MAIoB,kBcz9JQ,iB;Mdy9JA,iB;MAAxB,OAAiC,WiBpqL1B,WjBoqL0B,C;K;IAGrC,uC;MAIoB,kBct9JQ,iB;Mds9JA,iB;MAAxB,OAAiC,WiB3qL1B,WjB2qL0B,C;K;IAGrC,2C;MAMI,OAAO,mCAA5B,OAA4B,5B,2BAAA,UAAA,hB,CAAA,C;K;IAGvB,6C;MAIoB,kBcn9JQ,iB;Mdm9JA,iB;MAAxB,OAAiC,WiBlsL1B,WjBksL0B,C;K;IAGrC,6C;MAIoB,kBch9JQ,iB;Mdg9JA,iB;MAAxB,OAAiC,WiBzsL1B,WjBysL0B,C;K;IAGrC,6C;MAIoB,kBc78JQ,iB;Md68JA,iB;MAAxB,OAAiC,WiBhtL1B,WjBgtL0B,C;K;IAGrC,6C;MAIoB,kBc18JQ,iB;Md08JA,iB;MAAxB,OAAiC,WiBvtL1B,WjButL0B,C;K;IAGrC,6C;MAIoB,kBcv8JQ,iB;Mdu8JA,iB;MAAxB,OAAiC,WiB9tL1B,WjB8tL0B,C;K;IAGrC,6C;MAIoB,kBcp8JQ,iB;Mdo8JA,iB;MAAxB,OAAiC,WiBruL1B,WjBquL0B,C;K;IAGrC,6C;MAIoB,kBcj8JQ,iB;Mdi8JA,iB;MAAxB,OAAiC,WiB5uL1B,WjB4uL0B,C;K;IAGrC,6C;MAIoB,kBc97JQ,iB;Md87JA,iB;MAAxB,OAAiC,WiBnvL1B,WjBmvL0B,C;K;IAGrC,6C;MAIoB,kBc37JQ,iB;Md27JA,iB;MAAxB,OAAiC,WiB1vL1B,WjB0vL0B,C;K;IAGrC,6C;MAIoB,kBcx7JQ,iB;Mdw7JA,iB;MAAxB,OAAiC,WiBjwL1B,WjBiwL0B,C;K;IAGrC,6C;MAIoB,kBcr7JQ,iB;Mdq7JA,iB;MAAxB,OAAiC,WiBxwL1B,WjBwwL0B,C;K;IAGrC,6C;MAIoB,kBcl7JQ,iB;Mdk7JA,iB;MAAxB,OAAiC,WiB/wL1B,WjB+wL0B,C;K;IAGrC,6C;MAIoB,kBcf7JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiBtxL1B,WjBsxL0B,C;K;IAGrC,6C;MAIoB,kBcZ7JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiB7xL1B,WjB6xL0B,C;K;IAGrC,6C;MAIoB,kBcT7JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiBpyL1B,WjBoyL0B,C;K;IAGrC,6C;MAIoB,kBcN7JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiB3yL1B,WjB2yL0B,C;K;IAGrC,6C;MAIoB,kBcH7JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiBlzL1B,WjBkzL0B,C;K;IAGrC,6C;MAIoB,kBcA7JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiBzzL1B,WjByzL0B,C;K;IAGrC,6C;MAIoB,kBc17JQ,iB;Md07JA,iB;MAAxB,OAAiC,WiBh0L1B,WjBg0L0B,C;K;IAGrC,6C;MAIoB,kBcv7JQ,iB;Mdu7JA,iB;MAAxB,OAAiC,WiBv0L1B,WjBu0L0B,C;K;IAGrC,6C;MAIoB,kBcp7JQ,iB;Mdo7JA,iB;MAAxB,OAAiC,WiB90L1B,WjB80L0B,C;K;IAGrC,6C;MAIoB,kBcj7JQ,iB;Mdi7JA,iB;MAAxB,OAAiC,WiBr1L1B,WjBq1L0B,C;K;IAGrC,6C;MAIoB,kBcd7JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiB51L1B,WjB41L0B,C;K;IAGrC,6C;MAIoB,kBcX7JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBn2L1B,WjBm2L0B,C;K;IAGrC,6C;MAIoB,kBcR7JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiB12L1B,WjB02L0B,C;K;IAGrC,6C;MAIoB,kBcL7JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiBj3L1B,WjBi3L0B,C;K;IAGrC,6C;MAIoB,kBcF7JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiBx3L1B,WjBw3L0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiB/3L1B,WjB+3L0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiBt4L1B,WjBs4L0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiB74L1B,WjB64L0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiBp5L1B,WjBo5L0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiB35L1B,WjB25L0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBl6L1B,WjBk6L0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiBz6L1B,WjBy6L0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiBh7L1B,WjBg7L0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiBv7L1B,WjBu7L0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiB97L1B,WjB87L0B,C;K;IAGrC,6C;MAIoB,kBcD6JQ,iB;MdC6JA,iB;MAAxB,OAAiC,WiBr8L1B,WjBq8L0B,C;K;IAGrC,6C;MAIoB,kBcx6JQ,iB;Mdw6JA,iB;MAAxB,OAAiC,WiBp9L1B,WjBo9L0B,C;K;IAGrC,6C;MAIoB,kBcr6JQ,iB;Mdq6JA,iB;MAAxB,OAAiC,WiB39L1B,WjB29L0B,C;K;IAGrC,6C;MAIoB,kBcl6JQ,iB;Mdk6JA,iB;MAAxB,OAAiC,WiBl+L1B,WjBk+L0B,C;K;IAGrC,6C;MAIoB,kBcf6JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiBz+L1B,WjBy+L0B,C;K;IAGrC,6C;MAIoB,kBcZ6JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiBh/L1B,WjBg/L0B,C;K;IAGrC,6C;MAIoB,kBcT6JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiBv/L1B,WjBu/L0B,C;K;IAGrC,6C;MAIoB,kBcN6JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiB9/L1B,WjB8/L0B,C;K;IAGrC,6C;MAIoB,kBcH6JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiBrgM1B,WjBqgM0B,C;K;IAGrC,6C;MAIoB,kBcA6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB5gM1B,WjB4gM0B,C;K;IAGrC,6C;MAIoB,kBc16JQ,iB;Md06JA,iB;MAAxB,OAAiC,WiBnhM1B,WjBmhM0B,C;K;IAGrC,6C;MAIoB,kBcv6JQ,iB;Mdu6JA,iB;MAAxB,OAAiC,WiB1hM1B,WjB0hM0B,C;K;IAGrC,6C;MAIoB,kBcp6JQ,iB;Mdo6JA,iB;MAAxB,OAAiC,WiBjiM1B,WjBiiM0B,C;K;IAGrC,6C;MAIoB,kBcj6JQ,iB;Mdi6JA,iB;MAAxB,OAAiC,WiBxiM1B,WjBwiM0B,C;K;IAGrC,6C;MAIoB,kBcd6JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiB/iM1B,WjB+iM0B,C;K;IAGrC,6C;MAIoB,kBcX6JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBtjM1B,WjBsjM0B,C;K;IAGrC,6C;MAIoB,kBcR6JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiB7jM1B,WjB6jM0B,C;K;IAGrC,6C;MAIoB,kBcL6JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiBpkM1B,WjBokM0B,C;K;IAGrC,6C;MAIoB,kBcF6JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiB3kM1B,WjB2kM0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiBllM1B,WjBklM0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiBzlM1B,WjBylM0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiBhmM1B,WjBgmM0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiBvmM1B,WjBumM0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiB9mM1B,WjB8mM0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBrnM1B,WjBqnM0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB5nM1B,WjB4nM0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiBnoM1B,WjBmoM0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiB1oM1B,WjB0oM0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiBjpM1B,WjBipM0B,C;K;IAGrC,6C;MAIoB,kBcD6JQ,iB;MdC6JA,iB;MAAxB,OAAiC,WiBxpM1B,WjBwpM0B,C;K;IAGrC,6C;MAIoB,kBcx6JQ,iB;Mdw6JA,iB;MAAxB,OAAiC,WiBvqM1B,WjBuqM0B,C;K;IAGrC,6C;MAIoB,kBcr6JQ,iB;Mdq6JA,iB;MAAxB,OAAiC,WiB9qM1B,WjB8qM0B,C;K;IAGrC,6C;MAIoB,kBcl6JQ,iB;Mdk6JA,iB;MAAxB,OAAiC,WiBrrM1B,WjBqrM0B,C;K;IAGrC,6C;MAIoB,kBcf6JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiB5rM1B,WjB4rM0B,C;K;IAGrC,6C;MAIoB,kBcZ6JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiBnsM1B,WjBmsM0B,C;K;IAGrC,6C;MAIoB,kBcT6JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiB1sM1B,WjB0sM0B,C;K;IAGrC,6C;MAIoB,kBcN6JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiBjtM1B,WjBitM0B,C;K;IAGrC,6C;MAIoB,kBcH6JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiBxtM1B,WjBwtM0B,C;K;IAGrC,6C;MAIoB,kBcA6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB/tM1B,WjB+tM0B,C;K;IAGrC,6C;MAIoB,kBc16JQ,iB;Md06JA,iB;MAAxB,OAAiC,WiBtuM1B,WjBsuM0B,C;K;IAGrC,6C;MAIoB,kBcv6JQ,iB;Mdu6JA,iB;MAAxB,OAAiC,WiB7uM1B,WjB6uM0B,C;K;IAGrC,6C;MAIoB,kBcp6JQ,iB;Mdo6JA,iB;MAAxB,OAAiC,WiBpvM1B,WjBovM0B,C;K;IAGrC,6C;MAIoB,kBcj6JQ,iB;Mdi6JA,iB;MAAxB,OAAiC,WiB3vM1B,WjB2vM0B,C;K;IAGrC,6C;MAIoB,kBcd6JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiBlwM1B,WjBkwM0B,C;K;IAGrC,6C;MAIoB,kBcX6JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBzwM1B,WjBywM0B,C;K;IAGrC,6C;MAIoB,kBcR6JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiBhxM1B,WjBgxM0B,C;K;IAGrC,6C;MAIoB,kBcL6JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiBvxM1B,WjBuxM0B,C;K;IAGrC,6C;MAIoB,kBcF6JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiB9xM1B,WjB8xM0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiBryM1B,WjBqyM0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiB5yM1B,WjB4yM0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiBnzM1B,WjBmzM0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiB1zM1B,WjB0zM0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiBj0M1B,WjBi0M0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBx0M1B,WjBw0M0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB/0M1B,WjB+0M0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiBt1M1B,WjBs1M0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiB71M1B,WjB61M0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiBp2M1B,WjBo2M0B,C;K;IAGrC,6C;MAIoB,kBcD6JQ,iB;MdC6JA,iB;MAAxB,OAAiC,WiB32M1B,WjB22M0B,C;K;IAGrC,6C;MAIoB,kBcx6JQ,iB;Mdw6JA,iB;MAAxB,OAAiC,WiB13M1B,WjB03M0B,C;K;IAGrC,6C;MAIoB,kBcr6JQ,iB;Mdq6JA,iB;MAAxB,OAAiC,WiBj4M1B,WjBi4M0B,C;K;IAGrC,6C;MAIoB,kBcl6JQ,iB;Mdk6JA,iB;MAAxB,OAAiC,WiBx4M1B,WjBw4M0B,C;K;IAGrC,6C;MAIoB,kBcf6JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiB/4M1B,WjB+4M0B,C;K;IAGrC,6C;MAIoB,kBcZ6JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiBt5M1B,WjBs5M0B,C;K;IAGrC,6C;MAIoB,kBcT6JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiB75M1B,WjB65M0B,C;K;IAGrC,6C;MAIoB,kBcN6JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiBp6M1B,WjBo6M0B,C;K;IAGrC,6C;MAIoB,kBcH6JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiB36M1B,WjB26M0B,C;K;IAGrC,6C;MAIoB,kBcA6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiBl7M1B,WjBk7M0B,C;K;IAGrC,6C;MAIoB,kBc16JQ,iB;Md06JA,iB;MAAxB,OAAiC,WiB97M1B,WjB87M0B,C;K;IAGrC,6C;MAIoB,kBcv6JQ,iB;Mdu6JA,iB;MAAxB,OAAiC,WiBr8M1B,WjBq8M0B,C;K;IAGrC,6C;MAIoB,kBcp6JQ,iB;Mdo6JA,iB;MAAxB,OAAiC,WiB58M1B,WjB48M0B,C;K;IAGrC,6C;MAIoB,kBcj6JQ,iB;Mdi6JA,iB;MAAxB,OAAiC,WiBn9M1B,WjBm9M0B,C;K;IAGrC,6C;MAIoB,kBcd6JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiB19M1B,WjB09M0B,C;K;IAGrC,6C;MAIoB,kBcX6JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBj+M1B,WjBi+M0B,C;K;IAGrC,6C;MAIoB,kBcR6JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiBx+M1B,WjBw+M0B,C;K;IAGrC,6C;MAIoB,kBcL6JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiB/+M1B,WjB++M0B,C;K;IAGrC,6C;MAIoB,kBcF6JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiBtgN1B,WjBsgN0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiBrhN1B,WjBqhN0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiBpiN1B,WjBoiN0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiB3iN1B,WjB2iN0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiBljN1B,WjBkjN0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiBzjN1B,WjByjN0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBhkN1B,WjBgkN0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiBvkN1B,WjBukN0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiB9kN1B,WjB8kN0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiBrlN1B,WjBqlN0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiB5lN1B,WjB4lN0B,C;K;IAGrC,6C;MAIoB,kBcD6JQ,iB;MdC6JA,iB;MAAxB,OAAiC,WiBnmN1B,WjBmmN0B,C;K;IAGrC,6C;MAIoB,kBcx6JQ,iB;Mdw6JA,iB;MAAxB,OAAiC,WiBlnN1B,WjBknN0B,C;K;IAGrC,6C;MAIoB,kBcr6JQ,iB;Mdq6JA,iB;MAAxB,OAAiC,WiBznN1B,WjBynN0B,C;K;IAGrC,6C;MAIoB,kBcl6JQ,iB;Mdk6JA,iB;MAAxB,OAAiC,WiBhoN1B,WjBgoN0B,C;K;IAGrC,6C;MAIoB,kBcf6JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiBvoN1B,WjBuoN0B,C;K;IAGrC,6C;MAIoB,kBcZ6JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiB9oN1B,WjB8oN0B,C;K;IAGrC,6C;MAIoB,kBcT6JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiBrpN1B,WjBqpN0B,C;K;IAGrC,6C;MAIoB,kBcN6JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiB5pN1B,WjB4pN0B,C;K;IAGrC,6C;MAIoB,kBcH6JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiBnqN1B,WjBmqN0B,C;K;IAGrC,6C;MAIoB,kBcA6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB1qN1B,WjB0qN0B,C;K;IAGrC,6C;MAIoB,kBc16JQ,iB;Md06JA,iB;MAAxB,OAAiC,WiBtrN1B,WjBsrN0B,C;K;IAGrC,6C;MAIoB,kBcv6JQ,iB;Mdu6JA,iB;MAAxB,OAAiC,WiB7rN1B,WjB6rN0B,C;K;IAGrC,6C;MAIoB,kBcp6JQ,iB;Mdo6JA,iB;MAAxB,OAAiC,WiBpsN1B,WjBosN0B,C;K;IAGrC,6C;MAIoB,kBcj6JQ,iB;Mdi6JA,iB;MAAxB,OAAiC,WiB3sN1B,WjB2sN0B,C;K;IAGrC,6C;MAIoB,kBcd6JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiBltN1B,WjBktN0B,C;K;IAGrC,6C;MAIoB,kBcX6JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBztN1B,WjBytN0B,C;K;IAGrC,6C;MAIoB,kBcR6JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiBhuN1B,WjBguN0B,C;K;IAGrC,6C;MAIoB,kBcL6JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiBvuN1B,WjBuuN0B,C;K;IAGrC,6C;MAIoB,kBcF6JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiB9uN1B,WjB8uN0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiBrvN1B,WjBqvN0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiB5vN1B,WjB4vN0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiBnwN1B,WjBmwN0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiB1wN1B,WjB0wN0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiBjxN1B,WjBixN0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBxxN1B,WjBwxN0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB/xN1B,WjB+xN0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiBtyN1B,WjBsyN0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiB7yN1B,WjB6yN0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiBpzN1B,WjBozN0B,C;K;IAGrC,6C;MAIoB,kBcD6JQ,iB;MdC6JA,iB;MAAxB,OAAiC,WiB3zN1B,WjB2zN0B,C;K;IAGrC,6C;MAIoB,kBcx6JQ,iB;Mdw6JA,iB;MAAxB,OAAiC,WiB10N1B,WjB00N0B,C;K;IAGrC,6C;MAIoB,kBcr6JQ,iB;Mdq6JA,iB;MAAxB,OAAiC,WiBj1N1B,WjBi1N0B,C;K;IAGrC,6C;MAIoB,kBcl6JQ,iB;Mdk6JA,iB;MAAxB,OAAiC,WiBx1N1B,WjBw1N0B,C;K;IAGrC,6C;MAIoB,kBcf6JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiB/1N1B,WjB+1N0B,C;K;IAGrC,6C;MAIoB,kBcZ6JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiBt2N1B,WjBs2N0B,C;K;IAGrC,6C;MAIoB,kBcT6JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiB72N1B,WjB62N0B,C;K;IAGrC,6C;MAIoB,kBcN6JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiBp3N1B,WjBo3N0B,C;K;IAGrC,6C;MAIoB,kBcH6JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiB33N1B,WjB23N0B,C;K;IAGrC,6C;MAIoB,kBcA6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiBl4N1B,WjBk4N0B,C;K;IAGrC,6C;MAIoB,kBc16JQ,iB;Md06JA,iB;MAAxB,OAAiC,WiB94N1B,WjB84N0B,C;K;IAGrC,6C;MAIoB,kBcv6JQ,iB;Mdu6JA,iB;MAAxB,OAAiC,WiBr5N1B,WjBq5N0B,C;K;IAGrC,6C;MAIoB,kBcp6JQ,iB;Mdo6JA,iB;MAAxB,OAAiC,WiB55N1B,WjB45N0B,C;K;IAGrC,6C;MAIoB,kBcj6JQ,iB;Mdi6JA,iB;MAAxB,OAAiC,WiBn6N1B,WjBm6N0B,C;K;IAGrC,6C;MAIoB,kBcd6JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiB16N1B,WjB06N0B,C;K;IAGrC,6C;MAIoB,kBcX6JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBj7N1B,WjBi7N0B,C;K;IAGrC,6C;MAIoB,kBcR6JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiBx7N1B,WjBw7N0B,C;K;IAGrC,6C;MAIoB,kBcL6JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiB/7N1B,WjB+7N0B,C;K;IAGrC,6C;MAIoB,kBcF6JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiBt8N1B,WjBs8N0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiBr9N1B,WjBq9N0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiB59N1B,WjB49N0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiBn+N1B,WjBm+N0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiB1+N1B,WjB0+N0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiBj/N1B,WjBi/N0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBx/N1B,WjBw/N0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB/gO1B,WjB+gO0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiBthO1B,WjBshO0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiB7hO1B,WjB6hO0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiBpiO1B,WjBoiO0B,C;K;IAGrC,6C;MAIoB,kBcD6JQ,iB;MdC6JA,iB;MAAxB,OAAiC,WiB3iO1B,WjB2iO0B,C;K;IAGrC,6C;MAIoB,kBcx6JQ,iB;Mdw6JA,iB;MAAxB,OAAiC,WiB1jO1B,WjB0jO0B,C;K;IAGrC,6C;MAIoB,kBcr6JQ,iB;Mdq6JA,iB;MAAxB,OAAiC,WiBjkO1B,WjBikO0B,C;K;IAGrC,6C;MAIoB,kBcl6JQ,iB;Mdk6JA,iB;MAAxB,OAAiC,WiBxkO1B,WjBwkO0B,C;K;IAGrC,6C;MAIoB,kBcf6JQ,iB;Mde6JA,iB;MAAxB,OAAiC,WiB/kO1B,WjB+kO0B,C;K;IAGrC,6C;MAIoB,kBcZ6JQ,iB;MdY6JA,iB;MAAxB,OAAiC,WiBtlO1B,WjBslO0B,C;K;IAGrC,6C;MAIoB,kBcT6JQ,iB;MdS6JA,iB;MAAxB,OAAiC,WiB7lO1B,WjB6lO0B,C;K;IAGrC,6C;MAIoB,kBcN6JQ,iB;MdM6JA,iB;MAAxB,OAAiC,WiBpmO1B,WjBomO0B,C;K;IAGrC,6C;MAIoB,kBcH6JQ,iB;MdG6JA,iB;MAAxB,OAAiC,WiB3mO1B,WjB2mO0B,C;K;IAGrC,6C;MAIoB,kBcA6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiBlnO1B,WjBknO0B,C;K;IAGrC,6C;MAIoB,kBc16JQ,iB;Md06JA,iB;MAAxB,OAAiC,WiB9nO1B,WjB8nO0B,C;K;IAGrC,6C;MAIoB,kBcv6JQ,iB;Mdu6JA,iB;MAAxB,OAAiC,WiBroO1B,WjBqoO0B,C;K;IAGrC,6C;MAIoB,kBcp6JQ,iB;Mdo6JA,iB;MAAxB,OAAiC,WiBpoO1B,WjBooO0B,C;K;IAGrC,6C;MAIoB,kBcj6JQ,iB;Mdi6JA,iB;MAAxB,OAAiC,WiB3oO1B,WjB2oO0B,C;K;IAGrC,6C;MAIoB,kBcd6JQ,iB;Mdc6JA,iB;MAAxB,OAAiC,WiBlpO1B,WjBkpO0B,C;K;IAGrC,6C;MAIoB,kBcX6JQ,iB;MdW6JA,iB;MAAxB,OAAiC,WiBzpO1B,WjBypO0B,C;K;IAGrC,6C;MAIoB,kBcR6JQ,iB;MdQ6JA,iB;MAAxB,OAAiC,WiBhqO1B,WjBgqO0B,C;K;IAGrC,6C;MAIoB,kBcL6JQ,iB;MdK6JA,iB;MAAxB,OAAiC,WiBvqO1B,WjBuqO0B,C;K;IAGrC,6C;MAIoB,kBcF6JQ,iB;MdE6JA,iB;MAAxB,OAAiC,WiB9qO1B,WjB8qO0B,C;K;IAGrC,6C;MAIoB,kBc/6JQ,iB;Md+6JA,iB;MAAxB,OAAiC,WiBrrO1B,WjBqrO0B,C;K;IAGrC,6C;MAIoB,kBc56JQ,iB;Md46JA,iB;MAAxB,OAAiC,WiB5rO1B,WjB4rO0B,C;K;IAGrC,6C;MAIoB,kBcz6JQ,iB;Mdy6JA,iB;MAAxB,OAAiC,WiBnsO1B,WjBmsO0B,C;K;IAGrC,6C;MAIoB,kBct6JQ,iB;Mds6JA,iB;MAAxB,OAAiC,WiB1sO1B,WjB0sO0B,C;K;IAGrC,6C;MAIoB,kBcn6JQ,iB;Mdm6JA,iB;MAAxB,OAAiC,WiBjtO1B,WjBitO0B,C;K;IAGrC,6C;MAIoB,kBch6JQ,iB;Mdg6JA,iB;MAAxB,OAAiC,WiBxtO1B,WjBwtO0B,C;K;IAGrC,6C;MAIoB,kBca6JQ,iB;MdA6JA,iB;MAAxB,OAAiC,WiB/tO1B,WjB+tO0B,C;K;IAGrC,6C;MAIoB,kBcV6JQ,iB;MdU6JA,iB;MAAxB,OAAiC,WiBtuO1B,WjBsuO0B,C;K;IAGrC,6C;MAIoB,kBcP6JQ,iB;MdO6JA,iB;MAAxB,OAAiC,WiB7uO1B,WjB6uO0B,C;K;IAGrC,6C;MAIoB,kBcJ6JQ,iB;MdI6JA,iB;MAAxB,OAAiC,WiBpvO1B,WjBovO0B,C;K;IAGrC,6C;MAIoB,

MAAT,EAAgB,IAAK,OAArB,C;;QPuiNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOhuOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPsjNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO/uOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPqkNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO9vOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPolNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO7wOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPmmNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5xOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPknNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3yOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPioNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MA4qBA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOzzOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPgpNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPipNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPmpNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPqpNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPspNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPupNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPwpNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPypNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP0pNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP2pNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP4pNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP6pNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP8pNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP+pNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPgqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPiqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPkqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPmqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPoqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPqqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPsqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPuqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPwqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPyqNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP0qNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP2qNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP4qNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP6qNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP8qNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP+qNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPgrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPirNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPkrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPmrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPorNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPqrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPsrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPurNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPwrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPyrNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP0rNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP2rNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP4rNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP6rNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP8rNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP+rNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPgsNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPisNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPksNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPmsNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPosNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPqsNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPssNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPusNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPwsNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPysNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP0sNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,uC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3zOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP

Y,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9QoC,WA8QhC,CAAY,OAAZ,CAAJ,EA9QiD,cA8QvB,CAAe,OAAf,CAA1B,C;;QA9QhB,OAgRO,W;O;KA3RX,C;8FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhRoC,WAgRhC,CAAY,OAAZ,CAAJ,EAhRiD,cAgRvB,CAAe,OAAf,CAA1B,C;;QAhRhB,OAkRO,W;O;KA7RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlRoC,WAkRhC,CAAY,OAAZ,CAAJ,EAlRiD,cAkRvB,CAAe,OAAf,CAA1B,C;;QAlRhB,OAoRO,W;O;KA/RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApRoC,WAoRhC,CAAY,OAAZ,CAAJ,EApRiD,cAoRvB,CAAe,OAAf,CAA1B,C;;QApRhB,OAsRO,W;O;KAjSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtRoC,WAsRhC,CAAY,OAAZ,CAAJ,EAtRiD,cAsRvB,CAAe,OAAf,CAA1B,C;;QAtRhB,OAwRO,W;O;KAnSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxRoC,WAwRhC,CAAY,OAAZ,CAAJ,EAxRiD,cAwRvB,CAAe,OAAf,CAA1B,C;;QAxRhB,OA0RO,W;O;KArSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1RoC,WA0RhC,CAAY,OAAZ,CAAJ,EA1RiD,cA0RvB,CAAe,OAAf,CAA1B,C;;QA1RhB,OA4RO,W;O;KAvSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5RoC,WA4RhC,CAAY,OAAZ,CAAJ,EA5RiD,cA4RvB,CAAe,OAAf,CAA1B,C;;QA5RhB,OA8RO,W;O;KAzSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9RoC,WA8RhC,CAAY,OAAZ,CAAJ,EA9RiD,cA8RvB,CAAe,OAAf,CAA1B,C;;QA9RhB,OAgSO,W;O;KA3SX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhSoC,WAgShC,CAAY,OAAZ,CAAJ,EAhSiD,cAgSvB,CAAe,OAAf,CAA1B,C;;QAhShB,OAkSO,W;O;KA7SX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlSoC,WAkShC,CAAY,OAAZ,CAAJ,EAlSiD,cAkSvB,CAAe,OAAf,CAA1B,C;;QAlShB,OAoSO,W;O;KA/SX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApSoC,WAoShC,CAAY,OAAZ,CAAJ,EApSiD,cAoSvB,CAAe,OAAf,CAA1B,C;;QApShB,OAsSO,W;O;KAjTX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtSoC,WAsShC,CAAY,OAAZ,CAAJ,EAtSiD,cAsSvB,CAAe,OAAf,CAA1B,C;;QAtShB,OAwSO,W;O;KAnTX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxSoC,WAwShC,CAAY,OAAZ,CAAJ,EAxSiD,cAwSvB,CAAe,OAAf,CAA1B,C;;QAxShB,OA0SO,W;O;KArTX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAySL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1SoC,WA0ShC,CAAY,OAAZ,CAAJ,EA1SiD,cA0SvB,CAAe,OAAf,CAA1B,C;;QA1ShB,OA4SO,W;O;KAvTX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5SoC,WA4ShC,CAAY,OAAZ,CAAJ,EA5SiD,cA4SvB,CAAe,OAAf,CAA1B,C;;QA5ShB,OA8SO,W;O;KAzTX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9SoC,WA8ShC,CAAY,OAAZ,CAAJ,EA9SiD,cA8SvB,CAAe,OAAf,CAA1B,C;;QA9ShB,OAgTO,W;O;KA3TX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhToC,WAgThC,CAAY,OAAZ,CAAJ,EAhTiD,cAgTvB,CAAe,OAAf,CAA1B,C;;QAhThB,OAkTO,W;O;KA7TX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlToC,WAkThC,CAAY,OAAZ,CAAJ,EAlTiD,cAkTvB,CAAe,OAAf,CAA1B,C;;QAlThB,OAoTO,W;O;KA/TX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApToC,WAoThC,CAAY,OAAZ,CAAJ,EApTiD,cAoTvB,CAAe,OAAf,CAA1B,C;;QApThB,OAsTO,W;O;KAjUX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtToC,WAsThC,CAAY,OAAZ,CAAJ,EAtTiD,cAsTvB,CAAe,OAAf,CAA1B,C;;QAtThB,OAwTO,W;O;KAnUX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxToC,WAwThC,CAAY,OAAZ,CAAJ,EAxTiD,cAwTvB,CAAe,OAAf,CAA1B,C;;QAxThB,OA0TO,W;O;KArUX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1ToC,WA0ThC,CAAY,OAAZ,CAAJ,EA1TiD,cA0TvB,CAAe,OAAf,CAA1B,C;;QA1ThB,OA4TO,W;O;KAvUX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5ToC,WA4ThC,CAAY,OAAZ,CAAJ,EA5TiD,cA4TvB,CAAe,OAAf,CAA1B,C;;QA5ThB,OA8TO,W;O;KAzUX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9ToC,WA8ThC,CAAY,OAAZ,CAAJ,EA9TiD,cA8TvB,CAAe,OAAf,CAA1B,C;;QA9ThB,OAgUO,W;O;KA3UX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhUoC,WAgUhC,CAAY,OAAZ,CAAJ,EAhUiD,cAgUvB,CAAe,OAAf,CAA1B,C;;QAhUhB,OAkUO,W;O;KA7UX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlUoC,WAkUhC,CAAY,OAAZ,CAAJ,EAlUiD,cAkUvB,CAAe,OAAf,CAA1B,C;;QAlUhB,OAoUO,W;O;KA/UX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApUoC,WAoUhC,CAAY,OAAZ,CAAJ,EApUiD,cAoUvB,CAAe,OAAf,CAA1B,C;;QApUhB,OAsUO,W;O;KAjVX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtUoC,WAsUhC,CAAY,OAAZ,CAAJ,EAtUiD,cAsUvB,CAAe,OAAf,CAA1B,C;;QAtUhB,OAwUO,W;O;KAnVX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxUoC,WAwUhC,CAAY,OAAZ,CAAJ,EAxUiD,cAwUvB,CAAe,OAAf,CAA1B,C;;QAxUhB,OA0UO,W;O;KArVX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1UoC,WA0UhC,CAAY,OAAZ,CAAJ,EA1UiD,cA0UvB,CAAe,OAAf,CAA1B,C;;QA1UhB,OA4UO,W;O;KAvVX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5UoC,WA4UhC,CAAY,OAAZ,CAAJ,EA5UiD,cA4UvB,CAAe,OAAf,CAA1B,C;;QA5UhB,OA8UO,W;O;KAzVX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9UoC,WA8UhC,CAAY,OAAZ,CAAJ,EA9UiD,cA8UvB,CAAe,OAAf,CAA1B,C;;QA9UhB,OAgVO,W;O;KA3VX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhVoC,WAgVhC,CAAY,OAAZ,CAAJ,EAhViD,cAgVvB,CAAe,OAAf,CAA1B,C;;QAhVhB,OAkVO,W;O;KA7VX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiVL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlVoC,WAkVhC,CAAY,OAAZ,CAAJ,EAlViD,cAkVvB,CAAe,OAAf,CAA1B,C;;QAlVhB,OAoVO,W;O;KA/VX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmVL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApVoC,WAoVhC,CAAY,OAAZ,CAAJ,EApViD,cAoVvB,CAAe,OAAf,CAA1B,C;;QApVhB,OAsVO,W;O;KAjWX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqVL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtVoC,WAsVhC,CAAY,OAAZ,CAAJ,EAtViD,cAsVvB,CAAe,OAAf,CAA1B,C;;QAtVhB,OAwVO,W;O;KAnWX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuVL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxVoC,WAwVhC,CAAY,OAAZ,CAAJ,EAxViD,cAwVvB,CAAe,OAAf,CAA1B,C;;QAxVhB,OA0VO,W;O;KArWX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyVL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1VoC,WA0VhC,CAAY,OAAZ,CAAJ,EA1ViD,cA0VvB,CAAe,OAAf,CAA1B,C;;QA1VhB,OA4VO,W;O;KAvWX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2VL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5VoC,WA4VhC,CAAY,OAAZ,CAAJ,EA5ViD,cA4VvB,CAAe,OAAf,CAA1B,C;;QA5VhB,OA8VO,W;O;KAzWX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6VL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9VoC,WA8VhC,CAAY,OAAZ,CAAJ,EA9ViD,cA8VvB,CAAe,OAAf,CAA1B,C;;QA9VhB,OAgWO,W;O;KA3WX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+VL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhWoC,WAgWhC,CAAY,OAAZ,CAAJ,EAhWiD,cAgWvB,CAAe,OAAf,CAA1B,C;;QAhWhB,OAkWO,W;O;KA7WX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiWL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlWoC,WAkWhC,CAAY,OAAZ,CAAJ,EAlWiD,cAkWvB,CAAe,OAAf,CAA1B,C;;QAlWhB,OAoWO,W;O;KA/WX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmWL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApWoC,WAoWhC,CAAY,OAAZ,CAAJ,EApWiD,cAoWvB,CAAe,OAAf,CAA1B,C;;QApWhB,OAsWO,W;O;KAjXX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqWL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtWoC,WAsWhC,CAAY,OAAZ,CAAJ,EAtWiD,cAsWvB,CAAe,OAAf,CAA1B,C;;QAtWhB,OAwWO,W;O;KAnXX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuWL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxWoC,WAwWhC,CAAY,OAAZ,CAAJ,EAxWiD,cAwWvB,CAAe,OAAf,CAA1B,C;;QAxWhB,OA0WO,W;O;KArXX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyWL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1WoC,WA0WhC,CAAY,OAAZ,CAAJ,EA1WiD,cA0WvB,CAAe,OAAf,CAA1B,C;;QA1WhB,OA4WO,W;O;KAvXX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2WL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5WoC,WA4WhC,CAAY,OAAZ,CAAJ,EA5WiD,cA4WvB,CAAe,OAAf,CAA1B,C;;QA5WhB,OA8WO,W;O;KAzXX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6WL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9WoC,WA8WhC,CAAY,OAAZ,CAAJ,EA9WiD,cA8WvB,CAAe,OAAf,CAA1B,C;;QA9WhB,OAgXO,W;O;KA3XX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+WL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhXoC,WAgXhC,CAAY,OAAZ,CAAJ,EAhXiD,cAgXvB,CAAe,OAAf,CAA1B,C;;QAhXhB,OAkXO,W;O;KA7XX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiXL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlXoC,WAkXhC,CAAY,OAAZ,CAAJ,EAlXiD,cAkXvB,CAAe,OAAf,CAA1B,C;;QAlXhB,OAoXO,W;O;KA/XX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmXL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApXoC,WAoXhC,CAAY,OAAZ,CAAJ,EApXiD,cAoXvB,CAAe,OAAf,CAA1B,C;;QApXhB,OAsXO,W;O;KAjYX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqXL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtXoC,WAsXhC,CAAY,OAAZ,CAAJ,EAtXiD,cAsXvB,CAAe,OAAf,CAA1B,C;;QAtXhB,OAwXO,W;O;KAnYX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuXL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxXoC,WAwXhC,CAAY,OAAZ,CAAJ,EAxXiD,cAwXvB,CAAe,OAAf,CAA1B,C;;QAxXhB,OA0XO,W;O;KArYX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyXL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1XoC,WA0XhC,CAAY,OAAZ,CAAJ,EA1XiD,cA0XvB,CAAe,OAAf,CAA1B,C;;QA1XhB,OA4XO,W;O;KAvYX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2XL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5XoC,WA4XhC,CAAY,OAAZ,CAAJ,EA5XiD,cA4XvB,CAAe,OAAf,CAA1B,C;;QA5XhB,OA8XO,W;O;KAzYX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6XL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9XoC,WA8XhC,CAAY,OAAZ,CAAJ,EA9XiD,cA8XvB,CAAe,OAAf,CAA1B,C;;QA9XhB,OAgYO,W;O;KA3YX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+XL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhYoC,WAgYhC,CAAY,OAAZ,CAAJ,EAhYiD,cAgYvB,CAAe,OAAf,CAA1B,C;;QAhYhB,OAkYO,W;O;KA7YX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAiYL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlYoC,WAkYhC,CAAY,OAAZ,CAAJ,EAlYiD,cAkYvB,CAAe,OAAf,CAA1B,C;;QAlYhB,OAoYO,W;O;KA/YX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAmYL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApYoC,WAoYhC,CAAY,OAAZ,CAAJ,EApYiD,cAoYvB,CAAe,OAAf,CAA1B,C;;QApYhB,OAsYO,W;O;KAjZX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAqYL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtYoC,WAsYhC,CAAY,OAAZ,CAAJ,EAtYiD,cAsYvB,CAAe,OAAf,CAA1B,C;;QAtYhB,OAwYO,W;O;KAnZX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAuYL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxYoC,WAwYhC,CAAY,OAAZ,CAAJ,EAxYiD,cAwYvB,CAAe,OAAf,CAA1B,C;;QAxYhB,OA0YO,W;O;KArZX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QAyYL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1YoC,WA0YhC,CAAY,OAAZ,CAAJ,EA1YiD,cA0YvB,CAAe,OAAf,CAA1B,C;;QA1YhB,OA4YO,W;O;KAvZX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA2YL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5YoC,WA4YhC,CAAY,OAAZ,CAAJ,EA5YiD,cA4YvB,CAAe,OAAf,CAA1B,C;;QA5YhB,OA8YO,W;O;KAzZX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA6YL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9YoC,WA8YhC,CAAY,OAAZ,CAAJ,EA9YiD,cA8YvB,CAAe,OAAf,CAA1B,C;;QA9YhB,OAgZO,W;O;KA3ZX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAApB,C;QA+YL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhZoC,WAgZhC,CAAY,OAAZ,CAAJ,EAhZiD,cAgZvB,CAAe,OAAf,CAA1B,C;;QAhZhB,OAkZO,W;O;KA7ZX,C;+FAc

AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,
OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGA
GX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,
CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sE;QA
UoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,C
AAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAgBA,6C;MASoB,Q;MAAhB,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOlsOnB,wBAAI,IAAK,MAAT,EAAgB,I
AAK,OAArB,C;;MPosOA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QACI,WAAe,UAAU,OAAV,C;QOjtOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPmtOA,OA
AO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,
OAAV,C;QOhuOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPkuOA,OAAO,W;K;8FAGX,6C;MASoB
,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO/uOnB,wBAAI,I
AAK,MAAT,EAAgB,IAAK,OAArB,C;;MPivOA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO9vOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,O
AArB,C;;MPgwOA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M
;QACI,WAAe,UAAU,OAAV,C;QO7wOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP+wOA,OAAO,
W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAA
V,C;QO5xOnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MP8xOA,OAAO,W;K;8FAGX,6C;MASoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO3yOnB,wBAAI,IAAK,
MAAT,EAAgB,IAAK,OAArB,C;;MP6yOA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,
Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,oBAAV,C;UO1zOnB,
wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QP4zOA,OAAO,W;O;KAZX,C;IAeA,8C;MAIiB,Q;MAAb,wBA
Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;M
AAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;
MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;
IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,O
AAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;
MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAA
I,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,W
AAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,
M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WA
Ab,UAAa,SAAb,O;QACI,WAAY,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,8B;MAII,OAAO,wBAAa,eAAW
,YAAY,gBAAZ,CAAX,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAG
X,gC;MAII,OAAO,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAa,YAAY
,gBAAZ,CAAb,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;M
AII,OAAO,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAgB,YAAY,gBA
AZ,CAAhB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;K;IAGX,gC;MA
II,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;a
ACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,qBAAL,SAAK,C;
UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,
C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;M
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CA
AP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAA
N,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAA
K,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aA
CA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B
;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,

CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gB
AAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,S
AAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K
;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ
,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,sBAAK,CA
AL,EAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,kC;MAII,OAAO,iBAAe,aAAL,SA
AK,CAAf,C;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAA
A,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gB
AAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;I
AGX,oC;MAKiB,Q;MADb,WAAW,iBAAe,gBAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAm
B,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKi
B,Q;MADb,WAAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WA
AI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAkB,gBAAlB,C;MACX,wBAAa,SAAb
,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,W
AAW,iBAAmB,gBAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,IAAK,WAAI,IAAJ,C;;
MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,
WAAb,UAAa,SAAb,O;QAAmB,IAAK,WAAI,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMiB,IAAN,I;MAAA,
QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBAC
Q,+BAAa,qBAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,Q
AAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ
,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QA
AM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,i
CAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAmB,YAAY,gBAAZ,CAAnB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAsB,YAAY,gBAAZ,CAAtB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM
,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCA
Aa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,
gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL,K;gBACQ,iCA
Aa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;oFAOJ,yB;MAAA,+D;MAiFA,gD;MAjFA
,uC;QAMW,kBAAU,gB;QA+ED,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhF6B,SAgFlB,CAAU,OAAV,C;UA
CC,OAAZ,WAAY,EAAO,IAAP,C;;QAjFhB,OAmFO,W;O;KAzFX,C;sFASA,yB;MAAA,+D;MAmFA,gD;MAnF
A,uC;QAMW,kBAAU,gB;QAiFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAlF6B,SAkFlB,CAAU,OAAV,C;UA
CC,OAAZ,WAAY,EAAO,IAAP,C;;QAnFhB,OAqFO,W;O;KA3FX,C;sFASA,yB;MAAA,+D;MAqFA,gD;MArFA
,uC;QAMW,kBAAU,gB;QAmFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApF6B,SAoFlB,CAAU,OAAV,C;UA
CC,OAAZ,WAAY,EAAO,IAAP,C;;QArFhB,OAuFO,W;O;KA7FX,C;sFASA,yB;MAAA,+D;MAuFA,gD;MAvFA
,uC;QAMW,kBAAU,gB;QAqFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAtF6B,SAsFlB,CAAU,OAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QAvFhB,OAyFO,W;O;KA/FX,C;sFASA,yB;MAAA,+D;MAyFA,gD;MAzFA,u
C;QAMW,kBAAU,gB;QAuFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAxF6B,SAwFlB,CAAU,OAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QAzFhB,OA2FO,W;O;KAjGX,C;sFASA,yB;MAAA,+D;MA2FA,gD;MA3FA,
uC;QAMW,kBAAU,gB;QAyFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1F6B,SA0FlB,CAAU,OAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QA3FhB,OA6FO,W;O;KAnGX,C;sFASA,yB;MAAA,+D;MA6FA,gD;MA7FA,

uC;QAMW,kBAAU,gB;QA2FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5F6B,SA4FlB,CAAU,OAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QA7FhB,OA+FO,W;O;KArGX,C;sFASA,yB;MAAA,+D;MA+FA,gD;MA/FA,
uC;QAMW,kBAAU,gB;QA6FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA9F6B,SA8FlB,CAAU,OAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QA/FhB,OAiGO,W;O;KAvGX,C;sFASA,yB;MAAA,+D;MAiGA,oC;MAAA,g
D;MAAA,gC;MAjGA,uC;QAMW,kBAAU,gB;QA+FD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAhG6B,SAgG
lB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAjGhB,OAmGO,W;O;KAzGX,C;uFASA,yB;MAA
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA
V,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q
AIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,
WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,w
BAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IA
AP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,g
B;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OA
AO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;
0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,W
AAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAA
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA
V,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q
AIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,
WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,o
D;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,oBAAV,C;
UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;oFAWA,yB;MAAA,wE;MAiOA,+D;MAj
OA,yC;QASW,kBAAU,oB;QAiOD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlOiD,WAkOvC,CAAY,OAAZ,C;U
Ox9QP,U;UADP,YP09Qe,WO19QH,WP09QwB,GO19QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9QuC,gB;YAA5B
,WOv9QX,aPu9QgC,GOv9QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9QA,iB;UACA,IAAK,WAAI,OAAJ,C;;
QApOT,OAsOO,W;O;KA/OX,C;sFAYA,yB;MAAA,wE;MAsOA,+D;MAtOA,yC;QASW,kBAAU,oB;QAsOD,Q;
QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WAuO1C,CAAY,OAAZ,C;UOz+QP,U;UADP,YP2+Qe,WO3+QH,
WP2+QwB,GO3+QxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+QuC,gB;YAA5B,WOx+QX,aPw+QgC,GOx+QhC,EA
AS,MAAT,C;YACA,e;;YAEA,c;;UPq+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzOT,OA2OO,W;O;KApPX,C;sF
AYA,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UA
CI,UA5OqD,WA4O3C,CAAY,OAAZ,C;UO1/QP,U;UADP,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAA
I,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,WOz/QX,aPy/QgC,GOz/QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/Q
A,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;O;KAzPX,C;sFAYA,yB;MAAA,wE;MAgPA,+D;MAhP
A,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjPmD,WAiPzC,CAAY,OAAZ,C;UO
3gRP,U;UADP,YP6gRe,WO7gRH,WP6gRwB,GO7gRxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gRuC,gB;YAA5B,W
O1gRX,aP0gRgC,GO1gRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA
nPT,OAqPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAA
hB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UO5hRP,U;UADP,YP8hRe,WO9hRH,WP8h
RwB,GO9hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hRuC,gB;YAA5B,WO3hRX,aP2hRgC,GO3hRhC,EAAS,MA
AT,C;YACA,e;;YAEA,c;;UPwhRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,y
B;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3P
qD,WA2P3C,CAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;
YACH,aP6iRuC,gB;YAA5B,WO5iRX,aP4iRgC,GO5iRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyiRA,iB;UAC
A,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAxQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QAS
W,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO9jRP,U;U
ADP,YPgkRe,WOhkRH,WPgkRwB,GOhkRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8jRuC,gB;YAA5B,WO7jRX,aP
6jRgC,GO7jRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0jRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlQT,OAoQO

,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,C;UO/kRP,U;UADP,YPilRe,WOjlRH,WPilRwB,GOjlRxB,C;UACL,IAAI,aAAJ,C;YACH,aP+kRuC,gB;YAA5B,WO9kRX,aP8kRgC,GO9kRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2kRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAyQO,W;O;KAlRX,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAyQD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UOhmRP,U;UADP,YPkmRe,WOlmRH,WPkmRwB,GOlmRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgmRuC,gB;YAA5B,WO/lRX,aP+lRgC,GO/lRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4lRA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QuD,WA+Q7C,CAAY,OAAZ,C;UOlnRP,U;UADP,YPonRe,WOpnRH,WPonRwB,GOpnRxB,C;UACL,IAAI,aAAJ,C;YACH,aPknRuC,gB;YAA5B,WOjnRX,aPinRgC,GOjnRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8mRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjRT,OAmRO,W;O;KA5RX,C;sFAYA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApRuD,WAoR7C,CAAY,OAAZ,C;UOtoRP,U;UADP,YPwoRe,WOxoRH,WPwoRwB,GOxoRxB,C;UACL,IAAI,aAAJ,C;YACH,aPsoRuC,gB;YAA5B,WOroRX,aPqoRgC,GOroRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgoRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtRT,OAwRO,W;O;KAjSX,C;sFAYA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzRuD,WAyR7C,CAAY,OAAZ,C;UO1pRP,U;UADP,YP4pRe,WO5pRH,WP4pRwB,GO5pRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pRuC,gB;YAA5B,WOzpRX,aPypRgC,GOzpRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPopRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1ST,OA4SO,W;O;KArTX,C;sFAYA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SuD,WA6S7C,CAAY,OAAZ,C;UO9qRP,U;UADP,YPgrRe,WOhrRH,WPgrRwB,GOhrRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8qRuC,gB;YAA5B,WO7qRX,aP6qRgC,GO7qRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9TT,OAgUO,W;O;KAzUX,C;sFAYA,yB;MAAA,wE;MAgUA,+D;MAhUA,yD;QAUW,kBAAU,oB;QAgUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjUuD,WAiU7C,CAAY,OAAZ,C;UOlsRP,U;UADP,YPosRe,WOpsRH,WPosRwB,GOpsRxB,C;UACL,IAAI,aAAJ,C;YACH,aPksRuC,gB;YAA5B,WOjsRX,aPisRgC,GOjsRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4rRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlVT,OAoVO,W;O;KA7VX,C;sFAYA,yB;MAAA,wE;MAoVA,+D;MApVA,yD;QAUW,kBAAU,oB;QAoVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArVuD,WAqV7C,CAAY,OAAZ,C;UOttRP,U;UADP,YPwtRe,WOxtRH,WPwtRwB,GOxtRxB,C;UACL,IAAI,aAAJ,C;YACH,aPstRuC,gB;YAA5B,WOrtRX,aPqtRgC,GOrtRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgtRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtWT,OAwWO,W;O;KAjXX,C;sFAYA,yB;MAAA,wE;MAwWA,+D;MAxWA,yD;QAUW,kBAAU,oB;QAwWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzWuD,WAyW7C,CAAY,OAAZ,C;UO1uRP,U;UADP,YP4uRe,WO5uRH,WP4uRwB,GO5uRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0uRuC,gB;YAA5B,WOzuRX,aPyuRgC,GOzuRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPouRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1XT,OA4XO,W;O;KArYX,C;sFAYA,yB;MAAA,wE;MA4XA,+D;MA5XA,yD;QAUW,kBAAU,oB;QA4XD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7XuD,WA6X7C,CAAY,OAAZ,C;UO9vRP,U;UADP,YPgwRe,WOhwRH,WPgwRwB,GOhwRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8vRuC,gB;YAA5B,WO7vRX,aP6vRgC,GO7vRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwvRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9YT,OAgZO,W;O;KAzZX,C;sFAYA,yB;MAAA,wE;MAgZA,+D;MAhZA,yD;QAUW,kBAAU,oB;QAgZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjZuD,WAiZ7C,CAAY,OAAZ,C;UOlxRP,U;UADP,YPoxRe,WOpxRH,WPoxRwB,GOpxRxB,C;UACL,IAAI,aAAJ,C;YACH,aPkxRuC,gB;YAA5B,WOjxRX,aPixRgC,GOjxRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4wRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlaT,OAoaO,W;O;KA7aX,C;sFAYA,yB;MAAA,wE;MAoaA,+D;MApaA,yD;QAUW,kBAAU,oB;QAoaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArauD,WAqa7C,CAAY,OAAZ,C;UOtyRP,U;UADP,YPwyRe,WOxyRH,WPwyRwB,GOxyRxB,C;UACL,IAAI,aAAJ,C;YACH,aPsyRuC,gB;YAA5B,WOryRX,aPqyRgC,GOryRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgyRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtbT,OAwbO,W;O;KAjcX,C;sFAYA,yB;MAAA,wE;MAwbA,+D;MAxbA,yD;QAUW,kBAAU,oB;QAwbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzbuD,WAyb7C,CAAY,OAAZ,C;UO1zRP,U;UADP,YP4zRe,WO5zRH,WP4zRwB,GO5zRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0zRuC,gB;YAA5B,WOzzRX,aPyzRgC,GOzzRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPozRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1cT,OA4cO,W;O;KArdX,C;sFAYA,yB;MAAA,wE;MA4cA,+D;MA5cA,yD;QAUW,kBAAU,oB;QA4cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7cuD,WA6c7C,CAAY,OAAZ,C;UO91RP,U;UADP,YPg2Re,WOh2RH,WPg2RwB,GOh2RxB,C;UACL,IAAI,aAAJ,C;YACH,aP81RuC,gB;YAA5B,WO71RX,aP61RgC,GO71RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw1RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9dT,OAgeO,W;O;KAzeX,C;sFAYA,yB;MAAA,wE;MAgeA,+D;MAheA,yD;QAUW,kBAAU,oB;QAgeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjeuD,WAie7C,CAAY,OAAZ,C;UOl3RP,U;UADP,YPo3Re,WOp3RH,WPo3RwB,GOp3RxB,C;UACL,IAAI,aAAJ,C;YACH,aPk3RuC,gB;YAA5B,WOj3RX,aPi3RgC,GOj3RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP42RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlfT,OAofO,W;O;KA7fX,C;sFAYA,yB;MAAA,wE;MAofA,+D;MApfA,yD;QAUW,kBAAU,oB;QAofD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArfuD,WAqf7C,CAAY,OAAZ,C;UOt4RP,U;UADP,YPw4Re,WOx4RH,WPw4RwB,GOx4RxB,C;UACL,IAAI,aAAJ,C;YACH,aPs4RuC,gB;YAA5B,WOr4RX,aPq4RgC,GOr4RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg4RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtgBT,OAwgBO,W;O;KAjhBX,C;sFAYA,yB;MAAA,wE;MAwgBA,+D;MAxgBA,yD;QAUW,kBAAU,oB;QAwgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzgBuD,WAygB7C,CAAY,OAAZ,C;UO15RP,U;UADP,YP45Re,WO55RH,WP45RwB,GO55RxB,C;UACL,IAAI,aAAJ,C;YACH,aP05RuC,gB;YAA5B,WOz5RX,aPy5RgC,GOz5RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo5RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1hBT,OA4hBO,W;O;KArhBX,C;sFAYA,yB;MAAA,wE;MA4hBA,+D;MA5hBA,yD;QAUW,kBAAU,oB;QA4hBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7hBuD,WA6hB7C,CAAY,OAAZ,C;UO96RP,U;UADP,YPg7Re,WOh7RH,WPg7RwB,GOh7RxB,C;UACL,IAAI,aAAJ,C;YACH,aP86RuC,gB;YAA5B,WO76RX,aP66RgC,GO76RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw6RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9iBT,OAgjBO,W;O;KAzjBX,C;sFAYA,yB;MAAA,wE;MAgjBA,+D;MAhjBA,yD;QAUW,kBAAU,oB;QAgjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjjBuD,WAijB7C,CAAY,OAAZ,C;UOl8RP,U;UADP,YPo8Re,WOp8RH,WPo8RwB,GOp8RxB,C;UACL,IAAI,aAAJ,C;YACH,aPk8RuC,gB;YAA5B,WOj8RX,aPi8RgC,GOj8RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP47RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlkBT,OAokBO,W;O;KA7kBX,C;sFAYA,yB;MAAA,wE;MAokBA,+D;MApkBA,yD;QAUW,kBAAU,oB;QAokBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArkBuD,WAqkB7C,CAAY,OAAZ,C;UOt9RP,U;UADP,YPw9Re,WOx9RH,WPw9RwB,GOx9RxB,C;UACL,IAAI,aAAJ,C;YACH,aPs9RuC,gB;YAA5B,WOr9RX,aPq9RgC,GOr9RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg9RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtlBT,OAwlBO,W;O;KAjmBX,C;sFAYA,yB;MAAA,wE;MAwlBA,+D;MAxlBA,yD;QAUW,kBAAU,oB;QAwlBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzlBuD,WAylB7C,CAAY,OAAZ,C;UO1+RP,U;UADP,YP4+Re,WO5+RH,WP4+RwB,GO5+RxB,C;UACL,IAAI,aAAJ,C;YACH,aP0+RuC,gB;YAA5B,WOz+RX,aPy+RgC,GOz+RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo+RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1mBT,OA4mBO,W;O;KArnBX,C;sFAYA,yB;MAAA,wE;MA4mBA,+D;MA5mBA,yD;QAUW,kBAAU,oB;QA4mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7mBuD,WA6mB7C,CAAY,OAAZ,C;UO9/RP,U;UADP,YPggSe,WOhgSH,WPggSwB,GOhgSxB,C;UACL,IAAI,aAAJ,C;YACH,aP8/RuC,gB;YAA5B,WO7/RX,aP6/RgC,GO7/RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw/RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9nBT,OAgoBO,W;O;KAzoBX,C;sFAYA,yB;MAAA,wE;MAgoBA,+D;MAhoBA,yD;QAUW,kBAAU,oB;QAgoBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjoBuD,WAioB7C,CAAY,OAAZ,C;UOlhSP,U;UADP,YPohSe,WOphSH,WPohSwB,GOphSxB,C;UACL,IAAI,aAAJ,C;YACH,aPkhSuC,gB;YAA5B,WOjhSX,aPihSgC,GOjhShC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4gSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlpBT,OAopBO,W;O;KA7pBX,C;sFAYA,yB;MAAA,wE;MAopBA,+D;MAppBA,yD;QAUW,kBAAU,oB;QAopBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArpBuD,WAqpB7C,CAAY,OAAZ,C;UOtiSP,U;UADP,YPwiSe,WOxiSH,WPwiSwB,GOxiSxB,C;UACL,IAAI,aAAJ,C;YACH,aPsiSuC,gB;YAA5B,WOriSX,aPqiSgC,GOriShC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgiSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtqBT,OAwqBO,W;O;KAjrBX,C;sFAYA,yB;MAAA,wE;MAwqBA,+D;MAxqBA,yD;QAUW,kBAAU,oB;QAwqBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzqBuD,WAyqB7C,CAAY,OAAZ,C;UO1jSP,U;UADP,YP4jSe,WO5jSH,WP4jSwB,GO5jSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0jSuC,gB;YAA5B,WOzjSX,aPyjSgC,GOzjShC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPojSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1rBT,OA4rBO,W;O;KArsBX,C;sFAYA,yB;MAAA,wE;MA4rBA,+D;MA5rBA,yD;QAUW,kBAAU,oB;QA4rBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7rBuD,WA6rB7C,CAAY,OAAZ,C;UO9kSP,U;UADP,YPglSe,WOhlSH,WPglSwB,GOhlSxB,C;UACL,IAAI,aAAJ,C;YACH,aP8kSuC,gB;YAA5B,WO7kSX,aP6kSgC,GO7kSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwkSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9sBT,OAgtBO,W;O;KAztBX,C;sFAYA,yB;MAAA,wE;MAgtBA,+D;MAhtBA,yD;QAUW,kBAAU,oB;QAgtBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjtBuD,WAitB7C,CAAY,OAAZ,C;UOlmSP,U;UADP,YPomSe,WOpmSH,WPomSwB,GOpmSxB,C;UACL,IAAI,aAAJ,C;YACH,aPkmSuC,gB;YAA5B,WOjmSX,aPimSgC,GOjmSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4lSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAluBT,OAouBO,W;O;KA7uBX,C;sFAYA,yB;MAAA,wE;MAouBA,+D;MApuBA,yD;QAUW,kBAAU,oB;QAouBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAruBuD,WAquB7C,CAAY,OAAZ,C;UOtnSP,U;UADP,YPwnSe,WOxnSH,WPwnSwB,GOxnSxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnSuC,gB;YAA5B,WOrnSX,aPqnSgC,GOrnSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgnSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtvBT,OAwvBO,W;O;KAjwBX,C;sFAYA,yB;MAAA,wE;MAwvBA,+D;MAxvBA,yD;QAUW,kBAAU,oB;QAwvBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzvBuD,WAyvB7C,CAAY,OAAZ,C;UO1oSP,U;UADP,YP4oSe,WO5oSH,WP4oSwB,GO5oSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0oSuC,gB;YAA5B,WOzoSX,aPyoSgC,GOzoSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1wBT,OA4wBO,W;O;KArxBX,C;sFAYA,yB;MAAA,wE;MA4wBA,+D;MA5wBA,yD;QAUW,kBAAU,oB;QA4wBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7wBuD,WA6wB7C,CAAY,OAAZ,C;UO9pSP,U;UADP,YPgqSe,WOhqSH,WPgqSwB,GOhqSxB,C;UACL,IAAI,aAAJ,C;YACH,aP8pSuC,gB;YAA5B,WO7pSX,aP6pSgC,GO7pSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwpSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9xBT,OAgyBO,W;O;KAzyBX,C;sFAYA,yB;MAAA,wE;MAgyBA,+D;MAhyBA,yD;QAUW,kBAAU,oB;QAgyBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjyBuD,WAiyB7C,CAAY,OAAZ,C;UOlrSP,U;UADP,YPorSe,WOprSH,WPorSwB,GOprSxB,C;UACL,IAAI,aAAJ,C;YACH,aPkrSuC,gB;YAA5B,WOjrSX,aPirSgC,GOjrSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4qSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlzBT,OAozBO,W;O;KA7zBX,C;sFAYA,yB;MAAA,wE;MAozBA,+D;MApzBA,yD;QAUW,kBAAU,oB;QAozBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArzBuD,WAqzB7C,CAAY,OAAZ,C;UOtsSP,U;UADP,YPwsSe,WOxsSH,WPwsSwB,GOxsSxB,C;UACL,IAAI,aAAJ,C;YACH,aPssSuC,gB;YAA5B,WOrsSX,aPqsSgC,GOrsSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgsSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAt0BT,OAw0BO,W;O;KAj1BX,C;sFAYA,yB;MAAA,wE;MAw0BA,+D;MAx0BA,yD;QAUW,kBAAU,oB;QAw0BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAz0BuD,WAy0B7C,CAAY,OAAZ,C;UO1tSP,U;UADP,YP4tSe,WO5tSH,WP4tSwB,GO5tSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0tSuC,gB;YAA5B,WOztSX,aPytSgC,GOztSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPotSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA11BT,OA41BO,W;O;KAr2BX,C;sFAYA,yB;MAAA,wE;MA41BA,+D;MA51BA,yD;QAUW,kBAAU,oB;QA41BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA71BuD,WA61B7C,CAAY,OAAZ,C;UO9uSP,U;UADP,YPgvSe,WOhvSH,WPgvSwB,GOhvSxB,C;UACL,IAAI,aAAJ,C;YACH,aP8uSuC,gB;YAA5B,WO7uSX,aP6uSgC,GO7uSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwuSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA92BT,OAg3BO,W;O;KAz3BX,C;sFAYA,yB;MAAA,wE;MAg3BA,+D;MAh3BA,yD;QAUW,kBAAU,oB;QAg3BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAj3BuD,WAi3B7C,CAAY,OAAZ,C;UOlwSP,U;UADP,YPowSe,WOpwSH,WPowSwB,GOpwSxB,C;UACL,IAAI,aAAJ,C;YACH,aPkwSuC,gB;YAA5B,WOjwSX,aPiwSgC,GOjwSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4vSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAl4BT,OAo4BO,W;O;KA74BX,C;sFAYA,yB;MAAA,wE;MAo4BA,+D;MAp4BA,yD;QAUW,kBAAU,oB;QAo4BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAr4BuD,WAq4B7C,CAAY,OAAZ,C;UOtxSP,U;UADP,YPwxSe,WOxxSH,WPwxSwB,GOxxSxB,C;UACL,IAAI,aAAJ,C;YACH,aPsxSuC,gB;YAA5B,WOrxSX,aPqxSgC,GOrxSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgxSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAt5BT,OAw5BO,W;O;KAj6BX,C;sFAYA,yB;MAAA,wE;MAw5BA,+D;MAx5BA,yD;QAUW,kBAAU,oB;QAw5BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAz5BuD,WAy5B7C,CAAY,OAAZ,C;UO1ySP,U;UADP,YP4ySe,WO5ySH,WP4ySwB,GO5ySxB,C;UACL,IAAI,aAAJ,C;YACH,aP0ySuC,gB;YAA5B,WOzySX,aPyygC,GOzygC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPoySA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA16BT,OA46BO,W;O;KAr7BX,C;sFAYA,yB;MAAA,wE;MA46BA,+D;MA56BA,yD;QAUW,kBAAU,oB;QA46BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA76BuD,WA66B7C,CAAY,OAAZ,C;UO9zSP,U;UADP,YPg0Se,WOh0SH,WPg0SwB,GOh0SxB,C;UACL,IAAI,aAAJ,C;YACH,aP8zSuC,gB;YAA5B,WO7zSX,aP6zSgC,GO7zSlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwzSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA97BT,OAg8BO,W;O;KAz8BX,C;sFAYA,yB;MAAA,wE;MAg8BA,+D;MAh8BA,yD;QAUW,kBAAU,oB;QAg8BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAj8BuD,WAi8B7C,CAAY,OAAZ,C;UOl1SP,U;UADP,YPo1Se,WOp1SH,WPo1SwB,GOp1SxB,C;UACL,IAAI,aAAJ,C;YACH,aPk1SuC,gB;YAA5B,WOj1SX,aPi1SgC,GOj1SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP40SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAl9BT,OAo9BO,W;O;KA7+BX,C;sFAYA,yB;MAAA,wE;MAo9BA,+D;MAp9BA,yD;QAUW,kBAAU,oB;QAo9BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAr9BuD,WAq9B7C,CAAY,OAAZ,C;UOt2SP,U;UADP,YPw2Se,WOx2SH,WPw2SwB,GOx2SxB,C;UACL,IAAI,aAAJ,C;YACH,aPs2SuC,gB;YAA5B,WOr2SX,aPq2SgC,GOr2SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg2SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAt+BT,OAw+BO,W;O;KAjgCX,C;sFAYA,yB;MAAA,wE;MAw+BA,+D;MAx+BA,yD;QAUW,kBAAU,oB;QAw+BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAz+BuD,WAy+B7C,CAAY,OAAZ,C;UO13SP,U;UADP,YP43Se,WO53SH,WP43SwB,GO53SxB,C;UACL,IAAI,aAAJ,C;YACH,aP03SuC,gB;YAA5B,WOz3SX,aPy3SgC,GOz3SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo3SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1/BT,OA4/BO,W;O;KArhCX,C;sFAYA,yB;MAAA,wE;MA4/BA,+D;MA5/BA,yD;QAUW,kBAAU,oB;QA4/BD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7/BuD,WA6/B7C,CAAY,OAAZ,C;UO94SP,U;UADP,YPg5Se,WOh5SH,WPg5SwB,GOh5SxB,C;UACL,IAAI,aAAJ,C;YACH,aP84SuC,gB;YAA5B,WO74SX,aP64SgC,GO74SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw4SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9hCT,OAgiCO,W;O;KAziCX,C;sFAYA,yB;MAAA,wE;MAgiCA,+D;MAhiCA,yD;QAUW,kBAAU,oB;QAgiCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjiCuD,WAiiC7C,CAAY,OAAZ,C;UOl6SP,U;UADP,YPo6Se,WOp6SH,WPo6SwB,GOp6SxB,C;UACL,IAAI,aAAJ,C;YACH,aPk6SuC,gB;YAA5B,WOj6SX,aPi6SgC,GOj6SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP45SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAljCT,OAojCO,W;O;KA7jCX,C;sFAYA,yB;MAAA,wE;MAojCA,+D;MApjCA,yD;QAUW,kBAAU,oB;QAojCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArjCuD,WAqjC7C,CAAY,OAAZ,C;UOt7SP,U;UADP,YPw7Se,WOx7SH,WPw7SwB,GOx7SxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7SuC,gB;YAA5B,WOr7SX,aPq7SgC,GOr7SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg7SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtkCT,OAwkCO,W;O;KAjlCX,C;sFAYA,yB;MAAA,wE;MAwkCA,+D;MAxkCA,yD;QAUW,kBAAU,oB;QAwkCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzkCuD,WAykC7C,CAAY,OAAZ,C;UO18SP,U;UADP,YP48Se,WO58SH,WP48SwB,GO58SxB,C;UACL,IAAI,aAAJ,C;YACH,aP08SuC,gB;YAA5B,WOz8SX,aPy8SgC,GOz8SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo8SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1lCT,OA4lCO,W;O;KArmCX,C;sFAYA,yB;MAAA,wE;MA4lCA,+D;MA5lCA,yD;QAUW,kBAAU,oB;QA4lCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7lCuD,WA6lC7C,CAAY,OAAZ,C;UO99SP,U;UADP,YPg+Se,WOh+SH,WPg+SwB,GOh+SxB,C;UACL,IAAI,aAAJ,C;YACH,aP89SuC,gB;YAA5B,WO79SX,aP69SgC,GO79SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw9SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9mCT,OAgnCO,W;O;KAznCX,C;sFAYA,yB;MAAA,wE;MAgnCA,+D;MAhnCA,yD;QAUW,kBAAU,oB;QAgnCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjnCuD,WAinC7C,CAAY,OAAZ,C;UOl/SP,U;UADP,YPo/Se,WOp/SH,WPo/SwB,GOp/SxB,C;UACL,IAAI,aAAJ,C;YACH,aPk/SuC,gB;YAA5B,WOj/SX,aPi/SgC,GOj/SlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4+SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAloCT,OAooCO,W;O;KA7oCX,C;sFAYA,yB;MAAA,wE;MAooCA,+D;MApoCA,yD;QAUW,kBAAU,oB;QAooCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAroCuD,WAqoC7C,CAAY,OAAZ,C;UOtgTP,U;UADP,YPwgTe,WOxgTH,WPwgTwB,GOxgTxB,C;UACL,IAAI,aAAJ,C;YACH,aPsgTuC,gB;YAA5B,WOrgTX,aPqgTgC,GOrgTlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPggTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtpCT,OAwpCO,W;O;KAjqCX,C;sFAYA,yB;MAAA,wE;MAwpCA,+D;MAxpCA,yD;QAUW,kBAAU,oB;QAwpCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzpCuD,WAypC7C,CAAY,OAAZ,C;UO1hTP,U;UADP,YP4hTe,WO5hTH,WP4hTwB,GO5hTxB,C;UACL,IAAI,aAAJ,C;YACH,aP0hTuC,gB;YAA5B,WOzhTX,aPyhTgC,GOzhTlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPohTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1qCT,OA4qCO,W;O;KArrCX,C;sFAYA,yB;MAAA,wE;MA4qCA,+D;MA5qCA,yD;QAUW,kBAAU,oB;QA4qCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7qCuD,WA6qC7C,CAAY,OAAZ,C;UO9iTP,U;UADP,YPgjTe,WOhjTH,WPgjTwB,GOhjTxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iTuC,gB;YAA5B,WO7iTX,aP6iTgC,GO7iTlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwiTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9rCT,OAgsCO,W;O;KAzsCX,C;sFAYA,yB;MAAA,wE;MAgsCA,+D;MAhsCA,yD;QAUW,kBAAU,oB;QAgsCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjsCuD,WAisC7C,CAAY,OAAZ,C;UOlkTP,U;UADP,YPokTe,WOpkTH,WPokTwB,GOpkTxB,C;UACL,IAAI,aAAJ,C;YACH,aPkkTuC,gB;YAA5B,WOjkTX,aPikTgC,GOjkTlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAltCT,OAotCO,W;O;KA7tCX,C;sFAYA,yB;MAAA,wE;MAotCA,+D;MAptCA,yD;QAUW,kBAAU,oB;QAotCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArtCuD,WAqtC7C,CAAY,OAAZ,C;UOtlTP,U;UADP,YPwlTe,WOxlTH,WPwlTwB,GOxlTxB,C;UACL,IAAI,aAAJ,C;YACH,aPslTuC,gB;YAA5B,WOrlTX,aPqlTgC,GOrlTlC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPglTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtuCT,OAwuCO,W;O;KAjvCX,C;sFAYA,yB;MAAA,wE;MAwuCA,+D;MAxuCA,yD;QAUW,kBAAU,oB;QAwuCD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzuCuD,WAyuC7C,CAAY,OAAZ,C;UO1mTP,U;UADP,YP4mTe,WO5mTH,WP4mTwB,GO5m

AAI,aAAJ,C;YACH,aPy+QuC,gB;YAA5B,WOx+QX,aPw+QgC,GOx+QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1/QP,U;UADP,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,WOz/QC,aPy/Qg C,GOz/QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO3gRP,U;UADP,YP6gRe,WO7gRH,WP6gRwB,GO7gRxB,C;UACL,IAAI,aAAJ ,C;YACH,aP2gRuC,gB;YAA5B,WO1gRC,aP0gRuB,GO1gRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5hRP,U;UADP,YP8hRe,WO9hRH,WP8hRwB,GO9hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hRuC,gB;YAA5B,WO3hRC,aP2hRuB,GO3hRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;YACH,aP6iRuC,gB;YAA5B,WO5iRC,aP4iRuB,GO5iRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyiRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9jRP,U;UADP,YPgkRe,WOhkRH,WPgkRwB,GOhkRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8jRuC,gB;YAA5B,WO7jRC,aP6jRuB,GO7jRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0jRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO/kRP,U;UADP,YPilRe,WOjlRH,WPilRwB,GOjlRxB,C;UACL,IAAI,aAAJ,C;YACH,aP+kRuC,gB;YAA5B,WO9kRC,aP8kRuB,GO9kRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2kRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhnRP,U;UADP,YPknRe,WOlnRH,WPknRwB,GOlnRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgnRuC,gB;YAA5B,WO/mRC,aP+mRuB,GO/mRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4mRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpoRP,U;UADP,YPsoRe,WOtoRH,WPsoRwB,GOtoRxB,C;UACL,IAAI,aAAJ,C;YACH,aPooRuC,gB;YAA5B,WOnoRC,aPmoRuB,GOnoRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgoRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrqRP,U;UADP,YPuqRe,WOvqRH,WPuqRwB,GOvqRxB,C;UACL,IAAI,aAAJ,C;YACH,aPqqRuC,gB;YAA5B,WOpqRC,aPoqRuB,GOpqRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPiqRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtsRP,U;UADP,YPwsRe,WOxsRH,WPwsRwB,GOxsRxB,C;UACL,IAAI,aAAJ,C;YACH,aPssRuC,gB;YAA5B,WOrsRC,aPqsRuB,GOrsRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPksRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvuRP,U;UADP,YPyuRe,WOzuRH,WPyuRwB,GOzuRxB,C;UACL,IAAI,aAAJ,C;YACH,aPuuRuC,gB;YAA5B,WOtuRC,aPsuRuB,GOtuRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPmuRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxwRP,U;UADP,YP0wRe,WO1wRH,WP0wRwB,GO1wRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwwRuC,gB;YAA5B,WOvwRC,aPuwRuB,GOvwRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPowRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzyRP,U;UADP,YP2yRe,WO3yRH,WP2yRwB,GO3yRxB,C;UACL,IAAI,aAAJ,C;YACH,aPyyRuC,gB;YAA5B,WOxyRC,aPwyRuB,GOxyRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPqyRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1zRP,U;UADP,YP4zRe,WO5zRH,WP4zRwB,GO5zRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0zRuC,gB;YAA5B,WOzzRC,aPyzRuB,GOzzRvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPszRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO30RP,U;UADP,YP60Re,WO70RH,WP60RwB,GO70RxB,C;UACL,IAAI,aAAJ,C;YACH,aP20RuC,gB;YAA5B,WO10RC,aP00RuB,GO10RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPuzRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO51RP,U;UADP,YP81Re,WO91RH,WP81RwB,GO91RxB,C;UACL,IAAI,aAAJ,C;YACH,aP41RuC,gB;YAA5B,WO31RC,aP21RuB,GO31RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw1RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO72RP,U;UADP,YP+2Re,WO/2RH,WP+2RwB,GO/2RxB,C;UACL,IAAI,aAAJ,C;YACH,aP62RuC,gB;YAA5B,WO52RC,aP42RuB,GO52RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPy2RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO94RP,U;UADP,YPg5Re,WOh5RH,WPg5RwB,GOh5RxB,C;UACL,IAAI,aAAJ,C;YACH,aP85RuC,gB;YAA5B,WO75RC,aP65RuB,GO75RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP05RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO/7RP,U;UADP,YPi8Re,WOj8RH,WPi8RwB,GOj8RxB,C;UACL,IAAI,aAAJ,C;YACH,aP+7RuC,gB;YAA5B,WO97RC,aP87RuB,GO97RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP27RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOh+RP,U;UADP,YPk+Re,WOl+RH,WPk+RwB,GOl+RxB,C;UACL,IAAI,aAAJ,C;YACH,aPg+RuC,gB;YAA5B,WO/9RC,aP+9RuB,GO/9RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP49RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOj/RP,U;UADP,YPm/Re,WOn/RH,WPm/RwB,GOn/RxB,C;UACL,IAAI,aAAJ,C;YACH,aPi/RuC,gB;YAA5B,WOh/RC,aPg/RuB,GOh/RvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6+RA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlhSP,U;UADP,YPohSe,WOphSH,WPohSwB,GOphSxB,C;UACL,IAAI,aAAJ,C;YACH,aPkhSuC,gB;YAA5B,WOjhSC,aPihSuB,GOjhSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8gSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOniSP,U;UADP,YPqiSe,WOriSH,WPqiSwB,GOriSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmiSuC,gB;YAA5B,WOliSC,aPkiSuB,GOliSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+hSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpjSP,U;UADP,YPsjSe,WOtjSH,WPsjSwB,GOtjSxB,C;UACL,IAAI,aAAJ,C;YACH,aPojSuC,gB;YAA5B,WOnjSC,aPmjSuB,GOnjSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgjSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrkSP,U;UADP,YPukSe,WOvkSH,WPukSwB,GOvkSxB,C;UACL,IAAI,aAAJ,C;YACH,aPqkSuC,gB;YAA5B,WOpkSC,aPokSuB,GOpkSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPikSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtlSP,U;UADP,YPwlSe,WOxlSH,WPwlSwB,GOxlSxB,C;UACL,IAAI,aAAJ,C;YACH,aPslSuC,gB;YAA5B,WOrlSC,aPqlSuB,GOrlSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPklSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOvmSP,U;UADP,YPymSe,WOzmSH,WPymSwB,GOzmSxB,C;UACL,IAAI,aAAJ,C;YACH,aPumSuC,gB;YAA5B,WOtmSC,aPsmSuB,GOtmSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPmmSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxnSP,U;UADP,YP0nSe,WO1nSH,WP0nSwB,GO1nSxB,C;UACL,IAAI,aAAJ,C;YACH,aPwnSuC,gB;YAA5B,WOvnSC,aPunSuB,GOvnSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPonSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOzoSP,U;UADP,YP2oSe,WO3oSH,WP2oSwB,GO3oSxB,C;UACL,IAAI,aAAJ,C;YACH,aPyoSuC,gB;YAA5B,WOxoSC,aPwoSuB,GOxoSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPqoSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1pSP,U;UADP,YP4pSe,WO5pSH,WP4pSwB,GO5pSxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pSuC,gB;YAA5B,WOzpSC,aPypSuB,GOzpSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO3qSP,U;UADP,YP6qSe,WO7qSH,WP6qSwB,GO7qSxB,C;UACL,IAAI,aAAJ,C;YACH,aP2qSuC,gB;YAA5B,WO1qSC,aP0qSuB,GO1qSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPuqSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5rSP,U;UADP,YP8rSe,WO9rSH,WP8rSwB,GO9rSxB,C;UACL,IAAI,aAAJ,C;YACH,aP4rSuC,gB;YAA5B,WO3rSC,aP2rSuB,GO3rSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwrSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO7sSP,U;UADP,YP+sSe,WO/sSH,WP+sSwB,GO/sSxB,C;UACL,IAAI,aAAJ,C;YACH,aP6sSuC,gB;YAA5B,WO5sSC,aP4sSuB,GO5sSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPysSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9tSP,U;UADP,YPguSe,WOhuSH,WPguSwB,GOhuSxB,C;UACL,IAAI,aAAJ,C;YACH,aP8tSuC,gB;YAA5B,WO7tSC,aP6tSuB,GO7tSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0tSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO/uSP,U;UADP,YPivSe,WOjvSH,WPivSwB,GOjvSxB,C;UACL,IAAI,aAAJ,C;YACH,aP+uSuC,gB;YAA5B,WO9uSC,aP8uSuB,GO9uSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2uSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhwSP,U;UADP,YPkwSe,WOlwSH,WPkwSwB,GOlwSxB,C;UACL,IAAI,aAAJ,C;YACH,aPgwSuC,gB;YAA5B,WO/vSC,aP+vSuB,GO/vSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4vSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOjxSP,U;UADP,YPmxSe,WOnxSH,WPmxSwB,GOnxSxB,C;UACL,IAAI,aAAJ,C;YACH,aPixSuC,gB;YAA5B,WOhxSC,aPgxSuB,GOhxSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6wSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOlySP,U;UADP,YPoySe,WOpySH,WPoySwB,GOpySxB,C;UACL,IAAI,aAAJ,C;YACH,aPkySuC,gB;YAA5B,WOjySC,aPiySuB,GOjySvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8xSA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnzSP,U;UADP,YPqzSe,WOrzSH,WPqzSwB,GOrzSxB,C;UACL,IAAI,aAAJ,C;YACH,aPmzSuC,gB;YAA5B,WOlzSC,aPkzSuB,GOlzSvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+ySA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp0SP,U;UADP,YPs0Se,WOt0SH,WPs0SwB,GOt0SxB,C;UACL,IAAI,aAAJ,C;YACH,aPo0SuC,gB;YAA5B,WOn0SC,aPm0SuB,GOn0SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg0SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr1SP,U;UADP,YPu1Se,WOv1SH,WPu1SwB,GOv1SxB,C;UACL,IAAI,aAAJ,C;YACH,aPq1SuC,gB;YAA5B,WOp1SC,aPo1SuB,GOp1SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPi1SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt2SP,U;UADP,YPw2Se,WOx2SH,WPw2SwB,GOx2SxB,C;UACL,IAAI,aAAJ,C;YACH,aPs2SuC,gB;YAA5B,WOr2SC,aPq2SuB,GOr2SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk2SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv3SP,U;UADP,YPy3Se,WOz3SH,WPy3SwB,GOz3SxB,C;UACL,IAAI,aAAJ,C;YACH,aPu3SuC,gB;YAA5B,WOt3SC,aPs3SuB,GOt3SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm3SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOx4SP,U;UADP,YP04Se,WO14SH,WP04SwB,GO14SxB,C;UACL,IAAI,aAAJ,C;YACH,aPw4SuC,gB;YAA5B,WOv4SC,aPu4SuB,GOv4SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo4SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz5SP,U;UADP,YP25Se,WO35SH,WP25SwB,GO35SxB,C;UACL,IAAI,aAAJ,C;YACH,aPy5SuC,gB;YAA5B,WOx5SC,aPw5SuB,GOx5SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq5SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO16SP,U;UADP,YP46Se,WO56SH,WP46SwB,GO56SxB,C;UACL,IAAI,aAAJ,C;YACH,aP06SuC,gB;YAA5B,WOz6SC,aPy6SuB,GOz6SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs6SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO37SP,U;UADP,YP67Se,WO77SH,WP67SwB,GO77SxB,C;UACL,IAAI,aAAJ,C;YACH,aP27SuC,gB;YAA5B,WO17SC,aP07SuB,GO17SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPu7SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO58SP,U;UADP,YP88Se,WO98SH,WP88SwB,GO98SxB,C;UACL,IAAI,aAAJ,C;YACH,aP48SuC,gB;YAA5B,WO38SC,aP28SuB,GO38SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw8SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO79SP,U;UADP,YP+9Se,WO/9SH,WP+9SwB,GO/9SxB,C;UACL,IAAI,aAAJ,C;YACH,aP69SuC,gB;YAA5B,WO59SC,aP49SuB,GO59SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPy9SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9+SP,U;UADP,YPg/Se,WOh/SH,WPg/SwB,GOh/SxB,C;UACL,IAAI,aAAJ,C;YACH,aP8+SuC,gB;YAA5B,WO7+SC,aP6+SuB,GO7+SvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0+SA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO/gTP,U;UADP,YPihTe,WOjhTH,WPihTwB,GOjhTxB,C;UACL,IAAI,aAAJ,C;YACH,aP+gTuC,gB;YAA5B,WO9gTC,aP8gTuB,GO9gTvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2gTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOhiTP,U;UADP,YPkiTe,WOliTH,WPkiTwB,GOliTxB,C;UACL,IAAI,aAAJ,C;YACH,aPgiTuC,gB;YAA5B,WO/hTC,aP+hTuB,GO/hTvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4hTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOjjTP,U;UADP,YPmjTe,WOnjTH,WPmjTwB,GOnjTxB,C;UACL,IAAI,aAAJ,C;YACH,aPijTuC,gB;YAA5B,WOhjTC,aPgjTuB,GOhjTvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6iTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOljTP,U;UADP,YPojTe,WOpjTH,WPojTwB,GOpjTxB,C;UACL,IAAI,aAAJ,C;YACH,aPkjTuC,gB;YAA5B,WOjjTC,aPijTuB,GOjjTvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8iTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOnkTP,U;UADP,YPqkTe,WOrkTH,WPqkTwB,GOrkTxB,C;UACL,IAAI,aAAJ,C;YACH,aPmkTuC,gB;YAA5B,WOlkTC,aPkkTuB,GOlkTvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+jTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpkTP,U;UADP,YPskTe,WOtkTH,WPskTwB,GOtkTxB,C;UACL,IAAI,aAAJ,C;YACH,aPokTuC,gB;YAA5B,WOnkTC,aPmkTuB,GOnkTvB,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgkTA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOrlTP,U;UADP,YPulTe,W

hB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9tRP,U;UADP,YPguRe,WOhuRH,WPguRw
B,GOhuRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8tRuC,gB;YAA5B,WO7tRX,aP6tRgC,GO7tRhC,EAAS,MAAT,C;
YACA,e;;YAEA,c;;UP0tRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA
,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YA
AY,OAAZ,C;UOhvRP,U;UADP,YPkvRe,WOlvRH,WPkvRwB,GOlvRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgvRu
C,gB;YAA5B,WO/uRX,aP+uRgC,GO/uRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4uRA,iB;UACA,IAAK,WA
AI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE
;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;U
OlwRP,U;UADP,YPowRe,WOpwRH,WPowRwB,GOpwRxB,C;UACL,IAAI,aAAJ,C;YACH,aPkwRuC,gB;YAA5
B,WOjwRX,aPiwRgC,GOjwRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8vRA,iB;UACA,IAAK,WAAI,eAAe,oB
AAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C
;O;MARX,oDASQ,Y;QAA6C,OAAgB,qBAAhB,oBAAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O
;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EAcA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,
C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+U
O,W;O;KAtVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UA
Aa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;8EAUA,
yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,
WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;Q
AOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IA
AV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAA
b,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+
UO,W;O;KAtVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;U
AAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;8EAU
A,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAA
Y,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;8EAUA,yB;MAAA,gE;MAAA,uC
;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WA9UiB,SA8Ub,CAAU,I
AAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;8EAUA,yB;MAAA,gE;MA+UA,oC;MAAA,gC;MA/UA,uC;Q
AOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,0B;UACI,WAAY,WA9UiB,SA8Ub,CAAU,i
BAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KAtVX,C;0FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gB
AAb,C;QAgHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjHwB,SAiHpB,EAAU,cAAV,E
AAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjHhB,OAkHO,W;O;KAzHX,C;4FAUA,yB;MAAA,gE;MAAA,uC;Q
AOW,kBAAa,eAAa,gBAAb,C;QAmHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApHwB,
SAoHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApHhB,OAqHO,W;O;KA5HX,C;4FAUA,yB
;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;U
ACI,WAAY,WAvHwB,SAuHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvHhB,OAwHO,W;
O;KA/HX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyHP,gB;QADb,YAAY,C;QA
CZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1HwB,SA0HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,
C;;QA1HhB,OA2HO,W;O;KAlIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4HP,
gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,
WAAmB,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KArIX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,e
AAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,c
AAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhIhB,OAiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,u
C;QAOW,kBAAa,eAAa,gBAAb,C;QAkIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIw
B,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;
MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;U
ACI,WAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA
9IX,C;4FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwIP,gB;QA
Db,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAY,WAzIwB,SAyIpB,EAAU,cAAV,EAAU,sBAAV,WAAm

B,iBAAnB,CAAJ,C;;QAzIhB,OA0IO,W;O;KAjJX,C;wGAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAoB,gB;Q
A46Dd,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAl6DmC,U;UAAA,cAVQ,SAUR,EAk6DT,cAl6DS,EAk
6DT,sBAl6DS,WAk6DA,IAl6DA,W;YAA6C,6B;;QAVhF,OAWO,W;O;KAlBX,C;4GAUA,yB;MAAA,oD;QAy6
DiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAl6DmC,U;UAAA,yBAk6DT,cAl6DS,EAk6DT,sBAl6DS,
WAk6DA,IAl6DA,W;YAA6C,6B;;QAChF,OAAO,W;O;KARX,C;8FAWA,6C;MAQiB,UACiB,M;MAF9B,YAA
Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA
AmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,S
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;
MAChB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA
,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;K;g
GAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA
Y,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;K;gGAGX,6C;MAQiB,U
ACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAA
V,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAA
Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA
AmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,S
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;
MAChB,OAAO,W;K;+FAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,
SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MAChB,OAAO,W;K;g
GAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAAa,SAAb,gB;UA
Aa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QA
ChB,OAAO,W;O;KAVX,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAKW,kBAAa,gB;QAkuDJ,Q;QAAhB,iD;UAAg
B,cAAhB,e;UA1tDqB,U;UAAA,cARe,SAQf,CA0tDQ,OA1tDR,W;YAAsC,6B;;QAR3D,OASO,W;O;KAdX,C;8F
AQA,yB;MAAA,oD;QA+tDoB,Q;QAAhB,iD;UAAgB,cAAhB,e;UA1tDqB,U;UAAA,wBA0tDQ,OA1tDR,W;YA
AsC,6B;;QAC3D,OAAO,W;O;KANX,C;gFASA,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M
;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb
,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;kFAGX,6C;MA
KiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,
OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UA
AU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,
M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SA
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;kFAGX,6C;
MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAC
hB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,
UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,w
BAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QAChB,OAAO,W
;O;KAPX,C;IAe4B,0C;MAAA,mB;QAAE,2C;O;K;IAL9B,8B;MAKI,OAAO,qBAAiB,2BAAjB,C;K;IAQiB,4C;M
AAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;
IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,
qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IA
QiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAA
E,iD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MA
KI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BA
AjB,C;K;IAGX,6B;MAQI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK
,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SA
AK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,
SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eA
AL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,

+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M
;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,O
AAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,g
B;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,
GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;
MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;U
ACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OA
AO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB
;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,G
AAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;M
AAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UAC
I,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,
I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QA
CX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,
CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAA
A,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,U
AAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O
;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX
,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CA
AR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,o
C;MAAA,gC;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAV
,UAAU,SAAV,O;UACI,UAAU,SAAS,cAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,c
AAJ,C;;QAEb,OAAO,I;O;KAhBX,C;IAmBA,qC;MAQI,UAAe,aAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAA
V,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,O
AAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG
X,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,U
AAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SA
AK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,
YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,E
AAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,
C;MACJ,OAAO,G;K;IAGX,oC;MAMI,UAAe,aAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OA
AO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG
X,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,U
AAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,S
AAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MAC
X,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAA
I,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAA
V,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,O
AAO,G;K;IAGX,iC;MAOiB,Q;MADb,UAAU,qBAAiB,YAAY,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QA
Aa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,q
BAAoB,YAAY,gBAAZ,CAApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IA
AJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAArB,C;MACV,wB
AAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,
Q;MADb,UAAU,qBAAmB,YAAY,gBAAZ,CAAnB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAm
B,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAoB,YAAY,gBAAZ,CA
ApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;K;I
AGX,mC;MAOiB,Q;MADb,UAAU,qBAAqB,YAAY,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA
,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAsB,Y

AAY,gBAAZ,CAAtB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MAC
vB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAuB,YAAY,gBAAZ,CAAvB,C;MACV,wBAAa,SAAb,
gB;QAAa,WAAA,SAAb,M;QAAmB,GAAI,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,U
AAU,qBAAoB,YAAY,gBAAZ,CAApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAmB,GA
AI,WAAI,iBAAJ,C;;MACvB,OAAO,G;K;IAGX,iC;MAUI,UAAe,aAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,K
AAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ
,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;I
AGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MA
UI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAA
L,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;M
ACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,G
AAI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,K
AAP,C;MACJ,OAAO,G;K;4EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
AsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAh
B,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO
,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAs
B,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K
;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,I
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wB
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;M
ACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI
,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACt
D,OAAO,I;K;8EAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,c
AAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;
KAPX,C;IAUA,wB;MAMI,OAAO,EApuHA,qBAAQ,CAouHR,C;K;IAGX,0B;MAMI,OAAO,EAruHA,qBAAQ,C
AquHR,C;K;IAGX,0B;MAMI,OAAO,EAtuHA,qBAAQ,CAsuHR,C;K;IAGX,0B;MAMI,OAAO,EAvuHA,qBAAQ
,CAuuHR,C;K;IAGX,0B;MAMI,OAAO,EAxuHA,qBAAQ,CAwuHR,C;K;IAGX,0B;MAMI,OAAO,EAzuHA,qBA
AQ,CAyuHR,C;K;IAGX,0B;MAMI,OAAO,EA1uHA,qBAAQ,CA0uHR,C;K;IAGX,0B;MAMI,OAAO,EA3uHA,q
BAAQ,CA2uHR,C;K;IAGX,0B;MAMI,OAAO,EA5uHA,qBAAQ,CA4uHR,C;K;8EAGX,gC;MAMoB,Q;MAAhB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACr
D,OAAO,K;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,U
AAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAh
B,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+
EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CA
AJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMo
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O
AAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wB
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,O
AAO,K;K;+EAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAA
hB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;g
FAUA,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MA
KI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;
K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,gC;MAKoB,Q;MADhB,YAAY,C;M
ACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9

C,OAAO,K;K;kFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M
;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKoB,Q;MADhB,YAA
Y,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;
MAC9C,OAAO,K;K;mFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKoB,Q;MADh
B,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAA
wB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,c
AAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKoB,
Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ
,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;Q
AAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,yB;M
AAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAA
gB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO,K;O;KANX,C;8EASA,yC;MA
KoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WA
AV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAKoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFA
GX,yC;MAKoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,
UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAKoB,Q;MADhB,kBAAkB,O;MAClB,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAA
O,W;K;gFAGX,yC;MAKoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
AsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAKoB,Q;MADhB,kBAAkB,O
;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MA
CpC,OAAO,W;K;gFAGX,yC;MAKoB,Q;MADhB,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;gFAGX,yC;MAKoB,Q;MADhB,
kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,UAAU,WAAV,EAAuB,OA
AvB,C;;MACpC,OAAO,W;K;gFAGX,yB;MAAA,oC;MAAA,gD;QAKoB,Q;QADhB,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C
;;QACpC,OAAO,W;O;KANX,C;4FASA,yC;MASoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MAClB,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,E
AAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MASoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;M
AClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,W
AAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MASoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBA
AkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,W
AAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MASoB,UAA8B,M;MAF9C,YAAY,C;M
ACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,s
BAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MASoB,UAA8B,M;MAF9C,YA
AY,C;MACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,
EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MASoB,UAA8B,M;MA
F9C,YAAY,C;MACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAA
U,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MASoB,UAA8
B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cA
Ac,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAS
oB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
AAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,
yB;MAAA,oC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QACZ,kBAAkB,O;QAClB,wBAAgB
,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,
EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAVX,C;wFAaA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YAA
Y,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAA

V,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,YA
AY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OA
AV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,Y
AAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,O
AAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHhC,
YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,
OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAHh
C,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAA
J,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QAH
hC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBA
AJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;QA
HhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oB
AAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,gD;QAOoC,Q;Q
AHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,o
BAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;0FAYA,yB;MAAA,8D;MAAA,oC;MAAA,gD;
QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAI,
YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;sGAYA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,g
D;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;wGAgBA,yB;MAAA,8D;MAAA,o
C;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,
EAAiB,sBAAI,KAAJ,EAAW,EAAjB,qB;;QAEJ,OAAO,W;O;KAbX,C;oFAgBA,6B;MAAI,oB;QAAA,Q;MAAJ,
;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,
hB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,wB
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,wBAA
gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,wBAAgB,SA
Ab,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAAI,oB;QAAA,Q;MAAJ,yB;MAAA,oC;MAAA,gC;MAAA,oC;Q
AIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;O;KAJ1B,
C;kGAOA,6B;MAAI,oB;QAAA,Q;MAAJ,aAAa,SAAb,gB;QAAa,cAAA,SAAb,M;QAAmB,OAAO,OAAP,C;;K;oFAGvB,
QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGA,6B;MAAI,oB;QAAA,Q;MAAJ,aAAa,SAAb,gB;QAAa,cAAA,SAAb,M;QAAmB,OAAO,OAAP,C;;K;oFAGvB,
BAAa,SAAb,gB;QAAa,cAAA,SAAb,M;QAAmB,OAAO,OAAP,C;;K;oFAGvB,WAAgB,IAAhB,C;;K;oGAGA,
6B;MAAI,oB;QAAA,Q;MAAJ,aAAa,SAAb,gB;QAAa,cAAA,SAAb,M;QAAmB,OAAO,OAAP,cAA

P,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,wB;MAUiB,Q;MAHb,IApoJO,qBAAQ,CAooJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAUiB,Q;MAHb,IAtpJO,qBAAQ,CAspJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IArqJO,qBAAQ,CAqqJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA1qJO,qBAAQ,CA0qJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/qJO,qBAAQ,CA+qJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAprJO,qBAAQ,CAorJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAzrJO,qBAAQ,CAyrJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;MAHb,IAhsJO,qBAAQ,CAgsJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;MAHb,IAzsJO,qBAAQ,CAysJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxsJO,qBAAQ,CAwsJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;gFAGX,yB;MAAA,8D;MAAA,sC;QAMI,IAvxJO,qBAAQ,CAuxJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAryJO,qBAAQ,CAqyJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAnzJO,qBAAQ,CAmzJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAj0JO,qBAAQ,CAi0Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,cAA

L,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA/0JO,qBAAQ,CAAR,gBAAK,CAAL,gBAAU,CAAV,gBAAe,CAAf,gBAAoB,CAApB,gBAAyB,CAAzB,gBAA8B,CAA9B,gBAAmC,CAAnC,gBAAwC,CAAxC,gBAA6C,CAA7C,gBAAkD,CAAlD,gBAAuD,CAAvD,gBAA4D,CAA5D,gBAAiE,CAAjE,gBAAsE,CAAtE,gBAA2E,CAA3E,gBAAgF,CAAhF,gBAAqF,CAArF,gBAA0F,CAA1F,gBAA+F,CAA/F,gBAAoG,CAApG,gBAAyG,CAAzG,gBAA8G,CAA9G,gBAAmH,CAAnH,gBAAwH,CAAxH,gBAA6H,CAA7H,gBAAkI,CAAlI,gBAAuI,CAAvI,gBAA4I,CAA5I,gBAAiJ,CAAjJ,gBAAsJ,CAAtJ,gBAA2J,CAA3J,gBAAgK,CAAhK,gBAAqK,CAArK,gBAA0K,CAA1K,gBAA+K,CAA/K,gBAAoL,CAApL,gBAAyL,CAAzL,gBAA8L,CAA9L,gBAAmM,CAAnM,gBAAwM,CAAxM,gBAA6M,CAA7M,gBAAkN,CAAlN,gBAAuN,CAAvN,gBAA4N,CAA5N,gBAAiO,CAAjO,gBAAsO,CAAtO,gBAA2O,CAA3O,gBAAgP,CAAhP,gBAAqP,CAArP,gBAA0P,CAA1P,gBAA+P,CAA/P,gBAAoQ,CAApQ,gBAAyQ,CAAzQ,gBAA8Q,CAA9Q,gBAAmR,CAAnR,gBAAwR,CAAxR,gBAA6R,CAA7R,gBAAkS,CAAlS,gBAAuS,CAAvS,gBAA4S,CAA5S,gBAAiT,CAAjT,gBAAsT,CAAtT,gBAA2T,CAA3T,gBAAgU,CAAhU,gBAAqU,CAArU,gBAA0U,CAA1U,gBAA+U,CAA/U,gBAAoV,CAApV,gBAAyV,CAAzV,gBAA8V,CAA9V,gBAAmW,CAAnW,gBAAwW,CAAxW,gBAA6W,CAA7W,gBAAkX,CAAlX,gBAAuX,CAAvX,gBAA4X,CAA5X,gBAAiY,CAAjY,gBAAsY,CAAtY,gBAA2Y,CAA3Y,gBAAgZ,CAAhZ,gBAAqZ,CAArZ,gBAA0Z,CAA1Z,gBAA+Z,CAA/Z,gBAAoa,CAApa,gBAAya,CAAza,gBAA8a,CAA9a,gBAAmb,CAAnb,gBAAwb,CAAxb,gBAA6b,CAA7b,gBAAkc,CAAlc,gBAAuc,CAAvc,gBAA4c,CAA5c,gBAAid,CAAjd,gBAAsd,CAAtd,gBAA2d,CAA3d,gBAAge,CAAhe,gBAAqe,CAAre,gBAA0e,CAA1e,gBAA+e,CAA/e,gBAAof,CAApf,gBAAyf,CAAzf,gBAA8f,CAA9f,gBAAmgB,CAAngB,gBAAwgB,CAAxgB,gBAA6gB,CAA7gB,gBAAkhB,CAAlhB,gBAAuhB,CAAvhB,gBAA4hB,CAA5hB,gBAAiiB,CAAjiB,gBAAsiB,CAAtiB,gBAA2iB,CAA3iB,gBAAgjB,CAAhjB,gBAAqjB,CAArjB,gBAA0jB,CAA1jB,gBAA+jB,CAA/jB,gBAAokB,CAApkB,gBAAykB,CAAzkB,gBAA8kB,CAA9kB,gBAAmlB,CAAnlB,gBAAwlB,CAAxlB,gBAA6lB,CAA7lB,gBAAkmB,CAAlmB,gBAAumB,CAAvmB,gBAA4mB,CAA5mB,gBAAinB,CAAjnB,gBAAsnB,CAAtnB,gBAA2nB,CAA3nB,gBAAgoB,CAAhoB,gBAAqoB,CAAroB,gBAA0oB,CAA1oB,gBAA+oB,CAA/oB,gBAAopB,CAAppB,gBAAyp,CAAzp,gBAA8p,CAA9p,gBAAmqB,CAAnqB,gBAAwqB,CAAxqB,gBAA6qB,CAA7qB,gBAAkrB,CAAlrB,gBAAurB,CAAvrB,gBAA4rB,CAA5rB,gBAAisB,CAAjsB,gBAAssB,CAAtsB,gBAA2sB,CAA3sB,gBAAgtB,CAAhtB,gBAAqtB,CAArtB,gBAA0tB,CAA1tB,gBAA+tB,CAA/tB,gBAAouB,CAApuB,gBAAyuB,CAAzuB,gBAA8uB,CAA9uB,gBAAmvB,CAAnvB,gBAAwvB,CAAxvB,gBAA6vB,CAA7vB,gBAAkwB,CAAlwB,gBAAuwB,CAAvwB,gBAA4wB,CAA5wB,gBAAixB,CAAjxB,gBAAsxB,CAAtxB,gBAA2xB,CAA3xB,gBAAgyB,CAAhyB,gBAAqyB,CAAryB,gBAA0yB,CAA1yB,gBAA+yB,CAA/yB,gBAAozB,CAApzB,gBAAyzB,CAAzzB,gBAA8zB,CAA9zB,gBAAm0B,CAAn0B,gBAAw0B,CAAx0B,gBAA60B,CAA70B,gBAAk1B,CAAl1B,gBAAu1B,CAAv1B,gBAA41B,CAA51B,gBAAi2B,CAAj2B,gBAAs2B,CAAt2B,gBAA22B,CAA32B,gBAAg3B,CAAh3B,gBAAq3B,CAAr3B,gBAA03B,CAA13B,gBAA+3B,CAA/3B,gBAAo4B,CAAp4B,gBAAy4B,CAAz4B,gBAA84B,CAA94B,gBAAm5B,CAAn5B,gBAAw5B,CAAx5B,gBAA65B,CAA75B,gBAAk6B,CAAl6B,gBAAu6B,CAAv6B,gBAA46B,CAA56B,gBAAi7B,CAAj7B,gBAAs7B,CAAt7B,gBAA27B,CAA37B,gBAAg8B,CAAh8B,gBAAq8B,CAAr8B,gBAA08B,CAA18B,gBAA+8B,CAA/8B,gBAAo9B,CAAp9B,gBAAy9B,CAAz9B,gBAA89B,CAA99B,gBAAm+B,CAAn+B,gBAAw+B,CAAx+B,gBAA6+B,CAA7+B,gBAAk/B,CAAl/B,gBAAu/B,CAAv/B,gBAA4/B,CAA5/B,gBAAigC,CAAjgC,gBAAsgC,CAAtgC,gBAA2gC,CAA3gC,gBAAghC,CAAhhC,gBAAqhC,CAArhC,gBAA0hC,CAA1hC,gBAA+hC,CAA/hC,gBAAoiC,CAApiC,gBAAyiC,CAAziC,gBAA8iC,CAA9iC,gBAAmjC,CAAnjC,gBAAwjC,CAAxjC,gBAA6jC,CAA7jC,gBAAkkC,CAAlkC,gBAAukC,CAAvkC,gBAA4kC,CAA5kC,gBAAilC,CAAjlC,gBAAslC,CAAtlC,gBAA2lC,CAA3lC,gBAAgmC,CAAhmC,gBAAqmC,CAArmC,gBAA0mC,CAA1mC,gBAA+mC,CAA/mC,gBAAonC,CAApnC,gBAAynC,CAAznC,gBAA8nC,CAA9nC,gBAAmoC,CAAnoC,gBAAwoC,CAAxoC,gBAA6oC,CAA7oC,gBAAkpC,CAAlpC,gBAAupC,CAAvpC,gBAA4pC,CAA5pC,gBAAiqC,CAAjqC,gBAAsqC,CAAtqC,gBAA2qC,CAA3qC,gBAAgrC,CAAhrC,gBAAqrC,CAArrC,gBAA0rC,CAA1rC,gBAA+rC,CAA/rC,gBAAosC,CAApsC,gBAAysC,CAAzsC,gBAA8sC,CAA9sC,gBAAmtC,CAAntC,gBAAwtC,CAAxtC,gBAA6tC,CAA7tC,gBAAkuC,CAAluC,gBAAuuC,CAAvuC,gBAA4uC,CAA5uC,gBAAivC,CAAjvC,gBAAsvC,CAAtvC,gBAA2vC,CAA3vC,gBAAgwC,CAAhwC,gBAAqwC,CAArwC,gBAA0wC,CAA1wC,gBAA+wC,CAA/wC,gBAAoxC,CAApxC,gBAAyxC,CAAzxC,gBAA8xC,CAA9xC,gBAAmyC,CAAnyC,gBAAwyC,CAAxyC,gBAA6yC,CAA7yC,gBAAkzC,CAAlzC,gBAAuzC,CAAvzC,gBAA4zC,CAA5zC,gBAAi0C,CAAj0C,gBAAs0C,CAAt0C,gBAA20C,CAA30C,gBAAg1C,CAAh1C,gBAAq1C,CAAr1C,gBAA01C,CAA11C,gBAA+1C,CAA/1C,gBAAo2C,CAAp2C,gBAAy2C,CAAz2C,gBAA82C,CAA92C,gBAAm3C,CAAn3C,gBAAw3C,CAAx3C,gBAA63C,CAA73C,gBAAk4C,CAAl4C,gBAAu4C,CAAv4C,gBAA44C,CAA54C,gBAAi5C,CAAj5C,gBAAs5C,CAAt5C,gBAA25C,CAA35C,gBAAg6C,CAAh6C,gBAAq6C,CAAr6C,gBAA06C,CAA16C,gBAA+6C,CAA/6C,gBAAo7C,CAAp7C,gBAAy7C,CAAz7C,gBAA87C,CAA97C,gBAAm8C,CAAn8C,gBAAw8C,CAAx8C,gBAA68C,CAA78C,gBAAk9C,CAAl9C,gBAAu9C,CAAv9C,gBAA49C,CAA59C,gBAAi+C,CAAj+C,gBAAs+C,CAAt+C,gBAA2+C,CAA3+C,gBAAg/C,CAAh/C,gBAAq/C,CAAr/C,gBAA0/C,CAA1/C,gBAA+/C,CAA//C,gBAAohD,CAAphD,gBAAyhD,CAAzhD,gBAA8hD,CAA9hD,gBAAmiD,CAAniD,gBAAwiD,CAAxiD,gBAA6iD,CAA7iD,gBAAkjD,CAAljD,gBAAujD,CAAvjD,gBAA4jD,CAA5jD,gBAAikD,CAAjkD,gBAAskD,CAAtkD,gBAA2kD,CAA3kD,gBAAglD,CAAhlD,gBAAqlD,CAArlD,gBAA0lD,CAA1lD,gBAA+lD,CAA/lD,gBAAomD,CAApmD,gBAAymD,CAAzmD,gBAA8mD,CAA9mD,gBAAmnD,CAAnnD,gBAAwnD,CAAxnD,gBAA6nD,CAA7nD,gBAAkoD,CAAloD,gBAAuoD,CAAvoD,gBAA4oD,CAA5oD,gBAAipD,CAAjpD,gBAAspD,CAAtpD,gBAA2pD,CAA3pD,gBAAgqD,CAAhqD,gBAAqqD,CAArqD,gBAA0qD,CAA1qD,gBAA+qD,CAA/qD,gBAAorD,CAAprD,gBAAyrD,CAAzrD,gBAA8rD,CAA9rD,gBAAmsD,CAAnsD,gBAAwsD,CAAxsD,gBAA6sD,CAA7sD,gBAAktD,CAAltD,gBAAutD,CAAvtD,gBAA4tD,CAA5tD,gBAAiuD,CAAjuD,gBAAsuD,CAAtuD,gBAA2uD,CAA3uD,gBAAgvD,CAAhvD,gBAAqvD,CAArvD,gBAA0vD,CAA1vD,gBAA+vD,CAA/vD,gBAAowD,CAApwD,gBAAywD,CAAzwD,gBAA8wD,CAA9wD,gBAAmxD,CAAnxD,gBAAwxD,CAAxxD,gBAA6xD,CAA7xD,gBAAkyD,CAAlyD,gBAAuyD,CAAvyD,gBAA4yD,CAA5yD,gBAAizD,CAAjzD,gBAAszD,CAAtzD,gBAA2zD,CAA3zD,gBAAg0D,CAAh0D,gBAAq0D,CAAr0D,gBAA00D,CAA10D,gBAA+0D,CAA/0D,gBAAo1D,CAAp1D,gBAAy1D,CAAz1D,gBAA81D,CAA91D,gBAAm2D,CAAn2D,gBAAw2D,CAAx2D,gBAA62D,CAA72D,gBAAk3D,CAAl3D,gBAAu3D,CAAv3D,gBAA43D,CAA53D,gBAAi4D,CAAj4D,gBAAs4D,CAAt4D,gBAA24D,CAA34D,gBAAg5D,CAAh5D,gBAAq5D,CAAr5D,gBAA05D,CAA15D,gBAA+5D,CAA/5D,gBAAo6D,CAAp6D,gBAAy6D,CAAz6D,gBAA86D,CAA96D,gBAAm7D,CAAn7D,gBAAw7D,CAAx7D,gBAA67D,CAA77D,gBAAk8D,CAAl8D,gBAAu8D,CAAv8D,gBAA48D,CAA58D,gBAAi9D,CAAj9D,gBAAs9D,CAAt9D,gBAA29D,CAA39D,gBAAg+D,CAAh+D,gBAAq+D,CAAr+D,gBAA0+D,CAA1+D,gBAA++D,CAA/+D,gBAAo/D,CAAp/D,gBAAy/D,CAAz/D,gBAA8/D,CAA9/D,gBAAmgE,CAAngE,gBAAwgE,CAAxgE,gBAA6gE,CAA7gE,gBAAkhE,CAAlhE,gBAAuhE,CAAvhE,gBAA4hE,CAA5hE,gBAAiiE,CAAjiE,gBAAsiE,CAAtiE,gBAA2iE,CAA3iE,gBAAgjE,CAAhjE,gBAAqjE,CAArjE,gBAA0jE,CAA1jE,gBAA+jE,CAA/jE,gBAAokE,CAApkE,gBAAykE,CAAzkE,gBAA8kE,CAA9kE,gBAAmlE,CAAnlE,gBAAwlE,CAAxlE,gBAA6lE,CAA7lE,gBAAkmE,CAAlmE,gBAAumE,CAAvmE,gBAA4mE,CAA5mE,gBAAinE,CAAjnE,gBAAsnE,CAAtnE,gBAA2nE,CAA3nE,gBAAgoE,CAAhoE,gBAAqoE,CAAroE,gBAA0oE,CAA1oE,gBAA+oE,CAA/oE,gBAAopE,CAAppE,gBAAypE,CAAzpE,gBAA8pE,CAA9pE,gBAAmqE,CAAnqE,gBAAwqE,CAAxqE,gBAA6qE,CAA7qE,gBAAkrE,CAAlrE,gBAAurE,CAAvrE,gBAA4rE,CAA5rE,gBAAisE,CAAjsE,gBAAssE,CAAtsE,gBAA2sE,CAA3sE,gBAAgtE,CAAhtE,gBAAqtE,CAArtE,gBAA0tE,CAA1tE,gBAA+tE,CAA/tE,gBAAouE,CAApuE,gBAAyuE,CAAzuE,gBAA8uE,CAA9uE,gBAAmvE,CAAnvE,gBAAwvE,CAAxvE,gBAA6vE,CAA7vE,gBAAkwE,CAAlwE,gBAAuwE,CAAvwE,gBAA4wE,CAA5wE,gBAAixE,CAAjxE,gBAAsxE,CAAtxE,gBAA2xE,CAA3xE,gBAAgyE,CAAhyE,gBAAqyE,CAAryE,gBAA0yE,CAA1yE,gBAA+yE,CAA/yE,gBAAozE,CAApzE,gBAAyzE,CAAzzE,gBAA8zE,CAA9zE,gBAAm0E,CAAn0E,gBAAw0E,CAAx0E,gBAA60E,CAA70E,gBAAk1E,CAAl1E,gBAAu1E,CAAv1E,gBAA41E,CAA51E,gBAAi2E,CAAj2E,gBAAs2E,CAAt2E,gBAA22E,CAA32E,gBAAg3E,CAAh3E,gBAAq3E,CAAr3E,gBAA03E,CAA13E,gBAA+3E,CAA/3E,gBAAo4E,CAAp4E,gBAAy4E,CAAz4E,gBAA84E,CAA94E,gBAAm5E,CAAn5E,gBAAw5E,CAAx5E,gBAA65E,CAA75E,gBAAk6E,CAAl6E,gBAAu6E,CAAv6E,gBAA46E,CAA56E,gBAAi7E,CAAj7E,gBAAs7E,CAAt7E,gBAA27E,CAA37E,gBAAg8E,CAAh8E,gBAAq8E,CAAr8E,gBAA08E,CAA18E,gBAA+8E,CAA/8E,gBAAo9E,CAAp9E,gBAAy9E,CAAz9E,gBAA89E,CAA99E,gBAAm+E,CAAn+E,gBAAw+E,CAAx+E,gBAA6+E,CAA7+E,gBAAk/E,CAAl/E,gBAAu/E,CAAv/E,gBAA4/E,CAA5/E,gBAAigF,CAAjgF,gBAAsgF,CAAtgF,gBAA2gF,CAA3gF,gBAAghF,CAAhhF,gBAAqhF,CAArhF,gBAA0hF,CAA1hF,gBAA+hF,CAA/hF,gBAAoiF,CAApiF,gBAAyiF,CAAziF,gBAA8iF,CAA9iF,gBAAmjF,CAAnjF,gBAAwjF,CAAxjF,gBAA6jF,CAA7jF,gBAAkkF,CAAlkF,gBAAukF,CAAvkF,gBAA4kF,CAA5kF,gBAAilF,CAAjlF,gBAAslF,CAAtlF,gBAA2lF,CAA3lF,gBAAgmF,CAAhmF,gBAAqmF,CAArmF,gBAA0mF,CAA1mF,gBAA+mF,CAA/mF,gBAAonF,CAApnF,gBAAynF,CAAznF,gBAA8nF,CAA9nF,gBAAmoF,CAAnoF,gBAAwoF,CAAxoF,gBAA6oF,CAA7oF,gBAAkpF,CAAlpF,gBAAupF,CAAvpF,gBAA4pF,CAA5pF,gBAAiqF,CAAjqF,gBAAsqF,CAAtqF,gBAA2qF,CAA3qF,gBAAgrF,CAAhrF,gBAAqrF,CAArrF,gBAA0rF,CAA1rF,gBAA+rF,CAA/rF,gBAAosF,CAApsF,gBAAysF,CAAzsF,gBAA8sF,CAA9sF,gBAAmtF,CAAntF,gBAAwtF,CAAxtF,gBAA6tF,CAA7tF,gBAAkuF,CAAluF,gBAAuuF,CAAvuF,gBAA4uF,CAA5uF,gBAAivF,CAAjvF,gBAAsvF,CAAtvF,gBAA2vF,CAA3vF,gBAAgwF,CAAhwF,gBAAqwF,CAArwF,gBAA0wF,CAA1wF,gBAA+wF,CAA/wF,gBAAoxF,CAApxF,gBAAyxF,CAAzxF,gBAA8xF,CAA9xF,gBAAmyF,CAAnyF,gBAAwyF,CAAxyF,gBAA6yF,CAA7yF,gBAAkzF,CAAlzF,gBAAuzF,CAAvzF,gBAA4zF,CAA5zF,gBAAi0F,CAAj0F,gBAAs0F,CAAt0F,gBAA20F,CAA30F,gBAAg1F,CAAh1F,gBAAq1F,CAAr1F,gBAA01F,CAA11F,gBAA+1F,CAA/1F,gBAAo2F,CAAp2F,gBAAy2F,CAAz2F,gBAA82F,CAA92F,gBAAm3F,CAAn3F,gBAAw3F,CAAx3F,gBAA63F,CAA73F,gBAAk4F,CAAl4F,gBAAu4F,CAAv4F,gBAA44F,CAA54F,gBAAi5F,CAAj5F,gBAAs5F,CAAt5F,gBAA25F,CAA35F,gBAAg6F,CAAh6F,gBAAq6F,CAAr6F,gBAA06F,CAA16F,gBAA+6F,CAA/6F,gBAAo7F,CAAp7F,gBAAy7F,CAAz7F,gBAA87F,CAA97F,gBAAm8F,CAAn8F,gBAAw8F,CAAx8F,gBAA68F,CAA78F,gBAAk9F,CAAl9F,gBAAu9F,CAAv9F,gBAA49F,CAA59F,gBAAi+F,CAAj+F,gBAAs+F,CAAt+F,gBAA2+F,CAA3+F,gBAAg/F,CAAh/F,gBAAq/F,CAAr/F,gBAA0/F,CAA1/F,gBAA+/F,CAA//F,gBAAohG,CAAphG,gBAAyhG,CAAzhG,gBAA8hG,CAA9hG,gBAAmiG,CAAniG,gBAAwiG,CAAxiG,gBAA6iG,CAA7iG,gBAAkjG,CAAljG,gBAAujG,CAAvjG,gBAA4jG,CAA5jG,gBAAikG,CAAjkG,gBAAskG,CAAtkG,gBAA2kG,CAA3kG,gBAAglG,CAAhlG,gBAAqlG,CAArlG,gBAA0lG,CAA1lG,gBAA+lG,CAA/lG,gBAAomG,CAApmG,gBAAymG,CAAzmG,gBAA8mG,CAA9mG,gBAAmnG,CAAnnG,gBAAwnG,CAAxnG,gBAA6nG,CAA7nG,gBAAkoG,CAAloG,gBAAuoG,CAAvoG,gBAA4oG,CAA5oG,gBAAipG,CAAjpG,gBAAspG,CAAtpG,gBAA2pG,CAA3pG,gBAAgqG,CAAhqG,gBAAqqG,CAArqG,gBAA0qG,CAA1qG,gBAA+qG,CAA/qG,gBAAorG,CAAprG,gBAAyrG,CAAzrG,gBAA8rG,CAA9rG,gBAAmsG,CAAnsG,gBAAwsG,CAAxsG,gBAA6sG,CAA7sG,gBAAktG,CAAltG,gBAAutG,CAAvtG,gBAA4tG,CAA5tG,gBAAiuG,CAAjuG,gBAAsuG,CAAtuG,gBAA2uG,CAA3uG,gBAAgvG,CAAhvG,gBAAqvG,CAArvG,gBAA0vG,CAA1vG,gBAA+vG,CAA/vG,gBAAowG,CAApwG,gBAAywG,CAAzwG,gBAA8wG,CAA9wG,gBAAmxG,CAAnxG,gBAAwxG,CAAxxG,gBAA6xG,CAA7xG,gBAAkyG,CAAlyG,gBAAuyG,CAAvyG,gBAA4yG,CAA5yG,gBAAizG,CAAjzG,gBAAszG,CAAtzG,gBAA2zG,CAA3zG,gBAAg0G,CAAh0G,gBAAq0G,CAAr0G,gBAA00G,CAA10G,gBAA+0G,CAA/0G,gBAAo1G,CAAp1G,gBAAy1G,CAAz1G,gBAA81G,CAA91G,gBAAm2G,CAAn2G,gBAAw2G,CAAx2G,gBAA62G,CAA72G,gBAAk3G,CAAl3G,gBAAu3G,CAAv3G,gBAA43G,CAA53G,gBAAi4G,CAAj4G,gBAAs4G,CAAt4G,gBAA24G,CAA34G,gBAAg5G,CAAh5G,gBAAq5G,CAAr5G,gBAA05G,CAA15G,gBAA+5G,CAA/5G,gBAAo6G,CAAp6G,gBAAy6G,CAAz6G,gBAA86G,CAA96G,gBAAm7G,CAAn7G,gBAAw7G,CAAx7G,gBAA67G,CAA77G,gBAAk8G,CAAl8G,gBAAu8G,CAAv8G,gBAA48G,CAA58G,gBAAi9G,CAAj9G,gBAAs9G,CAAt9G,gBAA29G,CAA39G,gBAAg+G,CAAh+G,gBAAq+G,CAAr+G,gBAA0+G,CAA1+G,gBAA++G,CAA/+G,gBAAo/G,CAAp/G,gBAAy/G,CAAz/G,gBAA8/G,CAA9/G,gBAAmgH,CAAngH,gBAAwgH,CAAxgH,gBAA6gH,CAA7gH,gBAAkhH,CAAlhH,gBAAuhH,CAAvhH,gBAA4hH,CAA5hH,gBAAiiH,CAAjiH,gBAAsiH,CAAtiH,gBAA2iH,CAA3iH,gBAAgjH,CAAhjH,gBAAqjH,CAArjH,gBAA0jH,CAA1jH,gBAA+jH,CAA/jH,gBAAokH,CAApkH,gBAAykH,CAAzkH,gBAA8kH,CAA9kH,gBAAmlH,CAAnlH,gBAAwlH,CAAxlH,gBAA6lH,CAA7lH,gBAAkmH,CAAlmH,gBAAumH,CAAvmH,gBAA4mH,CAA5mH,gBAAinH,CAAjnH,gBAAsnH,CAAtnH,gBAA2nH,CAA3nH,gBAAgoH,CAAhoH,gBAAqoH,CAAroH,gBAA0oH,CAA1oH,gBAA+oH,CAA/oH,gBAAopH,CAAppH,gBAAypH,CAAzpH,gBAA8pH,CAA9pH,gBAAmqH,CAAnqH,gBAAwqH,CAAxqH,gBAA6qH,CAA7qH,gBAAkrH,CAAlrH,gBAAurH,CAAvrH,gBAA4rH,CAA5rH,gBAAisH,CAAjsH,gBAAssH,CAAtsH,gBAA2sH,CAA3sH,gBAAgtH,CAAhtH,gBAAqtH,CAArtH,gBAA0tH,CAA1tH,gBAA+tH,CAA/tH,gBAAouH,CAApuH,gBAAyuH,CAAzuH,gBAA8uH,CAA9uH,gBAAmvH,CAAnvH,gBAAwvH,CAAxvH,gBAA6vH,CAA7vH,gBAAkwH,CAAlwH,gBAAuwH,CAAvwH,gBAA4wH,CAA5wH,gBAAixH,CAAjxH,gBAAsxH,CAAtxH,gBAA2xH,CAA3xH,gBAAgyH,CAAhyH,gBAAqyH,CAAryH,gBAA0yH,CAA1yH,gBAA+yH,CAA/yH,gBAAozH,CAApzH,gBAAyzH,CAAzzH,gBAA8zH,CAA9zH,gBAAm0H,CAAn0H,gBAAw0H,CAAx0H,gBAA60H,CAA70H,gBAAk1H,CAAl1H,gBAAu1H,CAAv1H,gBAA41H,CAA51H,gBAAi2H,CAAj2H,gBAAs2H,CAAt2H,gBAA22H,CAA32H,gBAAg3H,CAAh3H,gBAAq3H,CAAr3H,gBAA03H,CAA13H,gBAA+3H,CAA/3H,gBAAo4H,CAAp4H,gBAAy4H,CAAz4H,gBAA84H,CAA94H,gBAAm5H,CAAn5H,gBAAw5H,CAAx5H,gBAA65H,CAA75H,gBAAk6H,CAAl6H,gBAAu6H,CAAv6H,gBAA46H,CAA56H,gBAAi7H,CAAj7H,gBAAs7H,CAAt7H,gBAA27H,CAA37H,gBAAg8H,CAAh8H,gBAAq8H,CAAr8H,gBAA08H,CAA18H,gBAA+8H,CAA/8H,gBAAo9H,CAAp9H,gBAAy9H,CAAz9H,gBAA89H,CAA99H,gBAAm+H,CAAn+H,gBAAw+H,CAAx+H,gBAA6+H,CAA7+H,gBAAk/H,CAAl/H,gBAAu/H,CAAv/H,gBAA4/H,CAA5/H,gBAAigI,CAAjgI,gBAAsgI,CAAtgI,gBAA2gI,CAA3gI,gBAAghI,CAAhhI,gBAAqhI,CAArhI,gBAA0hI,CAA1hI,gBAA+hI,CAA/hI,gBAAoiI,CAApiI,gBAAyiI,CAAziI,gBAA8iI,CAA9iI,gBAAmjI,CAAnjI,gBAAwjI,CAAxjI,gBAA6jI,CAA7jI,gBAAkkI,CAAlkI,gBAAukI,CAAvkI,gBAA4kI,CAA5kI,gBAAilI,CAAjlI,gBAAslI,CAAtlI,gBAA2lI,CAA3lI,gBAAgmI,CAAhmI,gBAAqmI,CAArmI,gBAA0mI,CAA1mI,gBAA+mI,CAA/mI,gBAAonI,CAApnI,gBAAynI,CAAznI,gBAA8nI,CAA9nI,gBAAmoI,CAAnoI,gBAAwoI,CAAxoI,gBAA6oI,CAA7oI,gBAAkpI,CAAlpI,gBAAupI,CAAvpI,gBAA4pI,CAA5pI,gBAAiqI,CAAjqI,gBAAsqI,CAAtqI,gBAA2qI,CAA3qI,gBAAgrI,CAAhrI,gBAAqrI,CAArrI,gBAA0rI,CAA1rI,gBAA+rI,CAA/rI,gBAAosI,CAApsI,gBAAysI,CAAzsI,gBAA8sI,CAA9sI,gBAAmtI,CAAntI,gBAAwtI,CAAxtI,gBAA6tI,CAA7tI,gBAAkuI,CAAluI,gBAAuuI,CAAvuI,gBAA4uI,CAA5uI,gBAAivI,CAAjvI,gBAAsvI,CAAtvI,gBAA2vI,CAA3vI,gBAAgwI,CAAhwI,gBAAqwI,CAArwI,gBAA0wI,CAA1wI,gBAA+wI,CAA/wI,gBAAoxI,CAApxI,gBAAyxI,CAAzxI,gBAA8xI,CAA9xI,gBAAmyI,CAAnyI,gBAAwyI,CAAxyI,gBAA6yI,CAA7yI,gBAAkzI,CAAlzI,gBAAuzI,CAAvzI,gBAA4zI,CAA5zI,gBAAi0I,CAAj0I,gBAAs0I,CAAt0I,gBAA20I,CAA30I,gBAAg1I,CAAh1I,gBAAq1I,CAAr1I,gBAA01I,CAA11I,gBAA+1I,CAA/1I,gBAAo2I,CAAp2I,gBAAy2I,CAAz2I,gBAA82I,CAA92I,gBAAm3I,CAAn3I,gBAAw3I,CAAx3I,gBAA63I,CAA73I,gBAAk4I,CAAl4I,gBAAu4I,CAAv4I,gBAA44I,CAA54I,gBAAi5I,CAAj5I,gBAAs5I,CAAt5I,gBAA25I,CAA35I,gBAAg6I,CAAh6I,gBAAq6I,CAAr6I,gBAA06I,CAA16I,gBAA+6I,CAA/6I,gBAAo7I,CAAp7I,gBAAy7I,CAAz7I,gBAA87I,CAA97I,gBAAm8I,CAAn8I,gBAAw8I,CAAx8I,gBAA68I,CAA78I,gBAAk9I,CAAl9I,gBAAu9I,CAAv9I,gBAA49I,CAA59I,gBAAi+I,CAAj+I,gBAAs+I,CAAt+I,gBAA2+I,CAA3+I,gBAAg/I,CAAh/I,gBAAq/I,CAAr/I,gBAA0/I,CAA1/I,gBAA+/I,CAA//I,gBAAohJ,CAAphJ,gBAAyhJ,CAAzhJ,gBAA8hJ,CAA9hJ,gBAAmiJ,CAAniJ,gBAAwiJ,CAAxiJ,gBAA6iJ,CAA7iJ,gBAAkjJ,CAAljJ,gBAAujJ,CAAvjJ,gBAA4jJ,CAA5jJ,gBAAikJ,CAAjkJ,gBAAskJ,CAAtkJ,gBAA2kJ,CAA3kJ,gBAAglJ,CAAhlJ,gBAAqlJ,CAArlJ,gBAA0lJ,CAA1lJ,gBAA+lJ,CAA/lJ,gBAAomJ,CAApmJ,gBAAymJ,CAAzmJ,gBAA8mJ,CAA9mJ,gBAAmnJ,CAAnnJ,gBAAwnJ,CAAxnJ,gBAA6nJ,CAA7nJ,gBAAkoJ,CAAloJ,gBAAuoJ,CAAvoJ,gBAA4oJ,CAA5oJ,gBAAipJ,CAAjpJ,gBAAspJ,CAAtpJ,gBAA2pJ,CAA3pJ,gBAAgqJ,CAAhqJ,gBAAqqJ,CAArqJ,gBAA0qJ,CAA1qJ,gBAA+qJ,CAA/qJ,gBAAorJ,CAAprJ,gBAAyrJ,CAAzrJ,gBAA8rJ,CAA9rJ,gBAAmsJ,CAAnsJ,gBAAwsJ,CAAxsJ,gBAA6sJ,CAA7sJ,gBAAktJ,CAAltJ,gBAAutJ,CAAvtJ,gBAA4tJ,CAA5tJ,gBAAiuJ,CAAjuJ,gBAAsuJ,CAAtuJ,gBAA2uJ,CAA3uJ,gBAAgvJ,CAAhvJ,gBAAqvJ,CAArvJ,gBAA0vJ,CAA1vJ,gBAA+vJ,CAA/vJ,gBAAowJ,CAApwJ,gBAAywJ,CAAzwJ,gBAA8wJ,CAA9wJ,gBAAmxJ,CAAnxJ,gBAAwxJ,CAAxxJ,gBAA6xJ,CAA7xJ,gBAAkyJ,CAAlyJ,gBAAuyJ,CAAvyJ,gBAA4yJ,CAA5yJ,gBAAizJ,CAAjzJ,gBAAszJ,CAAtzJ,gBAA2zJ,CAA3zJ,gBAAg0J,CAAh0J,gBAAq0J,CAAr0J,gBAA00J,CAA10J,gBAA+0J,CAA/0J,gBAAo1J,CAAp1J,gBAAy1J,CAAz1J,gBAA81J,CAA91J,gBAAm2J,CAAn2J,gBAAw2J,CAAx2J,gBAA62J,CAA72J,gBAAk3J,CAAl3J,gBAAu3J,CAAv3J,gBAA43J,CAA53J,gBAAi4J,CAAj4J,gBAAs4J,CAAt4J,gBAA24J,CAA34J,gBAAg5J,CAAh5J,gBAAq5J,CAAr5J,gBAA05J,CAA15J,gBAA+5J,CAA/5J,gBAAo6J,CAAp6J,gBAAy6J,CAAz6J,gBAA86J,CAA96J,gBAAm7J,CAAn7J,gBAAw7J,CAAx7J,gBAA67J,CAA77J,gBAAk8J,CAAl8J,gBAAu8J,CAAv8J,gBAA48J,CAA58J,gBAAi9J,CAAj9J,gBAAs9J,CAAt9J,gBAA29J,CAA39J,gBAAg+J,CAAh+J,gBAAq+J,CAAr+J,gBAA0+J,CAA1+J,gBAA++J,CAA/+J,gBAAo/J,CAAp/J,gBAAy/J,CAAz/J,gBAA8/J,CAA9/J,gBAAmgK,CAAngK,gBAAwgK,CAAxgK,gBAA6gK,CAA7gK,gBAAkhK,CAAlhK,gBAAuhK,CAAvhK,gBAA4hK,CAA5hK,gBAAiiK,CAAjiK,gBAAsiK,CAAtiK,gBAA2iK,CAA3iK,gBAAgjK,CAAhjK,gBAAqjK,CAArjK,gBAA0jK,CAA1jK,gBAA+jK,CAA/jK,gBAAokK,CAApkK,gBAAykK,CAAzkK,gBAA8kK,CAA9kK,gBAAmlK,CAAnlK,gBAAwlK,CAAxlK,gBAA6lK,CAA7lK,gBAAkmK,CAAlmK,gBAAumK,CAAvmK,gBAA4mK,CAA5mK,gBAAinK,CAAjnK,gBAAsnK,CAAtnK,gBAA2nK,CAA3nK,gBAAgoK,CAAhoK,gBAAqoK,CAAroK,gBAA0oK,CAA1oK,gBAA+oK,CAA/oK,gBAAopK,CAAppK,gBAAypK,CAAzpK,gBAA8pK,CAA9pK,gBAAmqK,CAAnqK,gBAAwqK,CAAxqK,gBAA6qK,CAA7qK,gBAAkrK,CAAlrK,gBAAurK,CAAvrK,gBAA4rK,CAA5rK,gBAAisK,CAAjsK,gBAAssK,CAAtsK,gBAA2sK,CAA3sK,gBAAgtK,CAAhtK,gBAAqtK,CAArtK,gBAA0tK,CAA1tK,gBAA+tK,CAA/tK,gBAAouK,CAApuK,gBAAyuK,CAAzuK,gBAA8uK,CAA9uK,gBAAmvK,CAAnvK,gBAAwvK,CAAxvK,gBAA6vK,CAA7vK,gBAAkwK,CAAlwK,gBAAuwK,CAAvwK,gBAA4wK,CAA5wK,gBAAixK,CAAjxK,gBAAsxK,CAAtxK,gBAA2xK,CAA3xK,gBAAgyK,CAAhyK,gBAAqyK,CAAryK,gBAA0yK,CAA1yK,gBAA+yK,CAA/yK,gBAAozK,CAApzK,gBAAyzK,CAAzzK,gBAA8zK,CAA9zK,gBAAm0K,CAAn0K,gBAAw0K,CAAx0K,gBAA60K,CAA70K,gBAAk1K,CAAl1K,gBAAu1K,C

AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAUiB,Q;MAHb,IArmKO,qBAAQ,CAqmKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IApnKO,qBAAQ,CAonKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAznKO,qBAAQ,CAynKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA9nKO,qBAAQ,CA8nKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAnoKO,qBAAQ,CAmoKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxoKO,qBAAQ,CAwoKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAHb,IA/oKO,qBAAQ,CA+oKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IApqKO,qBAAQ,CAoqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAzqKO,qBAAQ,CAyqKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA9qKO,qBAAQ,CA8qKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAnrKO,qBAAQ,CAmrKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxrKO,qBAAQ,CAwrKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA7rKO,qBAAQ,CA6rKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAlsKO,qBAAQ,CAksKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAvsKO,qBAAQ,CAusKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA5sKO,qBAAQ,CA4sKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAjtKO,qBAAQ,CAitKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAttKO,qBAAQ,CAstKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA3tKO,qBAAQ,CA2tKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAhuKO,qBAAQ,CAguKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAruKO,qBAAQ,CAquKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA1uKO,qBAAQ,CA0uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/uKO,qBAAQ,CA+uKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IApvKO,qBAAQ,CAovKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAzvKO,qBAAQ,CAyvKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;gFAGX,yB;MAMiB,Q;MAHb,IAtwKO,qBAAQ,CAswKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/wKO,qBAAQ,CA+wKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAlxKO,qBAAQ,CAkxKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IArxKO,qBAAQ,CAqxKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxxKO,qBAAQ,CAwxKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA3xKO,qBAAQ,CA2xKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA9xKO,qBAAQ,CA8xKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAnyKO,qBAAQ,CAmyKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxyKO,qBAAQ,CAwyKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA7yKO,qBAAQ,CA6yKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAlzKO,qBAAQ,CAkzKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAvzKO,qBAAQ,CAuzKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA5zKO,qBAAQ,CA4zKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAj0KO,qBAAQ,CAi0Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAt0KO,qBAAQ,CAs0Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA30KO,qBAAQ,CA20Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAh1KO,qBAAQ,CAg1Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAr1KO,qBAAQ,CAq1Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA11KO,qBAAQ,CA01Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/1KO,qBAAQ,CA+1Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAp2KO,qBAAQ,CAo2Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAz2KO,qBAAQ,CAy2Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA92KO,qBAAQ,CA82Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAn3KO,qBAAQ,CAm3Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAx3KO,qBAAQ,CAw3Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA73KO,qBAAQ,CA63Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAl4KO,qBAAQ,CAk4Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAv4KO,qBAAQ,CAu4Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA54KO,qBAAQ,CA44Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAj5KO,qBAAQ,CAi5Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAt5KO,qBAAQ,CAs5Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA35KO,qBAAQ,CA25Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAh6KO,qBAAQ,CAg6Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAr6KO,qBAAQ,CAq6Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA16KO,qBAAQ,CA06Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/6KO,qBAAQ,CA+6Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAp7KO,qBAAQ,CAo7Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAz7KO,qBAAQ,CAy7Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA97KO,qBAAQ,CA87Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAn8KO,qBAAQ,CAm8Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAx8KO,qBAAQ,CAw8Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA79KO,qBAAQ,CA69Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAl+KO,qBAAQ,CAk+Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAv+KO,qBAAQ,CAu+Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA5+KO,qBAAQ,CA4+Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAjgLO,qBAAQ,CAigLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAtgLO,qBAAQ,CAsgLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA3gLO,qBAAQ,CA2gLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAhhLO,qBAAQ,CAghLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IArhLO,qBAAQ,CAqhLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA1hLO,qBAAQ,CA0hLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/hLO,qBAAQ,CA+hLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IApiLO,qBAAQ,CAoiLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAziLO,qBAAQ,CAyiLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA9iLO,qBAAQ,CA8iLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAnjLO,qBAAQ,CAmjLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxjLO,qBAAQ,CAwjLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA7jLO,qBAAQ,CA6jLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAlkLO,qBAAQ,CAkkLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAvkLO,qBAAQ,CAukLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA5kLO,qBAAQ,CA4kLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAjlLO,qBAAQ,CAilLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAtlLO,qBAAQ,CAslLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA3lLO,qBAAQ,CA2lLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAhmLO,qBAAQ,CAgmLf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IA

Aa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAA
Q,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV
,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAx0KO,qBAAQ,CAw0K
f,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,
C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,C
AAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;
;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAMI,IAt1KO,qBAAQ,CAs1Kf,
C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;
UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,C
AAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;
QAGnB,OAAO,O;O;KAnBX,C;IAsBA,wC;MAMiB,Q;MAFb,IA16KO,qBAAQ,CA06Kf,C;QAAe,OAAO,I;MACt
B,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAA
W,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MA
MiB,Q;MAFb,IA/6KO,qBAAQ,CA+6Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,
CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAp7KO,qBAAQ,CAo7Kf,C;QA
Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;
QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,
G;K;IAGX,0C;MAMiB,Q;MAFb,IAz7KO,qBAAQ,CAy7Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CA
Ab,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA97KO,qB
AAQ,CA87Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QA
AQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAA
M,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAn8KO,qBAAQ,CAm8Kf,C;QAAe,OAAO,I;MACtB,UA
AU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SA
AQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,
Q;MAFb,IAx8KO,qBAAQ,CAw8Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU
,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAA
jC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA78KO,qBAAQ,CA68Kf,C;QAAe,O
AAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QAC
R,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I
AGX,0C;MAMiB,Q;MAFb,IAl9KO,qBAAQ,CAk9Kf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,
iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CA
AX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,yB;MAMI,OAjiLO,qBAAQ,C;K;IAoiLnB
,2B;MAMI,OAliLO,qBAAQ,C;K;IAqiLnB,2B;MAMI,OAniLO,qBAAQ,C;K;IAsiLnB,2B;MAMI,OApiLO,qBAA
Q,C;K;IAuiLnB,2B;MAMI,OAriLO,qBAAQ,C;K;IAwiLnB,2B;MAMI,OAtiLO,qBAAQ,C;K;IAyiLnB,2B;MAMI,
OAviLO,qBAAQ,C;K;IA0iLnB,2B;MAMI,OAxiLO,qBAAQ,C;K;IA2iLnB,2B;MAMI,OAziLO,qBAAQ,C;K;gFA
4iLnB,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CA
AJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMo
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O
AAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wB
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,
OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAA
U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB
;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX
,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;

UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;kFAUA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA5sLO,qBAAQ,CA4sLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAntLO,qBAAQ,CAmtLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA1tLO,qBAAQ,CA0tLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAjuLO,qBAAQ,CAiuLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAxuLO,qBAAQ,CAwuLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA/uLO,qBAAQ,CA+uLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAtvLO,qBAAQ,CAsvLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA7vLO,qBAAQ,CA6vLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;oFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IApwLO,qBAAQ,CAowLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,CAAvB,E;;QAElB,OAAO,W;O;KAAX,C;gFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAt1LO,qBAAQ,CAs1Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh2LO,qBAAQ,CAg2Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA31LO,qBAAQ,CA21Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAt2LO,qBAAQ,CAs2Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA72LO,qBAAQ,CA62Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAp3LO,qBAAQ,CAo3Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA33LO,qBAAQ,CA23Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAl4LO,qBAAQ,CAk4Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAz4LO,qBAAQ,CAy4Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA55LO,qBAAQ,CA45Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAn6LO,qBAAQ,CAm6Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA16LO,qBAAQ,CA06Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAz6LO,qBAAQ,CAy6Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh7LO,qBAAQ,CAg7Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAv7LO,qBAAQ,CAu7Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA97LO,qBAAQ,CA87Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAr8LO,qBAAQ,CAq8Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA58LO,qBAAQ,CA48Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAn9LO,qBAAQ,CAm9Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA19LO,qBAAQ,CA09Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAz+LO,qBAAQ,CAy+Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh/LO,qBAAQ,CAg/Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAv/LO,qBAAQ,CAu/Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9/LO,qBAAQ,CA8/Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzgMO,qBAAQ,CAygMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhhMO,qBAAQ,CAghMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvhMO,qBAAQ,CAuhMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9hMO,qBAAQ,CA8hMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAziMO,qBAAQ,CAyiMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhjMO,qBAAQ,CAgjMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvjMO,qBAAQ,CAujMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9jMO,qBAAQ,CA8jMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzkMO,qBAAQ,CAykMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhlMO,qBAAQ,CAglMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvlMO,qBAAQ,CAulMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9lMO,qBAAQ,CA8lMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzmMO,qBAAQ,CAymMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhnMO,qBAAQ,CAgnMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvnMO,qBAAQ,CAunMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9nMO,qBAAQ,CA8nMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzoMO,qBAAQ,CAyoMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhpMO,qBAAQ,CAgpMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvpMO,qBAAQ,CAupMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9pMO,qBAAQ,CA8pMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzqMO,qBAAQ,CAyqMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhrMO,qBAAQ,CAgrMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvrMO,qBAAQ,CAurMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9rMO,qBAAQ,CA8rMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzsMO,qBAAQ,CAysMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhtMO,qBAAQ,CAgtMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvtMO,qBAAQ,CAutMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9tMO,qBAAQ,CA8tMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzuMO,qBAAQ,CAyuMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhvMO,qBAAQ,CAgvMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvvMO,qBAAQ,CAuvMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9vMO,qBAAQ,CA8vMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzwMO,qBAAQ,CAywMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhxMO,qBAAQ,CAgxMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvxMO,qBAAQ,CAuxMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9xMO,qBAAQ,CA8xMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzyMO,qBAAQ,CAyyMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhzMO,qBAAQ,CAgzMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAvzMO,qBAAQ,CAuzMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9zMO,qBAAQ,CA8zMf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAz0MO,qBAAQ,CAy0Mf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAAX,C;kFAAe,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh1MO,qBAAQ,CAg1Mf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB

AA9B,C;;QAElB,OAAO,W;O;KAfX,C;kGAkBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAYqB,Q;QAHjB,IAt6LO,qBAAQ,CAs6Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAAA9B,E;;QAElB,OAAO,W;O;KAfX,C;8FAkBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAv/LO,qBAAQ,CAu/Lf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAA,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzgMO,qBAAQ,CAygMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAlhMO,qBAAQ,CAkhMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA3iMO,qBAAQ,CA2iMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IApkMO,qBAAQ,CAokMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA7lMO,qBAAQ,CA6lMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAtnMO,qBAAQ,CAsnMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA/oMO,qBAAQ,CA+oMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAxqMO,qBAAQ,CAwqMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAjsMO,qBAAQ,CAisMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA1tMO,qBAAQ,CA0tMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA3uMO,qBAAQ,CA2uMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IApwMO,qBAAQ,CAowMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAxxMO,qBAAQ,CAwxMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAjzMO,qBAAQ,CAizMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA1zMO,qBAAQ,CA0zMf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA30MO,qBAAQ,CA20Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA51MO,qBAAQ,CA41Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA72MO,qBAAQ,CA62Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA94MO,qBAAQ,CA84Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA/6MO,qBAAQ,CA+6Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh9MO,qBAAQ,CAg9Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAi+MO,qBAAQ,CAi+Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAl/MO,qBAAQ,CAk/Mf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAmgNO,qBAAQ,CAmgNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAphNO,qBAAQ,CAohNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAqiNO,qBAAQ,CAqiNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAtjNO,qBAAQ,CAsjNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAulNO,qBAAQ,CAulNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAxmNO,qBAAQ,CAwmNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAynNO,qBAAQ,CAynNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA1oNO,qBAAQ,CA0oNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA3pNO,qBAAQ,CA2pNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA5qNO,qBAAQ,CA4qNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA7rNO,qBAAQ,CA6rNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9sNO,qBAAQ,CA8sNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA/tNO,qBAAQ,CA+tNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhvNO,qBAAQ,CAgvNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAixNO,qBAAQ,CAixNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAlyNO,qBAAQ,CAkyNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAmzNO,qBAAQ,CAmzNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IApzNO,qBAAQ,CAozNf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA30NO,qBAAQ,CA20Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA51NO,qBAAQ,CA41Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA72NO,qBAAQ,CA62Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA94NO,qBAAQ,CA84Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA/5NO,qBAAQ,CA+5Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh8NO,qBAAQ,CAg8Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAi9NO,qBAAQ,CAi9Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAl+NO,qBAAQ,CAk+Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAm/NO,qBAAQ,CAm/Nf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAphOO,qBAAQ,CAohOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAqiOO,qBAAQ,CAqiOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAtjOO,qBAAQ,CAsjOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAulOO,qBAAQ,CAulOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAxmOO,qBAAQ,CAwmOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAynOO,qBAAQ,CAynOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA1oOO,qBAAQ,CA0oOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA3pOO,qBAAQ,CA2pOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA5qOO,qBAAQ,CA4qOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA7rOO,qBAAQ,CA6rOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA9sOO,qBAAQ,CA8sOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA/tOO,qBAAQ,CA+tOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhvOO,qBAAQ,CAgvOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAixOO,qBAAQ,CAixOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAlyOO,qBAAQ,CAkyOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAmzOO,qBAAQ,CAmzOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IApzOO,qBAAQ,CAozOf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA30OO,qBAAQ,CA20Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA51OO,qBAAQ,CA41Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA72OO,qBAAQ,CA62Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA94OO,qBAAQ,CA84Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA/5OO,qBAAQ,CA+5Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAh8OO,qBAAQ,CAg8Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAi9OO,qBAAQ,CAi9Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAl+OO,qBAAQ,CAk+Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAm/OO,qBAAQ,CAm/Of,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAphPO,qBAAQ,CAohPf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,EAAA,CAAvB,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAqiPO,qBAAQ,CAqiPf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAA,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAA

cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAZX,C;8FAeA,yB;M
AAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAA
Q,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO
,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,
W;O;KAZX,C;0GAeA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW6B,Q;QAFzB,YAAY,wB;QACZ,IAAI,QAAQ,
CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,S
AAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O
AAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAA
I,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,
OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;
;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;Q
ACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,
O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;
UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YA
AY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI
,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,W
AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;Q
AFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,Y
AAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,
EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;Q
AW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAk
B,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA
J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MA
AA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACr
B,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,U
AAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAA
A,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B
,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,
EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,
8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;U
AAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAh
B,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;
O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,uC;QAU6B,UAEO,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,C
AAZ,C;UAAe,OAAO,I;QACtB,kBAAqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,c
AAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0GAiBA,yB;M
AAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,
kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,
sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,U
AEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,o
BAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAx
B,C;;QAElB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QA
CZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,
CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAd
X,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UA
Ae,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA
U,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;
MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB
,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,S

AAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB ,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0GA iBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ, CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI, cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,W;O;KAdX,C;8EAiBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAAjmNO,qBAAQ,CAAimNf,C;UAAe,OAAO,OAAO,OA AP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB9raO,W;QjB+raP,kBAAkB,O;QAC lB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAA O,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAlnNO,qBAAQ,CAknNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBvtaO,W;QjBwtaP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAnoNO,qBAAQ,CAmoNf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBhvaO,W;QjBivaP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAppNO,qBAAQ,CAopNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBzwaO,W;QjB0waP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IArqNO,qBAAQ,CAqqNf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlyaO,W;QjBmyaP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAtrNO,qBAAQ,CAsrNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB3zaO,W;QjB4zaP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAvsNO,qBAAQ,CAusNf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBp1aO,W;QjBq1aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAxtNO,qBAAQ,CAwtNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB71aO,W;QjB81aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBt2aO,W;QjBu2aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA1vNO,qBAAQ,CA0vNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB/2aO,W;QjBg3aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA3wNO,qBAAQ,CA2wNf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBh4aO,W;QjBi4aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA5xNO,qBAAQ,CA4xNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBr5aO,W;QjBs5aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA7yNO,qBAAQ,CA6yNf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB16aO,W;QjB26aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA9zNO,qBAAQ,CA8zNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB76aO,W;QjB86aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA/0NO,qBAAQ,CA+0Nf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBh8aO,W;QjBi8aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAh2NO,qBAAQ,CAg2Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBn9aO,W;QjBo9aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAj3NO,qBAAQ,CAi3Nf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBt+aO,W;QjBu+aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAl4NO,qBAAQ,CAk4Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBz/aO,W;QjB0/aP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAn5NO,qBAAQ,CAm5Nf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB1gbO,W;QjB2gbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp6NO,qBAAQ,CAo6Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB3hbO,W;QjB4hbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAr7NO,qBAAQ,CAq7Nf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB5ibO,W;QjB6ibP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAt8NO,qBAAQ,CAs8Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB7jbO,W;QjB8jbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB9kbO,W;QjB+kbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAx+NO,qBAAQ,CAw+Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB/lbO,W;QjBgmbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAz/NO,qBAAQ,CAy/Nf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBhnbO,W;QjBinbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA1gOO,qBAAQ,CA0gOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBjobO,W;QjBkobP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA3hOO,qBAAQ,CA2hOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlpbO,W;QjBmpbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA5iOO,qBAAQ,CA4iOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBnqbO,W;QjBoqbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA7jOO,qBAAQ,CA6jOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBprbO,W;QjBqrbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA9kOO,qBAAQ,CA8kOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBrsbO,W;QjBssbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA/lOO,qBAAQ,CA+lOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBttbO,W;QjBubP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAhnOO,qBAAQ,CAgnOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBvubO,W;QjBwubP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAjoOO,qBAAQ,CAioOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBxvbO,W;QjBywbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAlpOO,qBAAQ,CAkpOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBzwbO,W;QjB0wbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAnqOO,qBAAQ,CAmqOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB1xbO,W;QjB2xbP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IApsOO,qBAAQ,CAosOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB3ybO,W;QjB4ybP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IArtOO,qBAAQ,CAqtOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB50bO,W;QjB60bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAttOO,qBAAQ,CAstOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB71bO,W;QjB81bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAvuOO,qBAAQ,CAuuOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB92bO,W;QjB+2bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAxvOO,qBAAQ,CAwvOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB/3bO,W;QjBg4bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAzwOO,qBAAQ,CAywOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBh5bO,W;QjBi5bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA1xOO,qBAAQ,CA0xOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBj6bO,W;QjBk6bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA3yOO,qBAAQ,CA2yOf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBl7bO,W;QjBm7bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA5zOO,qBAAQ,CA4zOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBn8bO,W;QjBo8bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA70OO,qBAAQ,CA60Of,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBp9bO,W;QjBq9bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA91OO,qBAAQ,CA81Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBr+bO,W;QjBs+bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IA/2OO,qBAAQ,CA+2Of,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBt/bO,W;QjBu/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAh4OO,qBAAQ,CAg4Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBv/bO,W;QjBw/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAj5OO,qBAAQ,CAi5Of,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBx/bO,W;QjBy/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAl6OO,qBAAQ,CAk6Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBz/bO,W;QjB0/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAn7OO,qBAAQ,CAm7Of,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB1/bO,W;QjB2/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp8OO,qBAAQ,CAo8Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB3/bO,W;QjB4/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA ,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAr9OO,qBAAQ,CAq9Of,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB5/bO,W;QjB6/bP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OA

MAAA,gD;QAgBI,IAt2NO,qBAAQ,CAs2Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBn9aO,W;QjBo9aP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAx3NO,qBAAQ,CAw3Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7+aO,W;QjB8+aP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA14NO,qBAAQ,CA04Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBvgbO,W;QjBwgbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA55NO,qBAAQ,CA45Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjibO,W;QjBkibP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA96NO,qBAAQ,CA86Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrkbO,W;QjBskbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAh8NO,qBAAQ,CAg8Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzmbO,W;QjB0mbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAl9NO,qBAAQ,CAk9Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7obO,W;QjB8obP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAp+NO,qBAAQ,CAo+Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjqbO,W;QjBkqbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAt/NO,qBAAQ,CAs/Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrrbO,W;QjBsrbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAx/NO,qBAAQ,CAw/Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzsbO,W;QjB0sbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1gOO,qBAAQ,CA0gOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7tbO,W;QjB8tbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5hOO,qBAAQ,CA4hOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjvbO,W;QjBkvbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtiOO,qBAAQ,CAsiOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrwbO,W;QjBswbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxjOO,qBAAQ,CAwjOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzxbO,W;QjB0xbP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1kOO,qBAAQ,CA0kOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7ybO,W;QjB8ybP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5lOO,qBAAQ,CA4lOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj0bO,W;QjBk0bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtmOO,qBAAQ,CAsmOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBr1bO,W;QjBs1bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxnOO,qBAAQ,CAwnOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz2bO,W;QjB02bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1oOO,qBAAQ,CA0oOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB73bO,W;QjB83bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5pOO,qBAAQ,CA4pOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj5bO,W;QjBk5bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtqOO,qBAAQ,CAsqOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBr6bO,W;QjBs6bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxrOO,qBAAQ,CAwrOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz7bO,W;QjB07bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1sOO,qBAAQ,CA0sOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB78bO,W;QjB88bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5tOO,qBAAQ,CA4tOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj+bO,W;QjBk+bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtuOO,qBAAQ,CAsuOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBr/bO,W;QjBs/bP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxvOO,qBAAQ,CAwvOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzgcO,W;QjB0gcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1wOO,qBAAQ,CA0wOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7hcO,W;QjB8hcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5xOO,qBAAQ,CA4xOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjjcO,W;QjBkjcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtyOO,qBAAQ,CAsyOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrkcO,W;QjBskcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxzOO,qBAAQ,CAwzOf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzlcO,W;QjB0lcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA10OO,qBAAQ,CA00Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7mcO,W;QjB8mcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA51OO,qBAAQ,CA41Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjocO,W;QjBkocP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAt2OO,qBAAQ,CAs2Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrpcO,W;QjBspcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAx3OO,qBAAQ,CAw3Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqcO,W;QjB0qcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA14OO,qBAAQ,CA04Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7rcO,W;QjB8rcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA54OO,qBAAQ,CA44Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjtcO,W;QjBktcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAt5OO,qBAAQ,CAs5Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrucO,W;QjBsucP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAx6OO,qBAAQ,CAw6Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzvcO,W;QjB0vcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA17OO,qBAAQ,CA07Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7wcO,W;QjB8wcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA58OO,qBAAQ,CA48Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjycO,W;QjBkycP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAt9OO,qBAAQ,CAs9Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrzcO,W;QjBszcP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAx+OO,qBAAQ,CAw+Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz0cO,W;QjB00cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1/OO,qBAAQ,CA0/Of,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB71cO,W;QjB81cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5gPO,qBAAQ,CA4gPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj3cO,W;QjBk3cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAthPO,qBAAQ,CAshPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBr4cO,W;QjBs4cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxiPO,qBAAQ,CAwiPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz5cO,W;QjB05cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1jPO,qBAAQ,CA0jPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB76cO,W;QjB86cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5kPO,qBAAQ,CA4kPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj8cO,W;QjBk8cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtlPO,qBAAQ,CAslPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBr9cO,W;QjBs9cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxmPO,qBAAQ,CAwmPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz+cO,W;QjB0+cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1nPO,qBAAQ,CA0nPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7/cO,W;QjB8/cP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5oPO,qBAAQ,CA4oPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjhdO,W;QjBkhdP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAtpPO,qBAAQ,CAspPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBridO,W;QjBsidP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxqPO,qBAAQ,CAwqPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzjdO,W;QjB0jdP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1rPO,qBAAQ,CA0rPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7kdO,W;QjB8kdP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5sPO,qBAAQ,CA4sPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmdO,W;QjBkmdP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAttPO,qBAAQ,CAstPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrndO,W;QjBsndP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAxuPO,qBAAQ,CAwuPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzodO,W;QjB0odP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA1vPO,qBAAQ,CA0vPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7pdO,W;QjB8pdP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA5wPO,qBAAQ,CA4wPf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjrdO,W;QjBkrdP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,EAA

O,qBAAQ,CA4oOf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gB
AAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBlybO,W;QjBmybP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,
UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4
FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAYI,IA1pOO,qBAAQ,CA0pOf,C;UAAe,
OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BA
AJ,C;QAA3C,aiBxzbO,W;QjByzbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,0BAAV,EAAuB,sB
AAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;wGAsBA,yB;MAAA,qD;
MAAA,gE;MAAA,uC;QAeI,IAnvOO,qBAAQ,CAmvOf,C;UAAe,OAAO,W;QACtB,sBAAqB,UAAK,CAAL,CAAlB,C;QA
ArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiBj1bO,W;QjBk1bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAlwOO,qBAAQ,CAkwOf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBx2bO,W;QjBy2bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAvxOO,qBAAQ,CAuxOf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBh4bO,W;QjBi4bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA5yOO,qBAAQ,CA4yOf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp5bO,W;QjBq5bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAj0OO,qBAAQ,CAi0Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx6bO,W;QjBy6bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAt1OO,qBAAQ,CAs1Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB57bO,W;QjB67bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA32OO,qBAAQ,CA22Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBh9bO,W;QjBi9bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAh4OO,qBAAQ,CAg4Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp+bO,W;QjBq+bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAr5OO,qBAAQ,CAq5Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx/bO,W;QjBy/bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA16OO,qBAAQ,CA06Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5gcO,W;QjB6gcP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA/7OO,qBAAQ,CA+7Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhicO,W;QjBiicP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAp9OO,qBAAQ,CAo9Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpkcO,W;QjBqkcP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAz+OO,qBAAQ,CAy+Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxmcO,W;QjBymcP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA9/OO,qBAAQ,CA8/Of,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5ocO,W;QjB6ocP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAnhPO,qBAAQ,CAmhPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhqcO,W;QjBiqcP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAphPO,qBAAQ,CAohPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBprcO,W;QjBqrcP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAriPO,qBAAQ,CAqiPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxscO,W;QjBysdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAtjPO,qBAAQ,CAsjPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5tdO,W;QjB6tdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAvkPO,qBAAQ,CAukPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhvdO,W;QjBivdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAxlPO,qBAAQ,CAwlPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpwdO,W;QjBqwdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAzmPO,qBAAQ,CAymPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxxdO,W;QjByxdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA1nPO,qBAAQ,CA0nPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5ydO,W;QjB6ydP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA3oPO,qBAAQ,CA2oPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBh0dO,W;QjBi0dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA5pPO,qBAAQ,CA4pPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp1dO,W;QjBq1dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA7qPO,qBAAQ,CA6qPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx2dO,W;QjBy2dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA9rPO,qBAAQ,CA8rPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB53dO,W;QjB63dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA/sPO,qBAAQ,CA+sPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBh5dO,W;QjBi5dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAhuPO,qBAAQ,CAguPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp6dO,W;QjBq6dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAjvPO,qBAAQ,CAivPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx7dO,W;QjBy7dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAlwPO,qBAAQ,CAkwPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB58dO,W;QjB68dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAnxPO,qBAAQ,CAmxPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp+dO,W;QjBq+dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IApyPO,qBAAQ,CAoyPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx/dO,W;QjBy/dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAryPO,qBAAQ,CAqyPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhhdO,W;QjBihdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAtzPO,qBAAQ,CAszPf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpidO,W;QjBqidP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAv0PO,qBAAQ,CAu0Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxjdO,W;QjByjdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA11PO,qBAAQ,CA01Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5kdO,W;QjB6kdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA72PO,qBAAQ,CA62Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhmdO,W;QjBimdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAh4PO,qBAAQ,CAg4Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpndO,W;QjBqndP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAn5PO,qBAAQ,CAm5Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxodO,W;QjBydP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAt6PO,qBAAQ,CAs6Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5pdO,W;QjB6pdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAz7PO,qBAAQ,CAy7Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhrdO,W;QjBirdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA58PO,qBAAQ,CA48Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpsdO,W;QjBqsdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA/9PO,qBAAQ,CA+9Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxtdO,W;QjBytdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAl/PO,qBAAQ,CAk/Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB5udO,W;QjB6udP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAr/PO,qBAAQ,CAq/Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhwdO,W;QjBiwdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAx/PO,qBAAQ,CAw/Pf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpxdO,W;QjBqxdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA3gQO,qBAAQ,CA2gQf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBhydO,W;QjBiydP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA9hQO,qBAAQ,CA8hQf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBpzdO,W;QjBqzdP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAjjQO,qBAAQ,CAijQf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx0dO,W;QjBy0dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAnkQO,qBAAQ,CAmkQf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB51dO,W;QjB61dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IApkQO,qBAAQ,CAokQf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBh3dO,W;QjBi3dP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAtlQO,qBAAQ,CAslQf,C;

;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh
B,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,
yB;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,
UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;4FAWA,+B;MAKoB,Q;M
ADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAE
X,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAA
gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKo
B,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;
MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MAClB,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;M
AKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAA
T,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;Q
AKoB,Q;QADhB,UAAkB,G;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SA
AS,oBAAT,C;;QAEX,OAAO,G;O;KARX,C;IAWA,mC;MAIoB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;MAId,OAAO,0D;
K;wFAGX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAg
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YA
EN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C;0FAkBA,yB;MAAA,+D;
MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAA
A,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;
;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQo
B,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UA
AU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL
,EAAY,MAAZ,C;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QAC
Z,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,K
AAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C
;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,
SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN
,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C;0FAkBA,yB;MAAA,+D;MA
AA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;Q
AGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,
Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAA
U,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,E
AAY,MAAZ,C;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,
aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KA
AM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C;0
FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa
,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,
KAAM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAf
X,C;IAkBA,+B;MAkGI,WkBl4cO,MAAK,KlBk4cK,gBkBl4cL,ElBuycD,KA2FkB,OkBl4cjB,C;MlBm4cZ,WAA
W,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9F
O,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAgGO,I;K;IA7FX,iC;MAwGI,WkBl5cO,MAA
K,KlBk5cK,gBkBl5cL,ElBizcD,KAiGkB,OkBl5cjB,C;MlBm5cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,

MAAkB,IAAlB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CApGO,EAAnB,KAoGqB,CAAM,CAAN,CApGF,CAoGrB,C;;MApGT,OAsGO,I;K;IAnGX,iC;MA8GI,WkBl6cO,MAAK,KlBk6cK,gBkBl6cL,ElB2zcD,KAuGkB,OkBl6cjB,C;MlBm6cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1GqB,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;K;IAzGX,iC;MAoHI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KA6GkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,CAAL,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAgHrB,C;;MAhHT,OAkHO,I;K;IA/GX,iC;MA0HI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAmHkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHrB,C;;MAtHT,OAwHO,I;K;IArHX,iC;MAgII,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAyHkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;MAsII,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA+HkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlIqB,GAkIP,UAAK,CAAL,CAlIO,EAAnB,KAkIqB,CAAM,CAAN,CAlIF,CAkIrB,C;;MAlIT,OAoIO,I;K;IAjIX,iC;MA4II,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAqIkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAxIO,EAAnB,KAwIqB,CAAM,CAAN,CAxIF,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,iC;MAkJI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KA2IkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9IqB,GA8IP,UAAK,CAAL,CA9IO,EAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;K;IA7IX,iC;MAwJI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAiJkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApJqB,GAoJP,UAAK,CAAL,CApJO,EAAnB,KAoJqB,CAAM,CAAN,CApJF,CAoJrB,C;;MApJT,OAsJO,I;K;IAnJX,iC;MA8JI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAuJkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1JqB,GA0JP,UAAK,CAAL,CA1JO,EAAnB,KA0JqB,CAAM,CAAN,CA1JF,CA0JrB,C;;MA1JT,OA4JO,I;K;IAzJX,iC;MAoKI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA6JkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhKqB,GAgKP,UAAK,CAAL,CAhKO,EAAnB,KAgKqB,CAAM,CAAN,CAhKF,CAgKrB,C;;MAhKT,OAkKO,I;K;IA/JX,iC;MA0KI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAmKkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtKqB,GAsKP,UAAK,CAAL,CAtKO,EAAnB,KAsKqB,CAAM,CAAN,CAtKF,CAsKrB,C;;MAtKT,OAwKO,I;K;IArKX,iC;MAgLI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAyKkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5KqB,GA4KP,UAAK,CAAL,CA5KO,EAAnB,KA4KqB,CAAM,CAAN,CA5KF,CA4KrB,C;;MA5KT,OA8KO,I;K;IA3KX,iC;MAsLI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA+KkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlLqB,GAkLP,UAAK,CAAL,CAlLO,EAAnB,KAkLqB,CAAM,CAAN,CAlLF,CAkLrB,C;;MAlLT,OAoLO,I;K;IAjLX,iC;MA4LI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAqLkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxLqB,GAwLP,UAAK,CAAL,CAxLO,EAAnB,KAwLqB,CAAM,CAAN,CAxLF,CAwLrB,C;;MAxLT,OA0LO,I;K;IAvLX,iC;MAkMI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA2LkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9LqB,GA8LP,UAAK,CAAL,CA9LO,EAAnB,KA8LqB,CAAM,CAAN,CA9LF,CA8LrB,C;;MA9LT,OAgMO,I;K;IA7LX,iC;MAwMI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAiMkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApMqB,GAoMP,UAAK,CAAL,CApMO,EAAnB,KAoMqB,CAAM,CAAN,CApMF,CAoMrB,C;;MApMT,OAsMO,I;K;IAnMX,iC;MA8MI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAuMkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1MqB,GA0MP,UAAK,CAAL,CA1MO,EAAnB,KA0MqB,CAAM,CAAN,CA1MF,CA0MrB,C;;MA1MT,OA4MO,I;K;IAzMX,iC;MAoNI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA6MkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhNqB,GAgNP,UAAK,CAAL,CAhNO,EAAnB,KAgNqB,CAAM,CAAN,CAhNF,CAgNrB,C;;MAhNT,OAkNO,I;K;IA/MX,iC;MA0OI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAmNkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtNqB,GAsNP,UAAK,CAAL,CAtNO,EAAnB,KAsNqB,CAAM,CAAN,CAtNF,CAsNrB,C;;MAtNT,OAwNO,I;K;IArNX,iC;MAgPI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAyNkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5NqB,GA4NP,UAAK,CAAL,CA5NO,EAAnB,KA4NqB,CAAM,CAAN,CA5NF,CA4NrB,C;;MA5NT,OA8NO,I;K;IA3NX,iC;MAsPI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KA+NkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlOqB,GAkOP,UAAK,CAAL,CAlOO,EAAnB,KAkOqB,CAAM,CAAN,CAlOF,CAkOrB,C;;MAlOT,OAoOO,I;K;IAjOX,iC;MA4PI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAqOkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxOqB,GAwOP,UAAK,CAAL,CAxOO,EAAnB,KAwOqB,CAAM,CAAN,CAxOF,CAwOrB,C;;MAxOT,OA0OO,I;K;IAvOX,iC;MAkQI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA2OkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9OqB,GA8OP,UAAK,CAAL,CA9OO,EAAnB,KA8OqB,CAAM,CAAN,CA9OF,CA8OrB,C;;MA9OT,OAgPO,I;K;IA7OX,iC;MAwQI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAiPkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApPqB,GAoPP,UAAK,CAAL,CApPO,EAAnB,KAoPqB,CAAM,CAAN,CApPF,CAoPrB,C;;MApPT,OAsPO,I;K;IAnPX,iC;MA8QI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAuPkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1PqB,GA0PP,UAAK,CAAL,CA1PO,EAAnB,KA0PqB,CAAM,CAAN,CA1PF,CA0PrB,C;;MA1PT,OA4PO,I;K;IAzPX,iC;MAoRI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KA6PkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhQqB,GAgQP,UAAK,CAAL,CAhQO,EAAnB,KAgQqB,CAAM,CAAN,CAhQF,CAgQrB,C;;MAhQT,OAkQO,I;K;IA/PX,iC;MA0RI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAmQkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtQqB,GAsQP,UAAK,CAAL,CAtQO,EAAnB,KAsQqB,CAAM,CAAN,CAtQF,CAsQrB,C;;MAtQT,OAwQO,I;K;IArQX,iC;MAgSI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAyQkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5QqB,GA4QP,UAAK,CAAL,CA5QO,EAAnB,KA4QqB,CAAM,CAAN,CA5QF,CA4QrB,C;;MA5QT,OA8QO,I;K;IA3QX,iC;MAsSI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KA+QkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlRqB,GAkRP,UAAK,CAAL,CAlRO,EAAnB,KAkRqB,CAAM,CAAN,CAlRF,CAkRrB,C;;MAlRT,OAoRO,I;K;IAjRX,iC;MA4SI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAqRkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxRqB,GAwRP,UAAK,CAAL,CAxRO,EAAnB,KAwRqB,CAAM,CAAN,CAxRF,CAwRrB,C;;MAxRT,OA0RO,I;K;IAvRX,iC;MAkTI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KA2RkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9RqB,GA8RP,UAAK,CAAL,CA9RO,EAAnB,KA8RqB,CAAM,CAAN,CA9RF,CA8RrB,C;;MA9RT,OAgSO,I;K;IA7RX,iC;MAwUI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAiSkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApSqB,GAoSP,UAAK,CAAL,CApSO,EAAnB,KAoSqB,CAAM,CAAN,CApSF,CAoSrB,C;;MApST,OAsSO,I;K;IAnSX,iC;MA8UI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAuSkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1SqB,GA0SP,UAAK,CAAL,CA1SO,EAAnB,KA0SqB,CAAM,CAAN,CA1SF,CA0SrB,C;;MA1ST,OA4SO,I;K;IAzSX,iC;MAoVI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KA6SkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhTqB,GAgTP,UAAK,CAAL,CAhTO,EAAnB,KAgTqB,CAAM,CAAN,CAhTF,CAgTrB,C;;MAhTT,OAkTO,I;K;IA/SX,iC;MA0VI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAmTkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtTqB,GAsTP,UAAK,CAAL,CAtTO,EAAnB,KAsTqB,CAAM,CAAN,CAtTF,CAsTrB,C;;MAtTT,OAwTO,I;K;IArTX,iC;MAgWI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAyTkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5TqB,GA4TP,UAAK,CAAL,CA5TO,EAAnB,KA4TqB,CAAM,CAAN,CA5TF,CA4TrB,C;;MA5TT,OA8TO,I;K;IA3TX,iC;MAsWI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KA+TkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlUqB,GAkUP,UAAK,CAAL,CAlUO,EAAnB,KAkUqB,CAAM,CAAN,CAlUF,CAkUrB,C;;MAlUT,OAoUO,I;K;IAjUX,iC;MA4WI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAqUkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxUqB,GAwUP,UAAK,CAAL,CAxUO,EAAnB,KAwUqB,CAAM,CAAN,CAxUF,CAwUrB,C;;MAxUT,OA0UO,I;K;IAvUX,iC;MAkXI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KA2UkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9UqB,GA8UP,UAAK,CAAL,CA9UO,EAAnB,KA8UqB,CAAM,CAAN,CA9UF,CA8UrB,C;;MA9UT,OAgVO,I;K;IA7UX,iC;MAwXI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAiVkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApVqB,GAoVP,UAAK,CAAL,CApVO,EAAnB,KAoVqB,CAAM,CAAN,CApVF,CAoVrB,C;;MApVT,OAsVO,I;K;IAnVX,iC;MA8XI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAuVkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1VqB,GA0VP,UAAK,CAAL,CA1VO,EAAnB,KA0VqB,CAAM,CAAN,CA1VF,CA0VrB,C;;MA1VT,OA4VO,I;K;IAzVX,iC;MAoZI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KA6VkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhWqB,GAgWP,UAAK,CAAL,CAhWO,EAAnB,KAgWqB,CAAM,CAAN,CAhWF,CAgWrB,C;;MAhWT,OAkWO,I;K;IA/VX,iC;MA0ZI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAmWkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAV,MAAkB,IAAlB,M;QACI,IAAK,WAtWqB,GAsWP,UAAK,CAAL,CAtWO,EAAnB,KAsWqB,CAAM,CAAN,CAtWF,CAsWrB,C;;MAtWT,OAwWO,I;K;IArWX,iC;MAgbI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAyWkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5WqB,GA4WP,UAAK,CAAL,CA5WO,EAAnB,KA4WqB,CAAM,CAAN,CA5WF,CA4WrB,C;;MA5WT,OA8WO,I;K;IA3WX,iC;MAscI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA+WkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlXqB,GAkXP,UAAK,CAAL,CAlXO,EAAnB,KAkXqB,CAAM,CAAN,CAlXF,CAkXrB,C;;MAlXT,OAoXO,I;K;IAjXX,iC;MA4dI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAqXkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxXqB,GAwXP,UAAK,CAAL,CAxXO,EAAnB,KAwXqB,CAAM,CAAN,CAxXF,CAwXrB,C;;MAxXT,OA0XO,I;K;IAvXX,iC;MAkfI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KA2XkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9XqB,GA8XP,UAAK,CAAL,CA9XO,EAAnB,KA8XqB,CAAM,CAAN,CA9XF,CA8XrB,C;;MA9XT,OAgYO,I;K;IA7XX,iC;MAwgBI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAiYkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApYqB,GAoYP,UAAK,CAAL,CApYO,EAAnB,KAoYqB,CAAM,CAAN,CApYF,CAoYrB,C;;MApYT,OAsYO,I;K;IAnYX,iC;MA8hBI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAuYkB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1YqB,GA0YP,UAAK,CAAL,CA1YO,EAAnB,KA0YqB,CAAM,CAAN,CA1YF,CA0YrB,C;;MA1YT,OA4YO,I;K;IAzYX,iC;MAojBI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA6YkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhZqB,GAgZP,UAAK,CAAL,CAhZO,EAAnB,KAgZqB,CAAM,CAAN,CAhZF,CAgZrB,C;;MAhZT,OAkZO,I;K;IA/YX,iC;MA0kBI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAmZkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtZqB,GAsZP,UAAK,CAAL,CAtZO,EAAnB,KAsZqB,CAAM,CAAN,CAtZF,CAsZrB,C;;MAtZT,OAwZO,I;K;IArZX,iC;MAgmBI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAyZkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5ZqB,GA4ZP,UAAK,CAAL,CA5ZO,EAAnB,KA4ZqB,CAAM,CAAN,CA5ZF,CA4ZrB,C;;MA5ZT,OA8ZO,I;K;IA3ZX,iC;MAsnBI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA+ZkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlaqB,GAkaP,UAAK,CAAL,CAlaO,EAAnB,KAkaqB,CAAM,CAAN,CAlaF,CAkarB,C;;MAlaT,OAoaO,I;K;IAjaX,iC;MA4oBI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAqakB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxaqB,GAwaP,UAAK,CAAL,CAxaO,EAAnB,KAwaqB,CAAM,CAAN,CAxaF,CAwarB,C;;MAxaT,OA0aO,I;K;IAvaX,iC;MAkqBI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA2akB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9aqB,GA8aP,UAAK,CAAL,CA9aO,EAAnB,KA8aqB,CAAM,CAAN,CA9aF,CA8arB,C;;MA9aT,OAgbO,I;K;IA7aX,iC;MAwrBI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAibkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApbqB,GAobP,UAAK,CAAL,CApbO,EAAnB,KAobqB,CAAM,CAAN,CApbF,CAobrB,C;;MApbT,OAsbO,I;K;IAnbX,iC;MA8sBI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAubkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1bqB,GA0bP,UAAK,CAAL,CA1bO,EAAnB,KA0bqB,CAAM,CAAN,CA1bF,CA0brB,C;;MA1bT,OA4bO,I;K;IAzbX,iC;MAouBI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA6bkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhcqB,GAgcP,UAAK,CAAL,CAhcO,EAAnB,KAgcqB,CAAM,CAAN,CAhcF,CAgcrB,C;;MAhcT,OAkcO,I;K;IA/bX,iC;MA0vBI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAmckB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAtcqB,GAscP,UAAK,CAAL,CAtcO,EAAnB,KAscqB,CAAM,CAAN,CAtcF,CAscrB,C;;MAtcT,OAwcO,I;K;IArcX,iC;MAgxBI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAycmB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5cqB,GA4cP,UAAK,CAAL,CA5cO,EAAnB,KA4cqB,CAAM,CAAN,CA5cF,CA4crB,C;;MA5cT,OA8cO,I;K;IA3cX,iC;MAsyBI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KA+cmB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAldqB,GAkdP,UAAK,CAAL,CAldO,EAAnB,KAkdqB,CAAM,CAAN,CAldF,CAkdrB,C;;MAldT,OAodO,I;K;IAjdX,iC;MA4zBI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAqdmB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxdqB,GAwdP,UAAK,CAAL,CAxdO,EAAnB,KAwdqB,CAAM,CAAN,CAxdF,CAwdrB,C;;MAxdT,OA0dO,I;K;IAvdX,iC;MAk1BI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA2dmB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9dqB,GA8dP,UAAK,CAAL,CA9dO,EAAnB,KA8dqB,CAAM,CAAN,CA9dF,CA8drB,C;;MA9dT,OAgeO,I;K;IA7dX,iC;MAw2BI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAieoB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApeqB,GAoeP,UAAK,CAAL,CApeO,EAAnB,KAoeqB,CAAM,CAAN,CApeF,CAoerB,C;;MApeT,OAseO,I;K;IAneX,iC;MA83BI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KAqeoB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxeqB,GAweP,UAAK,CAAL,CAxeO,EAAnB,KAweqB,CAAM,CAAN,CAxeF,CAwerB,C;;MAxeT,OA0eO,I;K;IAveX,iC;MAk5BI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KA2eoB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9eqB,GA8eP,UAAK,CAAL,CA9eO,EAAnB,KA8eqB,CAAM,CAAN,CA9eF,CA8erB,C;;MA9eT,OAgfO,I;K;IA7eX,iC;MAw6BI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAifoB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApfqB,GAofP,UAAK,CAAL,CApfO,EAAnB,KAofqB,CAAM,CAAN,CApfF,CAofrB,C;;MApfT,OAsfO,I;K;IAnfX,iC;MA87BI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KAufoB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAlgBqB,GAkgBP,UAAK,CAAL,CAlgBO,EAAnB,KAkgBqB,CAAM,CAAN,CAlgBF,CAkgBrB,C;;MAlgBT,OAogBO,I;K;IAjgBX,iC;MA4+BI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,ElB+1cD,KAqgBoB,OkBl9cjB,C;MlBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxgBqB,GAwgBP,UAAK,CAAL,CAxgBO,EAAnB,KAwgBqB,CAAM,CAAN,CAxgBF,CAwgBrB,C;;MAxgBT,OA0gBO,I;K;IAvgBX,iC;MAkiCI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,ElBm3cD,KA2gBoB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9gBqB,GA8gBP,UAAK,CAAL,CA9gBO,EAAnB,KA8gBqB,CAAM,CAAN,CA9gBF,CA8grB,C;;MA9gBT,OAghBO,I;K;IA7gBX,iC;MAwjCI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,ElBu4cD,KAihBoB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApiBqB,GAoiBP,UAAK,CAAL,CApiBO,EAAnB,KAoiBqB,CAAM,CAAN,CApiBF,CAoiBrB,C;;MApiBT,OAsiBO,I;K;IAniBX,iC;MA8kCI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,ElBq0cD,KAuiBoB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1iBqB,GA0iBP,UAAK,CAAL,CA1iBO,EAAnB,KA0iBqB,CAAM,CAAN,CA1iBF,CA0iBrB,C;;MA1iBT,OA4iBO,I;K;IAziBX,iC;MAomCI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,ElBy1cD,KA6iBoB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAA

,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAgGP,UAAK,UAAL,EAAK,kBAAL,SAhGO,EAgGI,OAhGJ,CAgGrB,C;;MAhGT,OAkGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB/ndJ,MAAK,KlB+ndwB,wBApGzB,KAoGyB,EAAwB,EAAxB,CkB/ndxB,ElB+ndqD,SkB/ndrD,ClB+ndD,C;MACX,QAAQ,C;MACQ,OAtGL,KAsGK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAL,EAAK,kBAAL,SAxGO,EAwGI,OAxGJ,CAwGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBBnqdJ,MAAK,KlBmqdwB,wBAxHzB,KAwHyB,EAAwB,EAAxB,CkBnqdxB,ElBmqdqD,SkBnqdrD,ClBmqdD,C;MACX,QAAQ,C;MACQ,OAtHL,KAsHK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAL,EAAK,kBAAL,SAxHO,EAwHI,OAxHJ,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBrrdJ,MAAK,KlBqqdwB,wBAxIzB,KAwIyB,EAAwB,EAAxB,CkBrrdxB,ElBqqdqD,SkBrrdrD,ClBqqdD,C;MACX,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,kC;MAqJoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBvudJ,MAAK,KlBuudwB,wBAxJzB,KAwJyB,EAAwB,EAAxB,CkBvudxB,ElBuudqD,SkBvudrD,ClBuudD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAxJO,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBzydJ,MAAK,KlByydwB,wBAxKzB,KAwKyB,EAAwB,EAAxB,CkBzydxB,ElByydqD,SkBzydrD,ClByydD,C;MACX,QAAQ,C;MACQ,OAtKL,KAsKK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxKqB,GAwKP,UAAK,UAAL,EAAK,kBAAL,SAxKO,EAwKI,OAxKJ,CAwKrB,C;;MAxKT,OA0KO,I;K;IAvKX,kC;MAqLoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB3zdJ,MAAK,KlB2zdwB,wBAxLzB,KAwLyB,EAAwB,EAAxB,CkB3zdxB,ElB2zdqD,SkB3zdrD,ClB2zdD,C;MACX,QAAQ,C;MACQ,OAtLL,KAsLK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxLqB,GAwLP,UAAK,UAAL,EAAK,kBAAL,SAxLO,EAwLI,OAxLJ,CAwLrB,C;;MAxLT,OA0LO,I;K;IAvLX,kC;MAqMoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB71dJ,MAAK,KlB61dwB,wBAxMzB,KAwMyB,EAAwB,EAAxB,CkB71dxB,ElB61dqD,SkB71drD,ClB61dD,C;MACX,QAAQ,C;MACQ,OAtML,KAsMK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxMqB,GAwMP,UAAK,UAAL,EAAK,kBAAL,SAxMO,EAwMI,OAxMJ,CAwMrB,C;;MAxMT,OA0MO,I;K;IAvMX,kC;MAqNoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB34dJ,MAAK,KlB24dwB,wBAxNzB,KAwNyB,EAAwB,EAAxB,CkB34dxB,ElB24dqD,SkB34drD,ClB24dD,C;MACX,QAAQ,C;MACQ,OAtNL,KAsNK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxNqB,GAwNP,UAAK,UAAL,EAAK,kBAAL,SAxNO,EAwNI,OAxNJ,CAwNrB,C;;MAxNT,OA0NO,I;K;IAvNX,kC;MAqOoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB78dJ,MAAK,KlB68dwB,wBAxOzB,KAwOyB,EAAwB,EAAxB,CkB78dxB,ElB68dqD,SkB78drD,ClB68dD,C;MACX,QAAQ,C;MACQ,OAtOL,KAsOK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxOqB,GAwOP,UAAK,UAAL,EAAK,kBAAL,SAxOO,EAwOI,OAxOJ,CAwOrB,C;;MAxOT,OA0OO,I;K;IAvOX,kC;MAqPoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB/gdJ,MAAK,KlB+gdwB,wBAxPzB,KAwPyB,EAAwB,EAAxB,CkB/gdxB,ElB+gdqD,SkB/gdrD,ClB+gdD,C;MACX,QAAQ,C;MACQ,OAtPL,KAsPK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxPqB,GAwPP,UAAK,UAAL,EAAK,kBAAL,SAxPO,EAwPI,OAxPJ,CAwPrB,C;;MAxPT,OA0PO,I;K;IAvPX,kC;MAqQoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBjkdJ,MAAK,KlBikdwB,wBAxQzB,KAwQyB,EAAwB,EAAxB,CkBjkdxB,ElBikdqD,SkBjkdrD,ClBikdD,C;MACX,QAAQ,C;MACQ,OAtQL,KAsQK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxQqB,GAwQP,UAAK,UAAL,EAAK,kBAAL,SAxQO,EAwQI,OAxQJ,CAwQrB,C;;MAxQT,OA0QO,I;K;IAvQX,kC;MAqRoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBnodJ,MAAK,KlBmodwB,wBAxRzB,KAwRyB,EAAwB,EAAxB,CkBnodxB,ElBmodqD,SkBnodrD,ClBmodD,C;MACX,QAAQ,C;MACQ,OAtRL,KAsRK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxRqB,GAwRP,UAAK,UAAL,EAAK,kBAAL,SAxRO,EAwRI,OAxRJ,CAwRrB,C;;MAxRT,OA0RO,I;K;IAvRX,kC;MAqSoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBrsdJ,MAAK,KlBqsdwB,wBAxSzB,KAwSyB,EAAwB,EAAxB,CkBrsdxB,ElBqsdqD,SkBrsdrD,ClBqsdD,C;MACX,QAAQ,C;MACQ,OAtSL,KAsSK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxSqB,GAwSP,UAAK,UAAL,EAAK,kBAAL,SAxSO,EAwSI,OAxSJ,CAwSrB,C;;MAxST,OA0SO,I;K;IAvSX,kC;MAqToB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBvwdJ,MAAK,KlBuwdwB,wBAxTzB,KAwTyB,EAAwB,EAAxB,CkBvwdxB,ElBuwdqD,SkBvwdrD,ClBuwdD,C;MACX,QAAQ,C;MACQ,OAtTL,KAsTK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxTqB,GAwTP,UAAK,UAAL,EAAK,kBAAL,SAxTO,EAwTI,OAxTJ,CAwTrB,C;;MAxTT,OA0TO,I;K;IAvTX,kC;MAqUoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBz0dJ,MAAK,KlBy0dwB,wBAxUzB,KAwUyB,EAAwB,EAAxB,CkBz0dxB,ElBy0dqD,SkBz0drD,ClBy0dD,C;MACX,QAAQ,C;MACQ,OAtUL,KAsUK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxUqB,GAwUP,UAAK,UAAL,EAAK,kBAAL,SAxUO,EAwUI,OAxUJ,CAwUrB,C;;MAxUT,OA0UO,I;K;IAvUX,kC;MAqVoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB34dJ,MAAK,KlB24dwB,wBAxVzB,KAwVyB,EAAwB,EAAxB,CkB34dxB,ElB24dqD,SkB34drD,ClB24dD,C;MACX,QAAQ,C;MACQ,OAtVL,KAsVK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxVqB,GAwVP,UAAK,UAAL,EAAK,kBAAL,SAxVO,EAwVI,OAxVJ,CAwVrB,C;;MAxVT,OA0VO,I;K;IAvVX,kC;MAqWoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB74dJ,MAAK,KlB64dwB,wBAxWzB,KAwWyB,EAAwB,EAAxB,CkB74dxB,ElB64dqD,SkB74drD,ClB64dD,C;MACX,QAAQ,C;MACQ,OAtWL,KAsWK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxWqB,GAwWP,UAAK,UAAL,EAAK,kBAAL,SAxWO,EAwWI,OAxWJ,CAwWrB,C;;MAxWT,OA0WO,I;K;IAvWX,kC;MAqXoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB/8dJ,MAAK,KlB+8dwB,wBAxXzB,KAwXyB,EAAwB,EAAxB,CkB/8dxB,ElB+8dqD,SkB/8drD,ClB+8dD,C;MACX,QAAQ,C;MACQ,OAtXL,KAsXK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxXqB,GAwXP,UAAK,UAAL,EAAK,kBAAL,SAxXO,EAwXI,OAxXJ,CAwXrB,C;;MAxXT,OA0XO,I;K;IAvXX,kC;MAqYoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBjhdJ,MAAK,KlBihdwB,wBAxYzB,KAwYyB,EAAwB,EAAxB,CkBjhdxB,ElBihdqD,SkBjhdrD,ClBihdD,C;MACX,QAAQ,C;MACQ,OAtYL,KAsYK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxYqB,GAwYP,UAAK,UAAL,EAAK,kBAAL,SAxYO,EAwYI,OAxYJ,CAwYrB,C;;MAxYT,OA0YO,I;K;IAvYX,kC;MAqZoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBnldJ,MAAK,KlBmldwB,wBAxZzB,KAwZyB,EAAwB,EAAxB,CkBnldxB,ElBmldqD,SkBnldrD,ClBmldD,C;MACX,QAAQ,C;MACQ,OAtZL,KAsZK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxZqB,GAwZP,UAAK,UAAL,EAAK,kBAAL,SAxZO,EAwZI,OAxZJ,CAwZrB,C;;MAxZT,OA0ZO,I;K;IAvZX,kC;MAqaoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBrpdJ,MAAK,KlBqpdwB,wBAxazB,KAwayB,EAAwB,EAAxB,CkBrpdxB,ElBqpdqD,SkBrpdrD,ClBqpdD,C;MACX,QAAQ,C;MACQ,OAtaL,KAsaK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxaqB,GAwaP,UAAK,UAAL,EAAK,kBAAL,SAxaO,EAwaI,OAxaJ,CAwarB,C;;MAxaT,OA0aO,I;K;IAvaX,kC;MAqboB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBvtdJ,MAAK,KlButdwB,wBAxbzB,KAwbyB,EAAwB,EAAxB,CkBvtdxB,ElButdqD,SkBvtdrD,ClButdD,C;MACX,QAAQ,C;MACQ,OAtbL,KAsbK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxbqB,GAwbP,UAAK,UAAL,EAAK,kBAAL,SAxbO,EAwbI,OAxbJ,CAwbrB,C;;MAxbT,OA0bO,I;K;IAvbX,kC;MAqcoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBzxdJ,MAAK,KlByxdwB,wBAxczB,KAwcyB,EAAwB,EAAxB,CkBzxdxB,ElByxdqD,SkBzxdrD,ClByxdD,C;MACX,QAAQ,C;MACQ,OAtcL,KAscK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxcqB,GAwcP,UAAK,UAAL,EAAK,kBAAL,SAxcO,EAwcI,OAxcJ,CAwcrB,C;;MAxcT,OA0cO,I;K;IAvcX,kC;MAqdoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB31dJ,MAAK,KlB21dwB,wBAxdzB,KAwdyB,EAAwB,EAAxB,CkB31dxB,ElB21dqD,SkB31drD,ClB21dD,C;MACX,QAAQ,C;MACQ,OAtdL,KAsdK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxdqB,GAwdP,UAAK,UAAL,EAAK,kBAAL,SAxdO,EAwdI,OAxdJ,CAwdrB,C;;MAxdT,OA0dO,I;K;IAvdX,kC;MAqeoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB54dJ,MAAK,KlB44dwB,wBAxezB,KAweyB,EAAwB,EAAxB,CkB54dxB,ElB44dqD,SkB54drD,ClB44dD,C;MACX,QAAQ,C;MACQ,OAteL,KAseK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxeqB,GAweP,UAAK,UAAL,EAAK,kBAAL,SAxeO,EAweI,OAxeJ,CAwerB,C;;MAxeT,OA0eO,I;K;IAveX,kC;MAqfoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB99dJ,MAAK,KlB89dwB,wBAxfzB,KAwfyB,EAAwB,EAAxB,CkB99dxB,ElB89dqD,SkB99drD,ClB89dD,C;MACX,QAAQ,C;MACQ,OAtfL,KAsfK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxfqB,GAwfP,UAAK,UAAL,EAAK,kBAAL,SAxfO,EAwfI,OAxfJ,CAwfrB,C;;MAxfT,OA0fO,I;K;IAvfX,kC;MAqgBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBhidJ,MAAK,KlBgidwB,wBAxgBzB,KAwgByB,EAAwB,EAAxB,CkBhidxB,ElBgidqD,SkBhidrD,ClBgidD,C;MACX,QAAQ,C;MACQ,OAtgBL,KAsgBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxgBqB,GAwgBP,UAAK,UAAL,EAAK,kBAAL,SAxgBO,EAwgBI,OAxgBJ,CAwgBrB,C;;MAxgBT,OA0gBO,I;K;IAvgBX,kC;MAqhBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBlmdJ,MAAK,KlBkmdwB,wBAxhBzB,KAwhByB,EAAwB,EAAxB,CkBlmdxB,ElBkmdqD,SkBlmdrD,ClBkmdD,C;MACX,QAAQ,C;MACQ,OAthBL,KAshBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxhBqB,GAwhBP,UAAK,UAAL,EAAK,kBAAL,SAxhBO,EAwhBI,OAxhBJ,CAwhBrB,C;;MAxhBT,OA0hBO,I;K;IAvhBX,kC;MAqiBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBpqdJ,MAAK,KlBoqdwB,wBAxiBzB,KAwiByB,EAAwB,EAAxB,CkBpqdxB,ElBoqdqD,SkBpqdrD,ClBoqdD,C;MACX,QAAQ,C;MACQ,OAtiBL,KAsiBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxiBqB,GAwiBP,UAAK,UAAL,EAAK,kBAAL,SAxiBO,EAwiBI,OAxiBJ,CAwiBrB,C;;MAxiBT,OA0iBO,I;K;IAviBX,kC;MAqjBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBtudJ,MAAK,KlBsudwB,wBAxjBzB,KAwjByB,EAAwB,EAAxB,CkBtudxB,ElBsudqD,SkBtudrD,ClBsudD,C;MACX,QAAQ,C;MACQ,OAtjBL,KAsjBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxjBqB,GAwjBP,UAAK,UAAL,EAAK,kBAAL,SAxjBO,EAwjBI,OAxjBJ,CAwjBrB,C;;MAxjBT,OA0jBO,I;K;IAvjBX,kC;MAqkBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBxydJ,MAAK,KlBwydwB,wBAxkBzB,KAwkByB,EAAwB,EAAxB,CkBxydxB,ElBwydqD,SkBxydrD,ClBwydD,C;MACX,QAAQ,C;MACQ,OAtkBL,KAskBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxkBqB,GAwkBP,UAAK,UAAL,EAAK,kBAAL,SAxkBO,EAwkBI,OAxkBJ,CAwkBrB,C;;MAxkBT,OA0kBO,I;K;IAvkBX,kC;MAqlBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB32dJ,MAAK,KlB22dwB,wBAxlBzB,KAwlByB,EAAwB,EAAxB,CkB32dxB,ElB22dqD,SkB32drD,ClB22dD,C;MACX,QAAQ,C;MACQ,OAtlBL,KAslBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxlBqB,GAwlBP,UAAK,UAAL,EAAK,kBAAL,SAxlBO,EAwlBI,OAxlBJ,CAwlBrB,C;;MAxlBT,OA0lBO,I;K;IAvlBX,kC;MAqmBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB74dJ,MAAK,KlB64dwB,wBAxmBzB,KAwmByB,EAAwB,EAAxB,CkB74dxB,ElB64dqD,SkB74drD,ClB64dD,C;MACX,QAAQ,C;MACQ,OAtmBL,KAsmBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxmBqB,GAwmBP,UAAK,UAAL,EAAK,kBAAL,SAxmBO,EAwmBI,OAxmBJ,CAwmBrB,C;;MAxmBT,OA0mBO,I;K;IAvmBX,kC;MAqnBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB/8dJ,MAAK,KlB+8dwB,wBAxnBzB,KAwnByB,EAAwB,EAAxB,CkB/8dxB,ElB+8dqD,SkB/8drD,ClB+8dD,C;MACX,QAAQ,C;MACQ,OAtnBL,KAsnBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxnBqB,GAwnBP,UAAK,UAAL,EAAK,kBAAL,SAxnBO,EAwnBI,OAxnBJ,CAwnBrB,C;;MAxnBT,OA0nBO,I;K;IAvnBX,kC;MAqoBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBjidJ,MAAK,KlBiidwB,wBAxoBzB,KAwoByB,EAAwB,EAAxB,CkBjidxB,ElBiidqD,SkBjidrD,ClBiidD,C;MACX,QAAQ,C;MACQ,OAtoBL,KAsoBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxoBqB,GAwoBP,UAAK,UAAL,EAAK,kBAAL,SAxoBO,EAwoBI,OAxoBJ,CAwoBrB,C;;MAxoBT,OA0oBO,I;K;IAvoBX,kC;MAqpBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBnmdJ,MAAK,KlBmmdwB,wBAxpBzB,KAwpByB,EAAwB,EAAxB,CkBnmdxB,ElBmmdqD,SkBnmdrD,ClBmmdD,C;MACX,QAAQ,C;MACQ,OAtpBL,KAspBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxpBqB,GAwpBP,UAAK,UAAL,EAAK,kBAAL,SAxpBO,EAwpBI,OAxpBJ,CAwpBrB,C;;MAxpBT,OA0pBO,I;K;IAvpBX,kC;MAqqBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBrqdJ,MAAK,KlBqqdwB,wBAxqBzB,KAwqByB,EAAwB,EAAxB,CkBrqdxB,ElBqqdqD,SkBrqdrD,ClBqqdD,C;MACX,QAAQ,C;MACQ,OAtqBL,KAsqBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxqBqB,GAwqBP,UAAK,UAAL,EAAK,kBAAL,SAxqBO,EAwqBI,OAxqBJ,CAwqBrB,C;;MAxqBT,OA0qBO,I;K;IAvqBX,kC;MAqrBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBvudJ,MAAK,KlBuudwB,wBAxrBzB,KAwrByB,EAAwB,EAAxB,CkBvudxB,ElBuudqD,SkBvudrD,ClBuudD,C;MACX,QAAQ,C;MACQ,OAtrBL,KAsrBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxrBqB,GAwrBP,UAAK,UAAL,EAAK,kBAAL,SAxrBO,EAwrBI,OAxrBJ,CAwrBrB,C;;MAxrBT,OA0rBO,I;K;IAvrBX,kC;MAqsBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBzydJ,MAAK,KlByydwB,wBAxsBzB,KAwsByB,EAAwB,EAAxB,CkBzydxB,ElByydqD,SkBzydrD,ClByydD,C;MACX,QAAQ,C;MACQ,OAtsBL,KAssBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxsBqB,GAwsBP,UAAK,UAAL,EAAK,kBAAL,SAxsBO,EAwsBI,OAxsBJ,CAwsBrB,C;;MAxsBT,OA0sBO,I;K;IAvsBX,kC;MAqtBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB31dJ,MAAK,KlB21dwB,wBAxtBzB,KAwtByB,EAAwB,EAAxB,CkB31dxB,ElB21dqD,SkB31drD,ClB21dD,C;MACX,QAAQ,C;MACQ,OAttBL,KAstBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxtBqB,GAwtBP,UAAK,UAAL,EAAK,kBAAL,SAxtBO,EAwtBI,OAxtBJ,CAwtBrB,C;;MAxtBT,OA0tBO,I;K;IAvtBX,kC;MAquBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB74dJ,MAAK,KlB64dwB,wBAxuBzB,KAwuByB,EAAwB,EAAxB,CkB74dxB,ElB64dqD,SkB74drD,ClB64dD,C;MACX,QAAQ,C;MACQ,OAtuBL,KAsuBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxuBqB,GAwuBP,UAAK,UAAL,EAAK,kBAAL,SAxuBO,EAwuBI,OAxuBJ,CAwuBrB,C;;MAxuBT,OA0uBO,I;K;IAvuBX,kC;MAqvBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB/8dJ,MAAK,KlB+8dwB,wBAxvBzB,KAwvByB,EAAwB,EAAxB,CkB/8dxB,ElB+8dqD,SkB/8drD,ClB+8dD,C;MACX,QAAQ,C;MACQ,OAtvBL,KAsvBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxvBqB,GAwvBP,UAAK,UAAL,EAAK,kBAAL,SAxvBO,EAwvBI,OAxvBJ,CAwvBrB,C;;MAxvBT,OA0vBO,I;K;IAvvBX,kC;MAqwBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBjidJ,MAAK,KlBiidwB,wBAxwBzB,KAwwByB,EAAwB,EAAxB,CkBjidxB,ElBiidqD,SkBjidrD,ClBiidD,C;MACX,QAAQ,C;MACQ,OAtwBL,KAswBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxwBqB,GAwwBP,UAAK,UAAL,EAAK,kBAAL,SAxwBO,EAwwBI,OAxwBJ,CAwwBrB,C;;MAxwBT,OA0wBO,I;K;IAvwBX,kC;MAqxBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBnmdJ,MAAK,KlBmmdwB,wBAxxBzB,KAwxByB,EAAwB,EAAxB,CkBnmdxB,ElBmmdqD,SkBnmdrD,ClBmmdD,C;MACX,QAAQ,C;MACQ,OAtxBL,KAsxBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxxBqB,GAwxBP,UAAK,UAAL,EAAK,kBAAL,SAxxBO,EAwxBI,OAxxBJ,CAwxBrB,C;;MAxxBT,OA0xBO,I;K;IAvxBX,kC;MAqyBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBrqdJ,MAAK,KlBqqdwB,wBAxyBzB,KAwyByB,EAAwB,EAAxB,CkBrqdxB,ElBqqdqD,SkBrqdrD,ClBqqdD,C;MACX,QAAQ,C;MACQ,OAtyBL,KAsyBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxyBqB,GAwyBP,UAAK,UAAL,EAAK,kBAAL,SAxyBO,EAwyBI,OAxyBJ,CAwyBrB,C;;MAxyBT,OA0yBO,I;K;IAvyBX,kC;MAqzBoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBvudJ,MAAK,KlBuudwB,wBAxzBzB,KAwzByB,EAAwB,EAAxB,CkBvudxB,ElBuudqD,SkBvudrD,ClBuudD,C;MACX,QAAQ,C;MACQ,OAtzBL,KAszBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxzBqB,GAwzBP,UAAK,UAAL,EAAK,kBAAL,SAxzBO,EAwzBI,OAxzBJ,CAwzBrB,C;;MAxzBT,OA0zBO,I;K;IAvzBX,kC;MAq0BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBzydJ,MAAK,KlByydwB,wBAx0BzB,KAw0ByB,EAAwB,EAAxB,CkBzydxB,ElByydqD,SkBzydrD,ClByydD,C;MACX,QAAQ,C;MACQ,OAt0BL,KAs0BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx0BqB,GAw0BP,UAAK,UAAL,EAAK,kBAAL,SAx0BO,EAw0BI,OAx0BJ,CAw0BrB,C;;MAx0BT,OA00BO,I;K;IAv0BX,kC;MAq1BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB31dJ,MAAK,KlB21dwB,wBAx1BzB,KAw1ByB,EAAwB,EAAxB,CkB31dxB,ElB21dqD,SkB31drD,ClB21dD,C;MACX,QAAQ,C;MACQ,OAt1BL,KAs1BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx1BqB,GAw1BP,UAAK,UAAL,EAAK,kBAAL,SAx1BO,EAw1BI,OAx1BJ,CAw1BrB,C;;MAx1BT,OA01BO,I;K;IAv1BX,kC;MAq2BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB74dJ,MAAK,KlB64dwB,wBAx2BzB,KAw2ByB,EAAwB,EAAxB,CkB74dxB,ElB64dqD,SkB74drD,ClB64dD,C;MACX,QAAQ,C;MACQ,OAt2BL,KAs2BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx2BqB,GAw2BP,UAAK,UAAL,EAAK,kBAAL,SAx2BO,EAw2BI,OAx2BJ,CAw2BrB,C;;MAx2BT,OA02BO,I;K;IAv2BX,kC;MAq3BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkB/8dJ,MAAK,KlB+8dwB,wBAx3BzB,KAw3ByB,EAAwB,EAAxB,CkB/8dxB,ElB+8dqD,SkB/8drD,ClB+8dD,C;MACX,QAAQ,C;MACQ,OAt3BL,KAs3BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAx3BqB,GAw3BP,UAAK,UAAL,EAAK,kBAAL,SAx3BO,EAw3BI,OAx3BJ,CAw3BrB,C;;MAx3BT,OA03BO,I;K;IAv3BX,kC;MAq4BoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBjidJ,MAAK,KlBiidwB,wBAx4BzB,KAw4ByB,EAAwB,EAAxB,CkBjidxB,ElBiidqD,SkBjidrD,ClBiidD,C;MACX,QAAQ,C;MACQ,OAt4BL,KAs4BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAA

AA,gE;MkBnrdA,iB;MlBmrdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBrrdJ,MAAK,KlBqrdwB,wBAAN,KAAM,EAAwB,EAAxB,CkBrrdxB,ElBqrdqD,SkBrrdrD,ClBqrdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrsdA,iB;MlBqsdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvsdJ,MAAK,KlBusdwB,wBAAN,KAAM,EAAwB,EAAxB,CkBvsdxB,ElBusdqD,SkBvsdrD,ClBusdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvtdA,iB;MlButdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBztdJ,MAAK,KlBytdwB,wBAAN,KAAM,EAAwB,EAAxB,CkBztdxB,ElBytdqD,SkBztdrD,ClBytdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBzudA,iB;MlByudA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB3udJ,MAAK,KlB2udwB,wBAAN,KAAM,EAAwB,EAAxB,ClB3udxB,E;MkB2udqD,SlB3udrD,C;MkB2udD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MAAA,kE;MkB3vdA,iB;MlB2vdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7vdJ,MAAK,KlB6vdwB,wBAAN,KAAM,EAAwB,EAAxB,ClB7vdxB,E;MkB6vdqD,SlB7vdrD,C;MkB6vdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB7wdA,iB;MlB6wdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB/wdJ,MAAK,KlB+wdwB,wBAAN,KAAM,EAAwB,EAAxB,ClB/wdxB,E;MkB+wdqD,SlB/wdrD,C;MkB+wdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB/xdA,iB;MlB+xdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBjydJ,MAAK,KlBiydwB,wBAAN,KAAM,EAAwB,EAAxB,ClBjydxB,E;MkBiydqD,SlBjydrD,C;MkBiydD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjzdA,iB;MlBizdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBnzdJ,MAAK,KlBmzdwB,wBAAN,KAAM,EAAwB,EAAxB,ClBnzdxB,E;MkBmzdqD,SlBnzdrD,C;MkBmzdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB30dA,iB;MlB20dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB70dJ,MAAK,KlB60dwB,wBAAN,KAAM,EAAwB,EAAxB,ClB70dxB,E;MkB60dqD,SlB70drD,C;MkB60dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr2dA,iB;MlBq2dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv2dJ,MAAK,KlBu2dwB,wBAAN,KAAM,EAAwB,EAAxB,ClBv2dxB,E;MkBu2dqD,SlBv2drD,C;MkBu2dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB34dA,iB;MlB24dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB74dJ,MAAK,KlB64dwB,wBAAN,KAAM,EAAwB,EAAxB,ClB74dxB,E;MkB64dqD,SlB74drD,C;MkB64dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr6dA,iB;MlBq6dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv6dJ,MAAK,KlBu6dwB,wBAAN,KAAM,EAAwB,EAAxB,ClBv6dxB,E;MkBu6dqD,SlBv6drD,C;MkBu6dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB38dA,iB;MlB28dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB78dJ,MAAK,KlB68dwB,wBAAN,KAAM,EAAwB,EAAxB,ClB78dxB,E;MkB68dqD,SlB78drD,C;MkB68dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr+dA,iB;MlBq+dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv+dJ,MAAK,KlBu+dwB,wBAAN,KAAM,EAAwB,EAAxB,ClBv+dxB,E;MkBu+dqD,SlBv+drD,C;MkBu+dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3/dA,iB;MlB2/dA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7/dJ,MAAK,KlB6/dwB,wBAAN,KAAM,EAAwB,EAAxB,ClB7/dxB,E;MkB6/dqD,SlB7/drD,C;MkB6/dD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrhdA,iB;MlBqhdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvhdJ,MAAK,KlBuhdwB,wBAAN,KAAM,EAAwB,EAAxB,ClBvhdxB,E;MkBuhdqD,SlBvhdrD,C;MkBuhdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3idA,iB;MlB2idA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7idJ,MAAK,KlB6idwB,wBAAN,KAAM,EAAwB,EAAxB,ClB7idxB,E;MkB6idqD,SlB7idrD,C;MkB6idD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrkdA,iB;MlBqkdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvkdJ,MAAK,KlBukdwB,wBAAN,KAAM,EAAwB,EAAxB,ClBvkdxB,E;MkBukdqD,SlBvkdrD,C;MkBukdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3mdA,iB;MlB2mdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7mdJ,MAAK,KlB6mdwB,wBAAN,KAAM,EAAwB,EAAxB,ClB7mdxB,E;MkB6mdqD,SlB7mdrD,C;MkB6mdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBroeA,iB;MlBqoeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvoeJ,MAAK,KlBuoewB,wBAAN,KAAM,EAAwB,EAAxB,ClBvoexB,E;MkBuoeqD,SlBvoerD,C;MkBuoeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3peA,iB;MlB2peA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7peJ,MAAK,KlB6pewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7pexB,E;MkB6peqD,SlB7perD,C;MkB6peD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrreA,iB;MlBqreA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvreJ,MAAK,KlBureD,KAAN,KAAM,EAAwB,EAAxB,ClBvreV,E;MkBureqD,SlBvrerD,C;MkBureD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3seA,iB;MlB2seA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7seJ,MAAK,KlB6sewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7sexB,E;MkB6seqD,SlB7serD,C;MkB6seD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrueA,iB;MlBqueA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvueJ,MAAK,KlBuueD,KAAN,KAAM,EAAwB,EAAxB,ClBvueV,E;MkBuueqD,SlBvuerD,C;MkBuueD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3veA,iB;MlB2veA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7veJ,MAAK,KlB6vewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7vexB,E;MkB6veqD,SlB7verD,C;MkB6veD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrxeA,iB;MlBqxeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvxeJ,MAAK,KlBuxeD,KAAN,KAAM,EAAwB,EAAxB,ClBvxeV,E;MkBuxeqD,SlBvxerD,C;MkBuxeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3yeA,iB;MlB2yeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7yeJ,MAAK,KlB6yewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7yexB,E;MkB6yeqD,SlB7yerD,C;MkB6yeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr0eA,iB;MlBq0eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv0eJ,MAAK,KlBu0eD,KAAN,KAAM,EAAwB,EAAxB,ClBv0eV,E;MkBu0eqD,SlBv0erD,C;MkBu0eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB31eA,iB;MlB21eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB71eJ,MAAK,KlB61ewB,wBAAN,KAAM,EAAwB,EAAxB,ClB71exB,E;MkB61eqD,SlB71erD,C;MkB61eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr3eA,iB;MlBq3eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv3eJ,MAAK,KlBu3eD,KAAN,KAAM,EAAwB,EAAxB,ClBv3eV,E;MkBu3eqD,SlBv3erD,C;MkBu3eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB35eA,iB;MlB25eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB75eJ,MAAK,KlB65ewB,wBAAN,KAAM,EAAwB,EAAxB,ClB75exB,E;MkB65eqD,SlB75erD,C;MkB65eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr7eA,iB;MlBq7eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv7eJ,MAAK,KlBu7eD,KAAN,KAAM,EAAwB,EAAxB,ClBv7eV,E;MkBu7eqD,SlBv7erD,C;MkBu7eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB38eA,iB;MlB28eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB78eJ,MAAK,KlB68ewB,wBAAN,KAAM,EAAwB,EAAxB,ClB78exB,E;MkB68eqD,SlB78erD,C;MkB68eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr+eA,iB;MlBq+eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv+eJ,MAAK,KlBu+eD,KAAN,KAAM,EAAwB,EAAxB,ClBv+eV,E;MkBu+eqD,SlBv+erD,C;MkBu+eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3geA,iB;MlB2geA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7geJ,MAAK,KlB6gewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7gexB,E;MkB6geqD,SlB7gerD,C;MkB6geD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrheA,iB;MlBqheA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvheJ,MAAK,KlBuheD,KAAN,KAAM,EAAwB,EAAxB,ClBvheV,E;MkBuheqD,SlBvherD,C;MkBuheD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3ieA,iB;MlB2ieA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7ieJ,MAAK,KlB6iewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7iexB,E;MkB6ieqD,SlB7ierD,C;MkB6ieD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrkeA,iB;MlBqkeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvkeJ,MAAK,KlBukeD,KAAN,KAAM,EAAwB,EAAxB,ClBvkeV,E;MkBukeqD,SlBvkerD,C;MkBukeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3meA,iB;MlB2meA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7meJ,MAAK,KlB6mewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7mexB,E;MkB6meqD,SlB7merD,C;MkB6meD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBroeA,iB;MlBqoeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvoeJ,MAAK,KlBuoeD,KAAN,KAAM,EAAwB,EAAxB,ClBvoeV,E;MkBuoeqD,SlBvoerD,C;MkBuoeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3peA,iB;MlB2peA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7peJ,MAAK,KlB6pewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7pexB,E;MkB6peqD,SlB7perD,C;MkB6peD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrreA,iB;MlBqreA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvreJ,MAAK,KlBureD,KAAN,KAAM,EAAwB,EAAxB,ClBvreV,E;MkBureqD,SlBvrerD,C;MkBureD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3seA,iB;MlB2seA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7seJ,MAAK,KlB6sewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7sexB,E;MkB6seqD,SlB7serD,C;MkB6seD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrueA,iB;MlBqueA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvueJ,MAAK,KlBuueD,KAAN,KAAM,EAAwB,EAAxB,ClBvueV,E;MkBuueqD,SlBvuerD,C;MkBuueD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3veA,iB;MlB2veA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7veJ,MAAK,KlB6vewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7vexB,E;MkB6veqD,SlB7verD,C;MkB6veD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBrxeA,iB;MlBqxeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBvxeJ,MAAK,KlBuxeD,KAAN,KAAM,EAAwB,EAAxB,ClBvxeV,E;MkBuxeqD,SlBvxerD,C;MkBuxeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3yeA,iB;MlB2yeA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB7yeJ,MAAK,KlB6yewB,wBAAN,KAAM,EAAwB,EAAxB,ClB7yexB,E;MkB6yeqD,SlB7yerD,C;MkB6yeD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr0eA,iB;MlBq0eA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBv0eJ,MAAK,KlBu0eD,KAAN,KAAM,EAAwB,EAAxB,ClBv0eV,E;MkBu0eqD,SlBv0erD,C;MkBu0eD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,g

MAAK,KlB83dK,gBkB93dL,ElB83dW,KAAM,OkB93djB,C;QlB+3dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CA
AV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ
,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkB74dA,iB;MlB64dA,8C;QAQI,WkB94dO,MAAK,Kl
B84dK,gBkB94dL,ElB84dW,KAAM,OkB94djB,C;QlB+4dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAk
B,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,
OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkB75dA,iB;MlB65dA,8C;QAQI,WkB95dO,MAAK,KlB85dK,gBk
B95dL,ElB85dW,KAAM,OkB95djB,C;QlB+5dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;
UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;
KAbX,C;+EAgBA,yB;MAAA,gE;MkB76dA,iB;MlB66dA,8C;QAQI,WkB96dO,MAAK,KlB86dK,gBkB96dL,ElB
86dW,KAAM,OkB96djB,C;QlB+6dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAA
K,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+E
AgBA,yB;MAAA,gE;MkB77dA,iB;MlB67dA,8C;QAQI,WkB97dO,MAAK,KlB87dK,gBkB97dL,ElB87dW,KAA
M,OkB97djB,C;QlB+7dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,U
AAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;
MAAA,gE;MAAA,oC;MkB78dA,iB;MlB68dA,8C;QAQI,WkB98dO,MAAK,KlB88dK,gBkB98dL,ElB88dW,KA
AM,OkB98djB,C;QlB+8dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,
UAAU,sBAAK,CAAL,EAAV,EAAmB,kBAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,4F;
MAQ8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA
a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MA
CP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAA
O,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,E
AAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C
;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QA
AA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;
QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,
CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MA
AO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gB
AAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;M
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K
;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;
YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,
MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,Y
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,
YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAGlN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;Q
ACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,C
AAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;
QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,
C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,
SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAA
U,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,
KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;M
AQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,

E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC
P,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAA
O,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gB
AAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA
Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I
AGX,8F;MAQ0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA
AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MA
AP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UA
AiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,
MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAA
S,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,O
AAO,M;K;IAGX,8F;MAQ2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;M
AAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,g
BAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,C
AAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAA
J,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,I
AAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;
MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UA
AwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFh
B,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;
QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1
B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UA
CR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gB
AAO,OAAP,C;MACP,OAAO,M;K;IAGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,
uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MA
ClN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA
3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB
;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9
M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D
,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;Q
AAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAChN,
OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,E
AAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAA
A,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAC5M,OA
AO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAA
sE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,
UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAA
O,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE
,SAAtE,CAAiF,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,U
AAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAChN,OAAO,
oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,S
AAtE,CAAiF,W;K;IAG5F,4F;MAQoC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UA
AwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAClN,OAAO,oB
AAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SA
AtE,CAAiF,W;K;IAG5F,4F;MAQqC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAA
wB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBA
AO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAt
E,CAAiF,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,

E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO
,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,C
AAiF,W;K;IAQxE,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IA9yRO,qBAAQ,CA8y
Rf,C;QAAe,OAAO,W;MACtB,kCAAgB,4BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O
;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;M
AAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;M
ACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9
yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK
,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB
,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;Q
AAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL
3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,m
B;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACtB,k
CAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qB
AAQ,CA8yRf,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,4C;MAAA,mB;QAAE,OAAK,qBAAL
,eAAK,C;O;K;IAP3B,+B;MAMI,IAx3RO,qBAAQ,CAw3Rf,C;QAAe,OAAO,e;MACtB,kCAAgB,4BAAhB,C;K;I
AUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA13RO,qBAAQ,CA03Rf,C;QAAe
,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC
;MAMI,IA53RO,qBAAQ,CA43Rf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QA
AE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA93RO,qBAAQ,CA83Rf,C;QAAe,OAAO,e;MACtB,kCAAg
B,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAh4RO,qBAAQ,
CAg4Rf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK
,C;O;K;IAP3B,iC;MAMI,IAl4RO,qBAAQ,CAk4Rf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C
;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAp4RO,qBAAQ,CAo4Rf,C;QAAe,OAAO,e;
MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,I
At4RO,qBAAQ,CAs4Rf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAA
K,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAx4RO,qBAAQ,CAw4Rf,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAA
hB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA
,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K
;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;
IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh
B,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IA
GjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,
M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGj
D,8B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8
B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
CI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;
MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC
I,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;M
AMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,
OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MA
MoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,O
AAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAM
oB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA
AO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMo
B,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAA

O,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,
Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,
O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q
;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;I
AGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;
MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB
,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QA
AgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MA
CjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;
MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;
K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,
O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAA
hB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;
MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;
K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAA
O,O;;MAEX,OAAO,G;K;IY15fX,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;4FOSA,qB;MAO
I,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAA
J,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII
,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,
qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,s
BAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uBAAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,
C;K;IAGX,2D;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAsB,KAwJf,IAAS,CAAT,IAxJe,KAwJD,IAAS,iBAx
JvB,SAwJuB,CAA3B,GAxJI,SAwJkC,aAxJnB,KAwJmB,CAAtC,GAxJ0B,YAwJ4B,CAxJnC,KAwJmC,C;QAvJ7
D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,
UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,O
AAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,G
AAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,6C;MAcqB,Q;MARjB,IAAI,8BAAJ,C;Q
ACI,OAAY,YAAL,SAAK,EAAU,KAAV,C;MAChB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MA
Cf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,
OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EA
AU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAKW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;
UAAM,IArFH,SAqFO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtFP,yB;K;
wFAGJ,gC;MAqSoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAjSc,SAiS
V,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAlSf,OAqSO,I;K;wFAlSX,gC;MAKW,qB;;QAoSP,eAAoB,+BAAa,
cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAvSc,SAuSV,CAAU,OAAV,CAAJ,C;
YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO,I;;;MAzSP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OA
AY,SAAL,SAAK,C;;QAEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;
QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAA
O,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAA
gB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV
,C;IASA,mC;MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;Q
AGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,
OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,c
AAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;
MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD
,aAAa,KAAb,C;O;KALjE,C;IAQA,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAI,KAAJ,

CAAtC,GAAsD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MAAA,wE;MAAA,uC;QAKiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;MAKiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,E;QAChB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UAChB,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAGxB,OAAO,E;K;IAGX,4B;MAMQ,kBADE,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;;QAEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAKI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAOoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gC AAuB,wDAAvB,C;QAElB,OAAO,2E;O;KAfX,C;iFAkBA,yB;MAAA,iE;MAAA,uC;QAKI,eAe,SAAK,sBAAa, cAAb,C;QACCpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB, OAAO,O;;QAEnC,MAAM,gCAAuB,kDAAvB,C;O;KAVV,C;IAaA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAk B,OAAO,SAAK,mBAAY,OAAZ,C;MAC9B,gBAAgB,E;MAChB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;Q AAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QAChB,qB;;MAEJ, OAAO,S;K;IAGX,2C;MAKI,OAAO,4BAAY,OAAZ,C;K;IAGX,kC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mB AAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C ;UACI,OAAO,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OA AO,I;;K;IAKnB,kC;MAII,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC; MAKoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CA AJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS, cAAhB,C;QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;q FAGX,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI, mBAAJ,C;QACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAjB,C;K;iGAG X,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBA AJ,C;QACI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAjB,C;K;IAGX,8B;MAKQ,kBADE,SAC F,Q;QAAW,OAAY,UAAL,SAAK,C;;QAEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAA uB,sBAAvB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAyB,uCAAzB,C;QACV, OAAO,M;;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C; aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,iCAAzB,C;;MAHlB,W;K;qFAOJ,yB;MA AA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAAiB,I;QACjB,YAAY,K;QACI, 2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MA AM,8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCA AuB,wDAAvB,C;QAElB,OAAO,6E;O;KAfX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO ,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OA AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAAiB,I;MACjB ,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K AAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MAC nB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MNnmBb,IAAI,EM0kBI,KAAK,CN1kBT,CAAJ,C; QACI,cMykBc,sD;QNxkBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMykBV,IAAI,MAAK,CAAT,C;QAAY,OAAO ,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAlB,C;UACI,OA

AO,W;QACX,IAAI,eAAc,CAAlB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI
,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ
,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;;UAEb,OAAO,I;;QAI
X,OAAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAA
gB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MAExC,OAAY,qBAAL,IAAK,C;K;IAGhB,kC;MNzmBI,IAAI,EMinBI,K
AAK,CNjnBT,CAAJ,C;QACI,cMgnBc,sD;QN/mBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMgnBV,OAAO,kBAA
gB,gBAAV,iBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QA
MI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UA
AU,QAAS,WAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;SAInB,OAAO,W;O
;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OA
Aa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,
C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAfX,C;oFAkBA,yB;MAAA,+D;MAAA,u
C;QAIW,kBAAS,gB;QAyEA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzEU,SAyEN,CAA
U,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzE1D,OA0EO,W;O;KA9EX,C;kGAOA,yB;MAAA,+D;
MA06BA,wE;MA16BA,uC;QAMW,kBAAgB,gB;QA26BV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C
;UAAa,sB;UAj6BT,IAVmC,SAU/B,CAi6BkB,oBAAmB,cAAnB,EAAmB,sBAAnB,UAj6BlB,EAi6B+C,IAj6B/C,
CAAJ,C;YAA2C,sBAi6BQ,IAj6BR,C;;QAV/C,OAYO,W;O;KAlBX,C;sGASA,yB;MAi6BA,wE;MAj6BA,oD;QA
w6BiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAj6BT,IAAI,UAi6BkB,oBAAmB,cAAn
B,EAAmB,sBAAnB,UAj6BlB,EAi6B+C,IAj6B/C,CAAJ,C;YAA2C,sBAi6BQ,IAj6BR,C;;QAE/C,OAAO,W;O;KA
TX,C;wGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAmB,gB;QAOV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;
UAAgB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C;;QAPpD,OAQO,W;O;KAZX,C;4GAOA,4C;
MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OA
AJ,C;;MACpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsBH,Q;QAAA,2B;QAAhB
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OA
AJ,C;;QAtB3D,OAuBO,W;O;KA3BX,C;IAOA,oC;MAII,OAAO,6BAAgB,gBAAhB,C;K;IAGX,mD;MAIoB,Q;M
AAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MACv
D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,U
AAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAA,2B;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;
MAC1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Ob9rBe,W;Oa+rBtC,OAA6D,SAAtD,SAA
K,iBAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;M
AHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WA
AW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;M
AET,OAAO,I;K;IAGX,8B;MAgBiB,Q;MN9wBb,IAAI,EMswBI,KAAK,CNtwBT,CAAJ,C;QACI,cMqwBc,sD;QN
pwBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMqwBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,oC
AAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAY,OAAO,OAAO,mB
AAP,C;OAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IA
AK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAY,qBAAL,IAAK,C;K;IAGhB,kC;MAeq
C,IAGhB,I;MNxyBjB,IAAI,EM8xBI,KAAK,CN9xBT,CAAJ,C;QACI,cM6xBc,sD;QN5xBd,MAAM,gCAAyB,OA
AQ,WAAjC,C;OM6xBV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT
,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,C
AAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK
,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAA
J,C;;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,
OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAA
nB,CAAL,C;YACI,QAAS,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAgB,CAApB,C;cAAu
B,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAAa,eAAb,C;YAFR,OF5wBD,
W;;QEkxBP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B

;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,
C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAAlC,C;QAAqC,OAAO,mB;MAC5C,
WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;oFAGX,yB;MAAA,oD;MJxyBA,sC;MCjFA,kC;MAAA,o
C;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,
uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,E
AA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIiyBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDJvyBH,iBIu
yBsB,QJvyBtB,CIuyBG,E;U;KANlB,C;wGASA,yB;MAAA,oD;MJ9xBA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;
QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;Q
AxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+E
M,CA/EN,CAA3B,C;W;S;OA+EI,C;MIuxBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDJ7xBH,2BI6xBgC,QJ7xB
hC,CI6xBG,E;U;KANlB,C;IASA,qC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QAC
I,IAAI,kBAAQ,CAAZ,C;UAAe,OAAY,SAAL,SAAK,C;QAEwB,kBAA3C,sBC35BsD,sBD25BtD,uB;QAAmD,m
B;QAA3D,OAAoE,OFv1BjE,WEu1BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OFz1BO,W;K;wFE41BX,y
B;MAAA,wD;MJj1BA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAA
W,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;
YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI00Bf,sC;
QAMI,OAAO,mDJh1BI,iBIg1BiB,QJh1BjB,CIg1BJ,E;O;KANX,C;4GASA,yB;MAAA,wD;MJv0BA,sC;MCpGA,
kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5
C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/
EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIg0Bf,sC;QAMI,OAAO,mDJt0BI,2BIs0B2B,QJt
0B3B,CIs0BJ,E;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MASe,Q;MAHX,IAAI,oCA
AJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAY,SAAL,SAAK,C;QAEe,kBAAlC,sBCp8BuD,sBDo8BvD,uB;Q
AA0C,iC;QAAlD,OAAyE,OFh4BrE,WEg4BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/B,OFl4BO,W;K;IEq4
BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;
MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,
cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV
,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAA
kB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K
;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAA
hB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,iC;MAMoB,UACL
,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OA
AO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,c
AAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,
YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cAAX,C;MACb,YAAY,C;
MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAA
O,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mC
AAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAyEH,Q;QAAA,2B;QAA
hB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UZjfnB,wBAAI,IAAK,MAAT,EA
AgB,IAAK,OAArB,C;;QYuaA,OA4EO,W;O;KAxFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;
MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAc,m
BAAoB,QAApB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5BoC,WA4B
hC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D
;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAA
d,C;QACjD,kBAAc,mBAAoB,QAApB,C;QA6BL,Q;QAAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,W
AAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,OAAf,CAA1B,C;;QA9BhB,OAgCO,W;O
;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,YA

AY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAg
B,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OA
AO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAA
V,C;QZjfnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MYmfA,OAAO,W;K;gGAGX,yB;MAAA,kF;MAA
A,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAy
C,EAAc,EAAd,CAA7D,C;QAcG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAAJ
,EAde,aAcF,CAAc,OAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;oGAgBA,iD;MAUoB,Q;MAAA,2B;MAAhB
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;I
AGX,gD;MAIiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,
W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAY,mCAAwB,EAAxB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MA
KqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cA
AW,8BAAJ,GAAkB,sBAAI,CAAJ,CAAlB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAH
V,K;;QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAgB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,O
AAY,gBAAL,SAAK,C;MAChB,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4
B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAA
K,aAAU,8BAAJ,GAAkB,sBAAK,CAAL,CAAlB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAa,qBAAiB
,YAAY,cAAZ,CAAjB,CAAb,C;YAHL,K;;QAAP,W;OAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;K;sFAG
5C,yB;MAAA,+D;MASA,gD;MATA,uC;QAMW,kBAAU,gB;QAOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U
AAgB,yB;UACZ,WAR6B,SAQlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W;O;
KAjBX,C;0FASA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ
,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;uFAWA,yB;M
AAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAyBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB
,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UZt8BP,U;UADP,YYw8Be,WZx8BH,WYw8BwB,GZx8BxB,C;
UACL,IAAI,aAAJ,C;YACH,aYs8BuC,gB;YAA5B,WZr8BX,aYq8BgC,GZr8BhC,EAAS,MAAT,C;YACA,e;;YAE
A,c;;UYk8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8B
A,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/
BiD,WA+BvC,CAAY,OAAZ,C;UZx9BP,U;UADP,YY09Be,WZ19BH,WY09BwB,GZ19BxB,C;UACL,IAAI,aAA
J,C;YACH,aYw9BuC,gB;YAA5B,WZv9BX,aYu9BgC,GZv9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYo9BA,i
B;UACA,IAAK,WAjCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAjCT,OAmCO,W;O;KA7CX,C;0FAaA,yB;MAAA,+
D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZt8
BP,U;UADP,YYw8Be,WZx8BH,WYw8BwB,GZx8BxB,C;UACL,IAAI,aAAJ,C;YACH,aYs8BuC,gB;YAA5B,W
Zr8BX,aYq8BgC,GZr8BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYk8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA
ET,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U
AAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UZx9BP,U;UADP,YY09Be,WZ19BH,WY09BwB,GZ19BxB,C;UACL,
IAAI,aAAJ,C;YACH,aYw9BuC,gB;YAA5B,WZv9BX,aYu9BgC,GZv9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
UYo9BA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;4FAkBA,yB;MAAA,kC;M
AAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MATrE,iDAUQ,
mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAcA,yB;MAAA,kF;MAAA,gE;
MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAxB,CAAb,C;QAqEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UA
Aa,sB;UACT,WAAY,WAtEwC,SAsEpC,CAAU,IAAV,CAAJ,C;;QAtEhB,OAuEO,W;O;KA9EX,C;4FAUA,yB;M
AAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAAa,eAAa,mCAAwB,EAAxB,CAAb,C;QAgCP,gB;QA
Db,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjC+C,SAiC3C,CAAU,oBAAmB,cA
AnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QAjChB,OAkCO,W;O;KAzCX,C;0GAUA,yB;MAAA,+
D;MAgRA,wE;MAhRA,uC;QAOW,kBAAoB,gB;QAgRd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;U
AAa,sB;UAtQsB,U;UAAAA,cAVQ,SAUR,CAsQT,oBAAmB,cAAnB,EAAmB,sBAAnB,UAtQS,EAsQoB,IAtQpB,
W;YAA6C,6B;;QAVhF,OAWO,W;O;KAlBX,C;8GAUA,yB;MAsQA,wE;MAtQA,oD;QA6QiB,gB;QADb,YAAY,
C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAtQsB,U;UAAAA,wBAsQT,oBAAmB,cAAnB,EAAmB,sBAAnB,
UAtQS,EAsQoB,IAtQpB,W;YAA6C,6B;;QAChF,OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QA

QiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBA
AmB,cAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QAChB,OAAO,W;O;KAVX,C;4FAaA,yB;MA
AA,+D;MAAA,uC;QAKW,kBAAa,gB;QAsOJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA9NK,U;U
AAA,cARe,SAQf,CA8NQ,OA9NR,W;YAAsC,6B;;QAR3D,OASO,W;O;KAdX,C;gGAQA,yB;MAAA,oD;QAmO
oB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA9NK,U;UAAA,wBA8NQ,OA9NR,W;YAAsC,6B;;Q
AC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,
WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OA
AO,qBAAiB,6BAAjB,C;K;IAGX,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;4FAG/B,yB;MAAA,2D;MA
AA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;
UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,O
AAO,I;O;KAhBX,C;IAmBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OA
AO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG
X,mC;MAMiB,IAAN,I;MACH,kBADS,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAa,sBAAb,C;MAFZ,W;K;I
AMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;8EAGX,yB;M
AAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAA
gB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;K
ARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MAChC,OAAO,oBAAW,U;K;+EAGtB,yB
;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,O
AAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAR
X,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MACtB,OAAO,K;K;mFAGX,qB;M
AKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;
UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OA
AV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAKo
B,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAu
B,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QASoB,UAAiD,M;QAFjE,YAAY,C;QAC
Z,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAm
B,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAVX,C;0FAaA,yC;MAII,kBAA
kB,O;MAClB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,
UAAU,QAAS,WAAnB,EAA+B,WAA/B,C;;OAGtB,OAAO,W;K;wGAGX,yC;MAOI,kBAAkB,O;MAClB,IAAI,C
AAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,c
AAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAsC,WAAtC,C;;OAGtB,OAAO,W;K;sFAGX,6B;MAKoB,Q;MA
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;oGAG1B,yB;MAAA,wE;MAAA,oC;
QAOiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAA
nB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;O;KAPvB,C;IAUA,0B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QA
AS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G
;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,
C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAOI,eAAe,oB;MACf,IAAI
,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAi
B,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;QAAe
AAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAII,eAAe,oB;
MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,
C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;kFAGX,
+B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,cAAc,QAAS,O;MACvB,IAA
I,CAAC,QAAS,UAAd,C;QAAyB,OAAO,O;MAChC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QA
AQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QA
AS,W;MAClB,OAAO,O;K;IAGX,0C;MAII,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MA
ChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GA

AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAOI,eAAe,oB;
MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CA
AR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,
CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MA
OI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QA
AJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,Q
AAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IA
GX,2B;MAII,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,
OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAE
vB,OAAO,G;K;kFAGX,+B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,cAA
c,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,O;MAChC,eAAe,SAAS,OAAT,C;;QAEX,QA
AQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WA
AW,C;;MAED,QAAT,QAAS,W;MAClB,OAAO,O;K;IAGX,0C;MAII,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA
d,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACj
B,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I
AGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;MAAA,g
D;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cA
AhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KARX,C;kFA
WA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;
oFAGJ,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,
mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,
EAAuB,QAAS,OAAhC,C;;QAElB,OAAO,W;O;KAZX,C;kGAeA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAcmD,
Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,
YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,E
AAmB,oBAAnB,QAAV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAElB,OAAO,W;O;KAhBX,C;gGAmBA,
gC;MAQI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,kBAAqB,QAAS,O;
MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAElB,OAAO,W;K;8
FAGX,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAd,C;UACI,MAA
M,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS
,WAAnB,EAA+B,WAA/B,C;;QAElB,OAAO,W;O;KAbX,C;4GAgBA,yB;MAAA,4F;MAAA,uC;QASI,eAAe,+B
AAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,
W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1
B,EAAsC,WAAtC,C;;QAElB,OAAO,W;O;KAjBX,C;0GAoBA,gC;MAQI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CA
AC,QAAS,cAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc,U
AAU,QAAS,WAAnB,EAA+B,WAA/B,C;;MAElB,OAAO,W;K;gFAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE;M
AAA,gD;QAkBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAAiB,CAArB,C;UAAwB,OAAO,
OAAO,OAAP,C;QACCc,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aFz2DO,W;QE02DP,kB
AAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UA
Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;8FAyBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAA
A,gD;QAoBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAAiB,CAArB,C;UAAwB,OA
AO,OAAO,OAAP,C;QACCc,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aFn4DO,W;QEo4DP,
YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAA
U,sBAAV,WAAmB,WAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAxBX,C;
4FA2BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,U
AAd,C;UAAyB,OAAO,W;QAChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAA
b,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aF95DO,W;QE+5DP,OAAO,QAAS,UAAhB,C;UACI,gBAAc,UAAU,aAAV,
EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD
;MAAA,kF;MAAA,gE;MAAA,uC;QAqBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;U

AAyB,OAAO,W;QAChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAA
kD,sBAAI,aAAJ,C;QAA/D,aFx7DO,W;QEy7DP,YAAY,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAc,WAA
U,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA
O,M;O;KAxBX,C;kFA2BA,+B;MAKoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;
QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACF,2B;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;IAGX,qC;MAIoB,U
AMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAA
wB,SAAxB,MAAzB,C;;MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;
QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;MAId,OAAO,+D;K;IAG
X,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,C,C;K;IAGX,+C;MAgBI,OAAO,sBAAS,IAAT,EA
Ae,IAAf,EAAsC,IAAtC,EAAwD,SAAxD,C,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,
kBAAc,KAAd,C;MAl2CgB,Q;MAAA,OAm2CT,SAn2CS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;
QAm2CK,IAAI,CAAC,SAAD,IAAY,OAn2CX,SAm2CW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAA
jD,mBAA8D,I;;QAn2CvE,qB;UAm2CD,MAn2CqC,WAAI,SAAJ,C;;MAm2C1D,OAAqB,M;K;IAGzB,sC;MAOI,
IAAI,QnB0jJG,YAAQ,CmB1jJf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;MA54Cd,
kBAAY,gB;MAsBH,Q;MAAA,OAu3CT,SAv3CS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAu3
CF,qBAv3Ca,OAu3Cb,CAv3CF,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAu3C3D,OAt3CO,W;K;IAy3CX,sC;MAO
I,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAz
5CT,kBAAY,gB;MAsBH,Q;MAAA,OAo4CT,SAp4CS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,
CAo4CF,qBAp4Ca,OAo4Cb,CAp4CF,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAo4C3D,OAn4CO,W;K;IAs4CX,sC;
MAOI,YAAqB,YAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAt6CT,kBAAY
,gB;MAsBH,Q;MAAA,OAi5CT,SAj5CS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAi5CF,qBAj5
Ca,OAi5Cb,CAj5CF,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAi5C3D,OAh5CO,W;K;8FAm5CX,yB;MAAA,8C;M
AAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;
QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAA
V,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,
MAAZ,C;O;KAfX,C;IAkBA,kC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,OAAL,C;MACpC,a
AAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,oC;M
AII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP
,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;
MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;M
AII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAArB,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,
MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EA
AK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;
MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAArB,I
AAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEP,eAAa,iBAAa,
SAAb,C;QACN,OAAP,QAAO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAA
O,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SA
AK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MAC
P,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAA
A,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAgB+C,oB;QAAA,OAAY,C;MAAG,8
B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;
QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1
B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAmB,cAAnB,C;QACb,gBAAY,CAAZ,C;QACA,Y;UAAO,c;UAAP,MAA
gB,CAAT,mBAAiB,QAAxB,E;YAAA,K;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IA
AI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;UbzpElD,WAAW,iBa0pEa,Ub1pEb,C;UWFX,mBAAc,CAAd
,YE4pEwB,UF5pExB,Y;YXG6B,eaypES,sBF3pE3B,OE2pEgC,GAAK,OAAL,IAAL,CbzpET,C;;UaypErB,MAAO
,WbxpER,IawpEQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAj

B,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;MExxEA,OAAgB,qBAAhB,C;QAAgB,gC
;QFyxEL,mBEzxEqB,OFyxErB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAA
A,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAA
K,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,
K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAc,SAAd,C;QACb,YAAY,C;QACZ,OAAgB,CAAT,qBAAiB,
QAAxB,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IAAmB,aAAa
,IAApC,C;YAA0C,K;UAC1C,QAAO,cAAK,KAAL,EAAY,QAAQ,UAAR,IAAZ,C;UACP,MAAO,WAAI,UAAU,
QAAV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAiB,oBAAjB,E
AA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEl0EA,OAAgB,qBAAhB,C;QAAgB,gC;QFm
0EL,mBAAI,UEn0EiB,OFm0EjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gBAXW,KAW
W,O;MACtB,WAAW,iBDjsEJ,MAAK,KCisEkB,mCAAwB,EAAxB,CDjsElB,ECisE+C,SDjsE/C,CCisED,C;MAC
X,QAAQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,
IAAK,WAhBqB,GAgBP,OAhBO,EAAnB,KAgBqB,CAAM,UAAN,EAAM,kBAAN,SAhBF,CAgBrB,C;;MAhBT,
OAkBO,I;K;+EAfX,yB;MAAA,kF;MAAA,gE;MD/rEA,iB;MC+rEA,8C;QAWoB,UAEsB,M;QALtC,gBAAgB,KA
AM,O;QACtB,WAAW,eDjsEJ,MAAK,KCisEkB,mCAAwB,EAAxB,CDjsElB,ECisE+C,SDjsE/C,CCisED,C;QAC
X,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,I
AAK,WAAI,UAAU,OAAV,EAAmB,MAAM,UAAN,EAAM,kBAAN,SAAnB,CAAJ,C;;QAET,OAAO,I;O;KAfX,
C;IAkBA,kC;MAkBI,YAAY,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBD9tEJ,MAAK,KC8tEkB,mCAAwB
,EAAxB,CD9tElB,EC8tEqD,wBAbtD,KAasD,EAAwB,EAAxB,CD9tErD,CC8tED,C;MACX,OAAO,KAAM,UAA
N,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WAfqB,GAeP,KAAM,OAfC,EAeO,MAAO,OAfd,CAerB,C;;MAfT,OA
iBO,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MD3tEA,iB;MC2tEA,8C;QAQI,YAAY,oB;QACZ,aAAa,KAAM,W;Q
ACnB,WAAW,eD9tEJ,MAAK,KC8tEkB,mCAAwB,EAAxB,CD9tElB,EC8tEqD,wBAAN,KAAM,EAAwB,EAAx
B,CD9tErD,CC8tED,C;QACX,OAAO,KAAM,UAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KA
AM,OAAhB,EAAwB,MAAO,OAA/B,CAAJ,C;;QAET,OAAO,I;O;KAdX,C;IAiBA,gC;MASW,sB;;QAaP,eAAe,o
B;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,ab51EoD,gB;Qa61EpD,cAAc,QAA
S,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAm
BK,IAnBL,CAmBlB,C;UACP,UAAU,I;;QAEd,qBAAO,M;;;MAtBP,yB;K;8FAGJ,yB;MAAA,qD;Mbt1EA,+D;Ma
s1EA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,OAAO,W;QAChC,ab51EoD,gB;Qa61EpD
,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAA
V,EAAmB,IAAnB,CAAJ,C;UACP,UAAU,I;;QAEd,OAAO,M;O;KAnBX,C;IAsBA,8F;MAQ6D,yB;QAAA,YAA0
B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA
A0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;M
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAAiB,MAAO,gBAAO,SAAP,C;QACxB,I
AAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;UACJ,K;;M
AEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OA
AP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAA
A,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAA
O,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE
,SAAtE,CAAiF,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,i
C;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAh
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW
,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,
YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAA
mB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,
Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;Q
ACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,M
AAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;
QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAg

B,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B
;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,
OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;
MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAn
B,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;M
AMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,
G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O
;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAA
hB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAiB,G;MACD,2
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,
UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IG1hFX,oC;
MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAAkC,UAAlC,C;K;IA
GX,mC;MAMI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,
C;K;IAoGrD,oC;MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAAkC
,UAAlC,C;K;IAGX,mC;MAMI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,C
AAnC,GAA0C,C;K;IC/NrD,6B;MAII,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB
,IAAI,CAAC,QAAS,UAAd,C;QACI,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAd,C;Q
ACI,OAAO,OhBkRiD,SgBlR1C,KhBkR+C,IAAL,EgBlR1C,KhBkRoD,MAAV,CgBlRjD,C;OACX,aAAa,iBAAsB
,cAAtB,C;MACb,MAAO,WhBgRqD,SgBhRjD,KhBgRsD,IAAL,EgBhRjD,KhBgR2D,MAAV,CgBhRrD,C;;QAE
wB,kBAAhB,QAAS,O;QAApB,MAAO,WhB8QiD,SAAK,eAAL,EAAU,iBAAV,CgB9QjD,C;;MACO,QAAT,QA
AS,W;MAClB,OAAO,M;K;sFAGX,yB;MAAA,+D;MASA,gD;MATA,uC;QAMW,kBAAU,gB;QAOD,Q;QAAA,
OhBsToE,iBAAQ,W;QgBtT5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,SAQlB,CAAU,OAAV,C;UACC,O
AAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W;O;KAjBX,C;0FASA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAA
A,OAAA,ShBsToE,QAAQ,W;QgBtT5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,
OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;8EAWA,yB;MAAA,gE;MAAA,uC;QAOW,kBAA
M,eAAa,cAAb,C;QAyBA,Q;QAAA,OhB+QuE,iBAAQ,W;QgB/Q5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,W
A1BiB,SA0Bb,CAAU,IAAV,CAAJ,C;;QA1BhB,OA2BO,W;O;KAlCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QA
KW,kBAAa,gB;QA4EJ,Q;QAAA,OhBoNoE,iBAAQ,W;QgBpN5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UA
AA,cARe,SAQf,CAoEQ,OApER,W;YAAsC,6B;;QAR3D,OASO,W;O;KAdX,C;gGAQA,yB;MAAA,oD;QAyEoB,
Q;QAAA,OhBoNoE,iBAAQ,W;QgBpN5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W
;YAAsC,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA,ShB+QuE,QAAQ,W;MgB/Q5
F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAChB,OAAO,W;K;8EAGX,gC;MA
OoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,ShBmQoE,QAAQ,W;MgBnQ5F,OAAgB,cAAh
B,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;
MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,K;MACN,OAAA,Sh
B+OoE,QAAQ,W;MgB/O5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA
O,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe
,OAAO,C;MACtB,YAAY,C;MACI,OAAA,ShB6NoE,QAAQ,W;MgB7N5F,OAAgB,cAAhB,C;QAAgB,yB;QAA
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,ShBoN
oE,QAAQ,W;MgBpN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kFAG1B,+B;MAOmB,kBA
AR,iB;MAAQ,gB;;QJghDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;SACzB,cAA
c,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;SACzB,eIphDqB,QJohDN,CAAS,O
AAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIvhDiB,QJuhDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,
C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MI7hDP,mB;K;sFAGJ,yB;MA
AA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;O;KALnB,C;kFAQA,+B;MAMmB,kBAAR,iB;
MAAQ,gB;;QJulDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,I;UAAP,iB;SACzB,cAAc,QAA
S,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,eAAO,O;UAAP,iB;SACzB,eI3lDqB,QJ2lDN,CAAS,OAAT,C;

;UAEX,QAAQ,QAAS,O;UACjB,QI9lDiB,QJ8lDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,
UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QAClB,eAAO,O;;;MIpmDP,mB;K;IAGJ,0C;MAII,OAAe,U
AAR,iBAAQ,EAAQ,UAAR,C;K;IAGnB,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,
C;QAAe,OAAO,I;MACN,OAAA,ShB+JoE,QAAQ,W;MgB/J5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UA
AU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKmC,Q;MAAA,OhBsJqD,iBAAQ,W
;MgBtJ7E,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;4FAGJ,qB;MAKI,OAAO,iB;K;
IAGX,iC;MAII,OAAe,aAAR,iBAAQ,C;K;gFtBlNnB,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAA
O,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,
C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;;QAQQ,
OAAc,QAAP,MAAO,EAAQ,SAAR,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAO
J,sC;;QAQQ,OAAc,SAAP,MAAO,EAAS,SAAT,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAH
V,O;;K;IAOJ,sC;;QAQQ,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CAAA,cAAK,IAAL,IAAe,CAA
f,IAAvB,CAAyC,C;;QACzD,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;
MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B
;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAA
a,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,QAAP,MAAO,EAAQ,SA
AR,C;K;IAGlB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,SAAP,MAAO,EAAS,SAAT,C;K;IAGl
B,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CA
AA,cAAK,IAAL,IAAe,CAAf,IAAvB,CAAyC,C;K;mFAG3D,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;o
FAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,
C;K;IAG9B,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IA
GX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2
BAAe,KAAf,C;K;IAGX,uC;MgBvHW,ShB6HM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EA
AT,CAAhB,GAAkC,K;K;IAG5E,uC;MgBhIW,ShBsIM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAA
S,EAAT,CAAhB,GAAkC,K;K;IAG7E,uC;MgBzIW,ShB+IM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2
BAAS,EAAT,CAAhB,GAAkC,K;K;IAG7E,uC;MgBlJW,ShBwJM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GA
AgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBnKW,ShB
yKM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG5E,uC;MgB5
KW,ShBkLM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG7E,uC
;MgBrLW,ShB2LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG
7E,uC;MgB9LW,ShBoMM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;
K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IAG
X,uC;MgBvNW,ShB4NM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;
K;IAG7E,uC;MgB/NW,ShBoOM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GA
AkC,K;K;IAG9E,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;M
gBzPW,ShB8PM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG5E,
uC;MgBjQW,ShBsQM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;I
AG7E,uC;MgBzQW,ShB8QM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAk
C,K;K;IAG9E,uC;MAMI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAS,KAAM,WAAf,C;
K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IAG
X,uC;MgBnTW,ShBwTM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;
K;IAG7E,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,+B;MAOI,O
AAO,sCAAe,yBAAgB,SAAhB,EAAAyB,EAAAzB,EAAAkC,EAAAlC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAg
B,SAAhB,EAAAyB,oBAAH,EAAAG,CAAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAAqB,SAArB,EAAAiC,EAAj
C,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAAqB,SAArB,EAAAiC,EAAjC,EAA0C,EAA1C,C;K;I
AG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAA
O,sCAAe,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,S
AAhB,EAAAyB,oBAAH,EAAAG,CAAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAAqB,SAArB,EAA8B,EAA9B,

EAAkC,EAAlC,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAsB,EAAtB,EAAkC,EAAlC,C;K;IAG1B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,oBAAL,EAAK,CAAL,EAAkB,EAAlB,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAAL,EAAK,CAAL,EAAgB,EAAhB,EAAkC,EAAlC,C;K;IAG1B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAAL,EAAK,CAAL,EAAgB,EAAhB,EAAkC,EAAlC,C;K;IAG1B,+B;MAII,OAAO,sCAAe,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,EAA7B,EAAiC,CAAjC,EAAmC,cAAnC,EAAkD,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,EAA7B,EAAiC,cAAjC,EAAgD,aAA7B,C;K;IAG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,EAA7B,EAAiC,CAAjC,EAAmC,IAA7B,C;K;IAG3B,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,EAA9B,EAAkC,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAAsB,EAAtB,EAA0B,cAA1B,EAAyC,EAAzC,EAAkD,SAAlD,EAA4D,KAA5D,EAAkE,GAAlE,EAAsE,CAAtE,EAAwE,GAAxE,EAA4E,CAA5E,EAA8E,GAA9E,EAAkF,CAAlF,EAAoF,IAApF,EAAyF,GAAzF,EAA6F,CAA7F,EAA+F,GAA/F,EAAmG,CAAnG,EAAqG,IAArG,EAA0G,GAA1G,EAA8G,CAA9G,EAAgH,GAAhH,EAAoH,CAApH,EAAsH,IAAtH,EAA2H,GAA3H,EAA+H,CAA/H,EAAiI,GAAjI,EAAqI,CAArI,EAAuI,IAAvI,EAA4I,GAA5I,EAAgJ,CAAhJ,EAAkJ,GAAlJ,EAAsJ,CAAtJ,EAAwJ,IAAxJ,EAA6J,GAA7J,EAAiK,CAAjK,EAAmK,GAAnK,EAAuK,CAAvK,EAAyK,IAAzK,EAA8K,GAA9K,EAAkL,CAAlL,EAAoL,GAApL,EAAwL,CAAxL,EAA0L,IAA1L,EAA+L,GAA/L,EAAmM,CAAnM,EAAqM,GAArM,EAAyM,CAAzM,EAA2M,IAA3M,EAAgN,GAAhN,EAAoN,CAApN,EAAsN,GAAtN,EAA0N,CAA1N,EAA4N,IAA5N,EAAiO,GAAjO,EAAqO,CAArO,EAAuO,GAAvO,EAA2O,CAA3O,EAA6O,IAA7O,EAAkP,GAAlP,EAAsP,CAAtP,EAAwP,GAAxP,EAA4P,CAA5P,EAA8P,IAA9P,EAAmQ,GAAnQ,EAAuQ,CAAvQ,EAAyQ,GAAzQ,EAA6Q,CAA7Q,EAA+Q,IAA/Q,EAAoR,GAApR,EAAwR,CAAxR,EAA0R,GAA1R,EAA8R,CAA9R,EAAgS,IAAhS,EAAqS,GAArS,EAAyS,CAAzS,EAA2S,GAA3S,EAA+S,CAA/S,EAAiT,IAAjT,EAAsT,GAAtT,EAA0T,CAA1T,EAA4T,GAA5T,EAAgU,CAAhU,EAAkU,IAAlU,EAAuU,GAAvU,EAA2U,CAA3U,EAA6U,GAA7U,EAAiV,CAAjV,EAAmV,IAAnV,EAAwV,GAAxV,EAA4V,CAA5V,EAA8V,GAA9V,EAAkW,CAAlW,EAAoW,IAApW,EAAyW,GAAzW,EAA6W,CAA7W,EAA+W,GAA/W,EAAmX,CAAnX,EAAqX,IAArX,EAA0X,GAA1X,EAA8X,CAA9X,EAAgY,GAAhY,EAAoY,CAApY,EAAsY,IAAtY,EAA2Y,GAA3Y,EAA+Y,CAA/Y,EAAiZ,GAAjZ,EAAqZ,CAArZ,EAAuZ,IAAvZ,EAA4Z,GAA5Z,EAAga,CAAha,EAAka,GAAla,EAAsa,CAAta,EAAwa,IAAxa,EAA6a,GAA7a,EAAib,CAAjb,EAAmb,GAAnb,EAAub,CAAvb,EAAyb,IAAzb,EAA8b,GAA9b,EAAkc,CAAlc,EAAoc,GAApc,EAAwc,CAAxc,EAA0c,IAA1c,EAA+c,GAA/c,EAAmd,CAAnd,EAAqd,GAArd,EAAyd,CAAzd,EAA2d,IAA3d,EAAge,GAAhe,EAAoe,CAApe,EAAse,GAAte,EAA0e,CAA1e,EAA4e,IAA5e,EAAif,GAAjf,EAAqf,CAArf,EAAuf,GAAvf,EAA2f,CAA3f,EAA6f,IAA7f,EAAkgB,GAAlgB,EAAsgB,CAAtgB,EAAwgB,GAAxgB,EAA4gB,CAA5gB,EAA8gB,IAA9gB,EAAmhB,GAAnhB,EAAuhB,CAAvhB,EAAyhB,GAAzhB,EAA6hB,CAA7hB,EAA+hB,IAA/hB,EAAoiB,GAApiB,EAAwiB,CAAxiB,EAA0iB,GAA1iB,EAA8iB,CAA9iB,EAAgjB,IAAhjB,EAAqjB,GAArjB,EAAyjB,CAAzjB,EAA2jB,GAA3jB,EAA+jB,CAA/jB,EAAikB,IAAjkB,EAAskB,GAAtkB,EAA0kB,CAA1kB,EAA4kB,GAA5kB,EAAglB,CAAhlB,EAAklB,IAAllB,EAAulB,GAAvlB,EAA2lB,CAA3lB,EAA6lB,GAA7lB,EAAimB,CAAjmB,EAAmmB,IAAnmB,EAAwmB,GAAxmB,EAA4mB,CAA5mB,EAA8mB,GAA9mB,EAAknB,CAAlnB,EAAonB,IAApnB,EAAynB,GAAznB,EAA6nB,CAA7nB,EAA+nB,GAA/nB,EAAmoB,CAAnoB,EAAqoB,IAAroB,EAA0oB,GAA1oB,EAA8oB,CAA9oB,EAAgpB,GAAhpB,EAAopB,CAAppB,EAAspB,IAAtpB,EAA2pB,GAA3pB,EAA+pB,CAA/pB,EAAiqB,GAAjqB,EAAqqB,CAArqB,EAAuqB,IAAvqB,EAA4qB,GAA5qB,EAAgrB,CAAhrB,EAAkrB,GAAlrB,EAAsrB,CAAtrB,EAAwrB,IAAxrB,EAA6rB,GAA7rB,EAAisB,CAAjsB,EAAmsB,GAAnsB,EAAusB,CAAvsB,EAAysB,IAAzsB,EAA8sB,GAA9sB,EAAktB,CAAltB,EAAotB,GAAptB,EAAwtB,CAAxtB,EAA0tB,IAA1tB,EAA+tB,GAA/tB,EAAmuB,CAAnuB,EAAquB,GAAruB,EAAyuB,CAAzuB,EAA2uB,IAA3uB,EAAgvB,GAAhvB,EAAovB,CAApvB,EAAsvB,GAAtvB,EAA0vB,CAA1vB,EAA4vB,IAA5vB,EAAiwB,GAAjwB,EAAqwB,CAArwB,EAAuwB,GAAvwB,EAA2wB,CAA3wB,EAA6wB,IAA7wB,EAAkxB,GAAlxB,EAAsxB,CAAtxB,EAAwxB,GAAxxB,EAA4xB,CAA5xB,EAA8xB,IAA9xB,EAAmyB,GAAnyB,EAAuyB,CAAvyB,EAAyyB,GAAzyB,EAA6yB,CAA7yB,EAA+yB,IAA/yB,EAAozB,GAApzB,EAAwzB,CAAxzB,EAA0zB,GAA1zB,EAA8zB,CAA9zB,EAAg0B,IAAh0B,EAAq0B,GAAr0B,EAAy0B,CAAz0B,EAA20B,GAA30B,EAA+0B,CAA/0B,EAAi1B,IAAj1B,EAAs1B,GAAt1B,EAA01B,CAA11B,EAA41B,GAA51B,EAAg2B,CAAh2B,EAAk2B,IAAl2B,EAAu2B,GAAv2B,EAA22B,CAA32B,EAA62B,GAA72B,EAAi3B,CAAj3B,EAAm3B,IAAn3B,EAAw3B,GAAx3B,EAA43B,CAA53B,EAA83B,GAA93B,EAAk4B,CAAl4B,EAAo4B,IAAp4B,EAAy4B,GAAz4B,EAA64B,CAA74B,EAA+4B,GAA/4B,EAAm5B,CAAn5B,EAAq5B,IAAr5B,EAA05B,GAA15B,EAA85B,CAA95B,EAAg6B,GAAh6B,EAAo6B,CAAp6B,EAAs6B,IAAt6B,EAA26B,GAA36B,EAA+6B,CAA/6B,EAAi7B,GAAj7B,EAAq7B,CAAr7B,EAAu7B,IAAv7B,EAA47B,GAA57B,EAAg8B,CAAh8B,EAAk8B,GAAl8B,EAAs8B,CAAt8B,EAAw8B,IAAx8B,EAA68B,GAA78B,EAAi9B,CAAj9B,EAAm9B,GAAn9B,EAAu9B,CAAv9B,EAAy9B,IAAz9B,EAA89B,GAA99B,EAAk+B,CAAl+B,EAAo+B,GAAp+B,EAAw+B,CAAx+B,EAA0+B,IAA1+B,EAA++B,GAA/+B,EAAm/B,CAAn/B,EAAq/B,GAAr/B,EAAy/B,CAAz/B,EAA2/B,IAA3/B,EAAggC,GAAhgC,EAAogC,CAApgC,EAAsgC,GAAtgC,EAA0gC,CAA1gC,EAA4gC,IAA5gC,EAAihC,GAAjhC,EAAqhC,CAArhC,EAAuhC,GAAvhC,EAA2hC,CAA3hC,EAA6hC,IAA7hC,EAAkiC,GAAliC,EAAsiC,CAAtiC,EAAwiC,GAAxiC,EAA4iC,CAA5iC,EAA8iC,IAA9iC,EAAmjC,GAAnjC,EAAujC,CAAvjC,EAAyjC,GAAzjC,EAA6jC,CAA7jC,EAA+jC,IAA/jC,EAAokC,GAApkC,EAAwkC,CAAxkC,EAA0kC,GAA1kC,EAA8kC,CAA9kC,EAAglC,IAAhlC,EAAqlC,GAArlC,EAAylC,CAAzlC,EAA2lC,GAA3lC,EAA+lC,CAA/lC,EAAimC,IAAjmC,EAAsmC,GAAtmC,EAA0mC,CAA1mC,EAA4mC,GAA5mC,EAAgnC,CAAhnC,EAAknC,IAAlnC,EAAunC,GAAvnC,EAA2nC,CAA3nC,EAA6nC,GAA7nC,EAAioC,CAAjoC,EAAmoC,IAAnoC,EAAwoC,GAAxoC,EAA4oC,CAA5oC,EAA8oC,GAA9oC,EAAkpC,CAAlpC,EAAopC,IAAppC,EAAypC,GAAzpC,EAA6pC,CAA7pC,EAA+pC,GAA/pC,EAAmqC,CAAnqC,EAAqqC,IAArqC,EAA0qC,GAA1qC,EAA8qC,CAA9qC,EAAgrC,GAAhrC,EAAorC,CAAprC,EAAsrC,IAAtrC,EAA2rC,GAA3rC,EAA+rC,CAA/rC,EAAisC,GAAjsC,EAAqsC,CAArsC,EAAusC,IAAvsC,EAA4sC,GAA5sC,EAAgtC,CAAhtC,EAAktC,GAAltC,EAAstC,CAAttC,EAAwtC,IAAxtC,EAA6tC,GAA7tC,EAAiuC,CAAjuC,EAAmuC,GAAnuC,EAAuuC,CAAvuC,EAAyuC,IAAzuC,EAA8uC,GAA9uC,EAAkvC,CAAlvC,EAAovC,GAApvC,EAAwvC,CAAxvC,EAA0vC,IAA1vC,EAA+vC,GAA/vC,EAAmwC,CAAnwC,EAAqwC,GAArwC,EAAywC,CAAzwC,EAA2wC,IAA3wC,EAAgxC,GAAhxC,EAAoxC,CAApxC,EAAsxC,GAAtxC,EAA0xC,CAA1xC,EAA4xC,IAA5xC,EAAiyC,GAAjyC,EAAqyC,CAAryC,EAAuyC,GAAvyC,EAA2yC,CAA3yC,EAA6yC,IAA7yC,EAAkzC,GAAlzC,EAAszC,CAAtzC,EAAwzC,GAAxzC,EAA4zC,CAA5zC,EAA8zC,IAA9zC,EAAm0C,GAAn0C,EAAu0C,CAAv0C,EAAy0C,GAAz0C,EAA60C,CAA70C,EAA+0C,IAA/0C,EAAo1C,GAAp1C,EAAw1C,CAAx1C,EAA01C,GAA11C,EAA81C,CAA91C,EAAg2C,IAAh2C,EAAq2C,GAAr2C,EAAy2C,CAAz2C,EAA22C,GAA32C,EAA+2C,CAA/2C,EAAi3C,IAAj3C,EAAs3C,GAAt3C,EAA03C,CAA13C,EAA43C,GAA53C,EAAg4C,CAAh4C,EAAk4C,IAAl4C,EAAu4C,GAAv4C,EAA24C,CAA34C,EAA64C,GAA74C,EAAi5C,CAAj5C,EAAm5C,IAAn5C,EAAw5C,GAAx5C,EAA45C,CAA55C,EAA85C,GAA95C,EAAk6C,CAAl6C,EAAo6C,IAAp6C,EAAy6C,GAAz6C,EAA66C,CAA76C,EAA+6C,GAA/6C,EAAm7C,CAAn7C,EAAq7C,IAAr7C,EAA07C,GAA17C,EAA87C,CAA97C,EAAg8C,GAAh8C,EAAo8C,CAAp8C,EAAs8C,IAAt8C,EAA28C,GAA38C,EAA+8C,CAA/8C,EAAi9C,GAAj9C,EAAq9C,CAAr9C,EAAu9C,IAAv9C,EAA49C,GAA59C,EAAg+C,CAAh+C,EAAk+C,GAAl+C,EAAs+C,CAAt+C,EAAw+C,IAAx+C,EAA6+C,GAA7+C,EAAi/C,CAAj/C,EAAm/C,GAAn/C,EAAu/C,CAAv/C,EAAy/C,IAAz/C,EAA8/C,GAA9/C,EAAkgD,CAAlgD,EAAogD,GAApgD,EAAwgD,CAAxgD,EAA0gD,IAA1gD,EAA+gD,GAA/gD,EAAmhD,CAAnhD,EAAqhD,GAArhD,EAAyhD,CAAzhD,EAA2hD,IAA3hD,EAAgiD,GAAhiD,EAAoiD,CAApiD,EAAsiD,GAAtiD,EAA0iD,CAA1iD,EAA4iD,IAA5iD,EAAijD,GAAjjD,EAAqjD,CAArjD,EAAujD,GAAvjD,EAA2jD,CAA3jD,EAA6jD,IAA7jD,EAAkkD,GAAlkD,EAAskD,CAAtkD,EAAwkD,GAAxkD,EAA4kD,CAA5kD,EAA8kD,IAA9kD,EAAmlD,GAAnlD,EAAulD,CAAvlD,EAAylD,GAAzlD,EAA6lD,CAA7lD,EAA+lD,IAA/lD,EAAomD,GAApmD,EAAwmD,CAAxmD,EAA0mD,GAA1mD,EAA8mD,CAA9mD,EAAgnD,IAAhnD,EAAqnD,GAArnD,EAAynD,CAAznD,EAA2nD,GAA3nD,EAA+nD,CAA/nD,EAAioD,IAAjoD,EAAsoD,GAAtoD,EAA0oD,CAA1oD,EAA4oD,GAA5oD,EAAgpD,CAAhpD,EAAkpD,IAAlpD,EAAupD,GAAvpD,EAA2pD,CAA3pD,EAA6pD,GAA7pD,EAAiqD,CAAjqD,EAAmqD,IAAnqD,EAAwqD,GAAxqD,EAA4qD,CAA5qD,EAA8qD,GAA9qD,EAAkrD,CAAlrD,EAAorD,IAAprD,EAAyrD,GAAzrD,EAA6rD,CAA7rD,EAA+rD,GAA/rD,EAAmsD,CAAnsD,EAAqsD,IAArsD,EAA0sD,GAA1sD,EAA8sD,CAA9sD,EAAgtD,GAAhtD,EAAotD,CAAptD,EAAstD,IAAttD,EAA2tD,GAA3tD,EAA+tD,CAA/tD,EAAiuD,GAAjuD,EAAquD,CAAruD,EAAuuD,IAAvuD,EAA4uD,GAA5uD,EAAgvD,CAAhvD,EAAkvD,GAAlvD,EAAsvD,CAAtvD,EAAwvD,IAAxvD,EAA6vD,GAA7vD,EAAiwD,CAAjwD,EAAmwD,GAAnwD,EAAuwD,CAAvwD,EAAywD,IAAzwD,EAA8wD,GAA9wD,EAAkxD,CAAlxD,EAAoxD,GAApxD,EAAwxD,CAAxxD,EAA0xD,IAA1xD,EAA+xD,GAA/xD,EAAmyD,CAAnyD,EAAqyD,GAAryD,EAAyyD,CAAzyD,EAA2yD,IAA3yD,EAAgzD,GAAhzD,EAAozD,CAApzD,EAAszD,GAAtzD,EAA0zD,CAA1zD,EAA4zD,IAA5zD,EAAi0D,GAAj0D,EAAq0D,CAAr0D,EAAu0D,GAAv0D,EAA20D,CAA30D,EAA60D,IAA70D,EAAk1D,GAAl1D,EAAs1D,CAAt1D,EAAw1D,GAAx1D,EAA41D,CAA51D,EAA81D,IAA91D,EAAm2D,GAAn2D,EAAu2D,CAAv2D,EAAy2D,GAAz2D,EAA62D,CAA72D,EAA+2D,IAA/2D,EAAo3D,GAAp3D,EAAw3D,CAAx3D,EAA03D,GAA13D,EAA83D,CAA93D,EAAg4D,IAAh4D,EAAq4D,GAAr4D,EAAy4D,CAAz4D,EAA24D,GAA34D,EAA+4D,CAA/4D,EAAi5D,IAAj5D,EAAs5D,GAAt5D,EAA05D,CAA15D,EAA45D,GAA55D,EAAg6D,CAAh6D,EAAk6D,IAAl6D,EAAu6D,GAAv6D,EAA26D,CAA36D,EAA66D,GAA76D,EAAi7D,CAAj7D,EAAm7D,IAAn7D,EAAw7D,GAAx7D,EAA47D,CAA57D,EAA87D,GAA97D,EAAk8D,CAAl8D,EAAo8D,IAAp8D,EAAy8D,GAAz8D,EAA68D,CAA78D,EAA+8D,GAA/8D,EAAm9D,CAAn9D,EAAq9D,IAAr9D,EAA09D,GAA19D,EAA89D,CAA99D,EAAg+D,GAAh+D,EAAo+D,CAAp+D,EAAs+D,IAAt+D,EAA2+D,GAA3+D,EAA++D,CAA/+D,EAAi/D,GAAj/D,EAAq/D,CAAr/D,EAAu/D,IAAv/D,EAA4/D,GAA5/D,EAAggE,CAAhgE,EAAkgE,GAAlgE,EAAsgE,CAAtgE,EAAwgE,IAAxgE,EAA6gE,GAA7gE,EAAihE,CAAjhE,EAAmhE,GAAnhE,EAAuhE,CAAvhE,EAAyhE,IAAzhE,EAA8hE,GAA9hE,EAAkiE,CAAliE,EAAoiE,GAApiE,EAAwiE,CAAxiE,EAA0iE,IAA1iE,EAA+iE,GAA/iE,EAAmjE,CAAnjE,EAAqjE,GAArjE,EAAyjE,CAAzjE,EAA2jE,IAA3jE,EAAgkE,GAAhkE,EAAokE,CAApkE,EAAskE,GAAtkE,EAA0kE,CAA1kE,EAA4kE,IAA5kE,EAAilE,GAAjlE,EAAqlE,CAArlE,EAAulE,GAAvlE,EAA2lE,CAA3lE,EAA6lE,IAA7lE,EAAkmE,GAAlmE,EAAsmE,CAAtmE,EAAwmE,GAAxmE,EAA4mE,CAA5mE,EAA8mE,IAA9mE,EAAmnE,GAAnnE,EAAunE,CAAvnE,EAAynE,GAAznE,EAA6nE,CAA7nE,EAA+nE,IAA/nE,EAAooE,GAApoE,EAAwoE,CAAxoE,EAA0oE,GAA1oE,EAA8oE,CAA9oE,EAAgpE,IAAhpE,EAAqpE,GAArpE,EAAypE,CAAzpE,EAA2pE,GAA3pE,EAA+pE,CAA/pE,EAAiqE,IAAjqE,EAAsqE,GAAtqE,EAA0qE,CAA1qE,EAA4qE,GAA5qE,EAAgrE,CAAhrE,EAAkrE,IAAlrE,EAAurE,GAAvrE,EAA2rE,CAA3rE,EAA6rE,GAA7rE,EAAisE,CAAjsE,EAAmsE,IAAnsE,EAAwsE,GAAxsE,EAA4sE,CAA5sE,EAA8sE,GAA9sE,EAAktE,CAAltE,EAAotE,IAAptE,EAAytE,GAAztE,EAA6tE,CAA7tE,EAA+tE,GAA/tE,EAAmuE,CAAnuE,EAAquE,IAAruE,EAA0uE,GAA1uE,EAA8uE,CAA9uE,EAAgvE,GAAhvE,EAAovE,CAApvE,EAAsvE,IAAtvE,EAA2vE,GAA3vE,EAA+vE,CAA/vE,EAAiwE,GAAjwE,EAAqwE,CAArwE,EAAuwE,IAAvwE,EAA4wE,GAA5wE,EAAgxE,CAAhxE,EAAkxE,GAAlxE,EAAsxE,CAAtxE,EAAwxE,IAAxxE,EAA6xE,GAA7xE,EAAiyE,CAAjyE,EAAmyE,GAAnyE,EAAuyE,CAAvyE,EAAyyE,IAAzyE,EAA8yE,GAA9yE,EAAkzE,CAAlzE,EAAozE,GAApzE,EAAwzE,CAAxzE,EAA0zE,IAA1zE,EAA+zE,GAA/zE,EAAm0E,CAAn0E,EAAq0E,GAAr0E,EAAy0E,CAAz0E,EAA20E,IAA30E,EAAg1E,GAAh1E,EAAo1E,CAAp1E,EAAs1E,GAAt1E,EAA01E,CAA11E,EAA41E,IAA51E,EAAi2E,GAAj2E,EAAq2E,CAAr2E,EAAu2E,GAAv2E,EAA22E,CAA32E,EAA62E,IAA72E,EAAk3E,GAAl3E,EAAs3E,CAAt3E,EAAw3E,GAAx3E,EAA43E,CAA53E,EAA83E,IAA93E,EAAm4E,GAAn4E,EAAu4E,CAAv4E,EAAy4E,GAAz4E,EAA64E,CAA74E,EAA+4E,IAA/4E,EAAo5E,GAAp5E,EAAw5E,CAAx5E,EAA05E,GAA15E,EAA85E,CAA95E,EAAg6E,IAAh6E,EAAq6E,GAAr6E,EAAy6E,CAAz6E,EAA26E,GAA36E,EAA+6E,CAA/6E,EAAi7E,IAAj7E,EAAs7E,GAAt7E,EAA07E,CAA17E,EAA47E,GAA57E,EAAg8E,CAAh8E,EAAk8E,IAAl8E,EAAu8E,GAAv8E,EAA28E,CAA38E,EAA68E,GAA78E,EAAi9E,CAAj9E,EAAm9E,IAAn9E,EAAw9E,GAAx9E,EAA49E,CAA59E,EAA89E,GAA99E,EAAk+E,CAAl+E,EAAo+E,IAAp+E,EAAy+E,GAAz+E,EAA6+E,CAA7+E,EAA++E,GAA/+E,EAAm/E,CAAn/E,EAAq/E,IAAr/E,EAA0/E,GAA1/E,EAA8/E,CAA9/E,EAAggF,GAAhgF,EAAogF,CAApgF,EAAsgF,IAAtgF,EAA2gF,GAA3gF,EAA+gF,CAA/gF,EAAihF,GAAjhF,EAAqhF,CAArhF,EAAuhF,IAAvhF,EAA4hF,GAA5hF,EAAgiF,CAAhiF,EAAkiF,GAAliF,EAAsiF,CAAtiF,EAAwiF,IAAxiF,EAA6iF,GAA7iF,EAAijF,CAAjjF,EAAmjF,GAAnjF,EAAujF,CAAvjF,EAAyjF,IAAzjF,EAA8jF,GAA9jF,EAAkkF,CAAlkF,EAAokF,GAApkF,EAAwkF,CAAxkF,EAA0kF,IAA1kF,EAA+kF,GAA/kF,EAAmlF,CAAnlF,EAAqlF,GAArlF,EAAylF,CAAzlF,EAA2lF,IAA3lF,EAAgmF,GAAhmF,EAAomF,CAApmF,EAAsmF,GAAtmF,EAA0mF,CAA1mF,EAA4mF,IAA5mF,EAAinF,GAAjnF,EAAqnF,CAArnF,EAAunF,GAAvnF,EAA2nF,CAA3nF,EAA6nF,IAA7nF,EAAkoF,GAAloF,EAAsoF,CAAtoF,EAAwoF,GAAxoF,EAA4oF,CAA5oF,EAA8oF,IAA9oF,EAAmpF,GAAnpF,EAAupF,CAAvpF,EAAypF,GAAzpF,EAA6pF,CAA7pF,EAA+pF,IAA/pF,EAAoqF,GAApqF,EAAwqF,CAAxqF,EAA0qF,GAA1qF,EAA8qF,CAA9qF,EAAgrF,IAAhrF,EAAqrF,GAArrF,EAAyrF,CAAzrF,EAA2rF,GAA3rF,EAA+rF,CAA/rF,EAAisF,IAAjsF,EAAssF,GAAtsF,EAA0sF,CAA1sF,EAA4sF,GAA5sF,EAAgtF,CAAhtF,EAAktF,IAAltF,EAAutF,GAAvtF,EAA2tF,CAA3tF,EAA6tF,GAA7tF,EAAiuF,CAAjuF,EAAmuF,IAAnuF,EAAwuF,GAAxuF,EAA4uF,CAA5uF,EAA8uF,GAA9uF,EAAkvF,CAAlvF,EAAovF,IAApvF,EAAyvF,GAAzvF,EAA6vF,CAA7vF,EAA+vF,GAA/vF,EAAmwF,CAAnwF,EAAqwF,IAArwF,EAA0wF,GAA1wF,EAA8wF,CAA9wF,EAAgxF,GAAhxF,EAAoxF,CAApxF,EAAsxF,IAAtxF,EAA2xF,GAA3xF,EAA+xF,CAA/xF,EAAiyF,GAAjyF,EAAqyF,CAAryF,EAAuyF,IAAvyF,EAA4yF,GAA5yF,EAAgzF,CAAhzF,EAAkzF,GAAlzF,EAAszF,CAAtzF,EAAwzF,IAAxzF,EAA6zF,GAA7zF,EAAi0F,CAAj0F,EAAm0F,GAAn0F,EAAu0F,CAAv0F,EAAy0F,IAAz0F,EAA80F,GAA90F,EAAk1F,CAAl1F,EAAo1F,GAAp1F,EAAw1F,CAAx1F,EAA01F,IAA11F,EAA+1F,GAA/1F,EAAm2F,CAAn2F,EAAq2F,GAAr2F,EAAy2F,CAAz2F,EAA22F,IAA32F,EAAg3F,GAAh3F,EAAo3F,CAAp3F,EAAs3F,GAAt3F,EAA03F,CAA13F,EAA43F,IAA53F,EAAi4F,GAAj4F,EAAq4F,CAAr4F,EAAu4F,GAAv4F,EAA24F,CAA34F,EAA64F,IAA74F,EAAk5F,GAAl5F,EAAs5F,CAAt5F,EAAw5F,GAAx5F,EAA45F,CAA55F,EAA85F,IAA95F,EAAm6F,GAAn6F,EAAu6F,CAAv6F,EAAy6F,GAAz6F,EAA66F,CAA76F,EAA+6F,IAA/6F,EAAo7F,GAAp7F,EAAw7F,CAAx7F,EAA07F,GAA17F,EAA87F,CAA97F,EAAg8F,IAAh8F,EAAq8F,GAAr8F,EAAy8F,CAAz8F,EAA28F,GAA38F,EAA+8F,CAA/8F,EAAi9F,IAAj9F,EAAs9F,GAAt9F,EAA09F,CAA19F,EAA49F,GAA59F,EAAg+F,CAAh+F,EAAk+F,IAAl+F,EAAu+F,GAAv+F,EAA2+F,CAA3+F,EAA6+F,GAA7+F,EAAi/F,CAAj/F,EAAm/F,IAAn/F,EAAw/F,GAAx/F,EAA4/F,CAA5/F,EAA8/F,GAA9/F,EAAkgG,CAAlgG,EAAogG,IAApgG,EAAygG,GAAzgG,EAA6gG,CAA7gG,EAA+gG,GAA/gG,EAAmhG,CAAnhG,EAAqhG,IAArhG,EAA0hG,GAA1hG,EAA8hG,CAA9hG,EAAgiG,GAAhiG,EAAoiG,CAApiG,EAAsiG,IAAtiG,EAA2iG,GAA3iG,EAA+iG,CAA/iG,EAAijG,GAAjjG,EAAqjG,CAArjG,EAAujG,IAAvjG,EAA4jG,GAA5jG,EAAgkG,CAAhkG,EAAkkG,GAAlkG,EAAskG,CAAtkG,EAAwkG,IAAxkG,EAA6kG,GAA7kG,EAAilG,CAAjlG,EAAmlG,GAAnlG,EAAulG,CAAvlG,EAAylG,IAAzlG,EAA8lG,GAA9lG,EAAkmG,CAAlmG,EAAomG,GAApmG,EAAwmG,CAAxmG,EAA0mG,IAA1mG,EAA+mG,GAA/mG,EAAmnG,CAAnnG,EAAqnG,GAArnG,EAAynG,CAAznG,EAA2nG,IAA3nG,EAAgoG,GAAhoG,EAAooG,CAApoG,EAAsoG,GAAtoG,EAA0oG,CAA1oG,EAA4oG,IAA5oG,EAAipG,GAAjpG,EAAqpG,CAArpG,EAAupG,GAAvpG,EAA2pG,CAA3pG,EAA6pG,IAA7pG,EAAkqG,GAAlqG,EAAsqG,CAAtqG,EAAwqG,GAAxqG,EAA4qG,CAA5qG,EAA8qG,IAA9qG,EAAmrG,GAAnrG,EAAurG,CAAvrG,EAAyrG,GAAzrG,EAA6rG,CAA7rG,EAA+rG,IAA/rG,EAAosG,GAApsG,EAAwsG,CAAxsG,EAA0sG,GAA1sG,EAA8sG,CAA9sG,EAAgtG,IAAhtG,EAAqtG,GAArtG,EAAytG,CAAztG,EAA2tG,GAA3tG,EAA+tG,CAA/tG,EAAiuG,IAAjuG,EAAsuG,GAAtuG,EAA0uG,CAA1uG,EAA4uG,GAA5uG,EAAgvG,CAAhvG,EAAkvG,IAAlvG,EAAuvG,GAAvvG,EAA2vG,CAA3vG,EAA6vG,GAA7vG,EAAiwG,CAAjwG,EAAmwG,IAAnwG,EAAwwG,GAAxwG,EAA4wG,CAA5wG,EAA8wG,GAA9wG,EAAkxG,CAAlxG,EAAoxG,IAApxG,EAAyxG,GAAzxG,EAA6xG,CAA7xG,EAA+xG,GAA/xG,EAAmyG,CAAnyG,EAAqyG,IAAryG,EAA0yG,GAA1yG,EAA8yG,CAA9yG,EAAgzG,GAAhzG,EAAozG,CAApzG,EAAszG,IAAtzG,EAA2zG,GAA3zG,EAA+zG,CAA/zG,EAAi0G,GAAj0G,EAAq0G,CAAr0G,EAAu0G,IAAv0G,EAA40G,GAA50G,EAAg1G,CAAh1G,EAAk1G,GAAl1G,EAAs1G,CAAt1G,EAAw1G,IAAx1G,EAA61G,GAA71G,EAAi2G,CAAj2G,EAAm2G,GAAn2G,EAAu2G,CAAv2G,EAAy2G,IAAz2G,EAA82G,GAA92G,EAAk3G,CAAl3G,EAAo3G,GAAp3G,EAAw3G,CAAx3G,EAA03G,IAA13G,EAA+3G,GAA/3G,EAAm4G,CAAn4G,EAAq4G,GAAr4G,EAAy4G,CAAz4G,EAA24G,IAA34G,EAAg5G,GAAh5G,EAAo5G,CAAp5G,EAAs5G,GAAt5G,EAA05G,CAA15G,EAA45G,IAA55G,EAAi6G,GAAj6G,EAAq6G,CAAr6G,EAAu6G,GAAv6G,EAA26G,CAA36G,EAA66G,IAA76G,EAAk7G,GAAl7G,EAAs7G,CAAt7G,EAAw7G,GAAx7G,EAA47G,CAA57G,EAA87G,IAA97G,EAAm8G,GAAn8G,EAAu8G,CAAv8G,EAAy8G,GAAz8G,EAA68G,CAA78G,EAA+8G,IAA/8G,EAAo9G,GAAp9G,EAAw9G,CAAx9G,EAA09G,GAA19G,EAA89G,CAA99G,EAAg+G,IAAh+G,EAAq+G,GAAr+G,EAAy+G,CAAz+G,EAA2+G,GAA3+G,EAA++G,CAA/+G,EAAi/G,IAAj/G,EAAs/G,GAAt/G,EAA0/G,CAA1/G,EAA4/G,GAA5/G,EAAggH,CAAhgH,EAAkgH,IAAlgH,EAAugH,GAAvgH,EAA2gH,CAA3gH,EAA6gH,GAA7gH,EAAihH,CAAjhH,EAAmhH,IAAnhH,EAAwhH,GAAxhH,EAA4hH,CAA5hH,EAA8hH,GAA9hH,EAAkiH,CAAliH,EAAoiH,IAApiH,EAAyiH,GAAziH,EAA6iH,CAA7iH,EAA+iH,GAA/iH,EAAmjH,CAAnjH,EAAqjH,IAArjH,EAA0jH,GAA1jH,EAA8jH,CAA9jH,EAAgkH,GAAhkH,EAAokH,CAApkH,EAAskH,IAAtkH,EAA2kH,GAA3kH,EAA+kH,CAA/kH,EAAilH,GAAjlH,EAAqlH,CAArlH,EAAulH,IAAvlH,EAA4lH,GAA5lH,EAAgmH,CAAhmH,EAAkmH,GAAlmH,EAAsmH,CAAtmH,EAAwmH,IAAxmH,EAA6mH,GAA7mH,EAAinH,CAAjnH,EAAmnH,GAAnnH,EAAunH,CAAvnH,EAAynH,IAAznH,EAA8nH,GAA9nH,EAAkoH,CAAloH,EAAooH,GAApoH,EAAwoH,CAAxoH,EAA0oH,IAA1oH,EAA+oH,GAA/oH,EAAmpH,CAAnpH,EAAqpH,GAArpH,EAAypH,CAAzpH,EAA2pH,IAA3pH,EAAgqH,GAAhqH,EAAoqH,CAApqH,EAAsqH,GAAtqH,EAA0qH,CAA1qH,EAA4qH,IAA5qH,EAAirH,GAAjrH,EAAqrH,CAArrH,EAAurH,GAAvrH,EAA2rH,CAA3rH,EAA6rH,IAA7rH,EAAksH,GAAlsH,EAAssH,CAAtsH,EAAwsH,GAAxsH,EAA4sH,CAA5sH,EAA8sH,IAA9sH,EAAmtH,GAAntH,EAAutH,CAAvtH,EAAytH,GAAztH,EAA6tH,CAA7tH,EAA+tH,IAA/tH,EAAouH,GAApuH,EAAwuH,CAAxuH,EAA0uH,GAA1uH,EAA8uH,CAA9uH,EAAgvH,IAAhvH,EAAqvH,GAArvH,EAAyvH,CAAzvH,EAA2vH,GAA3vH,EAA+vH,CAA/vH,EAAiwH,IAAjwH,EAAswH,GAAtwH,EAA0wH,CAA1wH,EAA4wH,GAA5wH,EAAgxH,CAAhxH,EAAkxH

YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,G
AA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YA
AO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GA
A2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAA
O,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;I
AGtD,iD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,Y
AAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGt
D,yD;MAQI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM
,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,
Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAA
P,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,
Y;;MAE7D,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BA
AoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAA
yB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,Y
AAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YA
AX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,
oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,
YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,
MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB
,OAAO,Y;MAChC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;MAQI,IAAI,
eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,
YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,2D;M
AQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IA
AI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;I
AGX,sC;MAUW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAG
vB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MA
AvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAA
qC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,K
AAM,a;;QACvG,gB;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAY,
KAAZ,C;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gCAA
O,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAmC,OAAN,KAAM,a;;Q
AC3B,gB;MAHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAc,KAAd,C;O
AEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gBAAO,KAAM,
MAAb,C;QAA4B,OAAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAmC,OAAN,KAAM,a;;QAC3B,gB;M
AHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAe,KAAf,C;OAEhB,IAAI,
KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAAM,MAAb,M;Q
AA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAmC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;
IU1qCJ,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;IaQA,yC;MAMI,OAAO,sBAAQ,OAAR,K
AAoB,C;K;IAWG,2C;MAAA,qB;QAAE,MAAM,8BAA0B,+CAA4C,aAA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,
OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;K;IAGX,4D;MAcqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAA
O,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QAC
vB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MA
cqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,U
AAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OA
AO,I;K;8EAGX,gC;MAOW,sB;;QAuDS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvDH,SA
uDO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxDP,yB;K;uFAGJ,gC;MAo
LoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IA9Kc,SA8KV,CAAU,OAA
V,CAAJ,C;UACI,OAAO,O;;MA/Kf,OAkLO,I;K;IA/KX,6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;

QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;iFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;Q
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACr
D,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;IAWA,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QA
CI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,
yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,Y
AAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,C
AAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAA
Y,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C
;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAgBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,g
BAAgB,E;QAChB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAnB,C;UACA,IA
AI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UAChB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAOI,eAAe,oB;M
ACf,IAAI,CAAC,QAAS,UAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO
,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MA
AA,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
CZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAA
M,gCAAuB,sDAAvB,C;QAElB,OAAO,2E;O;KAjBX,C;IAoBA,4C;MAQiB,Q;MAFb,gBAAgB,E;MAChB,YAAY
,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,
C;UACI,YAAY,K;QAChB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,
C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,O
AAO,I;K;2FAGX,gC;MAOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IA
AI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,Q
AAS,UAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,
MAAM,gCAAyB,qCAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MA
AA,uC;QAQoB,UAST,M;QAXP,aAAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U
ACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,mDAAzB,C;YACjB,SAAS,O;
YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,sDAAvB,C;QAElB,OAAO,6E;O;KAjB
X,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MA
CtB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAAiB,I;MACjB,
YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K
AAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MAC
nB,OAAO,M;K;IAGX,8B;MAWW,Q;MXhUP,IAAI,EW+TI,KAAK,CX/TT,CAAJ,C;QACI,cW8Tc,sD;QX7Td,M
AAM,gCAAyB,OAAQ,WAAjC,C;OW+TN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,
CAAL,C;;QACCzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,SAAlB,EAA
wB,SAAxB,C;K;IAGX,wC;MAMI,OAAO,sBAAkB,SAAlB,EAAwB,IAAxB,EAA8B,SAA9B,C;K;IAYqE,iD;MA
AA,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IA
TzH,+C;MASI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAjB,CAAlB,EAA0C,IAA1C,EAAgD,+BAAhD,CAArB,EA
AyG,sBAAzG,C;K;oGAGX,yB;MAwsBA,wE;MAxsBA,oD;QAitBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAA
a,cAAb,C;UAAa,sB;UAxsBT,IAAI,UAwsBkB,oBAAmB,cAAnB,EAAmB,sBAAnB,UAxsBlB,EAwsB+C,IAxsB/
C,CAAJ,C;YAA2C,sBAwsBQ,IAxsBR,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,8C;MAAA,0C;MAA
A,8B;MAOkB,qD;QAAA,qB;UAAE,c;S;O;MAPpB,sC;QAOW,Q;QAAP,OAAO,uCAAO,iCAAP,gC;O;KAPX,C;
0GAUA,4C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAA
Y,WAAI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAMI,OAAO,sBAAkB,SAAlB,EAAwB,KAAxB,EAA+B,SA
A/B,C;K;IAUU,kC;MAAE,iB;K;IAPvB,oC;MAOW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAMoB
,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;M
ACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CA
AC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAMoB,Q;MA
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,O
AAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MXrcP,IAAI,EWocI,KAAK,CXpcT,CAAJ,C;QACI,cWmcc,s

D;QXlcd,MAAM,gCAAyB,OAAQ,WAAjC,C;OWocN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAL,SA
AK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,S
AAlB,EAAwB,SAAxB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,iBAA6B,iBAAZ,gBAAY,C;MAClB,QAA
X,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;MT7aA,sC;MCjFA,kC;
MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF
;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB
,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MSsaf,sC;QAQI,OAAO,mDT9aI,iBS8aiB,QT9ajB,CS
8aJ,E;O;KARX,C;0GAWA,yB;MAAA,sD;MTraA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6
CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UA
AA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;
S;OA+EI,C;MS8Zf,sC;QAQI,OAAO,mDTtaI,2BSsa2B,QTta3B,CSsaJ,E;O;KARX,C;IAWA,uC;MAQI,OAAO,wB
AAW,cAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACI,iBAAiC,iBAAhB,oBAAgB,C;MACtB,W
AAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAAA,wE;MA
AA,uC;QAaW,kBAAY,oB;QAiFH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAlFsC,SAkFv
B,CAAU,OAAV,C;UjBPnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QiB3EA,OAoFO,W;O;KAjGX,C;6
FAgBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,
yB;UACZ,WAAY,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/BhB,OAiCO,W;O;KA9CX,C;
6FAgBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAiCL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB
,yB;UACZ,WAAY,aAlC4B,WAkCxB,CAAY,OAAZ,CAAJ,EAlCyC,cAkCf,CAAe,OAAf,CAA1B,C;;QAlChB,O
AoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,
aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+D;MAYoB,Q;MAAA,2B;MAAhB
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAE
hB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAA
U,OAAV,C;QjBPnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MiBSA,OAAO,W;K;gGAGX,yB;MAAA,w
E;MAAA,2C;QAcI,aAAa,oB;QAgBG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAfO,MAgBP,aAAI,
OAAJ,EAhBe,aAgBF,CAAc,OAAd,CAAb,C;;QAhBhB,OAAuB,M;O;KAf3B,C;oGAkBA,iD;MAYoB,Q;MAAA,2
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OA
AO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,IAAJ,C;;MAE
hB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAAhB,iBAAL,SAAK,
CAAgB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAjC,0BAAa,sBAAb,
CAAiC,C;K;IAWG,4B;MAAE,OAAA,EAAG,W;K;IARpD,0C;MAQI,OAAO,uBAAmB,SAAnB,EAAyB,SAAzB,
EAAoC,cAApC,C;K;yFAGX,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAg
B,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qF
AaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAgB,cAAh
B,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UjB7dP,U;UADP,YiB+de,WjB/dH,WiB+dwB,GjB/d
xB,C;UACL,IAAI,aAAJ,C;YACH,aiB6duC,gB;YAA5B,WjB5dX,aiB4dgC,GjB5dhC,EAAS,MAAT,C;YACA,e;;Y
AEA,c;;UiBydA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OAkCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAk
CA,+D;MAlCA,yD;QAYW,kBAAU,oB;QAkCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA
nCiD,WAmCvC,CAAY,OAAZ,C;UjBjfP,U;UADP,YiBmfe,WjBnfH,WiBmfwB,GjBnfxB,C;UACL,IAAI,aAAJ,C;
YACH,aiBifuC,gB;YAA5B,WjBhfX,aiBgfgC,GjBhfhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6eA,iB;UACA,I
AAK,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,s
D;QAWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UjB7dP,U;UAD
P,YiB+de,WjB/dH,WiB+dwB,GjB/dxB,C;UACL,IAAI,aAAJ,C;YACH,aiB6duC,gB;YAA5B,WjB5dX,aiB4dgC,Gj
B5dhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBydA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAhB
X,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,U
AAU,YAAY,OAAZ,C;UjBjfP,U;UADP,YiBmfe,WjBnfH,WiBmfwB,GjBnfxB,C;UACL,IAAI,aAAJ,C;YACH,aiB
ifuC,gB;YAA5B,WjBhfX,aiBgfgC,GjBhfhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6eA,iB;UACA,IAAK,WAAI
,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAjBX,C;0FAoBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;

QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAgB,W;O;MAXrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;
O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAgBA,sC;MASI,OAAO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;I
AGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAAkC,SAAlC,C;K;IAGX,mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA
5B,EAAkC,SAAlC,CAA6C,C;K;4GAGxD,yB;MA2MA,wE;MA3MA,oD;QAoNiB,gB;QADb,YAAY,C;QACC,2B
;QAAb,OAAa,cAAb,C;UAAa,sB;UA3MsB,U;UAAA,wBA2MT,oBAAmB,cAAnB,EAAmB,sBAAnB,UA3MS,EA
2MoB,IA3MpB,W;YAA6C,6B;;QAChF,OAAO,W;O;KAVX,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAUiB,UACo
C,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBAAmB,cAAn
B,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QAChB,OAAO,W;O;KAZX,C;IAeA,4C;MAOI,OAA6C,g
BAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MAAA,oD;QAkKoB,Q;QAAA,2B;QAAhB,
OAAgB,cAAhB,C;UAAgB,yB;UA3JK,U;UAAA,wBA2JQ,OA3JR,W;YAAsC,6B;;QAC3D,OAAO,W;O;KARX,C
;iFAWA,6C;MAOiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,
C;;MAChB,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;IAagB,6B;MAAE,S;K;IAV7B,+B;MAUI,
OAAY,aAAL,SAAK,EAAW,eAAX,C;K;IAGhB,2C;MAWI,OAAO,qBAAiB,SAAjB,EAAuB,QAAvB,C;K;IAGX,
mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,GAAI,WAAI,IAAJ,C;;MA
CvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC
,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,
gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB
,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;Q
AAgB,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MACtB,OAAO,K;K;iFAGX,yB;MAAA,wE;MAAA,u
C;QAOoB,Q;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,C
AAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;QAC9C,OAAO,K;O;KARX,C;8EAWA,yC;MAOoB,Q;
MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,O
AAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAWoB,UAAiD,M;QAFjE,YAAY,C;QACZ,
kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAmB,s
BAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAZX,C;qFAeA,6B;MAMoB,Q;MA
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kGAG1B,yB;MAAA,wE;MAAA,oC;
QASiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAn
B,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;O;KATvB,C;IAYA,2B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAA
S,UAAd,C;QAAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAAiB,OAAO,G;
MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAAe,OAAO,
C;QACtB,IAAI,MAAM,CAAV,C;UAAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MASI,eAAe,oB;MACf,IAAI,
CAAC,QAAS,UAAd,C;QAAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAAi
B,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;U
AAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAMI,eAAe,oB
;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB
,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAAa,MAAM,C;;MAEvB,OAAO,G;K;iFAGX,
+B;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAAyB,OAAO,I;MAChC,cAAc,QAAS,O;MACvB,IAA
I,CAAC,QAAS,UAAd,C;QAAAyB,OAAO,O;MAChC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QA
AQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QA
AS,W;MAClB,OAAO,O;K;IAGX,2C;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAAyB,OAAO,I;MA
ChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GA
AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MASI,eAAe,oB;
MACf,IAAI,CAAC,QAAS,UAAd,C;QAAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CA
AR,C;QAAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,
CAAN,C;UAAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MA
SI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,IAAQ,QA
AJ,GAAI,CAAR,C;QAAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,Q
AAF,CAAE,CAAN,C;UAAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAAa,MAAM,C;;MAEvB,OAAO,G;K;IA

GX,2B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACn
B,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MA
EvB,OAAO,G;K;iFAGX,+B;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,cA
Ac,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,O;MAChC,eAAe,SAAS,OAAT,C;;QAEX,Q
AAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,W
AAW,C;;MAED,QAAT,QAAS,W;MAClB,OAAO,O;K;IAGX,2C;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,U
AAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;Q
ACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G
;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IAUI,uC;MAAA,qB;Q
ACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,qC;MAOI,OAAO,kBAAI,qBAAJ,C;K;kFAMX,yB;MAAA,4F;
MAAA,uC;QAQI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;
QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAh
C,C;;QAElB,OAAO,W;O;KAdX,C;gGAiBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAgBmD,Q;QAL/C,eAAe,SA
AK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAY,C;QACZ,kB
AAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAnB,EAAmB,oBAAnB,QA
AV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAElB,OAAO,W;O;KAlBX,C;8FAqBA,gC;MAUI,eAe,SAA
K,W;MACpB,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS
,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAElB,OAAO,W;K;IAqBS,6H;MAAAA,wC;
MAAA,6B;MAAA,yB;MAAA,8C;MAAA,kC;MAAA,kD;MAAA,wB;MAAA,+B;MAAA,kC;K;;;;+CAAA,Y;;;;;c
ACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;;uCACkB,0B;cACF,iD;cAAhB,gB;;;cAA
A,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8B
AAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;;;;;;;;K;IAPgB,0E;MAAA,yD;u
BAAA,iH;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAlBpB,+C;MAkBI,OAAO,SAAS,0CAAT,C;K;IA6BS,2I;MAAA
,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;
;sDAAA,Y;;;;;kBAKmC,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;;iCACY,C;u
CACM,0B;cACF,wD;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,o
BAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,sBAAvC,EAAoD,OAApD,C;cACd,gB;8BAAA,iCAAM,sB
AAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;;;;;;;;K;IARgB,wF;MAAA,yD;uBAAA,+H;YAA
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAnBpB,sD;MAmBI,OAAO,SAAS,iDAAT,C;K;IA2BS,sH;MAAA,wC;MAAA,6
B;MAAA,yB;MAAA,8C;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,kC;K;;;;qDAAA,Y;;;;;oCACG,qC;cACf,IAAI
,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAA
A,Q;;gBAFJ,gB;;;;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,E
AAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cA
HJ,gB;;;cAQJ,W;;;;;;;;;;;;;K;IAVgB,mE;MAAA,yD;uBAAA,0G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,4C
;MAgBI,OAAO,SAAS,uCAAT,C;K;IA8BS,oI;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4D;MAAA,kD;MAAA,
4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;;4DAAA,Y;;;;;cAOuC,Q;oCANpC,4C;cACf,IAAI,mBAAS,UAAb,C;yC
ACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;;iC
AGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,E
AAmB,+BAAnB,QAAV,EAAuC,sBAAvC,EAAoD,mBAAS,OAA7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kB
AAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;;;;;;;;K;IAXgB,iF;MAAA,yD;uBAAA,wH;YAA
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,mD;MAiBI,OAAO,SAAS,8CAAT,C;K;gFAcX,+B;MAOoB,Q;MADhB,
UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO
,G;K;4FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAA
O,SAAS,OAAT,C;;MAEX,OAAO,G;K;IASI,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAyB,2BAAwB,mBAA
xB,MAAzB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAI,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,sBAAS,IAAT,
EAAe,IAAf,EAAsC,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,EAAwD,SA
AxD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBAAD,IAAY,WAAM,e

AAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;MACI,kBAAc,KAAd,
C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IAqBO,6D;MAAA,wC;
MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFlC,Y;MACI,YAAqB,UAAT,qBAAS,C;
MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAhBxD,sC;MAYI,IAAI,QxBwlKG,YAAQ,CwBx
lKf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAoBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAA
M,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,e
AAW,W;;QAElB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAlB5D,sC;MAYI,qD;K;IAuBO,6D;MA
AA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,YAAT,q
BAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAElB,OAAkB,YAAX,eAAW,EAAU,4CAA
V,CAA0B,W;K;;IAlB5D,sC;MAYI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;K
APX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YA
EN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;IAoBA,oC;MAMI,OAA6
C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAX,EAAjB,EAAsC,C;K;IAGjD,qC;MASI,OAAY,OAAL,SAAK,EA
Ac,OAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UAAxC,YAAW,SAAX,EAA0B,aAAT,QAAS,CAA1B,E
AAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K;4FAGtC,yB;MAAA,
0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IAUA,2D;MAgB+C,oB;QAAA,OAAY,C;MAAG,8B;
QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;K;IAGX,
sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAA
uB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,SAAJ,C;K;IAYpC,4B;MAAY,cAAM,EAAN,C;K;IATp
D,kC;MASI,OAAO,oBAAgB,SAAhB,EAAsB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;MAUI,OAAO,oBAAgB,S
AAhB,EAAsB,KAAtB,EAA6B,SAA7B,C;K;IAcY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,kC;MAWI,OAAO,yBAA
Y,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAA
A,wB;MAAA,kC;K;;;;sDAAA,Y;;;;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAd,C;gBAAyB,M;;gBAAzB,gB;;;;
;;;mCACc,mBAAS,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;gCACe,mBAAS,O;cACpB,gB;
8BAAA,iCAAM,6BAAU,kBAAV,EAAmB,eAAnB,CAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,qBAAU,e;
cAHd,gB;;;cAKJ,W;;;;;;;;;;;;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAZ5B,6
C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAA
I,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;M
AGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;
QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1
B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,
KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;M
AUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,E
AAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;IAOxE,8C;MA
AA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAAgB,8BAAhB,C;K;2FAGJ,qB;MAKI,OAAO,S;K;IAG
X,+B;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAC
Z,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAv
B,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAg
B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,
CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,
C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA
nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB
,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAA
mB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;I
AGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q
ACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IA

AvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAA
S,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MA
AhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,
C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q
;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K
;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;M
AEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q
ACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAh
B,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IC/hEX,qC;MAMI,aAAa,qBAAiB,YAAY,cAAZ,CAAjB,C
;MACb,kBAAc,KAAd,C;MN8uBgB,Q;MAAA,OM7uBT,SN6uBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QA
AU,oB;QM7uBK,IAAI,CAAC,SAAD,IAAY,ON6uBX,SM7uBW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,
K;;UAAjD,mBAA8D,I;;QN6uBvE,qB;UM7uBD,MN6uBqC,WAAI,SAAJ,C;;MM7uB1D,OAAqB,M;K;IAGzB,sC;
MASI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;IAGX,sC;MASI,YA
AqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,QAAL,SAAK,C;MAChB,I
AAI,yBAAJ,C;QACgB,kBAAY,sB;QNusBZ,Q;QAAA,OMvsBL,SNusBK,W;QAAhB,OAAgB,cAAhB,C;UAAgB,
yB;UAAM,IAAI,CMvsBwB,qBNusBb,OMvsBa,CNusB5B,C;YAAyB,WAAY,WAAI,OAAJ,C;;QMvsBvD,ONws
BG,W;OMvsBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;K;IAGX,uC;MASI
,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;gGAGX,yB;MAAA,8C;M
AAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAAY,iBAAO,CAAP,IA
AZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,sC;MA
OI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C
;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UAAT,M;MAA1C,aAAa,qBAAi
B,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,GAAY,CAAZ,IAAvE,C
AAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;
MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MA
CA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK
,OAAL,C;O;KAPX,C;IdhIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;ICCA,oD;MAQuF,wC
;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGccA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,
CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KAPjE,C;gGAUA,yB;
MAAA,+C;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;0EAUA,yB;MA0CA,6C;MAA
A,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAyCS,Q;UAAA,0B;UAAhB,OAAgB,cAAhB,C;YAAgB,oC;YAAM,I
AzCH,SAyCO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I;;;QA1CP,yB;O;KALJ,C
;kFAQA,yB;MA8GA,mD;MAAA,+C;MAAA,oC;MA9GA,uC;QAKW,qB;;UA6GO,Q;UAAA,OAAa,SAAR,sBAA
Q,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YACd,IA/Gc,SA+GV,CAAU,oBAA
V,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAjHP,wB;O;KALJ,C;IAQA,6B;MAKI,ICwKgD,q
BAAU,CDxK1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CAAL,C;K;4EAGX,yB;MAAAA,
6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U
AAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;O;KANV,C;IAS
A,mC;MAII,OCsJgD,qBAAU,CDtJnD,GAAe,IAAf,GAAyB,qBAAK,CAAL,C;K;wFAGpC,yB;MAAA,6C;MAAA
,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oB
AAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;Q
AKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KA
LjE,C;IAQA,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,I;K;0
FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D
;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;wFAYA,yB;M
AAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cA
Ad,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,

C;IAYA,4B;MAKI,IC+FgD,qBAAU,CD/F1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,2B
AAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,
YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UA
AU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,C;O;KATV,C;IAYA,kC;MAII,OC0
EgD,qBAAU,CD1EnD,GAAe,IAAf,GAAyB,qBAAK,mBAAS,CAAT,IAAL,C;K;sFAGpC,yB;MAAA,mD;MAAA
,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C
;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OA
AO,I;O;KARX,C;8EAWA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IA
WA,sC;MAOI,IC0CgD,qBAAU,CD1C1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAI,MAAO,i
BAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KA
PX,C;IAUA,4C;MAMI,ICqBgD,qBAAU,CDrB1D,C;QACI,OAAO,I;MACX,OAAO,qBAAI,MAAO,iBAAQ,gBA
AR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB
,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,0CAAzB,C;;MAHlB,W;K;8EAOJ,yB;
MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB
,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YA
CI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,
KAAL,C;UAAY,MAAM,gCAAuB,6DAAvB,C;QAElB,OAAO,4E;O;KAfX,C;IAkBA,oC;MAII,OAAW,qBAAU,
CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FAGzC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;Q
AMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UA
AU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YAClB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAA
C,KAAL,C;UAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;Mb3OI,IAAI,EamPI,KAAK,CbnPT,CAAJ,
C;QACI,cakPc,wD;QbjPd,MAAM,gCAAyB,OAAQ,WAAjC,C;OakPV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAA
b,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MbvPI,IAAI,Ea+PI,KAAK,Cb/PT,CAAJ,C;QACI,ca8Pc,wD;Qb7Pd,M
AAM,gCAAyB,OAAQ,WAAjC,C;Oa8PV,OEhG6E,oBFgG1D,eAAF,CAAE,EAAa,gBAAb,CEhG0D,C;K;IFmGjF
,kC;MbnQI,IAAI,Ea2QI,KAAK,Cb3QT,CAAJ,C;QACI,ca0Qc,wD;QbzQd,MAAM,gCAAyB,OAAQ,WAAjC,C;O
a0QV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAlB,C;K;IAGX,mC;Mb/QI,IAAI,EauRI,
KAAK,CbvRT,CAAJ,C;QACI,casRc,wD;QbrRd,MAAM,gCAAyB,OAAQ,WAAjC,C;OasRV,OAAO,mBAAkB,g
BAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAlB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iB
AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BA
AY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,
uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,
OE5IoF,oBF4InE,CE5ImE,EF4IhE,QAAQ,CAAR,IE5IgE,C;WF6I5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,m
D;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;
QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAA
Y,KAAZ,EAAAmB,gBAAnB,C;QACf,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMu
B,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;
UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OEvKqE,oBFuKpD,KEvKoD,C;WFwK7E,OA
AO,E;O;KATX,C;8EAYA,yB;MAAA,yD;MAkEA,oC;MAlEA,uC;QAIW,kBAAS,oB;QAkEM,Q;QAAA,uB;QAA
tB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IApE6B,SAoEzB,CAAU,oBAAV,CAAJ,C;YAAwB,W
AAY,gBAAO,OAAP,C;;QApExC,OAsEO,W;O;KA1EX,C;8EAOA,yB;MAAA,yD;MA2DA,oC;MA3DA,uC;QAI
W,kBAAS,oB;QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IA7D6B,SA
6DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7DxC,OA+DO,WA/DqC,W;O;KAJhD,C;4
FAOA,yB;MAAA,yD;MAkBA,gC;MAkpBA,6C;MAAA,oC;MApqBA,uC;QAMW,kBAAAgB,oB;QAqqBV,gB;QA
Db,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAAA,cAAgB,i
B;UAlpB/B,IAnBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAnB/C,OA
qBO,W;O;KA3BX,C;4FASA,yB;MAAA,yD;MASA,gC;MAkpBA,6C;MAAA,oC;MA3pBA,uC;QAMW,kBAAAgB,
oB;QA4pBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAA
P,S;UAAAA,cAAgB,iB;UAlpB/B,IAVoC,SAUhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAA

P,C;;QAV/C,OAYO,WAZ4C,W;O;KANvD,C;gGASA,yB;MAAA,gC;MAkpBA,6C;MAAA,oC;MAlpBA,oD;QAy
pBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UA
AA,cAAgB,iB;UAlpB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAA
O,W;O;KATX,C;oFAYA,yB;MAAA,yD;MAcA,6C;MAAA,oC;MAAA,gC;MAdA,uC;QAIW,kBAAY,oB;QAcH,
Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAdU,SAcT,CAAU,oBAAV,CAAL,C;YAAy
B,WAAY,gBAAO,OAAP,C;;QAd3D,OAeO,W;O;KAnBX,C;oFAOA,yB;MAAA,yD;MAOA,6C;MAAA,oC;MAA
A,gC;MAPA,uC;QAIW,kBAAY,oB;QAOH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,C
APU,SAOT,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAP3D,OAQO,WARwC,W;O;KAJnD,
C;wFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UA
AgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;
KALX,C;kFAQA,yB;MAAA,oC;MAAA,oD;QAI0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,
KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KARX,
C;IAWA,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII
,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAA
mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MACtB,aAAa,mBAAc,I
AAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,
OAAO,M;K;4EAGX,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,O
AAN,CAAe,W;O;KALjD,C;IAQA,+B;Mb7bI,IAAI,EaqcI,KAAK,CbrcT,CAAJ,C;QACI,caocc,wD;Qbncd,MAAM
,gCAAyB,OAAQ,WAAjC,C;QaocV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;K;IAG
X,+B;MbzcI,IAAI,EaidI,KAAK,CbjdT,CAAJ,C;QACI,cagdc,wD;Qb/cd,MAAM,gCAAyB,OAAQ,WAAjC,C;Oagd
V,OE/S4F,oBF+S3E,CE/S2E,EF+StE,eAAF,CAAE,EAAa,gBAAb,CE/SsE,C;K;IFkThG,kC;MbrdI,IAAI,Ea6dI,KA
AK,Cb7dT,CAAJ,C;QACI,ca4dc,wD;Qb3dd,MAAM,gCAAyB,OAAQ,WAAjC,C;Oa4dV,aAAa,gB;MACb,OAAO
,8BAAY,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;IAGX,mC;MbleI,IAAI,Ea0eI,K
AAK,Cb1eT,CAAJ,C;QACI,cayec,wD;Qbxed,MAAM,gCAAyB,OAAQ,WAAjC,C;OayeV,aAAa,gB;MACb,OE5U
6E,oBF4U5D,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IE5U4D,C;K;2FF+UjF,yB;MAAA,uD;MAAA,oC;MAA
A,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YA
CI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;QAGf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;K
AXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CA
AC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OErWqE,oBFqWpD,QAAQ,CAAR,IErWoD,C;;QFwW7E,OA
AO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAA
I,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,KAAf,C;WAEf,OAAO,8BA
AY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,
CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OE7XoF,oBF6XnE,CE7XmE,EF6Xh
E,KE7XgE,C;WF+X5F,OAAO,S;O;KAVX,C;IAaA,gC;MAII,OAAO,qBAAc,SAAd,CAAoB,U;K;kFAG/B,yB;MA
AA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CAAAW,W;O;KAL7C,C;oFAQA,yB;M
AAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAWI,eAAmC,cAApB,YAAY,g
BAAZ,CAAoB,EAAc,EAAd,C;QAC5B,kBAAY,mBAAoB,QAApB,C;QAyEH,Q;QAAA,0B;QAAhB,OAAgB,cA
AhB,C;UAAgB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UnBxBnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,
OArB,C;;QmBlDA,OA4EO,W;O;KAxFX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6BA,6C;MAAA,
oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAd,C;QAC5B,kBAAc,mB
AAuB,QAAvB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aA5BuC,WA4Bn
C,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;wFAeA,yB;MAAA,0D;MAAA,y
D;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAUI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EA
Ac,EAAd,C;QAC5B,kBAAc,mBAAoB,QAApB,C;QA6BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;
UACZ,WAAY,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,oBAAf,CAA1B,C;;QA9BhB,O
AgCO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAA,0B;QAAhB,O
AAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W
;O;KAbX,C;4FAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,c

AAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAA
O,W;O;KAbX,C;wFAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAA
gB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UnBxBnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAA
rB,C;;QmB0BA,OAAO,W;O;KAZX,C;2FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAgBA,6C;MAAA,oC;MA
AA,gC;MAhBA,2C;QAYI,aAAa,mBAA2C,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAd,CAA3C,C;QAcG,Q;QA
AA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAbO,MAcP,aAAI,oBAAJ,EAde,aAcF,CAAc,oBAAd,CAAb,C;;
QAdhB,OAAuB,M;O;KAb3B,C;8FAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0
B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,aAAI,oBAAJ,EAAa,cAAc,oBAAd,CAAb,C;;QAEhB,O
AAO,W;O;KAbX,C;IAgBA,iD;MAIiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAY,WAAI,iBA
AJ,C;;MAEhB,OAAO,W;K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,8B;M
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EA
AP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAgB,gBAA
hB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAA
K,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,
K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MASA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MATA,uC;QAMW,kBAAU,
gB;QAOD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAR6B,SAQlB,CAAU,oBAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAWO,W;O;KAjBX,C;oFASA,yB;MAAA,6C;MAAA,oC;MAAA,gD;
MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBA
AV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C
;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAyBD,Q;QAAA,0B;QAAhB,OAAgB,cAAh
B,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UnB9dP,U;UADP,YmBgee,WnBheH,WmBgewB,
GnBhexB,C;UACL,IAAI,aAAJ,C;YACH,amB8duC,gB;YAA5B,WnB7dX,amB6dgC,GnB7dhC,EAAS,MAAT,C;
YACA,e;;YAEA,c;;UmB0dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;gFAYA,yB;M
AAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;
QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UnBhfP,U;UADP,YmBkfe,
WnBlfH,WmBkfwB,GnBlfxB,C;UACL,IAAI,aAAJ,C;YACH,amBgfuC,gB;YAA5B,WnB/eX,amB+egC,GnB/ehC,
EAAS,MAAT,C;YACA,e;;YAEA,c;;UmB4eA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAjCT
,OAmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA
,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UnB9dP,U;UADP,YmBgee,WnBhe
H,WmBgewB,GnBhexB,C;UACL,IAAI,aAAJ,C;YACH,amB8duC,gB;YAA5B,WnB7dX,amB6dgC,GnB7dhC,EA
AS,MAAT,C;YACA,e;;YAEA,c;;UmB0dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;oFAi
BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,
C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UnBhfP,U;UADP,YmBkfe,WnBlfH,WmBkfwB,GnBlfxB,C;UAC
L,IAAI,aAAJ,C;YACH,amBgfuC,gB;YAA5B,WnB/eX,amB+egC,GnB/ehC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
UmB4eA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;qFAkBA,yB;MAAA,6C;
MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAAgD,OAAgB,SAA
hB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;QAQI,2D;O;KARJ,
C;wEAcA,yB;MAAA,gE;MAuEA,6C;MAAA,oC;MAAA,gC;MAvEA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAq
EA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAtEmB,SAsEf,CAAU,iBAAV,CAAJ,C;;QAt
EhB,OAuEO,W;O;KA9EX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAOW,kBA
Aa,eAAa,gBAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAj
C0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAjChB,OAkCO,W;O;KAzCX,C;mGAU
A,yB;MAAA,+D;MAUA,gC;MAkKA,6C;MAAA,oC;MA5KA,uC;QAOW,kBAAoB,gB;QA4Kd,gB;QADb,YAAY
,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAlKsB,U;UAAA,cAVQ,SAUR,EAkKT,cAlKS,EAkKT,sBAlKS,
WAkKA,iBAlKA,W;YAA6C,6B;;QAVhF,OAWO,W;O;KAlBX,C;uGAUA,yB;MAAA,gC;MAkKA,6C;MAAA,o
C;MAlKA,oD;QAyKiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAlKsB,U;UAAA,yBAk
KT,cAlKS,EAkKT,sBAlKS,WAkKA,iBAlKA,W;YAA6C,6B;;QAChF,OAAO,W;O;KARX,C;0FAWA,yB;MAAA
,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UA

Aa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAChB,OAAO,W;O;K
AVX,C;qFAaA,yB;MAAA,+D;MAQA,gC;MA2HA,6C;MAAA,oC;MAnIA,uC;QAKW,kBAAa,gB;QAkIJ,Q;QAA
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1HK,U;UAAA,cARe,SAQf,CA0HQ,oBA1HR,W;YAAsC,6B;;Q
AR3D,OASO,W;O;KAdX,C;yFAQA,yB;MAAA,gC;MA2HA,6C;MAAA,oC;MA3HA,oD;QA+HoB,Q;QAAA,0B;
QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1HK,U;UAAA,wBA0HQ,oBA1HR,W;YAAsC,6B;;QAC3D,OAAO,W
;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,
C;UAAa,iC;UACT,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QAChB,OAAO,W;O;KAPX,C;IAe4B,4C;MAAA,mB
;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;M
AAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CA
AL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,EChuByC,qBAAU,CDguBnD,C;
K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U
AAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4EAUA,qB;M
AKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACI,
0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO,
K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QADhB,kBAAkB,O;QACF,0
B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAAuB,oBAAvB,C;;QACpC,OAAO,W;
O;KANX,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QA
CZ,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,
WAAmB,WAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAVX,C;mFAaA,yB;MAAA,uD;MAAA,oC;MAA
A,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,kC
AAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KATX,C;iGAYA,yB;MAAA,uD;MA
AA,oC;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K
AAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;gFAgBA,yB;MA
AA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,O
AAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1
B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C
;;O;KAPvB,C;IAUA,2B;MAMiB,Q;MAFb,ICr0BgD,qBAAU,CDq0B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAA
K,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;U
AAa,MAAM,C;;MAEvB,OAAO,G;K;4EAGX,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,ICp1BgD,qBAAU,C
Do1B1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,
CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,
qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,
WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;IAsBA,2C;MAMiB,Q;MAFb,ICx2BgD,qBAAU,CDw2B1D,C;QAAe,
OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;
QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,
G;K;IAGX,2B;MAMiB,Q;MAFb,ICr3BgD,qBAAU,CDq3B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,
C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MA
AM,C;;MAEvB,OAAO,G;K;4EAGX,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,ICp4BgD,qBAAU,CDo4B1D,
C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C
;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,
CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C
;;QAGnB,OAAO,O;O;KAnBX,C;IAsBA,2C;MAMiB,Q;MAFb,ICx5BgD,qBAAU,CDw5B1D,C;QAAe,OAAO,I;
MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IA
AI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAG
X,4B;MAMI,OCv6BgD,qBAAU,C;K;0ED06B9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;Q
AAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QAC
rD,OAAO,I;O;KAPX,C;6EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB
,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;O;KALJ,C;8EAQA,yB;MAAA,4F;MAAAA,

uD;MAAA,oC;MAAA,gC;MAAA,uC;QASqB,Q;QAHjB,ICl8BgD,qBAAU,CDk8B1D,C;UACI,MAAM,mCAA8B
,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBA
AV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAElB,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,4F;MAAA,uD;MAAA,o
C;MAAA,gC;MAAA,uC;QAYqB,Q;QAHjB,ICp9BgD,qBAAU,CDo9B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C
;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,w
BAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAElB,OAAO,W;O;KAfX,C;0FAkBA,yB;MAAA,uD;MAAA,oC;MA
AA,gC;MAAA,uC;QAWqB,Q;QAHjB,ICr+BgD,qBAAU,CDq+B1D,C;UACI,OAAO,I;QACX,kBAAkB,qBAAK,
CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;
QAElB,OAAO,W;O;KAdX,C;uFAiBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAQ0B,UA
EU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAAkB,s
BAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,
WAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,W;O;KAZX,C;qGAeA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAA
A,gC;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B
,C;QACrB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAA
V,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;mGAmBA,yB;MA
AA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;U
AAe,OAAO,I;QACtB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oB
AAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAElB,OAAO,W;O;KAdX,C;0EAiBA,yB;MAA
A,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAiBoB,Q;QAHhB,IC/iCgD,qBAAU,CD+iC1D,
C;UAAe,OAAO,OAAO,OAAP,C;QACCgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aTtsCO,
W;QSusCP,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,WAAV,EAAuB,o
BAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;wFAwBA,yB;MAAA,gD;MAAA,gE;M
AAA,mD;MAAA,oC;MAAA,gD;QAkBkB,gC;QAHd,ICxkCgD,qBAAU,CDwkC1D,C;UAAe,OAAO,OAAO,OA
AP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aT/tCO,W;QSguCP,kBAAkB,O;QAC
J,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,iCAAK,K
AAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;sFAyBA,yB;MAAA,qD;MAAA,g
E;MAAA,oC;MAAA,gC;MAAA,uC;QAiB0B,Q;QAHtB,IChmCgD,qBAAU,CDgmC1D,C;UAAe,OAAO,W;QACt
B,sBAAkB,qBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,a
TxvCO,W;QSyvCe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,EAAvB
,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;oGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,o
C;MAAA,gC;MAAA,uC;QAkB0B,Q;QAHtB,ICznCgD,qBAAU,CDynC1D,C;UAAe,OAAO,W;QACtB,sBAAkB,
qBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,aTjxCO,W;Q
SkxCe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,iCAAK,KAAL,EA
A9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4EAyBA,yB;MAAA,6C;MAAA,oC;MAA
A,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,S
AAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;wFAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;Q
AKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;
QAEX,OAAO,G;O;KARX,C;IAWA,oC;MAWI,OAAO,sBAAS,IAAT,EAAAe,IAAf,EAAsC,IAAtC,C,C;K;IAGX,+C;
MAgBI,OAAO,sBAAS,IAAT,EAAAe,IAAf,EAAsC,IAAtC,EAAwD,SAAxD,C,C;K;IAcsB,oC;MAAE,OAAA,EAAG,
W;K;IAXtC,0C;MAWI,OAAO,6BAAgB,IAAhB,EAAsB,sBAAtB,C,C;K;IAGX,uD;MAgBI,OAAO,8BAAiB,IAAjB,
EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SAAhE,C,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;
MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UA
AgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C
;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAfX,C;oFAkBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAA
A,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,
C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,O
AAP,C;;;QAGf,OAAO,cAAK,KAAM,WAAX,EAAuB,MAAO,WAA9B,C;O;KAfX,C;IAmCgD,6B;MAAE,OAA
A,EAAG,W;K;IAjBrD,2D;MAgB4C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,I

AAT,EAAe,IAAf,EAAqB,cAArB,EAAqC,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAY,C;MAAG,8B;QAA
A,iBAA0B,K;MAQhE,Q;MAPrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,
YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAA
a,cAAb,C;MACb,YAAY,C;MACZ,OAAgB,CAAT,qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAA
I,MAAM,CAAN,IAAW,MAAM,QAArB,C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QAC
A,MAAO,WAAI,UAAU,8BAAY,KAAZ,EAAmB,UAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO
,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,W;K;IAjB7D,iE;MAgBoD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBA
A0B,K;MACzF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C,C;K;IAwByB,2F;MA
AA,wB;QAC5B,UAAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BA
A7B,GAAyC,G;QAD1D,OAEA,kBAAU,0CAAY,KAAZ,EAAmB,UAAnB,CAAV,C;O;K;IAxBR,gF;MAkBwD,s
B;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,K
AAK,cAAJ,GAAoB,yBAApB,GAAiC,WAAQ,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAlC,EAAkE,MAAlE,C;
MACd,OAA4B,OAAb,aAAR,OAAQ,CAAa,EAAI,qDAAJ,C;K;IAOhC,kC;MAkBI,aRt6CO,MAAK,KQs6CY,gB
Rt6CZ,EQ25CD,KAW2B,ORt6C1B,C;MQu6CZ,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAl
B,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CAcrB,C;;M
AdT,OAgBO,I;K;wEAbX,yB;MAAA,gE;MAAA,oC;MRr6CA,iB;MQq6CA,8C;QAQI,aRt6CO,MAAK,KQs6CO,S
AAK,ORt6CZ,EQs6CoB,KAAM,ORt6C1B,C;QQu6CZ,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,M
AAlB,M;UACI,IAAK,WAAI,UAAU,iCAAK,CAAL,EAAV,EAAmB,6BAAM,CAAN,EAAnB,CAAJ,C;;QAET,O
AAO,I;O;KAbX,C;IAgBA,kC;MASW,sB;;QAaP,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,
qBAAO,W;UAAP,uB;SACd,aAAa,iBAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAjBk
B,GAiBJ,iCAAK,KAAL,EAjBI,EAiBS,iCAAK,QAAQ,CAAR,IAAL,EAjBT,CAiBlB,C;;QAEX,qBAAO,M;;;MAn
BP,yB;K;uFAGJ,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,uC;QAUI,WAAW,mBAS,CAAT,I;QACX,IAAI,
OAAO,CAAX,C;UAAc,OAAO,W;QACrB,aAAa,eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,M
AAO,WAAI,UAAU,iCAAK,KAAL,EAAV,EAAuB,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAA
O,M;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;
QAAkB,OCj6C0B,qBAAU,C;ODi6C1D,S;QAAiC,OAAO,W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA
,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCz6C0B,qBAAU,C;ODy6C1
D,S;QAAiC,OAAO,e;MACxC,oCAAgB,8BAAhB,C;K;IGxkDkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C
3B8FV,K;O;K;I4B9FH,wC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C3B0HV,K;O;K;I4B1HC,yC;MAAA,wB;Q
AAW,OAAA,aAAK,KAAL,CCqIV,K;O;K;ICrIC,0C;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C7ByGV,K;O;K;4
F8BhKzC,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,
OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,
C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAU
I,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAA
J,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MA
UI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CA
AJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;M
AUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,C
AAJ,C;K;uGAuCX,yB;MA8lGI,8D;MA9lGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAqlGT,cAAR,iBAAQ,C;SAr
lGhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MA0lGI,8D;MA1lG
J,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAilGT,cAAR,iBAAQ,C;SAjlGhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,
GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MAslGI,8D;MAtlGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6k
GT,cAAR,iBAAQ,C;SA7kGhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAY
A,yB;MAklGI,8D;MAllGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAykGT,cAAR,iBAAQ,C;SAzkGhB,OAAO,OA
AsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY
,UAAL,SAAK,EAAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EA
AU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;K
AThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;iFAYA,g

C;MAOW,sB;;QAgNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhNH,SAgNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjNP,yB;K;iFAGJ,gC;MAOW,sB;;QAiNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjNH,SAiNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlNP,yB;K;iFAGJ,gC;MAOW,sB;;QAkNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlNH,SAkNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnNP,yB;K;iFAGJ,gC;MAOW,sB;;QAmNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnNH,SAmNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApNP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArNP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtNP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvNP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxNP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzNP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAyNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1NP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3NP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5NP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7NP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9NP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA8NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA/NP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA+NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAhOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAgOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAiOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAkOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAmOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzOP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAyOS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1OP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0OS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3OP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2OS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5OP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4OS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7OP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6OS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9OP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA8OS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA/OP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA+OS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAhPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAgPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAiPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAkPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAmPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzPP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAyPS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1PP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0PS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3PP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2PS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5PP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4PS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7PP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6PS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9PP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA8PS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA/PP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA+PS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAhQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAgQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAiQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAkQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAmQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzQP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAyQS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1QP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0QS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3QP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2QS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5QP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4QS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7QP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6QS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9QP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA8QS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA/QP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA+QS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAhRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAgRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAiRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAkRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAmRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzRP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAyRS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1RP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0RS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3RP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2RS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5RP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4RS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7RP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6RS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9RP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA8RS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA/RP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA+RS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAhSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAgSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAiSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAkSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAmSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwSS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzSP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAySS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1SP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0SS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3SP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2SS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5SP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4SS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7SP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6SS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9SP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA8SS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA/SP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA+SS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAhTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAgTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAiTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAlTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAkTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAnTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAmTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAoTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MArTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAqTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAtTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAsTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAvTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAuTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAwTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAzTP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QAyTS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1TP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA0TS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA3TP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA2TS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5TP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA4TS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA7TP,yB;K;yFAGJ,+B,+C;MAOW,sB;;QA6TS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAA

OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAMe,oBAAS,C;MAAT,S;QAAc,gBAitFT,gBAAR,iBAAQ,C;OAjtFhB,OAAO,OAAsC,sBAAI,KAAJ,CAAtC,GAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,O/BtiBU,K+BsiBlB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OFriBY,KEqiBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OhCtlBY,KgCslBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,O9BrlBY,K8BqlBpB,C;O;KAPnB,C;iGAUA,sC;M/B5eA,B+B4eA,E/B5eA,E+B4eA,C/B5eA,E+B4eA,C;UAAA,qB;YAAA,yB;cAAA,yB;gBAAA,yB;kBAAA,yB;oBAAA,yB;sBAAA,yB;wBAAA,yB;0BAAA,yB;4BAAA,yB;8BAAA,yB;gCAAA,yB;kCAAA,yB;oCAAA,yB;sCAAA,yB;wCAAA,yB;0CAAA,yB;4CAAA,yB;8CAAA,yB;gDAAA,yB;kDAAA,yB;oDAAA,yB;sDAAA,yB;wDAAA,yB;0DAAA,yB;4DAAA,yB;8DAAA,yB;gEAAA,yB;kEAAA,yB;oEAAA,yB;sEAAA,yB;wEAAA,yB;0EAAA,yB;4EAAA,yB;8EAAA,yB;gFAAA,yB;kFAAA,yB;oFAAA,yB;sFAAA,yB;wFAAA,yB;0FAAA,yB;4FAAA,yB;8FAAA,yB;gGAAA,yB;kGAAA,yB;oGAAA,yB;sGAAA,yB;wGAAA,yB;0GAAA,yB;4GAAA,yB;8GAAA,yB;gHAAA,yB;kHAAA,yB;oHAAA,yB;sHAAA,yB;wHAAA,yB;0HAAA,yB;4HAAA,yB;8HAAA,yB;gIAAA,yB;kIAAA,yB;oIAAA,yB;sIAAA,yB;wIAAA,yB;0IAAA,yB;4IAAA,yB;8IAAA,yB;gJAAA,yB;kJAAA,yB;oJAAA,yB;sJAAA,yB;wJAAA,yB;0JAAA,yB;4JAAA,yB;8JAAA,yB;gKAAA,yB;kKAAA,yB;oKAAA,yB;sKAAA,yB;wKAAA,yB;0KAAA,yB;4KAAA,yB;8KAAA,yB;gLAAA,yB;kLAAA,yB;oLAAA,yB;sLAAA,yB;wLAAA,yB;0LAAA,yB;4LAAA,yB;8LAAA,yB;gMAAA,yB;kMAAA,yB;oMAAA,yB;sMAAA,yB;wMAAA,yB;0MAAA,yB;4MAAA,yB;8MAAA,yB;gNAAA,yB;kNAAA,yB;oNAAA,yB;sNAAA,yB;wNAAA,yB;0NAAA,yB;4NAAA,yB;8NAAA,yB;gOAAA,yB;kOAAA,yB;oOAAA,yB;sOAAA,yB;wOAAA,yB;0OAAA,yB;4OAAA,yB;8OAAA,yB;gPAAA,yB;kPAAA,yB;oPAAA,yB;sPAAA,yB;wPAAA,yB;0PAAA,yB;4PAAA,yB;8PAAA,yB;gQAAA,yB;kQAAA,yB;oQAAA,yB;sQAAA,yB;wQAAA,yB;0QAAA,yB;4QAAA,yB;8QAAA,yB;gRAAA,yB;kRAAA,yB;oRAAA,yB;sRAAA,yB;wRAAA,yB;0RAAA,yB;4RAAA,yB;8RAAA,yB;gSAAA,yB;kSAAA,yB;oSAAA,yB;sSAAA,yB;wSAAA,yB;0SAAA,yB;4SAAA,yB;8SAAA,yB;gTAAA,yB;kTAAA,yB;oTAAA,yB;sTAAA,yB;wTAAA,yB;0TAAA,yB;4TAAA,yB;8TAAA,yB;gUAAA,yB;kUAAA,yB;oUAAA,yB;sUAAA,yB;wUAAA,yB;0UAAA,yB;4UAAA,yB;8UAAA,yB;gVAAA,yB;kVAAA,yB;oVAAA,yB;sVAAA,yB;wVAAA,yB;0VAAA,yB;4VAAA,yB;8VAAA,yB;gWAAA,yB;kWAAA,yB;oWAAA,yB;sWAAA,yB;wWAAA,yB;0WAAA,yB;4WAAA,yB;8WAAA,yB;gXAAA,yB;kXAAA,yB;oXAAA,yB;sXAAA,yB;wXAAA,yB;0XAAA,yB;4XAAA,yB;8XAAA,yB;gYAAA,yB;kYAAA,yB;oYAAA,yB;sYAAA,yB;wYAAA,yB;0YAAA,yB;4YAAA,yB;8YAAA,yB;gZAAA,yB;kZAAA,yB;oZAAA,yB;sZAAA,yB;wZAAA,yB;0ZAAA,yB;4ZAAA,yB;8ZAAA,yB;gaAAA,yB;kaAAA,yB;oaAAA,yB;saAAA,yB;waAAA,yB;0aAAA,yB;4aAAA,yB;8aAAA,yB;gbAAA,yB;kbAAA,yB;obAAA,yB;sbAAA,yB;wbAAA,yB;0bAAA,yB;4bAAA,yB;8bAAA,yB;gcAAA,yB;kcAAA,yB;ocAAA,yB;scAAA,yB;wcAAA,yB;0cAAA,yB;4cAAA,yB;8cAAA,yB;gdAAA,yB;kdAAA,yB;odAAA,yB;sdAAA,yB;wdAAA,yB;0dAAA,yB;4dAAA,yB;8dAAA,yB;geAAA,yB;keAAA,yB;oeAAA,yB;seAAA,yB;weAAA,yB;0eAAA,yB;4eAAA,yB;8eAAA,yB;gfAAA,yB;kfAAA,yB;ofAAA,yB;sfAAA,yB;wfAAA,yB;0fAAA,yB;4fAAA,yB;8fAAA,yB;ggAAA,yB;kgAAA,yB;ogAAA,yB;sgAAA,yB;wgAAA,yB;0gAAA,yB;4gAAA,yB;8gAAA,yB;ghAAA,yB;khAAA,yB;ohAAA,yB;shAAA,yB;whAAA,yB;0hAAA,yB;4hAAA,yB;8hAAA,yB;giAAA,yB;kiAAA,yB;oiAAA,yB;siAAA,yB;wiAAA,yB;0iAAA,yB;4iAAA,yB;8iAAA,yB;gjAAA,yB;kjAAA,yB;ojAAA,yB;sjAAA,yB;wjAAA,yB;0jAAA,yB;4jAAA,yB;8jAAA,yB;gkAAA,yB;kkAAA,yB;okAAA,yB;skAAA,yB;wkAAA,yB;0kAAA,yB;4kAAA,yB;8kAAA,yB;glAAA,yB;klAAA,yB;olAAA,yB;slAAA,yB;wlAAA,yB;0lAAA,yB;4lAAA,yB;8lAAA,yB;gmAAA,yB;kmAAA,yB;omAAA,yB;smAAA,yB;wmAAA,yB;0mAAA,yB;4mAAA,yB;8mAAA,yB;gnAAA,yB;knAAA,yB;onAAA,yB;snAAA,yB;wnAAA,yB;0nAAA,yB;4nAAA,yB;8nAAA,yB;goAAA,yB;koAAA,yB;ooAAA,yB;soAAA,yB;woAAA,yB;0oAAA,yB;4oAAA,yB;8oAAA,yB;gpAAA,yB;kpAAA,yB;opAAA,yB;spAAA,yB;wpAAA,yB;0pAAA,yB;4pAAA,yB;8pAAA,yB;gqAAA,yB;kqAAA,yB;oqAAA,yB;sqAAA,yB;wqAAA,yB;0qAAA,yB;4qAAA,yB;8qAAA,yB;grAAA,yB;krAAA,yB;orAAA,yB;srAAA,yB;wrAAA,yB;0rAAA,yB;4rAAA,yB;8rAAA,yB;gsAAA,yB;ksAAA,yB;osAAA,yB;ssAAA,yB;wsAAA,yB;0sAAA,yB;4sAAA,yB;8sAAA,yB;gtAAA,yB;ktAAA,yB;otAAA,yB;stAAA,yB;wtAAA,yB;0tAAA,yB;4tAAA,yB;8tAAA,yB;guAAA,yB;kuAAA,yB;ouAAA,yB;suAAA,yB;wuAAA,yB;0uAAA,yB;4uAAA,yB;8uAAA,yB;gvAAA,yB;kvAAA,yB;ovAAA,yB;svAAA,yB;wvAAA,yB;0vAAA,yB;4vAAA,yB;8vAAA,yB;gwAAA,yB;kwAAA,yB;owAAA,yB;swAAA,yB;wwAAA,yB;0wAAA,yB;4wAAA,yB;8wAAA,yB;gxAAA,yB;kxAAA,yB;oxAAA,yB;sxAAA,yB;wxAAA,yB;0xAAA,yB;4xAAA,yB;8xAAA,yB;gyAAA,yB;kyAAA,yB;oyAAA,yB;syAAA,yB;wyAAA,yB;0yAAA,yB;4yAAA,yB;8yAAA,yB;gzAAA,yB;kzAAA,yB;ozAAA,yB;szAAA,yB;wzAAA,yB;0zAAA,yB;4zAAA,yB;8zAAA,yB;g0AAA,yB;k0AAA,yB;o0AAA,yB;s0AAA,yB;w0AAA,yB;00AAA,yB;40AAA,yB;80AAA,yB;g1AAA,yB;k1AAA,yB;o1AAA,yB;s1AAA,yB;w1AAA,yB;01AAA,yB;41AAA,yB;81AAA,yB;g2AAA,yB;k2AAA,yB;o2AAA,yB;s2AAA,yB;w2AAA,yB;02AAA,yB;42AAA,yB;82AAA,yB;g3AAA,yB;k3AAA,yB;o3AAA,yB;s3AAA,yB;w3AAA,yB;03AAA,yB;43AAA,yB;83AAA,yB;g4AAA,yB;k4AAA,yB;o4AAA,yB;s4AAA,yB;w4AAA,yB;04AAA,yB;44AAA,yB;84AAA,yB;g5AAA,yB;k5AAA,yB;o5AAA,yB;s5AAA,yB;w5AAA,yB;05AAA,yB;45AAA,yB;85AAA,yB;g6AAA,yB;k6AAA,yB;o6AAA,yB;s6AAA,yB;w6AAA,yB;06AAA,yB;46AAA,yB;86AAA,yB;g7AAA,yB;k7AAA,yB;o7AAA,yB;s7AAA,yB;w7AAA,yB;07AAA,yB;47AAA,yB;87AAA,yB;g8AAA,yB;k8AAA,yB;o8AAA,yB;s8AAA,yB;w8AAA,yB;08AAA,yB;48AAA,yB;88AAA,yB;g9AAA,yB;k9AAA,yB;o9AAA,yB;s9AAA,yB;w9AAA,yB;09AAA,yB;49AAA,yB;89AAA,yB;g+AAA,yB;k+AAA,yB;o+AAA,yB;s+AAA,yB;w+AAA,yB;0+AAA,yB;4+AAA,yB;8+AAA,yB;gAAAA,yB;kAAAA,yB;oAAAA,yB;sAAAA,yB;wAAAA,yB;0AAAA,yB;4AAAA,yB;8AAAA,yB;gBAAAA,yB;kBAAAA,yB;oBAAAA,yB;sBAAAA,yB;wBAAAA,yB;0BAAAA,yB;4BAAAA,yB;8BAAAA,yB;gCAAAA,yB;kCAAAA,yB;oCAAAA,yB;sCAAAA,yB;wCAAAA,yB;0CAAAA,yB;4CAAAA,yB;8CAAAA,yB;gDAAAA,yB;kDAAAA,yB;oDAAAA,yB;sDAAAA,yB;wDAAAA,yB;0DAAAA,yB;4DAAAA,yB;8DAAAA,yB;gEAAAA,yB;kEAAAA,yB;oEAAAA,yB;sEAAAA,yB;wEAAAA,yB;0EAAAA,yB;4EAAAA,yB;8EAAAA,yB;gFAAAA,yB;kFAAAA,yB;oFAAAA,yB;sFAAAA,yB;wFAAAA,yB;0FAAAA,yB;4FAAAA,yB;8FAAAA,yB;gGAAAA,yB;kGAAAA,yB;oGAAAA,yB;sGAAAA,yB;wGAAAA,yB;0GAAAA,yB;4GAAAA,yB;8GAAAA,yB;gHAAAA,yB;kHAAAA,yB;oHAAAA,yB;sHAAAA,yB;wHAAAA,yB;0HAAAA,yB;4HAAAA,yB;8HAAAA,yB;gIAAAA,yB;kIAAAA,yB;oIAAAA,yB;sIAAAA,yB;wIAAAA,yB;0IAAAA,yB;4IAAAA,yB;8IAAAA,yB;gJAAAA,yB;kJAAAA,yB;oJAAAA,yB;sJAAAA,yB;wJAAAA,yB;0JAAAA,yB;4JAAAA,yB;8JAAAA,yB;gKAAAA,yB;kKAAAA,yB;oKAAAA,yB;sKAAAA,yB;wKAAAA,yB;0KAAAA,yB;4KAAAA,yB;8KAAAA,yB;gLAAAA,yB;kLAAAA,yB;oLAAAA,yB;sLAAAA,yB;wLAAAA,yB;0LAAAA,yB;4LAAAA,yB;8LAAAA,yB;gMAAAA,yB;kMAAAA,yB;oMAAAA,yB;sMAAAA,yB;wMAAAA,yB;0MAAAA,yB;4MAAAA,yB;8MAAAA,yB;gNAAAA,yB;kNAAAA,yB;oNAAAA,yB;sNAAAA,yB;wNAAAA,yB;0NAAAA,yB;4NAAAA,yB;8NAAAA,yB;gOAAAA,yB;kOAAAA,yB;oOAAAA,yB;sOAAAA,yB;wOAAAA,yB;0OAAAA,yB;4OAAAA,yB;8OAAAA,yB;gPAAAA,yB;kPAAAA,yB;oPAAAA,yB;sPAAAA,yB;wPAAAA,yB;0PAAAA,yB;4PAAAA,yB;8PAAAA,yB;gQAAAA,yB;kQAAAA,yB;oQAAAA,yB;sQAAAA,yB;wQAAAA,yB;0QAAAA,yB;4QAAAA,yB;8QAAAA,yB;gRAAAA,yB;kRAAAA,yB;oRAAAA,yB;sRAAAA,yB;wRAAAA,yB;0RAAAA,yB;4RAAAA,yB;8RAAAA,yB;gSAAAA,yB;kSAAAA,yB;oSAAAA,yB;sSAAAA,yB;wSAAAA,yB;0SAAAA,yB;4SAAAA,yB;8SAAAA,yB;gTAAAA,yB;kTAAAA,yB;oTAAAA,yB;sTAAAA,yB;wTAAAA,yB;0TAAAA,yB;4TAAAA,yB;8TAAAA,yB;gUAAAA,yB;kUAAAA,yB;oUAAAA,yB;sUAAAA,yB;wUAAAA,yB;0UAAAA,yB;4UAAAA,yB;8UAAAA,yB;gVAAAA,yB;kVAAAA,yB;oVAAAA,yB;sVAAAA,yB;wVAAAA,yB;0VAAAA,yB;4VAAAA,yB;8VAAAA,yB;gWAAAA,yB;kWAAAA,yB;oWAAAA,yB;sWAAAA,yB;wWAAAA,yB;0WAAAA,yB;4WAAAA,yB;8WAAAA,yB;gXAAAA,yB;kXAAAA,yB;oXAAAA,yB;sXAAAA,yB;wXAAAA,yB;0XAAAA,yB;4XAAAA,yB;8XAAAA,yB;gYAAAA,yB;kYAAAA,yB;oYAAAA,yB;sYAAAA,yB;wYAAAA,yB;0YAAAA,yB;4YAAAA,yB;8YAAAA,yB;gZAAAA,yB;kZAAAA,yB;oZAAAA,yB;sZAAAA,yB;wZAAAA,yB;0ZAAAA,yB;4ZAAAA,yB;8ZAAAA,yB;gaAAAA,yB;kaAAAA,yB;oaAAAA,yB;saAAAA,yB;waAAAA,yB;0aAAAA,yB;4aAAAA,yB;8aAAAA,yB;gbAAAA,yB;kbAAAA,yB;obAAAA,yB;sbAAAA,yB;wbAAAA,yB;0bAAAA,yB;4bAAAA,yB;8bAAAA,yB;gcAAAA,yB;kcAAAA,yB;ocAAAA,yB;scAAAA,yB;wcAAAA,yB;0cAAAA,yB;4cAAAA,yB;8cAAAA,yB;gdAAAA,yB;kdAAAA,yB;odAAAA,yB;sdAAAA,yB;wdAAAA,yB;0dAAAA,yB;4dAAAA,yB;8dAAAA,yB;geAAAA,yB;keAAAA,yB;oeAAAA,yB;seAAAA,yB;weAAAA,yB;0eAAAA,yB;4eAAAA,yB;8eAAAA,yB;gfAAAA,yB;kfAAAA,yB;ofAAAA,yB;sfAAAA,yB;wfAAAA,yB;0fAAAA,yB;4fAAAA,yB;8fAAAA,yB;ggAAAA,yB;kgAAAA,yB;ogAAAA,yB;sgAAAA,yB;wgAAAA,yB;0gAAAA,yB;4gAAAA,yB;8gAAAA,yB;ghAAAA,yB;khAAAA,yB;ohAAAA,yB;shAAAA,yB;whAAAA,yB;0hAAAA,yB;4hAAAA,yB;8hAAAA,yB;giAAAA,yB;kiAAAA,yB;oiAAAA,yB;siAAAA,yB;wiAAAA,yB;0iAAAA,yB;4iAAAA,yB;8iAAAA,yB;gjAAAA,yB;kjAAAA,yB;ojAAAA,yB;sjAAAA,yB;wjAAAA,yB;0jAAAA,yB;4jAAAA,yB;8jAAAA,yB;gkAAAA,yB;kkAAAA,yB;okAAAA,yB;skAAAA,yB;wkAAAA,yB;0kAAAA,yB;4kAAAA,yB;8kAAAA,yB;glAAAA,yB;klAAAA,yB;olAAAA,yB;slAAAA,yB;wlAAAA,yB;0lAAAA,yB;4lAAAA,yB;8lAAAA,yB;gmAAAA,yB;kmAAAA,yB;omAAAA,yB;smAAAA,yB;wmAAAA,yB;0mAAAA,yB;4mAAAA,yB;8mAAAA,yB;gnAAAA,yB;knAAAA,yB;onAAAA,yB;snAAAA,yB;wnAAAA,yB;0nAAAA,yB;4nAAAA,yB;8nAAAA,yB;goAAAA,yB;koAAAA,yB;ooAAAA,yB;soAAAA,yB;woAAAA,yB;0oAAAA,yB;4oAAAA,yB;8oAAAA,yB;gpAAAA,yB;kpAAAA,yB;opAAAA,yB;spAAAA,yB;wpAAAA,yB;0pAAAA,yB;4pAAAA,yB;8pAAAA,yB;gqAAAA,yB;kqAAAA,yB;oqAAAA,yB;sqAAAA,yB;wqAAAA,yB;0qAAAA,yB;4qAAAA,yB;8qAAAA,yB;grAAAA,yB;krAAAA,yB;orAAAA,yB;srAAAA,yB;wrAAAA,yB;0rAAAA,yB;4rAAAA,yB;8rAAAA,yB;gsAAAA,yB;ksAAAA,yB;osAAAA,yB;ssAAAA,yB;wsAAAA,yB;0sAAAA,yB;4sAAAA,yB;8sAAAA,yB;gtAAAA,yB;ktAAAA,yB;otAAAA,yB;stAAAA,yB;wtAAAA,yB;0tAAAA,yB;4tAAAA,yB;8tAAAA,yB;guAAAA,yB;kuAAAA,yB;ouAAAA,yB;suAAAA,yB;wuAAAA,yB;0uAAAA,yB;4uAAAA,yB;8uAAAA,yB;gvAAAA,yB;kvAAAA,yB;ovAAAA,yB;svAAAA,yB;wvAAAA,yB;0vAAAA,yB;4vAAAA,yB;8vAAAA,yB;gwAAAA,yB;kwAAAA,yB;owAAAA,yB;swAAAA,yB;wwAAAA,yB;0wAAAA,yB;4wAAAA,yB;8wAAAA,yB;gxAAAA,yB;kxAAAA,yB;oxAAAA,yB;sxAAAA,yB;wxAAAA,yB;0xAAAA,yB;4xAAAA,yB;8xAAAA,yB;gyAAAA,yB;kyAAAA,yB;oyAAAA,yB;syAAAA,yB;wyAAAA,yB;0yAAAA,yB;4yAAAA,yB;8yAAAA,yB;gzAAAA,yB;kzAAAA,yB;ozAAAA,yB;szAAAA,yB;wzAAAA,yB;0zAAAA,yB;4zAAAA,yB;8zAAAA,yB;g0AAAA,yB;k0AAAA,yB;o0AAAA,yB;s0AAAA,yB;w0AAAA,yB;00AAAA,yB;40AAAA,yB;80AAAA,yB;g1AAAA,yB;k1AAAA,yB;o1AAAA,yB;s1AAAA,yB;w1AAAA,yB;01AAAA,yB;41AAAA,yB;81AAAA,yB;g2AAAA,yB;k2AAAA,yB;o2AAAA,yB;s2AAAA,yB;w2AAAA,yB;02AAAA,yB;42AAAA,yB;82AAAA,yB;g3AAAA,yB;k3AAAA,yB;o3AAAA,yB;s3AAAA,yB;w3AAAA,yB;03AAAA,yB;43AAAA,yB;83AAAA,yB;g4AAAA,yB;k4AAAA,yB;o4AAAA,yB;s4AAAA,yB;w4AAAA,yB;04AAAA,yB;44AAAA,yB;84AAAA,yB;g5AAAA,yB;k5AAAA,yB;o5AAAA,yB;s5AAAA,yB;w5AAAA,yB;05AAAA,yB;45AAAA,yB;85AAAA,yB;g6AAAA,yB;k6AAAA,yB;o6AAAA,yB;s6AAAA,yB;w6AAAA,yB;06AAAA,yB;46AAAA,yB;86AAAA,yB;g7AAAA,yB;k7AAAA,yB;o7AAAA,yB;s7AAAA,yB;w7AAAA,yB;07AAAA,yB;47AAAA,yB;87AAAA,yB;g8AAAA,yB;k8AAAA,yB;o8AAAA,yB;s8AAAA,yB;w8AAAA,yB;08AAAA,yB;48AAAA,yB;88AAAA,yB;g9AAAA,yB;k9AAAA,yB;o9AAAA,yB;s9AAAA,yB;w9AAAA,yB;09AAAA,yB;49AAAA,yB;89AAAA,yB;g+AAAA,yB;k+AAAA,yB;o+AAAA,yB;s+AAAA,yB;w+AAAA,yB;0+AAAA,yB;4+AAAA,yB;8+AAAA,yB;gAAAAA,yB;kAAAAA,yB;oAAAAA,yB;sAAAAA,yB;wAAAAA,yB;0AAAAA,yB;4AAAAA,yB;8AAAAA,yB;gBAAAAA,yB;kBAAAAA,yB;oBAAAAA,yB;sBAAAAA,yB;wBAAAAA,yB;0BAAAAA,yB;4BAAAAA,yB;8BAAAAA,yB;gCAAAAA,yB;kCAAAAA,yB;oCAAAAA,yB;sCAAAAA,yB;wCAAAAA,yB;0CAAAAA,yB;4CAAAAA,yB;8CAAAAA,yB;gDAAAAA,yB;kDAAAAA,yB;oDAAAAA,yB;sDAAAAA,yB;wDAAAAA,yB;0DAAAAA,yB;4DAAAAA,yB;8DAAAAA,yB;gEAAAAA,yB;kEAAAAA,yB;oEAAAAA,yB;sEAAAAA,yB;wEAAAAA,yB;0EAAAAA,yB;4EAAAAA,yB;8EAAAAA,yB;gFAAAAA,yB;kFAAAAA,yB;oFAAAAA,yB;sFAAAAA,yB;wFAAAAA,yB;0FAAAAA,yB;4FAAAAA,yB;8FAAAAA,yB;gGAAAAA,yB;kGAAAAA,yB;oGAAAAA,yB;sGAAAAA,yB;wGAAAAA,yB;0GAAAAA,yB;4GAAAAA,yB;8GAAAAA,yB;gHAAAAA,yB;kHAAAAA,yB;oHAAAAA,yB;sHAAAAA,yB;wHAAAAA,yB;0HAAAAA,yB;4HAAAAA,yB;8HAAAAA,yB;gIAAAAA,yB;kIAAAAA,yB;oIAAAAA,yB;sIAAAAA,yB;wIAAAAA,yB;0IAAAAA,yB;4IAAAAA,yB;8IAAAAA,yB;gJAAAAA,yB;kJAAAAA,yB;oJAAAAA,yB;sJAAAAA,yB;wJAAAAA,yB;0JAAAAA,yB;4JAAAAA,yB;8JAAAAA,yB;gKAAAAA,yB;kKAAAAA,yB;oKAAAAA,yB;sKAAAAA,yB;wKAAAAA,yB;0KAAAAA,yB;4KAAAAA,yB;8KAAAAA,yB;gLAAAAA,yB;kLAAAAA,yB;oLAAAAA,yB;sLAAAAA,yB;wLAAAAA,yB;0LAAAAA,yB;4LAAAAA,yB;8LAAAAA,yB;gMAAAAA,yB;kMAAAAA,yB;oMAAAAA,yB;sMAAAAA,yB;wMAAAAA,yB;0MAAAAA,yB;4MAAAAA,yB;8MAAAAA,yB;gNAAAAA,yB;kNAAAAA,yB;oNAAAAA,yB;sNAAAAA,yB;wNAAAAA,yB;0NAAAAA,yB;4NAAAAA,yB;8NAAAAA,yB;gOAAAAA,yB;kOAAAAA,yB;oOAAAAA,yB;sOAAAAA,yB;wOAAAAA,yB;0OAAAAA,yB;4OAAAAA,yB;8OAAAAA,yB;gPAAAAA,yB;kPAAAAA,yB;oPAAAAA,yB;sPAAAAA,yB;wPAAAAA,yB;0PAAAAA,yB;4PAAAAA,yB;8PAAAAA,yB;gQAAAAA,yB;kQAAAAA,yB;oQAAAAA,yB;sQAAAAA,yB;wQAAAAA,yB;0QAAAAA,yB;4QAAAAA,yB;8QAAAAA,yB;gRAAAAA,yB;kRAAAAA,yB;oRAAAAA,yB;sRAAAAA,yB;wRAAAAA,yB;0RAAAAA,yB;4RAAAAA,yB;8RAAAAA,yB;gSAAAAA,yB;kSAAAAA,yB;oSAAAAA,yB;sSAAAAA,yB;wSAAAAA,yB;0SAAAAA,yB;4SAAAAA,yB;8SAAAAA,yB;gTAAAAA,yB;kTAAAAA,yB;oTAAAAA,yB;sTAAAAA,yB;wTAAAAA,yB;0TAAAAA,yB;4TAAAAA,yB;8TAAAAA,yB;gUAAAAA,yB;kUAAAAA,yB;oUAAAAA,yB;sUAAAAA,yB;wUAAAAA,yB;0UAAAAA,yB;4UAAAAA,yB;8UAAAAA,yB;gVAAAAA,yB;kVAAAAA,yB;oVAAAAA,yB;sVAAAAA,yB;wVAAAAA,yB;0VAAAAA,yB;4VAAAAA,yB;8VAAAAA,yB;gWAAAAA,yB;kWAAAAA,yB;oWAAAAA,yB;sWAAAAA,yB;wWAAAAA,yB;0WAAAAA,yB;4WAAAAA,yB;8WAAAAA,yB;gXAAAAA,yB;kXAAAAA,yB;oXAAAAA,yB;sXAAAAA,yB;wXAAAAA,yB;0XAAAAA,yB;4XAAAAA,yB;8XAAAAA,yB;gYAAAAA,yB;kYAAAAA,yB;oYAAAAA,yB;sYAAAAA,yB;wYAAAAA,yB;0YAAAAA,yB;4YAAAAA,yB;8YAAAAA,yB;gZAAAAA,yB;kZAAAAA,yB;oZAAAAA,yB;sZAAAAA,yB;wZAAAAA,yB;0ZAAAAA,yB;4ZAAAAA,yB;8ZAAAAA,yB;gaAAAAA,yB;kaAAAAA,yB;oaAAAAA,yB;saAAAAA,yB;waAAAAA,yB;0aAAAAA,yB;4aAAAAA,yB;8aAAAAA,yB;gbAAAAA,yB;kbAAAAA,yB;obAAAAA,yB;sbAAAAA,yB;wbAAAAA,yB;0bAAAAA,yB;4bAAAAA,yB;8bAAAAA,yB;gcAAAAA,yB;kcAAAAA,yB;ocAAAAA,yB;scAAAAA,yB;wcAAAAA,yB;0cAAAAA,yB;4cAAAAA,yB;8cAAAAA,yB;gdAAAAA,yB;kdAAAAA,yB;odAAAAA,yB;sdAAAAA,yB;wdAAAAA,yB;0dAAAAA,yB;4dAAAAA,yB;8dAAAAA,yB;geAAAAA,yB;keAAAAA,yB;oeAAAAA,yB;seAAAAA,yB;weAAAAA,yB;0eAAAAA,yB;4eAAAAA,yB;8eAAAAA,yB;gfAAAAA,yB;kfAAAAA,yB;ofAAAAA,yB;sfAAAAA,yB;wfAAAAA,yB;0fAAAAA,yB;4fAAAAA,yB;8fAAAAA,yB;ggAAAAA,yB;kgAAAAA,yB;ogAAAAA,yB;sgAAAAA,yB;wgAAAAA,yB;0gAAAAA,yB;4gAAAAA,yB;8gAAAAA,yB;ghAAAAA,yB;khAAAAA,yB;ohAAAAA,yB;shAAAAA,yB;whAAAAA,yB;0hAAAAA,yB;4hAAAAA,yB;8hAAAAA,yB;giAAAAA,yB;kiAAAAA,yB;oiAAAAA,yB;siAAAAA,yB;wiAAAAA,yB;0iAAAAA,yB;4iAAAAA,yB;8iAAAAA,yB;gjAAAAA,yB;kjAAAAA,yB;ojAAAAA,yB;sjAAAAA,yB;wjAAAAA,yB;0jAAAAA,yB;4jAAAAA,yB;8jAAAAA,yB;gkAAAAA,yB;kkAAAAA,yB;okAAAAA,yB;skAAAAA,yB;wkAAAAA,yB;0kAAAAA,yB;4kAAAAA,yB;8kAAAAA,yB;glAAAAA,yB;klAAAAA,yB;olAAAAA,yB;slAAAAA,yB;wlAAAAA,yB;0lAAAAA,yB;4lAAAAA,yB;8lAAAAA,yB;gmAAAAA,yB;kmAAAAA,yB;omAAAAA,yB;smAAAAA,yB;wmAAAAA,yB;0mAAAAA,yB;4mAAAAA,yB;8mAAAAA,yB;gnAAAAA,yB;knAAAAA,yB;onAAAAA,yB;snAAAAA,yB;wnAAAAA,yB;0nAAAAA,yB;4nAAAAA,yB;8nAAAAA,yB;goAAAAA,yB;koAAAAA,yB;ooAAAAA,yB;soAAAAA,yB;woAAAAA,yB;0oAAAAA,yB;4oAAAAA,yB;8oAAAAA,yB;gpAAAAA,yB;kpAAAAA,yB;opAAAAA,yB;spAAAAA,yB;wpAAAAA,yB;0pAAAAA,yB;4pAAAAA,yB;8pAAAAA,yB;gqAAAAA,yB;kqAAAAA,yB;oqAAAAA,yB;sqAAAAA,yB;wqAAAAA,yB;0qAAAAA,yB;4qAAAAA,yB;8qAAAAA,yB;grAAAAA,yB;krAAAAA,yB;orAAAAA,yB;srAAAAA,yB;wrAAAAA,yB;0rAAAAA,yB;4rAAAAA,yB;8rAAAAA,yB;gsAAAAA,yB;ksAAAAA,yB;osAAAAA,yB;ssAAAAA,yB;wsAAAAA,yB;0sAAAAA,yB;4sAAAAA,yB;8sAAAAA,yB;gtAAAAA,yB;ktAAAAA,yB;otAAAAA,yB;stAAAAA,yB;wtAAAAA,yB;0tAAAAA,yB;4tAAAAA,yB;8tAAAAA,yB;guAAAAA,yB;kuAAAAA,yB;ouAAAAA,yB;suAAAAA,yB;wuAAAAA,yB;0uAAAAA,yB;4uAAAAA,yB;8uAAAAA,yB;gvAAAAA,yB;kvAAAAA,yB;ovAAAAA,yB;svAAAAA,yB;wvAAAAA,yB;0vAAAAA,yB;4vAAAAA,yB;8vAAAAA,yB;gwAAAAA,yB;kwAAAAA,yB;owAAAAA,yB;swAAAAA,yB;wwAAAAA,yB;0wAAAAA,yB;4wAAAAA,yB;8wAAAAA,yB;gxAAAAA,yB;kxAAAAA,yB;oxAAAAA,yB;sxAAAAA,yB;wxAAAAA,yB;0xAAAAA,yB;4xAAAAA,yB;8xAAAAA,yB;gyAAAAA,yB;kyAAAAA,yB;oyAAAAA,yB;syAAAAA,yB;wyAAAAA,yB;0yAAAAA,yB;4yAAAAA,yB;8yAAAAA,yB;gzAAAAA,yB;kzAAAAA,yB;ozAAAAA,yB;szAAAAA,yB;wzAAAAA,yB;0zAAAAA,yB;4zAAAAA,yB;8zAAAAA,yB;g0AAAAA,yB;k0AAAAA,yB;o0AAAAA,yB;s0AAAAA,yB;w0AAAAA,yB;00AAAAA,yB;40AAAAA,yB;80AAAAA,yB;g1AAAAA,yB;k1AAAAA,yB;o1AAAAA,yB;s1AAAAA,yB;w1AAAAA,yB;01AAAAA,yB;41AAAAA,yB;81AAAAA,yB;g2AAAAA,yB;k2AAAAA,yB;o2AAAAA,yB;s2AAAAA,yB;w2AAAAA,yB;02AAAAA,yB;42AAAAA,yB;82AAAAA,yB;g3AAAAA,yB;k3AAAAA,yB;o3AAAAA,yB;s3AAAAA,yB;w3AAAAA,yB;03AAAAA,yB;43AAAAA,yB;83AAAAA,yB;g4AAAAA,yB;k4AAAAA,yB;o4AAAAA,yB;s4AAAAA,yB;w4AAAAA,yB;04AAAAA,yB;44AAAAA,yB;84AAAAA,yB;g5AAAAA,yB;k5AAAAA,yB;o5AAAAA,yB;s5AAAAA,yB;w5AAAAA,yB;05AAAAA,yB;45AAAAA,yB;85AAAAA,yB;g6AAAAA,yB;k6AAAAA,yB;o6AAAAA,yB;s6AAAAA,yB;w6AAAAA,yB;06AAAAA,yB;46AAAAA,yB;86AAAAA,yB;g7AAAAA,yB;k7AAAAA,yB;o7AAAAA,yB;s7AAAAA,yB;w7AAAAA,yB;07AAAAA,yB;47AAAAA,yB;87AAAAA,yB;g8AAAAA,yB;k8AAAAA,yB;o8AAAAA,yB;s8AAAAA,yB;w8AAAAA,yB;08AAAAA,yB;48AAAAA,yB;88AAAAA,yB;g9AAAAA,yB;k9AAAAA,yB;o9AAAAA,yB;s9AAAAA,yB;w9AAAAA,yB;09AAAAA,yB;49AAAAA,yB;89AAAAA,yB;g+AAAAA,yB;k+AAAAA,yB;o+AAAAA,yB;s+AAAAA,yB;w+AAAAA,yB;0+AAAAA,yB;4+AAAAA,yB;8+AAAAA,yB;gAAAAAA,yB;kAAAAAA,yB;oAAAAAA,yB;sAAAAAA,yB;wAAAAAA,yB;0AAAAAA,yB;4AAAAAA,yB;8AAAAAA,yB;gBAAAAAA,yB;kBAAAAAA,yB;oBAAAAAA,yB;sBAAAAAA,yB;wBAAAAAA,yB;0BAAAAAA,yB;4BAAAAAA,yB;8BAAAAAA,yB;gCAAAAAA,yB;kCAAAAAA,yB;oCAAAAAA,yB;sCAAAAAA,yB;wCAAAAAA,yB;0CAAAAAA,yB;4CAAAAAA,yB;8CAAAAAA,yB;gDAAAAAA,yB;kDAAAAAA,yB;oDAAAAAA,yB;sDAAAAAA,yB;wDAAAAAA,yB;0DAAAAAA,yB;4DAAAAAA,yB;8DAAAAAA,yB;gEAAAAAA,yB;kEAAAAAA,yB;oEAAAAAA,yB;sEAAAAAA,yB;wEAAAAAA,yB;0EAAAAAA,yB;4EAAAAAA,yB;8EAAAAAA,yB;gFAAAAAA,yB;kFAAAAAA,yB;oFAAAAAA,yB;sFAAAAAA,yB;wFAAAAAA,yB;0FAAAAAA,yB;4FAAAAAA,yB;8FAAAAAA,yB;gGAAAAAA,yB;kGAAAAAA,yB;oGAAAAAA,yB;sGAAAAAA,yB;wGAAAAAA,yB;

I,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAA
A,+C;MAAA,iE;MA69EI,0D;MA79EJ,uC;QAQkB,Q;QAAA,OAAa,SAq9EX,YAr9EF,SAq9EN,QAAQ,CAr9EW,
CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;Y
AAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;+FAeA,yB;MAAA,0D;MAAA,qC;QAOI,O
AAe,YAAR,iBAAQ,EAAY,O/BtwBM,K+BswBlB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAA
e,YAAR,iBAAQ,EAAY,OFrwBQ,KEqwBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YA
AR,iBAAQ,EAAY,OhCtzBQ,KgCszBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,
iBAAQ,EAAY,O9BrzBU,K8BqzBtB,C;O;KAPnB,C;IAUA,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBA
AK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IA
AL,C;K;IAGpC,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;
MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MA02E
I,0D;MA12EJ,uC;QAOkB,Q;QAAA,OAAa,SAm2EX,YAn2EF,SAm2EN,QAAQ,CAn2EW,CAAb,W;QAAd,OAA
c,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA
EnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MAo2EI,0D;MAp2EJ,uC;QAOkB,Q;QAAA,OAAa,SA61EX,Y
A71EF,SA61EN,QAAQ,CA71EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UA
Cd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MA81
EI,0D;MA91EJ,uC;QAOkB,Q;QAAA,OAAa,SAu1EX,YAv1EF,SAu1EN,QAAQ,CAv1EW,CAAb,W;QAAd,OAA
c,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA
EnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MAw1EI,0D;MAx1EJ,uC;QAOkB,Q;QAAA,OAAa,SAi1EX,Y
Aj1EF,SAi1EN,QAAQ,CAj1EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UAC
d,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAXX,C;qFAcA,yB;MAAA,mC;MAAA,
gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,
OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP
,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,s
C;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAA
X,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBA
AQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBA
AI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA
CV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;iGAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAA
O,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;
KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB
;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mBAAJ,C
;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QAC
I,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OA
AO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;
MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;qFAGX,yB;MAAA,gD;M/Bx+BA,6B;M+Bw+BA,4B;
QAOI,O/Br+BmC,c+Bq+BpB,OAAR,iBAAQ,C/Br+BoB,C;O;K+B89BvC,C;qFAUA,yB;MAAA,gD;MFn+BA,+B
;MEm+BA,4B;QAOI,OFh+BsC,eEg+BvB,OAAR,iBAAQ,CFh+BuB,C;O;KEy9B1C,C;qFAUA,yB;MAAA,gD;Mh
C9hCA,+B;MgC8hCA,4B;QAOI,OhC3hCsC,egC2hCvB,OAAR,iBAAQ,ChC3hCuB,C;O;KgCohC1C,C;qFAUA,y
B;MAAA,gD;M9B3hCA,iC;M8B2hCA,4B;QAOI,O9BxhCyC,gB8BwhC1B,OAAR,iBAAQ,C9BxhC0B,C;O;K8Bi
hC7C,C;qFAUA,yB;MAAA,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAoB,I;
QACpB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,I
AAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAA
L,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,0D;O;KAlBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;M
AAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAgB,
cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAA
zB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QA
ElB,OAAO,2D;O;KAlBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,

M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAA
V,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,
IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAlBX,C;qFAqBA,yB;MAA
A,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACI,2B
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAA
M,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAA
uB,mDAAvB,C;QAElB,OAAO,4D;O;KAlBX,C;IAqBA,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAA
L,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGv
C,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBA
AQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MASoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,
K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;Y
AAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAA
O,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAg
B,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ
,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,
I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UAC
I,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAA
O,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACI,2B;MAAhB,OAAgB,
cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,
O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,+B;MrBr9CI,IA
AI,EqB+9CI,KAAK,CrB/9CT,CAAJ,C;QACI,cqB89Cc,sD;QrB79Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB89
CV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,+B;MrBn+CI,IAAI,EqB6+
CI,KAAK,CrB7+CT,CAAJ,C;QACI,cqB4+Cc,sD;QrB3+Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB4+CV,OAA
O,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,+B;MrBj/CI,IAAI,EqB2/CI,KAAK,C
rB3/CT,CAAJ,C;QACI,cqB0/Cc,sD;QrBz/Cd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB0/CV,OAAO,uBAAoB,gB
AAV,iBAAO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,+B;MrB//CI,IAAI,EqBygDI,KAAK,CrBzgDT,CAAJ
,C;QACI,cqBwgDc,sD;QrBvgDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBwgDV,OAAO,uBAAoB,gBAAV,iBA
AO,CAAP,IAAU,EAAc,CAAd,CAApB,C;K;IAGX,mC;MrB7gDI,IAAI,EqBuhDI,KAAK,CrBvhDT,CAAJ,C;QAC
I,cqBshDc,sD;QrBrhDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBshDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP
,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,mC;MrB3hDI,IAAI,EqBqiDI,KAAK,CrBriDT,CAAJ,C;QACI,cqBoiDc,s
D;QrBniDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBoiDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAA
c,CAAd,CAAhB,C;K;IAGX,mC;MrBziDI,IAAI,EqBmjDI,KAAK,CrBnjDT,CAAJ,C;QACI,cqBkjDc,sD;QrBjjDd,
MAAM,gCAAyB,OAAQ,WAAjC,C;OqBkjDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAc,CAAd,CA
AhB,C;K;IAGX,mC;MrBvjDI,IAAI,EqBikDI,KAAK,CrBjkDT,CAAJ,C;QACI,cqBgkDc,sD;QrB/jDd,MAAM,gC
AAyB,OAAQ,WAAjC,C;OqBgkDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;
mGAGX,yB;MAAA,4C;MAAA,qD;MAkzDI,8D;MAlzDJ,uC;QASI,iBAyyDgB,cAAR,iBAAQ,CAzyDhB,WAA+
B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IA
AL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAyyDI,8D;MAzyDJ,uC;QASI,iBAgyD
gB,cAAR,iBAAQ,CAhyDhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YA
CI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MA
gyDI,8D;MAhyDJ,uC;QASI,iBAuxDgB,cAAR,iBAAQ,CAvxDhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,
sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mG
AiBA,yB;MAAA,4C;MAAA,qD;MAuxDI,8D;MAvxDJ,uC;QASI,iBA8wDgB,cAAR,iBAAQ,CA9wDhB,WAA+B
,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAA
L,C;;QAGf,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,g
B;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAA
C,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAlBX,C;2FAqBA,
yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,s

B;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEnB,OAAO,I;O;KAlBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxOa,SAwOT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxO1D,OAyOO,W;O;KAhPX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAyOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzOc,SAyOV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzO1D,OA0OO,W;O;KAjPX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1Oc,SA0OV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1O1D,OA2OO,W;O;KAlPX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3Oe,SA2OX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3O1D,OA4OO,W;O;KAnPX,C;kGAUA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QA6kGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA5hGT,IAjDsC,SAiDlC,EA4hGkB,cA5hGlB,EA4hGkB,sBA5hGlB,WA4hG2B,IA5hG3B,CAAJ,C;YAA2C,sBA4hGZ,IA5hGY,C;;QAjD/C,OAmDO,W;O;KA5DX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QA8kGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1hGT,IApDuC,SAoDnC,EA0hGkB,cA1hGlB,EA0hGkB,sBA1hGlB,WA0hG2B,IA1hG3B,CAAJ,C;YAA2C,sBA0hGZ,IA1hGY,C;;QApD/C,OAsDO,W;O;KA/DX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QA+kGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAxhGT,IAvDuC,SAuDnC,EAwhGkB,cAxhGlB,EAwhGkB,sBAxhGlB,WAwhG2B,IAxhG3B,CAAJ,C;YAA2C,sBAwhGZ,IAxhGY,C;;QAvD/C,OAyDO,W;O;KAlEX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAgB,gB;QAglGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAthGT,IA1DwC,SA0DpC,EAshGkB,cAthGlB,EAshGkB,sBAthGlB,WAshG2B,IAthG3B,CAAJ,C;YAA2C,sBAshGZ,IAthGY,C;;QA1D/C,OA4DO,W;O;KArEX,C;uGAYA,6C;MAsiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA5hGT,IAAI,WA4hGkB,cA5hGlB,EA4hGkB,sBA5hGlB,WA4hG2B,IA5hG3B,CAAJ,C;UAA2C,sBA4hGZ,IA5hGY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAoiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA1hGT,IAAI,WA0hGkB,cA1hGlB,EA0hGkB,sBA1hGlB,WA0hG2B,IA1hG3B,CAAJ,C;UAA2C,sBA0hGZ,IA1hGY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAkiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAxhGT,IAAI,WAwhGkB,cAxhGlB,EAwhGkB,sBAxhGlB,WAwhG2B,IAxhG3B,CAAJ,C;UAA2C,sBAwhGZ,IAxhGY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAgiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAthGT,IAAI,WAshGkB,cAthGlB,EAshGkB,sBAthGlB,WAshG2B,IAthG3B,CAAJ,C;UAA2C,sBAshGZ,IAthGY,C;;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QAwCH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAxCY,SAwCX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAxC3D,OAyCO,W;O;KAhDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QAyCH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAzCa,SAyCZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAzC3D,OA0CO,W;O;KAjDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA0CH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA1Ca,SA0CZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA1C3D,OA2CO,W;O;KAlDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA2CH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA3Cc,SA2Cb,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QA3C3D,OA4CO,W;O;KAnDX,C;+FAUA,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,

UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,
UAAZ,C;QAAuB,O5Bx8De,W;O4By8DtC,OAA4D,SAmvCrD,cAAkB,cAAR,iBAAQ,EAnvCN,OAAQ,MAmvCF
,EAnvCS,OAAQ,aAAR,GAAuB,CAAvB,IAmvCT,CAAlB,CAnvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ
,C;QAAuB,O5Bl9De,W;O4Bm9DtC,OAA4D,SAsvCrD,eAAmB,cAAR,iBAAQ,EAtvCP,OAAQ,MAsvCD,EAtvC
Q,OAAQ,aAAR,GAAuB,CAAvB,IAsvCR,CAAnB,CAtvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAA
uB,O5B59De,W;O4B69DtC,OAA4D,UAyvCrD,eAAmB,cAAR,iBAAQ,EAzvCP,OAAQ,MAyvCD,EAzvCQ,OAA
Q,aAAR,GAAuB,CAAvB,IAyvCR,CAAnB,CAzvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O5
Bt+De,W;O4Bu+DtC,OAA4D,UA4vCrD,gBAAoB,cAAR,iBAAQ,EA5vCR,OAAQ,MA4vCA,EA5vCO,OAAQ,a
AAR,GAAuB,CAAvB,IA4vCP,CAApB,CA5vCqD,C;K;IAGhE,sC;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,E
AAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,y
B;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;M
ASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;
MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KA
AJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACn
B,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;
QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASkB,Q;MAHd,WAAmB,
wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkB,I
AAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO
,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR,iBAAQ,EAAW,OAAX,CAAlB,C;K;IAGX,2C;MAMI,OAAO,eAAm
B,aAAR,iBAAQ,EAAW,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAAW,OAAX,C
AAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,aAAR,iBAAQ,EAAW,OAAX,CAApB,C;K;IAGX,2C;MAMI,OAA
O,cAAkB,cAAR,iBAAQ,EAAW,OAAX,CAAlB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EAAW,O
AAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAAW,OAAX,CAAnB,C;K;IAGX,2C;MAM
I,OAAO,gBAAoB,cAAR,iBAAQ,EAAW,OAAX,CAApB,C;K;IAGX,+B;MAgBiB,Q;MrB7qEb,IAAI,EqBuqEI,K
AAK,CrBvqET,CAAJ,C;QACI,cqBsqEc,sD;QrBrqEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBsqEV,IAAI,MAA
K,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;Q
AAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACE,2B;
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,O
AAO,I;K;IAGX,+B;MAgBiB,Q;MrBrsEb,IAAI,EqB+rEI,KAAK,CrB/rET,CAAJ,C;QACI,cqB8rEc,sD;QrB7rEd,M
AAM,gCAAyB,OAAQ,WAAjC,C;OqB8rEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAA
T,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,Y
AAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAA
J,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAgBiB,Q;MrB7tEb,IAAI,EqButEI,K
AAK,CrBvtET,CAAJ,C;QACI,cqBstEc,sD;QrBrtEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBstEV,IAAI,MAAK,
CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QA
AY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;M
AAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OA
AO,I;K;IAGX,+B;MAgBiB,Q;MrBrvEb,IAAI,EqB+uEI,KAAK,CrB/uET,CAAJ,C;QACI,cqB8uEc,sD;QrB7uEd,M
AAM,gCAAyB,OAAQ,WAAjC,C;OqB8uEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cA
AT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,
YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,I
AAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,mC;MrB7vEI,IAAI,EqBuwEI,KAAK,

CrBvwET,CAAJ,C;QACI,cqBswEc,sD;QrBrwEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBswEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBlxEI,IAAI,EqB4xEI,KAAK,CrB5xET,CAAJ,C;QACI,cqB2xEc,sD;QrB1xEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB2xEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBvyEI,IAAI,EqBizEI,KAAK,CrBjzET,CAAJ,C;QACI,cqBgzEc,sD;QrB/yEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBgzEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB50EI,IAAI,EqBs0EI,KAAK,CrBt0ET,CAAJ,C;QACI,cqBq0Ec,sD;QrBp0Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBq0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB71EI,IAAI,EqBu1EI,KAAK,CrBv1ET,CAAJ,C;QACI,cqBs1Ec,sD;QrBr1Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBs1EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB94EI,IAAI,EqBw4EI,KAAK,CrBx4ET,CAAJ,C;QACI,cqBu4Ec,sD;QrBt4Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBu4EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBh8EI,IAAI,EqB07EI,KAAK,CrB17ET,CAAJ,C;QACI,cqBy7Ec,sD;QrBx7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBy7EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBl/EI,IAAI,EqB4+EI,KAAK,CrB5+ET,CAAJ,C;QACI,cqB2+Ec,sD;QrB1+Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB2+EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBpiFI,IAAI,EqB8hFI,KAAK,CrB9hFT,CAAJ,C;QACI,cqB6hFc,sD;QrB5hFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB6hFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBtlFI,IAAI,EqBgkFI,KAAK,CrBhkFT,CAAJ,C;QACI,cqB+jFc,sD;QrB9jFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB+jFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBxoFI,IAAI,EqBkmFI,KAAK,CrBlmFT,CAAJ,C;QACI,cqBimFc,sD;QrBhmFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBimFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB1rFI,IAAI,EqBopFI,KAAK,CrBppFT,CAAJ,C;QACI,cqBmpFc,sD;QrBlpFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBmpFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB5uFI,IAAI,EqBsrFI,KAAK,CrBtrFT,CAAJ,C;QACI,cqBqrFc,sD;QrBprFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBqrFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB9xFI,IAAI,EqBwuFI,KAAK,CrBxuFT,CAAJ,C;QACI,cqBuuFc,sD;QrBtuFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBuuFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBh1FI,IAAI,EqB0xFI,KAAK,CrB1xFT,CAAJ,C;QACI,cqByxFc,sD;QrBxxFd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqByxFV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBl4FI,IAAI,EqB40FI,KAAK,CrB50FT,CAAJ,C;QACI,cqB20Fc,sD;QrB10Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB20FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBp7FI,IAAI,EqB83FI,KAAK,CrB93FT,CAAJ,C;QACI,cqB63Fc,sD;QrB53Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB63FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBt+FI,IAAI,EqBg7FI,KAAK,CrBh7FT,CAAJ,C;QACI,cqB+6Fc,sD;QrB96Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB+6FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBhiGI,IAAI,EqB0+FI,KAAK,CrB1+FT,CAAJ,C;QACI,cqBy+Fc,sD;QrBx+Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBy+FV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBlmGI,IAAI,EqB4iGI,KAAK,CrB5iGT,CAAJ,C;QACI,cqB2iGc,sD;QrB1iGd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB2iGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBpqGI,IAAI,EqB8mGI,KAAK,CrB9mGT,CAAJ,C;QACI,cqB6mGc,sD;QrB5mGd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB6mGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBtuGI,IAAI,EqBgrGI,KAAK,CrBhrGT,CAAJ,C;QACI,cqB+qGc,sD;QrB9qGd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB+qGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBxyGI,IAAI,EqBkvGI,KAAK,CrBlvGT,CAAJ,C;QACI,cqBivGc,sD;QrBhvGd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBivGV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB11GI,IAAI,EqBo2GI,KAAK,CrBp2GT,CAAJ,C;QACI,cqBm2Gc,sD;QrBl2Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBm2GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB54GI,IAAI,EqBs4GI,KAAK,CrBt4GT,CAAJ,C;QACI,cqBq4Gc,sD;QrBp4Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBq4GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB98GI,IAAI,EqBw5GI,KAAK,CrBx5GT,CAAJ,C;QACI,cqBu5Gc,sD;QrBt5Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBu5GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBh+GI,IAAI,EqB06GI,KAAK,CrB16GT,CAAJ,C;QACI,cqBy6Gc,sD;QrBx6Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBy6GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBlhHI,IAAI,EqB47GI,KAAK,CrB57GT,CAAJ,C;QACI,cqB27Gc,sD;QrB17Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB27GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBpkHI,IAAI,EqB88GI,KAAK,CrB98GT,CAAJ,C;QACI,cqB68Gc,sD;QrB58Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB68GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBtlHI,IAAI,EqBg9GI,KAAK,CrBh9GT,CAAJ,C;QACI,cqB+8Gc,sD;QrB98Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB+8GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBxmHI,IAAI,EqBk+GI,KAAK,CrBl+GT,CAAJ,C;QACI,cqBi+Gc,sD;QrBh+Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBi+GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB5nHI,IAAI,EqBs/GI,KAAK,CrBt/GT,CAAJ,C;QACI,cqBq/Gc,sD;QrBp/Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBq/GV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBhpHI,IAAI,EqB0gHI,KAAK,CrB1gHT,CAAJ,C;QACI,cqBygHc,sD;QrBxgHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBygHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBrqHI,IAAI,EqB+hHI,KAAK,CrB/hHT,CAAJ,C;QACI,cqB8hHc,sD;QrB7hHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB8hHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBtsHI,IAAI,EqBgkHI,KAAK,CrBhkHT,CAAJ,C;QACI,cqB+jHc,sD;QrB9jHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqB+jHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBvuHI,IAAI,EqBimHI,KAAK,CrBjmHT,CAAJ,C;QACI,cqBgmHc,sD;QrB/lHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBgmHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBxwHI,IAAI,EqBkoHI,KAAK,CrBloHT,CAAJ,C;QACI,cqBioHc,sD;QrBhoHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBioHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBzyHI,IAAI,EqBmqHI,KAAK,CrBnqHT,CAAJ,C;QACI,cqBkqHc,sD;QrBjqHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBkqHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB1zHI,IAAI,EqBorHI,KAAK,CrBprHT,CAAJ,C;QACI,cqBmrHc,sD;QrBlrHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBmrHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB31HI,IAAI,EqBqtHI,KAAK,CrBrtHT,CAAJ,C;QACI,cqBotHc,sD;QrBntHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBotHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB52HI,IAAI,EqBsvHI,KAAK,CrBtvHT,CAAJ,C;QACI,cqBqvHc,sD;QrBpvHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBqvHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB74HI,IAAI,EqBuwHI,KAAK,CrBvwHT,CAAJ,C;QACI,cqBswHc,sD;QrBrwHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBswHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB95HI,IAAI,EqBwyHI,KAAK,CrBxyHT,CAAJ,C;QACI,cqBuyHc,sD;QrBtyHd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBuyHV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrB/6HI,IAAI,EqBy0HI,KAAK,CrBz0HT,CAAJ,C;QACI,cqBw0Hc,sD;QrBv0Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBw0HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,B,C;MACX,iBAAc,OAAO,CAAP,IAAd,U;QAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBh8HI,IAAI,EqB01HI,KAAK,CrB11HT,CAAJ,C;QACI,cqBy1Hc,sD;QrBx1Hd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBy1HV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,I

AAU,iBpB35EO,QoB25EjB,C;MA/eiB,mB;MAAxB,OAAiC,SjBnmF1B,WiBmmF0B,C;K;IAGrC,8B;MAMoB,kB
AkfT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAlfiB,mB;MAAxB,OAAiC,SjB5mF1B,WiB4mF0B,C;K;IAGrC,8B;M
AMoB,kBAqfT,eAAW,iBpBv8EM,QoBu8EjB,C;MArfiB,mB;MAAxB,OAAiC,UjBrnF1B,WiBqnF0B,C;K;IAGrC
,8B;MAMoB,kBAwfT,gBAAY,iBpBz8EK,QoBy8EjB,C;MAxfiB,mB;MAAxB,OAAiC,UjB9nF1B,WiB8nF0B,C;
K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0cd,cA1cA,SA0cU,QpB35EO,QoB25EjB,C;M
A1csB,mB;MAA7B,OjBxoFO,W;K;IiB2oFX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4cd,eAAm
B,UA5cnB,SA4cW,QAAQ,CAAnB,C;MA5csB,mB;MAA7B,OjBlpFO,W;K;IiBqpFX,kC;MAMI,IAAI,mBAAJ,C;
QAAe,OAAO,S;MACD,kBA8cd,eA9cA,SA8cW,QpBv8EM,QoBu8EjB,C;MA9csB,mB;MAA7B,OjB5pFO,W;K;I
iB+pFX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgdd,gBAhdA,SAgdY,QpBz8EK,QoBy8EjB,C;
MAhdsB,mB;MAA7B,OjBtqFO,W;K;IiByqFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkad,cAla
A,SAkaU,QpB35EO,QoB25EjB,C;MAlasB,6B;MAA7B,OjBhrFO,W;K;IiBmrFX,4C;MAMI,IAAI,mBAAJ,C;QA
Ae,OAAO,S;MACD,kBAoad,eAAmB,UApanB,SAoaW,QAAQ,CAAnB,C;MApasB,6B;MAA7B,OjB1rFO,W;K;Ii
B6rFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsad,eAtaA,SAsaW,QpBv8EM,QoBu8EjB,C;MAta
sB,8B;MAA7B,OjBpsFO,W;K;IiBusFX,6C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwad,gBAxaA,S
AwaY,QpBz8EK,QoBy8EjB,C;MAxasB,8B;MAA7B,OjB9sFO,W;K;IiBitFX,uC;MAQoB,kBAyXT,cAAU,iBpB35
EO,QoB25EjB,C;MAzXiB,mB;MAAxB,OAAiC,YjBztF1B,WiBytF0B,C;K;IAGrC,wC;MAQoB,kBA0XT,eAAmB
,UAAR,iBAAQ,CAAnB,C;MA1XiB,mB;MAAxB,OAAiC,YjBpuF1B,WiBouF0B,C;K;IAGrC,wC;MAQoB,kBA2
XT,eAAW,iBpBv8EM,QoBu8EjB,C;MA3XiB,mB;MAAxB,OAAiC,YjB/uF1B,WiB+uF0B,C;K;IAGrC,wC;MAQ
oB,kBA4XT,gBAAY,iBpBz8EK,QoBy8EjB,C;MA5XiB,mB;MAAxB,OAAiC,YjB1vF1B,WiB0vF0B,C;K;4FAGr
C,qB;MAQI,OAAO,iB;K;0FAGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,O
AAO,iB;K;8FAGX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,u
C;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oB
AAW,SAAX,C;O;KARX,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAW
A,2C;MAOI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAApB,C;K;IAGnB,2C;MAOI,OAAe,cAAR,iBAAQ,EAAc,KA
AM,QAApB,C;K;IAGnB,2C;MAOI,OAAe,cAAR,iBAAQ,EAAc,KAAM,QAApB,C;K;IAGnB,2C;MAOI,OAAe,c
AAR,iBAAQ,EAAc,KAAM,QAApB,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAA
e,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,
C;K;IAGnB,oC;MAQI,OAAO,0BAAa,IAAb,EAAAmB,GAAAnB,EAAAwB,GAAAxB,C;K;IAGX,sC;MAQI,OAAO,0B
AAa,IAAb,EAAAmB,GAAAnB,EAAAwB,GAAAxB,C;K;IAGX,sC;MAQI,OAAO,0BAAa,IAAb,EAAAmB,GAAAnB,EAA
wB,GAAAxB,C;K;IAGX,sC;MAQI,OAAO,0BAAa,IAAb,EAAAmB,GAAAnB,EAAAwB,GAAAxB,C;K;sFAGX,yB;MpB
v+EA,8C;MoBu+EA,kF;QAmB6D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAg
B,c;QpBt+E1H,UoBu+EA,iBpBv+EA,EoBu+EiB,WAAY,QpBv+E7B,EoBu+EsC,iBpBv+EtC,EoBu+EyD,UpBv+
EzD,EoBu+EqE,QpBv+ErE,C;QoBw+EA,OAAO,W;O;KArBX,C;wFAwBA,yB;MpBv+EA,8C;MoBu+EA,kF;QA
mB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QpBt+E5H,UoBu+EA,i
BpBv+EA,EoBu+EiB,WAAY,QpBv+E7B,EoBu+EsC,iBpBv+EtC,EoBu+EyD,UpBv+EzD,EoBu+EqE,QpBv+ErE,
C;QoBw+EA,OAAO,W;O;KArBX,C;wFAwBA,yB;MpBvkFA,8C;MoBukFA,kF;QAmB+D,iC;UAAA,oBAAyB,C
;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QpBtkF5H,UoBukFA,iBpBvkFA,EoBukFiB,WAAY,
QpBvkF7B,EoBukFsC,iBpBvkFtC,EoBukFyD,UpBvkFzD,EoBukFqE,QpBvkFrE,C;QoBwkFA,OAAO,W;O;KArB
X,C;wFAwBA,yB;MpBvkFA,8C;MoBukFA,kF;QAmBiE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QA
AG,wB;UAAA,WAAgB,c;QpBtkF9H,UoBukFA,iBpBvkFA,EoBukFiB,WAAY,QpBvkF7B,EoBukFsC,iBpBvkFtC
,EoBukFyD,UpBvkFzD,EoBukFqE,QpBvkFrE,C;QoBwkFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MA
AA,4B;QASI,OAAO,mBAAU,iBpB35EO,QoB25EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4
B;QASI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO
,oBAAW,iBpBv8EM,QoBu8EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBpBz8
EK,QoBy8EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBA
AQ,EAAO,OAAP,CAAlB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,
OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAA
O,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;

QAWI,OAAO,qBAAoB,OAAR,iBAAQ,EAAO,OAAP,CAApB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;
MAAA,gD;QAUI,OAAO,mBAAkB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAlB,C;O;KAVX,C;8FAaA
,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,C
AAnB,C;O;KAVX,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAmB,YAAR,iBAAQ,EAA
Y,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAUI,OAAO,qB
AAoB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;O;KAVX,C;IAaA,sD;MAWyC,yB;QAAA,YAAi
B,C;MAAG,uB;QAAA,UAAe,c;MAChE,OAAR,iBAAQ,EAAK,O/B/nGoB,K+B+nGzB,EAAsB,SAAtB,EAAiC,O
AAjC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAClE,OAAR,iBAAQ,EAAK,
OFnoGsB,KEmoG3B,EAAuB,SAAvB,EAAkC,OAAlC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;
QAAA,UAAe,c;MAClE,OAAR,iBAAQ,EAAK,OhCzrGsB,KgCyrG3B,EAAuB,SAAvB,EAAkC,OAAlC,C;K;IAG
Z,wD;MAW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,O9B7rGwB,K8
B6rG7B,EAAwB,SAAxB,EAAmC,OAAnC,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ
,C;O;KAAhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;M
AAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,O
AAQ,YAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAA
hB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;
MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAA
R,iBAAQ,C;O;KAAhB,C;iFAEJ,yB;MAAA,uC;MpBrmEA,iD;MoBqmEA,qC;QAOqB,4B;QAAA,gBAAU,O/Btv
GM,K;Q+BsvGjC,OAAO,mBpBvmEA,2BAxIK,gBAAW,SAAX,EAwIL,CoBumEA,C;O;KAPX,C;iFAUA,yB;M
AAA,yC;MpBvmEA,iD;MoBumEA,qC;QAOI,OAAO,oBpBzmEA,qBoBymEW,iBpBzmEX,EAxIK,mBoBivEgB,
OFrvGO,KlBogCvB,CAwIL,CoBymEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MpBzoEA,iD;MoByoEA,qC;QAOs
B,4B;QAAA,gBAAU,OhCtyGO,K;QgCsyGnC,OAAO,oBpB3oEA,2BAxIK,eAAY,SAAZ,EAwIL,CoB2oEA,C;O;
KAPX,C;iFAUA,yB;MAAA,2C;MpB3oEA,iD;MoB2oEA,qC;QAOuB,4B;QAAA,gBAAU,O9BryGQ,K;Q8BqyGr
C,OAAO,qBpB7oEA,2BAxIK,gBAAa,SAAb,EAwIL,CoB6oEA,C;O;KAPX,C;IAUA,sC;MAQoB,UAAiB,M;MAF
jC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAgB,c
AAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O/B/xGX,K;;M+BgyGjC,OAAO,cAAU,MAA
V,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KA
AhB,IAAP,C;MACL,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O
FhyGT,K;;MEiyGnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,
UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA
U,OAAO,cAAP,EAAO,sBAAP,YAAkB,OhCn1GT,K;;MgCo1GnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB
,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,O9Bp1GP,K;;M8Bq1GrC,
OAAO,gBAAY,MAAZ,C;K;iFAGX,yB;MAAA,uC;MpB7rEA,iD;MoB6rEA,sC;QAOI,OAAO,mBpB/rEA,qBoB+r
EU,iBpB/rEV,EoB+rEoB,QAAS,QpB/rE7B,CoB+rEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MpB/rEA,iD;MoB+r
EA,sC;QAOI,OAAO,oBpBjsEA,qBoBisEW,iBpBjsEX,EoBisEqB,QAAS,QpBjsE9B,CoBisEA,C;O;KAPX,C;iFA
UA,yB;MAAA,yC;MpBjuEA,iD;MoBiuEA,sC;QAOI,OAAO,oBpBnuEA,qBoBmuEW,iBpBnuEX,EoBmuEqB,QA
AS,QpBnuE9B,CoBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MpBnuEA,iD;MoBmuEA,sC;QAOI,OAAO,qBp
BruEA,qBoBquEY,iBpBruEZ,EoBquEsB,QAAS,QpBruE/B,CoBquEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAA
O,CAAX,C;QAAc,YAAU,SAAV,C;K;IAGlB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAc,YAAU,SAAV,C;K;IAGlB
,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAc,YAAU,SAAV,C;K;IAGlB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAc,YA
AU,SAAV,C;K;8FAGlB,qB;MAQI,OAAO,iBpBl3FiB,Q;K;4FoBq3F5B,qB;MAQI,OAAO,iBpBz2FiB,Q;K;8FoB4
2F5B,yB;MAAA,gD;MAAA,4B;QAQI,OAAe,OAAR,iBAAQ,C;O;KARnB,C;gGAWA,qB;MAQI,OAAO,iBpBz4
FiB,Q;K;IoBk5FL,gD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANlC,iC;MAMI,OAAO,iBAAM,cAAN,EAAY
,8BAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANlC,mC;MAMI,OAAO,iBAAM,cAAN,EA
AY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANlC,mC;MAMI,OAAO,iBAAM,cAAN,
EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANlC,mC;MAMI,OAAO,iBAAM,cAA
N,EAAY,gCAAZ,C;K;IASiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OL3mHO,eAAW,

+BK2mHA,gBL3mHA,GAAgB,kBK2mHV,8BL3mHU,CAAhB,CAAX,C;K;gGK8mHX,yB;MAAA,yC;MAAA,4
B;QAQI,OAAO,oBAAW,SpB38FM,QoB28FjB,C;O;KARX,C;IAiB2B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;
O;K;IANtC,gC;MAMI,OJ/nHO,cAAU,gCI+nHA,gBJ/nHA,GAAe,iBI+nHT,6BJ/nHS,CAAf,CAAV,C;K;8FIkoHX,
yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SpB38FO,QoB28FjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;Q
AAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OHnpHO,eAAW,kBGmpHA,gBHnpHA,EAAgB,kBGmpHV,8BH
npHU,CAAhB,CAAX,C;K;gGGspHX,yB;MAAA,gD;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAgB,OAAL,SAA
K,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IANxC,kC;MAMI,ODvqHO,gB
AAY,gCCuqHA,gBDvqHA,GAAiB,mBCuqHX,+BDvqHW,CAAjB,CAAZ,C;K;kGC0qHX,yB;MAAA,2C;MAAA
,4B;QAQI,OAAO,qBAAY,SpB7/FK,QoB6/FjB,C;O;KARX,C;uFAWA,yB;MAAA,+D;MAgDA,gD;MAhDA,uC;
QASW,kBAAU,gB;QA8CD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/C6B,SA+ClB,CAA
U,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhDhB,OAkDO,W;O;KA3DX,C;uFAYA,yB;MAAA,+D;M
AkDA,gD;MAlDA,uC;QASW,kBAAU,gB;QAgDD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,
WAjD6B,SAiDlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlDhB,OAoDO,W;O;KA7DX,C;uF
AYA,yB;MAAA,+D;MAoDA,gD;MApDA,uC;QASW,kBAAU,gB;QAkDD,Q;QAAA,2B;QAAhB,OAAgB,cAAh
B,C;UAAgB,yB;UACZ,WAnD6B,SAmDlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApDhB,O
AsDO,W;O;KA/DX,C;uFAYA,yB;MAAA,+D;MAsDA,gD;MAtDA,uC;QASW,kBAAU,gB;QAoDD,Q;QAAA,2B
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArD6B,SAqDlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAA
O,IAAP,C;;QAtDhB,OAwDO,W;O;KAjEX,C;2FAYA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,
OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,
OAAO,W;O;KAXX,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAA
gB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2
FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,U
AAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FAcA,yB;MAAA,gD;MA
AA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,O
AAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;uFAcA,yB;MAAA,wE;MA4HA,+D;MA5HA,yC;Q
AYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7HoD,WA6H1C,CA
AY,OAAZ,C;U3BtpHP,U;UADP,Y2BwpHe,W3BxpHH,W2BwpHwB,G3BxpHxB,C;UACL,IAAI,aAAJ,C;YACH,
a2BspHuC,gB;YAA5B,W3BrpHX,a2BqpHgC,G3BrpHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkpHA,iB;UA
CA,IAAK,WAAI,OAAJ,C;;QA/HT,OAiIO,W;O;KA7IX,C;uFAeA,yB;MAAA,wE;MAiIA,+D;MAjIA,yC;QAYW,
kBAAU,oB;QAiID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlIqD,WAkI3C,CAAY,OAAZ,
C;U3B1qHP,U;UADP,Y2B4qHe,W3B5qHH,W2B4qHwB,G3B5qHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B0qHuC,
gB;YAA5B,W3BzqHX,a2ByqHgC,G3BzqHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BsqHA,iB;UACA,IAAK,
WAAI,OAAJ,C;;QApIT,OAsIO,W;O;KAlJX,C;sFAeA,yB;MAAA,wE;MAsIA,+D;MAtIA,yC;QAYW,kBAAU,oB
;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAuI3C,CAAY,OAAZ,C;U3B9rH
P,U;UADP,Y2BgsHe,W3BhsHH,W2BgsHwB,G3BhsHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B8rHuC,gB;YAA5B,
W3B7rHX,a2B6rHgC,G3B7rHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B0rHA,iB;UACA,IAAK,WAAI,OAAJ,
C;;QAzIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;Q
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U3BltHP,U;UADP,Y
2BotHe,W3BptHH,W2BotHwB,G3BptHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BktHuC,gB;YAA5B,W3BjtHX,a2Bi
tHgC,G3BjtHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B8sHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAgJ
O,W;O;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QAgJD,Q;QAAA,2B;QAAh
B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjJiD,WAiJvC,CAAY,OAAZ,C;U3BvuHP,U;UADP,Y2ByuHe,W3Bzu
HH,W2ByuHwB,G3BzuHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BuuHuC,gB;YAA5B,W3BtuHX,a2BsuHgC,G3Btu
HhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BmuHA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAe,OAAf,CAAJ,C;;
QAnJT,OAqJO,W;O;KAlKX,C;uFAgBA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;Q
AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U3B5vHP,U;UADP,Y
2B8vHe,W3B9vHH,W2B8vHwB,G3B9vHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B4vHuC,gB;YAA5B,W3B3vHX,a
2B2vHgC,G3B3vHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BwvHA,iB;UACA,IAAK,WAxJyD,cAwJrD,CAAe,

OAAf,CAAJ,C;;QAxJT,OA0JO,W;O;KAvKX,C;uFAgBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU
,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U3Bj
xHP,U;UADP,Y2BmxHe,W3BnxHH,W2BmxHwB,G3BnxHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BixHuC,gB;YA
A5B,W3BhxHX,a2BgxHgC,G3BhxHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B6wHA,iB;UACA,IAAK,WA7Jy
D,cA6JrD,CAAe,OAAf,CAAJ,C;;QA7JT,OA+JO,W;O;KA5KX,C;uFAgBA,yB;MAAA,wE;MA+JA,+D;MA/JA,y
D;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,C
AAY,OAAZ,C;U3BtyHP,U;UADP,Y2BwyHe,W3BxyHH,W2BwyHwB,G3BxyHxB,C;UACL,IAAI,aAAJ,C;YAC
H,a2BsyHuC,gB;YAA5B,W3BryHX,a2BqyHgC,G3BryHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkyHA,iB;U
ACA,IAAK,WAlKyD,cAkKrD,CAAe,OAAf,CAAJ,C;;QAlKT,OAoKO,W;O;KAjLX,C;2FAgBA,yB;MAAA,+D;
MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3Btp
HP,U;UADP,Y2BwpHe,W3BxpHH,W2BwpHwB,G3BxpHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BspHuC,gB;YAA
5B,W3BrpHX,a2BqpHgC,G3BrpHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkpHA,iB;UACA,IAAK,WAAI,O
AAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAg
B,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3B1qHP,U;UADP,Y2B4qHe,W3B5qHH,W2B4qHwB,
G3B5qHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B0qHuC,gB;YAA5B,W3BzqHX,a2ByqHgC,G3BzqHhC,EAAS,MA
AT,C;YACA,e;;YAEA,c;;U2BsqHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,y
B;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,O
AAZ,C;U3B9rHP,U;UADP,Y2BgsHe,W3BhsHH,W2BgsHwB,G3BhsHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B8rH
uC,gB;YAA5B,W3B7rHX,a2B6rHgC,G3B7rHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B0rHA,iB;UACA,IAA
K,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QA
AhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BltHP,U;UADP,Y2BotHe,W3BptHH,W2
BotHwB,G3BptHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BktHuC,gB;YAA5B,W3BjtHX,a2BitHgC,G3BjtHhC,EAA
S,MAAT,C;YACA,e;;YAEA,c;;U2B8sHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAo
BA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAA
Y,OAAZ,C;U3BvuHP,U;UADP,Y2ByuHe,W3BzuHH,W2ByuHwB,G3BzuHxB,C;UACL,IAAI,aAAJ,C;YACH,a2
BuuHuC,gB;YAA5B,W3BtuHX,a2BsuHgC,G3BtuHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BmuHA,iB;UAC
A,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,
Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3B5vHP,U;UADP,Y2B8v
He,W3B9vHH,W2B8vHwB,G3B9vHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B4vHuC,gB;YAA5B,W3B3vHX,a2B2v
HgC,G3B3vHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BwvHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;
QAET,OAAO,W;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BjxHP,U;UADP,Y2BmxHe,W3BnxHH,W2BmxHwB,G3BnxHx
B,C;UACL,IAAI,aAAJ,C;YACH,a2BixHuC,gB;YAA5B,W3BhxHX,a2BgxHgC,G3BhxHhC,EAAS,MAAT,C;YA
CA,e;;YAEA,c;;U2B6wHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAlBX,C;2FAqB
A,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,
OAAZ,C;U3BtyHP,U;UADP,Y2BwyHe,W3BxyHH,W2BwyHwB,G3BxyHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B
syHuC,gB;YAA5B,W3BryHX,a2BqyHgC,G3BryHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkyHA,iB;UACA,I
AAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAlBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kB
AAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CA
AU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAlLX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,
cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,C
AAJ,C;;QAvKhB,OAwKO,W;O;KAlLX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QA
sKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAv
KhB,OAwKO,W;O;KAlLX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAA
A,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwK
O,W;O;KAlLX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;
QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WA
AmB,IAAnB,CAAJ,C;;QAtDhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa

,cAAb,C;QAwDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzDwB,SAyDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O;KAvEX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgEO,W;O;KA1EX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlEwB,SAkEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlEhB,OAmEO,W;O;KA7EX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArEwB,SAqEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArEhB,OAsEO,W;O;KAhFX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuEP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxEwB,SAwEpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxEhB,OAyEO,W;O;KAnFX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0EP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3EwB,SA2EpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3EhB,OA4EO,W;O;KAtFX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6EP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9EwB,SA8EpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9EhB,OA+EO,W;O;KAzFX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjFwB,SAiFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjFhB,OAkFO,W;O;KA5FX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApFwB,SAoFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApFhB,OAqFO,W;O;KA/FX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvFwB,SAuFpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvFhB,OAwFO,W;O;KAlGX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyFP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1FwB,SA0FpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1FhB,OA2FO,W;O;KArGX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4FP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7FwB,SA6FpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7FhB,OA8FO,W;O;KAxGX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+FP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhGwB,SAgGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhGhB,OAiGO,W;O;KA3GX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnGwB,SAmGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnGhB,OAoGO,W;O;KA9GX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtGwB,SAsGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtGhB,OAuGO,W;O;KAjHX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwGP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzGwB,SAyGpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzGhB,OA0GO,W;O;KApHX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2GP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5GwB,SA4GpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5GhB,OA6GO,W;O;KAvHX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8GP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/GwB,SA+GpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/GhB,OAgHO,W;O;KA1HX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlHwB,SAkHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlHhB,OAmHO,W;O;KA7HX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArHwB,SAqHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArHhB,OAsHO,W;O;KAhIX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuHP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxHwB,SAwHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxHhB,OAyHO,W;O;KAnIX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0HP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3HwB,SA2HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3HhB,OA4HO,W;O;KAtIX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6HP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9HwB,SA8HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9HhB,OA+HO,W;O;KAzIX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjIwB,SAiIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjIhB,OAkIO,W;O;KA5IX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApIwB,SAoIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApIhB,OAqIO,W;O;KA/IX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvIwB,SAuIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvIhB,OAwIO,W;O;KAlJX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyIP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1IwB,SA0IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1IhB,OA2IO,W;O;KArJX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4IP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7IwB,SA6IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7IhB,OA8IO,W;O;KAxJX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+IP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhJwB,SAgJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhJhB,OAiJO,W;O;KA3JX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnJwB,SAmJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnJhB,OAoJO,W;O;KA9JX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtJwB,SAsJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtJhB,OAuJO,W;O;KAjKX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwJP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzJwB,SAyJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzJhB,OA0JO,W;O;KApKX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2JP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5JwB,SA4JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5JhB,OA6JO,W;O;KAvKX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8JP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/JwB,SA+JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/JhB,OAgKO,W;O;KA1KX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlKwB,SAkKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlKhB,OAmKO,W;O;KA7KX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArKwB,SAqKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArKhB,OAsKO,W;O;KAhLX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuKP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxKwB,SAwKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxKhB,OAyKO,W;O;KAnLX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0KP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3KwB,SA2KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3KhB,OA4KO,W;O;KAtLX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6KP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9KwB,SA8KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9KhB,OA+KO,W;O;KAzLX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjLwB,SAiLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjLhB,OAkLO,W;O;KA5LX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApLwB,SAoLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApLhB,OAqLO,W;O;KA/LX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvLwB,SAuLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvLhB,OAwLO,W;O;KAlMX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyLP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1LwB,SA0LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1LhB,OA2LO,W;O;KArMX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4LP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7LwB,SA6LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7LhB,OA8LO,W;O;KAxMX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+LP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhMwB,SAgMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhMhB,OAiMO,W;O;KA3MX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnMwB,SAmMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnMhB,OAoMO,W;O;KA9MX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtMwB,SAsMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtMhB,OAuMO,W;O;KAjNX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwMP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzMwB,SAyMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzMhB,OA0MO,W;O;KApNX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2MP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5MwB,SA4MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5MhB,OA6MO,W;O;KAvNX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8MP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/MwB,SA+MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/MhB,OAgNO,W;O;KA1NX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlNwB,SAkNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlNhB,OAmNO,W;O;KA7NX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArNwB,SAqNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArNhB,OAsNO,W;O;KAhOX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuNP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxNwB,SAwNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxNhB,OAyNO,W;O;KAnOX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0NP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3NwB,SA2NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3NhB,OA4NO,W;O;KAtOX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6NP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9NwB,SA8NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9NhB,OA+NO,W;O;KAzOX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjOwB,SAiOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjOhB,OAkOO,W;O;KA5OX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApOwB,SAoOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApOhB,OAqOO,W;O;KA/OX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvOwB,SAuOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvOhB,OAwOO,W;O;KAlPX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyOP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1OwB,SA0OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1OhB,OA2OO,W;O;KArPX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4OP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7OwB,SA6OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7OhB,OA8OO,W;O;KAxPX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+OP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhPwB,SAgPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhPhB,OAiPO,W;O;KA3PX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnPwB,SAmPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnPhB,OAoPO,W;O;KA9PX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtPwB,SAsPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtPhB,OAuPO,W;O;KAjQX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwPP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzPwB,SAyPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzPhB,OA0PO,W;O;KApQX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2PP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5PwB,SA4PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5PhB,OA6PO,W;O;KAvQX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8PP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/PwB,SA+PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/PhB,OAgQO,W;O;KA1QX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlQwB,SAkQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlQhB,OAmQO,W;O;KA7QX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WArQwB,SAqQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArQhB,OAsQO,W;O;KAhRX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAuQP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAxQwB,SAwQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxQhB,OAyQO,W;O;KAnRX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA0QP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA3QwB,SA2QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3QhB,OA4QO,W;O;KAtRX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA6QP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA9QwB,SA8QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9QhB,OA+QO,W;O;KAzRX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAgRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjRwB,SAiRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjRhB,OAkRO,W;O;KA5RX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAmRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WApRwB,SAoRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApRhB,OAqRO,W;O;KA/RX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAsRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvRwB,SAuRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvRhB,OAwRO,W;O;KAlSX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAyRP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA1RwB,SA0RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1RhB,OA2RO,W;O;KArSX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA4RP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA7RwB,SA6RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7RhB,OA8RO,W;O;KAxSX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA+RP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAhSwB,SAgSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhShB,OAiSO,W;O;KA3SX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAkSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAnSwB,SAmSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnShB,OAoSO,W;O;KA9SX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAqSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAtSwB,SAsSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtShB,OAuSO,W;O;KAjTX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAwSP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAzSwB,SAySpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzShB,OA0SO,W;O;KApTX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA2SP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5SwB,SA4SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5ShB,OA6SO,W;O;KAvTX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QA8SP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/SwB,SA+SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/ShB,OAgTO,W;O;KA1TX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAiTP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAlTwB,SAkTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlThB,OAmTO,W;O;KA7TX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAa,eAAa,cAAb,C;QAoTP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,W

;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAAgC
,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MACF,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,EAA
gC,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;MA
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAnB,E
AAgC,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAAkB,O;
MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAn
B,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;0FAGX,yB;MA1yCI,8D;MA0yCJ,gD;QAUoC,Q;QAHhC,YAjzCgB,
cAAR,iBAAQ,C;QAkzChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EA
AI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAZX,C;2FAeA,yB;MAjzCI,8D;MAizCJ,gD;QAUo
C,Q;QAHhC,YAxzCgB,cAAR,iBAAQ,C;QAyzChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U
AAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAZX,C;2FAeA,yB;MAxzCI
,8D;MAwzCJ,gD;QAUoC,Q;QAHhC,YA/zCgB,cAAR,iBAAQ,C;QAg0ChB,kBAAkB,O;QAClB,OAAO,SAAS,C
AAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAZX
,C;2FAeA,yB;MA/zCI,8D;MA+zCJ,gD;QAUoC,Q;QAHhC,YAt0CgB,cAAR,iBAAQ,C;QAu0ChB,kBAAkB,O;
QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;Q
AElB,OAAO,W;O;KAZX,C;yGAeA,yB;MAt2CI,8D;MAs2CJ,gD;QAUI,YAh3CgB,cAAR,iBAAQ,C;QAi3ChB,k
BAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UA
CI,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MAj3CI,8D;MAi3CJ,gD;QAUI,YA33CgB,cAAR,iBAAQ,C
AAR,iBAAQ,C;QA43ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,
KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MA53CI,8D;MA43CJ,gD;QAUI,YAt
4CgB,cAAR,iBAAQ,C;QAu4ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MAv4CI,8D;MAu4CJ,gD;QAUI,YAj5CgB,cAAR,iBAAQ,C;QAk5ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj5CI,8D;MAi5CJ,gD;QAUI,YA35CgB,cAAR,iBAAQ,C;QA45ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA55CI,8D;MA45CJ,gD;QAUI,YAt6CgB,cAAR,iBAAQ,C;QAu6ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv6CI,8D;MAu6CJ,gD;QAUI,YAj7CgB,cAAR,iBAAQ,C;QAk7ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj7CI,8D;MAi7CJ,gD;QAUI,YA37CgB,cAAR,iBAAQ,C;QA47ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA57CI,8D;MA47CJ,gD;QAUI,YAt8CgB,cAAR,iBAAQ,C;QAu8ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv8CI,8D;MAu8CJ,gD;QAUI,YAj9CgB,cAAR,iBAAQ,C;QAk9ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj9CI,8D;MAi9CJ,gD;QAUI,YA39CgB,cAAR,iBAAQ,C;QA49ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA59CI,8D;MA49CJ,gD;QAUI,YAt+CgB,cAAR,iBAAQ,C;QAu+ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv+CI,8D;MAu+CJ,gD;QAUI,YAj/CgB,cAAR,iBAAQ,C;QAk/ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj/CI,8D;MAi/CJ,gD;QAUI,YA3/CgB,cAAR,iBAAQ,C;QA4/ChB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5/CI,8D;MA4/CJ,gD;QAUI,YAtgDgB,cAAR,iBAAQ,C;QAugDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvgDI,8D;MAugDJ,gD;QAUI,YAjhDgB,cAAR,iBAAQ,C;QAkhDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjhDI,8D;MAihDJ,gD;QAUI,YA3hDgB,cAAR,iBAAQ,C;QA4hDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5hDI,8D;MA4hDJ,gD;QAUI,YAtiDgB,cAAR,iBAAQ,C;QAuiDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAviDI,8D;MAuiDJ,gD;QAUI,YAjjDgB,cAAR,iBAAQ,C;QAkjDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjjDI,8D;MAijDJ,gD;QAUI,YA3jDgB,cAAR,iBAAQ,C;QA4jDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5jDI,8D;MA4jDJ,gD;QAUI,YAtkDgB,cAAR,iBAAQ,C;QAukDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvkDI,8D;MAukDJ,gD;QAUI,YAjlDgB,cAAR,iBAAQ,C;QAklDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjlDI,8D;MAilDJ,gD;QAUI,YA3lDgB,cAAR,iBAAQ,C;QA4lDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5lDI,8D;MA4lDJ,gD;QAUI,YAtmDgB,cAAR,iBAAQ,C;QAumDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvmDI,8D;MAumDJ,gD;QAUI,YAjnDgB,cAAR,iBAAQ,C;QAknDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjnDI,8D;MAinDJ,gD;QAUI,YA3nDgB,cAAR,iBAAQ,C;QA4nDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5nDI,8D;MA4nDJ,gD;QAUI,YAtoDgB,cAAR,iBAAQ,C;QAuoDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvoDI,8D;MAuoDJ,gD;QAUI,YAjpDgB,cAAR,iBAAQ,C;QAkpDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjpDI,8D;MAipDJ,gD;QAUI,YA3pDgB,cAAR,iBAAQ,C;QA4pDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5pDI,8D;MA4pDJ,gD;QAUI,YAtqDgB,cAAR,iBAAQ,C;QAuqDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvqDI,8D;MAuqDJ,gD;QAUI,YAjrDgB,cAAR,iBAAQ,C;QAkrDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjrDI,8D;MAirDJ,gD;QAUI,YA3rDgB,cAAR,iBAAQ,C;QA4rDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5rDI,8D;MA4rDJ,gD;QAUI,YAtsDgB,cAAR,iBAAQ,C;QAusDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvsDI,8D;MAusDJ,gD;QAUI,YAjtDgB,cAAR,iBAAQ,C;QAktDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjtDI,8D;MAitDJ,gD;QAUI,YA3tDgB,cAAR,iBAAQ,C;QA4tDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5tDI,8D;MA4tDJ,gD;QAUI,YAtuDgB,cAAR,iBAAQ,C;QAuuDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvuDI,8D;MAuuDJ,gD;QAUI,YAjvDgB,cAAR,iBAAQ,C;QAkvDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjvDI,8D;MAivDJ,gD;QAUI,YA3vDgB,cAAR,iBAAQ,C;QA4vDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5vDI,8D;MA4vDJ,gD;QAUI,YAtwDgB,cAAR,iBAAQ,C;QAuwDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvwDI,8D;MAuwDJ,gD;QAUI,YAjxDgB,cAAR,iBAAQ,C;QAkxDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjxDI,8D;MAixDJ,gD;QAUI,YA3xDgB,cAAR,iBAAQ,C;QA4xDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5xDI,8D;MA4xDJ,gD;QAUI,YAtyDgB,cAAR,iBAAQ,C;QAuyDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvyDI,8D;MAuyDJ,gD;QAUI,YAjzDgB,cAAR,iBAAQ,C;QAkzDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjzDI,8D;MAizDJ,gD;QAUI,YA3zDgB,cAAR,iBAAQ,C;QA4zDhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5zDI,8D;MA4zDJ,gD;QAUI,YAt0DgB,cAAR,iBAAQ,C;QAu0DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv0DI,8D;MAu0DJ,gD;QAUI,YAj1DgB,cAAR,iBAAQ,C;QAk1DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj1DI,8D;MAi1DJ,gD;QAUI,YA31DgB,cAAR,iBAAQ,C;QA41DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA51DI,8D;MA41DJ,gD;QAUI,YAt2DgB,cAAR,iBAAQ,C;QAu2DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv2DI,8D;MAu2DJ,gD;QAUI,YAj3DgB,cAAR,iBAAQ,C;QAk3DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj3DI,8D;MAi3DJ,gD;QAUI,YA33DgB,cAAR,iBAAQ,C;QA43DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA53DI,8D;MA43DJ,gD;QAUI,YAt4DgB,cAAR,iBAAQ,C;QAu4DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv4DI,8D;MAu4DJ,gD;QAUI,YAj5DgB,cAAR,iBAAQ,C;QAk5DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj5DI,8D;MAi5DJ,gD;QAUI,YA35DgB,cAAR,iBAAQ,C;QA45DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA55DI,8D;MA45DJ,gD;QAUI,YAt6DgB,cAAR,iBAAQ,C;QAu6DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv6DI,8D;MAu6DJ,gD;QAUI,YAj7DgB,cAAR,iBAAQ,C;QAk7DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj7DI,8D;MAi7DJ,gD;QAUI,YA37DgB,cAAR,iBAAQ,C;QA47DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA57DI,8D;MA47DJ,gD;QAUI,YAt8DgB,cAAR,iBAAQ,C;QAu8DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv8DI,8D;MAu8DJ,gD;QAUI,YAj9DgB,cAAR,iBAAQ,C;QAk9DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj9DI,8D;MAi9DJ,gD;QAUI,YA39DgB,cAAR,iBAAQ,C;QA49DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA59DI,8D;MA49DJ,gD;QAUI,YAt+DgB,cAAR,iBAAQ,C;QAu+DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAv+DI,8D;MAu+DJ,gD;QAUI,YAj/DgB,cAAR,iBAAQ,C;QAk/DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAj/DI,8D;MAi/DJ,gD;QAUI,YA3/DgB,cAAR,iBAAQ,C;QA4/DhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5/DI,8D;MA4/DJ,gD;QAUI,YAtgEgB,cAAR,iBAAQ,C;QAugEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvgEI,8D;MAugEJ,gD;QAUI,YAjhEgB,cAAR,iBAAQ,C;QAkhEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjhEI,8D;MAihEJ,gD;QAUI,YA3hEgB,cAAR,iBAAQ,C;QA4hEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5hEI,8D;MA4hEJ,gD;QAUI,YAtiEgB,cAAR,iBAAQ,C;QAuiEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAviEI,8D;MAuiEJ,gD;QAUI,YAjjEgB,cAAR,iBAAQ,C;QAkjEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjjEI,8D;MAijEJ,gD;QAUI,YA3jEgB,cAAR,iBAAQ,C;QA4jEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5jEI,8D;MA4jEJ,gD;QAUI,YAtkEgB,cAAR,iBAAQ,C;QAukEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvkEI,8D;MAukEJ,gD;QAUI,YAjlEgB,cAAR,iBAAQ,C;QAklEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjlEI,8D;MAilEJ,gD;QAUI,YA3lEgB,cAAR,iBAAQ,C;QA4lEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5lEI,8D;MA4lEJ,gD;QAUI,YAtmEgB,cAAR,iBAAQ,C;QAumEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvmEI,8D;MAumEJ,gD;QAUI,YAjnEgB,cAAR,iBAAQ,C;QAknEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjnEI,8D;MAinEJ,gD;QAUI,YA3nEgB,cAAR,iBAAQ,C;QA4nEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5nEI,8D;MA4nEJ,gD;QAUI,YAtoEgB,cAAR,iBAAQ,C;QAuoEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvoEI,8D;MAuoEJ,gD;QAUI,YAjpEgB,cAAR,iBAAQ,C;QAkpEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjpEI,8D;MAipEJ,gD;QAUI,YA3pEgB,cAAR,iBAAQ,C;QA4pEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5pEI,8D;MA4pEJ,gD;QAUI,YAtqEgB,cAAR,iBAAQ,C;QAuqEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvqEI,8D;MAuqEJ,gD;QAUI,YAjrEgB,cAAR,iBAAQ,C;QAkrEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjrEI,8D;MAirEJ,gD;QAUI,YA3rEgB,cAAR,iBAAQ,C;QA4rEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MA5rEI,8D;MA4rEJ,gD;QAUI,YAtsEgB,cAAR,iBAAQ,C;QAusEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAvsEI,8D;MAusEJ,gD;QAUI,YAjtEgB,cAAR,iBAAQ,C;QAktEhB,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAU,CAAjB,C;UACI,qB;;QAEJ,OAAO,W;O;KAhBX,C;uFAmBA,yB;MAjtEI,8D;MAitEJ,gD;QAUI

hB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MA3lDI,8D;MA2lDJ,sC;QASI,IAAI,mBA
AJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAtmDgB,cAsmDA,SAtmDR,QAAQ,C;QAumDh
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MA5mDI,8D;MA4mDJ,sC;QASI,IAAI,m
BAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAvnDgB,cAunDA,SAvnDR,QAAQ,C;QAwnD
hB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MA7nDI,8D;MA6nDJ,sC;QASI,IAAI,mB
AAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAxoDgB,cAwoDA,SAxoDR,QAAQ,C;QAyoDh
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;IAyBA,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OA
AO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAtrDG,gBAAR,iBAAQ,C;MAsrDhB,aAAU,CAAV,iB;QACI,Q
AAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MA
AM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK
,CAAL,C;MACG,OA7rDG,gBAAR,iBAAQ,C;MA6rDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QAC
R,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I
AGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OApsDG,g
BAAR,iBAAQ,C;MAosDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAA
R,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,I
AAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA3sDG,gBAAR,iBAAQ,C;MA2sDhB
,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6
B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,
I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAlvDG,gBAAR,iBAAQ,C;MAkvDhB,aAAU,CAAV,iB;QACI,QAA
Q,sBAAK,CAAL,C;QACR,I/BjlK8D,Y+BilK1D,G/BjlK2E,KAAjB,E+BilKpD,C/BjlKiF,KAA7B,C+BilK1D,IAAJ
,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,
UAAU,sBAAK,CAAL,C;MACG,OAzvDG,gBAAR,iBAAQ,C;MAyvDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK
,CAAL,C;QACR,IFxlK+D,aEwlK3D,GFxlK6E,KAAlB,EEwlKrD,CFxlKmF,KAA9B,CEwlK3D,IAAJ,C;UAAa,M
AAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAA
K,CAAL,C;MACG,OAhwDG,gBAAR,iBAAQ,C;MAgwDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q
ACR,IhC/nK4E,0BgC+nKxE,GhC/+J8B,KAAL,GAAiB,GAhJ8B,EgC+nKlE,ChC/+JwB,KAAL,GAAiB,GAhJ8B,
CgC+nKxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,O
AAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAvwDG,gBAAR,iBAAQ,C;MAuwDhB,aAAU,CAAV,iB;QAC
I,QAAQ,sBAAK,CAAL,C;QACR,I9BtoK6E,0B8BsoKzE,G9B7/J8B,KAAL,GAAiB,KAzI+B,E8BsoKnE,C9B7/Jw
B,KAAL,GAAiB,KAzI+B,C8BsoKzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;mFAGX,yB;MAtyDI,8D;M
AsyDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjzDgB,cAizDA,SAj
zDR,QAAQ,C;QAkzDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,C
AAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAA
X,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAvzDI,8D;MAuzD
J,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAl0DgB,cAk0DA,SAl0DR,
QAAQ,C;QAm0DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA
V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAx0DI,8D;MAw0DJ,
sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAn1DgB,cAm1DA,SAn1DR,
QAAQ,C;QAo1DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA

V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAz1DI,8D;MAy1DJ,
sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAp2DgB,cAo2DA,SAp2DR,
QAAQ,C;QAq2DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA
V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;IAyBA,2C;MAQiB,Q;MAFb,IAAI,m
BAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAl5DG,gBAAR,iBAAQ,C;MAk5DhB,aAAU
,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CA
AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MA
CtB,UAAU,sBAAK,CAAL,C;MACG,OAz5DG,gBAAR,iBAAQ,C;MAy5DhB,aAAU,CAAV,iB;QACI,QAAQ,sB
AAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL
,C;MACG,OAh6DG,gBAAR,iBAAQ,C;MAg6DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI
,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2
C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAv6DG,gBAAR,
iBAAQ,C;MAu6DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa
,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;iFAGX,qB;MASI,OAAO,mB;K;iFAG
X,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,gC;MASoB,Q
;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;M
ACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU
,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cA
AhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MA
SoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO
,K;;MACrD,OAAO,I;K;qFAGX,yB;MAAA,4F;MA1iEI,8D;MA0iEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UAC
I,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAtjED,cAAR,iBAAQ,C;QAsjEhB,iB
AAc,CAAd,yB;UACI,cAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAfX,C;qF
AkBA,yB;MAAA,4F;MApjEI,8D;MAojEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BA
A9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAhkED,cAAR,iBAAQ,C;QAgkEhB,iBAAc,CAAd,yB;UACI,
cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAfX,C;qFAkBA,yB;MAAA,4F;
MA9jEI,8D;MA8jEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAk
B,sBAAK,CAAL,C;QACD,OA1kED,cAAR,iBAAQ,C;QA0kEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,E
AAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAfX,C;qFAkBA,yB;MAAA,4F;MAxkEI,8D;MAwkEJ,u
C;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;Q
ACD,OAplED,cAAR,iBAAQ,C;QAolEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,
CAAvB,C;;QAElB,OAAO,W;O;KAfX,C;mGAkBA,yB;MAAA,4F;MAlnEI,8D;MAknEJ,uC;QAeqB,Q;QAHjB,IA
AI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAjoED,cAAR,iB
AAQ,C;QAioEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B
,C;;QAElB,OAAO,W;O;KAlBX,C;mGAqBA,yB;MAAA,4F;MA/nEI,8D;MA+nEJ,uC;QAeqB,Q;QAHjB,IAAI,mB
AAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OA9oED,cAAR,iBAAQ,
C;QA8oEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;Q
AElB,OAAO,W;O;KAlBX,C;mGAqBA,yB;MAAA,4F;MA5oEI,8D;MA4oEJ,uC;QAeqB,Q;QAHjB,IAAI,mBAAJ
,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OA3pED,cAAR,iBAAQ,C;Q
A2pEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEl
B,OAAO,W;O;KAlBX,C;mGAqBA,yB;MAAA,4F;MAzpEI,8D;MAypEJ,uC;QAeqB,Q;QAHjB,IAAI,mBAAJ,C;
UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAxqED,cAAR,iBAAQ,C;QAw
qEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAElB,
OAAO,W;O;KAlBX,C;iGAqBA,yB;MAtsEI,8D;MAssEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;Q
ACX,kBAAkB,sBAAK,CAAL,C;QACD,OAntED,cAAR,iBAAQ,C;QAmtEhB,iBAAc,CAAd,yB;UACI,cAAc,UA

AU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAjtEI,8D;MAitEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA9tED,cAAR,iBAAQ,C;QA8tEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA5tEI,8D;MA4tEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAzuED,cAAR,iBAAQ,C;QAyuEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvuEI,8D;MAuuEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OApvED,cAAR,iBAAQ,C;QAovEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAlxEI,8D;MAkxEJ,uC;QAW0B,UAEU,M;QAJhC,YA3xEgB,cAAR,iBAAQ,C;QA4xEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA5xEI,8D;MA4xEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAzyED,cAAR,iBAAQ,C;QAyyEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvyEI,8D;MAuyEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OApzED,cAAR,iBAAQ,C;QAozEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5zEI,8D;MA4zEJ,uC;QAW0B,UAEU,M;QAJhC,YAr0EgB,cAAR,iBAAQ,C;QAs0EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAp0EI,8D;MAo0EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAj1ED,cAAR,iBAAQ,C;QAi1EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/0EI,8D;MA+0EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA52ED,cAAR,iBAAQ,C;QA42EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAv2EI,8D;MAu2EJ,uC;QAW0B,UAEU,M;QAJhC,YAh3EgB,cAAR,iBAAQ,C;QAi3EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/2EI,8D;MA+2EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA54ED,cAAR,iBAAQ,C;QA44EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAv4EI,8D;MAu4EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAp5ED,cAAR,iBAAQ,C;QAo5EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA55EI,8D;MA45EJ,uC;QAW0B,UAEU,M;QAJhC,YAr6EgB,cAAR,iBAAQ,C;QAs6EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAp6EI,8D;MAo6EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAj7ED,cAAR,iBAAQ,C;QAi7EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/6EI,8D;MA+6EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA58ED,cAAR,iBAAQ,C;QA48EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAv8EI,8D;MAu8EJ,uC;QAW0B,UAEU,M;QAJhC,YAh9EgB,cAAR,iBAAQ,C;QAi9EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/8EI,8D;MA+8EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA59ED,cAAR,iBAAQ,C;QA49EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAv9EI,8D;MAu9EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAp+ED,cAAR,iBAAQ,C;QAo+EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA59EI,8D;MA49EJ,uC;QAW0B,UAEU,M;QAJhC,YAr+EgB,cAAR,iBAAQ,C;QAs+EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAp+EI,8D;MAo+EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAj/ED,cAAR,iBAAQ,C;QAi/EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/+EI,8D;MA++EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5/ED,cAAR,iBAAQ,C;QA4/EhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAv/EI,8D;MAu/EJ,uC;QAW0B,UAEU,M;QAJhC,YAhgFgB,cAAR,iBAAQ,C;QAigFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA//EI,8D;MA+/EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5gFD,cAAR,iBAAQ,C;QA4gFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvgFI,8D;MAugFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAphFD,cAAR,iBAAQ,C;QAohFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5hFI,8D;MA4hFJ,uC;QAW0B,UAEU,M;QAJhC,YArhFgB,cAAR,iBAAQ,C;QAshFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAphFI,8D;MAohFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAjiFD,cAAR,iBAAQ,C;QAiiFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/hFI,8D;MA+hFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5iFD,cAAR,iBAAQ,C;QA4iFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAviFI,8D;MAuiFJ,uC;QAW0B,UAEU,M;QAJhC,YAhjFgB,cAAR,iBAAQ,C;QAijFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/iFI,8D;MA+iFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5jFD,cAAR,iBAAQ,C;QA4jFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvjFI,8D;MAujFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAplFD,cAAR,iBAAQ,C;QAolFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5kFI,8D;MA4kFJ,uC;QAW0B,UAEU,M;QAJhC,YArlFgB,cAAR,iBAAQ,C;QAslFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAplFI,8D;MAolFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAjmFD,cAAR,iBAAQ,C;QAimFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/lFI,8D;MA+lFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5mFD,cAAR,iBAAQ,C;QA4mFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAvmFI,8D;MAumFJ,uC;QAW0B,UAEU,M;QAJhC,YAhnFgB,cAAR,iBAAQ,C;QAinFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/mFI,8D;MA+mFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5nFD,cAAR,iBAAQ,C;QA4nFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvnFI,8D;MAunFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAppFD,cAAR,iBAAQ,C;QAopFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5oFI,8D;MA4oFJ,uC;QAW0B,UAEU,M;QAJhC,YArpFgB,cAAR,iBAAQ,C;QAspFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAppFI,8D;MAopFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAjqFD,cAAR,iBAAQ,C;QAiqFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/pFI,8D;MA+pFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5qFD,cAAR,iBAAQ,C;QA4qFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAvqFI,8D;MAuqFJ,uC;QAW0B,UAEU,M;QAJhC,YAhrFgB,cAAR,iBAAQ,C;QAirFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/qFI,8D;MA+qFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5rFD,cAAR,iBAAQ,C;QA4rFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvrFI,8D;MAurFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAptFD,cAAR,iBAAQ,C;QAotFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5sFI,8D;MA4sFJ,uC;QAW0B,UAEU,M;QAJhC,YArtFgB,cAAR,iBAAQ,C;QAstFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAptFI,8D;MAotFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAjuFD,cAAR,iBAAQ,C;QAiuFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/tFI,8D;MA+tFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5uFD,cAAR,iBAAQ,C;QA4uFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAvuFI,8D;MAuuFJ,uC;QAW0B,UAEU,M;QAJhC,YAhvFgB,cAAR,iBAAQ,C;QAivFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/uFI,8D;MA+uFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5vFD,cAAR,iBAAQ,C;QA4vFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvvFI,8D;MAuvFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OApwFD,cAAR,iBAAQ,C;QAowFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5wFI,8D;MA4wFJ,uC;QAW0B,UAEU,M;QAJhC,YArxFgB,cAAR,iBAAQ,C;QAsxFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAxxFI,8D;MAwxFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OArxFD,cAAR,iBAAQ,C;QAqxFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAnxFI,8D;MAmxFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAhyFD,cAAR,iBAAQ,C;QAgyFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAnyFI,8D;MAmyFJ,uC;QAW0B,UAEU,M;QAJhC,YA5yFgB,cAAR,iBAAQ,C;QA6yFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA3yFI,8D;MA2yFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAxzFD,cAAR,iBAAQ,C;QAwzFhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA5zFI,8D;MA4zFJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAz0FD,cAAR,iBAAQ,C;QAy0FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA50FI,8D;MA40FJ,uC;QAW0B,UAEU,M;QAJhC,YAr1FgB,cAAR,iBAAQ,C;QAs1FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAp1FI,8D;MAo1FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAj2FD,cAAR,iBAAQ,C;QAi2FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/1FI,8D;MA+1FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA53FD,cAAR,iBAAQ,C;QA43FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAv3FI,8D;MAu3FJ,uC;QAW0B,UAEU,M;QAJhC,YAh4FgB,cAAR,iBAAQ,C;QAi4FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/3FI,8D;MA+3FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA55FD,cAAR,iBAAQ,C;QA45FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAv5FI,8D;MAu5FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAp6FD,cAAR,iBAAQ,C;QAo6FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA56FI,8D;MA46FJ,uC;QAW0B,UAEU,M;QAJhC,YAr7FgB,cAAR,iBAAQ,C;QAs7FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAp7FI,8D;MAo7FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAj8FD,cAAR,iBAAQ,C;QAi8FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/7FI,8D;MA+7FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA59FD,cAAR,iBAAQ,C;QA49FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAv9FI,8D;MAu9FJ,uC;QAW0B,UAEU,M;QAJhC,YAh+FgB,cAAR,iBAAQ,C;QAi+FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/9FI,8D;MA+9FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5+FD,cAAR,iBAAQ,C;QA4+FhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAv+FI,8D;MAu+FJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAphGD,cAAR,iBAAQ,C;QAohGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5/FI,8D;MA4/FJ,uC;QAW0B,UAEU,M;QAJhC,YArgGgB,cAAR,iBAAQ,C;QAsgGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAphGI,8D;MAohGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAjiGD,cAAR,iBAAQ,C;QAiiGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/hGI,8D;MA+hGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5iGD,cAAR,iBAAQ,C;QA4iGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAvjGI,8D;MAujGJ,uC;QAW0B,UAEU,M;QAJhC,YAhkGgB,cAAR,iBAAQ,C;QAikGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/jGI,8D;MA+jGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5kGD,cAAR,iBAAQ,C;QA4kGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvkGI,8D;MAukGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAplGD,cAAR,iBAAQ,C;QAolGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5lGI,8D;MA4lGJ,uC;QAW0B,UAEU,M;QAJhC,YArmGgB,cAAR,iBAAQ,C;QAsmGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAxmGI,8D;MAwmGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OArmGD,cAAR,iBAAQ,C;QAqmGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAnmGI,8D;MAmmGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAhnGD,cAAR,iBAAQ,C;QAgnGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAnnGI,8D;MAmnGJ,uC;QAW0B,UAEU,M;QAJhC,YA5nGgB,cAAR,iBAAQ,C;QA6nGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA3nGI,8D;MA2nGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAxoGD,cAAR,iBAAQ,C;QAwoGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA5oGI,8D;MA4oGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAzpGD,cAAR,iBAAQ,C;QAypGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MA5pGI,8D;MA4pGJ,uC;QAW0B,UAEU,M;QAJhC,YArqGgB,cAAR,iBAAQ,C;QAsqGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAprGI,8D;MAorGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAjsGD,cAAR,iBAAQ,C;QAisGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA/rGI,8D;MA+rGJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5sGD,cAAR,iBAAQ,C;QA4sGhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEl
B,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAvsGI,8D;MAusGJ,uC;QAW0B,UAEU,M;QAJhC,YAhtGgB,cAAR,iBAAQ,C;Q

;QiBu1LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBh3LO,W;QiBi3LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB14LO,W;QiB24LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBp6LO,W;QiBq6LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB/7LO,W;QiBg8LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBt9LO,W;QiBu9LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBr/LO,W;QiBs/LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBphMO,W;QiBqhMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnjMO,W;QiBojMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvlMO,W;QiBwlMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBtnMO,W;QiBunMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBrpMO,W;QiBspMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBpqMO,W;QiBqqMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnsMO,W;QiBosMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBluMO,W;QiBmuMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBjwMO,W;QiBkwMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBhyMO,W;QiBiyMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvzMO,W;QiBwzMP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB10MO,W;QiB20MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBn2MO,W;QiBo2MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBx4MO,W;QiBy4MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB75MO,W;QiB85MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBl8MO,W;QiBm8MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBv9MO,W;QiBw9MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB5+MO,W;QiB6+MP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBjgNO,W;QiBkgNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnhNO,W;QiBohNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvjNO,W;QiBwjNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3kNO,W;QiB4kNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnmNO,W;QiBomNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvnNO,W;QiBwnNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3oNO,W;QiB4oNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnpNO,W;QiBopNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvqNO,W;QiBwqNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3rNO,W;QiB4rNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBntNO,W;QiBotNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvuNO,W;QiBwuNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3vNO,W;QiB4vNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnxNO,W;QiBoxNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvyNO,W;QiBwyNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3zNO,W;QiB4zNP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBn1NO,W;QiBo1NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBv2NO,W;QiBw2NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB33NO,W;QiB43NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBn5NO,W;QiBo5NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBv6NO,W;QiBw6NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB37NO,W;QiB47NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBn9NO,W;QiBo9NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBv+NO,W;QiBw+NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3/NO,W;QiB4/NP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnhOO,W;QiBohOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvjOO,W;QiBwjOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3kOO,W;QiB4kOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnmOO,W;QiBomOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvnOO,W;QiBwnOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajB3oOO,W;QiB4oOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBnpOO,W;QiBopOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAA,C;QAA+B,8B;QAA5C,ajBvqOO,W;QiBwqOP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,

AAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,a
AAJ,C;;QAEX,OAAO,M;O;KAxBX,C;2GA2BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAoB0B,Q;QAHtB,IAAI,
mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA
+B,sBAAI,aAAJ,C;QAA5C,ajB1sMO,W;QiB2sMe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,E
AAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxBX,C;2
GA2BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAoB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sB
AAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,cAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,ajBruMO,
W;QiBsuMe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,
CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxBX,C;mFA2BA,yB;MAAA,wB;MAAA,sC;Q
AQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/B1vMiD,S+B0vMjD,
G/B1vM2D,KAAK,G+B0vMzD,SAAS,OAAT,C/B1vMoE,KAAX,IAAf,C;;Q+B4vMrD,OAAO,G;O;KAXX,C;mF
AcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y
B;UACZ,M/BxwMiD,S+BwwMjD,G/BxwM2D,KAAK,G+BwwMzD,SAAS,OAAT,C/BxwMoE,KAAX,IAAf,C;;
Q+B0wMrD,OAAO,G;O;KAXX,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BtxMiD,S+BsxMjD,G/BtxM2D,KAAK,G+BsxMzD,SAAS,OA
AT,C/BtxMoE,KAAX,IAAf,C;;Q+BwxMrD,OAAO,G;O;KAXX,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;
QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BpyMiD,S+BoyMjD,G/BpyM2
D,KAAK,G+BoyMzD,SAAS,OAAT,C/BpyMoE,KAAX,IAAf,C;;Q+BsyMrD,OAAO,G;O;KAXX,C;8FAcA,+B;M
AQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;
MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,y
B;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MA
AhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;
MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,O
AAO,G;K;IAGX,kC;MA2DI,WhBlzMO,MAAK,KgBkzMK,chBlzML,EgBgwMD,KAkDkB,OhBlzMjB,C;MgBmz
MZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,C
AAL,CArDO,EAAnB,KAqDqB,CAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;K;IApDX,kC;MAkEI,Wh
Br0MO,MAAK,KgBq0MK,chBr0ML,EgB4wMD,KAyDkB,OhBr0MjB,C;MgBs0MZ,WAAW,iBAAa,IAAb,C;MA
CX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAnB,KA4DqB,
CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WhBx1MO,MAAK,KgBw1MK,chB
x1ML,EgBwxMD,KAgEkB,OhBx1MjB,C;MgBy1MZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA
AlB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAnB,KAmEqB,CAAM,CAAN,CAnEF,CAmEr
B,C;;MAnET,OAqEO,I;K;IAlEX,kC;MAgFI,WhB32MO,MAAK,KgB22MK,chB32ML,EgBoyMD,KAuEkB,OhB
32MjB,C;MgB42MZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA1EqB,G
A0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzE
X,yB;MAAA,gE;MhB9yMA,iB;MgB8yMA,8C;QAWI,WhBlzMO,MAAK,KgBkzMK,chBlzML,EgBkzMW,KAA
M,OhBlzMjB,C;QgBmzMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,
UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA
,yB;MAAA,gE;MhBj0MA,iB;MgBi0MA,8C;QAWI,WhBr0MO,MAAK,KgBq0MK,chBr0ML,EgBq0MW,KAAM,
OhBr0MjB,C;QgBs0MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UA
AU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB
;MAAA,gE;MhBp1MA,iB;MgBo1MA,8C;QAWI,WhBx1MO,MAAK,KgBw1MK,chBx1ML,EgBw1MW,KAAM,
OhBx1MjB,C;QgBy1MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,U
AAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,y
B;MAAA,gE;MhBv2MA,iB;MgBu2MA,8C;QAWI,WhB32MO,MAAK,KgB22MK,chB32ML,EgB22MW,KAAM,
OhB32MjB,C;QgB42MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,U
AAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,kC
;MA8DoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhB/6MJ,MAAK,KgB+6MwB,wBAnDzB,KAmDyB,EAAw
B,EAAxB,ChB/6MxB,EgB+6MqD,ShB/6MrD,CgB+6MD,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;MAAh

B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,uBAAK,UAAL,EAAK,kBAAL,UAvDO,EAuDI,OAvDJ,CAuDrB,C;;MAvDT,OAyDO,I;K;IAtDX,kC;MAuEoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBp8MJ,MAAK,KgBo8MwB,wBA5DzB,KA4DyB,EAAwB,EAAxB,ChBp8MxB,EgBo8MqD,ShBp8MrD,CgBo8MD,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAgEP,uBAAK,UAAL,EAAK,kBAAL,UAhEO,EAgEI,OAhEJ,CAgErB,C;;MAhET,OAkEO,I;K;IA/DX,kC;MAgFoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBz9MJ,MAAK,KgBy9MwB,wBArEzB,KAqEyB,EAAwB,EAAxB,ChBz9MxB,EgBy9MqD,ShBz9MrD,CgBy9MD,C;MACX,QAAQ,C;MACQ,OAvEL,KAuEK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAzEqB,GAyEP,uBAAK,UAAL,EAAK,kBAAL,UAzEO,EAyEI,OAzEJ,CAyErB,C;;MAzET,OA2EO,I;K;IAxEX,kC;MAyFoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhB+9MJ,MAAK,KgB/9MwB,wBA9EzB,KA8EyB,EAAwB,EAAxB,ChB+9MxB,EgB/9MqD,ShB+9MrD,CgB/9MD,C;MACX,QAAQ,C;MACQ,OAhFL,KAgFK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAlFqB,GAkFP,uBAAK,UAAL,EAAK,kBAAL,UAlFO,EAkFI,OAlFJ,CAkFrB,C;;MAlFT,OAoFO,I;K;IAjFX,kC;MAkGoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBqgNJ,MAAK,KgBrgNwB,wBAvFzB,KAuFyB,EAAwB,EAAxB,ChBqgNxB,EgBrgNqD,ShBqgNrD,CgBrgND,C;MACX,QAAQ,C;MACQ,OAzFL,KAyFK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA3FqB,GA2FP,uBAAK,UAAL,EAAK,kBAAL,UA3FO,EA2FI,OA3FJ,CA2FrB,C;;MA3FT,OA6FO,I;K;IA1FX,kC;MA2GoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhB2iNJ,MAAK,KgB3iNwB,wBAhGzB,KAgGyB,EAAwB,EAAxB,ChB2iNxB,EgB3iNqD,ShB2iNrD,CgB3iND,C;MACX,QAAQ,C;MACQ,OAlGL,KAkGK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WApGqB,GAoGP,uBAAK,UAAL,EAAK,kBAAL,UApGO,EAoGI,OApGJ,CAoGrB,C;;MApGT,OAsGO,I;K;IAnGX,kC;MAoHoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBqlNJ,MAAK,KgBrlNwB,wBAzGzB,KAyGyB,EAAwB,EAAxB,ChBqlNxB,EgBrlNqD,ShBqlNrD,CgBrlND,C;MACX,QAAQ,C;MACQ,OA3GL,KA2GK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA7GqB,GA6GP,uBAAK,UAAL,EAAK,kBAAL,UA7GO,EA6GI,OA7GJ,CA6GrB,C;;MA7GT,OA+GO,I;K;IA5GX,kC;MA6HoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuoNJ,MAAK,KgBvoNwB,wBAlHzB,KAkHyB,EAAwB,EAAxB,ChBuoNxB,EgBvoNqD,ShBuoNrD,CgBvoND,C;MACX,QAAQ,C;MACQ,OApHL,KAoHK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAtHqB,GAsHP,uBAAK,UAAL,EAAK,kBAAL,UAtHO,EAsHI,OAtHJ,CAsHrB,C;;MAtHT,OAwHO,I;K;IArHX,kC;MAsIoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBysNJ,MAAK,KgBzsNwB,wBA3HzB,KA2HyB,EAAwB,EAAxB,ChBysNxB,EgBzsNqD,ShBysNrD,CgBzsND,C;MACX,QAAQ,C;MACQ,OA7HL,KA6HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA/HqB,GA+HP,uBAAK,UAAL,EAAK,kBAAL,UA/HO,EA+HI,OA/HJ,CA+HrB,C;;MA/HT,OAiIO,I;K;IA9HX,kC;MA+JoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhB2wNJ,MAAK,KgB3wNwB,wBAjJzB,KAiJyB,EAAwB,EAAxB,ChB2wNxB,EgB3wNqD,ShB2wNrD,CgB3wND,C;MACX,QAAQ,C;MACQ,OAnJL,KAmJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WArJqB,GAqJP,uBAAK,UAAL,EAAK,kBAAL,UArJO,EAqJI,OArJJ,CAqJrB,C;;MArJT,OAuJO,I;K;IApJX,kC;MAqKoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhB60NJ,MAAK,KgB70NwB,wBAvKzB,KAuKyB,EAAwB,EAAxB,ChB60NxB,EgB70NqD,ShB60NrD,CgB70ND,C;MACX,QAAQ,C;MACQ,OAzKL,KAyKK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA3KqB,GA2KP,uBAAK,UAAL,EAAK,kBAAL,UA3KO,EA2KI,OA3KJ,CA2KrB,C;;MA3KT,OA6KO,I;K;IA1KX,kC;MA2LoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhB+4NJ,MAAK,KgB/4NwB,wBA7LzB,KA6LyB,EAAwB,EAAxB,ChB+4NxB,EgB/4NqD,ShB+4NrD,CgB/4ND,C;MACX,QAAQ,C;MACQ,OA/LL,KA+LK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAjMqB,GAiMP,uBAAK,UAAL,EAAK,kBAAL,UAjMO,EAiMI,OAjMJ,CAiMrB,C;;MAjMT,OAmMO,I;K;IAhMX,kC;MAiNoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBi9NJ,MAAK,KgBj9NwB,wBAnMzB,KAmMyB,EAAwB,EAAxB,ChBi9NxB,EgBj9NqD,ShBi9NrD,CgBj9ND,C;MACX,QAAQ,C;MACQ,OArML,KAqMK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvMqB,GAuMP,uBAAK,UAAL,EAAK,kBAAL,UAvMO,EAuMI,OAvMJ,CAuMrB,C;;MAvMT,OAyMO,I;K;IAtMX,kC;MAuOoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBmiOJ,MAAK,KgBniOwB,wBAzOzB,KAyOyB,EAAwB,EAAxB,ChBmiOxB,EgBniOqD,ShBmiOrD,CgBniOD,C;MACX,QAAQ,C;MACQ,OA3OL,KA2OK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA7OqB,GA6OP,uBAAK,UAAL,EAAK,kBAAL,UA7OO,EA6OI,OA7OJ,CA6OrB,C;;MA7OT,OA+OO,I;K;IA5OX,kC;MA6PoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBqmOJ,MAAK,KgBrmOwB,wBA/PzB,KA+PyB,EAAwB,EAAxB,ChBqmOxB,EgBrmOqD,ShBqmOrD,CgBrmOD,C;MACX,QAAQ,C;MACQ,OAjQL,KAiQK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAnQqB,GAmQP,uBAAK,UAAL,EAAK,kBAAL,UAnQO,EAmQI,OAnQJ,CAmQrB,C;;MAnQT,OAqQO,I;K;IAlQX,kC;MAmRoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuqOJ,MAAK,KgBvqOwB,wBArRzB,KAqRyB,EAAwB,EAAxB,ChBuqOxB,EgBvqOqD,ShBuqOrD,CgBvqOD,C;MACX,QAAQ,C;MACQ,OAvRL,KAuRK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAzRqB,GAyRP,uBAAK,UAAL,EAAK,kBAAL,UAzRO,EAyRI,OAzRJ,CAyRrB,C;;MAzRT,OA2RO,I;K;IAxRX,kC;MAyToB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuuOJ,MAAK,KgBvuOwB,wBA3TzB,KA2TyB,EAAwB,EAAxB,ChBuuOxB,EgBvuOqD,ShBuuOrD,CgBvuOD,C;MACX,QAAQ,C;MACQ,OA7TL,KA6TK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA/TqB,GA+TP,uBAAK,UAAL,EAAK,kBAAL,UA/TO,EA+TI,OA/TJ,CA+TrB,C;;MA/TT,OAiUO,I;K;IA9TX,kC;MA+VoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuyOJ,MAAK,KgBvyOwB,wBAjWzB,KAiWyB,EAAwB,EAAxB,ChBuyOxB,EgBvyOqD,ShBuyOrD,CgBvyOD,C;MACX,QAAQ,C;MACQ,OAnWL,KAmWK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WArWqB,GAqWP,uBAAK,UAAL,EAAK,kBAAL,UArWO,EAqWI,OArWJ,CAqWrB,C;;MArWT,OAuWO,I;K;IApWX,kC;MAqYoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu2OJ,MAAK,KgBv2OwB,wBAvYzB,KAuYyB,EAAwB,EAAxB,ChBu2OxB,EgBv2OqD,ShBu2OrD,CgBv2OD,C;MACX,QAAQ,C;MACQ,OAzYL,KAyYK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA3YqB,GA2YP,uBAAK,UAAL,EAAK,kBAAL,UA3YO,EA2YI,OA3YJ,CA2YrB,C;;MA3YT,OA6YO,I;K;IA1YX,kC;MA2aoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu6OJ,MAAK,KgBv6OwB,wBA7azB,KA6ayB,EAAwB,EAAxB,ChBu6OxB,EgBv6OqD,ShBu6OrD,CgBv6OD,C;MACX,QAAQ,C;MACQ,OA/aL,KA+aK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAjbqB,GAibP,uBAAK,UAAL,EAAK,kBAAL,UAjbO,EAibI,OAjbJ,CAibrB,C;;MAjbT,OAmbO,I;K;IAhbX,kC;MAidoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu+OJ,MAAK,KgBv+OwB,wBAndzB,KAmdyB,EAAwB,EAAxB,ChBu+OxB,EgBv+OqD,ShBu+OrD,CgBv+OD,C;MACX,QAAQ,C;MACQ,OArdL,KAqdK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvdqB,GAudP,uBAAK,UAAL,EAAK,kBAAL,UAvdO,EAudI,OAvdJ,CAudrB,C;;MAvdT,OAydO,I;K;IAtdX,kC;MAufoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuiPJ,MAAK,KgBviPwB,wBAzfzB,KAyfyB,EAAwB,EAAxB,ChBuiPxB,EgBviPqD,ShBuiPrD,CgBviPD,C;MACX,QAAQ,C;MACQ,OA3fL,KA2fK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA7fqB,GA6fP,uBAAK,UAAL,EAAK,kBAAL,UA7fO,EA6fI,OA7fJ,CA6frB,C;;MA7fT,OA+fO,I;K;IA5fX,kC;MA6hBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBulPJ,MAAK,KgBvlPwB,wBA/hBzB,KA+hByB,EAAwB,EAAxB,ChBulPxB,EgBvlPqD,ShBulPrD,CgBvlPD,C;MACX,QAAQ,C;MACQ,OAjiBL,KAiiBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAniBqB,GAmiBP,uBAAK,UAAL,EAAK,kBAAL,UAniBO,EAmiBI,OAniBJ,CAmiBrB,C;;MAniBT,OAqiBO,I;K;IAliBX,kC;MAmkBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuoPJ,MAAK,KgBvoPwB,wBArkBzB,KAqkByB,EAAwB,EAAxB,ChBuoPxB,EgBvoPqD,ShBuoPrD,CgBvoPD,C;MACX,QAAQ,C;MACQ,OAvkBL,KAukBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAzkBqB,GAykBP,uBAAK,UAAL,EAAK,kBAAL,UAzkBO,EAykBI,OAzkBJ,CAykBrB,C;;MAzkBT,OA2kBO,I;K;IAxkBX,kC;MAymBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuqPJ,MAAK,KgBvqPwB,wBA3mBzB,KA2mByB,EAAwB,EAAxB,ChBuqPxB,EgBvqPqD,ShBuqPrD,CgBvqPD,C;MACX,QAAQ,C;MACQ,OA7mBL,KA6mBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA/mBqB,GA+mBP,uBAAK,UAAL,EAAK,kBAAL,UA/mBO,EA+mBI,OA/mBJ,CA+mBrB,C;;MA/mBT,OAinBO,I;K;IA9mBX,kC;MA+oBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBusPJ,MAAK,KgBvsPwB,wBAjpBzB,KAipByB,EAAwB,EAAxB,ChBusPxB,EgBvsPqD,ShBusPrD,CgBvsPD,C;MACX,QAAQ,C;MACQ,OAnpBL,KAmpBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WArpBqB,GAqpBP,uBAAK,UAAL,EAAK,kBAAL,UArpBO,EAqpBI,OArpBJ,CAqpBrB,C;;MArpBT,OAupBO,I;K;IAppBX,kC;MAqrBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuuPJ,MAAK,KgBvuPwB,wBAvrBzB,KAurByB,EAAwB,EAAxB,ChBuuPxB,EgBvuPqD,ShBuuPrD,CgBvuPD,C;MACX,QAAQ,C;MACQ,OAzrBL,KAyrBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA3rBqB,GA2rBP,uBAAK,UAAL,EAAK,kBAAL,UA3rBO,EA2rBI,OA3rBJ,CA2rBrB,C;;MA3rBT,OA6rBO,I;K;IA1rBX,kC;MA2tBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuwPJ,MAAK,KgBvwPwB,wBA7tBzB,KA6tByB,EAAwB,EAAxB,ChBuwPxB,EgBvwPqD,ShBuwPrD,CgBvwPD,C;MACX,QAAQ,C;MACQ,OA/tBL,KA+tBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAjuBqB,GAiuBP,uBAAK,UAAL,EAAK,kBAAL,UAjuBO,EAiuBI,OAjuBJ,CAiuBrB,C;;MAjuBT,OAmuBO,I;K;IAhuBX,kC;MAiwBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBuyPJ,MAAK,KgBvyPwB,wBAnwBzB,KAmwByB,EAAwB,EAAxB,ChBuyPxB,EgBvyPqD,ShBuyPrD,CgBvyPD,C;MACX,QAAQ,C;MACQ,OArwBL,KAqwBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvwBqB,GAuwBP,uBAAK,UAAL,EAAK,kBAAL,UAvwBO,EAuwBI,OAvwBJ,CAuwBrB,C;;MAvwBT,OAywBO,I;K;IAtwBX,kC;MAuyBoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBAzyBzB,KAyyByB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OA3yBL,KA2yBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA7yBqB,GA6yBP,uBAAK,UAAL,EAAK,kBAAL,UA7yBO,EA6yBI,OA7yBJ,CA6yBrB,C;;MA7yBT,OA+yBO,I;K;IA5yBX,kC;MA60BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu2PJ,MAAK,KgBv2PwB,wBA/0BzB,KA+0ByB,EAAwB,EAAxB,ChBu2PxB,EgBv2PqD,ShBu2PrD,CgBv2PD,C;MACX,QAAQ,C;MACQ,OAj1BL,KAi1BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAn1BqB,GAm1BP,uBAAK,UAAL,EAAK,kBAAL,UAn1BO,EAm1BI,OAn1BJ,CAm1BrB,C;;MAn1BT,OAq1BO,I;K;IAl1BX,kC;MAm3BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu4PJ,MAAK,KgBv4PwB,wBArzBzB,KAqzByB,EAAwB,EAAxB,ChBu4PxB,EgBv4PqD,ShBu4PrD,CgBv4PD,C;MACX,QAAQ,C;MACQ,OAvzBL,KAuzBK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAzzBqB,GAyzBP,uBAAK,UAAL,EAAK,kBAAL,UAzzBO,EAyzBI,OAzzBJ,CAyzBrB,C;;MAzzBT,OA2zBO,I;K;IAxzBX,kC;MAy1BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu6PJ,MAAK,KgBv6PwB,wBA31BzB,KA21ByB,EAAwB,EAAxB,ChBu6PxB,EgBv6PqD,ShBu6PrD,CgBv6PD,C;MACX,QAAQ,C;MACQ,OA71BL,KA61BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA/1BqB,GA+1BP,uBAAK,UAAL,EAAK,kBAAL,UA/1BO,EA+1BI,OA/1BJ,CA+1BrB,C;;MA/1BT,OAi2BO,I;K;IA91BX,kC;MA+3BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu8PJ,MAAK,KgBv8PwB,wBAn3BzB,KAm3ByB,EAAwB,EAAxB,ChBu8PxB,EgBv8PqD,ShBu8PrD,CgBv8PD,C;MACX,QAAQ,C;MACQ,OAr3BL,KAq3BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAv3BqB,GAu3BP,uBAAK,UAAL,EAAK,kBAAL,UAv3BO,EAu3BI,OAv3BJ,CAu3BrB,C;;MAv3BT,OAy3BO,I;K;IAt3BX,kC;MAu5BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu+PJ,MAAK,KgBv+PwB,wBAz5BzB,KAy5ByB,EAAwB,EAAxB,ChBu+PxB,EgBv+PqD,ShBu+PrD,CgBv+PD,C;MACX,QAAQ,C;MACQ,OA35BL,KA25BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA75BqB,GA65BP,uBAAK,UAAL,EAAK,kBAAL,UA75BO,EA65BI,OA75BJ,CA65BrB,C;;MA75BT,OA+5BO,I;K;IA55BX,kC;MA68BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu/PJ,MAAK,KgBv/PwB,wBA/8BzB,KA+8ByB,EAAwB,EAAxB,ChBu/PxB,EgBv/PqD,ShBu/PrD,CgBv/PD,C;MACX,QAAQ,C;MACQ,OAj9BL,KAi9BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAn9BqB,GAm9BP,uBAAK,UAAL,EAAK,kBAAL,UAn9BO,EAm9BI,OAn9BJ,CAm9BrB,C;;MAn9BT,OAq9BO,I;K;IAl9BX,kC;MAm/BoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu7PJ,MAAK,KgBv7PwB,wBAr/BzB,KAq/ByB,EAAwB,EAAxB,ChBu7PxB,EgBv7PqD,ShBu7PrD,CgBv7PD,C;MACX,QAAQ,C;MACQ,OAv/BL,KAu/BK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAz/BqB,GAy/BP,uBAAK,UAAL,EAAK,kBAAL,UAz/BO,EAy/BI,OAz/BJ,CAy/BrB,C;;MAz/BT,OA2/BO,I;K;IAx/BX,kC;MAyhCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu9PJ,MAAK,KgBv9PwB,wBA3hCzB,KA2hCyB,EAAwB,EAAxB,ChBu9PxB,EgBv9PqD,ShBu9PrD,CgBv9PD,C;MACX,QAAQ,C;MACQ,OA7hCL,KA6hCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA/hCqB,GA+hCP,uBAAK,UAAL,EAAK,kBAAL,UA/hCO,EA+hCI,OA/hCJ,CA+hCrB,C;;MA/hCT,OAiiCO,I;K;IA9hCX,kC;MA+jCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu/PJ,MAAK,KgBv/PwB,wBAjkCzB,KAikCyB,EAAwB,EAAxB,ChBu/PxB,EgBv/PqD,ShBu/PrD,CgBv/PD,C;MACX,QAAQ,C;MACQ,OAnkCL,KAmkCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WArkCqB,GAqkCP,uBAAK,UAAL,EAAK,kBAAL,UArkCO,EAqkCI,OArkCJ,CAqkCrB,C;;MArkCT,OAukCO,I;K;IApkCX,kC;MAqmCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu+PJ,MAAK,KgBv+PwB,wBAvmCzB,KAumCyB,EAAwB,EAAxB,ChBu+PxB,EgBv+PqD,ShBu+PrD,CgBv+PD,C;MACX,QAAQ,C;MACQ,OAzmCL,KAymCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA3mCqB,GA2mCP,uBAAK,UAAL,EAAK,kBAAL,UA3mCO,EA2mCI,OA3mCJ,CA2mCrB,C;;MA3mCT,OA6mCO,I;K;IA1mCX,kC;MA2oCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu8PJ,MAAK,KgBv8PwB,wBA7oCzB,KA6oCyB,EAAwB,EAAxB,ChBu8PxB,EgBv8PqD,ShBu8PrD,CgBv8PD,C;MACX,QAAQ,C;MACQ,OA/oCL,KA+oCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAjpCqB,GAipCP,uBAAK,UAAL,EAAK,kBAAL,UAjpCO,EAipCI,OAjpCJ,CAipCrB,C;;MAjpCT,OAmpCO,I;K;IAhpCX,kC;MAiqCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu6PJ,MAAK,KgBv6PwB,wBAnqCzB,KAmqCyB,EAAwB,EAAxB,ChBu6PxB,EgBv6PqD,ShBu6PrD,CgBv6PD,C;MACX,QAAQ,C;MACQ,OArqCL,KAqqCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvqCqB,GAuqCP,uBAAK,UAAL,EAAK,kBAAL,UAvqCO,EAuqCI,OAvqCJ,CAuqCrB,C;;MAvqCT,OAyqCO,I;K;IAtqCX,kC;MAurCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu4PJ,MAAK,KgBv4PwB,wBAzrCzB,KAyrCyB,EAAwB,EAAxB,ChBu4PxB,EgBv4PqD,ShBu4PrD,CgBv4PD,C;MACX,QAAQ,C;MACQ,OA3rCL,KA2rCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA7rCqB,GA6rCP,uBAAK,UAAL,EAAK,kBAAL,UA7rCO,EA6rCI,OA7rCJ,CA6rCrB,C;;MA7rCT,OA+rCO,I;K;IA5rCX,kC;MA6sCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu2PJ,MAAK,KgBv2PwB,wBA/sCzB,KA+sCyB,EAAwB,EAAxB,ChBu2PxB,EgBv2PqD,ShBu2PrD,CgBv2PD,C;MACX,QAAQ,C;MACQ,OAjtCL,KAitCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAntCqB,GAmtCP,uBAAK,UAAL,EAAK,kBAAL,UAntCO,EAmtCI,OAntCJ,CAmtCrB,C;;MAntCT,OAqtCO,I;K;IAltCX,kC;MAmuCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBAruCzB,KAquCyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OAvuCL,KAuuCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAzuCqB,GAyuCP,uBAAK,UAAL,EAAK,kBAAL,UAzuCO,EAyuCI,OAzuCJ,CAyuCrB,C;;MAzuCT,OA2uCO,I;K;IAxuCX,kC;MAyvCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBA3vCzB,KA2vCyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OA7vCL,KA6vCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA/vCqB,GA+vCP,uBAAK,UAAL,EAAK,kBAAL,UA/vCO,EA+vCI,OA/vCJ,CA+vCrB,C;;MA/vCT,OAiwCO,I;K;IA9vCX,kC;MA+wCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBAjxCzB,KAixCyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OAnxCL,KAmxCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WArxCqB,GAqxCP,uBAAK,UAAL,EAAK,kBAAL,UArxCO,EAqxCI,OArxCJ,CAqxCrB,C;;MArxCT,OAuxCO,I;K;IApxCX,kC;MAqyCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBAvyCzB,KAuyCyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OAzyCL,KAyyCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA3yCqB,GA2yCP,uBAAK,UAAL,EAAK,kBAAL,UA3yCO,EA2yCI,OA3yCJ,CA2yCrB,C;;MA3yCT,OA6yCO,I;K;IA1yCX,kC;MA2zCoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBA7zCzB,KA6zCyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OA/zCL,KA+zCK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAj0CqB,GAi0CP,uBAAK,UAAL,EAAK,kBAAL,UAj0CO,EAi0CI,OAj0CJ,CAi0CrB,C;;MAj0CT,OAm0CO,I;K;IAh0CX,kC;MAi1CoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBAn1CzB,KAm1CyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OAr1CL,KAq1CK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAv1CqB,GAu1CP,uBAAK,UAAL,EAAK,kBAAL,UAv1CO,EAu1CI,OAv1CJ,CAu1CrB,C;;MAv1CT,OAy1CO,I;K;IAt1CX,kC;MAu2CoB,gB;MAHhB,gBAAgB,c;MAChB,WAAW,iBhBu0PJ,MAAK,KgBv0PwB,wBAz2CzB,KAy2CyB,EAAwB,EAAxB,ChBu0PxB,EgBv0PqD,ShBu0PrD,CgBv0PD,C;MACX,QAAQ,C;MACQ,OA32CL,KA22CK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WA72CqB,GA62CP,uBAAK,UAAL,EAAK,kBAAL,UA72CO,EA62CI,OA72CJ,CA62CrB,C;;MA72CT,

,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAAM,
CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBvmNA,iB;MgBumNA,8C;Q
AWI,WhB3mNO,MAAK,KgB2mNK,chB3mNL,EgB2mNW,KAAM,KhB3mNjB,C;QgB4mNZ,WAAW,eAAa,IA
Ab,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,kBAA
M,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAAgB,W;MAChB,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,M/BtuNiD,S+BsuNjD,G/BtuN2D,KAAK,G+BsuNzD,O/Btu
NoE,KAAX,IAAf,C;;M+BwuNrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACjB,wBAAgB,SAA
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,MFjvNmD,UEivNnD,GFjvN8D,KAAK,KEivN5D,OFjvNuE,KAAX,CAA
hB,C;;MEmvNvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MAChB,wBAAgB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QACI,M/BlwNiD,S+BkwNjD,G/BlwN2D,KAAK,GAAW,CDgJ5C,SgCknNxB,OhClnNkC,KA
AL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;M+BowNrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W
;MAChB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,M/BhxNiD,S+BgxNjD,G/BhxN2D,KAAK,GAA
W,CCiJ5C,S8B+nNxB,O9B/nNkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;M+BkxNrD,OAAO,G;K;+EA
GX,yB;MAAA,0C;M/BpkNA,6B;M+BokNA,4B;QAOI,O/BjkNmC,c+BikNpB,IAAR,iBAAQ,C/BjkNoB,C;O;K+
B0jNvC,C;+EAUA,yB;MAAA,0C;MF/jNA,+B;ME+jNA,4B;QAOI,OF5jNsC,eE4jNvB,IAAR,iBAAQ,CF5jNuB,C
;O;KEqjN1C,C;+EAUA,yB;MAAA,sC;MA5hBA,wB;MA4hBA,iBAOiB,yB;QhCzqNb,6B;egCyqNa,c;UAAE,OhC
hqNoB,cgCgqNpB,EhChqN8B,KAAL,GAAiB,GAAtB,C;S;OgCgqNtB,C;MAPjB,4B;QAphBoB,Q;QADhB,UAAg
B,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BtxMiD,S+BsxMjD,G/BtxM2D,KAAK,GAAW
,CDgJ5C,SgCsoMf,OhCtoMyB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;Q+BgzNrD,OAxhBO,G;O;KAih
BX,C;+EAUA,yB;MAAA,sC;MAxhBA,wB;MAwhBA,iBAOiB,yB;Q9BlrNb,6B;e8BkrNa,c;UAAE,O9BzqNoB,c8
ByqNpB,E9BzqN8B,KAAL,GAAiB,KAAtB,C;S;O8ByqNtB,C;MAPjB,4B;QAhhBoB,Q;QADhB,UAAgB,W;QAC
A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BpyMiD,S+BoyMjD,G/BpyM2D,KAAK,GAAW,CCiJ5C,
S8BmpMf,O9BnpMyB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;Q+B0zNrD,OAphBO,G;O;KA6gBX,C;I
C/2NA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cA
AhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,kC;MA
QoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MA
HX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,
cAAP,EAAO,sBAAP,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAY
,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAA
P,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB
,cAAhB,C;QAAgB,yB;QACZ,MhCDiD,SgCCjD,GhCD2D,KAAK,GgCCzD,OhCDoE,KAAX,IAAf,C;;MgCGrD,
OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ
,MHZmD,UGYnD,GHZ8D,KAAK,KGY5D,OHZuE,KAAX,CAAhB,C;;MGcvD,OAAO,G;K;IAGX,2B;MAQoB,Q
;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhC7BiD,SgC6BjD,GhC7B2D,
KAAK,GAAW,CDgJ5C,SiCnHxB,OjCmHkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MgC+BrD,OAAO
,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhC3
CiD,SgC2CjD,GhC3C2D,KAAK,GAAW,CCiJ5C,S+BtGxB,O/BsGkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IA
Af,C;;MgC6CrD,OAAO,G;K;IC3GX,uB;MAMI,OjCsCkE,YiCtCvD,CjCsCwE,KAAjB,EiCtClD,CjCsC+E,KAA7
B,CiCtCvD,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MAMI,OJqCmE,aIrCxD,CJqC0E,KAAlB,EIrCnD,CJq
CiF,KAA9B,CIrCxD,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MAMI,OlCIgF,0BkCJrE,ClCoJ2B,KAAL,G
AAiB,GAhJ8B,EkCJhE,ClCoJsB,KAAL,GAAiB,GAhJ8B,CkCJrE,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,uB;
MAMI,OhCGiF,0BgCHtE,ChC4I2B,KAAL,GAAiB,KAzI+B,EgCHjE,ChC4IsB,KAAL,GAAiB,KAzI+B,CgCHtE,
KAAJ,GAAY,CAAZ,GAAmB,C;K;kFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MA
AM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,
EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAA
M,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,O
AAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,uB;MAMI,OjCtCkE,YiCs

CvD,CjCtCwE,KAAjB,EiCsClD,CjCtC+E,KAA7B,CiCsCvD,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MA
MI,OJvCmE,aIuCxD,CJvC0E,KAAlB,EIuCnD,CJvCiF,KAA9B,CIuCxD,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG
9B,uB;MAMI,OlCxEgF,0BkCwErE,ClCwE2B,KAAL,GAAiB,GAhJ8B,EkCwEhE,ClCwEsB,KAAL,GAAiB,GAh
J8B,CkCwErE,KAAJ,GAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MAMI,OhCzEiF,0BgCyEtE,ChCgE2B,KAAL,GAA
iB,KAzI+B,EgCyEjE,ChCgEsB,KAAL,GAAiB,KAzI+B,CgCyEtE,KAAJ,GAAY,CAAZ,GAAmB,C;K;kFAG9B,y
B;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C
;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;
O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT
,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EA
AS,CAAT,CAAT,C;O;KAPX,C;gFC9IA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;
KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;;Q
ASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;
K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,
C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;4FAW
A,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mB
AAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGlB,4C;MAOI,IAAI,mBAAJ,C;QACI,
OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGlB,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2B
AAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAMI,OAA
O,2BnC4E4B,SmC5EnB,KnC4E6B,KAAL,GAAiB,GAAtB,CmC5E5B,C;K;IAGX,uC;MAMI,OAAO,2BnC6E8B,
UAAW,oBmC7EhC,KnC6E2B,KAAK,CAAL,UAAN,CmC7E9B,C;K;IAGX,uC;MAMI,OAAO,2BlC4E8B,UAA
W,oBkC5EhC,KlC4E2B,KAAK,CAAL,iBAAN,CkC5E9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OLtB4C,UKs
B5C,KLtBkD,yBKsBxC,ELtBwC,CAAN,CKsB7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oClCwIR,SkCxIiB,
KLiElB,K7BuEW,QAAV,CkCxIQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BjCyC4B,SiCzCnB,KjCyC6B,KAAL,
GAAiB,KAAtB,CiCzC5B,C;K;IAGX,uC;MAMI,OAAO,2BjC0C8B,UAAW,oBiC1ChC,KjC0C2B,KAAK,CAAL,
YAAN,CiC1C9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBnCmBY,SmCnBI,SnCmBM,KAAL,GAAiB,GAAtB,C
mCnBZ,EnCmBY,SmCnBmB,EnCmBT,KAAL,GAAiB,GAAtB,CmCnBZ,EAA4C,EAA5C,C;K;IAG3B,kC;MASI,
OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAAO,wCAAiB,yBA
AgB,SAAhB,EAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBjChBY,SiCgBI,SjChBM,KAAL,GAAiB,
KAAtB,CiCgBZ,EjChBY,SiCgBmB,EjChBT,KAAL,GAAiB,KAAtB,CiCgBZ,EAA4C,EAA5C,C;K;IAG3B,gC;M
AMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;MAMI,O
AAO,wCAAiB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA8B,cAAD,aAA7B,C;K;IAG5B,iC;MAMI,oBAAoB,OAAO,
CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GA
AY,CAAhB,GAAmB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,CAA3B,E
AA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAY,CAAh
B,GAAmB,IAAnB,GAA8B,IAAD,aAA1D,C;K;IAG5B,iC;MAQI,InCpPgF,0BmCoP5E,EnCpGkC,KAAL,GAAiB,
GAhJ8B,EmCoPtE,6BAAM,UnCpGsB,KAAL,GAAiB,GAhJ8B,CmCoP5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;M
AChC,WnCnEuB,SmCmE5B,SnCnEsC,KAAL,GAAiB,GAAtB,C;MmCmEV,YAAK,W;MAA9B,OlCjJ6D,oBArD
P,SAAU,CDmI7B,SmCmEV,EnCnEoB,KAAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAq
DO,C;K;IkCoJjE,iC;MAQI,IlChPkE,YkCgP9D,ElChP+E,KAAjB,EkCgPxD,4BAAK,UlChPgF,KAA7B,CkCgP9D,
KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OlC7J6D,ckC6JtD,SlC7JsD,EArDP,SkCkNtC,ElClNgD,KAAK,GA
AY,CkCkN5D,WlClN4D,MAAZ,IAAf,CAqDO,C;K;IkCgKjE,iC;MAQI,ILpPmE,aKoP/D,ELpPiF,KAAlB,EKoPz
D,6BAAM,ULpPiF,KAA9B,CKoP/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OLzK+D,iBKyKxD,SLzKwD
,EAlDP,UK2NxC,EL3NmD,KAAK,UAAY,C7BkJ/C,UAAW,oBAAL,CkCyEtB,WlCzEsB,MAAK,CAAL,iBAAN,
C6BlJ+C,MAAZ,CAAhB,CAkDO,C;K;IK4KnE,iC;MAQI,IjChRiF,0BiCgR7E,EjCvIkC,KAAL,GAAiB,KAzI+B,E
iCgRvE,8BAAO,UjCvIqB,KAAL,GAAiB,KAzI+B,CiCgR7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WjCtG
uB,SiCsG5B,SjCtGsC,KAAL,GAAiB,KAAtB,C;MiCsGV,YAAK,W;MAA9B,OlCrL6D,oBArDP,SAAU,CCoI7B,
SiCsGV,EjCtGoB,KAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAqDO,C;K;IkCwLjE,kD
;MAUI,OlCtRkE,YkCsRvD,SlCtRwE,KAAjB,EkCsRhD,YlCtR6E,KAA7B,CkCsRvD,IAAJ,GAAyB,YAAzB,GA

A2C,S;K;IAGtD,kD;MAUI,OL3RmE,aK2RxD,SL3R0E,KAAlB,EK2RjD,YL3R+E,KAA9B,CK2RxD,IAAJ,GAAy
B,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OnChUgF,0BmCgUrE,SnChL2B,KAAL,GAAiB,GAhJ8B,EmCgU9D,Y
nChLoB,KAAL,GAAiB,GAhJ8B,CmCgUrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OjCrUiF,0BiC
qUtE,SjC5L2B,KAAL,GAAiB,KAzI+B,EiCqU/D,YjC5LoB,KAAL,GAAiB,KAzI+B,CiCqUtE,IAAJ,GAAyB,YA
AzB,GAA2C,S;K;IAGtD,iD;MAUI,OlC1UkE,YkC0UvD,SlC1UwE,KAAjB,EkC0UhD,YlC1U6E,KAA7B,CkC0U
vD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OL/UmE,aK+UxD,SL/U0E,KAAlB,EK+UjD,YL/U+E,K
AA9B,CK+UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OnCpXgF,0BmCoXrE,SnCpO2B,KAAL,G
AAiB,GAhJ8B,EmCoX9D,YnCpOoB,KAAL,GAAiB,GAhJ8B,CmCoXrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IA
GtD,iD;MAUI,OjCzXiF,0BiCyXtE,SjChP2B,KAAL,GAAiB,KAzI+B,EiCyX/D,YjChPoB,KAAL,GAAiB,KAzI+B
,CiCyXtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,IlC9XkE,YkC8X9D,YlC9X+E,KAAjB,EkC8X/C
,YlC9X4E,KAA7B,CkC8X9D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;
MACvC,IlC/XkE,YkC+X9D,SlC/X+E,KAAjB,EkC+XvD,YlC/XoF,KAA7B,CkC+X9D,IAAJ,C;QAAyB,OAAO,Y
;MAChC,IlChYkE,YkCgY9D,SlChY+E,KAAjB,EkCgYvD,YlChYoF,KAA7B,CkCgY9D,IAAJ,C;QAAyB,OAAO,
Y;MAChC,OAAO,S;K;IAGX,4D;MAUI,ILtYmE,aKsY/D,YLtYiF,KAAlB,EKsYhD,YLtY8E,KAA9B,CKsY/D,IA
AJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,ILvYmE,aKuY/D,SLvYi
F,KAAlB,EKuYxD,YLvYsF,KAA9B,CKuY/D,IAAJ,C;QAAyB,OAAO,Y;MAChC,ILxYmE,aKwY/D,SLxYiF,KA
AlB,EKwYxD,YLxYsF,KAA9B,CKwY/D,IAAJ,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,4D;MAUI,InC9
agF,0BmC8a5E,YnC9RkC,KAAL,GAAiB,GAhJ8B,EmC8a7D,YnC9RmB,KAAL,GAAiB,GAhJ8B,CmC8a5E,IA
AJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,InC/agF,0BmC+a5E,SnC/
RkC,KAAL,GAAiB,GAhJ8B,EmC+arE,YnC/R2B,KAAL,GAAiB,GAhJ8B,CmC+a5E,IAAJ,C;QAAyB,OAAO,Y;
MAChC,InChbgF,0BmCgb5E,SnChSkC,KAAL,GAAiB,GAhJ8B,EmCgbrE,YnChS2B,KAAL,GAAiB,GAhJ8B,C
mCgb5E,IAAJ,C;QAAyB,OAAO,Y;MAChC,OAAO,S;K;IAGX,4D;MAUI,IjCtbiF,0BiCsb7E,YjC7SkC,KAAL,G
AAiB,KAzI+B,EiCsb9D,YjC7SmB,KAAL,GAAiB,KAzI+B,CiCsb7E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,
YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IjCvbiF,0BiCub7E,SjC9SkC,KAAL,GAAiB,KAzI+B,EiCubtE,YjC
9S2B,KAAL,GAAiB,KAzI+B,CiCub7E,IAAJ,C;QAAyB,OAAO,Y;MAChC,IjCxbiF,0BiCwb7E,SjC/SkC,KAAL,
GAAiB,KAzI+B,EiCwbtE,YjC/S2B,KAAL,GAAiB,KAzI+B,CiCwb7E,IAAJ,C;QAAyB,OAAO,Y;MAChC,OAA
O,S;K;IAGX,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAAe,KAAf,C;OAEhB,IAAI,KA
AM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,IlCnc8D,YkCmc9D,SlCnc+E,KA
AjB,EkCmcvD,KAAM,MlCnc8E,KAA7B,CkCmc9D,K;QAA4B,OAAN,KAAM,M;;QAC5B,IlCpc8D,YkCoc9D,Sl
Cpc+E,KAAjB,EkCocvD,KAAM,alCpc8E,KAA7B,CkCoc9D,K;UAAmC,OAAN,KAAM,a;;UAC3B,gB;;MAHZ,
W;K;IAOJ,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAgB,KAAhB,C;OAEhB,IAAI,K
AAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,ILhd+D,aKgd/D,SLhdiF,KAAl
B,EKgdxD,KAAM,MLhdgF,KAA9B,CKgd/D,K;QAA4B,OAAN,KAAM,M;;QAC5B,ILjd+D,aKid/D,SLjdiF,KAA
lB,EKidxD,KAAM,aLjdgF,KAA9B,CKid/D,K;UAAmC,OAAN,KAAM,a;;UAC3B,gB;;MAHZ,W;K;ICngBJ,2B;
MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnCmDiD,SmCnDjD
,GnCmD2D,KAAK,GmCnDzD,OnCmDoE,KAAX,IAAf,C;;MmCjDrD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB
,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MNsCmD,UMtCnD,GNsC8D,KAAK,KMt
C5D,ONsCuE,KAAX,CAAhB,C;;MMpCvD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;M
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnCmBiD,SmCnBjD,GnCmB2D,KAAK,GAAW,CDgJ5C,SoCnKx
B,OpCmKkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MmCjBrD,OAAO,G;K;IAGX,2B;MAUoB,Q;MA
DhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MnCGiD,SmCHjD,GnCG2D,KAAK,
GAAW,CCiJ5C,SkCpJxB,OlCoJkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MmCDrD,OAAO,G;K;;;;;;;;
;;;;;;;;;;;;;;;;;;;;;;;;;yCC8PP,6B;MASW,Q;MAAP,OAAO,uE;K;;;;;;0CAyDX,sB;MASI,OAAO,I;K;;;;;;;;;;;;;;;;;IC9
Yf,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,wB;K;kCAEI,Y;MAA4B,mC;K;;IAMhC,yB;K;mCAEI,Y;MAA4B,uB;
K;;IAMhC,uB;K;iCAEI,Y;MAA4B,qB;K;;IAMhC,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAEI,Y;MAA
4B,uB;K;;IAMhC,0B;K;oCAEI,Y;MAA4B,wB;K;;IAMhC,2B;K;qCAEI,Y;MAA4B,yB;K;;ICtDM,oD;MAA2C,uB
;MAAjB,gB;MAC5D,sBAA2B,IAAK,I;MAChC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;
MACzE,cAAuB,cAAJ,GAAa,KAAM,IAAnB,GAAgC,mB;K;gDAEnD,Y;MAAkC,qB;K;iDAElC,Y;MACI,YAAY

,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4B
AAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;MACzD,sBAA2B,I;MAC3
B,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAAuB,cAAJ,GAAa,KAAb,GAAwB,m
B;K;+CAE3C,Y;MAAkC,qB;K;+CAElC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,c
AAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;K;;IAQuB,oD;MAA4C,u
B;MAAlB,gB;MAC5D,sBAA2B,I;MAC3B,iBAAmC,uBAAO,CAAX,GAAc,sBAAS,IAAT,MAAd,GAAiC,sBAA
S,IAAT,M;MAChE,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAElC,Y;MACI,YA
AY,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;Q
AGV,8BAAQ,SAAR,C;;MAEJ,OAAO,K;K;;IC9DX,oD;MAwCA,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa
,gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K;
MAEzB,YAG6F,OAArE,0BAA0B,KAAM,IAAhC,EAAyC,YAAa,IAAtD,EAA+D,IAA/D,CAAqE,C;MAE7F,YA
GuB,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OA
AI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDAA6B,kBAAa,KAAM,UAAnB,
KAC7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7B,C;K;yCAGJ
,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAAK,UAAM,IAAX,UAAqB,SAAK,IAA1B,KAAN,SAA2
C,SAA3C,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAc,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAAnC,
GAA8C,oBAAE,UAAF,qCAAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;IAEhF,qC;MAAA,yC;K;kEACI,s
C;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAsC,IAAtC,C;K;;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;
K;;IAiBA,mD;MAwCA,sC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,IAAI,SA
AQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAG4F,0BAArC,KAAqC,EAA
f,YAAe,EAAN,IAAM,C;MAE5F,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,S
AApC,C;K;uCAEvC,Y;MACqC,OAAI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;K;sCAE7E,iB;MA
CI,gDAA4B,kBAAa,KAAM,UAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ
,KAAM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAL,QAAa
,SAAb,IAAN,SAA2B,SAA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cA
AqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEhF,oC;MAAA,wC;K;iEAC
I,sC;MAQwF,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;;IAT5F,gD;MAAA,+C;QAAA,8B;OAAA,wC;
K;;IAiBA,oD;MAwCA,uC;MAjCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;
QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAG+F,4BAAvC,KAAuC,EAAhB,YAAgB,EA
AN,IAAM,C;MAE/F,YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;
wCAExC,Y;MACqC,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAAd,GAAgC,2BAAQ,SAAR,K;K;uCAErE,i
B;MACI,iDAA6B,kBAAa,KAAM,UAAnB,KAC7B,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAd,CA
AxB,IAA8C,kBAAQ,KAAM,KAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iC
AAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAApC,CAAN,MA
AuE,cAAU,6BAAU,EAAV,CAAV,CAAvE,CAAiG,Q;K;yCAE7H,Y;MAAkC,OAAI,uBAAO,CAAX,GAAgB,UA
AF,qBAAU,SAAV,yBAAqB,SAArB,WAAd,GAAgD,UAAF,2BAAgB,SAAhB,yBAA6B,SAAD,aAA5B,W;K;IAE
hF,qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAsC,IAAtC,C;K;;;IAThG,iD;MA
AA,gD;QAAA,+B;OAAA,yC;K;;;;6CCnJA,iB;MAGkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y
;MAGgC,oCAAQ,iBAAR,K;K;;ItClBd,wC;MAiBlB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CA
ArC,C;K;8DAC7B,Y;MAAQ,8B;K;qEACD,Y;MAAQ,6B;K;2CAExC,iB;MAA8C,qBAAS,KAAT,IAAkB,SAAS,
S;K;kCAEzE,Y;MAAkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBAAa,KAAM,UAAnB,KACvB,eAAS,KAA
M,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAK
,UAAM,IAAX,UAAqB,SAAK,IAA1B,K;K;mCAE5B,Y;MAAkC,2BAAE,UAAF,+BAAU,SAAV,C;K;IAElC,+B;
MAAA,mC;MACI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;K;;;IAFlC,2C;MAAA,0
C;QAAA,yB;OAAA,mC;K;;IASiB,uC;MAiBjB,gC;MAjBmD,0BAAe,KAAf,EAAsB,YAAtB,EAAoC,CAApC,C;
K;6DAC3B,Y;MAAQ,iB;K;oEACD,Y;MAAQ,gB;K;0CAEvC,iB;MAA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCA
ExE,Y;MAAkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAAa,KAAM,UAAnB,KACtB,eAAS,KAAM,MAAf,
IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,

QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CA
AT,EAAY,CAAZ,C;K;;;IAFjC,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;;IASkB,wC;MAiBlB,iC;MAjBsD,2BAAg
B,KAAhB,EAAuB,YAAvB,K;K;8DAC7B,Y;MAAQ,iB;K;qEACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,
KAAT,UAAkB,sBAAS,SAAT,M;K;kCAEhE,Y;MAAkC,kCAAQ,SAAR,K;K;iCAElC,iB;MACI,2CAAuB,kBAAa
,KAAM,UAAnB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAd,CADD,CAAvB,C;K;mCAGJ,
Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BA
AU,EAAV,CAAV,CAApC,CAA8D,Q;K;mCAE1F,Y;MAAkC,OAAE,UAAF,qBAAU,SAAV,W;K;IAElC,+B;MA
AA,mC;MACI,aAC8B,qB;K;;;IAFlC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IuC/DJ,gB;MAAA,oB;K;8BAII,Y;
MAA0B,oB;K;;;IAJ9B,4B;MAAA,2B;QAAA,U;OAAA,oB;K;ICEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,
uC;MAAA,0C;O;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,
wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAE
A,yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C
;MAAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;M
AAA,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAA
A,6B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6
B;MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,mC;MAAA,+oB;K;;IAAA,wC;MAAA,a;aAAA,O;U
AAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;UAAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,o
D;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,
M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,W;UAAA,+C;gBAAA,uE;;K;;IAqCA,4C;MAAA,e;
MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;MAEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAA
A,0C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2
C;MAAA,a;aAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;UAAA,gD;gBAAA,0E;;K;;IAwB8B,gC;MAAC,oC
;K;;IAQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAElC,sB;K;;IAMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,
mB;MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,GAAd,GAAuB,MAAM,CAAN,I;K;IAGlC,qB;M
ACI,UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,GAAd,GAAuB,QAAM,CAAN,C;K;IAGlC,mC
;MAEI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;
K;IAGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WAAY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,
EAA2B,CAA3B,C;K;IAGX,qD;MAkBI,WAAO,CAAP,C;QAD2E,OAC3D,SAAS,GAAb,GAAkB,GAAlB,GAA2
B,MAAM,iBAAiB,GAAjB,EAAsB,KAAtB,EAA6B,IAA7B,CAAN,I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,
SAAS,GAAb,GAAkB,GAAlB,GAA2B,MAAM,iBAAiB,KAAjB,EAAwB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,
CAAN,I;;QAC/B,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;MAkBI,sBAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GA
AT,MAAJ,GAAkB,GAAlB,GAA2B,aAAM,mBAAiB,GAAjB,EAAsB,KAAtB,EAA6B,IAA7B,CAAN,C;WACvC,
sBAAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAAkB,GAAlB,GAA2B,QAAM,mBAAiB,KAAjB,EAA
wB,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAa,gCAAyB,eAAzB,C;K;;;;;;;;;;;;;;;;;;;;ICtBrB,wC;MA
AA,e;MAAA,iB;MAAA,uB;K;IAAA,sC;MAAA,yC;O;MAKI,sE;MAGA,0F;MAGA,gE;K;;IANA,gD;MAAA,4B;
MAAA,wC;K;;IAGA,0D;MAAA,4B;MAAA,kD;K;;IAGA,6C;MAAA,4B;MAAA,qC;K;;IAXJ,kC;MAAA,sI;K;;I
AAA,uC;MAAA,a;aAAA,U;UAAA,6C;aAAA,oB;UAAA,uD;aAAA,O;UAAA,0C;gBAAA,mE;;K;;;;;;;;;;;;;;;;;;;;;;
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;ICc8B,yC;MAU9B,uC;MATI,wB;MAIA,gB;K;IAKJ,qC;MAAA,yC;MACI,YAMmC,oBAA
gB,IAAhB,EAAsB,IAAtB,C;K;4DAEnC,gB;MAMQ,8DAAqC,IAArC,C;K;gEAER,gB;MAKQ,uDAA8B,IAA9B,
C;K;4DAER,gB;MAKQ,wDAA+B,IAA/B,C;K;;;IA7BZ,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;2CApBJ,Y;MA
WQ,oB;K;2CAXR,Y;MAeQ,gB;K;6CAfR,0B;MAAA,2BAWQ,8CAXR,EAeQ,kCAfR,C;K;yCAAA,Y;MAAA,OA
WQ,4DAXR,IAeQ,sCAfR,O;K;yCAAA,Y;MAAA,c;MAWQ,yD;MAIA,qD;MAfR,a;K;uCAAA,iB;MAAA,4IAW
Q,4CAXR,IAeQ,oCAfR,I;K;;;;IClCA,kC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MAYI,4D;M
AKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,sB;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,qC;MAA
A,sB;MAAA,6B;K;;IAtBJ,4B;MAAA,mG;K;;IAAA,iC;MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;aAAA,
K;UAAA,kC;gBAAA,6D;;K;;ICAA,oC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,kC;MAAA,qC;O;MAYI,0D;MA
KA,gE;MAKA,8D;MAKA,4D;K;;IAfA,0C;MAAA,wB;MAAA,kC;K;;IAKA,6C;MAAA,wB;MAAA,qC;K;;IAKA,
4C;MAAA,wB;MAAA,oC;K;;IAKA,2C;MAAA,wB;MAAA,mC;K;;IA3BJ,8B;MAAA,qJ;K;;IAAA,mC;MAAA,a;

aAAA,Q;UAAA,uC;aAAA,W;UAAA,0C;aAAA,U;UAAA,yC;aAAA,S;UAAA,wC;gBAAA,+D;;K;;ICTQ,kD;MAAA,8B;MACI,aAAY,C;K;oDACZ,Y;MAAyB,oBAAQ,gBAAI,O;K;iDACrC,Y;MAAgD,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB,C;QAAA,OAAsB,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAAkB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAPhF,oC;MAEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OAAStC,qBAAqB,KAArB,C;eAClB,W;YAAvB,OAAuBuC,kBAAkB,KAAlB,C;eACf,Y;YAAX,OAAWwD,kBAAkB,KAAlB,C;eAAf,U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,c;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,e;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yB;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0B;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2B;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4B;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6B;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8B;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+B;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yC;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0C;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2C;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4C;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6C;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8C;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+C;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yD;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0D;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2D;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4D;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6D;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8D;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+D;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yE;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0E;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2E;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4E;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6E;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8E;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+E;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yF;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0F;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2F;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4F;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6F;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8F;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+F;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yG;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0G;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2G;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4G;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6G;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8G;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+G;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yH;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0H;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2H;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4H;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6H;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8H;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+H;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yI;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0I;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2I;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4I;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6I;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8I;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+I;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yJ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0J;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2J;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4J;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6J;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8J;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+J;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yK;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0K;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2K;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4K;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6K;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8K;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+K;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yL;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0L;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2L;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4L;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6L;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8L;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+L;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yM;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0M;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2M;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4M;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6M;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8M;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+M;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yN;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0N;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2N;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4N;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6N;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8N;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+N;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yO;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0O;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2O;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4O;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6O;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8O;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+O;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yP;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0P;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2P;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4P;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6P;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8P;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+P;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yQ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0Q;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2Q;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4Q;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6Q;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8Q;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+Q;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yR;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0R;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2R;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4R;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6R;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8R;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+R;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yS;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0S;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2S;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4S;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6S;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8S;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+S;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yT;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0T;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2T;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4T;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6T;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8T;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+T;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yU;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+U;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yV;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0V;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2V;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4V;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6V;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8V;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+V;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yW;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+W;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yX;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0X;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2X;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4X;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6X;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8X;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+X;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yY;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+Y;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,iZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,uZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yZ;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0Z;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2Z;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4Z;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6Z;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8Z;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+Z;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ga;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ia;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ka;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ma;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oa;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qa;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sa;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ua;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wa;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ya;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+a;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ib;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ob;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,sb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ub;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,wb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,yb;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,0b;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,2b;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,4b;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,6b;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,8b;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,+b;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,gc;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,ic;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,kc;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,mc;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,oc;YAAe,OAAfwD,kBAAkB,KAAlB,C;eAAf,qc;YAAe,

F0FnB,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,
KAAI,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,aAAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;;QAGzB,OAAO,
M;;K;IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,EAAE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;M
AXW,OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK
,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASlB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EA
AE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MALQ,OAMlB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACj
B,OAAO,K;K;IGxM0B,2C;MAAC,8C;MAClC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBA
AsC,I;MACtC,qBAAyC,I;MAEzC,yBAAgD,yBAAmB,Q;MAEnE,sBAAgD,I;K;oEAFhD,Y;MAAA,6B;K;0CAIA,
Y;MAEY,kBADR,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE
,I;QACzD,sBtCwEd,S;QsC1EF,StC2EG,S;;MsC3EH,a;K;iDAIJ,kB;MACI,kBAAc,IAAd,C;MACiC,oB;MCqBrB,
Q;MADR,IDpBsB,MCoBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDrBc,MCqBd,+D;;MDrBZ,yC;MACA,2BA
AmC,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;QtCoCY,gBsCnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ
,C;UACI,qBAAc,e;;UAEd,oBAAQ,0B;UACR,wBAAY,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YA
AqC,M;UACrC,kBAAgB,O;UAChB,qBAAmB,I;;UAEnB,kBAAgB,I;UAChB,qBAAmB,S;;QAGvB,gC;QAEA,IA
AI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YEVhB,8BD2CQ,WAAO,qBAAP,CC3CR,C;YFUgB,a;;YAA
A,a;UAAA,mB;YAEK,UErBrB,oBD6CQ,WDxB+B,eCwB/B,CC7CR,C;WFsBgB,M;;;K;mDAMhB,Y;MACI,kBA
AkB,mB;MAClB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;OAE
vC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;4EAEQ,Y;M1C0DyC,MAAM,6B0C1DjC,uC1C0D+D,WAA9B,C;K
;yD0CxDnD,kB;M1CwD6C,MAAM,6B0CvDzC,uC1CuDuE,WAA9B,C;K;+C0CpDnD,Y;MAAkC,8C;K;;;IARtC,
6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IGmDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAM
Q,Y;MACI,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB;K;IARnB,6G;sJA3HA,iC;MAgBU,OAAK,SAAL,CAAiB,
UAAjB,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAv
C,C;K;IAiC6C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,O
AAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,
0DAJnD,EAgE8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,g
BAAjB,EAA2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL
,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,
UAwBT,qCA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAA
A,mG;MAAA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB,
OAAO,oB;O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;O;KALJ,C;iFCxHA,a;MAA6C,O
AAA,MAAa,YAAW,CAAX,C;K;6FCH1D,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAA
J,GAAI,GAAE,G;K;6EPVN,a;MAK8C,cAAvC,C;K;6ECHP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,
C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH
1D,aAAkB,GAAI,O;MACtB,aAAkB,GAAI,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,
MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAI,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;M
ALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAAtB,C;QAzBs
B,MA0BlB,UA1BU,MA0BS,O;OAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,C;QACI,gBAAgB,O;Q
AChB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;OAE9C,OAAO,M;K;IAGX,gD
;MAKoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAaL,OA
AL,KAAkB,SAAtB,C;QAbqB,MAcjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAgB,cA
AhB,C;QAAgB,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEoB,UA
AgB,M;MADhC,YAAY,U;MACI,4B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAY,IAAI,cAAJ,EAAI,sBAAJ,Y
AAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;Q;0
EAI3B,wB;MAA+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IO/F5E,mC;MAOI,kBAAkB,MAAa,eAAc,
SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAnB,GAA+B,SAA/B,GAAyC,CAA
C,S;K;0ECUrD,2B;MAKyE,OAAA,MAAa,gBAAe,IAAf,C;K;4EAyBtF,2B;MAKsE,OAAA,MAAa,eAAc,IAAd,C
;K;kEAGnF,qB;MAAgD,OAAA,MAAa,KAAK,UAAS,GAAT,EAAc,IAAd,C;K;wEAChC,qB;MAAQ,OAAK,SA
AY,a;K;0EACxB,qB;MAAQ,OAAK,SAAY,c;K;IC1D5D,sC;MAMsD,OAAA,SAAY,UAAS,WAAW,KAAX,CAA

T,C;K;IjDKlE,uC;MdqnBW,Q;MAAA,Ic/mBgB,Kd+mBZ,IAAS,CAAT,Ic/mBY,Kd+mBE,IAAS,wBAA3B,C;QAAA,OAAsC,Uc/mBtB,Kd+mBsB,C;;Qc/mBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdsnBW,Q;MAAA,IchnBgB,KdgnBZ,IAAS,CAAT,IchnBY,KdgnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UchnBtB,KdgnBsB,C;;QchnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdunBW,Q;MAAA,IcjnBgB,KdinBZ,IAAS,CAAT,IcjnBY,KdinBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcjnBtB,KdinBsB,C;;QcjnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdwnBW,Q;MAAA,IclnBgB,KdknBZ,IAAS,CAAT,IclnBY,KdknBE,IAAS,0BAA3B,C;QAAA,OAAsC,UclnBtB,KdknBsB,C;;QclnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdynBW,Q;MAAA,IcnnBgB,KdmnBZ,IAAS,CAAT,IcnnBY,KdmnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcnnBtB,KdmnBsB,C;;QcnnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md0nBW,Q;MAAA,IcpnBgB,KdonBZ,IAAS,CAAT,IcpnBY,KdonBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcpnBtB,KdonBsB,C;;QcpnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md2nBW,Q;MAAA,IcrnBgB,KdqnBZ,IAAS,CAAT,IcrnBY,KdqnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcrnBtB,KdqnBsB,C;;QcrnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md4nBW,Q;MAAA,IctnBgB,KdsnBZ,IAAS,CAAT,IctnBY,KdsnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UctnBtB,KdsnBsB,C;;QctnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,wC;Md6nBW,Q;MAAA,IcvnBgB,KdunBZ,IAAS,CAAT,IcvnBY,KdunBE,IAAS,0BAA3B,C;QAAA,OAAsC,UcvnBtB,KdunBsB,C;;QcvnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,2B;MAII,OAAO,cAAa,SAAb,C;K;oFAGX,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,OAA9B,SAA8B,C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAwC,OAAjC,SAAiC,C;O;KAL5C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAyC,OAAlC,SAAkC,C;O;KAL7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;wEACW,Y;MAAQ,OAAA,gBAAY,O;K;6CAC3C,Y;MAAkC,OAAA,gBdukN/B,YAAQ,C;K;oDctkNX,mB;MAAgD,OAAY,WAAZ,gBAAY,EAAS,OAAT,C;K;iDAC5D,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,E;K;mDAEX,mB;MACS,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAmB,UAAZ,gBAAY,EAAAQ,OAAR,C;K;uDAEvB,mB;MACS,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAmB,cAAZ,gBAAY,EAAAY,OAAZ,C;K;;IAlB/B,6B;MAII,0C;K;wFAuWJ,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAAAgB,WAAhB,EAA6B,iBAA7B,EAAgD,UAAhD,EAA4D,QAA5D,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAAiF,iBAAjF,EAAAoG,UAApG,EAAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAAmF,iBAAnF,EAAAsG,UAAtG,EAAAkH,QAAlH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU,SAAV,EAAAyC,WAAzC,EAAA+E,iBAA/E,EAAAkG,UAAlG,EAAA8G,QAA9G,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAAiF,iBAAjF,EAAAoG,UAApG,EAAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAAmF,iBAAnF,EAAAsG,UAAtG,EAAAkH,QAAlH,C;QACA,OAAO,W;O;KArBX,C;uFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAAAqF,iBAArF,EAAAwG,UAAxG,EAAAoH,QAApH,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C,WAA7C,EAAAuF,iBAAvF,EAAA0G,UAA1G,EAAAsH,QAAtH,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAAiF,iBAAjF,EAAAoG,UAApG,EAAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;oFAwBA,qB;MAAOI,OAAAY,

SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MsCjkB9C,eAAiB,I;MtCikBjB,OsChkBO,K;K;qFtCmkBX,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YAA8B,SAAY,Q;MsC9lBjD,eAAiB,I;MtC8lBjB,OsC7lBO,K;K;ItCgmBX,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MsCvmB9C,eAAiB,I;MtCumBjB,OsCtmBO,K;K;ItCymBX,uC;MDzxBI,IAAI,ECmyBI,WAAW,CDnyBf,CAAJ,C;QACI,cCkyBoB,0C;QDjyBpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkyBV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAf,C;K;IAGX,uC;MDvyBI,IAAI,ECizBI,WAAW,CDjzBf,CAAJ,C;QACI,cCgzBoB,0C;QD/yBpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgzBV,OAAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAf,C;K;IAGX,uC;MDrzBI,IAAI,EC+zBI,WAAW,CD/zBf,CAAJ,C;QACI,cC8zBoB,0C;QD7zBpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8zBV,OAAO,SAAS,SAAT,EAAe,eAAS,OAAT,CAAf,C;K;IAGX,uC;MDn0BI,IAAI,EC60BI,WAAW,CD70Bf,CAAJ,C;QACI,cC40BoB,0C;QD30BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC40BH,WAAS,W;MAAT,YAAsB,gBAAgB,SAAhB,EAAsB,OAAtB,K;MsC/pBzC,eAAiB,I;MtC+pBjB,OsC9pBO,K;K;ItCiqBX,uC;MDj1BI,IAAI,EC21BI,WAAW,CD31Bf,CAAJ,C;QACI,cC01BoB,0C;QDz1BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC01BV,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAX,CAAf,C;K;IAGX,uC;MD/1BI,IAAI,ECy2BI,WAAW,CDz2Bf,CAAJ,C;QACI,cCw2BoB,0C;QDv2BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCw2BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD72BI,IAAI,ECu3BI,WAAW,CDv3Bf,CAAJ,C;QACI,cCs3BoB,0C;QDr3BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCs3BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD33BI,IAAI,ECq4BI,WAAW,CDr4Bf,CAAJ,C;QACI,cCo4BoB,0C;QDn4BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCo4BV,OAAO,SAAS,SAAT,EAAe,iBAAU,OAAV,CAAf,C;K;IAGX,uC;MDz4BI,IAAI,ECm5BI,WAAW,CDn5Bf,CAAJ,C;QACI,cCk5BoB,0C;QDj5BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCk5BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDv5BI,IAAI,ECi6BI,WAAW,CDj6Bf,CAAJ,C;QACI,cCg6BoB,0C;QD/5BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCg6BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDr6BI,IAAI,EC+6BI,WAAW,CD/6Bf,CAAJ,C;QACI,cC86BoB,0C;QD76BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC86BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDn7BI,IAAI,EC67BI,WAAW,CD77Bf,CAAJ,C;QACI,cC47BoB,0C;QD37BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC47BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDj8BI,IAAI,EC28BI,WAAW,CD38Bf,CAAJ,C;QACI,cC08BoB,0C;QDz8BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC08BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/8BI,IAAI,ECy9BI,WAAW,CDz9Bf,CAAJ,C;QACI,cCw9BoB,0C;QDv9BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCw9BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD79BI,IAAI,ECu+BI,WAAW,CDv+Bf,CAAJ,C;QACI,cCs+BoB,0C;QDr+BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCs+BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3+BI,IAAI,ECq/BI,WAAW,CDr/Bf,CAAJ,C;QACI,cCo/BoB,0C;QDn/BpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCo/BV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDz/BI,IAAI,ECmgCI,WAAW,CDngCf,CAAJ,C;QACI,cCkgCoB,0C;QDjgCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkgCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvgCI,IAAI,ECihCI,WAAW,CDjhCf,CAAJ,C;QACI,cCghCoB,0C;QD/gCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCghCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrhCI,IAAI,EC+hCI,WAAW,CD/hCf,CAAJ,C;QACI,cC8hCoB,0C;QD7hCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8hCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDniCI,IAAI,EC6iCI,WAAW,CD7iCf,CAAJ,C;QACI,cC4iCoB,0C;QD3iCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4iCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjjCI,IAAI,EC2jCI,WAAW,CD3jCf,CAAJ,C;QACI,cC0jCoB,0C;QDzjCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0jCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/jCI,IAAI,ECykCI,WAAW,CDzkCf,CAAJ,C;QACI,cCwkCoB,0C;QDvkCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwkCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7kCI,IAAI,ECulCI,WAAW,CDvlCf,CAAJ,C;QACI,cCslCoB,0C;QDrlCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCslCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3lCI,IAAI,ECqmCI,WAAW,CDrmCf,CAAJ,C;QACI,cComCoB,0C;QDnmCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OComCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDzmCI,IAAI,ECmnCI,WAAW,CDnnCf,CAAJ,C;QACI,cCknCoB,0C;QDjnCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCknCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvnCI,IAAI,ECioCI,WAAW,CDjoCf,CAAJ,C;QACI,cCgoCoB,0C;QD/nCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgoCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDroCI,IAAI,EC+oCI,WAAW,CD/oCf,CAAJ,C;QACI,cC8oCoB,0C;QD7oCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8oCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDnpCI,IAAI,EC6pCI,WAAW,CD7pCf,CAAJ,C;QACI,cC4pCoB,0C;QD3pCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4pCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjqCI,IAAI,EC2qCI,WAAW,CD3qCf,CAAJ,C;QACI,cC0qCoB,0C;QDzqCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0qCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/qCI,IAAI,ECyrCI,WAAW,CDzrCf,CAAJ,C;QACI,cCwrCoB,0C;QDvrCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwrCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7rCI,IAAI,ECusCI,WAAW,CDvsCf,CAAJ,C;QACI,cCssCoB,0C;QDrsCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCssCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3sCI,IAAI,ECqtCI,WAAW,CDrtCf,CAAJ,C;QACI,cCotCoB,0C;QDntCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCotCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDztCI,IAAI,ECmuCI,WAAW,CDnuCf,CAAJ,C;QACI,cCkuCoB,0C;QDjuCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkuCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvuCI,IAAI,ECivCI,WAAW,CDjvCf,CAAJ,C;QACI,cCgvCoB,0C;QD/uCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgvCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrvCI,IAAI,EC+vCI,WAAW,CD/vCf,CAAJ,C;QACI,cC8vCoB,0C;QD7vCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8vCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDnwCI,IAAI,EC6wCI,WAAW,CD7wCf,CAAJ,C;QACI,cC4wCoB,0C;QD3wCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4wCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjxCI,IAAI,EC2xCI,WAAW,CD3xCf,CAAJ,C;QACI,cC0xCoB,0C;QDzxCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0xCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/xCI,IAAI,ECyyCI,WAAW,CDzyCf,CAAJ,C;QACI,cCwyCoB,0C;QDvyCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwyCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7yCI,IAAI,ECuzCI,WAAW,CDvzCf,CAAJ,C;QACI,cCszCoB,0C;QDrzCpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCszCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3zCI,IAAI,ECq0CI,WAAW,CDr0Cf,CAAJ,C;QACI,cCo0CoB,0C;QDn0CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCo0CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDz0CI,IAAI,ECm1CI,WAAW,CDn1Cf,CAAJ,C;QACI,cCk1CoB,0C;QDj1CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCk1CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDv1CI,IAAI,ECi2CI,WAAW,CDj2Cf,CAAJ,C;QACI,cCg2CoB,0C;QD/1CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCg2CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDr2CI,IAAI,EC+2CI,WAAW,CD/2Cf,CAAJ,C;QACI,cC82CoB,0C;QD72CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC82CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDn3CI,IAAI,EC63CI,WAAW,CD73Cf,CAAJ,C;QACI,cC43CoB,0C;QD33CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC43CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDj4CI,IAAI,EC24CI,WAAW,CD34Cf,CAAJ,C;QACI,cC04CoB,0C;QDz4CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC04CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/4CI,IAAI,ECy5CI,WAAW,CDz5Cf,CAAJ,C;QACI,cCw5CoB,0C;QDv5CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCw5CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD75CI,IAAI,ECu6CI,WAAW,CDv6Cf,CAAJ,C;QACI,cCs6CoB,0C;QDr6CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCs6CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD36CI,IAAI,ECq7CI,WAAW,CDr7Cf,CAAJ,C;QACI,cCo7CoB,0C;QDn7CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCo7CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDz7CI,IAAI,ECm8CI,WAAW,CDn8Cf,CAAJ,C;QACI,cCk8CoB,0C;QDj8CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCk8CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDv8CI,IAAI,ECi9CI,WAAW,CDj9Cf,CAAJ,C;QACI,cCg9CoB,0C;QD/8CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCg9CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDr9CI,IAAI,EC+9CI,WAAW,CD/9Cf,CAAJ,C;QACI,cC89CoB,0C;QD79CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC89CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDn+CI,IAAI,EC6+CI,WAAW,CD7+Cf,CAAJ,C;QACI,cC4+CoB,0C;QD3+CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4+CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDj/CI,IAAI,EC2/CI,WAAW,CD3/Cf,CAAJ,C;QACI,cC0/CoB,0C;QDz/CpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0/CV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/gDI,IAAI,ECyhDI,WAAW,CDzhDf,CAAJ,C;QACI,cCwhDoB,0C;QDvhDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwhDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7hDI,IAAI,ECuiDI,WAAW,CDviDf,CAAJ,C;QACI,cCsiDoB,0C;QDriDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCsiDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3iDI,IAAI,ECqjDI,WAAW,CDrjDf,CAAJ,C;QACI,cCojDoB,0C;QDnjDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCojDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDzjDI,IAAI,ECmkDI,WAAW,CDnkDf,CAAJ,C;QACI,cCkkDoB,0C;QDjkDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkkDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvkDI,IAAI,ECilDI,WAAW,CDjlDf,CAAJ,C;QACI,cCglDoB,0C;QD/kDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCglDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrlDI,IAAI,EC+lDI,WAAW,CD/lDf,CAAJ,C;QACI,cC8lDoB,0C;QD7lDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8lDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDnmDI,IAAI,EC6mDI,WAAW,CD7mDf,CAAJ,C;QACI,cC4mDoB,0C;QD3mDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4mDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjnDI,IAAI,EC2nDI,WAAW,CD3nDf,CAAJ,C;QACI,cC0nDoB,0C;QDznDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0nDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/nDI,IAAI,ECyoDI,WAAW,CDzoDf,CAAJ,C;QACI,cCwoDoB,0C;QDvoDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwoDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7oDI,IAAI,ECupDI,WAAW,CDvpDf,CAAJ,C;QACI,cCspDoB,0C;QDrpDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCspDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3pDI,IAAI,ECqqDI,WAAW,CDrqDf,CAAJ,C;QACI,cCoqDoB,0C;QDnqDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCoqDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDzqDI,IAAI,ECmrDI,WAAW,CDnrDf,CAAJ,C;QACI,cCkrDoB,0C;QDjrDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkrDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvrDI,IAAI,ECisDI,WAAW,CDjsDf,CAAJ,C;QACI,cCgsDoB,0C;QD/rDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgsDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrsDI,IAAI,EC+sDI,WAAW,CD/sDf,CAAJ,C;QACI,cC8sDoB,0C;QD7sDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8sDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDntDI,IAAI,EC6tDI,WAAW,CD7tDf,CAAJ,C;QACI,cC4tDoB,0C;QD3tDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4tDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjuDI,IAAI,EC2uDI,WAAW,CD3uDf,CAAJ,C;QACI,cC0uDoB,0C;QDzuDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0uDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/uDI,IAAI,ECyvDI,WAAW,CDzvDf,CAAJ,C;QACI,cCwvDoB,0C;QDvvDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwvDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7vDI,IAAI,ECuwDI,WAAW,CDvwDf,CAAJ,C;QACI,cCswDoB,0C;QDrwDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCswDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3wDI,IAAI,ECqxDI,WAAW,CDrxDf,CAAJ,C;QACI,cCoxDoB,0C;QDnxDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCoxDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDzxDI,IAAI,ECmyDI,WAAW,CDnyDf,CAAJ,C;QACI,cCkyDoB,0C;QDjyDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkyDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvyDI,IAAI,ECizDI,WAAW,CDjzDf,CAAJ,C;QACI,cCgzDoB,0C;QD/yDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgzDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrzDI,IAAI,EC+zDI,WAAW,CD/zDf,CAAJ,C;QACI,cC8zDoB,0C;QD7zDpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8zDV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDn0DI,IAAI,EC60DI,WAAW,CD70Df,CAAJ,C;QACI,cC40DoB,0C;QD30DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC40DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDj1DI,IAAI,EC21DI,WAAW,CD31Df,CAAJ,C;QACI,cC01DoB,0C;QDz1DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC01DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/1DI,IAAI,ECy2DI,WAAW,CDz2Df,CAAJ,C;QACI,cCw2DoB,0C;QDv2DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCw2DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD72DI,IAAI,ECu3DI,WAAW,CDv3Df,CAAJ,C;QACI,cCs3DoB,0C;QDr3DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCs3DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD33DI,IAAI,ECq4DI,WAAW,CDr4Df,CAAJ,C;QACI,cCo4DoB,0C;QDn4DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCo4DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDz4DI,IAAI,ECm5DI,WAAW,CDn5Df,CAAJ,C;QACI,cCk5DoB,0C;QDj5DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCk5DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDv5DI,IAAI,ECi6DI,WAAW,CDj6Df,CAAJ,C;QACI,cCg6DoB,0C;QD/5DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCg6DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDr6DI,IAAI,EC+6DI,WAAW,CD/6Df,CAAJ,C;QACI,cC86DoB,0C;QD76DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC86DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDn7DI,IAAI,EC67DI,WAAW,CD77Df,CAAJ,C;QACI,cC47DoB,0C;QD37DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC47DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDj8DI,IAAI,EC28DI,WAAW,CD38Df,CAAJ,C;QACI,cC08DoB,0C;QDz8DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC08DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/8DI,IAAI,ECy9DI,WAAW,CDz9Df,CAAJ,C;QACI,cCw9DoB,0C;QDv9DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCw9DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD79DI,IAAI,ECu+DI,WAAW,CDv+Df,CAAJ,C;QACI,cCs+DoB,0C;QDr+DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCs+DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3+DI,IAAI,ECq/DI,WAAW,CDr/Df,CAAJ,C;QACI,cCo/DoB,0C;QDn/DpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCo/DV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDz/DI,IAAI,ECmgEI,WAAW,CDngEf,CAAJ,C;QACI,cCkgEoB,0C;QDjgEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkgEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvgEI,IAAI,ECihEI,WAAW,CDjhEf,CAAJ,C;QACI,cCghEoB,0C;QD/gEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCghEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrhEI,IAAI,EC+hEI,WAAW,CD/hEf,CAAJ,C;QACI,cC8hEoB,0C;QD7hEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8hEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDniEI,IAAI,EC6iEI,WAAW,CD7iEf,CAAJ,C;QACI,cC4iEoB,0C;QD3iEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4iEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjjEI,IAAI,EC2jEI,WAAW,CD3jEf,CAAJ,C;QACI,cC0jEoB,0C;QDzjEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0jEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/jEI,IAAI,ECykEI,WAAW,CDzkEf,CAAJ,C;QACI,cCwkEoB,0C;QDvkEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwkEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7kEI,IAAI,ECulEI,WAAW,CDvlEf,CAAJ,C;QACI,cCslEoB,0C;QDrlEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCslEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3lEI,IAAI,ECqmEI,WAAW,CDrmEf,CAAJ,C;QACI,cComEoB,0C;QDnmEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OComEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDzmEI,IAAI,ECmnEI,WAAW,CDnnEf,CAAJ,C;QACI,cCknEoB,0C;QDjnEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCknEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvnEI,IAAI,ECioEI,WAAW,CDjoEf,CAAJ,C;QACI,cCgoEoB,0C;QD/nEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgoEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDroEI,IAAI,EC+oEI,WAAW,CD/oEf,CAAJ,C;QACI,cC8oEoB,0C;QD7oEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8oEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDnpEI,IAAI,EC6pEI,WAAW,CD7pEf,CAAJ,C;QACI,cC4pEoB,0C;QD3pEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC4pEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDjqEI,IAAI,EC2qEI,WAAW,CD3qEf,CAAJ,C;QACI,cC0qEoB,0C;QDzqEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC0qEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD/qEI,IAAI,ECyrEI,WAAW,CDzrEf,CAAJ,C;QACI,cCwrEoB,0C;QDvrEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCwrEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD7rEI,IAAI,ECusEI,WAAW,CDvsEf,CAAJ,C;QACI,cCssEoB,0C;QDrsEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCssEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MD3sEI,IAAI,ECqtEI,WAAW,CDrtEf,CAAJ,C;QACI,cCotEoB,0C;QDntEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCotEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDztEI,IAAI,ECmuEI,WAAW,CDnuEf,CAAJ,C;QACI,cCkuEoB,0C;QDjuEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCkuEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDvuEI,IAAI,ECivEI,WAAW,CDjvEf,CAAJ,C;QACI,cCgvEoB,0C;QD/uEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OCgvEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDrvEI,IAAI,EC+vEI,WAAW,CD/vEf,CAAJ,C;QACI,cC8vEoB,0C;QD7vEpB,MAAM,gCAAyB,OAAQ,WAAjC,C,C;OC8vEV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDnwEI,IAAI,EC6wEI,WAAW,CD7wEf,

MAAG,uB;QAAA,UAAe,gB;MACrF,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAA
Y,MAAK,OAAL,EAAc,SAAd,EAAyB,OAAzB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAA
A,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACR,SAAY,MAAK,OAAL
,EAAc,SAAd,EAAyB,OAAzB,C;K;iFAGrB,8B;MAKI,OAAY,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,
yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAY,OAAZ,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;
MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QA
KI,OAwIO,gCAxIK,gBAAW,OAAX,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gC
AxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAa,
OAAb,EAwIL,C;O;KA7IX,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAc,OAAd,EAwIL,
C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,sBAAe,OAAf,CAwIL,C;O;KA7IX,C;iF
AQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI
,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO
,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,U
AAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,s
C;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,
EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBA
AwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;I
AGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,O
AA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAA
O,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAj
E,C;K;iFAGX,+B;MAKI,OAAY,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBA
AqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA
A2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;
O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFA
QA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,i
D;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;Q
AKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB
AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAY,SAAY,QAAO,CAAQ,OAAR,CAAP,C;
K;IAmBL,2B;MAAsB,OAAA,CAAE,iBAAU,CAAV,C;K;IAN/C,2B;MAMI,IAAI,mBAAO,CAAX,C;QAsGY,eAt
GO,WAsGP,C;Q;IAjDhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAc,UAAU,SAAV,C;K;IAGlB,uC;MAMI,IAAI,
mBAAO,CAAX,C;QAAc,cAAc,SAAd,EAAoB,UAApB,C;K;gFAGlB,iC;MAKI,SAAY,MAAK,UAAL,C;K;gFAG
hB,iC;MAKI,SAAY,MAAK,UAAL,C;K;gFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY
,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;
iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAc,gBAAc,SAAd,E
AAoB,UAApB,C;K;IAGlB,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,
MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAA
O,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;M
AII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH
,kD;MAAA,wB;QAAW,qCAAK,KAAL,E;O;K;IAJlC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IkDt
kDX,+B;MAII,eAAe,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACl
B,mBAAmB,2B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAA
L,EAAc,sBAAK,YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAArB,C;QACA,mC;;K;I9CbR,uB;MAMI,OA
AW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAA
K,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAA
M,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,
EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mF
AG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,yB;M
AAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;IAUA,2B;MAKI,OAAO,Q

AAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,
MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,
OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0
B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;mFAUA,mB;MAMW,UAAe,C
AnEX,iBAmEc,CAnEd,MAAJ,GAmEe,CAnEf,GAmEkB,C;MAAzB,OAAa,CAnEF,iBAAK,GAAL,MAAJ,GAmE
M,CAnEN,GAAmB,G;K;mFAsE9B,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,
EAAU,CAAV,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAA
P,EAAU,CAAV,C;O;KAPhB,C;IAUA,uB;MAMI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mF
AG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,y
B;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAA
A,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI,OAAW,kB
AAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAA
I,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EA
AO,CAAP,C;O;KAPhB,C;IAUA,2B;MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;
K;mFAGX,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;
KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA
5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,C
AAV,C;O;KAPhB,C;mFAUA,mB;MAMW,UAAe,CAnEX,iBAmEc,CAnEd,MAAJ,GAmEe,CAnEf,GAmEkB,C;
MAAzB,OAAa,CAnEF,iBAAK,GAAL,MAAJ,GAmEM,CAnEN,GAAmB,G;K;mFAsE9B,yB;MAAA,iB;MAAA,0
B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA
,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;I+CpQA,wC;MvCiBW,Q;M
AAA,IuCXgB,KvCWZ,IAAS,CAAT,IuCXY,KvCWE,IAAS,2BAA3B,C;QAAA,OAAsC,qBuCXtB,KvCWsB,C;;Q
uCXb,MAAM,8BAA0B,mCAAyB,gBAAzB,MAA1B,C;;MAAtC,W;K;ICJJ,wC;MhCqTe,WgC7SY,KhC6SZ,IAA
S,C;MAAT,S;QAAc,OgC7SF,KhC6SE,IAqlGT,gBAAR,iBAAQ,C;OArlGT,U;MAAA,S;QAAA,SAAsC,sBgC7St
B,KhC6SsB,C;;QgC7Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MhCsTe,WgC9SY
,KhC8SZ,IAAS,C;MAAT,S;QAAc,OgC9SF,KhC8SE,IAilGT,gBAAR,iBAAQ,C;OAjlGT,U;MAAA,S;QAAA,SA
AsC,sBgC9StB,KhC8SsB,C;;QgC9Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MhC
uTe,WgC/SY,KhC+SZ,IAAS,C;MAAT,S;QAAc,OgC/SF,KhC+SE,IA6kGT,gBAAR,iBAAQ,C;OA7kGT,U;MAA
A,S;QAAA,SAAsC,sBgC/StB,KhC+SsB,C;;QgC/Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;I
AGJ,wC;MhCwTe,WgChTY,KhCgTZ,IAAS,C;MAAT,S;QAAc,OgChTF,KhCgTE,IAykGT,gBAAR,iBAAQ,C;O
AzkGT,U;MAAA,S;QAAA,SAAsC,sBgChTtB,KhCgTsB,C;;QgChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B
,C;;MAAtC,a;K;IASO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,
OAAA,gBAAY,U;K;sDAC9C,mB;MAAgD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAa,2B
AAkB,KAAlB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL,IAAI,eAAC,
0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OhC+pBO,UgC/pBA,gBhC+pBR,QAAQ,EgC/pBoB,O/DyHF,K+Bsi
BlB,C;K;yDgC7pBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OhC23BO,c
gC33BA,gBhC23BR,QAAQ,EgC33BwB,O/DqHN,K+BswBlB,C;K;;IgC/4BnB,6B;MAMI,4C;K;IAyBO,6C;MAA
A,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,
mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,
C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAA
O,E;MACxC,OhCgpBO,UgChpBA,gBhCgpBR,QAAQ,EgChpBoB,OlC2GA,KEqiBpB,C;K;yDgC9oBX,mB;MAC
S,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhC42BO,cgC52BA,gBhC42BR,QAAQ,Eg
C52BwB,OlCuGJ,KEqwBpB,C;K;;IgCh4BnB,6B;MAMI,4C;K;IAyBO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;M
AAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBA
AS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,
C;K;qDAEX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCioBO,UgCjoBA,
gBhCioBR,QAAQ,EgCjoBoB,OhE2CA,KgCslBpB,C;K;yDgC/nBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,Q
AAJ,C;QAAiC,OAAO,E;MACxC,OhC61BO,cgC71BA,gBhC61BR,QAAQ,EgC71BwB,OhEuCJ,KgCszBpB,C;K;;

IgCj3BnB,8B;MAMI,4C;K;IAyBO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3
C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MA
CI,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL
,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OhCknBO,UgClnBA,gBhCknBR,QAAQ,EgClnBoB,O9
D6BE,K8BqlBtB,C;K;yDgChnBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,
OhC80BO,cgC90BA,gBhC80BR,QAAQ,EgC90BwB,O9DyBF,K8BqzBtB,C;K;;IgCl2BnB,8B;MAMI,4C;K;+ECrI
J,qB;MAC+C,OAAA,SAAY,Y;K;yEAE3D,qB;MAC4C,OAAA,SAAY,S;K;2EAExD,6B;MACwD,OAAA,SAAY,
QAAO,MAAP,C;K;2EAEpE,kC;MACqE,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,C;K;2EAEjF,2B;MACwD,O
AAA,SAAY,QAAO,IAAP,C;K;0EAEpE,yC;MACoF,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,EAAoB,KAApB,
C;K;yEAEhG,qB;MAC4C,OAAA,SAAY,S;K;+EAExD,qB;MAC+C,OAAA,SAAY,Y;K;+EAE3D,6B;MAC2D,O
AAA,SAAY,WAAU,MAAV,C;K;iFAEvE,qB;MACgD,OAAA,SAAY,a;K;;;;gFnDvB5D,yB;MAAA,kC;MAAA,o
C;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MAAA,
6B;QAAsG,+C;O;KAAtG,C;IoDF8B,sB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAE/B,wB;K;;IAIA,wB;K;;
IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAElC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAg
CN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,gC;K;;IAeA,oB;K;;ICvKA,oB;K;;IAIA,wB
;K;;oFjDLA,qB;MAEqE,uCkCAtB,E;K;iGlCE/C,yB;MAAA,kD;MAAA,4B;QACsE,mBAAY,SAAZ,C;O;KADtE,
C;IAGA,iC;MAGI,OAAsB,UAAY,QAAvB,KAAmC,SAA9C,GACe,UAAY,UAD3B,GAGI,gBAAgB,UAAhB,C;
K;IAGR,qC;MAEI,YkChB2C,E;MlCiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAY,M
AAK,QAAS,OAAd,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAAa,UAAW,KAA
5B,C;QACI,OAAO,gBAAgB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1B,YAAY,C;MACZ,OAAO,QAAS,UAAh
B,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAlB,C;QACI,MA
AM,KAAN,IAAe,I;OAEnB,OAAO,K;K;IAGX,yB;MAG6C,sBAAY,OAAZ,E;K;IAE7C,wB;MAG2C,oBAAU,OA
AV,E;K;IAE3C,qB;MAIuD,oBAAU,IAAV,E;K;IAEvD,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QA
CI,sBAAK,KAAL,EAAc,KAAd,C;;K;IAIR,4B;MAMuD,qBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;
MAAwB,oB;MAAxB,OHR7C,W;K;IGUX,4B;MAMI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAMI,gB
AAgB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MACI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YA
AY,YAAY,IAAZ,C;MACZ,gBAAc,KAAd,EAAqB,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;
QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CAAV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAlB,O;K;IAGX,iF;
MAII,oCAAa,2BAAkB,UAAlB,EAA8B,QAA9B,EAAwC,MAAO,OAA/C,C,C;MACb,gBAAgB,WAAW,UAAX,I;
MAChB,oCAAa,2BAAkB,iBAAlB,EAAqC,oBAAoB,SAApB,IAArC,EAAoE,WAAY,OAAhF,C;MAEb,IAAI,WA
AkB,QAAO,WAAP,CAAlB,IAAyC,WAAkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAA
qB,QAArB,C;QACtB,WAAY,KAAI,QAAJ,EAAc,iBAAd,C;;QAExB,IAAI,WAAW,WAAX,IAA0B,qBAAqB,UA
AnD,C;UACI,iBAAc,CAAd,UAAsB,SAAtB,U;YACI,YAAY,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAA
b,IAAP,C;;;UAG7C,mBAAc,YAAY,CAAZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAY,oBAAoB,OApB,IAAZ,IAA
yC,OAAO,aAAa,OAAb,IAAP,C;;;;K;8GAMzD,qB;MAEgF,gB;K;kGAEhF,yB;MAAA,4D;MAAA,4B;QAC8E,O
AAK,aAAL,SAAK,C;O;KADnF,C;sGAIA,gC;MAEI,OAAI,SAAJ,GAEI,SAFJ,GAII,SNwkBoB,Q;K;IMpkB5B,m
C;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;O
AEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAErD,wC;MP5JI,IAAI,EOoKI,YAAY,CPpKhB,CAAJ,C;QACI,cOmK
qB,gC;QPlKrB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IyDzB4C,qC;MAAiC,6B;K;uDAIvF,mB;MACI,eAAe,e;M
ACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAmB,OAAnB,CAAJ,C;UACI,QAAS,S;UAC
T,OAAO,I;;MAGf,OAAO,K;K;yDAGX,oB;MAEoB,Q;MADhB,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;
QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAG8F,sE;MAAA,qB;QA
AE,OAAM,gBAAN,mB;O;K;4DAA3G,oB;MAAmE,Q;MAAD,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;K;IA
CU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAA3G,oB;MAAmE,Q;MAAD,OAA6B,YAA5B,iEAA4B,E
AAU,oDAAV,C;K;gDAE/F,Y;MACI,eAAe,IAAK,W;MACpB,OAAO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,Q
AAS,S;;K;iDAIjB,Y;MACyB,OAAA,IAAK,U;K;;IC9BkB,+B;MAAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;M
AMI,iBAAI,SAAJ,EAAAU,OAAAV,C;MACA,OAAO,I;K;mDAGX,2B;MAGc,UACF,M;MAHR,aAAAa,K;MACb,cA
Ac,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,uBAAJ,WAAc,CAAd,C;QACA,

UAAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,yBAAY,CAAZ,EAAe,SAAf,C;K;IAGwE,gE;MAAA,qB;QAAE,O
AAM,gBAAN,mB;O;K;sDAA9E,oB;MAAkE,yBAAU,8CAAV,C;K;IACU,gE;MAAA,qB;QAAE,QAAO,gBAAP,
mB;O;K;sDAA9E,oB;MAAkE,yBAAU,8CAAV,C;K;6CAGlE,Y;MAAqD,iD;K;mDAErD,mB;MAAoD,0BAAQ,O
AAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GA
Ac,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;Q
ACI,IAAI,wBAAI,KAAJ,GAAc,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAa,
CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K;oDAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAy
B,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MtDgEX,iBAAc,CAAd,
UAAsB,KAAtB,U;QsD/DiB,e;QACA,iB;;K;2CAIjB,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,I
AAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+
B,OAAA,oCAAa,yBAAgB,IAAhB,C;K;IAG5C,kD;MAAA,oB;MACI,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;
MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,m
BAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WAAJ,C;K;wDAGX,Y;M1D/BJ,IAAI,E0DgCU,gBAAQ,E1DhC
lB,CAAJ,C;QACI,c0D+BwB,sE;Q1D9BxB,MAAM,6BAAsB,OAAQ,WAA9B,C;O0DgCF,6BAAS,WAAT,C;MA
CA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,oB;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAnB,EAA
0B,WAAyB,KAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;MAAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,
Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,w
BAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAX,C;
MACA,mC;MACA,cAAO,E;K;+DAGX,mB;M1DrEJ,IAAI,E0DsEU,gBAAQ,E1DtElB,CAAJ,C;QACI,c0DqEwB,
4E;Q1DpExB,MAAM,6BAAsB,OAAQ,WAA9B,C;O0DqEF,wBAAyB,WAAzB,EAAiC,OAAjC,C,C;K;;IAIgB,+D;
MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAa,2BAAkB,gBAAlB,EAA6B,OAA7B,EAA
sC,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,0B;MACI,oCAAa,4BAAmB,KAAnB,EAA0B,
YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAA
a,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oC
AAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,mBAAY,KAAZ,IAAT,C;MAClB,mC;M
ACA,OAAO,M;K;wDAGX,0B;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,
mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;+EAGO,Y;MAAQ,mB;K;;;IC1Le,8B;MAAiC,sB;MA4BnF,uBAAoC,
I;MA2CpC,yBAA6C,I;K;IAlER,oD;MAAC,wB;MAGlC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;mFAKZ,Y;MAAQ
,oB;K;8DAE9B,oB;MACI,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAA
d,C;K;wDAC/B,Y;MAAkC,iEAAc,IAAd,C;K;sDAClC,iB;MAA4C,+DAAY,IAAZ,EAAkB,KAAlB,C;K;;IAd5C,8
E;MAAA,wE;MAAsC,2CAAK,KAAM,IAAX,EAAgB,KAAM,MAAtB,C;MAAtC,Y;K;yCAkBJ,Y;MACI,YAAQ,
Q;K;IAOQ,+F;MAAA,sD;MAAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,
4BAAwB,Q;K;4FAG5B,mB;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAAA,0
BAAc,U;K;yGAChD,Y;MAAyB,OAAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI
,oBAAoB,oCAAQ,W;MAC5B,6G;K;0FAOJ,mB;MACI,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,O
AAP,C;QACxB,OAAO,I;OAEX,OAAO,K;K;gHAGY,Y;MAAQ,OAAA,4BAAwB,K;K;;sEA3BnE,Y;MACI,IAAI,
4BAAJ,C;QACI,6F;OA4BJ,OAAO,mC;K;kDAKf,gB;MACyB,Q;MAAA,OAAA,IjEqR2D,QAAQ,W;MiErRxF,O
AAqB,cAArB,C;QAAqB,wB;QAAf,UjEwMsD,U;QiExMjD,YjEqNiD,Y;QiEpNxD,iBAAI,GAAJ,EAAS,KAAT,C;
;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gCAA9B,C;K;qFAC9C,Y;MAAuB,4
BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAd,C;K;IAI3C,sH;MAAA,kD;K;8GACH,Y;MAAkC,OAAAA,0BA
Ac,U;K;2GAChD,Y;MAAyB,OAAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAwB,0BAAc,S;K;;wFAL9C,Y;MACI,
oBAAoB,oCAAQ,W;MAC5B,+G;K;kHAOmB,Y;MAAQ,OAAA,4BAAwB,K;K;sFAEvD,iB;MAEI,IAAI,SAAS,
KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAa,uBAAc,IAAd,EA
AoB,KAApB,C;K;wFAGxB,Y;MAA+B,OAAA,oCAAa,yBAAgB,IAAhB,C;K;;wEA1BxD,Y;MACI,IAAI,8BAAJ,
C;QACI,iG;OA2BJ,OAAO,qC;K;gDAGf,e;MACI,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YA
AY,IAAK,O;QACjB,QAAQ,KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UAClB,IAA
K,S;UACL,OAAO,K;;MAGf,OAAO,I;K;;IC5HoC,8B;MAAiC,oC;K;0CAEhF,iB;MAMI,IAAI,UAAU,IAAd,C;QA
AoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAgB,KAA

hB,C;K;4CAGvB,Y;MAG+B,OAAA,mCAAY,2BAAkB,IAAlB,C;K;;ICbT,0B;MAAuD,8B;MAAlC,4B;K;qCAmB
vD,Y;K;iDAGA,uB;K;6DAG8B,Y;MAAQ,OAAA,oBAAM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAA
W,KAAX,CAAN,4D;K;sCACzC,0B;MAGW,IAAa,I;MAFpB,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAA
N,C;MAAqB,qC;MAA5B,OAAO,CAAa,OzDsCjB,SyDtCI,2D;K;oCAGX,mB;MACU,oBAAY,MAAK,OAAL,C;
MAClB,qC;MACA,OAAO,I;K;sCAGX,0B;MACU,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAmC,CAAnC,E
AAsC,OAAtC,C;MAClB,qC;K;yCAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oB5
D8vCoB,QM7yC0C,YsD+CrD,QtD/CqD,CN6yC1C,C;M4D7vCpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,mC
AAoB,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C
;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBtD
3DqD,YsD2D7C,QtD3D6C,CN6yC1C,Q4DlvC6B,oB5DkvC7B,C;;Q4DjvCR,uBAAoC,cAA5B,oBAA4B,EAAV,
CAAU,EAAP,KAAO,CAAY,QtD5DE,YsD4DK,QtD5DL,CsD4DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAm
B,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,0BAAW,KAAX,C;MACA,qC;MACA,O
AAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAc,CAAd,CAAlB,CAAmC,CAAn
C,C;K;uCAGR,mB;MACkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAgB,OAAhB,CAAJ,C;UA
CU,oBAAY,QAAO,KAAP,EAAc,CAAd,C;UAClB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8CAGX,8B;MACI,q
C;MACM,oBAAY,QAAO,SAAP,EAAkB,UAAU,SAAV,IAAlB,C;K;gCAGtB,Y;MACI,uBpBhGuC,E;MoBiGvC,
qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C;K;4CAErD,mB;MAAmD,OAAM,YAAN,oB
AAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,qBAAc,oBAAd,C;K;kCAC1B,Y;MAAsC,OAAA,EAAS,MAAM,
MAAK,oBAAL,C;K;+CAGrD,iB;MACI,oCAAa,kCAAyB,SAAzB,C;MADoB,Y;K;wDAIrC,iB;MACI,oCAAa,mC
AA0B,SAA1B,C;MAD6B,Y;K;;IA7G9C,+B;MAAA,mD;MAG8B,sBpBPa,EoBOb,C;MAH9B,Y;K;IAKA,kD;MA
K0B,+B;QAAA,kBAAuB,C;MALjD,mD;MAKsD,sBpBdX,EoBcW,C;MALtD,Y;K;IAOA,2C;MAAA,mD;MAGq
D,sBtDhBa,YsDgBR,QtDhBQ,CsDgBb,C;MAHrD,Y;K;I1DfJ,sD;MAAsG,4C;K;IAAtG,6CACI,gB;MAAwC,+BA
AW,CAAX,EAAc,CAAd,C;K;IAD5C,kF;I2DNA,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;QA
ElB,UAAU,KAAV,EAAAwC,CAAAxC,EAAAiD,cAAN,KAAM,CAAAjD,+BAAuE,UAAvE,E;;K;IAMiB,kD;MAAAA,u
B;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAAiB
,gC;QACX,KAAY,MAAK,UAAL,C;;QAElB,UAAU,KAAV,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EA
A4D,UAA5D,C;;K;IAMiB,gC;MAAgB,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;IAF3C,0B;MACI,IAAI,6BAAJ,
C;QACI,iBAAiB,gB;QACX,KAAY,MAAK,UAAL,C;;QAElB,UAAU,KAAV,EAAwC,CAAxC,EAAiD,cAAN,K
AAM,CAAjD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,CAAP,KAAa,IAAM,CAAnB,K;K;IARzC,u
C;MACI,sC;QAAiC,OAAjC,yB;OACA,4BAA4B,K;MAE5B,YAAY,E;MAGZ,iBAAc,CAAd,UAAsB,GAAtB,U;Q
AAiC,KAAY,MAAK,KAAL,C;MAC7C,iBAAiB,kC;MACX,KAAY,MAAK,UAAL,C;MAClB,mBAAc,CAAd,Y
AAsB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,QAAQ,MAAM,OAAN,C;QACR,
IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAApB,KAA0B,KAAK,CAAnC,C;UAAsC,OAAO,K;;MAEjD,4BAA4
B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAmB,KAAM,OAAzB,O;MACb,aAAa,YAAU,KAAV,EAAiB,
MAAjB,EAAyB,KAAzB,EAAgC,YAAhC,EAA8C,UAA9C,C;MACb,IAAI,WAAW,KAAf,C;Q3EgqWa,gB;QAD
b,YAAY,C;QACZ,wB2E/pWI,M3E+pWJ,gB;UAAa,W2E/pWT,M3E+pWJ,M;U2E/pWoC,M3E+pWV,c2E/pWU,
E3E+pWV,sB2E/pWU,Y3E+pWD,I;;Q;I2E3pWvC,4D;MAEI,IAAI,UAAS,GAAb,C;QACI,OAAO,K;OAGX,aAA
a,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAAhB,I;MACb,WAAW,YAAU,KAAV,EAAiB,MAAjB,EAAyB,KAAzB,
EAAgC,MAAhC,EAAwC,UAAxC,C;MACX,YAAY,YAAU,KAAV,EAAiB,MAAjB,EAAyB,SAAS,CAAT,IAAz
B,EAAqC,GAArC,EAA0C,UAA1C,C;MAEZ,aAAiB,SAAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAg
B,K;MAChB,iBAAiB,SAAS,CAAT,I;MACjB,aAAU,KAAV,OAAiB,GAAjB,M;QAEQ,iBAAa,MAAb,IAAuB,cA
Ac,GAArC,C;UACI,gBAAgB,KAAK,SAAL,C;UAChB,iBAAiB,MAAM,UAAN,C;UAEjB,IAAI,UAAW,SAAQ,S
AAR,EAAmB,UAAnB,CAAX,IAA6C,CAAjD,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,I
AAY,U;YACZ,+B;;eAGR,iBAAa,MAAb,C;UACI,OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAA
O,CAAP,IAAY,MAAM,UAAN,C;UACZ,+B;;;MAMZ,OAAO,M;K;IC/FX,4C;MAKoB,UACM,M;MAFtB,aAAa,
C;MACb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,IjBHiC,MAAa,YiBGn
C,OjBHmC,CiBG9C,C,C;YAAwD,iCAAhC,OAAgC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAm
C,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAA

R,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAc,WAAd,I;;MAEb,OAAO,M;K;;;ICRP,uC;MAAA,2
C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;;IAHtE,mD;MAAA
,kD;QAAA,iC;OAAA,2C;K;;;MCuBA,iC;MAKA,8B;MA8CA,0BAAmE,I;;IA1EnE,kC;MAAA,oB;MAA+B,6B;K;
2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;gDAGjB,mB;MAAuE,yCA
Ac,OAAd,C;K;0CAEvE,Y;MAAwE,OAAA,iCAAY,W;K;8CAEpF,mB;MACI,IAAI,oBAAS,OAAT,CAAJ,C;QAC
I,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;oEAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA8
ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,gBAA
Z,0B;MAAY,c;;Q3Dk7CnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;QAAh
B,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I2Dl7CmD,uBAAS,gB3Dk7C9C,O2Dl7CwD,MAAV,Q3Dk7C5D,C;YA
AwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;M2Dn7CgD,iB;K;8DAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAW,q
B;OAEf,OAAO,sC;K;uCAGf,Y;MAAiF,iC;K;kCAEjF,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;oCAE3D,sB;
MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAyC,OAAA,0BAAY,cAAO,GAAP,C;K;
2DAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA7DlD,0C;MAAA,iD;MAAuD,8B;MArC3D,mB;MAsCQ,8BAAmB,W
;MACnB,2BAAgB,WAAY,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB,Y;K;IAKA,4
D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASqE,qB;MjElCrE,IAAI,EiEoCQ,mBAAmB,CjEpC3B,CAAJ,C;Q
ACI,ciEmCgC,+C;QjElChC,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EiEqCQ,cAAc,CjErCtB,CAAJ,C;Q
ACI,gBiEoC2B,yC;QjEnC3B,MAAM,gCAAyB,SAAQ,WAAjC,C;OiEuBV,Y;K;IAeA,gD;MAAA,iD;MAA2C,eA
AK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;
MAJT,Y;K;IAqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAnB,C;MAA2E,wB;MAAlF,O7DrCO,S;K;;M8DnEP,yB;;k
CA0CA,mB;MACI,UAAU,kBAAI,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,kBAAI,Q;K
;uCAOR,mB;MAA6D,OAAA,kBAAI,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAyC,OAAA,kBAAI,U;K;iCAE7C,Y;
MAAqD,OAAA,kBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,kBAAI,cAAO,OAAP,CAAJ,Q;K;2DAEpB,Y
;MAAQ,OAAA,kBAAI,K;K;;IA7D1C,6B;MAAA,iD;MAGoB,8B;MAVxB,mB;MAWQ,sBAAM,gB;MAJV,Y;K;I
AOA,yC;MAAA,iD;MAG2C,8B;MAjB/C,mB;MAkBQ,sBAAM,eAAgB,QAAS,KAAzB,C;MACN,qBAAO,QAA
P,C;MALJ,Y;K;IAQA,4D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,mB;MAgCQ,sBAAM,e
AAgB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;K;IAaA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MA
A3C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;K;IAmCJ,+B;MAKuC,g
BAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O9DLO,S;K;I+DzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACl
C,sBAAyB,C;K;2EAHY,Y;MAAA,8B;K;uEAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,e
AAe,aAAS,qBAAY,GAAZ,C;MACxB,mBAAmB,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,Q
AAX,IAAuB,mCAAY,GAAZ,EAAAiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,g
BAAO,KAAM,IAAb,EAAAkB,GAAAlB,CAAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,I
AAuB,CAAQ,KAAR,EAAAe,mCAAY,GAAZ,EAAAiB,KAAjB,CAAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAu
C,Y;UACvC,cAAkB,wBAAN,KAAM,EAAAiB,GAAAjB,C;UAClB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KA
AT,C;WAEX,KAAY,MAAK,mCAAY,GAAZ,EAAAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,
e;MAEuB,Q;MADnB,eAAe,aAAS,qBAAY,GAAZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAmC,OAAO,I;O
AA7D,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAk
B,GAAlB,CAAb,C;UpBzDR,OoB0D6B,iBpB1DvB,CoB0DmC,QpB1DnC,C;UoB2DM,6B;UACA,OAAO,KAAM,
M;;UAEb,OAAO,I;;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAY,MAAM,KAAN,C;UACZ,IAAI,a
AAS,gBAAO,GAAP,EAAY,OAAM,IAAlB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAlB,C;cACU,KAAN,
UAA2B,C;cpBtE/C,OoBwEqC,iBpBxE/B,CoBwE2C,QpBxE3C,C;;coB2EoB,KAAY,QAAO,KAAP,EAAc,CAAd,
C;;YAEtB,6B;YAEA,OAAO,OAAM,M;;;MAIzB,OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;m
DAGX,e;MAAyC,uBAAS,GAAT,S;K;8CAEzC,e;MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;
MAAA,oCAAsB,aAAS,qBAAY,GAAZ,CAA/B,C;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAmB,I;MACnB,IA
AI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAkB,GAAlB,CAAb,C;UACI,OAA
O,K;;UAEP,OAAO,I;;;QAGX,YAAuC,Y;QACvC,OAAa,wBAAN,KAAM,EAAAiB,GAAAjB,C;;K;uDAIrB,0B;MAC
I,sB;;QhFujCY,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IgFvjCK,aAS,gBhFujCA,OgFvjCa,IAAb,MhFujCd,C;Y
AAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MgFxjCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAY,E;MAEZ,

YAA0B,MAAa,MAAK,qCAAL,C;MACvC,gBAAe,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MA
ChB,iBAAqC,I;K;yEAErC,Y;MACI,IAAI,6BAAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAc
,SAAlB,C;UACI,OAAO,C;OAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;
QACf,eAAU,iC;QACV,iBAAY,C;QACZ,OAAO,C;;QAEP,oBAAe,I;QACf,OAAO,C;;K;mEAIf,Y;MACI,IAAI,eA
AS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;Q
AAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAi
B,S;MACjB,aAAQ,E;MACR,OAAO,S;K;kEAGX,Y;MnE/CR,ImEgDyB,cnEhDrB,QAAJ,C;QACI,cAhByB,0B;Q
AiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;OmE+CE,6BAAyB,cAAO,6BAAY,IAAnB,C;MACzB,iBAAY,I;MA
EZ,uC;K;;6CAtDZ,Y;MAEI,2D;K;4DAyDJ,oB;MACI,mBAAmB,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SA
ArB,GAAgC,IAAhC,GAA0C,Y;K;;;;wCCtKrD,Y;MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KA
AP,IAAgB,C;MrBXpB,OqBYqB,MrBZf,CqBYuB,KrBZvB,C;MqBaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEn
C,oBAAkC,kB;MAClC,sBAAyB,C;K;yEAHU,Y;MAAA,8B;K;qEAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K
;iDAWA,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;M
ACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAg
C,KAAhC,GAA2D,I;K;8CAI/D,sB;MrEVA,IAAI,EqEWQ,uBrEXR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAA
yB,OAAQ,WAAjC,C;OqEUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAElB,IAAI,aAAa,SA
AjB,C;QACI,6B;QAEA,OAAO,I;;QAGP,OAAO,Q;;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,
YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QtBnDJ,OsBoDyB,iBtBpDnB,CsBoD+B,GtBpD/B,C;Qs
BqDE,6B;QAEA,OAAO,K;;QAGP,OAAO,I;;K;wCAKf,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;IAKA,0E;MAA
A,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE
/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;MAIuB,gB;MAHnB,UAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;
MAAnB,OAAO,iD;K;gEAGX,Y;MAEkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MrEchD,uB;MAeP,IAfoB,KA
ehB,QAAJ,C;QACI,cAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEN,sBAnBgB,K;;MqEde,oBA
AO,sFAAP,C;K;;2CAjBnC,Y;MACI,yD;K;IAqBkD,0F;MAAA,8B;MAAA,oD;K;8FAC9B,Y;MAAQ,uB;K;gGAC
N,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qE
AE/D,Y;MAA+B,OAAA,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;m
EAC9C,iB;MAA4C,OAAA,mCAAY,qBAAY,IAAZ,EAAkB,KAAlB,C;K;;gDAR5D,e;MAAsD,iE;K;;;MCNtD,sB
AOsC,I;MA6CtC,yB;;IArH8B,8C;MAAqB,0CAAqC,GAArC,EAA0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oB
AAuC,I;K;;IAG3C,wC;MAAA,oB;MAA+B,6B;K;IAE3B,sD;MAAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGl
C,cAAO,iC;K;6DAIX,Y;MACI,OAAO,gBAAS,I;K;0DAGpB,Y;MAEI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;
MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;MAAf,clE8DS,SkE9DoB,KAAO,iClE8DzC,GAAqB,
SAArB,GAA+B,I;MkE7D1B,OAAO,O;K;4DAGX,Y;MtE8BR,IAAI,EsE7Bc,eAAQ,ItE6BtB,CAAJ,C;QACI,cAd
W,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OsE5BS,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd
,C;MAEJ,cAAO,I;K;;iDAIf,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;sDAG
vB,mB;MAAuE,yCAAc,OAAd,C;K;gDAEvE,Y;MAAwE,qD;K;oDAExE,mB;MACI,IAAI,oBAAS,OAAT,CAAJ,
C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;0EAGY,Y;MAAQ,OAAA,WAAm
B,K;K;;iDAatD,qB;MtEXA,IAAI,EsEgBM,0BAAQ,IAAR,IAAgB,0BAAQ,ItEhB9B,CAAJ,C;QACI,cAdW,e;QAe
X,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEgBN,YAAY,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QACP,
yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QtERhC,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,gBAhByB
,0B;UAiBzB,MAAM,6BAAsB,SAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QsEQZ,+B;QAEA,yBAAO,K;QACP,yBA
AO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;K;+CAIrB,qB;MAII,IAAI,SAAK,aAAL,KAAc,SAAlB,C;QAEI,sBAAO,
I;;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,sB;;MAElB,yBAAO,I;MACP
,yBAAO,I;K;oCA6CX,Y;MACI,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAI,mBAAY,GAAZ
,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IA
AK,MAAL,EAAc,KAAd,CAAJ,C;UACI,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAAS,mBAAT,
C;MACT,OAAO,K;K;6CAIX,Y;MAA2E,uC;K;wCAE3E,e;MAAmD,Q;MAAJ,QAAI,OAAJ,kBAAI,WAAI,GAAJ
,CAAJ,6B;K;0CAE/C,sB;MACI,UAAU,kBAAI,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,6BAA
W,GAAX,EAAgB,KAAhB,C;QACf,kBAAI,aAAI,GAAJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAA

O,I;;QAEP,OAAO,GAAI,gBAAS,KAAT,C;;K;2CAInB,e;MACI,YAAY,kBAAI,cAAO,GAAP,C;MAChB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;iEAGmB,Y;MAAQ,OAAA,kBAAI,K;K;;IArF1C,mC;MAAA,uD;MAGuB,qB;MAnJ3B,yB;MAoJQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAvJxD,yB;MAyJc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MASyC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,eAAN,EAAuB,UAAvB,Q;MArKzE,yB;MAsKQ,sBAAM,gB;MAJV,Y;K;IAaA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA9K/C,yB;MA+KQ,sBAAM,gB;MAJV,Y;K;IA8DJ,kC;MAKwD,gBAA7C,qBAAyB,eAAzB,C;MALT,Y;K;IA8DJ,kC;MAKwD,gBAA7C,qBAAyB,eAAzB,C;MALT,Y;K;IAOA,+C;MAAA,uD;MAAoD,qB;MAvLxD,yB;MAyLc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MASyC,0B;QAAA,aAAoB,G;MAT7D,uD;MASqE,eAAM,qBAAN,EAAA,eAAA,EAAA,eAAA,EAAA,UAAA,C;MA9MvE,yB;MA+MQ,sBAAM,gB;MAJV,Y;K;IAaA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAvNpD,yB;MAwNQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAhOpD,yB;MAiOQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAzOpD,yB;MA0OQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAlPpD,yB;MAmPQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3PpD,yB;MA4PQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApQpD,yB;MAqQQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7QpD,yB;MA8QQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtRpD,yB;MAuRQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/RpD,yB;MAgSQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxSpD,yB;MAySQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjTpD,yB;MAkTQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1TpD,yB;MA2TQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAnUpD,yB;MAoUQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA5UpD,yB;MA6UQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MArVpD,yB;MAsVQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA9VpD,yB;MA+VQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAvWpD,yB;MAwWQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAhXpD,yB;MAiXQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAzXpD,yB;MA0XQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAlYpD,yB;MAmYQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3YpD,yB;MA4YQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApZpD,yB;MAqZQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7ZpD,yB;MA8ZQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtapD,yB;MAuaQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/apD,yB;MAgbQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxbpD,yB;MAybQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjcpD,yB;MAkcQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1cpD,yB;MA2cQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAndpD,yB;MAocQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3dpD,yB;MA4dQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApepD,yB;MAqeQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7epD,yB;MA8eQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtfpD,yB;MAufQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/fpD,yB;MAggBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxgBpD,yB;MAygBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjhBpD,yB;MAkhBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1hBpD,yB;MA2hBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAniBpD,yB;MAoiBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA5iBpD,yB;MA6iBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MArjBpD,yB;MAsjBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA9jBpD,yB;MA+jBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAvkBpD,yB;MAwkBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAhlBpD,yB;MAilBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAzlBpD,yB;MA0lBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAlmBpD,yB;MAmmBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3mBpD,yB;MA4mBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApnBpD,yB;MAqnBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7nBpD,yB;MA8nBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtoBpD,yB;MAuoBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/oBpD,yB;MAgpBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxpBpD,yB;MAypBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjqBpD,yB;MAkqBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1qBpD,yB;MA2qBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAnrBpD,yB;MAorBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA5rBpD,yB;MA6rBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtsBpD,yB;MAusBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/sBpD,yB;MAgtBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxtBpD,yB;MAytBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjuBpD,yB;MAkuBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1uBpD,yB;MA2uBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAnvBpD,yB;MAovBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA5vBpD,yB;MA6vBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MArwBpD,yB;MAswBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA9wBpD,yB;MA+wBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAvxBpD,yB;MAwxBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAhyBpD,yB;MAiyBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAzyBpD,yB;MA0yBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAlzBpD,yB;MAmzBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3zBpD,yB;MA4zBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApzBpD,yB;MAqzBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7zBpD,yB;MA8zBQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAt0BpD,yB;MAu0BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/0BpD,yB;MAg1BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAx1BpD,yB;MAy1BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAj2BpD,yB;MAk2BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA12BpD,yB;MA22BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAn3BpD,yB;MAo3BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA53BpD,yB;MA63BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAr4BpD,yB;MAs4BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA94BpD,yB;MA+4BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAv5BpD,yB;MAw5BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAh6BpD,yB;MAi6BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAz6BpD,yB;MA06BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAl7BpD,yB;MAm7BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA37BpD,yB;MA47BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAp8BpD,yB;MAq8BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA78BpD,yB;MA88BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAt9BpD,yB;MAu9BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/9BpD,yB;MAg+BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAx+BpD,yB;MAy+BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAj/BpD,yB;MAk/BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1/BpD,yB;MA2/BQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAngCpD,yB;MAogCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA5gCpD,yB;MA6gCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MArhCpD,yB;MAshCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA9hCpD,yB;MA+hCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAvjCpD,yB;MAwjCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAhkCpD,yB;MAikCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAzkCpD,yB;MA0kCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAllCpD,yB;MAmlCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3lCpD,yB;MA4lCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApmCpD,yB;MAqmCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7mCpD,yB;MA8mCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtnCpD,yB;MAunCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/nCpD,yB;MAgoCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxoCpD,yB;MAyoCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjpCpD,yB;MAkpCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1pCpD,yB;MA2pCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAnqCpD,yB;MAoqCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA5qCpD,yB;MA6qCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MArrCpD,yB;MAsrCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA9rCpD,yB;MA+rCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAvsCpD,yB;MAwsCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAhtCpD,yB;MAitCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAztCpD,yB;MA0tCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAluCpD,yB;MAmuCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA3uCpD,yB;MA4uCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MApvCpD,yB;MAqvCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA7vCpD,yB;MA8vCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAtwCpD,yB;MAuwCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA/wCpD,yB;MAgxCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAxxCpD,yB;MAyxCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAjyCpD,yB;MAkyCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MA1yCpD,yB;MA2yCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAtB,Q;MAAzE,Y;K;IAEA,+C;MAAA,uD;MAAoD,qB;MAnzCpD,yB;MAozCQ,sBAAM,gB;MAJV,Y;K;IAOA,kE;MAAA,uD;MAAyE,qBAAK,eAAL,EAAsB,GAAt

AN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAmC,sBAAnC,
MAA1B,C;K;;IARtB,8B;MAGoD,4C;K;ICNpD,0B;MAEI,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;K;IAIR,q
C;MAMI,sBAAY,sCAAgB,gBAAe,IAAf,CAA5B,C;MACA,OAAO,S;K;+EChBX,qB;MAI8C,gB;K;iFAE9C,qB;
MAIsE,OAAK,S;K;kFAE3E,qB;MAMyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAc,S;MAGV,cAAK,UAA
L,U;QACI,mBAAK,UAAL,G;;QACJ,IvC3BqC,MAAa,YuC2BvC,CvC3BuC,CuC2BlD,C;UAC6B,8BAAzB,CAAy
B,C;;UAGN,UAAlB,uDAAkB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAArB,C;K;IAGV,sB;MAEI,
MAAM,uBAAmB,cAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC
,uBAAqB,YAArB,8BAArC,C;K;ICFqB,iC;;MAA6E,Q;MAAA,+BAAS,I;sCAAlB,O,2DAAA,O;;;;K;;;;;;;;IAC/F,2
B;MAAA,iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MACH,0BAAY,MAAK,KAAL,EAAW,IAAX,EAAiB,IAA
jB,C;MADhC,Y;K;IAIA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAc,IAAd,C;MACnB,0BAAY,MAAK,KAAL,
EAAW,OAAX,EAAoB,IAApB,C;MADhC,Y;K;IAIA,oC;MAAA,iD;MAAwC,oBAAK,SAAL,EAAgB,KAAhB,C;
MACpB,0BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADhC,Y;K;IAM+B,mC;;MAA6E,Q;MAAA,
+BAAS,I;sCAAlB,O,2DAAA,O;;;;K;;;;;;;;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EAAW,IAAX,C;MACC
,4BAAY,MAAK,KAAL,EAAW,IAAX,EAAiB,IAAjB,C;MADpC,Y;K;IAIA,0C;MAAA,mD;MAAuC,sBAAK,OA
AL,EAAc,IAAd,C;MACf,4BAAY,MAAK,KAAL,EAAW,OAAX,EAAoB,IAApB,C;MADpC,Y;K;IAIA,wC;MAA
A,mD;MAAwC,sBAAK,SAAL,EAAgB,KAAhB,C;MAChB,4BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAt
B,C;MADpC,Y;K;IAKsC,0C;MAA0D,qBAAU,OAAV,EAAmB,KAAnB,C;;K;;IAChG,sC;MAAA,0D;MAAuB,6B
AAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,iD;MAAA,0D;MAAuC,6BAAK,OAAL,EAAc,IAAd,C;MAAvC
,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAA
iB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;I
ACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAA
K,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2
C;MAAA,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OA
AL,EAAc,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;MAAwC,kCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;
IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MAAuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,
4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MAAA,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,
Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4
CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;IAGmD,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IA
C7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAA
K,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,4D;MAAA,uE;MAAwC,0CAAK,SAAL,EAAgB,KAAhB,C;MAAxC
,Y;K;IAI2C,wC;sCAAgE,O;;K;;IAC3G,2C;MAAA,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAA
wD,O;;K;;IAClG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IAChG,wC;
MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAGoC,wC;MAA2D,mBAAM,OAAN,EAAe,KAAf,C;;K;;IA
C/F,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAgC,2BAAK,OAAL,EAA
c,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAyB,sD
AAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;
K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,
4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,
Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,y
CAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC
pH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,
OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y
;K;ICrHJ,8B;MC8CW,kB/FqBiD,oB;M+FM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,
UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAkFiD,U;QAjFnE,W/F6JJ,a+F7JgB,G/F6JhB,E8Fl
OoB,CCqEkC,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAiFhD,GDtJrC,CCsJqC,GAA6B,UAjFjC,WAiFiC,6DD
tJnD,IAAM,CAAN,I9FkOpB,C;;M8FlOA,OCuEO,W;K;;;;ICUX,iC;MAK8C,OAAI,kBAAK,CAAL,MAAJ,GAAY
,CAAZ,GAAmB,C;K;IAEjE,iC;MAK8C,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;ICvDjE,qB;M
AK0B,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EA

AO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAa,MAAK,
KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAY,gBAAe,GAAf,CAAtB,C;UAC
I,UAAK,GAAL,IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;K;qEC3DX,yB;MAAA,iB;MAAA,oB;QAOkD,OAA
A,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,
C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;uEASA,y
B;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,
oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,
MAAW,MAAK,CAAL,C;O;KAT9D,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAkB+D,OAAA,MAAW,OAAM,CA
AN,EAAS,CAAT,C;O;KAlB1E,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;
O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,
yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA
,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,M
AAW,OAAM,CAAN,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;
O;KAb/D,C;yEAeA,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAT1E
,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAUA,yB;MAA
A,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcoD
,OAAA,MAAW,OAAM,CAAN,C;O;KAd/D,C;IAgBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QA
AgC,OAO,wCAAO,I;MAC9C,OAAO,IAAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;K;mEAG1C,y
B;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAI,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB;
QAOoD,OAAA,MAAW,OAAM,CAAN,C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAA
W,MAAK,CAAL,C;O;KAP9D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;
O;KAhB9D,C;uEAkBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAY
A,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAA
A,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;O;KAVlE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAAf,C
;QACI,OAAO,IAAW,OAAM,CAAN,C;OAEtB,YAzBgD,MAAW,OAyBzC,CAzByC,C;MA0B3D,OAAW,QAAQ
,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAsCb,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA,
oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,M
AAW,MAAK,CAAL,C;O;KAX9D,C;wEAcA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EA
AO,CAAP,C;O;KAPxE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP
,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAb
pE,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAI,SAAJ,EAAY,CAAZ,C;O;KAPjE,C;iGAm
BsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAI,SAAJ,C;O;KAAnB,C;+EAaT,yB;MAAA,iB;MAAA
,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;O;KAAnB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SA
AL,SAAK,EAAc,IAAd,C;O;KALnE,C;IAkBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SA
AM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAEW,S;WACpD,kBA
AQ,wCAAO,UAAf,C;QAHyC,OAGb,YAAY,SAAL,SAAK,C;;QAHC,OAI5B,OAAL,SAAK,CAAL,GAAgB,S;K;
IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACY,S;WACpD,kB
AAQ,GAAR,C;QAFwC,OAEzB,wCAAO,U;;QACP,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,
CAAd,GAAqB,EAAxC,E;QAHgB,O3Cjb6B,MAAa,gBAAe,IAAf,C;;K;I2CubtF,6B;MAKI,IAAK,QAAL,SAAK,C
AAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAE3B,CAAC,w
CAAO,U;;QACR,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAzC,E;QAHkB,
O3C3b2B,MAAa,gBAAe,IAAf,C;;K;I2CkctF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QAAH,EAAG,CAA
nB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAEzC,E;WACd,SAAK,SAAL,C;QAHuD,
OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAyB,yBA
AzB,C;WACjB,gBAAO,UAAP,C;QAFyC,OAEjB,U;WACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;;QAHiB,OAI
W,YAA5C,IAAW,OAAM,SAAN,CAAiC,C;;K;IAGxD,gC;MAYI,uB;QAAW,MAAM,gCAAyB,yBAAzB,C;WAC
jB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIS,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;;K;uEASxD,
yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,o

B;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MA
A6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O
;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;
MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;
QAkB4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KAlBzG,C;yEAoBA,yB;MAAA,iB;MAAA,oB;Q
AUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,
MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;K
AV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;M
AAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;MAAA,iB;MAAA,oB;QA
akD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OA
A1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,C
AAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2
EAYA,yB;MAAA,iB;MAAA,oB;QAckD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uEAgBA,yB;MAAA,mC;
MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAAY,C;O;KAdhG,C;qEAgBA,yB;MAAA,iB;MAAA,oB;Q
AW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+
B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;K
AP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEAkBA,yB;
MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;
QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,
MAAW,OA2gBF,CA3gBE,C;O;KAigBlE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,
C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAY
A,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,yB;MAAA,iB;MAA
A,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO
0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,
MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8
C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPlG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,K
AAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAzC
,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KAPxG,C;iFASA,yB;
MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,yB;MAAA,iD;MA
AA,4B;QAYmD,OAAW,WAAX,SAAW,C;O;KAZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YA
AX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAlB,GAA0
B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;wE
AOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;mGAiBgD,y
B;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OA
CxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR
,GAAY,CAAD,aAAX,GAAmB,C;K;wEAE1D,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,
C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mGAYxB,yB;MAAA,mC;
MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2
BAAO,CAAP,C;QAFqC,OAEzB,C;;QAFyB,OAG7B,C;K;IC3kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,q
BAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAO,kBAAf,IAAoC,cAAQ,wCAAO,kB;K;IAEpG,iC;MAGgD,qBA
AQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEj
E,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAP
,KAAsB,CAAE,KAAK,CAAP,GAAc,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,
GAAc,SAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,SAApC,K;MACJ,IAAI,
CAAC,IAAM,QAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,QAApC,K;MACJ,IAAI,CAAC,IAAM,KAAP,KAAsB,
CAAE,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAO2D,OAAe,aAAM,SAAN,C;
O;KAP1E,C;IASA,0C;MAOI,YATsE,aAStC,EAAf,aAAQ,CAAC,SAAD,IAAR,CAAe,CATsC,CAStE,I;K;IAEJ,s
C;MAOI,OAAI,cAAQ,CAAZ,GAAe,CAAf,GAAsB,CAAE,IAAI,EAAAJ,GAlB8C,uB;K;IAoB1E,qC;MAQI,oBAA

S,CAAC,SAAD,IAAT,C;K;IAEJ,yC;MAaI,oBAAI,QAAJ,GAAiB,cAAK,EAAL,GAAqB,Q;K;IAG1C,0C;MAaI,oBAAI,EAAJ,GAAoB,QAApB,GAAiC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,a5ClEmD,uB4CkEnD,CAAL,GAA0B,a5CnE6B,sB4CmE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,S5C1EuC,c;M4C2EpD,e;QADJ,OACS,KA7E6D,a5CCf,sB4CDe,CA6E7D,I;;QADT,OA5EsE,aA8E1D,IA9E0D,C;;K;IAiF1E,4C;MAMU,UAAU,S5CtFuC,a;M4CuFnD,c;QADJ,OACS,KAAqB,sB5CtF0B,uB4CsF1B,CAArB,I;;QADT,OAEgB,sBAAJ,GAAI,C;K;IAGpB,wC;MAOU,WAAW,S5CjGuC,c;M4CkGpD,e;QAAK,UAAS,kB5CnGqC,sB4CmGrC,C;QADlB,O5CnG4C,MAAa,KAAK,UAAS,GAAT,E4CoGvB,C5CpGuB,C;;Q4CqGlD,aAAa,kBAAL,IAAK,C;QAFzB,O5CnG4C,MAAa,KAAK,U4CqG7C,C5CrG6C,EAAc,MAAd,C;;K;I4CwGlE,uC;MAOU,UAAU,S5C9GuC,a;M4C+GpD,c;QAAK,WAAa,iB5C9GkC,uB4C8GlC,C;QADlB,O5C/G4C,MAAa,KAAK,U4CgHhD,C5ChHgD,EAAc,IAAd,C;;Q4CiHlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C/G4C,MAAa,KAAK,U4CgHhD,C5ChHgD,EAAc,MAAd,C;;K;I4CoHlE,2C;MAOU,WAAW,S5C3HuC,c;M4C4HpD,e;QAAK,UAAS,KAAT,GAAqB,KAAK,UAAS,KAAT,E4C5HqB,C5C4HrB,C;QADlB,O5C7H4C,MAAa,KAAK,U4C8HhD,C5C9HgD,EAAc,MAAd,C;;K;I4CkIlE,uC;MAOU,UAAU,S5CzIuC,a;M4C0IpD,c;QAAK,WAAa,iB5CzIkC,uB4CyIlC,C;QADlB,O5C1I4C,MAAa,KAAK,U4C2IhD,C5C3IgD,EAAc,IAAd,C;;Q4C4IlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C1I4C,MAAa,KAAK,U4C2IhD,C5C3IgD,EAAc,MAAd,C;;K;I4C+IlE,uC;MAOU,UAAU,S5CtJuC,a;M4CuJpD,c;QAAK,WAAa,iB5CtJkC,uB4CsJlC,C;QADlB,O5CvJ4C,MAAa,KAAK,U4CwJhD,C5CxJgD,EAAc,IAAd,C;;Q4CyJlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CvJ4C,MAAa,KAAK,U4CwJhD,C5CxJgD,EAAc,MAAd,C;;K;I4C4JlE,uC;MAOU,UAAU,S5CnKuC,a;M4CoKpD,c;QAAK,WAAa,iB5CnKkC,uB4CmKlC,C;QADlB,O5CpK4C,MAAa,KAAK,U4CqKhD,C5CrKgD,EAAc,IAAd,C;;Q4CsKlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CpK4C,MAAa,KAAK,U4CqKhD,C5CrKgD,EAAc,MAAd,C;;K;I4CyKlE,uC;MAOU,UAAU,S5ChLuC,a;M4CiLpD,c;QAAK,WAAa,iB5ChLkC,uB4CgLlC,C;QADlB,O5CjL4C,MAAa,KAAK,U4CkLhD,C5ClLgD,EAAc,IAAd,C;;Q4CmLlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CjL4C,MAAa,KAAK,U4CkLhD,C5ClLgD,EAAc,MAAd,C;;K;I4CsLlE,uC;MAOU,UAAU,S5C7LuC,a;M4C8LpD,c;QAAK,WAAa,iB5C7LkC,uB4C6LlC,C;QADlB,O5C9L4C,MAAa,KAAK,U4C+LhD,C5C/LgD,EAAc,IAAd,C;;Q4CgMlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C9L4C,MAAa,KAAK,U4C+LhD,C5C/LgD,EAAc,MAAd,C;;K;I4CmMlE,uC;MAOU,UAAU,S5C1MuC,a;M4C2MpD,c;QAAK,WAAa,iB5C1MkC,uB4C0MlC,C;QADlB,O5C3M4C,MAAa,KAAK,U4C4MhD,C5C5MgD,EAAc,IAAd,C;;Q4C6MlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C3M4C,MAAa,KAAK,U4C4MhD,C5C5MgD,EAAc,MAAd,C;;K;I4CgNlE,uC;MAOU,UAAU,S5CvNuC,a;M4CwNpD,c;QAAK,WAAa,iB5CvNkC,uB4CuNlC,C;QADlB,O5CxN4C,MAAa,KAAK,U4CyNhD,C5CzNgD,EAAc,IAAd,C;;Q4C0NlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CxN4C,MAAa,KAAK,U4CyNhD,C5CzNgD,EAAc,MAAd,C;;K;I4C6NlE,uC;MAOU,UAAU,S5CpOuC,a;M4CqOpD,c;QAAK,WAAa,iB5CpOkC,uB4CoOlC,C;QADlB,O5CrO4C,MAAa,KAAK,U4CsOhD,C5CtOgD,EAAc,IAAd,C;;Q4CuOlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CrO4C,MAAa,KAAK,U4CsOhD,C5CtOgD,EAAc,MAAd,C;;K;I4C0OlE,uC;MAOU,UAAU,S5CjPuC,a;M4CkPpD,c;QAAK,WAAa,iB5CjPkC,uB4CiPlC,C;QADlB,O5ClP4C,MAAa,KAAK,U4CmPhD,C5CnPgD,EAAc,IAAd,C;;Q4CoPlD,YAAS,iBAAJ,GAAI,C;QAFb,O5ClP4C,MAAa,KAAK,U4CmPhD,C5CnPgD,EAAc,MAAd,C;;K;I4CuPlE,uC;MAOU,UAAU,S5C9PuC,a;M4C+PpD,c;QAAK,WAAa,iB5C9PkC,uB4C8PlC,C;QADlB,O5C/P4C,MAAa,KAAK,U4CgQhD,C5ChQgD,EAAc,IAAd,C;;Q4CiQlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C/P4C,MAAa,KAAK,U4CgQhD,C5ChQgD,EAAc,MAAd,C;;K;I4CoQlE,uC;MAOU,UAAU,S5C3QuC,a;M4C4QpD,c;QAAK,WAAa,iB5C3QkC,uB4C2QlC,C;QADlB,O5C5Q4C,MAAa,KAAK,U4C6QhD,C5C7QgD,EAAc,IAAd,C;;Q4C8QlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C5Q4C,MAAa,KAAK,U4C6QhD,C5C7QgD,EAAc,MAAd,C;;K;I4CiRlE,uC;MAOU,UAAU,S5CxRuC,a;M4CyRpD,c;QAAK,WAAa,iB5CxRkC,uB4CwRlC,C;QADlB,O5CzR4C,MAAa,KAAK,U4C0RhD,C5C1RgD,EAAc,IAAd,C;;Q4C2RlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CzR4C,MAAa,KAAK,U4C0RhD,C5C1RgD,EAAc,MAAd,C;;K;I4C8RlE,uC;MAOU,UAAU,S5CrSuC,a;M4CsSpD,c;QAAK,WAAa,iB5CrSkC,uB4CqSlC,C;QADlB,O5CtS4C,MAAa,KAAK,U4CuShD,C5CvSgD,EAAc,IAAd,C;;Q4CwSlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CtS4C,MAAa,KAAK,U4CuShD,C5CvSgD,EAAc,MAAd,C;;K;I4C2SlE,uC;MAOU,UAAU,S5ClTuC,a;M4CmTpD,c;QAAK,WAAa,iB5ClTkC,uB4CkTlC,C;QADlB,O5CnT4C,MAAa,KAAK,U4CoThD,C5CpTgD,EAAc,IAAd,C;;Q4CqTlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CnT4C,MAAa,KAAK,U4CoThD,C5CpTgD,EAAc,MAAd,C;;K;I4CwTlE,uC;MAOU,UAAU,S5C/TuC,a;M4CgUpD,c;QAAK,WAAa,iB5C/TkC,uB4C+TlC,C;QADlB,O5ChU4C,MAAa,KAAK,U4CiUhD,C5CjUgD,EAAc,IAAd,C;;Q4CkUlD,YAAS,iBAAJ,GAAI,C;QAFb,O5ChU4C,MAAa,KAAK,U4CiUhD,C5CjUgD,EAAc,MAAd,C;;K;I4CqUlE,uC;MAOU,UAAU,S5C5UuC,a;M4C6UpD,c;QAAK,WAAa,iB5C5UkC,uB4C4UlC,C;QADlB,O5C7U4C,MAAa,KAAK,U4C8UhD,C5C9UgD,EAAc,IAAd,C;;Q4C+UlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C7U4C,MAAa,KAAK,U4C8UhD,C5C9UgD,EAAc,MAAd,C;;K;I4CkVlE,uC;MAOU,UAAU,S5CzVuC,a;M4C0VpD,c;QAAK,WAAa,iB5CzVkC,uB4CyVlC,C;QADlB,O5C1V4C,MAAa,KAAK,U4C2VhD,C5C3VgD,EAAc,IAAd,C;;Q4C4VlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C1V4C,MAAa,KAAK,U4C2VhD,C5C3VgD,EAAc,MAAd,C;;K;I4C+VlE,uC;MAOU,UAAU,S5CtWuC,a;M4CuWpD,c;QAAK,WAAa,iB5CtWkC,uB4CsWlC,C;QADlB,O5CvW4C,MAAa,KAAK,U4CwWhD,C5CxWgD,EAAc,IAAd,C;;Q4CyWlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CvW4C,MAAa,KAAK,U4CwWhD,C5CxWgD,EAAc,MAAd,C;;K;I4C4WlE,uC;MAOU,UAAU,S5CnXuC,a;M4CoXpD,c;QAAK,WAAa,iB5CnXkC,uB4CmXlC,C;QADlB,O5CpX4C,MAAa,KAAK,U4CqXhD,C5CrXgD,EAAc,IAAd,C;;Q4CsXlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CpX4C,MAAa,KAAK,U4CqXhD,C5CrXgD,EAAc,MAAd,C;;K;I4CyXlE,uC;MAOU,UAAU,S5ChYuC,a;M4CiYpD,c;QAAK,WAAa,iB5ChYkC,uB4CgYlC,C;QADlB,O5CjY4C,MAAa,KAAK,U4CkYhD,C5ClYgD,EAAc,IAAd,C;;Q4CmYlD,YAAS,iBAAJ,GAAI,C;QAFb,O5CjY4C,MAAa,KAAK,U4CkYhD,C5ClYgD,EAAc,MAAd,C;;K;I4CsYlE,uC;MAOU,UAAU,S5C7YuC,a;M4C8YpD,c;QAAK,WAAa,iB5C7YkC,uB4C6YlC,C;QADlB,O5C9Y4C,MAAa,KAAK,U4C+YhD,C5C/YgD,EAAc,IAAd,C;;Q4CgZlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C9Y4C,MAAa,KAAK,U4C+YhD,C5C/YgD,EAAc,MAAd,C;;K;I4CmZlE,uC;MAOU,UAAU,S5C1ZuC,a;M4C2ZpD,c;QAAK,WAAa,iB5C1ZkC,uB4C0ZlC,C;QADlB,O5C3Z4C,MAAa,KAAK,U4C4ZhD,C5C5ZgD,EAAc,IAAd,C;;Q4C6ZlD,YAAS,iBAAJ,GAAI,C;QAFb,O5C3Z4C,MAAa,KAAK,U4C4ZhD,C5C5ZgD,EAAc,MAAd,C;;K;I4CgalE,uC;MAOU,UAAU,S5CvauC,a;M4CwapD,c;QAAK,WAAa,iB5CvakC,uB4CualC,C;QADlB,O5CxaqC,MAAa,KAAK,U4CyahD,C5CzagD,EAAc,IAAd,C;;Q4C0alD,YAAS,iBAAJ,GAAI,C;QAFb,O5CxaqC,MAAa,KAAK,U4CyahD,C5CzagD,EAAc,MAAd,C;;K;I4C6alE,uC;MAOU,UAAU,S5CpbuC,a;M4CqbpD,c;QAAK,WAAa,iB5CpbkC,uB4CobqC,C;QADlB,O5CrbqC,MAAa,KAAK,U4CsbhD,C5CtbgD,EAAc,IAAd,C;;Q4CubqC,YAAS,iBAAJ,GAAI,C;QAFb,O5CrbqC,MAAa,KAAK,U4CsbhD,C5CtbgD,EAAc,MAAd,C;;K;I4C0blE,uC;MAOU,UAAU,S5CjcuC,a;M4CkcpD,c;QAAK,WAAa,iB5CjckC,uB4CicqC,C;QADlB,O5ClcqC,MAAa,KAAK,U4CmchD,C5CnchD,EAAc,IAAd,C;;Q4CochD,YAAS,iBAAJ,GAAI,C;QAFb,O5ClcqC,MAAa,KAAK,U4CmchD,C5CnchD,EAAc,MAAd,C;;K;I4CuclE,uC;MAOU,UAAU,S5C9cuC,a;M4C+cpD,c;QAAK,WAAa,iB5C9ckC,uB4C8cqC,C;QADlB,O5C/cqC,MAAa,KAAK,U4CgdhD,C5ChdhD,EAAc,IAAd,C;;Q4CidhD,YAAS,iBAAJ,GAAI,C;QAFb,O5C/cqC,MAAa,KAAK,U4CgdhD,C5ChdhD,EAAc,MAAd,C;;K;I4CodlE,uC;MAOU,UAAU,S5C3duC,a;M4C4dpD,c;QAAK,WAAa,iB5C3dkC,uB4C2dqC,C;QADlB,O5C5dqC,MAAa,KAAK,U4C6dhD,C5C7dhD,EAAc,IAAd,C;;Q4C8dhD,YAAS,iBAAJ,GAAI,C;QAFb,O5C5dqC,MAAa,KAAK,U4C6dhD,C5C7dhD,EAAc,MAAd,C;;K;I4CiellE,uC;MAOU,UAAU,S5CxeuC,a;M4CyepD,c;QAAK,WAAa,iB5CxekC,uB4CweqC,C;QADlB,O5CzeqC,MAAa,KAAK,U4C0ehD,C5C1ehD,EAAc,IAAd,C;;Q4C2ehD,YAAS,iBAAJ,GAAI,C;QAFb,O5CzeqC,MAAa,KAAK,U4C0ehD,C5C1ehD,EAAc,MAAd,C;;K;I4C8ellE,uC;MAOU,UAAU,S5CrfuC,a;M4CsfpD,c;QAAK,WAAa,iB5CrfkC,uB4CqfqC,C;QADlB,O5CtfqC,MAAa,KAAK,U4CufhD,C5CvfhD,EAAc,IAAd,C;;Q4CwfhD,YAAS,iBAAJ,GAAI,C;QAFb,O5CtfqC,MAAa,KAAK,U4CufhD,C5CvfhD,EAAc,MAAd,C;;K;I4C2flE,uC;MAOU,UAAU,S5ClguC,a;M4CmgpD,c;QAAK,WAAa,iB5ClgkC,uB4CkgqC,C;QADlB,O5CngqC,MAAa,KAAK,U4CogpD,C5CpgpD,EAAc,IAAd,C;;Q4CqgpD,YAAS,iBAAJ,GAAI,C;QAFb,O5CngqC,MAAa,KAAK,U4CogpD,C5CpgpD,EAAc,MAAd,C;;K;I4CwgpE,uC;MAOU,UAAU,S5C/gpE,a;M4CghqE,c;QAAK,WAAa,iB5C/gpD,uB4C+gqC,C;QADlB,O5ChhqC,MAAa,KAAK,U4CihqE,C5CjhqE,EAAc,IAAd,C;;Q4CkhqE,YAAS,iBAAJ,GAAI,C;QAFb,O5ChhqC,MAAa,KAAK,U4CihqE,C5CjhqE,EAAc,MAAd,C;;K;I4CqhqE,uC;MAOU,UAAU,S5C5hqE,a;M4C6iqE,c;QAAK,WAAa,iB5C5hqE,uB4C4iqC,C;QADlB,O5C7iqC,MAAa,KAAK,U4C8iqE,C5C9iqE,EAAc,IAAd,C;;Q4C+iqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C7iqC,MAAa,KAAK,U4C8iqE,C5C9iqE,EAAc,MAAd,C;;K;I4CkjqE,uC;MAOU,UAAU,S5CzjqE,a;M4C0kqE,c;QAAK,WAAa,iB5CzjqE,uB4CykqC,C;QADlB,O5C1kqC,MAAa,KAAK,U4C2kqE,C5C3kqE,EAAc,IAAd,C;;Q4C4kqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C1kqC,MAAa,KAAK,U4C2kqE,C5C3kqE,EAAc,MAAd,C;;K;I4C+kqE,uC;MAOU,UAAU,S5CtlqE,a;M4CumqE,c;QAAK,WAAa,iB5CtlqE,uB4CsmqC,C;QADlB,O5CvmqC,MAAa,KAAK,U4CwmqE,C5CxmqE,EAAc,IAAd,C;;Q4CymqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CvmqC,MAAa,KAAK,U4CwmqE,C5CxmqE,EAAc,MAAd,C;;K;I4C4mqE,uC;MAOU,UAAU,S5CnnqE,a;M4ConqE,c;QAAK,WAAa,iB5CnnqE,uB4CmoqC,C;QADlB,O5CpoqC,MAAa,KAAK,U4CqoqE,C5CroqE,EAAc,IAAd,C;;Q4CsoqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CpoqC,MAAa,KAAK,U4CqoqE,C5CroqE,EAAc,MAAd,C;;K;I4CyoqE,uC;MAOU,UAAU,S5ChpqE,a;M4CiqqE,c;QAAK,WAAa,iB5ChpqE,uB4CgqqC,C;QADlB,O5CjqqC,MAAa,KAAK,U4CkqqE,C5ClqqE,EAAc,IAAd,C;;Q4CmqqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CjqqC,MAAa,KAAK,U4CkqqE,C5ClqqE,EAAc,MAAd,C;;K;I4CsqqE,uC;MAOU,UAAU,S5C7qqE,a;M4C8rqE,c;QAAK,WAAa,iB5C7qqE,uB4C6rqC,C;QADlB,O5C9rqC,MAAa,KAAK,U4C+rqE,C5C/rqE,EAAc,IAAd,C;;Q4CgsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C9rqC,MAAa,KAAK,U4C+rqE,C5C/rqE,EAAc,MAAd,C;;K;I4CmsqE,uC;MAOU,UAAU,S5C1sqE,a;M4C2tqE,c;QAAK,WAAa,iB5C1sqE,uB4C0tqC,C;QADlB,O5C3tqC,MAAa,KAAK,U4C4tqE,C5C5tqE,EAAc,IAAd,C;;Q4C6tqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C3tqC,MAAa,KAAK,U4C4tqE,C5C5tqE,EAAc,MAAd,C;;K;I4CguqE,uC;MAOU,UAAU,S5CvuqE,a;M4CwvqE,c;QAAK,WAAa,iB5CvuqE,uB4CuvqC,C;QADlB,O5CxvqC,MAAa,KAAK,U4CyvqE,C5CzvqE,EAAc,IAAd,C;;Q4C0vqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CxvqC,MAAa,KAAK,U4CyvqE,C5CzvqE,EAAc,MAAd,C;;K;I4C6vqE,uC;MAOU,UAAU,S5CpwqE,a;M4CqxqE,c;QAAK,WAAa,iB5CpwqE,uB4CoxqC,C;QADlB,O5CrxqC,MAAa,KAAK,U4CsxqE,C5CtxqE,EAAc,IAAd,C;;Q4CuxqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CrxqC,MAAa,KAAK,U4CsxqE,C5CtxqE,EAAc,MAAd,C;;K;I4C0xqE,uC;MAOU,UAAU,S5CjyqE,a;M4CkzqE,c;QAAK,WAAa,iB5CjyqE,uB4CizqC,C;QADlB,O5ClzqC,MAAa,KAAK,U4CmzqE,C5CnzqE,EAAc,IAAd,C;;Q4CozqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CjzqC,MAAa,KAAK,U4CmzqE,C5CnzqE,EAAc,MAAd,C;;K;I4CuzqE,uC;MAOU,UAAU,S5C9zqE,a;M4C+0qE,c;QAAK,WAAa,iB5C9zqE,uB4C80qC,C;QADlB,O5C/0qC,MAAa,KAAK,U4Cg1qE,C5Ch1qE,EAAc,IAAd,C;;Q4Ci1qE,YAAS,iBAAJ,GAAI,C;QAFb,O5C/0qC,MAAa,KAAK,U4Cg1qE,C5Ch1qE,EAAc,MAAd,C;;K;I4Co1qE,uC;MAOU,UAAU,S5C32qE,a;M4C43qE,c;QAAK,WAAa,iB5C32qE,uB4C23qC,C;QADlB,O5C53qC,MAAa,KAAK,U4C63qE,C5C73qE,EAAc,IAAd,C;;Q4C83qE,YAAS,iBAAJ,GAAI,C;QAFb,O5C53qC,MAAa,KAAK,U4C63qE,C5C73qE,EAAc,MAAd,C;;K;I4Ci4qE,uC;MAOU,UAAU,S5Cx4qE,a;M4Cy5qE,c;QAAK,WAAa,iB5Cx4qE,uB4Cw5qC,C;QADlB,O5Cz5qC,MAAa,KAAK,U4C05qE,C5C15qE,EAAc,IAAd,C;;Q4C25qE,YAAS,iBAAJ,GAAI,C;QAFb,O5Cz5qC,MAAa,KAAK,U4C05qE,C5C15qE,EAAc,MAAd,C;;K;I4C85qE,uC;MAOU,UAAU,S5Cr6qE,a;M4Cs7qE,c;QAAK,WAAa,iB5Cr6qE,uB4Cq7qC,C;QADlB,O5Ct7qC,MAAa,KAAK,U4Cu7qE,C5Cv7qE,EAAc,IAAd,C;;Q4Cw7qE,YAAS,iBAAJ,GAAI,C;QAFb,O5Ct7qC,MAAa,KAAK,U4Cu7qE,C5Cv7qE,EAAc,MAAd,C;;K;I4C27qE,uC;MAOU,UAAU,S5Cl8qE,a;M4Cm9qE,c;QAAK,WAAa,iB5Cl8qE,uB4Ck9qC,C;QADlB,O5Cn9qC,MAAa,KAAK,U4Co9qE,C5Cp9qE,EAAc,IAAd,C;;Q4Cq9qE,YAAS,iBAAJ,GAAI,C;QAFb,O5Cn9qC,MAAa,KAAK,U4Co9qE,C5Cp9qE,EAAc,MAAd,C;;K;I4Cw9qE,uC;MAOU,UAAU,S5C/9qE,a;M4Cg/qE,c;QAAK,WAAa,iB5C/9qE,uB4C+/qC,C;QADlB,O5Chgrq,MAAa,KAAK,U4Cigrq,C5Cjgrq,EAAc,IAAd,C;;Q4Ckgrq,YAAS,iBAAJ,GAAI,C;QAFb,O5Chgrq,MAAa,KAAK,U4Cigrq,C5Cjgrq,EAAc,MAAd,C;;K;I4CqgrqE,uC;MAOU,UAAU,S5C5grqE,a;M4C6hrqE,c;QAAK,WAAa,iB5C5grqE,uB4C4hrqC,C;QADlB,O5C7hrqC,MAAa,KAAK,U4C8hrqE,C5C9hrqE,EAAc,IAAd,C;;Q4C+hrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C7hrqC,MAAa,KAAK,U4C8hrqE,C5C9hrqE,EAAc,MAAd,C;;K;I4CkirqE,uC;MAOU,UAAU,S5CzirqE,a;M4C0jrqE,c;QAAK,WAAa,iB5CzirqE,uB4CykrqC,C;QADlB,O5C1krqC,MAAa,KAAK,U4C2krqE,C5C3krqE,EAAc,IAAd,C;;Q4C4krqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C1krqC,MAAa,KAAK,U4C2krqE,C5C3krqE,EAAc,MAAd,C;;K;I4C+krqE,uC;MAOU,UAAU,S5CtlrqE,a;M4CumrqE,c;QAAK,WAAa,iB5CtlrqE,uB4CsmrqC,C;QADlB,O5CvmrqC,MAAa,KAAK,U4CwmrqE,C5CxmrqE,EAAc,IAAd,C;;Q4CymrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CvmrqC,MAAa,KAAK,U4CwmrqE,C5CxmrqE,EAAc,MAAd,C;;K;I4C4mrqE,uC;MAOU,UAAU,S5CnnrqE,a;M4ConrqE,c;QAAK,WAAa,iB5CnnrqE,uB4CmorqC,C;QADlB,O5CporqC,MAAa,KAAK,U4CqorqE,C5CrorqE,EAAc,IAAd,C;;Q4CsorqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CporqC,MAAa,KAAK,U4CqorqE,C5CrorqE,EAAc,MAAd,C;;K;I4CyorqE,uC;MAOU,UAAU,S5ChprqE,a;M4CiqrqE,c;QAAK,WAAa,iB5ChprqE,uB4CgqrqC,C;QADlB,O5CjqrqC,MAAa,KAAK,U4CkqrqE,C5ClqrqE,EAAc,IAAd,C;;Q4CmqrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CjqrqC,MAAa,KAAK,U4CkqrqE,C5ClqrqE,EAAc,MAAd,C;;K;I4CsqrqE,uC;MAOU,UAAU,S5C7qrqE,a;M4C8rrqE,c;QAAK,WAAa,iB5C7qrqE,uB4C6rrqC,C;QADlB,O5C9rrqC,MAAa,KAAK,U4C+rrqE,C5C/rrqE,EAAc,IAAd,C;;Q4CgsrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C9rrqC,MAAa,KAAK,U4C+rrqE,C5C/rrqE,EAAc,MAAd,C;;K;I4CmsrqE,uC;MAOU,UAAU,S5C1srqE,a;M4C2trqE,c;QAAK,WAAa,iB5C1srqE,uB4C0trqC,C;QADlB,O5C3trqC,MAAa,KAAK,U4C4trqE,C5C5trqE,EAAc,IAAd,C;;Q4C6trqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C3trqC,MAAa,KAAK,U4C4trqE,C5C5trqE,EAAc,MAAd,C;;K;I4CgurqE,uC;MAOU,UAAU,S5CvurqE,a;M4CwvrqE,c;QAAK,WAAa,iB5CvurqE,uB4CuvrqC,C;QADlB,O5CxvrqC,MAAa,KAAK,U4CyvrqE,C5CzvrqE,EAAc,IAAd,C;;Q4C0vrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CxvrqC,MAAa,KAAK,U4CyvrqE,C5CzvrqE,EAAc,MAAd,C;;K;I4C6vrqE,uC;MAOU,UAAU,S5CpwrqE,a;M4CqxrqE,c;QAAK,WAAa,iB5CpwrqE,uB4CoxrqC,C;QADlB,O5CrxrqC,MAAa,KAAK,U4CsxrqE,C5CtxrqE,EAAc,IAAd,C;;Q4CuxrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CrxrqC,MAAa,KAAK,U4CsxrqE,C5CtxrqE,EAAc,MAAd,C;;K;I4C0xrqE,uC;MAOU,UAAU,S5CjyrqE,a;M4CkzrqE,c;QAAK,WAAa,iB5CjyrqE,uB4CizrqC,C;QADlB,O5ClzrqC,MAAa,KAAK,U4CmzrqE,C5CnzrqE,EAAc,IAAd,C;;Q4CozrqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CjzrqC,MAAa,KAAK,U4CmzrqE,C5CnzrqE,EAAc,MAAd,C;;K;I4CuzrqE,uC;MAOU,UAAU,S5C9zrqE,a;M4C+0rqE,c;QAAK,WAAa,iB5C9zrqE,uB4C80rqC,C;QADlB,O5C/0rqC,MAAa,KAAK,U4Cg1rqE,C5Ch1rqE,EAAc,IAAd,C;;Q4Ci1rqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C/0rqC,MAAa,KAAK,U4Cg1rqE,C5Ch1rqE,EAAc,MAAd,C;;K;I4Co1rqE,uC;MAOU,UAAU,S5C32rqE,a;M4C43rqE,c;QAAK,WAAa,iB5C32rqE,uB4C23rqC,C;QADlB,O5C53rqC,MAAa,KAAK,U4C63rqE,C5C73rqE,EAAc,IAAd,C;;Q4C83rqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C53rqC,MAAa,KAAK,U4C63rqE,C5C73rqE,EAAc,MAAd,C;;K;I4Ci4rqE,uC;MAOU,UAAU,S5Cx4rqE,a;M4Cy5rqE,c;QAAK,WAAa,iB5Cx4rqE,uB4Cw5rqC,C;QADlB,O5Cz5rqC,MAAa,KAAK,U4C05rqE,C5C15rqE,EAAc,IAAd,C;;Q4C25rqE,YAAS,iBAAJ,GAAI,C;QAFb,O5Cz5rqC,MAAa,KAAK,U4C05rqE,C5C15rqE,EAAc,MAAd,C;;K;I4C85rqE,uC;MAOU,UAAU,S5Cr6rqE,a;M4Cs7rqE,c;QAAK,WAAa,iB5Cr6rqE,uB4Cq7rqC,C;QADlB,O5Ct7rqC,MAAa,KAAK,U4Cu7rqE,C5Cv7rqE,EAAc,IAAd,C;;Q4Cw7rqE,YAAS,iBAAJ,GAAI,C;QAFb,O5Ct7rqC,MAAa,KAAK,U4Cu7rqE,C5Cv7rqE,EAAc,MAAd,C;;K;I4C27rqE,uC;MAOU,UAAU,S5Cl8rqE,a;M4Cm9rqE,c;QAAK,WAAa,iB5Cl8rqE,uB4Ck9rqC,C;QADlB,O5Cn9rqC,MAAa,KAAK,U4Co9rqE,C5Cp9rqE,EAAc,IAAd,C;;Q4Cq9rqE,YAAS,iBAAJ,GAAI,C;QAFb,O5Cn9rqC,MAAa,KAAK,U4Co9rqE,C5Cp9rqE,EAAc,MAAd,C;;K;I4Cw9rqE,uC;MAOU,UAAU,S5C/9rqE,a;M4Cg/rqE,c;QAAK,WAAa,iB5C/9rqE,uB4C+/rqC,C;QADlB,O5Chgsq,MAAa,KAAK,U4Cigsq,C5Cjgsq,EAAc,IAAd,C;;Q4Ckgsq,YAAS,iBAAJ,GAAI,C;QAFb,O5Chgsq,MAAa,KAAK,U4Cigsq,C5Cjgsq,EAAc,MAAd,C;;K;I4CqgsqE,uC;MAOU,UAAU,S5C5gsqE,a;M4C6hsqE,c;QAAK,WAAa,iB5C5gsqE,uB4C4hsqC,C;QADlB,O5C7hsqC,MAAa,KAAK,U4C8hsqE,C5C9hsqE,EAAc,IAAd,C;;Q4C+hsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C7hsqC,MAAa,KAAK,U4C8hsqE,C5C9hsqE,EAAc,MAAd,C;;K;I4CkisqE,uC;MAOU,UAAU,S5CzisqE,a;M4C0jsqE,c;QAAK,WAAa,iB5CzisqE,uB4CyksqC,C;QADlB,O5C1ksqC,MAAa,KAAK,U4C2ksqE,C5C3ksqE,EAAc,IAAd,C;;Q4C4ksqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C1ksqC,MAAa,KAAK,U4C2ksqE,C5C3ksqE,EAAc,MAAd,C;;K;I4C+ksqE,uC;MAOU,UAAU,S5CtlsqE,a;M4CumsqE,c;QAAK,WAAa,iB5CtlsqE,uB4CsmsqC,C;QADlB,O5CvmsqC,MAAa,KAAK,U4CwmsqE,C5CxmsqE,EAAc,IAAd,C;;Q4CymsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CvmsqC,MAAa,KAAK,U4CwmsqE,C5CxmsqE,EAAc,MAAd,C;;K;I4C4msqE,uC;MAOU,UAAU,S5CnnsqE,a;M4ConsqE,c;QAAK,WAAa,iB5CnnsqE,uB4CmosqC,C;QADlB,O5CposqC,MAAa,KAAK,U4CqosqE,C5CrosqE,EAAc,IAAd,C;;Q4CsosqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CposqC,MAAa,KAAK,U4CqosqE,C5CrosqE,EAAc,MAAd,C;;K;I4CyosqE,uC;MAOU,UAAU,S5ChpsqE,a;M4CiqsqE,c;QAAK,WAAa,iB5ChpsqE,uB4CgqsqC,C;QADlB,O5CjqsqC,MAAa,KAAK,U4CkqsqE,C5ClqsqE,EAAc,IAAd,C;;Q4CmqsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CjqsqC,MAAa,KAAK,U4CkqsqE,C5ClqsqE,EAAc,MAAd,C;;K;I4CsqsqE,uC;MAOU,UAAU,S5C7qsqE,a;M4C8rsqE,c;QAAK,WAAa,iB5C7qsqE,uB4C6rsqC,C;QADlB,O5C9rsqC,MAAa,KAAK,U4C+rsqE,C5C/rsqE,EAAc,IAAd,C;;Q4CgssqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C9rsqC,MAAa,KAAK,U4C+rsqE,C5C/rsqE,EAAc,MAAd,C;;K;I4CmssqE,uC;MAOU,UAAU,S5C1ssqE,a;M4C2tsqE,c;QAAK,WAAa,iB5C1ssqE,uB4C0tsqC,C;QADlB,O5C3tsqC,MAAa,KAAK,U4C4tsqE,C5C5tsqE,EAAc,IAAd,C;;Q4C6tsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5C3tsqC,MAAa,KAAK,U4C4tsqE,C5C5tsqE,EAAc,MAAd,C;;K;I4CgusqE,uC;MAOU,UAAU,S5CvusqE,a;M4CwvsqE,c;QAAK,WAAa,iB5CvusqE,uB4CuvsqC,C;QADlB,O5CxvsqC,MAAa,KAAK,U4CyvsqE,C5CzvsqE,EAAc,IAAd,C;;Q4C0vsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CxvsqC,MAAa,KAAK,U4CyvsqE,C5CzvsqE,EAAc,MAAd,C;;K;I4C6vsqE,uC;MAOU,UAAU,S5CpwsqE,a;M4CqxsqE,c;QAAK,WAAa,iB5CpwsqE,uB4CoxsqC,C;QADlB,O5CrxsqC,MAAa,KAAK,U4CsxsqE,C5CtxsqE,EAAc,IAAd,C;;Q4CuxsqE,YAAS,iBAAJ,GAAI,C;QAFb,O5CrxsqC,MAAa,KAAK,U4CsxsqE,C5CtxsqE,EAAc,MAAd,C;;K;I4C0xsqE,uC;MAOU,UAAU,S5CjysqE,a;

UAAd,GAAyB,EAAzB,GACe,eAAV,cAAU,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6B,+BAA7B,
C;MACnB,eAAmB,qBAAJ,GAAsB,GAAtB,GAA+B,E;MAE9C,OAAO,iBAAiB,IAAjB,GAAwB,Q;K;qCAGnC,q
B;MAEI,IAAI,sBAAY,IAAhB,C;QAAsB,OAAO,G;MAC7B,OAAgB,aAAT,kBAAS,CAAT,GAA+B,SAAL,cAA
K,C;K;;IAI9C,wB;MAAA,4B;MACI,4BAAwC,I;MACxC,2BAAgD,W;MAChD,kCAAyC,K;MACzC,6BAA6C,W
;K;sEAH7C,Y;MAAA,gC;K;qEACA,Y;MAAA,+B;K;4EACA,Y;MAAA,sC;K;uEACA,Y;MAAA,iC;K;sCACA,Y;
MAAkC,gB;K;;;IALtC,oC;MAAA,mC;QAAA,kB;OAAA,4B;K;IAQA,iC;MACI,QAAM,SAAN,M;aACI,W;UADJ
,OAC2B,E;aACvB,I;UAFJ,OAEoB,K;aAChB,K;UAHJ,OAGqB,M;gBAHrB,mC;;K;IC/CkC,oE;MAClC,0B;MAC
A,wC;MACA,kC;MACA,oC;K;sEAHA,Y;MAAA,0B;K;6EACA,Y;MAAA,iC;K;0EACA,Y;MAAA,8B;K;2EACA
,Y;MAAA,+B;K;4CAEA,Y;MAAkC,gB;K;;8CANtC,Y;MACI,gB;K;8CADJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,oB;K
;8CAHJ,Y;MAII,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEI,uDAFJ,EAGI,8CAHJ,EAII,iDAJJ,C;K;4CAAA,Y;
MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a;K;0CAAA,iB;MAAA,4IACI,oCADJ,IAEI,kDAFJ,
IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,g
CAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,oBACmB,+B;MAE
nB,oBACmB,wBAAoB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EAA8
D,MAA9D,EAAsE,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB
,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,OA
A/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAElB,kB
ACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAA
hE,EAA0E,mCAA1E,C;MAElB,sBACqB,wBAAoB,KAApB,EAAkE,WAAlE,EAA+E,sCAA/E,C;MAErB,yBAC
wB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAApB,EAAwE,WAAxE
,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAApB,EAAsE,WAAtE,EAAmF,sCAAnF,C;MAErB,uBACsB,w
BAAoB,UAApB,EAAwE,YAAxE,EAAsF,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAAsE,UAAtE,EAAk
F,qCAAlF,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAlE,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAo
B,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,EAA0F,wC
AA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,O7D/DD,O6D+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,KAA0
B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA,a;;Q
ACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEG,eAAhB,UAAqC,M;QAHlC,SAIH,
M;;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;MAAE,8B;K;IAGZ,+C;MAAE,6B;K;I
AGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAGC,iD;MAAE,6B;K;IAGH,gD;MAAE,y
B;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;K;IAGL,oD;MAAE,6B;K;IAGJ,oD;M
AAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAAE,6B;K;IAGQ,qD;MAAE,8B;K;IAGC,
sD;MAAE,+B;K;;;IA5DvH,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;ICCA,2B;MACkE,yBAAkB,MAAlB,C;K;IA
ElE,oC;MAEU,IAAN,I;MAAA,Q9DH0C,O8DG3B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aAC
A,Q;UAAY,OAAI,CAAY,CvDAhC,GuDAmC,CAAf,MAAkC,CAAtC,GAAyC,8BAAiB,SAA1D,GAAwE,8BAAi
B,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAA
Y,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,
0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;e
AClC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BA
AiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAa,gBAAe,CAAf,CAAkB,Y;Y
AE7C,oBAAgB,MAAhB,C;cAAiD,OAAjB,8BAAiB,S;iBACjD,oBAAgB,KAAhB,C;cAAgD,OAAjB,8BAAiB,e;;c
AE5C,cAA0B,W;cAC1B,yBAAkB,OAAlB,C;;;;UAxBxB,K;;MAAA,W;K;IAgCJ,mC;MAKW,Q;MAJP,IAAI,WA
AW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;OAErD,eAAsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS
,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,MAAjB,C;UACb,oBAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4
BAAiB,MAAjB,C;;MATJ,W;K;ICvBJ,0B;MAII,sBAAY,C;K;qEAchB,4B;MAIkE,iBAAY,KAAZ,C;K;2EAElE,q
B;MAI8D,gB;K;IClDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6
BAAsB,0CAAtB,C;OAApC,eAAe,I;MACf,qBAAc,I;MACd,OAAO,QAAS,W;K;;;;;ICDyB,2C;uBAA+B,O;;K;;IA
C5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAgB9B,gBAAiC,YAAY,SAAhB,GAA2
B,OAA3B,GAAwC,E;K;mEAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAAP,a;M7FiEG,Q;MAA

A,I6FjEc,K7FiEV,IAAS,CAAT,I6FjEU,K7FiEI,IAAS,2BAA3B,C;QAAA,OAAsC,qB6FjExB,K7FiEwB,C;;Q6FjE
f,MAAM,8BAA0B,mCAAyB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,a3FkKY,W2FlKK,
U3FkKL,E2FlKiB,Q3FkKjB,C;K;6C2FhK5F,iB;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,i
BAAgB,SAAN,KAAM,C;MAChB,OAAO,I;K;6CAGX,uC;MACkG,OAAA,IAAK,qBAAY,KAAZ,EAAAmB,UAA
nB,EAA+B,QAA/B,C;K;sCAEvG,Y;MAayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAgB,CA
AhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAA
I,CAAJ,IAAwB,SAAS,CAArC,C;UACI,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,C
AAT,C;YACI,WAAW,+BAAW,iBAAX,wBAAkB,gBAAlB,C;;YAEX,WAAW,+BAAW,gBAAX,wBAAiB,iBAAj
B,C;;;UAGf,gCAAY,GAAZ,C;;;MAGR,gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAgB,SAAN,KAAM,
C;MAChB,OAAO,I;K;6CAGX,iB;MASI,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAgB,eAAN,KAAM
,C;MAChB,OAAO,I;K;6CAGX,iB;MAMI,gBAAA,IAAK,SAAL,GAAe,K;MACf,OAAO,I;K;uCAGX,Y;MAS6B,
OAAS,IAAY,UAAjB,KAA+B,SAAnC,GrGrFtB,MAAK,KqGqF0E,IAAY,UrGrFtF,EqGqFiG,WrGrFjG,CqGqFiB,
GAA6F,W;K;qDAE1H,2B;MAYI,IAAI,kBAAkB,eAAtB,C;QACS,IAAL,aAA6B,e;Q;8CAIrC,kB;MAO0C,OAAA
,IAAY,SAAY,SAAQ,MAAR,C;K;8CAElE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;
K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,M5FyCwC,YAAU,C4F
zClD,IAAoB,aAAa,CAArC,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;
K;4CAGnC,wB;MAWI,oCAAa,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FX+E,W2FW9D,C3FX8
D,E2FW3D,K3FX2D,C2FW/E,YAA6B,KAA7B,IAAqC,a3Fd2B,W2FcV,K3FdU,C;M2FezE,OAAO,I;K;6CAGX,
wB;MAQI,oCAAa,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FzB+E,W2FyB9D,C3FzB8D,E2FyB3
D,K3FzB2D,C2FyB/E,uBAA6B,kBAA7B,IAAqC,a3F5B2B,W2F4BV,K3F5BU,C;M2F6BzE,OAAO,I;K;6CAGX,
wB;MAUI,oCAAa,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FzC+E,W2FyC9D,C3FzC8D,E2FyC3
D,K3FzC2D,C2FyC/E,GAAmC,eAAN,KAAM,CAAnC,GAAsD,a3F5CU,W2F4CO,K3F5CP,C;M2F6CzE,OAAO,
I;K;6CAGX,wB;MAaI,oCAAa,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F5D+E,W2F4D9D,C3F5
D8D,E2F4D3D,K3F5D2D,C2F4D/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3F/DgB,W2F+DC,K3F/DD,C;M2
FgEzE,OAAO,I;K;6CAGX,wB;MAWI,oCAAa,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F7E+E,
W2F6E9D,C3F7E8D,E2F6E3D,K3F7E2D,C2F6E/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3FhFgB,W2FgFC,
K3FhFD,C;M2FiFzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAa,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAA
c,IAAK,S3F3FqE,W2F2FpD,C3F3FoD,E2F2FjD,K3F3FiD,C2F2F1E,GAAkC,KAAlC,GAA0C,IAAK,S3F9FY,W
2F8FK,K3F9FL,C;M2F+FzE,OAAO,I;K;gDAGX,qB;MAcI,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAyB,0BA
AuB,SAAvB,MAAAzB,C;OAGV,IAAI,aAAa,WAAjB,C;QACI,gBAAS,a3FlH2E,W2FkH1D,C3FlH0D,E2FkHvD,S
3FlHuD,C;;Q2FoHpF,aAAU,WAAV,MAAuB,SAAvB,M;UACI,qCAAU,CAAV,C;;;K;gDAKZ,sB;MAQI,oCAAa,
4BAAmB,UAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a3FvIkE,W2FuIjD,U3FvIiD,C;K;gD2F0I7E,gC;MAQI,oCA
Aa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MAEb,OAAO,a3FjJiF,W2FiJhE,U3FjJgE,E2FiJpD,Q3
FjJoD,C;K;yC2FoJ5F,Y;MAYI,IAAS,IAAY,UAAjB,KAA+B,SAAnC,C;QACS,IAAL,aAA6B,W;Q;uCAIrC,Y;M
AAkC,oB;K;oCAElC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAa,2BAAkB,KAAlB,EAAy
B,WAAzB,C;MAEb,gBAAS,a3F5L+E,W2F4L9D,C3F5L8D,E2F4L3D,K3F5L2D,C2F4L/E,uBAA6B,kBAA7B,IA
AqC,a3F/L2B,W2F+LV,QAAQ,CAAR,I3F/LU,C;K;+C2FkM7E,uC;MAYI,yBAAkB,UAAlB,EAA8B,QAA9B,EA
AwC,WAAxC,C;MAEA,gBAAc,IAAK,S3F7MqE,W2F6MpD,C3F7MoD,E2F6MjD,U3F7MiD,C2F6M1E,GAAuC
,KAAvC,GAA+C,IAAK,S3FhNO,W2FgNU,Q3FhNV,C;M2FiNzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CA
Ab,IAAkB,aAAa,MAAnC,C;QACI,MAAM,8BAA0B,iBAAc,UAAd,kBAAmC,MAA7D,C;OAEV,IAAI,aAAa,QA
AjB,C;QACI,MAAM,gCAAyB,gBAAa,UAAb,qBAAqC,QAArC,MAAzB,C;Q;+CAId,iB;MAYI,oCAAa,2BAAkB
,KAAlB,EAAyB,WAAzB,C;MAEb,gBAAS,a3FxO+E,W2FwO9D,C3FxO8D,E2FwO3D,K3FxO2D,C2FwO/E,GA
A6B,a3F3OmC,W2F2OlB,QAAQ,CAAR,I3F3OkB,C;M2F4OzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,UAAlB
,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAS,a3FzP+E,W2FyP9D,C3FzP8D,E2FyP3D,U3FzP2D,C2FyP/
E,GAAkC,a3F5P8B,W2F4Pb,Q3F5Pa,C;M2F6PzE,OAAO,I;K;kDAGX,gE;MAc+C,iC;QAAA,oBAAyB,C;MAAG
,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKlF,IACf,I;MALhB,oCAAa,4BAAmB,UAAnB,E
AA+B,QAA/B,EAAyC,WAAzC,C;MACb,oCAAa,4BAAmB,iBAAnB,EAAsC,oBAAoB,QAApB,GAA+B,UAA/B
,IAAtC,EAAiF,WAAY,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAc,UAAd,UAA+B,QAA/B,U;QACI,YAAY,eAAZ,

EAAY,uBAAZ,UAA0B,yBAAO,KAAP,C;;K;kDAIlC,uC;MAcI,iBAAgB,iBAAN,KAAM,EAAe,UAAf,EAA2B,Q
AA3B,C;MAChB,OAAO,I;K;kDAGX,uC;MAaI,gBAAsB,SAAN,KAAM,C;MACtB,oCAAa,4BAAmB,UAAnB,E
AA+B,QAA/B,EAAyC,SAAU,OAAnD,C;MAEb,iBAAU,S3FvT8E,W2FuT1D,U3FvT0D,E2FuT9C,Q3FvT8C,C;
M2FwTxF,OAAO,I;K;kDAGX,8C;MAgBI,oCAAa,4BAAmB,KAAnB,EAA0B,IAAK,OAA/B,C;MAEb,gBAAS,a
3F7U+E,W2F6U9D,C3F7U8D,E2F6U3D,K3F7U2D,C2F6U/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QA
A3B,CAAnC,GAA0E,a3FhVV,W2FgV2B,K3FhV3B,C;M2FiVzE,OAAO,I;K;kDAGX,8C;MAiBI,oCAAa,4BAA
mB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAsB,SAAN,KAAM,C;MACtB,oCAAa,4BAAmB,UAAnB,EAA+B,Q
AA/B,EAAyC,SAAU,OAAnD,C;MAEb,gBAAS,a3FvW+E,W2FuW9D,C3FvW8D,E2FuW3D,K3FvW2D,C2FuW/
E,GAA6B,S3FvWkD,W2FuW9B,U3FvW8B,E2FuWlB,Q3FvWkB,C2FuW/E,GAAyE,a3F1WT,W2F0W0B,K3F1
W1B,C;M2F2WzE,OAAO,I;K;;IAjiBX,6C;MAAA,uD;MAKoC,2B;MAC3B,KAAL,aAA6B,Q;MANjC,Y;K;IASA
,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C
;MADvB,Y;K;2EA0hBJ,qB;MAOgE,OAAA,SAAK,Q;K;uEAErE,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAA
X,C;K;+EAEpF,kD;MAaI,OAAA,SAAK,kBAAS,UAAT,EAAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY
6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAElF,2C;MAWoG,OAAA,SAAK,qBAAY,UAAZ,EAAwB,QAAxB,C;K;
uFAEzG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;
MAC7I,SAAK,qBAAY,WAAZ,EAAyB,iBAAzB,EAA4C,UAA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAA
A,SAAK,qBAAY,KAAZ,EAAmB,UAAnB,EAA+B,QAA/B,C;K;uFAET,kD;MAcI,OAAA,SAAK,qBAAY,KAAZ
,EAAmB,UAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA
0B,UAA1B,EAAsC,QAAtC,C;K;uFAET,yD;MAkBI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UA
A1B,EAAsC,QAAtC,C;K;ICjsBT,iC;MACiD,OAAW,QAAX,8BAAW,EAAQ,YAAR,C;K;qFAE5D,yB;MAAA,0
B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C;O;KAD
rI,C;qFAGA,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,
CAAX,CAAgC,C;O;KADrI,C;IAGA,oC;MAGoD,QAAQ,cAAA,sCAAK,mBAAL,EAAyB,sCAAK,mBAA9B,CA
AR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,sCAAK,kBAA7B,CAAR,6B;K;IChBnD,8
B;MAGgD,c7FyKoB,uB6FzKpB,EAAiB,MAAjB,C;K;IAEhD,6B;MAI0C,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C
;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0
DAAmB,kBAAkB,SAAlB,C;K;IAE/D,qC;MAKsD,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAE
9E,0B;MAIwC,Q;MAAA,wDAAiB,kBAAkB,SAAlB,C;K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAs
B,kBAAkB,SAAlB,C;K;IAExE,2B;MAI0C,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C;K;IAE5D,oC;MAKoD,Q;MA
AA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAE3E,6B;MAIyF,kBAA1C,CAAO,S;MAClD,IAAO,QxG0B
D,WwG1BC,CAAH,IAAc,CAAM,kBAApB,KxG0BE,WwG1B6B,KAAM,GAAN,IAAkB,kBAAjD,CAAJ,C;QAC
I,4B;MAFsC,OxG4BnC,W;K;6EwGvBX,yB;MAAA,6C;MAAA,4B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAIgG,
kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QxGoCgB,WwGpChB,CAAH,IAAc,CAAM,kBAApB,KxGoCmB,Ww
GpCY,KAAM,GAAN,IAAkB,kBAAjD,CAAF,CxGoCO,GAAqB,WAArB,GAA+B,I;K;yFwGjC1C,yB;MAAA,yD
;MAAA,4B;QAK0D,gC;O;KAL1D,C;iFAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KA
AT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;
IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;K;IAEjE,4B;MAAsC,QAAM,S7FyDwB,c6Fz
D9B,C;aAClC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADS,OAE1B,K;;K;IAGZ,2B;MAKI,IAAI,EAAU,CAAV
,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,WAAQ,KAAR,kCAAzB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2
D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAA
vB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAA
P,GAAa,EAAb,I;;QACtB,S;MxGhCD,a;MwG4BgD,OAK/C,WAAJ,GAAiB,EAAjB,GAAyB,E;K;ICpIG,2C;MAH
pC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,kC;MAAA,qC;O;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,
C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6C;MAAA,wB;MAAA,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC
;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;K;;IAmBmC,2B;MAAC,kB;K;;sCALpC,Y;MAK
oC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAA
A,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sCALpC,G;K;IAiB0B,iC;MAmItB,6B;MA1HA,eACoC
,O;MACpC,eACsD,QAAR,OAAQ,C;MvG2xC/C,kBAAM,iBAAa,wBuG1xC0B,OvG0xC1B,EAAwB,EAAxB,CA

Ab,C;MAqEA,Q;MAAA,OuG/1CuC,OvG+1CvC,W;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAc,IuGh
2CuC,MvGg2CrD,C;;MuGh2ChB,uBAAoC,WAAO,OAAP,EAAyC,evGi2CtE,WuGj2CsE,EAAyB,EAAzB,CAAz
B,GAAwD,GAAxE,C;K;sCAEpC,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,WAAX,C;
MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAc,UAAd,KAA2B,KAAM,O;K;8CAGjF,iB;
MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAX,C;K;mCAGzB,6B;MAM4C,0B;QAAA,
aAAkB,C;MAAmB,OAAc,SAAd,oBAAc,EAAS,KAAM,WAAf,EAA2B,UAA3B,C;K;IAS1E,6E;MAAA,mB;QA
AE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAAW,OAAA,KAAM,O;K;sCAPnE,6B;MAM+C,0B;QAA
A,aAAkB,C;MAC7D,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;K;0CAEJ,iB;MAMI,IAAY,aAAR,YAAQ,EAAW,EA
AX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEP,OAAkE,CA
A3D,UAAM,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,qBAAQ,EAAR,EAA3B,MAAN,EAAkD,YAA
lD,CAA2D,eAAK,KAAL,C;K;sCAG1E,8B;MAK8E,OAAA,KAAM,W9F4Ga,S8F5GY,oB9F4GZ,E8F5G2B,W9F
4G3B,C;K;uG8F1GjG,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAY,kBAAK,KAAL,C;QACZ,IAAI,aAAJ,
C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAgB,C;QAChB,aAAa,KAAM,O;QACnB,SAAS,mBAAc,MAAd,C;;U
AEL,iBAAiB,oB;UACjB,EAAG,gBAAO,KAAP,EAAc,SAAd,EAAyB,UAAW,MAAM,MAA1C,C;UACH,EAAG,
gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;UACZ,QAAQ,UAAW
,O;;QACd,oBAAY,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAY,MAAhB,C;UACI,EAAG,gBAAO,KAAP,EAAc,
SAAd,EAAyB,MAAzB,C;SAGP,OAAO,EAAG,W;O;KAxBd,C;2CA2BA,8B;MAMmC,gBAAR,Y;MvGssCpB,kB
AAM,iBAAa,mCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY
,WAAc,IuG5wCc,MvG4wC5B,C;;MuG5wCZ,uBAAgD,evG6wC7C,WuG7wC6C,EAAyB,EAAzB,C;MAChD,OA
AO,KAAM,W9FwEgF,S8FxEvD,WAAO,YAAP,EAAgB,gBAAhB,C9FwEuD,E8FxEpB,W9FwEoB,C;K;oC8FrEj
G,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;M7GvHlB,IAAI,E6GkHQ,SAAS,C7GlHjB,CAAJ,C;QACI,c6GiH
sB,8C;Q7GhHtB,MAAM,gCAAyB,OAAQ,WAAjC,C;OI0EH,SyGuCW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAS,
CAAb,GAAgB,EAAhB,GAA2B,OAAH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,apH7DgD,gB;MoH8DhD
,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,
EAAuB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;QACP,YAAY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;
MAEhB,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OA
AO,M;K;+BAIX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+B;MAmBI,uBAA4B,WAAO,wBAAP,EA
AkC,GAAlC,C;MAC5B,2BAAgC,WAAO,KAAP,EAAiB,GAAjB,C;K;oDAnBhC,mB;MAIwD,oBAAM,oBAAO,
OAAP,CAAN,C;K;+CAExD,mB;MAIoD,OAAA,O9F4ByC,S8F5BnB,oB9F4BmB,E8F5BJ,M9F4BI,C;K;0D8F1B
7F,mB;MAI+D,OAAA,O9FsB8B,S8FtBR,wB9FsBQ,E8FtBW,M9FsBX,C;K;;;I8FvCjG,uC;MAAA,sC;QAAA,qB;
OAAA,+B;K;;IAjIA,4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAc,MAAM,MAAN,CAAd,C;MADlE,Y;K;IAGA,
sC;MAAA,+C;MAC6C,kBAAK,OAAL,EAAc,UAAd,C;MAD7C,Y;K;IAsJJ,kC;MAGkE,iBAAM,OAAN,EAAe,M
AAM,MAAN,CAAf,C;K;IAElE,0B;MAG6C,iBAAM,OAAN,EAAe,UAAf,C;K;IAWlC,4F;MAAA,kC;MAAA,kC;
MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;2EAX1C,Y;MAAA,2B;K;2EAEI,Y;M
AAQ,qBAAA,kBNtK8C,CMsKxC,CNtKwC,CMsK9C,C;K;4EAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAA
S,uB;K;+HACG,Y;MAAQ,OAAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBNtLG,CMsLG,KNtLH
,CMsLH,mBAAgB,E;K;;iFAJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MAAoC,OAA
c,SAAd,kBAAc,EAAS,kBAAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAc,CAAd,IAArB,GAA0C,
kBAAM,aAAN,GAAqB,CAArB,IAA1D,C;K;IApBN,oE;MAAA,kC;MAA+B,6B;K;+FAChD,Y;MAAQ,OAAA,k
BAAM,O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBA
AQ,CAAa,EAAI,iEAAJ,CAAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBN3KU,CM2KJ,KN3KI,CM2KV,
YAAoB,oBAApB,O;K;;;IAdxD,0C;MACI,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAA
mB,OAAO,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAAAa,sBAAY,CAAZ,IAAb,C;MAEZ,iE;K;I1GzMJ,wD;MA
AsG,4C;K;IAAtG,+CACI,gB;MAAwC,+BAAW,CAAX,EAAc,CAAd,C;K;IAD5C,oF;IYJA,yB;MAMiB,Q;MADb
,aAAa,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;I
AGX,yC;MAW+B,Q;MAH3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAAA,KAAM,OAAN,GAAa,MA
Ab,QAAsB,MAAtD,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAAf,kBAA+B,MAA/B,kBAAgD,MAA1E,C;M
ACV,aAAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;MA

EJ,OAAO,M;K;IAGX,mC;MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;Q
ACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,
SAAK,O;MACjF,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,i
BAAc,UAAd,UAA+B,QAA/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;MAEJ,OAAO,M;K;IASkB,gD;MAAA,
qB;QAAE,+CAAI,EAAJ,E;O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAAkB,+BAAlB,C;K;IAiBiC,oE;MA
AA,qB;QAAE,+CAAI,qBAAa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,
WAAgB,SAAK,O;MAC3E,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb,OAAO,kBAA
U,WAAW,UAAX,IAAV,EAAiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,
gBAApB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MAClB,wB;QAAA,WAAgB,SAAK,O;MA
CrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb
,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,
SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MAClB,wB;
QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EA
AyC,gBAAzC,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,q
B;MAMwD,OAAA,SAAY,c;K;uFAEpE,qB;MAMwD,OAAA,SAAY,c;K;yFAEpE,qC;MACoF,OAAA,SAAY,SA
AQ,GAAR,EAAa,SAAb,C;K;iGAEhG,qC;MACwF,OAAA,SAAY,aAAY,GAAZ,EAAiB,SAAjB,C;K;+FAEpG,kC
;MACiF,OAAA,SAAY,YAAW,CAAX,EAAc,QAAd,C;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K
;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EAA
sB,QAAtB,C;K;4EAEhG,0B;MACuD,OAAA,SAAY,QAAO,GAAP,C;K;wEAEnE,4B;MACgE,OAAA,SAAY,OA
AM,KAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;MAEkD,0B;
QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UVjCG,MAAK,K
UiCQ,EVjCR,EUiCY,EVjCZ,C;QUkCR,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,YAAY,C;
QACZ,OAAO,IAAP,C;UACI,UVrCD,MAAK,KUqCY,QAAQ,EAAR,IVrCZ,EUqCwB,GVrCxB,C;UUsCJ,SAAS,
SAzB2E,WAyB5D,KAzB4D,EAyBrD,GAzBqD,C;UA0BpF,SAAS,KA1B2E,WA0B3D,KA1B2D,EA0BpD,GA1B
oD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;YACI,KAAK,EAtD+C,c;YAuDpD,KAAK,EAvD+C,c;YAwDpD,IA
AI,YAAM,EAAN,CAAJ,C;cACI,KAAK,EAjD2C,c;cAkDhD,KAAK,EAlD2C,c;cAmDhD,IAAI,YAAM,EAAN,C
AAJ,C;gBACI,OAAU,iBAAH,EAAG,EAAU,EAAV,C;iBAItB,IAAI,QAAO,GAAX,C;YAAAgB,K;UAChB,QAAQ,
G;;QAEZ,OAAO,KAAK,EAAL,I;;QAEP,OAAO,4BAAU,KAAV,C;;K;IAKgD,oD;MAAU,OAAE,UAAF,CAAE,
EAAU,CAAV,EAA0B,IAA1B,C;K;;IAIvE,+C;MAAQ,oC;K;2F+FjPZ,oC;MACiF,O/F6Ke,kB+F7KE,oBAAH,EA
AG,C/F6KF,E+F7Kc,S/F6Kd,C;K;mG+F3KhG,oC;MACqF,O/F6Ke,sB+F7KM,oBAAH,EAAG,C/F6KN,E+F7Kk
B,S/F6KlB,C;K;I+F3KpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACtE,IAAI,CAAC,UAAL,C;QACI,O/FwKqF,qB+
FxK7D,M/FwK6D,E+FxKrD,C/FwKqD,C;;Q+FtKrF,OAAO,yBAAc,CAAd,EAAiB,MAAjB,EAAyB,CAAzB,EA
A4B,MAAO,OAAnC,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAL,C;
QACI,O/F6JqF,qB+F7J7D,M/F6J6D,E+F7JrD,U/F6JqD,C;;Q+F3JrF,OAAO,yBAAc,UAAd,EAA0B,MAA1B,EAA
kC,CAAlC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,C
AAC,UAAL,C;QACI,O/FqJoE,mB+FrJ9C,M/FqJ8C,C;;Q+FnJpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,
EAAsC,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAgE,UAAhE,C;K;IAIf,mC;MACI,aAAa,S/F0J2D,O
+F1JhD,K/F0JgD,C;M+FzJxE,OAAO,kBAAkB,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAAoD,4BAAU,CAAV,I
AA+D,QAA3C,6BAAJ,GAAoB,SApB,GAA8B,SAAK,WAAY,EAAQ,eAAR,C;K;IAEnH,gD;MACiD,0B;QAA
A,aAAsB,K;MACnE,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAL,C;UAAA,S
ACD,kBAAQ,KAAR,C;;UAEA,0B;UAAA,W;YAAiB,gBAAA,S/FqH2C,c+FrH3C,EAAsB,K/FqHqB,c+FrH3C,C;
WAHhB,e;;QAFL,a;;MAAA,W;K;IAQJ,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAkB,UAAlB,EAA8B,KAA
9B,EAAqC,WAArC,EAAkD,MAAlD,EAA0D,UAA1D,C;K;IAGJ,+B;MAOI,OhGmKmD,mBAAS,CgGnK5D,G/F
wH4F,oB+FxHzD,C/FwHyD,E+FxHtD,C/FwHsD,CA1B5B,c+F9FvC,G/FqHoD,oB+FrHV,C/FqHU,C+FrH7E,GA
A2E,S;K;IAG/E,iC;MAOI,OhGyJmD,mBAAS,CgGzJ5D,G/F8G4F,oB+F9GzD,C/F8GyD,E+F9GtD,C/F8GsD,CAl
B5B,c+F5FvC,G/F2GoD,oB+F3GV,C/F2GU,C+F3G7E,GAA2E,S;K;IAG/E,8B;MAMiB,IAAN,I;M9G9DP,IAAI,
E8G6DI,KAAK,C9G7DT,CAAJ,C;QACI,c8G4Dc,oD;Q9G3Dd,MAAM,gCAAyB,OAAQ,WAAjC,C;O8G4DH,Q
AAM,CAAN,C;aACH,C;UAAK,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAEI,aAAa,E;UACb,I

AAI,EhGmIoC,qBAAU,CgGnI9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAY,C;YACZ,OAAO,IAAP,C;cACI
,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAS,C
AAb,C;gBACI,K;eAEJ,KAAK,C;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MACqE,0B;QAAA,aAAsB,K;MAC
vF,O/FuFiG,kB+FvFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD
,C/FuFmF,E+FvFpB,6BAAM,2BAAkB,QAAlB,C/FuFc,C;K;I+FrFrG,4D;MAC+D,0B;QAAA,aAAsB,K;MACjF,O
/FmFiG,kB+FnFnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0
B,GAAnE,C/FmFmF,E+FnFF,oBAAR,OAAQ,C/FmFE,C;K;I+FjFrG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O/
F+EiG,kB+F/EnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,GAAhB,GAAyB,EAAxD,C/F
+EmF,E+F/EtB,6BAAM,2BAAkB,QAAlB,C/F+EgB,C;K;I+F7ErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O/F2
EiG,kB+F3EnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,GAAhB,GAAyB,
EAAlE,C/F2EmF,E+F3EJ,oBAAR,OAAQ,C/F2EI,C;K;IgG3MrG,kD;MAGI,IAAI,gBAAJ,C;QAAsB,MAAM,6BA
AyB,qCAAkC,QAAQ,CAAR,IAAlC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,K
AAT,oBAAiB,KAAjB,KAA2B,SAAS,QAAxC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;
OAEX,UAAU,kBAAO,KAAP,CAAc,I;MACxB,IAAI,EAAQ,KAAR,kBAAgB,KAAhB,CAAJ,C;QACI,OAAO,U
AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAAhC,IAA
wC,MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAkB,CAAlB,IAAuB,SAAS,QAApC,C;QACI,OAAO,U
AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GAA
V,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,CAA
X,GAAkB,KAAlB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAA
b,EAAoB,gBAApB,C;OAGX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QA
CI,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAE
R,IAAI,SAAU,EAAV,MAAiB,EAArB,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,C
AAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,C
AAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAA
V,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU
,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,OAAQ,SAAU
,EAAX,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACI,UA
AU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,
MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,KAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAA
oB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;U
AEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,IAAgB,CAApB,C;QA
CH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QAC
H,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,O
AAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;M
AC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;O
AGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAE
X,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,
UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAAX,GAAoB,SAAU,EAA9B,GAAuC,S
AAU,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;;IAmB7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,MANI,E
ASJ,MATI,EAUJ,MAVI,EAWJ,MAXI,EAgBA,MAhBA,EAiBA,MAjBA,EAkBA,MAlBA,EAoBA,MApBA,EAq
BA,OArBA,EAsBA,OAtBA,EAuBA,O;M/G/JtB,IAAI,E+GiII,cAAc,CAAd,IAAmB,YAAY,MAAO,OAAtC,IAAg
D,cAAc,Q/GjIlE,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;O+GiIV,YAAY,cAAU,CAA
C,WAAW,UAAX,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;MAChB,gBAAgB,U;MAEhB,OAAO,YAA
Y,QAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,QAAoB,I;QAE3B,WAAO,GAAP,C;UACI,MAAM
,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAA
N,YAA4C,OAArB,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,
OAAS,EAAV,GAAmB,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAA
M,0BAAN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,

OAA/B,QAAS,CAAV,GAAiB,EAAlB,GAA2B,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;;UAG/C,gBAAgB,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,EAAgD,QAAhD,EAA0D,EAA0D,gBAA1D,C;UAChB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA1B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA1B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA1B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAkD,OAA3B,aAAc,EAAf,GAAsB,GAAM,C;YAClD,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAArC,aAAc,EAAf,GAAuB,E AAxB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAA4D,OAApC,aAAc,EAAf,GAAsB,EAAvB,GAAgC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAoD,OAA7B,aAAc,EAAf,GAAwB,GAAM,C ;YACpD,pB,6B;;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnC,GAA0C,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7E,GAAoF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvH,GAA8H,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjK,GAAwK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3M,GAAkN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArP,GAA4P,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/R,GAAsS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzU,GAAgV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnX,GAA0X,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7Z,GAAoa,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvc,GAA8c,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjf,GAAwf,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3hB,GAAkiB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArkB,GAA4kB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/mB,GAAsnB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzpB,GAAgqB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnsB,GAA0sB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7uB,GAAovB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvxB,GAA8xB,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj0B,GAAw0B,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA32B,GAAk3B,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr5B,GAA45B,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/7B,GAAs8B,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz+B,GAAg/B,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnhC,GAA0hC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7jC,GAAokC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvmC,GAA8mC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjpC,GAAwpC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3rC,GAAksC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArtC,GAA4tC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/vC,GAAswC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzyC,GAAgzC,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn1C,GAA01C,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA73C,GAAo4C,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv6C,GAA86C,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj9C,GAAw9C,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3/C,GAAkgD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArhD,GAA4hD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/jD,GAAskD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzmD,GAAgnD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnpD,GAA0pD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7rD,GAAosD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvuD,GAA8uD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjxD,GAAwxD,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3zD,GAAk0D,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr2D,GAA42D,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/4D,GAAs5D,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz7D,GAAg8D,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn+D,GAA0+D,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7gE,GAAohE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvjE,GAA8jE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjmE,GAAwmE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3oE,GAAkpE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArrE,GAA4rE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/tE,GAAsuE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzwE,GAAgxE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnzE,GAA0zE,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA71E,GAAo2E,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv4E,GAA84E,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj7E,GAAw7E,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA39E,GAAk+E,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr/E,GAA4/E,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/hF,GAAsiF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzkF,GAAglF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnnF,GAA0nF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7pF,GAAoqF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvsF,GAA8sF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjvF,GAAwvF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3xF,GAAkyF,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr0F,GAA40F,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/2F,GAAs3F,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz5F,GAAg6F,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn8F,GAA08F,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+F,GAAo/F,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhG,GAA8hG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkG,GAAwkG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mG,GAAknG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpG,GAA4pG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rG,GAAssG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuG,GAAgvG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxG,GAA0xG,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zG,GAAo0G,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2G,GAA82G,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5G,GAAw5G,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37G,GAAk8G,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+G,GAA4+G,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gH,GAAshH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjH,GAAgkH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmH,GAA0mH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oH,GAAopH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrH,GAA8rH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuH,GAAwuH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wH,GAAkxH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzH,GAA4zH,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1H,GAAs2H,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4H,GAAg5H,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7H,GAA07H,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+H,GAAo/H,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhI,GAA8hI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkI,GAAwkI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mI,GAAknI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpI,GAA4pI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rI,GAAssI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuI,GAAgvI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxI,GAA0xI,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zI,GAAo0I,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2I,GAA82I,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5I,GAAw5I,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37I,GAAk8I,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+I,GAA4+I,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gJ,GAAshJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjJ,GAAgkJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmJ,GAA0mJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oJ,GAAopJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrJ,GAA8rJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuJ,GAAwuJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wJ,GAAkxJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzJ,GAA4zJ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1J,GAAs2J,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4J,GAAg5J,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7J,GAA07J,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+J,GAAo/J,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhK,GAA8hK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkK,GAAwkK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mK,GAAknK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpK,GAA4pK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rK,GAAssK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuK,GAAgvK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxK,GAA0xK,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zK,GAAo0K,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2K,GAA82K,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5K,GAAw5K,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37K,GAAk8K,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+K,GAA4+K,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gL,GAAshL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjL,GAAgkL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmL,GAA0mL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oL,GAAopL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrL,GAA8rL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuL,GAAwuL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wL,GAAkxL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzL,GAA4zL,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1L,GAAs2L,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4L,GAAg5L,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7L,GAA07L,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+L,GAAo/L,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhM,GAA8hM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkM,GAAwkM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mM,GAAknM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpM,GAA4pM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rM,GAAssM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuM,GAAgvM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxM,GAA0xM,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zM,GAAo0M,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2M,GAA82M,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5M,GAAw5M,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37M,GAAk8M,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+M,GAA4+M,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gN,GAAshN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjN,GAAgkN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmN,GAA0mN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oN,GAAopN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrN,GAA8rN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuN,GAAwuN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wN,GAAkxN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzN,GAA4zN,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1N,GAAs2N,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4N,GAAg5N,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7N,GAA07N,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+N,GAAo/N,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhO,GAA8hO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkO,GAAwkO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mO,GAAknO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpO,GAA4pO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rO,GAAssO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuO,GAAgvO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxO,GAA0xO,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zO,GAAo0O,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2O,GAA82O,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5O,GAAw5O,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37O,GAAk8O,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+O,GAA4+O,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gP,GAAshP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjP,GAAgkP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmP,GAA0mP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oP,GAAopP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrP,GAA8rP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuP,GAAwuP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wP,GAAkxP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzP,GAA4zP,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1P,GAAs2P,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4P,GAAg5P,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7P,GAA07P,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+P,GAAo/P,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhQ,GAA8hQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkQ,GAAwkQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mQ,GAAknQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpQ,GAA4pQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rQ,GAAssQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuQ,GAAgvQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxQ,GAA0xQ,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zQ,GAAo0Q,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2Q,GAA82Q,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5Q,GAAw5Q,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37Q,GAAk8Q,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+Q,GAA4+Q,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gR,GAAshR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjR,GAAgkR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmR,GAA0mR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oR,GAAopR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrR,GAA8rR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuR,GAAwuR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wR,GAAkxR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzR,GAA4zR,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1R,GAAs2R,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4R,GAAg5R,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7R,GAA07R,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+R,GAAo/R,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhS,GAA8hS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkS,GAAwkS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mS,GAAknS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpS,GAA4pS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rS,GAAssS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuS,GAAgvS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxS,GAA0xS,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zS,GAAo0S,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2S,GAA82S,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5S,GAAw5S,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37S,GAAk8S,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+S,GAA4+S,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gT,GAAshT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjT,GAAgkT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmT,GAA0mT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oT,GAAopT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrT,GAA8rT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuT,GAAwuT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wT,GAAkxT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzT,GAA4zT,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1T,GAAs2T,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4T,GAAg5T,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7T,GAA07T,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+T,GAAo/T,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhU,GAA8hU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkU,GAAwkU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mU,GAAknU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpU,GAA4pU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rU,GAAssU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuU,GAAgvU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxU,GAA0xU,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zU,GAAo0U,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2U,GAA82U,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5U,GAAw5U,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37U,GAAk8U,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+U,GAA4+U,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gV,GAAshV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjV,GAAgkV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmV,GAA0mV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oV,GAAopV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrV,GAA8rV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuV,GAAwuV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wV,GAAkxV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzV,GAA4zV,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1V,GAAs2V,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4V,GAAg5V,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7V,GAA07V,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+V,GAAo/V,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhW,GAA8hW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjkW,GAAwkW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3mW,GAAknW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArpW,GAA4pW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/rW,GAAssW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzuW,GAAgvW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnxW,GAA0xW,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7zW,GAAo0W,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAv2W,GAA82W,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAj5W,GAAw5W,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA37W,GAAk8W,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAr+W,GAA4+W,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/gX,GAAshX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAzjX,GAAgkX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAnmX,GAA0mX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7oX,GAAopX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvrX,GAA8rX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAjuX,GAAwuX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA3wX,GAAkxX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAArzX,GAA4zX,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA/1X,GAAs2X,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAz4X,GAAg5X,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAn7X,GAA07X,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAA7+X,GAAo/X,KAAM,OAAN,KAAc,SAAlB,GAA6B,GAA7B,GAAmC,IAAvhY,GAA8hY,KAAM,OA

QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE
,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IA6B,qB;MAC7B,EAAE,iCAAF,I
AAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,C;K;+GAw0BX,wD;MACwC,6B;QAAA,gBAAyB
,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;M
ACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF
,IAAgB,Q;MAChB,OAAO,C;K;6EA6CX,4B;MAC6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MACoE,UAAY,KAAZ,I
AAqB,K;K;6EAuBzF,4B;MAC8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MACqE,UAAY,KAAZ,IAAqB,K;K;6EAuB1
F,4B;MACqE,iBAAY,KAAZ,C;K;6EArE,mC;MAC4E,UAAY,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAC+D,iBAA
Y,KAAZ,C;K;6EAE/D,mC;MACsE,UAAY,KAAZ,IAAqB,K;K;6EAuB3F,4B;MACgE,iBAAY,KAAZ,C;K;6EAE
hE,mC;MACuE,UAAY,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAC6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MACoE,UA
AY,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAC8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MACqE,UAAY,KAAZ,IAAqB,
K;K;6EAuB1F,4B;MACiE,iBAAY,KAAZ,C;K;6EAEjE,mC;MACwE,UAAY,KAAZ,IAAqB,K;K;6EAuB7F,4B;M
ACkE,iBAAY,KAAZ,C;K;6EAElE,mC;MACyE,UAAY,KAAZ,IAAqB,K;K;6GCxnC9F,wD;MACqC,6B;QAAA,g
BAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,Q
AAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EA
AE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;mIAiCX,+B;MACgD,mC;QAAA,sBAAgC,K;MAC5E,QAAQ,E;MAC
R,EAAE,qBAAF,IA2B,mB;MAC3B,OAAO,C;K;4EC3CX,4B;MACgE,iBAAY,KAAZ,C;K;4EAgChE,4B;MAC4E,iB
yE,iBAAY,KAAZ,C;K;4EAiBzE,4B;MACmE,iBAAY,KAAZ,C;K;4EAyYnE,4B;MAC0E,iBAAY,KAAZ,C;K;4F
C7a1E,uD;MAC8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;Q
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF
,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MA
ChB,OAAO,C;K;kGAuBX,sE;MACiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA
Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,
E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAA
F,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA8DX,8U;
MACiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA
AgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QA
AA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAA
O,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAA
uB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;Q
AAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;
MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu
B,K;MAAO,wB;QAAA,WAAqB,K;MAC3I,wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;
MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I
AAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,
UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAuBX,sE;MACiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA
Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,
E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAA
F,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA8DX,8U;
MACiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA
AgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QA
AA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAA
O,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAA
uB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;Q
AAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;
MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu
B,K;MAAO,wB;QAAA,WAAqB,K;MAC3I,wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;
MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I
AAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,
UAAF,IAAgB,Q;MAChB,OAAO,C;K;wGAgDX,kQ;MACoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO
,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBA6B
,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAA
A,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MA
AO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,
K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7H,7lB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;
MACf,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF
F,IAAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,s
```
```

B,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,
EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAA
F,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,E
AAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAsCX,iX;MACiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAk
B,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA
,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;
QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MA
AO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBA
A6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;Q
AAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;
MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,S
AAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QA
AQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,
WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,
EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;
MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;
MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE
,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA
AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,E
AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA2
BX,0E;MACiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAA
A,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,Q
AAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,E
AAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,
Q;MAChB,OAAO,C;K;wGAmDX,4S;MACoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QA
AA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO
,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B
,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAA
A,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MA
AO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,
C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;
MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,Q
AAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MA
ChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBA
AF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;
MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EA
AE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IA
Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OA
AO,C;K;8GAuBX,6D;MACuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;M
AAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAC
R,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,
O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wECvbX,4B;MACyE,iB
AAY,KAAZ,C;K;wEAEzE,2B;MACgG,iBAAY,IAAZ,C;K;wEAwBhG,oC;MAC+F,UAAY,KAAZ,IAAqB,M;K;w
EAmFpH,2B;MACqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAC2E,UAAY,IAAZ,IAAoB,K;K;wEAksC/F,4B;MACyE
,iBAAY,KAAZ,C;K;wEAyBzE,4B;MACyE,iBAAY,KAAZ,C;K;wEAqBzE,4B;MACuE,iBAAY,KAAZ,C;K;wEA
wBvE,4B;MAC6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MACiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;
MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAClK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;M

ACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;
uEA+UX,4B;MACuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAC6F,iBAAY,IAAZ,C;K;wEAqN7F,4B;MACyE,iBAA
Y,KAAZ,C;K;wEAEzE,oC;MAC2F,UAAY,KAAZ,IAAqB,M;K;+FAuehH,wD;MACmC,6B;QAAA,gBAA8B,I;M
AAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAC
R,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IA
AgB,Q;MAChB,OAAO,C;K;uGAuIX,mB;MACuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF
,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MACmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,I
AAa,K;MACb,OAAO,C;K;+FA0MX,sE;MACmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAo7G4B,S;OAp7G
wB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;
MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MAC
Z,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,
IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,
C;K;qIAgDX,iB;MACsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;
K;+GAkBX,qB;MAC2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C;
K;wEAkCX,4B;MACqF,iBAAY,KAAZ,C;K;yFAgCrF,4V;MACgC,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAA
gB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAA
A,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB
;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;M
AAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iB
AA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6
B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I
;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA
AqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,I
AAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,S
AAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,
EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAA
wB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;M
ACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE
,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAA
Y,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,U
AAF,IAAgB,Q;MAChB,OAAO,C;K;wEAwEX,2B;MAC+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MACoC,qB;QAAA,
QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAClI,QAA
Q,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,U
AAF,IAAgB,Q;MAChB,OAAO,C;K;qGA2BX,yD;MACsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MA
AI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR,
EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,
U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GAuBX,oD;MAC0C,yB;QAAA,YAAsB,K;MAAO,uB;
QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,
WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;
MAChB,OAAO,C;K;2FAoFX,kF;MACiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,
SAAe,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAA
A,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF
,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA
AE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;iHA2BX
,0D;MACqE,sB;QAAA,SAAe,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,
WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I
AAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEAkXX,4B;MAC
kE,iBAAY,KAAZ,C;K;wEAElE,2B;MACoE,iBAAY,IAAZ,C;K;wEAUpE,4B;MACsE,iBAAY,KAAZ,C;K;wEAE

tE,2B;MACwE,iBAAY,IAAZ,C;K;wEAaxE,4B;MAC+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MACiE,iBAAY,IAAZ,
C;K;mGA0CjE,8G;MACqC,gC;QAAA,mBAslF8C,M;OAtlFe,gC;QAAA,mBAomFT,S;OApmFyE,oC;QAAA,uB
A8mFjE,S;OA9mF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAwnFlO,K;OAvn
FvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IA
A4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MAC
rB,OAAO,C;K;+FAwCX,mF;MACmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAu
B,E;MAAI,sB;QAAA,SAAyC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,a
AAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,I
AAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EA
AE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6FA4B
X,2B;MACkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2F
A2DX,iE;MACiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QA
AA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,UA
AF,IAAgB,Q;MAChB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,
EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;yFA8FX,6B;MACgC,oB;QAAA,O
Ag5E6C,S;OAh5EL,2B;QAAA,cChzHe,M;ODizHnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAA
F,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAC+D,iBAAY,GAAZ,C;K;wEAE/D,iC;MACqE,UAAY,GAA
Z,IAAmB,K;K;+FAoDxF,oF;MACmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,W
AAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QA
AA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,U
AAF,IAAgB,Q;MAChB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,
W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAA
O,C;K;iFAwNX,yC;MAC4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;
MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;
MAChB,OAAO,C;K;6FAwBX,iD;MACkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,a
AAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IA
Ae,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uGASX,mB;MACuC,
uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAC0C,u
B;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAA
E,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;M
AC6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MACsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MACwE,iBAAY,IAAZ,C;K;u
GAsCxE,oH;MACuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,
uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAAkC,S;MAAW,+B;QAAA,kBAAk
C,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,eAAF,IA
AqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC
7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MACqC,wB;QAAA,WAAqB,K;MACtD,QAAQ,E;
MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEA+MX,2B;MACiE,iBAAY,IAAZ,C;K;2GAkCjE,c;MAC
yC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2FAyMX,gB;MAE
I,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MACiE,iBAAY,KAAZ,C;K;wEAEjE,
oC;MAC4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MACmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAC+B,iB;QAAA,IA
Aa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MACR,
EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,
C;MACT,OAAO,C;K;qFA0CX,+B;MAC8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QA
AiB,G;MAAK,sB;QAAA,SAAkB,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS
,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;MACmE,iBAAY
,KAAZ,C;K;yFAiHnE,oB;MACgC,wB;QAAA,WA40B+C,M;OA30B3E,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q
;MAChB,OAAO,C;K;6FAeX,+B;MACkC,oB;QAAA,OAAgB,S;MAAW,mB;QAAA,MAAe,S;MAAW,wB;QAAA
,WAyzBR,M;OAxzB3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,U

AAF,IAAgB,Q;MAChB,OAAO,C;K;6GAwCX,yD;MAC0C,qB;QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;M
AAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MAC
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,
U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;yGAiCX,mC;MACwC,qB;QAAA,QAgvByD,Q;OAhvB
K,sB;QAAA,SAgvBL,Q;OAhvBoE,wB;QAAA,WAkuBtF,M;OAjuB3E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;
MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;2FAYX,2B;MACiC,mB;QAA
A,MA4uB0C,Q;OA5uBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,Y
AAF,IAAkB,U;MAClB,OAAO,C;K;+GAYX,0B;MAC2C,uB;QAAA,UA2tBgC,Q;OA3tBU,qB;QAAA,QA2tBV,Q
;OA1tBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;wEAgCX,4B
;MAC+D,iBAAY,KAAZ,C;K;qFAsaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;K;uFAEzB,qB;MAAQ,
OAAW,U;K;iFAQxB,qB;MAAQ,OAAG,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;MAAQ,OAAW,U;K;uF
AQ3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;yFAQhB,qB;M
AAQ,OAAY,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,qB;MAAQ,OAAW,U
;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFAQrB,qB;MAAQ,OAAS,Q;K;iFAElB,qB;MAAQ,OAAQ,O;K;6EAElB,q
B;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFAQlB,qB;MAAQ,OAAU,S;K;qFAElB,qB;MAAQ,OA
AU,S;K;6EAQR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,OAAO,M;K;+EA
Q/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAQhB,qB;MAAQ,
OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFAQd,qB;MAAQ,OAAQ,O;K;+E
AElB,qB;MAAQ,OAAM,K;K;+EAEb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,
OAAS,Q;K;6EAQd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;2F
AEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EAQ1B,qB;MAA
Q,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EAQjB,qB;MAAQ,OAAO,M;K;
mFAEb,qB;MAAQ,OAAS,Q;K;+EAQrB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFAQjB,qB;MA
AQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFAQb,qB;MAAQ,OAAO,M;K;u
FAEZ,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAY,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;M
AAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EAQrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;
K;qFAQ1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EAQX,qB;MAAQ,OAAO,M;K;mFAEb,qB
;MAAQ,OAAS,Q;K;iFAQnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAA
S,Q;K;kFAQJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEpB,qB;MAAQ,OAAM,K;K;oFAEV,q
B;MAAQ,OAAU,S;K;mFAQzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OA
AU,S;K;qFAElB,qB;MAAQ,OAAU,S;K;wIE73M7E,wM;MACiD,qB;QAAA,QAAkB,I;MAAM,sB;QAAA,SAAm
B,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,a
AAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAA
A,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAA
M,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrf,QAAQ,E;MACR,EA
AE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,
S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE
,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IA
AuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB
,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MACyC,qB;QAAA,Q
AAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;Q
AAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW
,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA,mBAA
oC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QA
AA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aA
AF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U
;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,
kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,I

AAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OA
AO,C;K;sHAYX,kN;MACwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;
MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aA
AsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAA
A,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;M
AAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9lB,QAAQ,E;M
ACR,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,
IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;M
AClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kB
AAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAA
O,C;K;0HAsDX,wM;MAC0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;M
AAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAk
B,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAA
A,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAA
W,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb
,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,I
AAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB
,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kB
AAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;
MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAyDX,wM;MACqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA
,SAAe,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;Q
AAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAA
W,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UA
AmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,Q
AAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IA
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACx
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAuBX,gD;M
ACsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAC
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAA
gB,Q;MAChB,OAAO,C;K;sIAoBX,gD;MACgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SA
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wHAwCX,wB;
MACyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MA
Cb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAyBX,oB;MAC8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,M
AAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oH
AYX,kC;MACuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;
QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KA
AF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAC6B,mB;QAAA,MAAY,S;MA
AW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MA
CX,OAAO,C;K;kHAYX,kC;MACsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAA
Y,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K
;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAC6C,qB;QAA
A,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF
,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAC+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QA
AQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAEI,QAAQ,E

;MACR,OAAO,C;K;oFAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;
K;kGASX,oB;MAC8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO
,C;K;4FASmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FAQrB,qB;MAAQ,OAAO,M;K;0GAER,
qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FAQjB,qB;MAAQ,OA
AO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGAQrC,qB;MAAQ,OAAa,Y;K;0GAEpB,qB;MAAQ,OAAc,a;K;wG
AEvB,qB;MAAQ,OAAa,Y;K;6GCtoB7F,mb;MACmC,yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAA
K,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C
;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,
K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,
UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;
QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;M
AAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,a
AAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,k
C;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,
K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aA
AuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,I
AAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1
B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAm
B,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,
SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,E
AAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,
Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAA
E,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IA
AqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MAC
rB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MACh
B,OAAO,C;K;6GCzBX,0C;MACwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAA
oB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,
M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MACkE,iBAAY,K
AAZ,C;K;4EAElE,qC;MAC2E,UAAY,KAAZ,IAAqB,O;K;4EAiBhG,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,q
C;MAC+E,UAAY,KAAZ,IAAqB,O;K;4EAiBpG,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAC+E,UAAY,K
AAZ,IAAqB,O;K;4EAiGpG,4B;MACoE,iBAAY,KAAZ,C;K;2EAEpE,qC;MAC4E,UAAY,KAAZ,IAAqB,O;K;4E
AkcjG,4B;MAC6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MACqF,UAAY,KAAZ,IAAqB,O;K;4EAgP1G,4B;MACqE,i
BAAY,KAAZ,C;K;4EAErE,qC;MAC6E,UAAY,KAAZ,IAAqB,O;K;uFH/6BlG,+H;MAC8B,sB;QAAA,SAAkB,S;
MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,i
BAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,w
B;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;
MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MA
CZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAA
F,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,WAAF,IAAiB,S;M
ACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO,C;K;yFA0CX,uC;MAC+B,sB;QAAA
,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MAChG,QAAQ,E;MACR,EAAE,QAAF,I
AAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;qFASgD,qB;MAAQ,O
AAG,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFA
Ef,qB;MAAQ,OAAS,Q;K;mFAElB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAA
Q,OAAQ,O;K;qFAQF,qB;MAAQ,OAAG,E;K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;
mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;M
AAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K

;mGAEV,qB;MAAQ,OAAgB,e;K;iGAEzB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;M
AAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFAQzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,
a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFAQD,qB;MAAQ,OAAO,M;K;iGAER,qB;
MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,
U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;qGAEnB,qB
;MAAQ,OAAiB,gB;K;qFAQ3B,qB;MAAQ,OAAS,Q;K;mFAElB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAA
S,Q;K;mFAQxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEp
B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FI3Q/F,gB;MACkC,
oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MACkC,
4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,E
AAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAC6D,iBAAY,KAAZ,C;K;+GCiC7D,sJ;MACsC,mB;QA
AA,MA6GuD,M;OA7GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,
qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;
MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,
SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,
oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAsC,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EA
AE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;
MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,I
AAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,E
AAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,I
AAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAeX,+B;MACsE,oB;QAAA,OAAgB,S;MAClF,QAA
Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;
K;qHASX,e;MACyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K
;mHA2BX,+D;MACqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,
wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,
EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;iGAS
wE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FAQvB,qB;MAA
Q,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCvJ3F,uB;MACsC,qB;QAAA
,QAAiB,S;MAAW,oB;QAAA,OPq3MW,S;OOp3MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,MA
AF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MACgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,
2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;
MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MA
CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,
IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,O
AAO,C;K;uGA2DX,qC;MACqC,mC;QAAA,sBAAgC,K;MAAO,oB;QAAA,OA2UD,Q;OA1UvE,QAAQ,E;MAC
R,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;yGAmBX,yC;MACsC,uB;QAA
A,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChH,QAAQ,E;MACR,EAAE,SAA
F,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;yGA0BX,2B;MA
EI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAgCX,sE;MACo
D,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB
,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,
Q;MAChB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE
,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GAyBX,0D;MAC2D,sB;QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K
;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MA
Cf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IA
AgB,Q;MAChB,OAAO,C;K;2GAeX,qC;MAC4D,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAA0B,S;MAC/G,QA
AQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAA
O,C;K;uHAuCX,mF;MAC6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MA

AW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu
B,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,
M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,S
AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;qGA+BX,6D;
MACoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,yB;QAAA,YA
AqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,
IAAkB,U;MAClB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGAkBX,4C;MACsC,oB;QAAA,OAAgB,S;MAA
W,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QAAA,UAA8B,S;MAC3J,QAAQ,E;MACR,
EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,
O;MACf,OAAO,C;K;+FAiCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAY,W;K;+FAEnB,qB;MAAQ,OA
Aa,Y;K;6FAEtB,qB;MAAQ,OAAY,W;K;6FAEpB,qB;MAAQ,OAAY,W;K;6FAQtC,qB;MAAQ,OAAY,W;K;6FA
EpB,qB;MAAQ,OAAY,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEnB,qB;MAAQ,OAAO,M;K;uFAQX,qB;MAA
Q,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,OAAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iG
C3ZrE,0E;MACoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAkB,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB
;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE
,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;
MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;mFAS8E,qB;MAAQ,OAA
G,E;K;+FAEL,qB;MAAQ,OAAc,a;K;iFAE7B,qB;MAAQ,OAAO,M;K;yFAEX,qB;MAAQ,OAAW,U;K;+FAEvB,
qB;MAAQ,OAAO,M;K;+FAEf,qB;MAAQ,OAAO,M;K;ICvHnE,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2
C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAA
A,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAAA,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aA
AA,O;UAAA,6C;gBAAA,8D;;K;;;IAyBmC,sC;MAAnC,8B;K;;IAAmC,qC;MAArC,8B;K;;IC1DJ,iC;K;;ICMA,4B;
K;;ICCA,qC;K;;IA4BA,+B;K;;ICRqC,uC;MAAjC,uB;QAAA,UAAsB,E;MAAtB,qB;QAAA,+C;MADA,sB;MACA
,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;
MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA,
S;UAAA,gD;aAAA,O;UAAA,8C;gBAAA,+D;;K;;;IAyByB,4B;MAAzB,qC;MAAC,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6
D,c;;QhI4/C7C,Q;QADhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,sB;QAAhB,OAAgB,cAA
hB,C;UAAgB,2B;UAAM,IgI5/C6C,OhI4/C,SgI5/C+B,UhI4/C7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,
K;;;MgI7/CsD,iB;K;uDAE7D,oB;MACa,c;;QhIo+CG,Q;QADhB,IAAI,cgIn+CA,QhIm+CA,iBgIn+CA,QhIm+CsB
,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,OgIp+CZ,QhIo+CY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
AM,IAAI,CgIp+CP,oBhIo+CkB,OgIp+ClB,ChIo+CG,C;YAAyB,aAAO,K;YAAP,e;;QAC9C,aAAO,I;;;MgIr+CH,i
B;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,qE;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GA
A6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAkC,4BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6B,wCA
A7B,C;K;2CAIlC,Y;MAI4C,uBAAgB,IAAhB,C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;I
C/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8
C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IACA,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K
;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;U
AAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA,iC;gBAAA,6D;;K;;IAOA,4B;MAAK,qC;MAAC,kB;K;IAAN,yC;
AE5B,Y;MAEiB,IAAN,I;MvIUX,IAAI,EuIXQ,mDvIWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAA
Q,WAAjC,C;OuIZC,QAAM,oBAAN,M;aACH,M;UAAc,Y;UAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UA
HL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,mD;MAEA,O
AAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MACA,OAAO,kD;K;+CAeX,iB;MAII,2BAAY,K;MACZ,gD;K;sCA
GJ,Y;MAII,+C;K;;IClDkC,wB;MAoFtC,oC;MApFgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;
QlI6R3C,Q;QADb,YAAY,C;QACC,sB;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IkI9RmE,OlI8RrD,IkI9RqD,UlI8
RnE,C;YACI,sBAAO,K;YAAP,wB;WACJ,qB;;QAEJ,sBAAO,E;;;MkIlSiD,0B;K;+CAExD,mB;MAA4D,sB;;QlIs
T5D,eAAoB,0BAAa,SAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,IkIxTsE,OlIwTxD,QAAS,WkIxT+C,UlIwT
tE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;QAGR,qBAAO,E;;;MkI5TqD,yB;K;0CAE5D,Y;MAA+C,+C;+CAAiB,mB;MAC
AjB,C;K;kDAE/C,iB;MAAyD,+CAAiB,KAAjB,C;K;6CAEzD,mB;MAA8D,gCAAQ,QAAR,EAAc,SAAd,EAAyB,EAAzB,

OAAzB,C;K;IAElC,wD;MAAgF,uB;MAA/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAlB,EA
A6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAlB,
EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;K;wEAGY,Y;MAAQ,mB;K;;oCAGnC,iB;M
AMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAc,
IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;k
DAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1C,Y;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAC
X,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHzC,oB;MAGwD,iD;MAGhD,gEAAmB,KAAnB,EAA0B,WAAkB,KA
A5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAsC,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,
CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC1B,OAAO,yBAAI,mCAAJ,EAAI,YAAJ,E;K;4DAGX,Y;MAAoC,sB
AAQ,CAAR,I;K;;IAGxC,kC;MAAAA,sC;K;iEACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,M
AAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAjD,C;Q;kEAId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C
;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAjD,C;Q;iEAId,oC;MACI,IAAI,YAAY,CAAZ,IAAAiB,UAA
U,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAAlC,gBAAkD,IAA5E,C;OAEV,IAAI,YAAY,O
AAhB,C;QACI,MAAM,gCAAyB,gBAAa,SAAb,oBAAmC,OAA5D,C;Q;kEAId,sC;MACI,IAAI,aAAa,CAAb,IAA
kB,WAAW,IAAjC,C;QACI,MAAM,8BAA0B,iBAAc,UAAd,oBAAqC,QAArC,gBAAsD,IAAhF,C;OAEV,IAAI,a
AAa,QAAjB,C;QACI,MAAM,gCAAyB,iBAAc,UAAd,qBAAsC,QAA/D,C;Q;+DAId,a;MAEc,UACsB,M;MAFhC
,iBAAe,C;MACL,mB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,aAAW,MAAK,UAAL,SAAiB,6DAAiB,CAAl
C,K;;MAEf,OAAO,U;K;6DAGX,oB;MAIiB,Q;MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OA
AO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9
B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,I;K;;;IAjDf,8C;MAAA,6C;QAAA,4B;OAAA,sC;K
;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAA
d,S;K;gDAGX,iB;MAAwE,gBAAR,Y;MAAQ,c;;QnIo/CxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAA
O,K;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,ImIp/CwD,OnIo/C1C,OmIp/C6C,MAA
H,QnIo/CxD,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;MmIr/CyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C
;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MAChB,YAAY,KAAM,M;M;M/IwMO,Q;M+IvMzB,e/IuM4C,CAAnB
,mDAAmB,Y+IvMzB,G/IuMyB,C;M+IrM5C,IAAI,eAAS,QAAT,CAAAJ,C;QACI,OAAO,K;OAIP,6B;MAAA,W;Q
/IiNqB,U;Q+IjND,U/IiNoB,CAAnB,uDAAmB,oB+IjNP,G/IiNO,C;O+IjN5C,W;QACI,OAAO,K;OAGX,OAAO,I;
K;mCAIX,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MAChC,
IAAI,cAAQ,KAAM,KAAlB,C;QAAwB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;QnI+7CT,Q;QADhB,IAAI
,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAA
I,CmI/7CK,2BnI+7CM,OmI/7CN,CnI+7CT,C;YAAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MmIh8CH,iB;K;sCA
GJ,e;MAAwC,Q;MAAA,4CAAc,GAAd,8B;K;qCAGxC,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAEvC,Y;MAAk
C,qBAAQ,C;K;+DACnB,Y;MAAQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EACb,mB;MAAsD
,+CAAY,OAAZ,C;K;IAI3C,sG;MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FAChD,Y;MAAyB,OAA
A,0BAAc,OAAO,I;K;;wEAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;kGAMmB,Y;MAAQ,OAAA,qBAAi
B,K;K;;+DAb5D,Y;MACI,IAAI,4BAAJ,C;QACI,+E;OAcJ,OAAO,mC;K;IAOwD,uD;MAAA,qB;QAAE,2CAAS,
EAAT,C;O;K;qCAAzE,Y;MAAkC,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6
B,iCAA7B,C;K;+CAE1C,iB;MAAuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;K;
+CAEnF,a;MAAwC,OAAI,MAAM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtD,4E;MAAA,wC;M
AAS,6B;K;gFACf,mB;MAAsE,iDAAc,OAAd,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OAAA,0BAAc,
U;K;6FAChD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;;0EAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,iG;K;oGA
MmB,Y;MAAQ,OAAA,qBAAiB,K;K;;iEAb5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;OAcJ,OAAO,qC;K;oDAMf,e;
MAA8D,gBAAR,Y;MAAQ,sB;;QnI8G9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,ImI9GsD
,OnI8GxC,OmI9G2C,IAAH,MnI8GtD,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MmI/G+C,yB;K;IAE
tD,iC;MAAA,qC;K;4DAEI,a;MAAiE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBA
AjC,CAAiC,8DAAqB,CAAjD,C;K;4DAChE,a;MAAyD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;K;
0DACnE,oB;MACI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAAA,CAAE,IAAF,EAAS,KAAM,IAAf,
KAAsB,OAAAA,CAAE,MAAF,EAAW,KAAM,MAAjB,C;K;;;IANrC,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;;IC/

HqC,uB;MAkBrC,mC;MAlB+D,6B;K;mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,
0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAgB,KAAhB,C;K;qCAGX,Y;MAG+B,qEAAkB,I
AAlB,C;K;IAE/B,iC;MAAA,qC;K;gEACI,a;MAEoB,Q;MADhB,iBAAe,C;MACC,mB;MAAhB,OAAgB,cAAhB,
C;QAAgB,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MACI,IAAI,CAAE,
KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MACjC,OAAO,CAAE,qBAAY,KAAZ,C;K;;;IAXjB,6C;MA
AA,4C;QAAA,2B;OAAA,qC;K;;;;;;MCPA,cAAwB,C;MACxB,yB;MAEA,sBAAyB,C;;8DAAzB,Y;MAAA,0B;K,
OAAA,gB;MAAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAlB,C;QAAqB,MAAM,6BAAsB,mBAAtB,C;MAC3
B,IAAI,eAAe,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAgB,gBAApB,C;QACI,qBAAc,gBAAyB,gBAAZ
,WAAY,EAAc,EAAd,CAAzB,O;QACd,M;OAGJ,kBAAkB,yBAAY,kBAAY,OAAxB,EAA8B,WAA9B,C;MAClB
,oBAAa,WAAb,C;K;+CAGJ,oC;MAGI,kBAAkB,eAAe,eAAgB,CAA/B,K;MAClB,IAAI,eAAc,WAAd,QAA4B,C
AAhC,C;QACI,cAAc,W;MAClB,IAAI,eAAc,UAAd,QAA6B,CAAjC,C;QACI,cAAkB,cAAc,UAAlB,GAAgC,UA
AhC,GAAmD,U;MACrE,OAAO,W;K;0CAGX,uB;MAII,kBAAkB,gBAAmB,WAAnB,O;M1IsctB,U0IrcI,kB1IqcJ
,E0IrcyB,W1IqczB,E0IrcsC,C1IqctC,E0IrcyC,W1IqczC,E0Irc+C,kBAAY,O1Iqc3D,C;MAAA,U0IpcI,kB1IocJ,E0I
pcyB,W1IoczB,E0IpcsC,kBAAY,OAAZ,GAAmB,WAAnB,I1IoctC,E0Ipc+D,C1Ioc/D,E0IpckE,W1IoclE,C;M0Inc
I,cAAO,C;MACP,qBAAc,W;K;yCAGlB,yB;MAGW,Q;MAAP,OAAO,2BAAY,aAAZ,4D;K;yCAGX,iB;MAA2C,
OAAI,SAAS,kBAAY,OAAzB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B,GAA6D,K;K;yCAExG,iB;MAA2C,OAAI
,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CAExF,iB;MACoD,0BAAY,cAAO,KAAP,IA
AZ,C;K;yCAEpD,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAzB,GAAoC,CAApC,GAA2C,QAAQ,CAAR,I;
K;yCAEtF,iB;MAA2C,OAAI,UAAS,CAAb,GAA4B,cAAZ,kBAAY,CAA5B,GAA2C,QAAQ,CAAR,I;K;mCAEtF
,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QAnBlC,Q;QA
mBa,OAnBb,2BAmBkG,WAnBlG,4D;;K;uCAqBX,Y;MAG+B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBn
C,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ,C;QAAe,MA
AM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;
K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAlClC,U;QAkCmB,OAlCnB,6BAQyC,mBAA
Y,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA
,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sB
AAe,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6ClC,SA7CkC,IAAZ,CA6ChD,IAAmC,O;MACnC,w
BAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO
,2BA+DmB,WA/DnB,4D;MAgEP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,
CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAyB,kB;K;sCAE9D,Y;MAII,IAAI,
cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ,C;MARzC,Q;
MAkFP,cAlFO,2BAkFmB,iBAlFnB,4D;MAAmFP,mBAAY,iBAAZ,IAAAiC,I;MACjC,wBAAQ,CAAR,I;MACA,OA
AO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAyB,iB;K;qCAE7D,mB;MAEI,mBAAQ,OAAR,C;MA
CA,OAAO,I;K;uCAGX,0B;MACI,oCAAa,4BAAmB,KAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAAS,SAAb,C;QA
CI,mBAAQ,OAAR,C;QACA,M;aACG,IAAI,UAAS,CAAb,C;QACH,oBAAS,OAAT,C;QACA,M;OAGJ,sBAAe,Y
AAO,CAAP,IAAf,C;MA2BA,oBAjIgD,mBAAY,cAiI1B,KAjI0B,IAAZ,C;MAAmIhD,IAAI,QAAS,SAAD,GAAQ,C
AAR,IAAe,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,sBAAsB,mBAAY,WAAZ,C;QAEtB,IAAI,4BA
A4B,WAAhC,C;UACI,mBAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;U1I2S3C,U0I1SY,kB1I0SZ,E0I1SiC,kB1I0SjC
,E0I1S8C,W1I0S9C,E0I1SoD,cAAO,CAAP,I1I0SpD,E0I1S8D,2BAA2B,CAA3B,I1I0S9D,C;;UAAA,U0IxSY,kB1
IwSZ,E0IxSiC,kB1IwSjC,E0IxS8C,cAAO,CAAP,I1IwS9C,E0IxSwD,W1IwSxD,E0IxS8D,kBAAY,O1IwS1E,C;U
0IvSY,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U1IuShD,U0ItSY,kB1IsSZ,E0
ItSiC,kB1IsSjC,E0ItS8C,C1IsS9C,E0ItSiD,C1IsSjD,E0ItSoD,2BAA2B,CAA3B,I1IsSpD,C;;Q0InSQ,mBAAY,wB
AAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,WArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAuJ5C,IAAI,gBAAgB,IA
ApB,C;U1I6RR,U0I5RY,kB1I4RZ,E0I5RiC,kB1I4RjC,E0I5R8C,gBAAgB,CAAhB,I1I4R9C,E0I5RiE,a1I4RjE,E0I
5RgF,I1I4RhF,C;;UAAA,U0I1RY,kB1I0RZ,E0I1RiC,kB1I0RjC,E0I1R8C,C1I0R9C,E0I1RiD,C1I0RjD,E0I1RoD,I
1I0RpD,C;U0IzRY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IAAZ,C;U1IyR7B,U0IxR
Y,kB1IwRZ,E0IxRiC,kB1IwRjC,E0IxR8C,gBAAgB,CAAhB,I1IwR9C,E0IxRiE,a1IwRjE,E0IxRgF,kBAAY,OAA
Z,GAAmB,CAAnB,I1IwRhF,C;;Q0IrRQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MA

GkD,UAIxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAc,aAAd,wB;QACI,IAAI,CAA
C,QAAS,UAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,CAAd,8B;
QACI,IAAI,CAAC,QAAS,UAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGlC,wBAAQ,QA
AS,KAAjB,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAC/B,sBAAe,IAAK,KAAL,GAAY,
QAAS,KAArB,IAAf,C;MACA,8BAtLgD,mBAAY,cAsLvB,SAtLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,O
AAO,I;K;0CAGX,2B;MACI,oCAAa,4BAAmB,KAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAb,C;QACI,O
AAO,K;aACJ,IAAI,UAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;OAGX,sBAAe,IAAK,KAAL,GAAY,QAAS
,KAArB,IAAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MAsMhD,oBAtMgD,mBAAY,cAsM1B,
KAtM0B,IAAZ,C;MAuMhD,mBAAmB,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;Q
AGI,kBAAkB,cAAO,YAAP,I;QAElB,IAAI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y1IqOZ,U0IpOgB,k
B1IoOhB,E0IpOqC,kB1IoOrC,E0IpOkD,W1IoOlD,E0IpO+D,W1IoO/D,E0IpOqE,a1IoOrE,C;;Y0IlOgB,4BAAe,k
BAAY,OAA3B,I;YACA,sBAAsB,gBAAgB,WAAhB,I;YACtB,kBAAkB,kBAAY,OAAZ,GAAmB,WAAnB,I;YA
ElB,IAAI,eAAe,eAAnB,C;c1I8NhB,U0I7NoB,kB1I6NpB,E0I7NyC,kB1I6NzC,E0I7NsD,W1I6NtD,E0I7NmE,W1I
6NnE,E0I7NyE,a1I6NzE,C;;cAAA,U0I3NoB,kB1I2NpB,E0I3NyC,kB1I2NzC,E0I3NsD,W1I2NtD,E0I3NmE,W1I
2NnE,E0I3NyE,cAAO,WAAP,I1I2NzE,C;cAAA,U0I1NoB,kB1I0NpB,E0I1NyC,kB1I0NzC,E0I1NsD,C1I0NtD,E0
I1NyD,cAAO,WAAP,I1I0NzD,E0I1N6E,a1I0N7E,C;;;;UAAA,U0ItNY,kB1IsNZ,E0ItNiC,kB1IsNjC,E0ItN8C,W1I
sN9C,E0ItN2D,W1IsN3D,E0ItNiE,kBAAY,O1IsN7E,C;U0IrNY,IAAI,gBAAgB,aAApB,C;Y1IqNZ,U0IpNgB,kB1
IoNhB,E0IpNqC,kB1IoNrC,E0IpNkD,kBAAY,OAAZ,GAAmB,YAAnB,I1IoNlD,E0IpNmF,C1IoNnF,E0IpNsF,a1I
oNtF,C;;YAAA,U0IlNgB,kB1IkNhB,E0IlNqC,kB1IkNrC,E0IlNkD,kBAAY,OAAZ,GAAmB,YAAnB,I1IkNlD,E0I
lNmF,C1IkNnF,E0IlNsF,Y1IkNtF,C;YAAA,U0IjNgB,kB1IiNhB,E0IjNqC,kB1IiNrC,E0IjNkD,C1IiNlD,E0IjNqD,
Y1IiNrD,E0IjNmE,a1IiNnE,C;;;Q0I9MQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAgB,YAAhB,IAAZ,CAAvB,E
AAkE,QAAlE,C;;QAIA,2BAA2B,gBAAgB,YAAhB,I;QAE3B,IAAI,gBAAgB,IAApB,C;UACI,IAAI,QAAO,YAA
P,SAAuB,kBAAY,OAAvC,C;Y1IsMZ,U0IrMgB,kB1IqMhB,E0IrMqC,kB1IqMrC,E0IrMkD,oB1IqMlD,E0IrMwE,
a1IqMxE,E0IrMuF,I1IqMvF,C;;Y0InMgB,IAAI,wBAAwB,kBAAY,OAAxC,C;c1ImMhB,U0IlMoB,kB1IkMpB,E
0IlMyC,kB1IkMzC,E0IlMsD,uBAAuB,kBAAY,OAAnC,I1IkMtD,E0IlM+F,a1IkM/F,E0IlM8G,I1IkM9G,C;;c0Ih
MoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAY,OAAlC,I;c1IgMvC,U0I/LoB,kB1I+LpB,E0I/LyC,kB1I+LzC,E0I/
LsD,C1I+LtD,E0I/LyD,OAAO,YAAP,I1I+LzD,E0I/L8E,I1I+L9E,C;cAAA,U0I9LoB,kB1I8LpB,E0I9LyC,kB1I8L
zC,E0I9LsD,oB1I8LtD,E0I9L4E,a1I8L5E,E0I9L2F,OAAO,YAAP,I1I8L3F,C;;;;UAAA,U0I1LY,kB1I0LZ,E0I1Li
C,kB1I0LjC,E0I1L8C,Y1I0L9C,E0I1L4D,C1I0L5D,E0I1L+D,I1I0L/D,C;U0IzLY,IAAI,wBAAwB,kBAAY,OAAx
C,C;Y1IyLZ,U0IxLgB,kB1IwLhB,E0IxLqC,kB1IwLrC,E0IxLkD,uBAAuB,kBAAY,OAAnC,I1IwLlD,E0IxL2F,a1
IwL3F,E0IxL0G,kBAAY,O1IwLtH,C;;YAAA,U0ItLgB,kB1IsLhB,E0ItLqC,kB1IsLrC,E0ItLkD,C1IsLlD,E0ItLqD,
kBAAY,OAAZ,GAAmB,YAAnB,I1IsLrD,E0ItLsF,kBAAY,O1IsLlG,C;YAAA,U0IrLgB,kB1IqLhB,E0IrLqC,kB1I
qLrC,E0IrLkD,oB1IqLlD,E0IrLwE,a1IqLxE,E0IrLuF,kBAAY,OAAZ,GAAmB,YAAnB,I1IqLvF,C;;;Q0IlLQ,8BA
AuB,aAAvB,EAAsC,QAAtC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,SAAzB,
C;MAjRN,Q;MAmRP,OAnRO,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAsRX,0B;MACI,oC
AAa,2BAAkB,KAAlB,EAAyB,SAAzB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0R
P,iBA1RO,2BA0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0
BAAQ,OAAR,MAAoB,E;K;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA
3RmC,IAAZ,C;MA6RhD,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAzB,U;UACI,IAAI,gBAAW,mB
AAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QAAuB
,SAAZ,kBAAY,O;QAArC,qD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,W
AAR,I;;QAE9C,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC
,OAAO,UAAQ,kBAAY,OAApB,GAA2B,WAA3B,I;;OAIlD,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EAOa
,M;MAV/C,WA9SgD,mBAAY,cA8SnC,SA9SmC,IAAZ,C;MAgThD,IAAI,cAAO,IAAX,C;QACkC,kB;QAA9B,i
BAAc,OAAO,CAAP,IAAd,yB;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,W
AAR,I;;aAE3C,IAAI,cAAO,IAAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAA
W,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAApB,GAA2B,WAA3B,I;;QAEpB,uBAA
Z,kBAAY,C;QAAAiB,oB;QAA3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UA

AQ,WAAR,I;;OAIlD,OAAO,E;K;wCAGX,mB;MACI,YAAY,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;Q
AAiB,OAAO,K;MACxB,sBAAS,KAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAy
B,SAAzB,C;MAEb,IAAI,UAAS,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;OAG
X,oBAhVgD,mBAAY,cAgV1B,KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA2VP,I
AAI,QAAQ,aAAS,CAArB,C;QAEI,IAAI,iBAAiB,WAArB,C;U1I+FR,U0I9FY,kB1I8FZ,E0I9FiC,kB1I8FjC,E0I9
F8C,cAAO,CAAP,I1I8F9C,E0I9FwD,W1I8FxD,E0I9F8D,a1I8F9D,C;;UAAA,U0I5FY,kB1I4FZ,E0I5FiC,kB1I4Fj
C,E0I5F8C,C1I4F9C,E0I5FiD,C1I4FjD,E0I5FoD,a1I4FpD,C;U0I3FY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,O
AAZ,GAAmB,CAAnB,IAAZ,C;U1I2F7B,U0I1FY,kB1I0FZ,E0I1FiC,kB1I0FjC,E0I1F8C,cAAO,CAAP,I1I0F9C,E
0I1FwD,W1I0FxD,E0I1F8D,kBAAY,OAAZ,GAAmB,CAAnB,I1I0F9D,C;;Q0IvFQ,mBAAY,WAAZ,IAAoB,I;QA
CpB,cAAO,mBAAY,WAAZ,C;;QAGP,wBAjW4C,mBAAY,cAiWlB,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB
,iBAArB,C;U1IiFR,U0IhFY,kB1IgFZ,E0IhFiC,kB1IgFjC,E0IhF8C,a1IgF9C,E0IhF6D,gBAAgB,CAAhB,I1IgF7D,
E0IhFgF,oBAAoB,CAApB,I1IgFhF,C;;UAAA,U0I9EY,kB1I8EZ,E0I9EiC,kB1I8EjC,E0I9E8C,a1I8E9C,E0I9E6D,
gBAAgB,CAAhB,I1I8E7D,E0I9EgF,kBAAY,O1I8E5F,C;U0I7EY,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IA
AZ,IAAoC,mBAAY,CAAZ,C;U1I6EhD,U0I5EY,kB1I4EZ,E0I5EiC,kB1I4EjC,E0I5E8C,C1I4E9C,E0I5EiD,C1I4E
jD,E0I5EoD,oBAAoB,CAApB,I1I4EpD,C;;Q0IzEQ,mBAAY,iBAAZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,
OAAO,O;K;6CAGX,oB;MAAkE,0B;;QAa5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kBxJ2sMnB,Y
AAQ,C;SwJ3sMX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2Xh
D,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAd,UAAyB,IAAzB,U;YACI,cAAc,mB
AAY,KAAZ,C;YAGd,IAjBsE,CAAU,wBAiBlE,0EAjBkE,CAiBhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YA
AyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UA
AuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA/
BsE,CAAU,wBA+BlE,kFA/BkE,CA+BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I
;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;Y
ACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4ClE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IA
AuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAA
U,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MAvDuD,6B;K;6CAElE,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAA
K,U;QAAL,Y;UAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;SwJ3sMX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,m
BAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,
WAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAY
,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAX,EAA
oB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY
,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAy
B,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAA
c,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mB
AAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO
,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MArDuD,6B;K;2CAElE,qB;MASsB,IAII,IAJJ,EAKM,MA
LN,EAaA,MAbA,EAauB,MAbvB,EAkBI,MAlBJ,EAmBM,MAnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;
QAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;OwJ3sMX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1X
mC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAz
B,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAA
Z,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;QAGE,o
B;QAAuB,SAAZ,kBAAY,O;QAArC,uD;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGr
B,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,
UAAU,mBAAY,OAAZ,C;QAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBA
AY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mB
AAY,OAAZ,C;;YAEV,WAAW,I;;;;MAIvB,IAAI,QAAJ,C;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAE
X,OAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QA
CgB,OAAZ,kBAAY,EAAK,IAAL,EAAW,WAAX,EAAiB,IAAjB,C;;QACT,IlJrU6C,CAAC,ckJqU9C,C;UACS,O

AAZ,kBAAY,EAAK,IAAL,EAAW,WAAX,EAAiB,kBAAY,OAA7B,C;UACA,OAAZ,kBAAY,EAAK,IAAL,EA
AW,CAAX,EAAc,IAAd,C;;MAEhB,cAAO,C;MACP,YAAO,C;K;qDAGX,qB;MAEI,WA1bgD,mBAAY,cA0bnC,
SA1bmC,IAAZ,C;MA4bhD,IAAI,cAAJ,C;QACI,UAAU,WAAV,ElG9hBmC,EkG8hBnC,C;QACA,M;OAGJ,eAA
e,gBAAmB,SAAnB,O;MACf,IAAI,cAAO,IAAX,C;Q1IdJ,U0IeQ,kB1IfR,E0Ie6B,Q1If7B,EAD+F,CAC/F,E0IeoD,
W1IfpD,E0IeqE,I1IfrE,C;Q0IgBQ,UAAU,WAAV,EAAgB,QAAhB,C;;QAEY,gBAAZ,kB;Q1IlBR,UAAU,SAAV,
E0IkB6B,Q1IlB7B,EAD+F,CAC/F,E0IkBoD,W1IlBpD,EADuI,gBACvI,C;QAAA,U0ImBQ,kB1InBR,E0ImB6B,Q
1InB7B,E0ImBuC,kBAAY,OAAZ,GAAmB,WAAnB,I1InBvC,E0ImB6E,C1InB7E,E0ImB2F,I1InB3F,C;Q0IoBQ,
UAAU,cAAO,kBAAY,OAAnB,IAAV,EAAmC,QAAnC,C;;K;;IAthBR,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;
MAqBsB,Q;MACV,wBAAmB,CAAnB,C;QAAwB,uB;WACxB,sBAAkB,CAAlB,C;QAAuB,uBAAa,eAAb,O;;QA
Cf,MAAM,gCAAyB,uBAAoB,eAA7C,C;MAHlB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;
MAgCQ,sBAAc,gB;MAJlB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MAtC/C,sB;MAuCQ,sBpItC8D,YoIsChD,QpI
tCgD,C;MoIuC9D,aAAO,mBAAY,O;MACnB,IAAI,mBxJwnND,YAAQ,CwJxnNX,C;QAA2B,sBAAc,gB;MAN7
C,Y;K;ICnCJ,4B;MAMoB,Q;MzJqlcA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,OyJvlci
B,OzJulcjC,I;;MyJvlcJ,aAAa,iBzJylcN,GyJzlcM,C;MACb,wBAAgB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QA
CW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;M
ACZ,YAAY,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,M
AAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAA
A,U;QAAqB,OAAL,SzJ0nNhB,YAAQ,C;OyJ1nNf,W;K;oFAGJ,mC;MAUI,OzJ6mNO,qBAAQ,CyJ7mNf,GAAe,c
AAf,GAAmC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,SAAK,OAAL,KAAa,
KAAM,OAAvB,C;QAA6B,OAAO,K;MAEpC,4C;QACI,SAAS,UAAK,CAAL,C;QACT,SAAS,MAAM,CAAN,C;
QAET,IAAI,OAAO,EAAX,C;UACI,Q;eACG,IAAI,cAAc,UAAlB,C;UACH,OAAO,K;SAIP,0BAAsB,kBAAtB,C;
UAA4C,IAAI,CAAI,kBAAH,EAAG,EAAkB,EAAlB,CAAR,C;YAA+B,OAAO,K;eAClF,8BAAsB,sBAAtB,C;UA
A4C,IAAI,CAAI,cAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,I
AAI,CAAI,cAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAsB,qBAAtB,C;UAA4C,IAAI,C
AAI,cAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cA
AH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EA
AG,EAAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,E
AAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAc,E
AAd,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAc,EAAd,C
AAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,
C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YA
A2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,
OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAc,EAAd,CAAR,C;YAA2B,OAA
O,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;K;IAGX,4C;MAKI,aAAa,CAAK,eA
AL,gBAAK,EAAa,SAAb,CAAL,GAA6C,CAA7C,QAAiD,CAAjD,I;M5DuSW,kBAAxB,mB4DtSmB,M5DsSnB,
C;M4DrSI,oDnJ5BgD,gBmJ4BhD,C;MADJ,OxIlCO,W4EwUsC,W;K;I4DjSjD,mE;MAEI,IAAY,SAAR,0BAAJ,C;
QACI,MAAO,gBAAO,OAAP,C;QACP,M;OAEJ,SAAU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,
4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gBAAO,IAAP,C;SAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OA
CF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,mBAFE,OAEF,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EA
AoC,SAApC,C;aAC3B,uBAHE,OAGF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAf,C;aAC1B,wBAJE,OAIF,
E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAf,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBAAe,cAAR,OAA
Q,CAAf,C;aAC1B,uBANE,OAMF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAf,C;aAC1B,wBAPE,OAOF,E;U
AAmB,MAAO,gBAAe,cAAR,OAAQ,CAAf,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,
CAAf,C;aAC1B,uBATE,OASF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAf,C;aAC1B,0BAVE,OAUF,E;UAA
mB,MAAO,gBAAe,cAAR,OAAQ,CAAf,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CA
Af,C;aAC1B,kBAbE,OAaF,e;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAf,C;aAC1B,kBAdE,OAcF,a;UAAmB,
MAAO,gBAAe,gBAAR,OAAQ,CAAf,C;aAC1B,kBAfE,OAeF,c;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAf,
C;;UAEP,MAAO,gBAAO,OAAQ,WAAf,C;;MAIlC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,S

AAU,CAAnB,C;K;InJjJd,yB;MAAA,6B;K;sCACI,Y;MAAkC,Y;K;0CAClC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,
Q;K;4CAChC,Y;MAAoC,S;K;mCACpC,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;;IAN7C,q
C;MAAA,oC;QAAA,mB;OAAA,6B;K;IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U
;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,Y;MAAkC,W;K;6DAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACl
C,mB;MAAmD,Y;K;8CACnD,oB;MAAmE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,
KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAElD,Y;MAA6C,kC;K;uCAC7
C,Y;MAAqD,kC;K;+CACrD,iB;MACI,IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACt
B,OAAO,2B;K;0CAGX,8B;MACI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAA
M,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;;IA5BrC,iC;MAAA,gC;QAAA,e;O
AAA,yB;K;IA+BA,iC;MAA8D,6BAAkB,SAAlB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;qEA
ClC,Y;MAAQ,OAAA,WAAO,O;K;0CACtC,Y;MAAkC,OAAA,WNsnN3B,YAAQ,C;K;iDMrnNf,mB;MAA6C,O
AAO,SAAP,WAAO,EAAS,OAAT,C;K;sDACpD,oB;MAAsE,c;;Qa87CtD,Q;QADhB,IAAI,cb77CyD,Qa67CzD,iB
b77CyD,Qa67CnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,Ob97C6C,Qa87C7C,W;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UAAM,IAAI,Cb97CkD,oBa87CvC,Ob97CuC,Ca87CtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAA
O,I;;;Mb/7CsD,iB;K;2CAC7D,Y;MAAuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,O
AAwB,cAAxB,GcoGpC,SdpGoC,GcsGpC,SNwkBoB,Q;K;;IR3qB5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,
QAAS,OAAT,GAAgB,CAApB,GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,m
B;QAK0C,kB;O;KAL1C,C;+FAOA,yB;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+
D;MAAA,mB;QAMoD,uB;O;KANpD,C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAx
B,GAAyC,iBAAU,sBAAkB,QAAlB,EAAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,
CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAlB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OA
AI,eAAJ,GAAqB,OAAO,OAAP,CAArB,GAA0C,W;K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB
;MAaA,gE;MAbA,6B;QAyBI,WAAW,eAduE,IAcvE,C;QWFX,iBAAc,CAAd,UXZkF,IWYlF,U;UXG6B,eAf2D,I
AevD,CWFtB,KXEsB,CAAJ,C;;QAfyC,OAgB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW
,eAAa,IAAb,C;QWFX,iBAAc,CAAd,UXGO,IWHP,U;UXG6B,eAAI,KWFtB,KXEsB,CAAJ,C;;QAC7B,OAAO,I;
O;KAdX,C;wFAiBA,yB;MAAA,+D;MAAA,gC;QAc0B,gBAAf,gB;QAAqB,aWxF5B,W;QXwFA,OWvFO,S;O;K
XyEX,C;yFAiBA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QAkBI,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QA
Ab,C;QAA6B,aW9GpC,W;QX8GA,OW7GO,S;O;KX0FX,C;IA4BI,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;
K;IAQR,qC;MAAQ,OAAA,SAAK,KAAL,GAAY,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MA
WI,OAAO,qBAAgB,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB
;MAAA,qD;MAAA,4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAm
C,S;K;4FAGvC,+B;MAQoH,OAAA,SAAK,qBAAY,QAAZ,C;K;IAEzH,yC;MAAkD,QAAM,cAAN,C;aAC9C,C;
UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAAK,CAAL,CAAP,C;gBAFyC,OAGtC,S;;K;IAGZ,8D;M
AgBkE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5
B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GA
AN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,
MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;
;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAA
G,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAA
W,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,s
BAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,M
AAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,O
AAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8D;MAAA,4D;MAsBqC,8D;QAAA,qB;UAAE,qBA
Ac,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MAtBvC,+D;QAkBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,U
AAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,Y
AAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;
MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QACI,
AC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MA

AM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EA
AE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAY,OAAZ,C;QAAuB,MAAM,gCAAyB,gBAAa,SAAb,mC
AAkD,OAAlD,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACv
B,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAX,gCAA2C,IAA3C,OAA1B,C;K;IAchC,8B;MAEoC,M
AAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;;;;wFgG3Z1C,yB;M/FgCA,w
E;M+FhCA,uC;QAmBW,kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN
,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAClB,W/F6JJ,a+F7JgB,G/F6JhB,E+F3LyC,SA8B
lB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAnE,C/F6
JvB,C;;Q+F3LA,OAgCO,W;O;KAnDX,C;4FAsBA,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV
,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAClB,W/F6JJ,a+F7JgB,G/F
6JhB,E+F7JuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,
CAAnE,C/F6JvB,C;;M+F3JA,OAAO,W;K;iFAGX,yB;MAAA,gB;MAAA,8B;M/FtBA,wE;M+FsBA,6D;QAnCW,
kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,
C;UACV,kBAAkB,sBAAY,GAAZ,C;UA8BwE,U;UA7B1F,W/F6JJ,a+F7JgB,G/F6JhB,E+FhIkC,UA7BD,GA6BC,
EA7BoB,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX
,GAA6C,UA7BxD,WA6BwD,6DAA5D,EA7BiB,CA6BjB,C/FgIlC,C;;Q+FjIA,OA1BO,W;O;KAGX,C;kFA0BA,y
B;MAAA,gB;MAAA,8B;MAAA,0E;QAlCc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAA
U,sBAAM,CAAN,C;UACV,kBA6DQ,WA7DU,WAAY,GAAZ,C;UA6DuF,U;UAAjG,W/FiGZ,a+F7JgB,G/F6JhB,
E+FjGiD,UA5DhB,GA4DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,
GA4D0C,EA5DxB,CA4DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C/FiGjD,C;;Q+FlGA
,OACY,W;O;KA7BhB,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M/FhFA,wE;M+FgFA,qD;QA7FW,kB/FqBiD,oB;Q
+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAk
B,sBAAY,GAAZ,C;UAkFiD,U;UAjFnE,W/F6JJ,a+F7JgB,G/F6JhB,E+F5EgC,UAjFsB,uBAAuB,CAAC,WAAY,
mBAAY,GAAZ,CAiFhD,kBAA6B,UAjFjC,WAiFiC,6DAAvC,EAjFmB,CAiFnB,C/F4EhC,C;;Q+F7EA,OA9EO,
W;O;KA6DX,C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV
,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAY,GAAZ,C;UA2GgE,U;UAA1E
,W/FmDZ,a+F7JgB,G/F6JhB,E+FnD+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B
,UA1GhD,WA0GgD,6DAAvC,EA1GI,CA0GJ,C/FmD/C,C;;Q+FpDA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAA
A,gB;MAAA,8B;M/F9HA,wE;M+F8HA,uC;QA3IW,kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,
cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UACC,oB;UAkIc,U;U
AAjC,IAlIkD,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAkItF,C;YADA,mBAjI+C,C;;YAiI/C,mBACkB,UAlIW,
GAkIX,EAAe,UAlIC,WAkID,6DAAf,EAlI6B,CAkI7B,C;;UAlIlB,W/F6JJ,a+F7JgB,G/F6JhB,mB;;Q+F7BA,OA9
HO,W;O;KA2GX,C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,c
AAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAY,GAAZ,C;UACC,oB;UA8J
c,U;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACk
B,UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W/FCZ,a+F7JgB,G/F6JhB,mB;;Q+
FDA,OAAY,W;O;KAvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QAC
N,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAY,GAAZ,C;QA2GgE,U;QAoE/E,W/FjBP,a+F7JgB,G
/F6JhB,E+FiBmC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CApEqC,GAA6B,U
A1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I/FjBnC,C;;M+FiBA,OAAO,W;K;IoDnP0B,oC;MAAC,kB;MAAuB,k
B;K;;wCAN7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,q
CAN7D,C;K;sCAAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAAA,Y;MAAA,c;MAMsC,sD;MA
AuB,sD;MAN7D,a;K;oCAAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wF/IEA,yB;MAAA,kC;MAAA,
4C;MAAA,kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;
IAcsC,2C;MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,
SAAK,KAAhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAEpH,uC;M
ACqD,wBAAO,CAAP,IAAY,mC;K;IAEjE,4D;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;
QAEQ,yCAAwB,MAAO,KAAP,GAAc,CAAtC,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA

+B,sBAA/B,GAAgD,S;;QALpE,OAOY,sB;K;IAGhB,gD;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAF
E,SAEF,c;QAFJ,OAE8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFrE,OAGY,sB;K;IAIhB,8B;MA
MoB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OA
AP,C;;MAEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAAY,iBAAa,
YAAb,C;MACZ,YAAY,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAA
K,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFU/EX,qB;MAKqE,gB;
K;IAErE,iC;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAgB,mBAAhB,C;QAAgB,8B;QAAM,UAAU,
OAAV,C;;K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MA
A6E,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sFsI5BjD,y
B;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAV
jC,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aA
A9B,0D;O;KAXjC,C;wFAaA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAKiC,Q;QAA7B,OAA6B,wCA
AqB,QAAS,aAA9B,0D;O;KALjC,C;sFAOA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAnB,C;K;IC1CT,8
C;MAUI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAArB,C;MAET,4B;MrJ0SI,Q;MALX,YAAY,oBqJrSa,
GrJqSb,C;MACZ,IAAI,iBAAiB,CAAC,4BqJtSG,GrJsSH,CAAtB,C;QqJtSgC,MAAM,2BAAuB,wCAAvB,C;;QrJ0
SlC,2BAAO,sE;;MqJ1SX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,Y
AAZ,C;;QADlC,OAEY,uBAAmB,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OA
CyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA0B,SAA1B,EAAgC,YAAhC,C;K;;;;;;;IAc0B,4C;
MAAC,wB;MAAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K
;4CAChD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;sEACf,Y;MAAQ,OAAA,
QAAI,K;K;2CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;uDA
ChD,iB;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;sEACT,
Y;MAAQ,OAAA,QAAI,K;K;wEACH,Y;MAAQ,OAAA,QAAI,O;K;yEACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEv
D,e;MAAmD,gBAAJ,Q;MAAI,4B;MrJkPxC,Q;MALX,YAAY,oBqJ7OyD,GrJ6OzD,C;MACZ,IAAI,iBAAiB,CAA
C,4BqJ9O+C,GrJ8O/C,CAAtB,C;QACI,2BqJ/OwE,mB;;QrJkPxE,2BAAO,sE;;MqJlPoC,+B;K;;IAGN,mD;MAAC,
wB;MAA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDAC
hD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;6EACf,Y;MAAQ,OAAA,QAAI
,K;K;kDACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DAChD,i
B;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;6EACF,Y;MA
AQ,OAAA,QAAI,K;K;+EACH,Y;MAAQ,OAAA,QAAI,O;K;gFACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;
MAAyC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yD
ACtC,gB;MAA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MA
AI,4B;MrJ6NxC,Q;MALX,YAAY,oBqJxNyD,GrJwNzD,C;MACZ,IAAI,iBAAiB,CAAC,4BqJzN+C,GrJyN/C,CA
AtB,C;QACI,2BqJ1NwE,mB;;QrJ6NxE,2BAAO,sE;;MqJ7NoC,+B;K;;IrJvFnD,oB;MAAA,wB;MACI,8C;K;gCAE
A,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;4DAEX,Y;MAAQ,Q;K;i
CAC/B,Y;MAAkC,W;K;2CAElC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;+DACY,Y;
MAAQ,6B;K;4DAC/B,Y;MAAQ,6B;K;8DACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;;IAjBrC,gC;MAAAA,+B
;QAAA,c;OAAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAaI,OAAI,KAAM,OAAN,G
AAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAlB,CAAd,CAAN,CAA1B,GAA6E,U;K;
kFAEjF,yB;MAAAA,oD;MAAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAAA,wE;MAAAA,mB;QAQ4D,2B;O;K
AR5D,C;IAUA,+B;MAYiD,gBAA7C,qBAAoB,YAAY,KAAM,OAAlB,CAApB,C;MAAqD,wB;MAArD,OUJO,S;
K;wFVMX,yB;MAAAA,4D;MAAAA,mB;QAOsD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAAY,KAA
M,OAAlB,CAAd,C;MAA+C,wB;MAA/C,OUrB5D,S;K;4FVuBX,yB;MAAAA,wE;MAAAA,mB;QAK8D,2B;O;KAL
9D,C;IAOA,8B;MAU+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAlB,CAAd,CAAN,C;K;sFAE
rF,yB;MAAAA,wE;MAAAA,gC;QAgBiC,gBAAtB,oB;QAA4B,aU3DnC,W;QV2DA,OU1DO,S;O;KV0CX,C;uFAmB
A,yB;MAAAA,4E;MAAAA,0D;MAAAA,uE;MAAAA,0C;QAoBI,qBAAqB,QAArB,C;QACkD,gBAA3C,mBAAoB,YA
AY,QAAZ,CAApB,C;QAAAiD,aUnFxD,W;QVmFA,OUlFO,S;O;KV6DX,C;4FAsCA,qB;MAE+D,QAAC,mB;K;k
GAEhE,qB;MAWI,OAAO,qBAAgB,mB;K;sFAG3B,yB;MAAAA,oD;MAAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;

sFAQA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;yFAEvC,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA
8BiC,Q;QAxB2E,OAwBxD,CAAnB,wDAAmB,oBAxBoE,GAwBpE,C;O;KA9BpD,C;+EAQA,yB;MAAA,kC;MA
AA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAK
I,sBAAI,GAAJ,EAAS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAA
nB,wDAAmB,oBAAY,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,y
B;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;
6FAWA,qB;MAWoE,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAA
L,EAAU,eAAV,C;O;KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAAY,c;K;uGAG7F,yB;MAAA,
gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAY,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAZ,
CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAArB,C;K;sFAElD,wC;
MAUW,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MA
AT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEhG,qB;MAMgH,OAAA,i
BAAQ,W;K;4FAExH,6C;MYkwBoB,Q;MAAA,OZ7vBT,iBY6vBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q
Z7vBa,WY8vBb,aAAgB,OZ9vBe,IY8vB/B,EZ9vBsC,SY8vBZ,CAAe,OAAf,CAA1B,C;;MZ9vBhB,OAA6B,W;K;
wFAGjC,6C;MY0vBoB,Q;MAAA,OZlvBT,iBYkvBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QZlvBa,WYmv
Bb,aZnvB0B,SYmvBtB,CAAY,OAAZ,CAAJ,EAAyC,OZnvBC,MYmvB1C,C;;MZnvBhB,OAA6B,W;K;IAGjC,k
C;MAIyB,Q;MAArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,s
BAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,
IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAA
qB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;wFAIR,yB
;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;QY2sBH,Q;QAAA,OZ7v
BT,iBY6vBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZ7vBa,WY8vBb,aAAgB,OZ9vBe,IY8vB/B,EZ5sB2C,S
Y4sBjB,CAAe,OAAf,CAA1B,C;;QZ5sBhB,OAlD6B,W;O;KAyCjC,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,
uC;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,CAApB,C;QY4rBD,Q;QAAA,OZlvBT,iBYkvBS,W;QAAhB,OAAg
B,cAAhB,C;UAAgB,yB;UZlvBa,WYmvBb,aZ7rByC,SY6rBrC,CAAY,OAAZ,CAAJ,EAAyC,OZnvBC,MYmvB1
C,C;;QZ7rBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,
OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YAC
I,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;8FAgBA,yB;MAAA,wE;M
AAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAd,C;UAAc,uB;UAC
V,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OA
AO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;QAA
gB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGp
B,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAfA,Q;QAAA,OA3HoE,iBAAQ,W;QA2
H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IA
AZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX,C;+FAUA,6C;MAOoB,Q;MAAA,OAAA,SApJoE,QA
AQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,WAAY,aAAI,
OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;2FAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAA
Y,oB;QAfH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CAckC,SAdjC,C
AAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX
,C;IAUA,0B;MAQqB,I;MADX,IAAI,oBAAJ,C;QACW,QAAM,cAAN,C;eACACH,C;YAAK,iB;YAAL,K;eAC
A,C;YAAK,aAAU,8BAAJ,GAAAkB,sBAAK,CAAL,CAAlB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,0BAA
M,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;OAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CA
A6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM6D,QAAM,gBAAN,C;aACzD,C;
UADyD,OACpD,U;aACL,C;UAFyD,OAEpD,MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAA
oB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAGZ,yC;MAIwB,OAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM4D
,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B
;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,Oalb8B,uB;gBbkb9B,OAGzC,uB;;K;IA
GZ,iC;MAMmE,4BAAc,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAA

I,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBAApB,qBAAc,SAAd,C;QAA4B,wBAAS,UAAT,
EAAqB,WAArB,C;QAAjE,OUthBO,W;;MVshBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,
OAA0B,MAAN,KAAM,C;;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,4B;QAAnE,OU/hBO,W;;MV+hBP,W;K;I
AEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,KAAM,C;;QAAiC,kBAApB,qBAAc,SA
Ad,C;QAA4B,0B;QAAnE,OUxiBO,W;;MVwiBP,W;K;IAEJ,mC;MAOwB,kBAApB,qBAAc,SAAd,C;MAA4B,4B
;MAA5B,OAA4C,oBUjjBrC,WVijBqC,C;K;IAEhD,iC;MAOwB,kBAApB,qBAAc,SAAd,C;MAA4B,+B;MAA5B,
OU1jBO,W;K;0FV6jBX,2B;MAKI,sBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;K;4FAGJ,yB;MAAA,gD;MA
AA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ
,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;
K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;MAsCL,6B;MAtCA,OAA+C,oBU5mBxC,WV4mBwC,C;K;IAEnD,
mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBUtnBzC,WVsnByC,C;K;IA
EpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBUhoBzC,WVgoByC,C
;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MAnCV,OAAgD,oBU1oBzC,WV0o
ByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAA
K,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;
KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;IAUA,wC;
MACsD,QAAM,cAAN,C;aAClD,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;K;oFsJ5vBZ,yB;
MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wF
AYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;K
AT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,Q
AAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAI,OAAJ,C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAA
L,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O
;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAK
I,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;
8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MA
AA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;IAQA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAA
iB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,I
AAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,O
AAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,
OAAO,yBAAgB,OAAT,QAAS,CAAhB,C;K;IAGX,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAl
HG,Q;MAkH7B,OAlH2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAqH/D,0C;MAII,UAAmB,YAAT,QAAS,C;M
ACnB,OvJ6DwD,CuJ7DjD,GvJ6DkD,UuJ7DlD,IAAoB,4BAAU,GAAV,C;K;IAG/B,0C;MAII,O7JqlNO,E6JrlNA,
Q7J6gNA,YAAQ,CAwER,C6JrlNA,IAAyB,4BAAmB,UAAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,g
CAAT,QAAS,EAAgC,SAAhC,C;MA7HG,Q;MA6H7B,OA7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAgI/D,0
C;MAII,I7JukNO,E6JvkNH,Q7J+/MG,YAAQ,CAwER,C6JvkNP,C;QACI,OAAO,4BAAmB,UAAT,QAAS,CAAn
B,C;;QAEP,OAAO,wB;K;IAGf,0C;MAII,UAAmB,YAAT,QAAS,C;MACnB,IvJ6BwD,CuJ7BpD,GvJ6BqD,UuJ7
BzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEP,OAAO,wB;K;IAGf,kC;MACI,avJsBwD,CAAC,mB;MuJrBzD,iB;
MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,SAAd,EAAyB,IAAzB,C;K;IAElF,2C;MAKkF,gCAAc,SAAd,EAA
yB,KAAzB,C;K;IAElF,sE;MACI,iBAAa,KAAb,C;M5IlJgB,kB4ImJX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,U
AAU,kBAAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;SAGrB,OAAO,Q;K;IAIX,uC;MAK+E,kBAAhB,0B;MAAwB,
8B;MAAxB,O5IrJpD,W;K;oF4IwJX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe
,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAI,mBAAJ,GAAe,I
AAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAA
rB,OAAmE,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,2BAAT,C;K;I
AEhF,2C;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAyB,KAAzB,C;K;IA
E9E,wE;MAEgB,UAGS,MAHT,EAcY,MAdZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B,
EAAc,SAAd,EAAyB,uBAAzB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAAkB,CAAlB,mC;QACI,cAAc,sBA
AK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAlB,C;UACI,sBAA

K,UAAL,EAAmB,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAArC,oE;UACI,
2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEP,OAAO,K;;K;IAIf,sC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI,
QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBA
AK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;ICvTsC,wC;MAAkC,uB;MAAjC,0B;K;wEACpB,
Y;MAAQ,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;;IAGT,gC;MAAyC,8B;
MAAxC,0B;K;gEACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K
;mCAElC,Y;MAAuB,eAAS,Q;K;8CAChC,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;K;yCA
EhD,0B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;K;yCACvD,0B;MACI,eAAS,a
AAI,2BAAqB,KAArB,CAAJ,EAAiC,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ
,C;QAAA,OAA2B,8BAAY,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,C
AA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,K
AAP,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGlD,+B;M
AK+C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;;IlJtC7D,oD;MAQuF,wC;K;IARvF,8CASI,
Y;MAAuC,8B;K;IAT3C,gF;ImJc8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG,oCAAS,sB
AAT,C;K;8FAErG,yB;MAAA,kD;MnJhBA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,
8B;O;MAT3C,8E;MmJmB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,
C;O;KAHlI,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;
MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHlI,C;IAgB0C,yB;K;+CA
oBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MAClD,OAAO,sBAAS,QAAS,WAAlB,e;K;+CAG
X,kC;MAQqD,6BAAS,QAAS,WAAlB,e;K;;;;;;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;
MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;Y
AAA,K;eACA,C;YACI,IAAI,kCAAe,UAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;;YALvB,K;eAO
A,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGlB,eAAQ,C;QACR,WAAW
,4B;QACX,gBAAW,I;QACX,ItGhGR,oBD6CQ,WuGmDY,kBvGnDZ,CC7CR,C;;K;6CsGoGA,Y;MACU,IASe,I;
MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,
O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAY,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAItB,
Y;MACI,IAAI,CAAC,cAAL,C;QAAAgB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;
aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAA
oC,YAA1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAY,
K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;
K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAd,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6
C,6CAAtC,c;K;2DAMX,kB;MvGvBO,Q;MADP,euG0BI,MvG1BJ,C;MACO,QuGyBH,MvGzBG,+D;MuG0BH,e
AAQ,C;K;8EAIR,Y;MAAQ,0C;K;;InJ5LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAA
A,yB;MAAA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;
QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALlE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K
;IAEzE,8B;MAK6D,OAAI,QZ6oNtD,YAAQ,CY7oN0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;
MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,k
C;K;;;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;
KANpE,C;IAgB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;;kDAAA,Y;;;;;
cACxF,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA
,yB;gBAAA,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;;;;cAJJ,W;;cAAA,W;;
;;;;;;;;;;;;K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,
uCAAT,C;K;IAcb,4B;MAAE,OAAA,EAAG,W;K;IAL3E,8B;MAK8D,4BAAQ,cAAR,C;K;IAQQ,8B;MAAE,OA
AA,EAAG,W;K;IAN3E,8B;MAM8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,
IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,EAAyB,g
BAAzB,EAAiC,QAAjC,C;K;IAGX,4B;MAUiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,
cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,
UAAS,KAAT,C;K;IAUwB,0D;MAE/B,wB;QAAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;M

AAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,
UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,i
BAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,
IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE
;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;I
A2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAAA,0D;MACnC,gBAAe,oCAAS,W;K;iEACxB,Y;MACI,OA
AO,6CAAY,aAAS,OAArB,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;M
ACI,OAAO,uBAA4B,eAA5B,EAAsC,kBAAtC,EAAmD,QAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,
8F;MAAA,wE;MACnC,gBAAe,2CAAS,W;MACxB,aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,o
BAAmB,iBAAnB,EAAmB,yBAAnB,QAAZ,EAAyC,aAAS,OAAlD,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qD
ARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBAAe,gCAAS,W;MACxB,aAAY,C;K;6
DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAb,EAA0C,aAAS,OAAn
D,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MA
CA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,
OAAO,sCAAU,cAAU,OAApB,EAA4B,cAAU,OAAtC,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAA
U,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,
gBAAe,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,O
AAO,gCAAe,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,o
BAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAAd,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;U
ACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OA
AO,I;;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;;;;;IA+Cd,qD;MACzB,0B;MACA,8B;MACA,0B;MC5QA,I
AAI,EDgRQ,qBAAc,CChRtB,CAAJ,C;QACI,cD+Q2B,+CAA4C,iB;QC9QvE,MAAM,gCAAyB,OAAQ,WAAjC,
C;OAFV,IAAI,EDiRQ,mBAAY,CCjRpB,CAAJ,C;QACI,gBDgRyB,6CAA0C,e;QC/QnE,MAAM,gCAAyB,SAAQ
,WAAjC,C;OAFV,IAAI,EDkRQ,mBAAY,iBClRpB,CAAJ,C;QACI,gBDiRkC,0DAAuD,eAAvD,WAAmE,iB;QCh
RrG,MAAM,gCAAyB,SAAQ,WAAjC,C;Q;kEDmRa,Y;MAAQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAyC,OAAI,K
AAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,oBAAa,CAAb,IAAtB,EAAsC,eAAtC,C;K;yCAC9
E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAY,eAAZ,EAAsB,iBAAtB,EAAkC,oBAAa,CAA
b,IAAlC,C;K;IAEzC,8D;MAAAA,wC;MAEtB,gBAAe,2BAAS,W;MACxB,gBAAe,C;K;0DAEf,Y;MAEI,OAAO,gB
AAW,kCAAX,IAAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,
gCAAZ,IAAyB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;
MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,uC;MAC1B,0B;MACA,oB;MC5TA,IAAI,EDgU
Q,gBAAS,CChUjB,CAAJ,C;QACI,cD+TsB,yCAAsC,YAAtC,M;QC9TtB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;
0CDiUV,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,CAAtB,EAAyB,YAAz
B,C;K;0CAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,C;K;IA
E5B,gE;MACnC,YAAW,yB;MACX,gBAAe,4BAAS,W;K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAA
M,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC
,Y;MAAuC,oD;K;;IAsB3C,gD;MACI,0B;MACA,4B;K;IAEuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACx
B,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IA
AI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;UACX,M;UAGR,iBAAY,C;K;8DAGhB,Y;MAMi
B,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;
MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MA
CJ,OAAO,mBAAa,C;K;;2CAlC5B,Y;MAAuC,yD;K;;IA2Cb,uC;MAC1B,0B;MACA,oB;MC7YA,IAAI,EDgZQ,g
BAAS,CChZjB,CAAJ,C;QACI,cD+YsB,yCAAsC,YAAtC,M;QC9YtB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;0C
DiZV,a;MKvUO,SLuUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAAb,
EAAuB,EAAvB,C;K;0CACxG,a;MKxUO,SLwUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBA
AZ,GAAuC,gBAAY,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;K;IAEjE,gE;MACnC,gBAAe,4BAAS,W;MACxB,
YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAI
R,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MACA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,o

D;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;iEAGpB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAlC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CAcnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MAClE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAAd,C;QACI,WAAW,aAAO,O;QAClB,UAAU,mBAAY,IAAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAAJ,CAAAb,C;UACI,mBAAAQ,IAAAR,C;UACA,M;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;K;oEAErB,Y;MACI,gBAAe,mBAAa,EAAjB,GAAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAAsB,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;K;iEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAxB5B,Y;MAAuC,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAw,C,SAAxC,GAAkD,4BAAwB,SAAxB,C;K;IAelB,uD;MAAA,qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAAkB,YAAlB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC,iD;MAAA,mB;QAAE,mB;O;K;IAlB5B,gD;MAeI,O;IAER,wD;MAcI,6BAAkB,YAAlB,EAA4B,YAA5B,C;K;IAER,wD;MAcI,6BAAkB,YAAlB,EAA4B,YAA5B,C;K;IJzmBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;4DAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;wCAClC,mB;MAAmD,Y;K;6CAcnD,oB;MAAmE,OAAAA,QAAAS,U;K;kCAE5E,Y;MAA6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;;IAdrC,gC;MAAA,+B;QAAAA,c;OAAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEpC,2B;MAMmD,OAAI,QAAAS,OAAAT,GAAAgB,CAAA pB,GAAAgC,MAAAT,QAAAS,CAAAhC,GAA6C,U;K;iFAEhG,yB;MAAAA,mD;MAAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAAA,uE;MAAAA,mB;QAQsD,2B;O;KARtD,C;IAUA,kC;MAKi,OAAS,aAAAT,QAAAS,EAAAa,qBAAAc,YAAAY,QAAAS,OAAArB,CAAAd,CAAAb,C;K;uFAE1E,yB;MAAAA,2D;MAAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAAS,aAAAT,QAAAS,EAAAa,eAAAQ,YAAAY,QAAAS,OAArB,CAAAR,CAAAb,C;K;2FAEpE,yB;MAAAA,uE;MAAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKmE,OAAAS,aAAAT,QAAAS,EAAAa,qBAAAc,YAAAY,QAAAS,OArB,CAAAd,CAAAb,C;K;sFAE5E,yB;MAAAA,uE;MAAAA,gC;QAgB8B,gBAAAnB,oB;QAAAyB,aS1BhC,W;QT0BA,OSzBO,S;O;KTSX,C;wFAmBA,yB;MAAAA,4E;MAAAA,0D;MAAAA,wE;MAAAA,0C;QAoBI,qBAAAqB,QAArB,C;QAC+C,gBAAAxC,mBAAAiB,YAAAY,QAAAZ,CAAAjB,C;QAA8C,aSlDrD,W;QTkDA,OSjDO,S;O;KT4BX,C;sFAyBA,yB;MAAAA,mD;MAAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MAAgD,QAAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAAM,oBAAAW,OAAAjB,C;gBAFuC,OAGpC,S;;K;IIrIZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAAuC,8B;K;IAT3C,gF;IoJHA,yC;MnJ4BI,IAAI,EmJ3BI,OAAO,CAAP,IAAY,OAAO,CnJ2BvB,CAAJ,C;QACI,cmJ3BI,aAAJ,GACI,yEADJ,GAGI,8C;QnJyBJ,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;ImJnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAmC,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAAA,wC;MAAAA,6B;MAAAA,yB;MAAAA,wC;MAAAA,wC;MAAAA,gD;MAAAA,sD;MAAAA,4D;MAAAA,wB;MAAAA,0B;MAAAA,uB;MAAAA,0B;MAAAA,wB;MAAAA,qB;MAAAA,4B;MAAAA,kC;K;;;;2DAAAA,Y;;;;;cACrB,4BAAiC,eAAL,uBAAK,EAAAa,IAAAb,C;;+BACvB,0BAAO,uBAAP,I;cACV,IAAAI,kBAAAO,CAAAX,C;oCACiB,iBAAAa,qBAAAb,C;kCACF,C;gBACD,6C;gBBAAV,iB;;;sCAaa,gBAAAc,qBAAAd,C;gBACH,+C;gBBAAV,gB;;;;;;;cAAAA,KAAAU,2BAAAV,C;gBBAAA,gB;;;cAAAU,kC;cACN,mBAAAO,WAAAI,GAAAJ,C;cACP,IAAAI,mBAAAO,SAAAX,C;gBACI,IAAAI,mBAAAO,KAAAP,GAAAc,uBAAAlB,C;kBAA0B,sBAAAS,mBAAAO,kBAAAuB,uBAAAvB,C;kBAA8B,gB;;;kBAAAxE,gB;;;;gBADJ,gB;;;;;cAGI,gB;8BAAAA,iCAAAU,8BAAAJ,GAAAiB,mBAAAjB,GAAA6B,iBAAAU,mBAAAV,CAAAnC,O;kBAAAA,2C;uBAAAA,yB;cAAAA,Q;;cACA,mBAAAO,qBAAAY,uBAAAZ,C;cAJX,gB;;;cAFJ,gB;;;cASA,IAAAI,iCAAAJ,C;gBACI,gB;;;gBBADJ,iB;;;;cACI,IAAAO,mBAAAO,KAAAd,IAAAqB,uBAAArB,C;gBBAAA,gB;;;cACI,gB;8BAAAA,iCAAAU,8BAAAJ,GAAAiB,mBAAAjB,GAA6B,iBAAAU,mBAAAV,CAAAnC,O;kBAAAA,2C;uBAAAA,yB;cAAAA,Q;;cACA,mBAAAO,qBAAAY,uBAAAZ,C;cAFX,gB;;;cAIA,I1J+J4C,C0J/JxC,mB1J+JyC,U0J/J7C,C;gBBAAyB,iB;gCAAAA,iCAAAM,mBAAAN,O;oBAAAA,2C;yBAAAA,yB;gBBAAA,Q;;gBBAAzB,iB;;;;;cAjCR,W;;cA4BI,iB;;;cA1BJ,iB;;;cAGI,KAAAU,yBAAAV,C;gBBAAA,iB;;;6BAAAU,sB;cACN,IAAAI,kBAAAO,CAAAX,C;gBBAAgB,oCAAAQ,CAAAR,I;gBBAAW,iB;;;gBBAA3B,iB;;;;;cACA,iBAAAO,WA

AI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,I1JkLgD,C0JlL5C,iB1JkL6C,U0JlLjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAAe,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBA3C,iB;;;;gBADJ,iB;;;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAkCJ,W;;;;;;;;;;;;;;;K;IArCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAlB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAAkB,SAAlB,EAA6B,OAA7B,B,EAAsC,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAlB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAqB,EAArB,C;K;iEAGT,Y;MAAQ,mB;K;;IASR,wC;MAAqD,uB;MAApD,sB;MAAoB,IAAI,EAAmB,QAAnB,cAAmC,CAAnC,CAAsC,CAAtC,CAAyC,CAAzC,CAA4C,CAA5C,CAA+C,CAA/C,CAAkD,CAAlD,CAAqD,CAArD,CAAwD,CAAxD,CAA2D,CAA3D,CAA8D,CAA9D,CAAiE,CAAjE,CAAoE,CAApE,CAAuE,CAAvE,CAA0E,CAA1E,CAA6E,CAA7E,CAAgF,CAAhF,CAAmF,CAAnF,CAAsF,CAAtF,CAAyF,CAAzF,CAA4F,CAA5F,CAA+F,CAA/F,CAAkG,CAAlG,CAAqG,CAArG,CAAwG,CAAxG,CAA2G,CAA3G,CAA8G,CAA9G,CAAiH,CAAjH,CAAoH,CAApH,CAAuH,CAAvH,CAA0H,CAA1H,CAA6H,CAA7H,CAAgI,CAAhI,CAAmI,CAAnI,CAAsI,CAAtI,CAAyI,CAAzI,CAA4I,CAA5I,CAA+I,CAA/I,CAAkJ,CAAlJ,CAAqJ,CAArJ,CAAwJ,CAAxJ,CAA2J,CAA3J,CAA8J,CAA9J,CAAiK,CAAjK,CAAoK,CAApK,CAAuK,CAAvK,CAA0K,CAA1K,CAA6K,CAA7K,CAAgL,CAAhL,CAAmL,CAAnL,CAAsL,CAAtL,CAAyL,CAAzL,CAA4L,CAA5L,CAA+L,CAA/L,CAAkM,CAAlM,CAAqM,CAArM,CAAwM,CAAxM,CAA2M,CAA3M,CAA8M,CAA9M,CAAiN,CAAjN,CAAoN,CAApN,CAAuN,CAAvN,CAA0N,CAA1N,CAA6N,CAA7N,CAAgO,CAAhO,CAAmO,CAAnO,CAAsO,CAAtO,CAAyO,CAAzO,CAA4O,CAA5O,CAA+O,CAA/O,CAAkP,CAAlP,CAAqP,CAArP,CAAwP,CAAxP,CAA2P,CAA3P,CAA8P,CAA9P,CAAiQ,CAAjQ,CAAoQ,CAApQ,CAAuQ,CAAvQ,CAA0Q,CAA1Q,CAA6Q,CAA7Q,CAAgR,CAAhR,CAAmR,CAAnR,CAAsR,CAAtR,CAAyR,CAAzR,CAA4R,CAA5R,CAA+R,CAA/R,CAAkS,CAAlS,CAAqS,CAArS,CAAwS,CAAxS,CAA2S,CAA3S,CAA8S,CAA9S,CAAiT,CAAjT,CAAoT,CAApT,CAAuT,CAAvT,CAA0T,CAA1T,CAA6T,CAA7T,CAAgU,CAAhU,CAAmU,CAAnU,CAAsU,CAAtU,CAAyU,CAAzU,CAA4U,CAA5U,CAA+U,CAA/U,CAAkV,CAAlV,CAAqV,CAArV,CAAwV,CAAxV,CAA2V,CAA3V,CAA8V,CAA9V,CAAiW,CAAjW,CAAoW,CAApW,CAAuW,CAAvW,CAA0W,CAA1W,CAA6W,CAA7W,CAAgX,CAAhX,CAAmX,CAAnX,CAAsX,CAAtX,CAAyX,CAAzX,CAA4X,CAA5X,CAA+X,CAA/X,CAAkY,CAAlY,CAAqY,CAArY,CAAwY,CAAxY,CAA2Y,CAA3Y,CAA8Y,CAA9Y,CAAiZ,CAAjZ,CAAoZ,CAApZ,CAAuZ,CAAvZ,CAA0Z,CAA1Z,CAA6Z,CAA7Z,CAAga,CAAha,CAAma,CAAna,CAAsa,CAAta,CAAya,CAAza,CAA4a,CAA5a,CAA+a,CAA/a,CAAkb,CAAlb,CAAqb,CAArb,CAAwb,CAAxb,CAA2b,CAA3b,CAA8b,CAA9b,CAAic,CAAjc,CAAoc,CAApc,CAAuc,CAAvc,CAA0c,CAA1c,CAA6c,CAA7c,CAAgd,CAAhd,CAAmd,CAAnd,CAAsd,CAAtd,CAAyd,CAAzd,CAA4d,CAA5d,CAA+d,CAA/d,CAAke,CAAle,CAAqe,CAAre,CAAwe,CAAxe,CAA2e,CAA3e,CAA8e,CAA9e,CAAif,CAAjf,CAAof,CAApf,CAAuf,CAAvf,CAA0f,CAA1f,CAA6f,CAA7f,CAAggB,CAAhgB,CAAmgB,CAAngB,CAAsgB,CAAtgB,CAAygB,CAAzgB,CAA4gB,CAA5gB,CAA+gB,CAA/gB,CAAkhB,CAAlhB,CAAqhB,CAArhB,CAAwhB,CAAxhB,CAA2hB,CAA3hB,CAA8hB,CAA9hB,CAAiiB,CAAjiB,CAAoiB,CAApiB,CAAuiB,CAAviB,CAA0iB,CAA1iB,CAA6iB,CAA7iB,CAAgjB,CAAhjB,CAAmjB,CAAnjB,CAAsjB,CAAtjB,CAAyjB,CAAzjB,CAA4jB,CAA5jB,CAA+jB,CAA/jB,CAAkkB,CAAlkB,CAAqkB,CAArkB,CAAwkB,CAAxkB,CAA2kB,CAA3kB,CAA8kB,CAA9kB,CAAilB,CAAjlB,CAAolB,CAAplB,CAAulB,CAAvlB,CAA0lB,CAA1lB,CAA6lB,CAA7lB,CAAgmB,CAAhmB,CAAmmB,CAAnmB,CAAsmB,CAAtmB,CAAymB,CAAzmB,CAA4mB,CAA5mB,CAA+mB,CAA/mB,CAAknB,CAAlnB,CAAqnB,CAArnB,CAAwnB,CAAxnB,CAA2nB,CAA3nB,CAA8nB,CAA9nB,CAAioB,CAAjoB,CAAooB,CAApoB,CAAuoB,CAAvoB,CAA0oB,CAA1oB,CAA6oB,CAA7oB,CAAgpB,CAAhpB,CAAmpB,CAAnpB,CAAspB,CAAtpB,CAAypB,CAAzpB,CAA4pB,CAA5pB,CAA+pB,CAA/pB,CAAkqB,CAAlqB,CAAqqB,CAArqB,CAAwqB,CAAxqB,CAA2qB,CAA3qB,CAA8qB,CAA9qB,CAAirB,CAAjrB,CAAorB,CAAprB,CAAurB,CAAvrB,CAA0rB,CAA1rB,CAA6rB,CAA7rB,CAAgsB,CAAhsB,CAAmsB,CAAnsB,CAAssB,CAAtsB,CAAysB,CAAzsB,CAA4sB,CAA5sB,CAA+sB,CAA/sB,CAAktB,CAAltB,CAAqtB,CAArtB,CAAwtB,CAAxtB,CAA2tB,CAA3tB,CAA8tB,CAA9tB,CAAiuB,CAAjuB,CAAouB,CAApuB,CAAuuB,CAAvuB,CAA0uB,CAA1uB,CAA6uB,CAA7uB,CAAgvB,CAAhvB,CAAmvB,CAAnvB,CAAsvB,CAAtvB,CAAyvB,CAAzvB,CAA4vB,CAA5vB,CAA+vB,CAA/vB,CAAkwB,CAAlwB,CAAqwB,CAArwB,CAAwwB,CAAxwB,CAA2wB,CAA3wB,CAA8wB,CAA9wB,CAAixB,CAAjxB,CAAoxB,CAApxB,CAAuxB,CAAvxB,CAA0xB,CAA1xB,CAA6xB,CAA7xB,CAAgyB,CAAhyB,CAAmyB,CAAnyB,CAAsyB,CAAtyB,CAAyyB,CAAzyB,CAA4yB,CAA5yB,CAA+yB,CAA/yB,CAAkzB,CAAlzB,CAAqzB,CAArzB,CAAwzB,CAAxzB,CAA2zB,CAA3zB,CAA8zB,CAA9zB,CAAi0B,CAAj0B,CAAo0B,CAAp0B,CAAu0B,CAAv0B,CAA00B,CAA10B,CAA60B,CAA70B,CAAg1B,CAAh1B,CAAm1B,CAAn1B,CAAs1B,CAAt1B,CAAy1B,CAAz1B,CAA41B,CAA51B,CAA+1B,CAA/1B,CAAk2B,CAAl2B,CAAq2B,CAAr2B,CAAw2B,CAAx2B,CAA22B,CAA32B,CAA82B,CAA92B,CAAi3B,CAAj3B,CAAo3B,CAAp3B,CAAu3B,CAAv3B,CAA03B,CAA13B,CAA63B,CAA73B,CAAg4B,CAAh4B,CAAm4B,CAAn4B,CAAs4B,CAAt4B,CAAy4B,CAAz4B,CAA44B,CAA54B,CAA+4B,CAA/4B,CAAk5B,CAAl5B,CAAq5B,CAAr5B,CAAw5B,CAAx5B,CAA25B,CAA35B,CAA85B,CAA95B,CAAi6B,CAAj6B,CAAo6B,CAAp6B,CAAu6B,CAAv6B,CAA06B,CAA16B,CAA66B,CAA76B,CAAg7B,CAAh7B,CAAm7B,CAAn7B,CAAs7B,CAAt7B,CAAy7B,CAAz7B,CAA47B,CAA57B,CAA+7B,CAA/7B,CAAk8B,CAAl8B,CAAq8B,CAAr8B,CAAw8B,CAAx8B,CAA28B,CAA38B,CAA88B,CAA98B,CAAi9B,CAAj9B,CAAo9B,CAAp9B,CAAu9B,CAAv9B,CAA09B,CAA19B,CAA69B,CAA79B,CAAg+B,CAAh+B,CAAm+B,CAAn+B,CAAs+B,CAAt+B,CAAy+B,CAAz+B,CAA4+B,CAA5+B,CAA++B,CAA/+B,CAAk/B,CAAl/B,CAAq/B,CAAr/B,CAAw/B,CAAx/B,CAA2/B,CAA3/B,CAA8/B,CAA9/B,CAAigC,CAAjgC,CAAogC,CAApgC,CAAugC,CAAvgC,CAA0gC,CAA1gC,CAA6gC,CAA7gC,CAAghC,CAAhhC,CAAmhC,CAAnhC,CAAshC,CAAthC,CAAyhC,CAAzhC,CAA4hC,CAA5hC,CAA+hC,CAA/hC,CAAkiC,CAAliC,CAAqiC,CAAriC,CAAwiC,CAAxiC,CAA2iC,CAA3iC,CAA8iC,CAA9iC,CAAijC,CAAjjC,CAAojC,CAApjC,CAAujC,CAAvjC,CAA0jC,CAA1jC,CAA6jC,CAA7jC,CAAgkC,CAAhkC,CAAmkC,CAAnkC,CAAskC,CAAtkC,CAAykC,CAAzkC,CAA4kC,CAA5kC,CAA+kC,CAA/kC,CAAklC,CAAllC,CAAqlC,CAArlC,CAAwlC,CAAxlC,CAA2lC,CAA3lC,CAA8lC,CAA9lC,CAAimC,CAAjmC,CAAomC,CAApmC,CAAumC,CAAvmC,CAA0mC,CAA1mC,CAA6mC,CAA7mC,CAAgnC,CAAhnC,CAAmnC,CAAnnC,CAAsnC,CAAtnC,CAAynC,CAAznC,CAA4nC,CAA5nC,CAA+nC,CAA/nC,CAAkoC,CAAloC,CAAqoC,CAAroC,CAAwoC,CAAxoC,CAA2oC,CAA3oC,CAA8oC,CAA9oC,CAAipC,CAAjpC,CAAopC,CAAppC,CAAupC,CAAvpC,CAA0pC,CAA1pC,CAA6pC,CAA7pC,CAAgqC,CAAhqC,CAAmqC,CAAnqC,CAAsqC,CAAtqC,CAAyqC,CAAzqC,CAA4qC,CAA5qC,CAA+qC,CAA/qC,CAAkrC,CAAlrC,CAAqrC,CAArrC,CAAwrC,CAAxrC,CAA2rC,CAA3rC,CAA8rC,CAA9rC,CAAisC,CAAjsC,CAAosC,CAApsC,CAAusC,CAAvsC,CAA0sC,CAA1sC,CAA6sC,CAA7sC,CAAgtC,CAAhtC,CAAmtC,CAAntC,CAAstC,CAAttC,CAAytC,CAAztC,CAA4tC,CAA5tC,CAA+tC,CAA/tC,CAAkuC,CAAluC,CAAquC,CAAruC,CAAwuC,CAAxuC,CAA2uC,CAA3uC,CAA8uC,CAA9uC,CAAivC,CAAjvC,CAAovC,CAApvC,CAAuvC,CAAvvC,CAA0vC,CAA1vC,CAA6vC,CAA7vC,CAAgwC,CAAhwC,CAAmwC,CAAnwC,CAAswC,CAAtwC,CAAywC,CAAzwC,CAA4wC,CAA5wC,CAA+wC,CAA/wC,CAAkxC,CAAlxC,CAAqxC,CAArxC,CAAwxC,CAAxxC,CAA2xC,CAA3xC,CAA8xC,CAA9xC,CAAiyC,CAAjyC,CAAoyC,CAApyC,CAAuyC,CAAvyC,CAA0yC,CAA1yC,CAA6yC,CAA7yC,CAAgzC,CAAhzC,CAAmzC,CAAnzC,CAAszC,CAAtzC,CAAyzC,CAAzzC,CAA4zC,CAA5zC,CAA+zC,CAA/zC,CAAk0C,CAAl0C,CAAq0C,CAAr0C,CAAw0C,CAAx0C,CAA20C,CAA30C,CAA80C,CAA90C,CAAi1C,CAAj1C,CAAo1C,CAAp1C,CAAu1C,CAAv1C,CAA01C,CAA11C,CAA61C,CAA71C,CAAg2C,CAAh2C,CAAm2C,CAAn2C,CAAs2C,CAAt2C,CAAy2C,CAAz2C,CAA42C,CAA52C,CAA+2C,CAA/2C,CAAk3C,CAAl3C,CAAq3C,CAAr3C,CAAw3C,CAAx3C,CAA23C,CAA33C,CAA83C,CAA93C,CAAi4C,CAAj4C,CAAo4C,CAAp4C,CAAu4C,CAAv4C,CAA04C,CAA14C,CAA64C,CAA74C,CAAg5C,CAAh5C,CAAm5C,CAAn5C,CAAs5C,CAAt5C,CAAy5C,CAAz5C,CAA45C,CAA55C,CAA+5C,CAA/5C,CAAk6C,CAAl6C,CAAq6C,CAAr6C,CAAw6C,CAAx6C,CAA26C,CAA36C,CAA86C,CAA96C,CAAi7C,CAAj7C,CAAo7C,CAAp7C,CAAu7C,CAAv7C,CAA07C,CAA17C,CAA67C,CAA77C,CAAg8C,CAAh8C,CAAm8C,CAAn8C,CAAs8C,CAAt8C,CAAy8C,CAAz8C,CAA48C,CAA58C,CAA+8C,CAA/8C,CAAk9C,CAAl9C,CAAq9C,CAAr9C,CAAw9C,CAAx9C,CAA29C,CAA39C,CAA89C,CAA99C,CAAi+C,CAAj+C,CAAo+C,CAAp+C,CAAu+C,CAAv+C,CAA0+C,CAA1+C,CAA6+C,CAA7+C,CAAg/C,CAAh/C,CAAm/C,CAAn/C,CAAs/C,CAAt/C,CAAy/C,CAAz/C,CAA4/C,CAA5/C,CAA+/C,CAA//C,CAAkgD,CAAlgD,CAAqgD,CAArgD,CAAwgD,CAAxgD,CAA2gD,CAA3gD,CAA8gD,CAA9gD,CAAihD,CAAjhD,CAAohD,CAAphD,CAAuhD,CAAvhD,CAA0hD,CAA1hD,CAA6hD,CAA7hD,CAAgiD,CAAhiD,CAAmiD,CAAniD,CAAsiD,CAAtiD,CAAyiD,CAAziD,CAA4iD,CAA5iD,CAA+iD,CAA/iD,CAAkjD,CAAljD,CAAqjD,CAArjD,CAAwjD,CAAxjD,CAA2jD,CAA3jD,CAA8jD,CAA9jD,CAAikD,CAAjkD,CAAokD,CAApkD,CAAukD,CAAvkD,CAA0kD,CAA1kD,CAA6kD,CAA7kD,CAAglD,CAAhlD,CAAmlD,CAAnlD,CAAslD,CAAtlD,CAAylD,CAAzlD,CAA4lD,CAA5lD,CAA+lD,CAA/lD,CAAkmD,CAAlmD,CAAqmD,CAArmD,CAAwmD,CAAxmD,CAA2mD,CAA3mD,CAA8mD,CAA9mD,CAAinD,CAAjnD,CAAonD,CAApnD,CAAunD,CAAvnD,CAA0nD,CAA1nD,CAA6nD,CAA7nD,CAAgoD,CAAhoD,CAAmoD,CAAnoD,CAAsoD,CAAtoD,CAAyoD,CAAzoD,CAA4oD,CAA5oD,CAA+oD,CAA/oD,CAAkpD,CAAlpD,CAAqpD,CAArpD,CAAwpD,CAAxpD,CAA2pD,CAA3pD,CAA8pD,CAA9pD,CAAiqD,CAAjqD,CAAoqD,CAApqD,CAAuqD,CAAvqD,CAA0qD,CAA1qD,CAA6qD,CAA7qD,CAAgrD,CAAhrD,CAAmrD,CAAnrD,CAAsrD,CAAtrD,CAAyrD,CAAzrD,CAA4rD,CAA5rD,CAA+rD,CAA/rD,CAAksD,CAAlsD,CAAqsD,CAArsD,CAAwsD,CAAxsD,CAA2sD,CAA3sD,CAA8sD,CAA9sD,CAAitD,CAAjtD,CAAotD,CAAptD,CAAutD,CAAvtD,CAA0tD,CAA1tD,CAA6tD,CAA7tD,CAAguD,CAAhuD,CAAmuD,CAAnuD,CAAsuD,CAAtuD,CAAyuD,CAAzuD,CAA4uD,CAA5uD,CAA+uD,CAA/uD,CAAkvD,CAAlvD,CAAqvD,CAArvD,CAAwvD,CAAxvD,CAA2vD,CAA3vD,CAA8vD,CAA9vD,CAAiwD,CAAjwD,CAAowD,CAApwD,CAAuwD,CAAvwD,CAA0wD,CAA1wD,CAA6wD,CAA7wD,CAAgxD,CAAhxD,CAAmxD,CAAnxD,CAAsxD,CAAtxD,CAAyxD,CAAzxD,CAA4xD,CAA5xD,CAA+xD,CAA/xD,CAAkyD,CAAlyD,CAAqyD,CAAryD,CAAwyD,CAAxyD,CAA2yD,CAA3yD,CAA8yD,CAA9yD,CAAizD,CAAjzD,CAAozD,CAApzD,CAAuzD,CAAvzD,CAA0zD,CAA1zD,CAA6zD,CAA7zD,CAAg0D,CAAh0D,CAAm0D,CAAn0D,CAAs0D,CAAt0D,CAAy0D,CAAz0D,CAA40D,CAA50D,CAA+0D,CAA/0D,CAAk1D,CAAl1D,CAAq1D,CAAr1D,CAAw1D,CAAx1D,CAA21D,CAA31D,CAA81D,CAA91D,CAAi2D,CAAj2D,CAAo2D,CAAp2D,CAAu2D,CAAv2D,CAA02D,CAA12D,CAA62D,CAA72D,CAAg3D,CAAh3D,CAAm3D,CAAn3D,CAAs3D,CAAt3D,CAAy3D,CAAz3D,CAA43D,CAA53D,CAA+3D,CAA/3D,CAAk4D,CAAl4D,CAAq4D,CAAr4D,CAAw4D,CAAx4D,CAA24D,CAA34D,CAA84D,CAA94D,CAAi5D,CAAj5D,CAAo5D,CAAp5D,CAAu5D,CAAv5D,CAA05D,CAA15D,CAA65D,CAA75D,CAAg6D,CAAh6D,CAAm6D,CAAn6D,CAAs6D,CAAt6D,CAAy6D,CAAz6D,CAA46D,CAA56D,CAA+6D,CAA/6D,CAAk7D,CAAl7D,CAAq7D,CAAr7D,CAAw7D,CAAx7D,CAA27D,CAA37D,CAA87D,CAA97D,CAAi8D,CAAj8D,CAAo8D,CAAp8D,CAAu8D,CAAv8D,CAA08D,CAA18D,CAA68D,CAA78D,CAAg9D,CAAh9D,CAAm9D,CAAn9D,CAAs9D,CAAt9D,CAAy9D,CAAz9D,CAA49D,CAA59D,CAA+9D,CAA/9D,CAAk+D,CAAl+D,CAAq+D,CAAr+D,CAAw+D,CAAx+D,CAA2+D,CAA3+D,CAA8+D,CAA9+D,CAAi/D,CAAj/D,CAAo/D,CAAp/D,CAAu/D,CAAv/D,CAA0/D,CAA1/D,CAA6/D,CAA7/D,CAAggE,CAAhgE,CAAmgE,CAAngE,CAAsgE,CAAtgE,CAAygE,CAAzgE,CAA4gE,CAA5gE,CAA+gE,CAA/gE,CAAkhE,CAAlhE,CAAqhE,CAArhE,CAAwhE,CAAxhE,CAA2hE,CAA3hE,CAA8hE,CAA9hE,CAAiiE,CAAjiE,CAAoiE,CAApiE,CAAuiE,CAAviE,CAA0iE,CAA1iE,CAA6iE,CAA7iE,CAAgjE,CAAhjE,CAAmjE,CAAnjE,CAAsjE,CAAtjE,CAAyjE,CAAzjE,CAA4jE,CAA5jE,CAA+jE,CAA/jE,CAAkkE,CAAlkE,CAAqkE,CAArkE,CAAwkE,CAAxkE,CAA2kE,CAA3kE,CAA8kE,CAA9kE,CAAilE,CAAjlE,CAAolE,CAAplE,CAAulE,CAAvlE,CAA0lE,CAA1lE,CAA6lE,CAA7lE,CAAgmE,CAAhmE,CAAmmE,CAAnmE,CAAsmE,CAAtmE,CAAymE,CAAzmE,CAA4mE,CAA5mE,CAA+mE,CAA/mE,CAAknE,CAAlnE,CAAqnE,CAArnE,CAAwnE,CAAxnE,CAA2nE,CAA3nE,CAA8nE,CAA9nE,CAAioE,CAAjoE,CAAooE,CAApoE,CAAuoE,CAAvoE,CAA0oE,CAA1oE,CAA6oE,CAA7oE,CAAgpE,CAAhpE,CAAmpE,CAAnpE,CAAspE,CAAtpE,CAAypE,CAAzpE,CAA4pE,CAA5pE,CAA+pE,CAA/pE,CAAkqE,CAAlqE,CAAqqE,CAArqE,CAAwqE,CAAxqE,CAA2qE,CAA3qE,CAA8qE,CAA9qE,CAAirE,CAAjrE,CAAorE,CAAprE,CAAurE,CAAvrE,CAA0rE,CAA1rE,CAA6rE,CAA7rE,CAAgsE,CAAhsE,CAAmsE,CAAnsE,CAAssE,CAAtsE,CAAysE,CAAzsE,CAA4sE,CAA5sE,CAA+sE,CAA/sE,CAAktE,CAAltE,CAAqtE,CAArtE,CAAwtE,CAAxtE,CAA2tE,CAA3tE,CAA8tE,CAA9tE,CAAiuE,CAAjuE,CAAouE,CAApuE,CAAuuE,CAAvuE,CAA0uE,CAA1uE,CAA6uE,CAA7uE,CAAgvE,CAAhvE,CAAmvE,CAAnvE,CAAsvE,CAAtvE,CAAyvE,CAAzvE,CAA4vE,CAA5vE,CAA+vE,CAA/vE,CAAkwE,CAAlwE,CAAqwE,CAArwE,CAAwwE,CAAxwE,CAA2wE,CAA3wE,CAA8wE,CAA9wE,CAAixE,CAAjxE,CAAoxE,CAApxE,CAAuxE,CAAvxE,CAA0xE,CAA1xE,CAA6xE,CAA7xE,CAAgyE,CAAhyE,CAAmyE,CAAnyE,CAAsyE,CAAtyE,CAAyyE,CAAzyE,CAA4yE,CAA5yE,CAA+yE,CAA/yE,CAAkzE,CAAlzE,CAAqzE,CAArzE,CAAwzE,CAAxzE,CAA2zE,CAA3zE,CAA8zE,CAA9zE,CAAi0E,CAAj0E,CAAo0E,CAAp0E,CAAu0E,CAAv0E,CAA00E,CAA10E,CAA60E,CAA70E,CAAg1E,CAAh1E,CAAm1E,CAAn1E,CAAs1E,CAAt1E,CAAy1E,CAAz1E,CAA41E,CAA51E,CAA+1E,CAA/1E,CAAk2E,CAAl2E,CAAq2E,CAAr2E,CAAw2E,CAAx2E,CAA22E,CAA32E,CAA82E,CAA92E,CAAi3E,CAAj3E,CAAo3E,CAAp3E,CAAu3E,CAAv3E,CAA03E,CAA13E,CAA63E,CAA73E,CAAg4E,CAAh4E,CAAm4E,CAAn4E,CAAs4E,CAAt4E,CAAy4E,CAAz4E,CAA44E,CAA54E,CAA+4E,CAA/4E,CAAk5E,CAAl5E,CAAq5E,CAAr5E,CAAw5E,CAAx5E,CAA25E,CAA35E,CAA85E,CAA95E,CAAi6E,CAAj6E,CAAo6E,CAAp6E,CAAu6E,CAAv6E,CAA06E,CAA16E,CAA66E,CAA76E,CAAg7E,CAAh7E,CAAm7E,CAAn7E,CAAs7E,CAAt7E,CAAy7E,CAAz7E,CAA47E,CAA57E,CAA+7E,CAA/7E,CAAk8E,CAAl8E,CAAq8E,CAAr8E,CAAw8E,CAAx8E,CAA28E,CAA38E,CAA88E,CAA98E,CAAi9E,CAAj9E,CAAo9E,CAAp9E,CAAu9E,CAAv9E,CAA09E,CAA19E,CAA69E,CAA79E,CAAg+E,CAAh+E,CAAm+E,CAAn+E,CAAs+E,CAAt+E,CAAy+E,CAAz+E,CAA4+E,CAA5+E,CAA++E,CAA/+E,CAAk/E,CAAl/E,CAAq/E,CAAr/E,CAAw/E,CAAx/E,CAA2/E,CAA3/E,CAA8/E,CAA9/E,CAAigF,CAAjgF,CAAogF,CAApgF,CAAugF,CAAvgF,CAA0gF,CAA1gF,CAA6gF,CAA7gF,CAAghF,CAAhhF,CAAmhF,CAAnhF,CAAshF,CAAthF,CAAyhF,CAAzhF,CAA4hF,CAA5hF,CAA+hF,CAA/hF,CAAkiF,CAAliF,CAAqiF,CAAriF,CAAwiF,CAAxiF,CAA2iF,CAA3iF,CAA8iF,CAA9iF,CAAijF,CAAjjF,CAAojF,CAApjF,CAAujF,CAAvjF,CAA0jF,CAA1jF,CAA6jF,CAA7jF,CAAgkF,CAAhkF,CAAmkF,CAAnkF,CAAskF,CAAtkF,CAAykF,CAAzkF,CAA4kF,CAA5kF,CAA+kF,CAA/kF,CAAklF,CAAllF,CAAqlF,CAArlF,CAAwlF,CAAxlF,CAA2lF,CAA3lF,CAA8lF,CAA9lF,CAAimF,CAAjmF,CAAomF,CAApmF,CAAumF,CAAvmF,CAA0mF,CAA1mF,CAA6mF,CAA7mF,CAAgnF,CAAhnF,CAAmnF,CAAnnF,CAAsnF,CAAtnF,CAAynF,CAAznF,CAA4nF,CAA5nF,CAA+nF,CAA/nF,CAAkoF,CAAloF,CAAqoF,CAAroF,CAAwoF,CAAxoF,CAA2oF,CAA3oF,CAA8oF,CAA9oF,CAAipF,CAAjpF,CAAopF,CAAppF,CAAupF,CAAvpF,CAA0pF,CAA1pF,CAA6pF,CAA7pF,CAAgqF,CAAhqF,CAAmqF,CAAnqF,CAAsqF,CAAtqF,CAAyqF,CAAzqF,CAA4qF,CAA5qF,CAA+qF,CAA/qF,CAAkrF,CAAlrF,CAAqrF,CAArrF,CAAwrF,CAAxrF,CAA2rF,CAA3rF,CAA8rF,CAA9rF,CAAisF,CAAjsF,CAAosF,CAApsF,CAAusF,CAAvsF,CAA0sF,CAA1sF,CAA6sF,CAA7sF,CAAgtF,CAAhtF,CAAmtF,CAAntF,CAAstF,CAAttF,CAAytF,CAAztF,CAA4tF,CAA5tF,CAA+tF,CAA/tF,CAAkuF,CAAluF,CAAquF,CAAruF,CAAwuF,CAAxuF,CAA2uF,CAA3uF,CAA8uF,CAA9uF,CAAivF,CAAjvF,CAAovF,CAApvF,CAAuvF,CAAvvF,CAA0vF,CAA1vF,CAA6vF,CAA7vF,CAAgwF,CAAhwF,CAAmwF,CAAnwF,CAAswF,CAAtwF,CAAywF,CAAzwF,CAA4wF,CAA5wF,CAA+wF,CAA/wF,CAAkxF,CAAlxF,CAAqxF,CAArxF,CAAwxF,CAAxxF,CAA2xF,CAA3xF,CAA8xF,CAA9xF,CAAiyF,CAAjyF,CAAoyF,CAApyF,CAAuyF,CAAvyF,CAA0yF,CAA1yF,CAA6yF,CAA7yF,CAAgzF,CAAhzF,CAAmzF,CAAnzF,CAAszF,CAAtzF,CAAyzF,CAAzzF,CAA4zF,CAA5zF,CAA+zF,CAA/zF,CAAk0F,CAAl0F,CAAq0F,CAAr0F,CAAw0F,CAAx0F,CAA20F,CAA30F,CAA80F,CAA90F,CAAi1F,CAAj1F,CAAo1F,CAAp1F,CAAu1F,CAAv1F,CAA01F,CAA11F,CAA61F,CAA71F,CAAg2F,CAAh2F,CAAm2F,CAAn2F,CAAs2F,CAAt2F,CAAy2F,CAAz2F,CAA42F,CAA52F,CAA+2F,CAA/2F,CAAk3F,CAAl3F,CAAq3F,CAAr3F,CAAw3F,CAAx3F,CAA23F,CAA33F,CAA83F,CAA93F,CAAi4F,CAAj4F,CAAo4F,CAAp4F,CAAu4F,CAAv4F,CAA04F,CAA14F,CAA64F,CAA74F,CAAg5F,CAAh5F,CAAm5F,CAAn5F,CAAs5F,CAAt5F,CAAy5F,CAAz5F,CAA45F,CAA55F,CAA+5F,CAA/5F,CAAk6F,CAAl6F,CAAq6F,CAAr6F,CAAw6F,CAAx6F,CAA26F,CAA36F,CAA86F,CAA96F,CAAi7F,CAAj7F,CAAo7F,CAAp7F,CAAu7F,CAAv7F,CAA07F,CAA17F,CAA67F,CAA77F,CAAg8F,CAAh8F,CAAm8F,CAAn8F,CAAs8F,CAAt8F,CAAy8F,CAAz8F,CAA48F,CAA58F,CAA+8F,CAA/8F,CAAk9F,CAAl9F,CAAq9F,CAAr9F,CAAw9F,CAAx9F,CAA29F,CAA39F,CAA89F,CAA99F,CAAi+F,CAAj+F,CAAo+F,CAAp+F,CAAu+F,CAAv+F,CAA0+F,CAA1+F,CAA6+F,CAA7+F,CAAg/F,CAAh/F,CAAm/F,CAAn/F,CAAs/F,CAAt/F,CAAy/F,CAAz/F,CAA4/F,CAA5/F,CAA+/F,CAA//F,CAAkgG,CAAlgG,CAAqgG,CAArgG,CAAwgG,CAAxgG,CAA2gG,CAA3gG,CAA8gG,CAA9gG,CAAihG,CAAjhG,CAAohG,CAAphG,CAAuhG,CAAvhG,CAA0hG,CAA1hG,CAA6hG,CAA7hG,CAAgiG,CAAhiG,CAAmiG,CAAniG,CAAsiG,CAAtiG,CAAyiG,CAAziG,CAA4iG,CAA5iG,CAA+iG,CAA/iG,CAAkjG,CAAljG,CAAqjG,CAArjG,CAAwjG,CAAxjG,CAA2jG,CAA3jG,CAA8jG,CAA9jG,CAAikG,CAAjkG,CAAokG,CAApkG,CAAukG,CAAvkG,CAA0kG,CAA1kG,CAA6kG,CAA7kG,CAAglG,CAAhlG,CAAmlG,CAAnlG,CAAslG,CAAtlG,CAAylG,CAAzlG,CAA4lG,CAA5lG,CAA+lG,CAA/lG,CAAkmG,CAAlmG,CAAqmG,CAArmG,CAAwmG,CAAxmG,CAA2mG,CAA3mG,CAA8mG,CAA9mG,CAAinG,CAAjnG,CAAonG,CAApnG,CAAunG,CAAvnG,CAA0nG,CAA1nG,CAA6nG,CAA7nG,CAAgoG,CAAhoG,CAAmoG,CAAnoG,CAAsoG,CAAtoG,CAAyoG,CAAzoG,CAA4oG,CAA5oG,CAA+oG,CAA/oG,CAAkpG,CAAlpG,CAAqpG,CAArpG,CAAwpG,CAAxpG,CAA2pG,CAA3pG,CAA8pG,CAA9pG,CAAiqG,CAAjqG,CAAoqG,CAApqG,CAAuqG,CAAvqG,CAA0qG,CAA1qG,CAA6qG,CAA7qG,CAAgrG,CAAhrG,CAAmrG,CAAnrG,CAAsrG,CAAtrG,CAAyrG,CAAzrG,CAA4rG,CAA5rG,CAA+rG,CAA/rG,CAAksG,CAAlsG,CAAqsG,CAArsG,CAAwsG,CAAxsG,CAA2sG,CAA3sG,CAA8sG,CAA9sG,CAAitG,CAAjtG,CAAotG,CAAptG,CAAutG,CAAvtG,CAA0tG,CAA1tG,CAA6tG,CAA7tG,CAAguG,CAAhuG,CAAmuG,CAAnuG,CAAsuG,CAAtuG,CAAyuG,CAAzuG,CAA4uG,CAA5uG,CAA+uG,CAA/uG,CAAkvG,CAAlvG,CAAqvG,CAArvG,CAAwvG,CAAxvG,CAA2vG,CAA3vG,CAA8vG,CAA9vG,CAAiwG,CAAjwG,CAAowG,CAApwG,CAAuwG,CAAvwG,CAA0wG,CAA1wG,CAA6wG,CAA7wG,CAAgxG,CAAhxG,CAAmxG,CAAnxG,CAAsxG,CAAtxG,CAAyxG,CAAzxG,CAA4xG,CAA5xG,CAA+xG,CAA/xG,CAAkyG,CAAlyG,CAAqyG,CAAryG,CAAwyG,CAAxyG,CAA2yG,CAA3yG,CAA8yG,CAA9yG,CAAizG,CAAjzG,CAAozG,CAApzG,CAAuzG,CAAvzG,CAA0zG,CAA1zG,CAA6zG,CAA7zG,CAAg0G,CAAh0G,CAAm0G,CAAn0G,CAAs0G,CAAt0G,CAAy0G,CAAz0G,CAA40G,CAA50G,CAA+0G,CAA/0G,CAAk1G,CAAl1G,CAAq1G,CAAr1G,CAAw1G,CAAx1G,CAA21G,CAA31G,CAA81G,CAA91G,CAAi2G,CAAj2G,CAAo2G,CAAp2G,CAAu2G,CAAv2G,

AAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,K
AAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,
CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAG
R,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN
,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,O9JpB8D,Y8JoBvD,kBAAM,CAAN,C9JpBwE,KAAjB,E8JoB5C,K9Jp
ByE,KAA7B,C8JoBvD,IAAP,C;UACI,a;;QACJ,O9JtB8D,Y8JsBvD,kBAAM,CAAN,C9JtBwE,KAAjB,E8JsB5C,
K9JtByE,KAA7B,C8JsBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UAC
V,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;
;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAA
O,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IA
AI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR
,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,C
AAZ,C;QACI,OjI7C+D,aiI6CxD,kBAAM,CAAN,CjI7C0E,KAAlB,EiI6C7C,KjI7C2E,KAA9B,CiI6CxD,IAAP,C;
UACI,a;;QACJ,OjI/C+D,aiI+CxD,kBAAM,CAAN,CjI/C0E,KAAlB,EiI+C7C,KjI/C2E,KAA9B,CiI+CxD,IAAP,C;
UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,
CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MA
GI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;Q
ACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,
KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,4B;MAI+C,UAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,
KAAN,GAAa,CAAb,IAApB,C;K;IAC/C,4B;MAC+C,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GA
Aa,CAAb,IAApB,C;K;IAC/C,4B;MAC+C,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,I
AApB,C;K;IAC/C,4B;MAC+C,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,IAApB,C;K;
IjJ1I/C,wD;MAAsG,4C;K;IAAtG,+CACI,gB;MAAwC,+BAAW,CAAX,EAAc,CAAd,C;K;IAD5C,oF;IDJA,0C;M
F0BI,IAAI,EEjBI,SAAU,OAAV,GAAiB,CFiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAj
C,C;OElBV,OAAO,oBAAoB,CAApB,EAAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAA
W,SAAX,gB;QAAW,SAAA,SAAX,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WA
AW,cAAc,EAAd,EAAkB,EAAlB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX,
yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C;
sGAYA,sC;MASI,OAAO,UAAW,SAAQ,SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAatB,6B;MA
WY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MACtB,IAAI,SA
AJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iBAAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAA
oB,CAApB,EAAuB,CAAvB,EAA0B,iBAA1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OAAV,GAAiB,CFt
DrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;OEqDV,sCAAkB,2BAAlB,C;K;0FAIJ,y
B;MAAA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAA
c,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,
cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOI,oCAAW,0B
AAX,C;O;KAPJ,C;0FASA,yB;MC1FA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+B
AAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDkGe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAl
C,OA1Dd,UAAW,SAAQ,SA0DW,CA1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAkDtB,uC;QAQI,o
CAAW,sCAAX,C;O;KARJ,C;4GAUA,yB;MAAA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,
6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;U
AAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;
W;S;OA+EI,C;MAPf,2B;QAOI,oCAAW,oCAAX,C;O;KAPJ,C;8GASA,yB;MC7GA,kC;MAAA,oC;MAAA,sD;Q
AAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDuHe,0E;QAAA,uB;
UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAlC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,C
A/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,oCAAW,gDAAX,C;O;KAVJ,C;kFAYA,yB;MAAA,sC;MCzHA,kC;MA
AA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;M
DyHA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAAAA,uB;YACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CAAX,C;YA

ClC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAvGG,cAAc,SAuG8C,C
AvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,oCAAW,kCAA
X,C;O;KARJ,C;oFAaA,yB;MCtIA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAA
W,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MD8Ie,0E;QAAA,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CA
AX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;Y
AAjF,OAxGG,UAAW,SAAQ,SAwGyC,CAxGzC,CAAR,EAAqB,SAwG+B,CAxG/B,CAArB,C;;UAuGd,W;S;O;
MATR,kD;QAQI,oCAAW,8CAAX,C;O;KARJ,C;sGAaA,yB;MAAA,sC;MCnJA,kC;MAAA,oC;MAAA,sD;QAAs
G,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDmJA,8BAQe,yB;QAxIf,
8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBA
AmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIo
C,CAjIpC,CAA3B,C;;YAgIH,W;W;S;OADO,C;MARf,sC;QAQI,oCAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MCh
KA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MA
D5C,kF;MDwKe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAA
I,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAlIG,UAAW,SAAQ,
SAkIyC,CAlIzC,CAAR,EAAqB,SAkI+B,CAlI/B,CAArB,C;;UAiId,W;S;O;MATR,kD;QAQI,oCAAW,wDAAX,C;
O;KARJ,C;kGAcA,yB;MC9KA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,C
AAX,EAAc,CAAd,C;O;MAD5C,kF;MDqLe,wE;QAAA,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CA
AX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD,
wC;QAOI,oCAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,C
AAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;
K;IATlE,uC;MAOI,sCAAW,kCAAX,C;K;IAYc,wE;MAAA,uB;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,
CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;
K;IATlE,+C;MAOI,sCAAc,4CAAd,C;K;IAaW,+C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;
UAFJ,OAEiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC
;MAOI,sCAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;QAOqE,kBAAW,cAAX,C;O;KAPrE
,C;IAgBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,C;aACb,c;UAHJ,OAGi
B,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,+B;MAOI,sCAAW,4BAAX,C;K;0FASJ,
yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA
6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,gC;MAK+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2
D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SAE3D,wC;QAFqD,OAEE,4F;WACvD,WAH2D,SA
G3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;K;IAIuB,wC;MAAC,4B;K;2CAChC,gB;MAAw
C,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACnD,Y;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,g
B;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;;IAHlD,8C;MAAA,6C;QAAA,4
B;OAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;
MAC8C,2C;K;;;IAHlD,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;ImJ/SA,iC;K;;;;oDA2DI,0C;MAiB+D,oB;QAAA,2
C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;MA
OA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;MA
AA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c;U
AAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;;;;;;;;;;;;;;;;;
IzGe0C,gD;MAAA,oB;QAClC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OAE
A,IAAK,a;O;K;;;;IArHb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BD6CQ,WC7CkB,KD6ClB,CC7CR,C;
O;KANJ,C;2GAQA,yB;MAAA,4B;MD6CQ,kD;MC7CR,uC;QAOI,6BD2CQ,WAAO,cC3CW,SD2CX,CAAP,CC3
CR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,6EAWY,Y;QAAQ
,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MAdZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAiBA,
gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAyC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAAoE,
YAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAnF,C;K;IAEJ,+C;MAU6C,YAAzC,
wCAA6B,UAA7B,CAAyC,CAtEzC,oBD6CQ,WCyBsD,kBDzBtD,CC7CR,C;K;IAyEJ,2D;MAWuD,YAAnD,0CA
A6B,QAA7B,EAAuC,UAAvC,CAAmD,CApFnD,oBD6CQ,WCuCgE,kBDvChE,CC7CR,C;K;IAuFJ,+C;MAWI,O

AAsC,8BAAtC,c;K;8EAXJ,yB;MAAA,oE;MAAA,6E;MAW0C,gD;QAAA,oB;UAClC,WAAW,sBAAmB,YAAF,
CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAdb,sC;QAWI,mBAAsC,8BAAtC,6B;QA
AA,yD;O;KAXJ,C;qGAwBI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;;M0GtI
A,yC;;IAAA,uC;MAAA,2C;K;;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EAkBA,wB;K;oDAaA,e;MAK2C
,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAI,kBAAS,IAAK,IAAd,CAAR,GAA4B,cAAI,O
AAJ,GAAI,iBAAQ,IAAR,CAAJ,yCAA5B,GAAyD,I;OAGpE,OAAW,8CAA4B,GAAhC,GAAqC,8EAArC,GAAo
D,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAI,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAAI,iBAAQ,I
AAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAArC,GAAgE,I;
K;;;;ICtChD,oD;MACf,cAAc,GAAI,kBAAS,OAAQ,IAAjB,C;MAClB,IAAI,YAAY,mCAAhB,C;QADA,OACuC,
O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QAClB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAz
B,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAA
yB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAgD,WAAhD,C;;;K;8CAdxB,
mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K;;;;;;qDAiCZ
,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;K;sDAExC,8
B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,G
AAqB,mCAArB,GAAgD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,kC;MAEA,4
BAAqC,mDAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6DAC7C,e;
MAA8C,eAAQ,IAAR,IAAgB,8BAAe,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+CAAJ,C;Q
AEI,OAAW,GAAI,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAI,iBAAQ,SAAR,CAAJ,yCAA5B,GAA
yD,I;OAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,IAAI,+CAAJ,
C;QACI,OAAW,GAAI,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAI,iBAAQ,SAAR,CAAJ,QAA9B,GAAyD,mCAA
zD,GAAoF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC;MAAA,qC;
MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAw
E,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;;IAb7C,6C;MAAA,4C;QA
AA,2B;OAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,
IAAP,C;QACI,YAAA,GAAI,UAAJ,aAAY,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAI,O;QACf,IAAI,oCAAJ,C
;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,OAAL,EAAc,S
AAd,CAAf,EAAyC,cAAzC,C,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;OAC3B,cAAc,
WAAK,kBAAS,GAAT,C;MAEf,gBAAY,WAAZ,C;QAAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,qB;;QAC7B
,2BAAgB,OAAhB,EAAyB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;MACV,WAA
W,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAI,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;SAA7C,MAA
M,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAApB,C;K;8CAEJ,mB;MAQ4B,Q;MAPx
B,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,UAAb,CAAL,C;UAA4B,OAAO,K;QACn
C,WAAW,GAAI,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;;K;uCAKnB,iB;M
ACI,gBAAS,KAAT,KAAkB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;K;
yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,G1I
2DoC,YAAU,C0I3DlD,GAAmB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAAM,kBAAK,
EAAL,EAAS,+BAAT,CAAN,GAEI,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EAAS,8BAAT,
UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANlB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O;MACf,gBA
AY,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;MxJtFJ,IAAI,EwJuFM,YAAS,CxJvFf,CAAJ,C;QACI,c
AdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OwJuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8C;MACpB,kD
;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K;yDAIA,Y;MA
A0C,gBAAT,a;MrKshVrB,Q;MADhB,kBqKrhVmD,mC;MrKshVnD,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh
B,M;QAAsB,cAAwB,yBAAa,OAAb,C;;MqKthVT,OrKuhV9B,W;K;;;IsK1sVX,oE;MA2BI,MAAM,wBAAoB,sE
AApB,C;K;8GA3BV,yB;MAAA,2D;MAAA,sC;QA2BI,MAAM,6BAAoB,sEAApB,C;O;KA3BV,C;IAwCoC,mC;
MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG;MAAqB,gF;MA
AW,4E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAqB,qD;MAAA,gC;MAAA,6C;K;;IAAW,mD;MAAA,gC;MA
AA,2C;K;;IAL1E,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aAAA,qB;UAAA,4D;aAAA,W;UAAA,kD;aAAA,S;UAA

A,gD;gBAAA,qF;;K;;6EChDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;K
AHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C;O;KAHrF,C;6EA
KA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6EAKA,yB;MAA
A,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SAAe,C;O;KAH1D,C;+EAMA,yB;MAAA,4B;MAAA,mC;QAG
yD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC;QAGwD,OAAgC,
QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAA
L,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SAAe,C;O;
KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IAOA,sB;K;;IAOA,4
B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,8B;MACA,2B;QAAA,qE;MAC
A,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;MAAA,e;MAAA,iB
;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA,qC;MAAA,yD;K;;I
ACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K;;IAAA,gD;MAAA,
a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K;;ICjGA,qB;MAAA,
yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MAAA,8E;QAUI,wC;Q
AAS,6C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;O;MAXrF,oG;MA
AA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,
4E;QAcI,wC;QAAS,6C;O;MAdb,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;O;MA
f/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KAdJ,C;;;IA3BJ,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IAgDiC,sB;
MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAAr
B,uCAAtB,C;OAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;;;;;;ICpDsB,0C;MACvC,uBAAoB,Y;K;wDAEp
B,wC;MAM6F,W;K;uDAE7F,wC;K;oDAMA,6B;MACI,OAAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACp
B,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KAAjC,CAAL,C;QACI,M;OAEJ,uBAAa,K;MACb,yBAA
Y,QAAZ,EAAsB,QAAtB,EAAgC,KAAhC,C;K;;IC/BR,kB;MA+NI,4B;K;+BA1MA,Y;MAKiC,6BAAS,EAAT,C;
K;uCAEjC,iB;MAS2C,4BAAQ,CAAR,EAAW,KAAX,C;K;uCAE3C,uB;MAWkB,Q;MAHd,iBAAiB,IAAjB,EAA
uB,KAAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAlB,C;QACc,IAAI,MA
AM,CAAC,CAAD,IAAN,OAAY,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UAEA,K;;Y
AEI,WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,CAAhB,SA
AqB,CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEP,OAAO,IAAP,C;UACI,YAAU,c;UACV,
IAAW,IAAP,qBAAkB,KAAtB,C;YAA6B,OAAO,K;;;K;gCAKhD,Y;MAKmC,OAAU,oBAAV,cAAU,CAAS,WA
AI,EAAJ,CAAnB,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAS8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAekB,Q;MAPd
,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA
,IAAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,EAAP,CAAW
,Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAAnB,sBAAS,QAAT,CAAmB,CAAn
B,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBAAe,SAAS,KAAT,C;YACf,OAA
mB,oBAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,yBAAsC,cAAtC,E;;UAXR,U;;UAeA,K;;YAE
I,WAAW,eAAW,oBAAK,CAAL,C;YACtB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP,MAAY,+BAAI,CAAJ,
EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEP,OAAO,IAAP,C;UACI,YAAU
,e;UACV,IAAW,IAAP,0CAAkB,KAAlB,CAAJ,C;YAA6B,OAAO,K;;;K;mCAKhD,Y;MAGyC,6BAAS,CAAT,M
AAe,C;K;kCAExD,Y;MAGuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT,CAA9B,C;K;0CAEvC,iB
;MAOoD,+BAAW,GAAX,EAAgB,KAAhB,C;K;0CAEpD,uB;MAYY,Q;MAFR,mBAAiB,IAAjB,EAAuB,KAAvB
,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAL,IAAK,CAAL,IAA0B,SAAL,IAAK,CAA1B,IAA8C,SAAN,KA
AM,CAAlD,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAnC,C;QACT,cAAO,EAAP,GAAY,E;;Q
AEZ,cAAO,oBAAe,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,CAAtB,GAAsC,C;K;iC
AGjD,Y;MAGqC,6BAAS,EAAT,IAA0B,Q;K;IASK,oF;MAAA,mB;QAAE,uBAAa,iBAAb,sBAAqC,eAArC,+BA
AqE,aAAM,OAA3E,M;O;K;iDAPtE,qC;M/JzJA,IAAI,E+JgKqB,CAAb,8BAAgB,KAAM,O/JhK9B,G+JgKiD,CA
AX,0BAAc,KAAM,O/JhK1D,G+JgKsC,K/JhKtC,CAAJ,C;QACI,c+J+JgE,kD/J/JlD,E;QACd,MAAM,gCAAyB,O
AAQ,WAAjC,C;OAFV,IAAI,E+JiKQ,aAAa,O/JjKrB,CAAJ,C;QACI,gB+JgKgC,mF;Q/J/JhC,MAAM,gCAAyB,S
AAQ,WAAjC,C;O+JiKN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;MAEZ,mBAAe,SAAf,C;M3JnDJ

,iBAAc,CAAd,U2JoDW,K3JpDX,U;Q2JqDQ,QAAQ,c;QACR,MAAM,UAAN,IAAoB,OAAF,CAAE,C;QACpB,
MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAAK,CAAG,C;QAChC,MAAM,aAAW,CAAX,IAAN,IAA
iC,OAAX,CAAE,KAAK,EAAI,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAX,CAAE,KAAK,EAAI,C;Q
ACjC,0BAAY,CAAZ,I;;MAGJ,gBAAgB,UAAU,UAAV,I;MAChB,SAAS,sBAAS,YAAY,CAAZ,IAAT,C;MACT,
aAAU,CAAV,MAAkB,SAAlB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OAAf,EAAG,MAAK,IAAI,CAAJ,
IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KA
AM,O;aANrF,0H;K;yCA+BA,iB;MAKyD,8BAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD
,gB;MAGkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGlD,0B;MAAA,8B;MAO2B,iB;MAEvB,uBAAoC,uB;MAuBp
C,+C;K;gDArBA,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAc,U;K;+CA
C5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAc,
KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;g
DACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0C
AEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDAClD,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MA
A+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAE7E,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;M
AAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,C;K;yDAC7D,q
C;MAAoF,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5B,C;K;;;IA9BtG,sC;MAAA,qC;QAAA,
oB;OAAA,8B;K;IAsCA,4B;MAAA,gC;MAC0B,iB;K;kDACtB,oB;MAA4C,OAAA,4BAAQ,kBAAS,QAAT,C;K;;
;IAFxD,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;IAMJ,wB;MAWuC,yBAAa,IAAb,EAAmB,IAAK,IAAI,EAA5B,
C;K;IAEvC,wB;MAWwC,yBAAa,IAAK,QAAlB,EAA2B,IAAK,YAAI,EAAJ,CAAQ,QAAxC,C;K;IAIxC,mC;MA
UI,IAAA,KAAM,UAAN,C;QAAmB,MAAM,gCAAyB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAA
a,UAAb,C;QAF8C,OAEhB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC9B,IAA
A,KAAM,MAAN,GAAc,WAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAc,CAAd,IAAR,EAAyB,KAAM,
KAA/B,IAAuC,CAAvC,I;;QAHe,OAItC,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAAN,C;QAAmB,MAAM,gCAA
yB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAElB,2BAAS,KAAM,MAAf,EAAsB,KAA
M,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,MAAN,8
BAAc,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,OAIzC,oB;K;IAOZ,yB;MACyC,YlEt
RiC,akEsR5B,KlEtR4B,CkEsRjC,I;K;IAEzC,4C;MAEI,OAAA,SAAK,KAAK,EAAL,GAAU,QAAf,GAAyC,CAA
X,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;M/JxTI,IAAI,E+JwTuD,QAAQ,I/JxT/D,CAAJ,C;QACI,c+JuTuE,+
B;Q/JtTvE,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;I+JuTd,yC;M/JzTI,IAAI,E+JyTyD,sBAAQ,IAAR,K/JzTzD,CA
AJ,C;QACI,c+JwTyE,+B;Q/JvTzE,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;I+JwTd,yC;M/J1TI,IAAI,E+J0T6D,QA
AQ,I/J1TrE,CAAJ,C;QACI,c+JyT6E,+B;Q/JxT7E,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;I+J0Td,yC;MAAyD,oC
AA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICvVzD,6B;MAOqC,O1K2RE,S0K3RF,mB1K2RE,C;K;I0KzRvC,sC;MAS
gD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAAiB,I1K
6JgB,K0K7JhB,GAAiB,W;MAClC,kBAAkB,K1K4Je,K0K5Jf,GAAkB,W;MAEpC,mBAAmB,0BAAQ,UAAR,EA
AoB,WAApB,IAAqC,W;MACxD,O1K8PmC,S0K9P5B,Y1K8P4B,C;K;I0K3PvC,sC;MAWI,IAAA,KAAM,UAA
N,C;QAAmB,MAAM,gCAAyB,uCAAoC,KAA7D,C;;QACzB,I1KEkE,Y0KFlE,KAAM,K1KE6E,KAAjB,E0KFr
D,4BAAK,U1KE6E,KAA7B,C0KFlE,K;UAFiD,OAElB,sBAAS,KAAM,MAAf,E1KoBsB,S0KpBA,KAAM,K1Ko
BI,KAAK,GAAW,C0KpBb,W1KoBa,MAAX,IAAf,C0KpBtB,C;;UAC/B,I1KCkE,Y0KDlE,KAAM,M1KC6E,KA
AjB,E0KDpD,4BAAK,U1KC4E,KAA7B,C0KDlE,K;YAHiD,O1KsBI,S0KnBrB,sB1KgCsB,S0KhCb,KAAM,M1
KgCiB,KAAK,GAAY,C0KhC1B,W1KgC0B,MAAZ,IAAf,C0KhCtB,EAA2B,KAAM,KAAjC,C1KmB+B,KAAK,
GAAW,C0KnBN,W1KmBM,MAAX,IAAf,C;;Y0KtBJ,OAIzC,mB;;;K;IAGZ,8B;MAOuC,O7IkPG,U6IlPH,oB7Ik
PG,C;K;I6IhP1C,uC;MASmD,8BAAU,2BAAV,EAAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KA
A5B,C;MAEA,iBAAiB,I7IgHkB,K6IhHlB,8B;MACjB,kBAAkB,K7I+GiB,K6I/GjB,8B;MAElB,mBAAmB,2BAA
S,UAAT,EAAqB,WAArB,+B;MACnB,O7IqNsC,U6IrN/B,Y7IqN+B,C;K;I6IlN1C,uC;MAWI,IAAA,KAAM,UAA
N,C;QAAmB,MAAM,gCAAyB,uCAAoC,KAA7D,C;;QACzB,I7I9CmE,a6I8CnE,KAAM,K7I9C+E,KAAlB,E6I8
CtD,6BAAM,U7I9C8E,KAA9B,C6I8CnE,K;UAFoD,OAEpB,uBAAU,KAAM,MAAhB,E7IjCuB,U6IiCA,KAAM,
K7IjCK,KAAK,KAAW,C7B+J7C,UAAW,oBAAL,C0K9HyB,W1K8HzB,MAAK,CAAL,iBAAN,C6B/J6C,MAA
X,CAAhB,C6IiCvB,C;;UAChC,I7I/CmE,a6I+CnE,KAAM,M7I/C+E,KAAlB,E6I+CrD,6BAAM,U7I/C6E,KAA9B,

C6I+CnE,K;YAHoD,O7I/BG,U6IkCtB,uB7IrBuB,U6IqBb,KAAM,M7IrBkB,KAAK,UAAY,C7BkJ/C,UAAW,oB
AAL,C0K7Hc,W1K6Hd,MAAK,CAAL,iBAAN,C6BlJ+C,MAAZ,CAAhB,C6IqBvB,EAA4B,KAAM,KAAlC,C7Il
CiC,KAAK,KAAW,C7B+J7C,UAAW,oBAAL,C0K7HgC,W1K6HhC,MAAK,CAAL,iBAAN,C6B/J6C,MAAX,C
AAhB,C;;Y6I+BH,OAI5C,oB;;;K;IAGZ,sC;MAQI,4BAAU,K3IwtFH,Q2IxtFP,C;MACA,OAAO,K;K;IAGX,uC;M
AKsD,O3IuxF3C,e2IvxF2C,4BAAU,IAAV,C3IuxF3C,C;K;I2IrxFX,4D;MAOgD,yB;QAAA,YAAiB,C;MAAG,uB
;QAAA,UAAe,KAAM,K;MACrF,4BAAU,K3IqsFH,Q2IrsFP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAAO,
K;K;IAIX,2C;MhKrHI,IAAI,EV0B8D,Y0K4FD,K1K5FkB,KAAjB,E0K4FO,I1K5FsB,KAA7B,C0K4FD,IhKtH7D
,CAAJ,C;QACI,cgKqH6E,+B;QhKpH7E,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IgKqHd,4C;MhKvHI,IAAI,EmB
kC+D,a6IsFC,K7ItFiB,KAAlB,E6IsFS,I7ItFqB,KAA9B,C6IsFC,IhKxHhE,CAAJ,C;QACI,cgKuHgF,+B;QhKtHhF
,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IiKnBd,6C;MAOI,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;
MACA,sB;MjKWA,IAAI,EiKJQ,CAAC,WAAK,QAAL,GAAU,QAAV,GAAe,QAAf,GAAoB,QAArB,MAA2B,Cj
KInC,CAAJ,C;QACI,ciKLwC,wD;QjKMxC,MAAM,gCAAyB,OAAQ,WAAjC,C;OIgHV,iBAAc,CAAd,U6JnHW,
E7JmHX,U;Q6JnHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MAClB,WAAI,Q;MACJ,W
AAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,GAAsB,EAAtB,GA
A8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OA
AU,cAAV,cAAU,EAAc,QAAd,C;K;;IA3Bd,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAY,KAAZ,EAAmB,CAAn
B,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICdiD,
8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAg
C,kBAAa,KAAM,UAAnB,KAC/B,mBAAS,KAAM,MAAf,KAAwB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;
K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAW,SAAN,UAAM,CAAX,QAAqC,SAAb,iBAAa,CA
ArC,I;K;yCAGlC,Y;MAAkC,OAAE,UAAF,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAgB,SAAhB,EAAsB,IAAtB,
C;K;;;0DAYzE,iB;MAA2C,qCAAiB,UAAjB,EAAwB,KAAxB,KAAkC,8BAAiB,KAAjB,EAAwB,iBAAxB,C;K;i
DAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAAwB,iBAAxB,C;K;;IAcR,gD;MAI3B,gBAAqB,K;MACrB,uBAA
4B,Y;K;sEACD,Y;MAAQ,oB;K;6EACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEpE,iB;MAAg
D,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAElC,iB;MACI,OAA
O,4CAA+B,kBAAa,KAAM,UAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,
C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,C
AAvC,I;K;2CAGlC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAAlB,EAAwB,IAAx
B,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;qEACF,Y;MAAQ,oB;K;4EACD,Y;MAAQ,2B;K;0
DAEzC,gB;MAA6D,YAAK,C;K;kDAElE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,S
AAE,iBAAU,oBAAZ,C;K;wCAElC,iB;MACI,OAAO,2CAA8B,kBAAa,KAAM,UAAnB,KAC7B,kBAAU,KAAM
,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,M
AAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;K;0CAGlC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;
IAGjD,oC;MAOkF,4BAAiB,SAAjB,EAAuB,IAAvB,C;K;oFAGlF,8B;MAQI,0BAAmB,2BAAS,OAAT,C;K;IAGv
B,+C;MACI,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAyB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MAcW,
Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAmB,sCAA0B,uBAA1B,CAAnB,C;MAC
9B,OAAO,sD;K;IAGX,oC;MAakC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;6E
CnClD,yB;MAAA,4F;MAAA,2B;QAOI,MAAM,mCAA8B,0EAA9B,C;O;KAPV,C;ICkCA,+D;MAcW,Q;MAAP,
OAAO,8CAAO,KAAP,EAAc,UAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa
,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAIX,wD;MAEQ,sB;QAAAqB,yBAAO,UAAU,OAA
V,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,SAA
R,OAAQ,CAAf,C;K;0EC/DhB,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;K;IAEhF,gD;MAYoC,0B;
QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAA
O,K;MAExB,I3DpBiI,OAArI,MAAoD,c2DoB5C,S3DpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C2Do
B7H,K3DpB6H,OAArI,MAAoD,c2DoBtB,K3DpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C2DoBjI,C;
QAA+C,OAAO,I;MACtD,I3DxBiI,OAArI,MAAoD,c2DwB5C,S3DxBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,C
AAgC,C2DwB7H,K3DxB6H,OAArI,MAAoD,c2DwBtB,K3DxBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAg
C,C2DwBjI,C;QAA+C,OAAO,I;MACtD,OAAO,K;K;IAGX,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sC

AAK,cAAzB,CAAR,6B;K;IChCzC,6C;MAc6B,4B;QAAA,eAAuB,G;MAChD,wCAAsB,EAAtB,EAA0B,YAA1B,
C;K;IAEJ,mE;MAKwC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MvKGnF,IAAI,Cc0N+C,CAAC,QyJ5
N5C,YzJ4N4C,Cd1NpD,C;QACI,cuKHiC,wC;QvKIjC,MAAM,gCAAyB,OAAQ,WAAjC,C;OuKHV,cAAY,gB;M
AEC,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAl
B,C;MA0E9D,gBAAgB,iBA1ET,OA0ES,C;MjKqvCT,kBAAoB,gB;MAgRd,gB;MADb,YAAY,C;MACC,OiK/kD
N,OjK+kDM,W;kBAAb,OAAa,cAAb,C;QAAa,sB;QAtQsB,U;QAAA,cAsQT,oBAAmB,cAAnB,EAAmB,sBAAn
B,U;QiKhgDlB,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,IiKngDH,C;UAC5C,a;;UAEA
,4B;UA9E+B,uB;;Y1J4EzB,kC;YAAA,wBPkgDyC,IOlgDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAd,gE;cACI,
I0J7EkD,CAAI,aAAH,U1J6ErC,YPigDqC,IOjgDrC,YAAK,OAAL,E0J7EqC,CAAG,C1J6EtD,C;gBACI,sBAAO,
O;gBAAP,wB;;YAGR,sBAAO,E;;;U0JjFH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;iBACjC,IAAK,ajK0k
D0C,IiK1kD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2BjK8kDmD,ISh7CsB,WwJ1JI,0BAAuC,mBAAvC,IxJ0JJ,C;;
YwJ9JzE,2BAKY,I;;UAyER,iEnKJD,yBmKIC,4BjKggD+C,I;;QAtQpB,8B;UAA6C,6B;;MiKz0ChF,OAiFK,SjKy
vCE,WiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;
K;IAEzC,6C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;MjK2nBL,kBAAS,gB;MAyEA,U;MA
AA,SiKlsBM,OjKksBN,W;MAAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,IQ3gB6B,CAAC,QR2gBhB,OQ3gB
gB,CR2gB9B,C;UAAwB,WAAY,WAAI,OAAJ,C;;MiKhsBrD,kBjKisBE,W;MAskBA,oBAAM,iBAAa,qCAAwB,
EAAxB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAc,IAAd,E;;MiK/
0ChB,sBAAsB,CAGjB,cjK60CE,aiK70CF,CAHiB,mBAGR,C;MAED,yBAAS,mBAAS,YAAA,SAAU,OAAV,EA
AmB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAlB,C;MAmC9D,gBAAgB,iBAnCT,OAmCS,C;Mj
KqvCT,oBAAoB,gB;MAgRd,kB;MADb,YAAY,C;MACC,SiKxiDN,OjKwiDM,W;MAAb,OAAa,gBAAb,C;QAAa
,0B;QAtQsB,U;QAAA,cAsQT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;QiKhgDlB,kB;QjK0vC2B,ciK7vC3B,CAA
C,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,MiKngDH,CjK6vCjB,GiK5vC3B,IjK4vC2B,GiK1vC3B,oBAx
CmG,QjKwiDpD,MiKxiDoD,kBAwCnG,YnKJD,yBmKIC,4BjKggD+C,MAtQpB,U;UAA6C,+B;;MiKlyChF,OA0
CK,SjKyvCE,aiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEG,I
AAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAnB,C;YAHZ,OAGyC,c;;YAHzC,
OAIoB,E;;UAJpB,OAOY,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,u
BACK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q1JetB,gC;QAAA,gC;QAAA,mB;QAAA,
kB;QAAA,kB;QAAd,0D;UACI,I0JhB+C,CAAI,aAAH,U1JgBlC,iCAAK,KAAL,E0JhBkC,CAAG,C1JgBnD,C;YA
CI,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;;MTPA,4B;MmKb6B,OAA8C,OAAM,EAAV,GAAc,gBAAd,GAA0
B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAAkB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,MzJoIg
D,YAAU,CyJpI1D,C;QAD4C,OACxB,wB;;QADwB,OAEpC,kC;K;mBAGZ,yB;MjKmvCA,+D;MAgRA,wE;MiK
ngDA,sF;QAKI,gBAAgB,2B;QjKqvCT,kBAAoB,gB;QAgRd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,
C;UAAa,sB;UAtQsB,U;UAAA,cAsQT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;UiKhgDlB,kB;UjK0vC2B,ciK7vC
3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,IiKngDH,CjK6vCjB,GiK5vC3B,IjK4vC2B,GiK1vC3B
,sCjKggD+C,IiKhgD/C,anKJD,yBmKIC,4BjKggD+C,IAtQpB,U;YAA6C,6B;;QiK9vChF,OAMK,SjKyvCE,WiKz
vCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvF8RA,0B;MAGmE,OAAA,SAAK,
gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAMoB,gBAAhB,oB;QAAsB,a5EhUtB,W;Q4EgUA,O5
E/TO,S4E+T8B,W;O;KANzC,C;uFAQA,yB;MAAA,iE;MAAA,0C;QAO4B,gBAAxB,mBAAc,QAAd,C;QAA8B,a
5EzU9B,W;Q4EyUA,O5ExUO,S4EwUsC,W;O;KAPjD,C;IASA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,W
AAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,
WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IpFjaX,iC;MAK0C,iCAAqB,EAArB,C;K;IAE1C,0C
;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,
MAAM,sCAAK,UAAX,IAAwB,MAAM,sCAAK,UAAvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAI,C;K
;IAGf,kC;MAK4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,i
B;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;
QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAI,C;K;IAGf,gC;MAKwC,gCAAoB,EAApB,C;K;IAExC,yC;MAQI,
WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;
MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UA

AiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UACI,aAAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,E
AAjB,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;
MAIZ,uBAAuB,S;MAEvB,qBAAqB,gB;MACrB,aAAa,C;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY
,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,SA
AS,cAAb,C;UACI,IAAI,mBAAkB,gBAAtB,C;YACI,iBAAiB,QAAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,
OAAO,I;;YAGX,OAAO,I;;SAIf,6BAAU,KAAV,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,O
AAO,I;QAEnC,kBAAU,KAAV,I;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;
MAK0C,iCAAqB,EAArB,C;K;IAE1C,0C;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IAAI,WAAU
,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAA
Y,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UAC
I,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,6B;;UAEA,OAAO,I;;QAEX,QAAQ,C;Q
ACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAAqB,gB;MACrB,e;MACA,aAAU,KAAV,MAAsB,MAAtB,M;QA
CI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB
,IAAI,uBAAS,cAAT,KAAJ,C;UACI,IAAI,uBAAkB,gBAAlB,CAAJ,C;YACI,iBAAiB,8BAAQ,KAAR,E;YAEjB,I
AAI,uBAAS,cAAT,KAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAA
Q,KAAR,EAAT,KAAJ,C;UAA4B,OAAO,I;QAEnC,6CAAU,KAAV,E;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,G
AA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;K;uEkB9L/D,yB;MAAA,o
C;MAAA,uC;QAII,iBAAiB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAArB,C;
UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAAY,UAAU,iCAAK,KAAL,EAAV,C;UAEZ,
IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KA
AL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIZ,OAAO,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;O;KAz
BX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAAiB,C;QACj
B,eAAe,qBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAArB,C;UACI,YAAgB,CAAC,UAAL,GAAiB
,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,EAAV,C;UAEZ,IAAI,CAAC,UAAL,C;YA
CI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBA
AY,CAAZ,I;;;QAWZ,OAPO,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOgC,W;O;KAJ3C,C;iFAMA,yB
;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;Q
AAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OA
AO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAA
A,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UA
AA,oB;UAAA,oB;UAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,mBAA
O,gCAAY,KAAZ,EAAmB,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB
;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;Q
AAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAA
Y,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,
+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WA
AK,CAAQ,CAAb,W;UAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EA
AV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;cAAP,mB;;UAER,iBAAO,E;;;QAOP,O
AA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,O
AAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCA
AK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAA
c,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAkDiD,OA9CtD,8BAAY,UAAZ,E
AAwB,WAAW,CAAX,IAAxB,C;K;IAgDX,kC;MAzCK,Q;MAAsB,kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eA
Ae,qBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UA
AjB,GAAiC,Q;QAC7C,YAkEoD,4BAlE9B,mCAAK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,I
AAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAA
Y,CAAZ,I;;;MAuDqC,OAnD1C,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAmDgC,W;K;IA8C3C,uC;MAG
sE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCA

AK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;YAAP,qB;;QAER,mBAAO
,E;;;MAuC2D,uB;K;IAEtE,uC;MAlCK,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C
;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,
C;YACI,mBAAO,gCAAY,KAAZ,EAAmB,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;K;I
AuChD,qC;MAGoE,kB;;QApClD,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;U
ACV,IAAI,CAmCkE,4BAnCvD,iCAAK,KAAL,EAmCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAA
Q,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAgCyD,qB;K;IAEpE,qC;MA3BK,Q;MAAsB,kBAAtB,2D;MA
AsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UAC
V,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,
CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IAgC9C,2B;MA9FI,iBAAiB,C;MACjB,e
AAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,U
AAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,K
AAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;
MAgF+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;K;yEA8EX,yB;MAAA,8B;MAAA,qC;MA
AA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;O;KAJxE,C;IAMA,gC;MAGoD,oB;;QA1E7B,gC;
QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAAW,iCAAK,KAAL,EAAX,EAAJ,C;YA
CI,mBAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAsEyC,uB;K;mFAEpD,yB;M
AAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAtB,2DAAsB,CAAY,W;O;KAJlF,C;IAMA,8B;M
AGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,w
BAAW,iCAAK,KAAL,EAAX,EAAJ,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;
QAER,iBAAO,E;;;MAgEuC,qB;K;+EAElD,yB;MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QA
AtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,C
AAb,C;QACI,MAAM,gCAAyB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAnB,C;QACI,OA
AY,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACK,gBAAS,SA
AK,OAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,O
AAO,E;K;IAGX,gD;MASwC,uB;QAAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,
EAAiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;
QACI,MAAM,gCAAyB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAnB,C;QACI,OAAY,mB
AAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACT,EAAG,gBAAO,SA
AP,C;MACW,gBAAS,SAAK,OAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;
K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAAO,MAAP,EAAAe,O
AAf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAgB,SAAK,OAAL,KAAe,C;K;+EAG1C,qB;MAMoD,4BAA
U,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;
yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;
MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAyC,sBAAQ,yB
;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAEtD,mC;MASI,OA5DgD,qBAAU,CA4D1D1D
,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAmC,S;O;K
ATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAAL,GAAc,CA
Ad,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,C
AAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,OCpIyC,oBDoI/B,K
AAM,MCpIyB,EDoIlB,KAAM,aAAN,GAAAqB,CAArB,ICpIkB,C;K;IDsIhG,yC;MAGqE,qCAAY,KAAM,MAAlB
,EAAyB,KAAM,aAAN,GAAAqB,CAArB,IAAzB,C;K;uFAErE,iC;MAS2E,2BAAY,KAAZ,EAAmB,GAAnB,C;K;
mFAE3E,2C;MAO0D,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAY,UAAZ,EAAwB,QAAxB,CAAkC,W;K;I
AE9H,uC;MAG6D,OAAA,8BAAY,KAAM,MAAlB,EAAyB,KAAM,aAAN,GAAAqB,CAArB,IAAzB,CAAiD,W;K
;IAE9G,sE;MAImD,qC;QAAA,wBAAgC,S;MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GA
AwB,qBAAxB,GC1K4F,oBD0K/B,CC1K+B,ED0K5B,KC1K4B,C;K;ID6KhG,wE;MAIqD,qC;QAAA,wBAAgC,S
;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GCnL4F,oBDmL/B,CCnL+
B,EDmL5B,KCnL4B,C;K;IDsLhG,qE;MAIkD,qC;QAAA,wBAAgC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,

OAAW,UAAS,EAApB,GAAwB,qBAAxB,GC5L4F,oBD4L/B,QAAQ,CAAR,IC5L+B,ED4LpB,gBC5LoB,C;K;ID+LhG,uE;MAIoD,qC;QAAA,wBAAgC,S;MAChF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCrM4F,oBDqM/B,QAAQ,SAAU,OAAlB,ICrM+B,EDqML,gBCrMK,C;K;IDwMhG,0E;MAIuD,qC;QAAA,wBAAgC,S;MACnF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC9M4F,oBD8M/B,QAAQ,SAAU,OAAlB,IC9M+B,EDyOL,gBCzOK,C;K;IDiNhG,4E;MAIyD,qC;QAAA,wBAAgC,S;MACrF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCvN4F,oBDuN/B,QAAQ,SAAU,OAAlB,ICvN+B,EDuNL,gBCvNK,C;K;ID0NhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MAClF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCgO4F,oBDhO/B,QAAQ,SAAU,OAAlB,ICgO+B,EDhOL,gBCgOK,C;K;IDmOhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCyO4F,oBDzO/B,QAAQ,SAAU,OAAlB,ICyO+B,EDzOL,gBCyOK,C;K;IDkPhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCkP4F,oBDlP/B,QAAQ,SAAU,OAAlB,ICkP+B,EDlPL,gBCkPK,C;K;IDqPhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC2P4F,oBD3P/B,QAAQ,SAAU,OAAlB,IC2P+B,ED3PL,gBC2PK,C;K;IDsQhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCoQ4F,oBDpQ/B,QAAQ,SAAU,OAAlB,ICoQ+B,EDpQL,gBCoQK,C;K;IDuQhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC6Q4F,oBD7Q/B,QAAQ,SAAU,OAAlB,IC6Q+B,ED7QL,gBC6QK,C;K;IDwRhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCsR4F,oBDtR/B,QAAQ,SAAU,OAAlB,ICsR+B,EDtRL,gBCsRK,C;K;IDyRhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+R4F,oBD/R/B,QAAQ,SAAU,OAAlB,IC+R+B,ED/RL,gBC+RK,C;K;ID0RhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwS4F,oBDxS/B,QAAQ,SAAU,OAAlB,ICwS+B,EDxSL,gBCwSK,C;K;ID2ShG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCiT4F,oBDjT/B,QAAQ,SAAU,OAAlB,ICiT+B,EDjTL,gBCiTK,C;K;ID4ThG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0T4F,oBD1T/B,QAAQ,SAAU,OAAlB,IC0T+B,ED1TL,gBC0TK,C;K;ID6ThG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmU4F,oBDnU/B,QAAQ,SAAU,OAAlB,ICmU+B,EDnUL,gBCmUK,C;K;IDsUhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4U4F,oBD5U/B,QAAQ,SAAU,OAAlB,IC4U+B,ED5UL,gBC4UK,C;K;ID+UhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCqV4F,oBDrV/B,QAAQ,SAAU,OAAlB,ICqV+B,EDrVL,gBCqVK,C;K;IDwVhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8V4F,oBD9V/B,QAAQ,SAAU,OAAlB,IC8V+B,ED9VL,gBC8VK,C;K;IDiWhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCuW4F,oBDvW/B,QAAQ,SAAU,OAAlB,ICuW+B,EDvWL,gBCuWK,C;K;ID0WhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCgX4F,oBDhX/B,QAAQ,SAAU,OAAlB,ICgX+B,EDhXL,gBCgXK,C;K;IDmXhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCyX4F,oBDzX/B,QAAQ,SAAU,OAAlB,ICyX+B,EDzXL,gBCyXK,C;K;ID4XhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCkY4F,oBDlY/B,QAAQ,SAAU,OAAlB,ICkY+B,EDlYL,gBCkYK,C;K;IDqYhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC2Y4F,oBD3Y/B,QAAQ,SAAU,OAAlB,IC2Y+B,ED3YL,gBC2YK,C;K;IDsZhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCoZ4F,oBDpZ/B,QAAQ,SAAU,OAAlB,ICoZ+B,EDpZL,gBCoZK,C;K;IDuZhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC6Z4F,oBD7Z/B,QAAQ,SAAU,OAAlB,IC6Z+B,ED7ZL,gBC6ZK,C;K;IDwahG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCsa4F,oBDta/B,QAAQ,SAAU,OAAlB,ICsa+B,EDtaL,gBCsaK,C;K;IDyahG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+a4F,oBD/a/B,QAAQ,SAAU,OAAlB,IC+a+B,ED/aL,gBC+aK,C;K;ID0ahG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwb4F,oBDxb/B,QAAQ,SAAU,OAAlB,ICwb+B,EDxbL,gBCwbK,C;K;ID2bhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCic4F,oBDjc/B,QAAQ,SAAU,OAAlB,ICic+B,EDjcL,gBCicK,C;K;IDocpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0c4F,oBD1c/B,QAAQ,SAAU,OAAlB,IC0c+B,ED1cL,gBC0cK,C;K;IDqdpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmd4F,oBDnd/B,QAAQ,SAAU,OAAlB,ICmd+B,EDndL,gBCmdK,C;K;IDsdpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4d4F,oBD5d/B,QAAQ,SAAU,OAAlB,IC4d+B,ED5dL,gBC4dK,C;K;IDudpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCqe4F,oBDre/B,QAAQ,SAAU,OAAlB,ICqe+B,EDreL,gBCqeK,C;K;IDwepG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8e4F,oBD9e/B,QAAQ,SAAU,OAAlB,IC8e+B,ED9eL,gBC8eK,C;K;IDyfpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCsf4F,oBDtf/B,QAAQ,SAAU,OAAlB,ICsf+B,EDtfL,gBCsfK,C;K;IDyfpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+f4F,oBD/f/B,QAAQ,SAAU,OAAlB,IC+f+B,ED/fL,gBC+fK,C;K;ID0fpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwgB4F,oBDxgB/B,QAAQ,SAAU,OAAlB,ICwgB+B,EDxgBL,gBCwgBK,C;K;ID2gBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCihB4F,oBDjhB/B,QAAQ,SAAU,OAAlB,ICihB+B,EDjhBL,gBCihBK,C;K;IDohBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0hB4F,oBD1hB/B,QAAQ,SAAU,OAAlB,IC0hB+B,ED1hBL,gBC0hBK,C;K;IDqiBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmiB4F,oBDniB/B,QAAQ,SAAU,OAAlB,ICmiB+B,EDniBL,gBCmiBK,C;K;IDsiBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4iB4F,oBD5iB/B,QAAQ,SAAU,OAAlB,IC4iB+B,ED5iBL,gBC4iBK,C;K;IDujBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCqjB4F,oBDrjB/B,QAAQ,SAAU,OAAlB,ICqjB+B,EDrjBL,gBCqjBK,C;K;IDwjBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8jB4F,oBD9jB/B,QAAQ,SAAU,OAAlB,IC8jB+B,ED9jBL,gBC8jBK,C;K;IDykBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCslB4F,oBDtlB/B,QAAQ,SAAU,OAAlB,ICslB+B,EDtlBL,gBCslBK,C;K;IDylBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+lB4F,oBD/lB/B,QAAQ,SAAU,OAAlB,IC+lB+B,ED/lBL,gBC+lBK,C;K;ID0lBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwmB4F,oBDxmB/B,QAAQ,SAAU,OAAlB,ICwmB+B,EDxmBL,gBCwmBK,C;K;ID2mBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCinB4F,oBDjnB/B,QAAQ,SAAU,OAAlB,ICinB+B,EDjnBL,gBCinBK,C;K;IDonBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0nB4F,oBD1nB/B,QAAQ,SAAU,OAAlB,IC0nB+B,ED1nBL,gBC0nBK,C;K;IDqoBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmoB4F,oBDnoB/B,QAAQ,SAAU,OAAlB,ICmoB+B,EDnoBL,gBCmoBK,C;K;IDsoBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4oB4F,oBD5oB/B,QAAQ,SAAU,OAAlB,IC4oB+B,ED5oBL,gBC4oBK,C;K;IDupBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCqpB4F,oBDrpB/B,QAAQ,SAAU,OAAlB,ICqpB+B,EDrpBL,gBCqpBK,C;K;IDwpBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8pB4F,oBD9pB/B,QAAQ,SAAU,OAAlB,IC8pB+B,ED9pBL,gBC8pBK,C;K;IDyqBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCsqB4F,oBDtqB/B,QAAQ,SAAU,OAAlB,ICsqB+B,EDtqBL,gBCsqBK,C;K;IDyqBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+qB4F,oBD/qB/B,QAAQ,SAAU,OAAlB,IC+qB+B,ED/qBL,gBC+qBK,C;K;ID0qBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwrB4F,oBDxrB/B,QAAQ,SAAU,OAAlB,ICwrB+B,EDxrBL,gBCwrBK,C;K;ID2rBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCisB4F,oBDjsB/B,QAAQ,SAAU,OAAlB,ICisB+B,EDjsBL,gBCisBK,C;K;IDosBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0sB4F,oBD1sB/B,QAAQ,SAAU,OAAlB,IC0sB+B,ED1sBL,gBC0sBK,C;K;IDqtBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmtB4F,oBDntB/B,QAAQ,SAAU,OAAlB,ICmtB+B,EDntBL,gBCmtBK,C;K;IDstBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4tB4F,oBD5tB/B,QAAQ,SAAU,OAAlB,IC4tB+B,ED5tBL,gBC4tBK,C;K;IDuuBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCquB4F,oBDruB/B,QAAQ,SAAU,OAAlB,ICquB+B,EDruBL,gBCquBK,C;K;IDwuBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8uB4F,oBD9uB/B,QAAQ,SAAU,OAAlB,IC8uB+B,ED9uBL,gBC8uBK,C;K;IDyvBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCswB4F,oBDtwB/B,QAAQ,SAAU,OAAlB,ICswB+B,EDtwBL,gBCswBK,C;K;IDywBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+wB4F,oBD/wB/B,QAAQ,SAAU,OAAlB,IC+wB+B,ED/wBL,gBC+wBK,C;K;ID0wBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwxB4F,oBDxxB/B,QAAQ,SAAU,OAAlB,ICwxB+B,EDxxBL,gBCwxBK,C;K;ID2xBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCiyB4F,oBDjyB/B,QAAQ,SAAU,OAAlB,ICiyB+B,EDjyBL,gBCiyBK,C;K;IDoyBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0yB4F,oBD1yB/B,QAAQ,SAAU,OAAlB,IC0yB+B,ED1yBL,gBC0yBK,C;K;IDqzBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmzB4F,oBDnzB/B,QAAQ,SAAU,OAAlB,ICmzB+B,EDnzBL,gBCmzBK,C;K;IDszBpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4zB4F,oBD5zB/B,QAAQ,SAAU,OAAlB,IC4zB+B,ED5zBL,gBC4zBK,C;K;IDu0BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCq0B4F,oBDr0B/B,QAAQ,SAAU,OAAlB,ICq0B+B,EDr0BL,gBCq0BK,C;K;IDw0BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC80B4F,oBD90B/B,QAAQ,SAAU,OAAlB,IC80B+B,ED90BL,gBC80BK,C;K;IDy1BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCs1B4F,oBDt1B/B,QAAQ,SAAU,OAAlB,ICs1B+B,EDt1BL,gBCs1BK,C;K;IDy1BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+1B4F,oBD/1B/B,QAAQ,SAAU,OAAlB,IC+1B+B,ED/1BL,gBC+1BK,C;K;ID02BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCw2B4F,oBDx2B/B,QAAQ,SAAU,OAAlB,ICw2B+B,EDx2BL,gBCw2BK,C;K;ID22BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCi3B4F,oBDj3B/B,QAAQ,SAAU,OAAlB,ICi3B+B,EDj3BL,gBCi3BK,C;K;IDo3BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC03B4F,oBD13B/B,QAAQ,SAAU,OAAlB,IC03B+B,ED13BL,gBC03BK,C;K;IDq4BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCm4B4F,oBDn4B/B,QAAQ,SAAU,OAAlB,ICm4B+B,EDn4BL,gBCm4BK,C;K;IDs4BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC44B4F,oBD54B/B,QAAQ,SAAU,OAAlB,IC44B+B,ED54BL,gBC44BK,C;K;IDu5BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCq5B4F,oBDr5B/B,QAAQ,SAAU,OAAlB,ICq5B+B,EDr5BL,gBCq5BK,C;K;IDw5BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC85B4F,oBD95B/B,QAAQ,SAAU,OAAlB,IC85B+B,ED95BL,gBC85BK,C;K;IDy6BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCs6B4F,oBDt6B/B,QAAQ,SAAU,OAAlB,ICs6B+B,EDt6BL,gBCs6BK,C;K;IDy6BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+6B4F,oBD/6B/B,QAAQ,SAAU,OAAlB,IC+6B+B,ED/6BL,gBC+6BK,C;K;ID07BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCw7B4F,oBDx7B/B,QAAQ,SAAU,OAAlB,ICw7B+B,EDx7BL,gBCw7BK,C;K;ID27BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCi8B4F,oBDj8B/B,QAAQ,SAAU,OAAlB,ICi8B+B,EDj8BL,gBCi8BK,C;K;IDo8BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC08B4F,oBD18B/B,QAAQ,SAAU,OAAlB,IC08B+B,ED18BL,gBC08BK,C;K;IDq9BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCm9B4F,oBDn9B/B,QAAQ,SAAU,OAAlB,ICm9B+B,EDn9BL,gBCm9BK,C;K;IDs9BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC49B4F,oBD59B/B,QAAQ,SAAU,OAAlB,IC49B+B,ED59BL,gBC49BK,C;K;IDu+BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCq+B4F,oBDr+B/B,QAAQ,SAAU,OAAlB,ICq+B+B,EDr+BL,gBCq+BK,C;K;IDw+BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8+B4F,oBD9+B/B,QAAQ,SAAU,OAAlB,IC8+B+B,ED9+BL,gBC8+BK,C;K;IDy/BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCs/B4F,oBDt/B/B,QAAQ,SAAU,OAAlB,ICs/B+B,EDt/BL,gBCs/BK,C;K;IDy/BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+/B4F,oBD//B/B,QAAQ,SAAU,OAAlB,IC+/B+B,ED//BL,gBC+/BK,C;K;ID0/BpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwgC4F,oBDxgC/B,QAAQ,SAAU,OAAlB,ICwgC+B,EDxgCL,gBCwgCK,C;K;ID2gCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCihC4F,oBDjhC/B,QAAQ,SAAU,OAAlB,ICihC+B,EDjhCL,gBCihCK,C;K;IDohCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0hC4F,oBD1hC/B,QAAQ,SAAU,OAAlB,IC0hC+B,ED1hCL,gBC0hCK,C;K;IDqiCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmiC4F,oBDniC/B,QAAQ,SAAU,OAAlB,ICmiC+B,EDniCL,gBCmiCK,C;K;IDsiCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4iC4F,oBD5iC/B,QAAQ,SAAU,OAAlB,IC4iC+B,ED5iCL,gBC4iCK,C;K;IDujCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCqjC4F,oBDrjC/B,QAAQ,SAAU,OAAlB,ICqjC+B,EDrjCL,gBCqjCK,C;K;IDwjCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8jC4F,oBD9jC/B,QAAQ,SAAU,OAAlB,IC8jC+B,ED9jCL,gBC8jCK,C;K;IDykCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCslC4F,oBDtlC/B,QAAQ,SAAU,OAAlB,ICslC+B,EDtlCL,gBCslCK,C;K;IDylCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC+lC4F,oBD/lC/B,QAAQ,SAAU,OAAlB,IC+lC+B,ED/lCL,gBC+lCK,C;K;ID0lCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCwmC4F,oBDxmC/B,QAAQ,SAAU,OAAlB,ICwmC+B,EDxmCL,gBCwmCK,C;K;ID2mCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCinC4F,oBDjnC/B,QAAQ,SAAU,OAAlB,ICinC+B,EDjnCL,gBCinCK,C;K;IDonCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC0nC4F,oBD1nC/B,QAAQ,SAAU,OAAlB,IC0nC+B,ED1nCL,gBC0nCK,C;K;IDqoCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCmoC4F,oBDnoC/B,QAAQ,SAAU,OAAlB,ICmoC+B,EDnoCL,gBCmoCK,C;K;IDsoCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC4oC4F,oBD5oC/B,QAAQ,SAAU,OAAlB,IC4oC+B,ED5oCL,gBC4oCK,C;K;IDupCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GCqpC4F,oBDrpC/B,QAAQ,SAAU,OAAlB,ICqpC+B,EDrpCL,gBCqpCK,C;K;IDwpCpG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAApB,GAAAwB,qBAAxB,GC8pC4F,oBD9pC/B,QAAQ,SAAU,OAAlB,IC8pC+B,ED9pCL,g

QAAA,wBAAgC,S;MACrG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB
;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA1M1E,U;QA0MM,OA1MgB,aAAtB,+DAAsB,EAAa,UA
Ab,EAAyB,QAAzB,EA0M4D,WA1M5D,CAAgD,W;;MA0MvE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAgC,S;M
ACtG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnNvB,U;QAmN
M,OAnNgB,aAAtB,+DAAsB,EAmNyC,CAnNzC,EAmN4C,KAnN5C,EAmNmD,WAnNnD,CAAgD,W;;MAmNv
E,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAgC,S;MACxG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS
,EAAb,C;QAAA,OAAiB,qB;;QA5NvB,U;QA4NM,OA5NgB,aAAtB,+DAAsB,EA4NyC,CA5NzC,EA4N4C,KA5
N5C,EA4NmD,WA5NnD,CAAgD,W;;MA4NvE,W;K;+EAOJ,yC;MAQoF,OAAA,KAAM,iBAAQ,SAAR,EAAc,
WAAd,C;K;+EAE1F,yB;M+F/kBI,iE;MAAA,wC;M/F+kBJ,8C;QAOU,yB;;U+FhlBF,Y/FglBJ,K+FhlBgB,c/FglBF
,S+FhlBE,C;UACZ,IAAI,aAAJ,C;YAAmB,wB/F+kBT,S+F/kBsB,W;YAAb,0B;WAEnB,gBAAgB,C;UAChB,a/F4
kBU,S+F5kBS,O;UACnB,SAAS,mBAAc,MAAd,C;;YAEL,iBAAiB,oB;YACjB,EAAG,gB/FwkBG,S+FxkBH,EA
Ac,SAAd,EAAyB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gB/FukBS,S+FvkBF,CAAU,UAAV,CAAP,C;YAC
H,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAY,MAAZ,IAAsB,aA
AtB,C;UAET,IAAI,YAAY,MAAhB,C;YACI,EAAG,gB/FikBG,S+FjkBH,EAAc,SAAd,EAAyB,MAAzB,C;WAGP
,wBAAO,EAAG,W;;;Q/F8jBd,4B;O;KAPJ,C;yFASA,yC;MAMyF,OAAA,KAAM,sBAAa,SAAb,EAAmB,WAAn
B,C;K;+EAG/F,4B;MAIsE,OAAA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAf,IAAsB,aAAa
,CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAc,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IA
Ad,CAArF,C;QACI,OAAO,K;OAGX,iBAAc,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAzB,qBAAK,aA
Aa,KAAb,IAAL,CAAyB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAmC,UAAnC,CAA9B,C;UACI,OAAO,K
;;MAEf,OAAO,I;K;IAGX,mD;MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAc,CAAd,IAA2B,
SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,O
AAA,SAAK,OAAL,GAAc,CAAd,IAAmC,SAAhB,qBAAK,2BAAL,CAAgB,EAAO,IAAP,EAAa,UAAb,C;K;IAE
vC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAY
,WAAL,SAAK,EAAW,MAAX,C;;QAEZ,OAAO,6BAAkB,CAAlB,EAAqB,MAArB,EAA6B,CAA7B,EAAAgC,MA
AO,OAAvC,EAA+C,UAA/C,C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BA
Af,IAAiC,0BAArC,C;QACI,OAAY,aAAL,SAAK,EAAW,MAAX,EAAmB,UAAnB,C;;QAEZ,OAAO,6BAAkB,U
AAlB,EAA8B,MAA9B,EAAsC,CAAtC,EAAyC,MAAO,OAAhD,EAAwD,UAAxD,C,C;K;IAGf,mD;MAGuD,0B;Q
AAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAY,SAAL,SAAK,EAAS,
MAAT,C;;QAEZ,OAAO,6BAAkB,mBAAS,MAAO,OAAhB,IAAlB,EAA0C,MAA1C,EAAkD,CAAlD,EAAqD,M
AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MAChF,qBT5lBO,MAAK,KS4lBe,
SAAK,OT5lBpB,ES4lB4B,KAAM,OT5lBlC,C;MS8lBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBA
AK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAA
K,EAAmB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAmB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;
OAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MAChF,iBA
AiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBTnnBO,MAAK,KSmnBe,UTnnBf,ESmnB2B,WTnnB3B,C;
MSqnBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAzB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,CAAjB,IAAL,CAA
yB,EAAO,iBAAM,cAAc,CAAd,GAAkB,CAAlB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,
mBAAL,SAAK,EAAmB,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,C
AAd,GAAkB,CAAlB,IAAnB,CAAzD,C;QACI,a;OAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CA
AwC,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,
IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QA
CjB,OC/oBwF,kB+F7KE,oBhG4zBrE,IgG5zBqE,C/F6KF,ED+oB7D,UC/oB6D,C;ODkpBnE,uBAAX,UAAW,EA
Ac,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;U3ByuTE,U;UAAhB,4B2BzuT
Q,K3ByuTR,kB;YAAgB,cAAhB,U2BzuTQ,K3ByuTR,S;YAAsB,I2BzuTC,SAAH,U3ByuTgB,oB2BzuThB,CAA
G,0B3ByuTD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;;Q2B1uTH,e;UACI,OAAO,K;;MAEf,OAAO,E;K;IA
GX,kE;MASyD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,
OAAN,KAAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCnqB4F,sB+F7KM,oBhGg1
BzE,IgGh1ByE,C/F6KN,EDmqB7D,UCnqB6D,C;mBDuqBhG,iBAAyB,eAAX,UAAW,EAAa,2BAAb,CAAzB,W

AAwD,CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;U3BitTE,Q;UAAhB,wB2BjtTQ,K3BitTR,gB;YAAg
B,cAAhB,U2BjtTQ,K3BitTR,O;YAAsB,I2BjtTC,SAAH,U3BitTgB,oB2BjtThB,CAAG,0B3BitTD,C;cAAwB,aAA
O,I;cAAP,e;;UAC9C,aAAO,K;;;Q2BltTH,e;UACI,OAAO,K;;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OA
AgB,K;MAOrG,UAKA,M;MAXlB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EA
AsC,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,g
BAAT,QAAS,EAAc,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAd,C;UAA
c,uB;UACV,IAAU,cAAN,KAAM,EAAc,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4
C,UAA5C,CAAV,C;YACI,OAAO,K;;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAA
M,EAAkB,CAAlB,EAAqB,SAArB,EAA2B,OAA3B,EAAkC,KAAM,OAAxC,EAAgD,UAAhD,CAAV,C;YACI,O
AAO,O;;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAflB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KA
AgB,CAAnC,C;QACI,aAAqB,UAAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAAW,sBAAQ,MAAR,EAAgB,U
AAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,
UAAS,MAAT,C;OAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAA6B,gB
AA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAElE,IAAI,6BAAJ,C;Q
ACkB,yB;oBAAd,OAAc,cAAd,C;UAAc,yB;UACmB,sB;;YRjpBrB,U;YAAA,SQipBa,ORjpBb,W;YAAhB,OAAg
B,gBAAhB,C;cAAgB,2B;cAAM,IQipBgC,cRjpBlB,OQipBkB,EAAc,CAAd,sBRjpBlB,OQipBmD,OAAjC,aRjpBh
C,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;;UQgpBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YA
AS,cAAT,C;;;QAGD,2B;oBAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YRvpBrB,U;YAAA,SQupBa,ORvpBb
,W;YAAhB,OAAgB,gBAAhB,C;cAAgB,6B;cAAM,IQupBgC,kBRvpBlB,SQupBkB,EAAkB,CAAlB,sBRvpBlB,S
QupBuD,OAArC,aRvpBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;;UQspBC,2C;UACA,IAAI,wB
AAJ,C;YACI,OAAO,YAAS,gBAAT,C;;;MAInB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;
QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,KAAlD,C;K;IAEJ,mE;MA
YmE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAClH,4BAAU,OAAV,EAAmB,UAAnB,EAA+B,UA
A/B,EAAkD,IAAlD,C;K;IAEJ,kE;MAWgE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAA
A,8CAAU,OAAV,EAAmB,UAAnB,EAA+B,UAA/B,EAAkD,KAAlD,mDAAmE,E;K;IAEvE,sE;MAYoE,0B;QA
AA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAnB,EAA+B,UA
A/B,EAAkD,IAAlD,mDAAkE,E;K;IAKtE,6D;MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACn
F,OAAW,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GCvyB
4F,kB+F7KE,oBhGu9B5E,IgGv9B4E,C/F6KF,ED0yBpE,UC1yBoE,C;K;ID6yBhG,+D;MAQgD,0B;QAAA,aAAk
B,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4
B,gBAA5B,EAAoC,UAApC,CADJ,GCtzB4F,kBDyzB1E,MCzzB0E,EDyzBlE,UCzzBkE,C;K;ID4zBhG,iE;MAQg
D,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,I
AAZ,CAAf,EAAkC,UAAlC,EAA8C,UAA9C,CADJ,GCl0BgG,sB+F7KM,oBhGk/BhF,IgGl/BgF,C/F6KN,EDq0B
pE,UCr0BoE,C;K;IDw0BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,c
AAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAAkD,IAAlD,CADJ,G
Cj1BgG,sBDo1B1E,MCp1B0E,EDo1BlE,UCp1BkE,C;K;IDu1BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,O
AAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAAkB
,gBAAlB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B
,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAgB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,
8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAX,yCAAW,EAA
S,CAAT,EAAY,oCAAM,OAAlB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;
MACI,IAAI,uBAAkB,CAAtB,C;QACI,iBAAY,C;QACZ,gBAAW,I;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,y
CAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;UACX,uBA
AkB,E;;UAElB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UAClB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB
,iBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;;YAElB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;Y
ACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd
,GAAiB,CAAjB,GAAwB,CAA5C,K;;;QAG1B,iBAAY,C;;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAAjB,C
;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAY,

E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B,Y;MAA8C,+D;K;;IAgEU,0E;MAAA,0C;QV1gCjD,SU2gCH,sBAAW,kBAAX,EAAuB,YAAvB,EAAkD,kBAAlD,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;O;K;IAdlG,iF;MAUkE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MdnlC7H,IAAI,EcolCI,SAAS,CdplCb,CAAJ,C;QACI,ccmlCkB,oD;QdllClB,MAAM,gCAAyB,OAAQ,WAAjC,C;OcolCV,OAAO,4BAAwB,SAAxB,EAAkC,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;QAAA,oCAAuC,sBAAvC,EAA+D,EAA/D,EAAmE,YAAnE,B,EAAiF,kBAAjF,EAAqG,wBAArG,EAAuI,EAAvI,EAA2I,kBAA3I,EAA+J,wBAA/J,EAAiM,EAAjM,EAAqM,kBAArM,EAAyN,wBAAzN,EAA2P,EAA3P,EAA+P,kBAA/P,EAAmR,wBAAnR,EAAqT,EAArT,EAAyT,kBAAzT,EAA6U,wBAA7U,EAA+W,EAA/W,EAAmX,kBAAnX,EAAuY,wBAAvY,EAAya,EAAza,EAA6a,kBAA7a,EAAic,wBAAjc,EAAmf,EAAnf,EAAuf,kBAAvf,EAA2gB,wBAA3gB,EAA6iB,EAA7iB,EAAijB,kBAAjjB,EAAqkB,wBAArkB,EAAumB,EAAvmB,EAA2mB,kBAA3mB,EAA+nB,wBAA/nB,EAAiqB,EAAjqB,EAAqqB,kBAArqB,EAAyrB,wBAAzrB,EAA2tB,EAA3tB,EAA+tB,kBAA/tB,EAAmvB,wBAAnvB,EAAqxB,EAArxB,EAAyxB,kBAAzxB,EAA6yB,wBAA7yB,EAA+0B,EAA/0B,EAAm1B,kBAAn1B,EAAu2B,wBAAv2B,EAAy4B,EAAz4B,EAA64B,kBAA74B,EAAi6B,wBAAj6B,EAAm8B,EAAn8B,EAAu8B,kBAAv8B,EAA29B,wBAA39B,EAA6/B,EAA7/B,EAAigC,kBAAjgC,EAAqhC,wBAArhC,EAAuiC,EAAviC,EAA2iC,kBAA3iC,EAA+jC,wBAA/jC,EAAimC,EAAjmC,EAAqmC,kBAArmC,EAAynC,wBAAznC,EAA2pC,EAA3pC,EAA+pC,kBAA/pC,EAAmrC,wBAAnrC,EAAqtC,EAArtC,EAAytC,kBAAztC,EAA6uC,wBAA7uC,EAA+wC,EAA/wC,EAAmxC,kBAAnxC,EAAuyC,wBAAvyC,EAAy0C,EAAz0C,EAA60C,kBAA70C,EAAi2C,wBAAj2C,EAAm4C,EAAn4C,EAAu4C,kBAAv4C,EAA25C,wBAA35C,EAA68C,EAA78C,EAAi9C,kBAAj9C,EAAq+C,wBAAr+C,EAAugD,EAAvgD,EAA2gD,kBAA3gD,EAA+hD,wBAA/hD,EAAikD,EAAjkD,EAAqkD,kBAArkD,EAAylD,wBAAzlD,EAA2nD,EAA3nD,EAA+nD,kBAA/nD,EAAmpD,wBAAnpD,EAAqrD,EAArrD,EAAyrD,kBAAzrD,EAA6sD,wBAA7sD,EAA+uD,EAA/uD,EAAmvD,kBAAnvD,EAAuwD,wBAAvwD,EAAyyD,EAAzyD,EAA6yD,kBAA7yD,EAAi0D,wBAAj0D,EAAm2D,EAAn2D,EAAu2D,kBAAv2D,EAA23D,wBAA33D,EAA64D,EAA74D,EAAi5D,kBAAj5D,EAAq6D,wBAAr6D,EAAu8D,EAAv8D,EAA28D,kBAA38D,EAA+9D,wBAA/9D,EAAigE,EAAjgE,EAAqgE,kBAArgE,EAAyhE,wBAAzhE,EAA2jE,EAA3jE,EAA+jE,kBAA/jE,EAAmlE,wBAAnlE,EAAqnE,EAArnE,EAAynE,kBAAznE,EAA6oE,wBAA7oE,EAA+qE,EAA/qE,EAAmrE,kBAAnrE,EAAusE,wBAAvsE,EAAyuE,EAAzuE,EAA6uE,kBAA7uE,EAAiwE,wBAAjwE,EAAmyE,EAAnyE,EAAuyE,kBAAvyE,EAA2zE,wBAA3zE,EAA61E,EAA71E,EAAi2E,kBAAj2E,EAAq3E,wBAAr3E,EAAu5E,EAAv5E,EAA25E,kBAA35E,EAA+6E,wBAA/6E,EAAi9E,EAAj9E,EAAq9E,kBAAr9E,EAAy+E,wBAAz+E,EAA2gF,EAA3gF,EAA+gF,kBAA/gF,EAAmiF,wBAAniF,EAAqkF,EAArkF,EAAykF,kBAAzkF,EAA6lF,wBAA7lF,EAA+nF,EAA/nF,EAAmoF,kBAAnoF,EAAupF,wBAAvpF,EAAyrF,EAAzrF,EAA6rF,kBAA7rF,EAAitF,wBAAjtF,EAAmvF,EAAnvF,EAAuvF,kBAAvvF,EAA2wF,wBAA3wF,EAA6yF,EAA7yF,EAAizF,kBAAjzF,EAAq0F,wBAAr0F,EAAu2F,EAAv2F,EAA22F,kBAA32F,EAA+3F,wBAA/3F,EAAi6F,EAAj6F,EAAq6F,kBAAr6F,EAAy7F,wBAAz7F,EAA29F,EAA39F,EAA+9F,kBAA/9F,EAAm/F,wBAAn/F,EAAqhG,EAArhG,EAAyhG,kBAAzhG,EAA6iG,wBAA7iG,EAA+kG,EAA/kG,EAAmlG,kBAAnlG,EAAumG,wBAAvmG,EAAyoG,EAAzoG,EAA6oG,kBAA7oG,EAAiqG,wBAAjqG,EAAmsG,EAAnsG,EAAusG,kBAAvsG,EAA2tG,wBAA3tG,EAA6vG,EAA7vG,EAAiwG,kBAAjwG,EAAqxG,wBAArxG,EAAuzG,EAAvzG,EAA2zG,kBAA3zG,EAA+0G,wBAA/0G,EAAi3G,EAAj3G,EAAq3G,kBAAr3G,EAAy4G,wBAAz4G,EAA26G,EAA36G,EAA+6G,kBAA/6G,EAAm8G,wBAAn8G,EAAq+G,EAAr+G,EAAy+G,kBAAz+G,EAA6/G,wBAA7/G,EAA+hH,EAA/hH,EAAmiH,kBAAniH,EAAujH,wBAAvjH,EAAylH,EAAzlH,EAA6lH,kBAA7lH,EAAinH,wBAAjnH,EAAmpH,EAAnpH,EAAupH,kBAAvpH,EAA2qH,wBAA3qH,EAA6sH,EAA7sH,EAAitH,kBAAjtH,EAAquH,wBAAruH,EAAuwH,EAAvwH,EAA2wH,kBAA3wH,EAA+xH,wBAA/xH,EAAi0H,EAAj0H,EAAq0H,kBAAr0H,EAAy1H,wBAAz1H,EAA23H,EAA33H,EAA+3H,kBAA/3H,EAAm5H,wBAAn5H,EAAq7H,EAAr7H,EAAy7H,kBAAz7H,EAA68H,wBAA78H,EAA++H,EAA/+H,EAAm/H,kBAAn/H,EAAugI,wBAAvgI,EAAyiI,EAAziI,EAA6iI,kBAA7iI,EAAikJ,wBAAjkJ,EAAmmJ,EAAnmJ,EAAumJ,kBAAvmJ,EAA2nJ,wBAA3nJ,EAA6pJ,EAA7pJ,EAAiqJ,kBAAjqJ,EAAqrJ,wBAArrJ,EAAuuJ,EAAvuJ,EAA2uJ,kBAA3uJ,EAA+vJ,wBAA/vJ,EAAiyJ,EAAjyJ,EAAqyJ,kBAAryJ,EAAyzJ,wBAAzzJ,EAA21J,EAA31J,EAA+1J,kBAA/1J,EAAm3J,wBAAn3J,EAAq5J,EAAr5J,EAAy5J,kBAAz5J,EAA66J,wBAA76J,EAA+8J,EAA/8J,EAAm9J,kBAAn9J,EAAu+J,wBAAv+J,EAAygK,EAAzgK,EAA6gK,kBAA7gK,EAAihK,wBAAjhK,EAAmjK,EAAnjK,EAAujK,kBAAvjK,EAA2kK,wBAA3kK,EAA6mK,EAA7mK,EAAinK,kBAAjnK,EAAqoK,wBAAroK,EAAuqK,EAAvqK,EAA2qK,kBAA3qK,EAA+rK,wBAA/rK,EAAiuK,EAAjuK,EAAquK,kBAAruK,EAAyvK,wBAAzvK,EAA2xK,EAA3xK,EAA+xK,kBAA/xK,EAAmzK,wBAAnzK,EAAq1K,EAAr1K,EAAy1K,kBAAz1K,EAA62K,wBAA72K,EAA+4K,EAA/4K,EAAm5K,kBAAn5K,EAAu6K,wBAAv6K,EAAy8K,EAAz8K,EAA68K,kBAA78K,EAAi+K,wBAAj+K,EAAmgL,EAAngL,EAAugL,kBAAvgL,EAA2hL,wBAA3hL,EAA6jL,EAA7jL,EAAikL,kBAAjkL,EAAqlL,wBAArlL,EAAunL,EAAvnL,EAA2nL,kBAA3nL,EAA+oL,wBAA/oL,EAAiqL,EAAjqL,EAAqqL,kBAArqL,EAAyrL,wBAAzrL,EAA2tL,EAA3tL,EAA+tL,kBAA/tL,EAAmvL,wBAAnvL,EAAqxL,EAArxL,EAAyxL,kBAAzxL,EAA6yL,wBAA7yL,EAA+0L,EAA/0L,EAAm1L,kBAAn1L,EAAu2L,wBAAv2L,EAAy4L,EAAz4L,EAA64L,kBAA74L,EAAi6L,wBAAj6L,EAAm8L,EAAn8L,EAAu8L,kBAAv8L,EAA29L,wBAA39L,EAA6/L,EAA7/L,EAAigM,kBAAjgM,EAAqhM,wBAArhM,EAAujM,EAAvjM,EAA2jM,kBAA3jM,EAA+kM,wBAA/kM,EAAimM,EAAjmM,EAAqmM,kBAArmM,EAAynM,wBAAznM,EAA2pM,EAA3pM,EAA+pM,kBAA/pM,EAAmrM,wBAAnrM,EAAqtM,EAArtM,EAAytM,kBAAztM,EAA6uM,wBAA7uM,EAA+wM,EAA/wM,EAAmxM,kBAAnxM,EAAuyM,wBAAvyM,EAAy0M,EAAz0M,EAA60M,kBAA70M,EAAi2M,wBAAj2M,EAAm4M,EAAn4M,EAAu4M,kBAAv4M,EAA25M,wBAA35M,EAA68M,EAA78M,EAAi9M,kBAAj9M,EAAq+M,wBAAr+M,EAAugN,EAAvgN,EAA2gN,kBAA3gN,EAA+hN,wBAA/hN,EAAikN,EAAjkN,EAAqkN,kBAArkN,EAAylN,wBAAzlN,EAA2nN,EAA3nN,EAA+nN,kBAA/nN,EAAmpN,wBAAnpN,EAAqrN,EAArrN,EAAyrN,kBAAzrN,EAA6sN,wBAA7sN,EAA+uN,EAA/uN,EAAmvN,kBAAnvN,EAAuwN,wBAAvwN,EAAyyN,EAAzyN,EAA6yN,kBAA7yN,EAAi0N,wBAAj0N,EAAm2N,EAAn2N,EAAu2N,kBAAv2N,EAA23O,wBAA33O,EAA64O,EAA74O,EAAi5O,kBAAj5O,EAAq6O,wBAAr6O,EAAu8O,EAAv8O,EAA28O,kBAA38O,EAA+9O,wBAA/9O,EAAigP,EAAjgP,EAAqgP,kBAArgP,EAAyhP,wBAAzhP,EAA2jP,EAA3jP,EAA+jP,kBAA/jP,EAAmlP,wBAAnlP,EAAqnP,EAArnP,EAAynP,kBAAznP,EAA6oP,wBAA7oP,EAA+qP,EAA/qP,EAAmrP,kBAAnrP,EAAusP,wBAAvsP,EAAyuP,EAAzuP,EAA6uP,kBAA7uP,EAAiwP,wBAAjwP,EAAmyP,EAAnyP,EAAuyP,kBAAvyP,EAA2zP,wBAA3zP,EAA61P,EAA71P,EAAi2P,kBAAj2P,EAAq3P,wBAAr3P,EAAu5P,EAAv5P,EAA25P,kBAA35P,EAA+6P,wBAA/6P,EAAi9P,EAAj9P,EAAq9P,kBAAr9P,EAAy+P,wBAAz+P,EAA2gQ,EAA3gQ,EAA+gQ,kBAA/gQ,EAAmiQ,wBAAniQ,EAAqkQ,EAArkQ,EAAykQ,kBAAzkQ,EAA6lQ,wBAA7lQ,EAA+nQ,EAA/nQ,EAAmoQ,kBAAnoQ,EAAupQ,wBAAvpQ,EAAyrQ,EAAzrQ,EAA6rQ,kBAA7rQ,EAAitQ,wBAAjtQ,EAAmvQ,EAAnvQ,EAAuvQ,kBAAvvQ,EAA2wQ,wBAA3wQ,EAA6yQ,EAA7yQ,EAAizQ,kBAAjzQ,EAAq0Q,wBAAr0Q,EAAu2Q,EAAv2Q,EAA22Q,kBAA32Q,EAA+3Q,wBAA/3Q,EAAi6Q,EAAj6Q,EAAq6Q,kBAAr6Q,EAAy7Q,wBAAz7Q,EAA29S,EAA39S,EAA+9S,kBAA/9S,EAAm/S,wBAAn/S,EAAqhT,EAArhT,EAAyhT,kBAAzhT,EAA6iT,wBAA7iT,EAA+kT,EAA/kT,EAAmlT,kBAAnlT,EAAumT,wBAAvmT,EAAyoT,EAAzoT,EAA6oT,kBAA7oT,EAAiqT,wBAAjqT,EAAmsT,EAAnsT,EAAusT,kBAAvsT,EAA2tT,wBAA3tT,EAA6vT,EAA7vT,EAAiwT,kBAAjwT,EAAqxT,wBAArxT,EAAuzT,EAAvzT,EAA2zT,kBAA3zT,EAA+0T,wBAA/0T,EAAi3T,EAAj3T,EAAq3T,kBAAr3T,EAAy4T,wBAAz4T,EAA26T,EAA36T,EAA+6T,kBAA/6T,EAAm8T,wBAAn8T,EAAq+T,EAAr+T,EAAy+T,kBAAz+T,EAA6/T,wBAA7/T,EAA+hU,EAA/hU,EAAmiU,kBAAniU,EAAujU,wBAAvjU,EAAylU,EAAzlU,EAA6lU,kBAA7lU,EAAinU,wBAAjnU,EAAmpU,EAAnpU,EAAupU,kBAAvpU,EAA2qU,wBAA3qU,EAA6sU,EAA7sU,EAAitU,kBAAjtU,EAAquU,wBAAruU,EAAuwU,EAAvwU,EAA2wU,kBAA3wU,EAA+xU,wBAA/xU,EAAi0U,EAAj0U,EAAq0U,kBAAr0U,EAAy1U,wBAAz1U,EAA23U,EAA33U,EAA+3U,kBAA/3U,EAAm5U,wBAAn5U,EAAq7U,EAAr7U,EAAy7U,kBAAz7U,EAA68U,wBAA78U,EAA++U,EAA/+U,EAAm/U,kBAAn/U,EAAugV,wBAAvgV,EAAyiV,EAAziV,EAA6iV,kBAA7iV,EAAikkV,wBAAjkV,EAAmmV,EAAnmV,EAAumV,kBAAvmV,EAA2nV,wBAA3nV,EAA6pV,EAA7pV,EAAiqV,kBAAjqV,EAAqrV,wBAArrV,EAAuuV,EAAvuV,EAA2uV,kBAA3uV,EAA+vV,wBAA/vV,EAAiyV,EAAjyV,EAAqyV,kBAAryV,EAAyzV,wBAAzzV,EAA21V,EAA31V,EAA+1V,kBAA/1V,EAAm3V,wBAAn3V,EAAq5V,EAAr5V,EAAy5V,kBAAz5V,EAA66V,wBAA76V,EAA+8V,EAA/8V,EAAm9V,kBAAn9V,EAAu+V,wBAAv+V,EAAygX,EAAzgX,EAA6gX,kBAA7gX,EAAihX,wBAAjhX,EAAmjX,EAAnjX,EAAujX,kBAAvjX,EAA2kX,wBAA3kX,EAA6mX,EAA7mX,EAAinX,kBAAjnX,EAAqoX,wBAAroX,EAAuqX,EAAvqX,EAA2qX,kBAA3qX,EAA+rX,wBAA/rX,EAAiuX,EAAjuX,EAAquX,kBAAruX,EAAyvX,wBAAzvX,EAA2xX,EAA3xX,EAA+xX,kBAA/xX,EAAmzX,wBAAnzX,EAAq1X,EAAr1X,EAAy1X,kBAAz1X,EAA62X,wBAA72X,EAA+4X,EAA/4X,EAAm5X,kBAAn5X,EAAu6X,wBAAv6X,EAAy8X,EAAz8X,EAA68X,kBAA78X,EAAi+X,wBAAj+X,EAAmgY,EAAngY,EAAugY,kBAAvgY,EAA2hY,wBAA3hY,EAA6jY,EAA7jY,EAAikY,kBAAjkY,EAAqlY,wBAArlY,EAAunY,EAAvnY,EAA2nY,kBAA3nY,EAA+oY,wBAA/oY,EAAiqY,EAAjqY,EAAqqY,kBAArqY,EAAyrY,wBAAzrY,EAA2tY,EAA3tY,EAA+tY,kBAA/tY,EAAmvY,wBAAnvY,EAAqxY,EAArxY,EAAyxY,kBAAzxY,EAA6yY,wBAA7yY,EAA+0Y,EAA/0Y,EAAm1Y,kBAAn1Y,EAAu2Y,wBAAv2Y,EAAy4Y,EAAz4Y,EAA64Y,kBAA74Y,EAAi6Y,wBAAj6Y,EAAm8Y,EAAn8Y,EAAu8Y,kBAAv8Y,EAA29Y,wBAA39Y,EAA6/Y,EAA7/Y,EAAigZ,kBAAjgZ,EAAqhZ,wBAArhZ,EAAujZ,EAAvjZ,EAA2jZ,kBAA3jZ,EAA+kZ,wBAA/kZ,EAAimZ,EAAjmZ,EAAqmZ,kBAArmZ,EAAynZ,wBAAznZ,EAA2pZ,EAA3pZ,EAA+pZ,kBAA/pZ,EAAmrZ,wBAAnrZ,EAAqtZ,EAArtZ,EAAytZ,kBAAztZ,EAA6uZ,wBAA7uZ,EAA+wZ,EAA/wZ,EAAmxZ,kBAAnxZ,EAAuyZ,wBAAvyZ,EAAy0Z,EAAz0Z,EAA60Z,kBAA70Z,EAAi2Z,wBAAj2Z,EAAm4Z,EAAn4Z,EAAu4Z,kBAAv4Z,EAA25a,wBAA35a,EAA68a,EAA78a,EAAi9a,kBAAj9a,EAAq+a,wBAAr+a,EAAugb,EAAvgb,EAA2gb,kBAA3gb,EAA+hb,wBAA/hb,EAAikb,EAAjkb,EAAqkb,kBAArkb,EAAylb,wBAAzlb,EAA2nb,EAA3nb,EAA+nb,kBAA/nb,EAAmpb,wBAAnpb,EAAqrb,EAArrb,EAAyrb,kBAAzrb,EAA6sb,wBAA7sb,EAA+ub,EAA/ub,EAAmvb,kBAAnvb,EAAuwb,wBAAvwb,EAAyyb,EAAzyb,EAA6yb,kBAA7yb,EAAi0b,wBAAj0b,EAAm2b,EAAn2b,EAAu2b,kBAAv2b,EAA23c,wBAA33c,EAA64c,EAA74c,EAAi5c,kBAAj5c,EAAq6c,wBAAr6c,EAAu8c,EAAv8c,EAA28c,kBAA38c,EAA+9c,wBAA/9c,EAAigf,EAAjgf,EAAqgf,kBAArgf,EAAyhf,wBAAzhf,EAA2jf,EAA3jf,EAA+jf,kBAA/jf,EAAmlf,wBAAnlf,EAAqnf,EAArnf,EAAynf,kBAAznf,EAA6of,wBAA7of,EAA+qf,EAA/qf,EAAmrf,kBAAnrf,EAAusf,wBAAvsf,EAAyuf,EAAzuf,EAA6uf,kBAA7uf,EAAiwf,wBAAjwf,EAAmyf,EAAnyf,EAAuyf,kBAAvyf,EAA2zf,wBAA3zf,EAA61f,EAA71f,EAAi2f,kBAAj2f,EAAq3f,wBAAr3f,EAAu5f,EAAv5f,EAA25f,kBAA35f,EAA+6f,wBAA/6f,EAAi9f,EAAj9f,EAAq9f,kBAAr9f,EAAy+f,wBAAz+f,EAA2gg,EAA3gg,EAA+gg,kBAA/gg,EAAmig,wBAAnig,EAAqkg,EAArkg,EAAykg,kBAAzkg,EAA6lg,wBAA7lg,EAA+ng,EAA/ng,EAAmog,kBAAnog,EAAupg,wBAAvpg,EAAyrg,EAAzrg,EAA6rg,kBAA7rg,EAAitg,wBAAjtg,EAAmvg,EAAnvg,EAAuvg,kBAAvvg,EAA2wg,wBAA3wg,EAA6yg,EAA7yg,EAAizg,kBAAjzg,EAAq0g,wBAAr0g,EAAu2g,EAAv2g,EAA22g,kBAA32g,EAA+3g,wBAA/3g,EAAi6g,EAAj6g,EAAq6g,kBAAr6g,EAAy7g,wBAAz7g,EAA29i,EAA39i,EAA+9i,kBAA/9i,EAAm/i,wBAAn/i,EAAqhj,EAArhj,EAAyhj,kBAAzhj,EAA6ij,wBAA7ij,EAA+kj,EAA/kj,EAAmlj,kBAAnlj,EAAumj,wBAAvmj,EAAyoj,EAAzoj,EAA6oj,kBAA7oj,EAAiqj,wBAAjqj,EAAmsj,EAAnsj,EAAusj,kBAAvsj,EAA2tj,wBAA3tj,EAA6vj,EAA7vj,EAAiwj,kBAAjwj,EAAqxj,wBAArxj,EAAuzj,EAAvzj,EAA2zj,kBAA3zj,EAA+0j,wBAA/0j,EAAi3j,EAAj3j,EAAq3j,kBAAr3j,EAAy4j,wBAAz4j,EAA26l,EAA36l,EAA+6l,kBAA/6l,EAAm8l,wBAAn8l,EAAq+l,EAAr+l,EAAy+l,kBAAz+l,EAA6/l,wBAA7/l,EAA+hm,EAA/hm,EAAmim,kBAAnim,EAAujm,wBAAvjm,EAAylm,EAAzlm,EAA6lm,kBAA7lm,EAAinm,wBAAjnm,EAAmpm,EAAnpm,EAAupm,kBAAvpm,EAA2qm,wBAA3qm,EAA6sm,EAA7sm,EAAitm,kBAAjtm,EAAqum,wBAArum,EAAuwm,EAAvwm,EAA2wm,kBAA3wm,EAA+xm,wBAA/xm,EAAi0m,EAAj0m,EAAq0m,kBAAr0m,EAAy1m,wBAAz1m,EAA23m,EAA33m,EAA+3m,kBAA/3m,EAAm5m,wBAAn5m,EAAq7m,EAAr7m,EAAy7m,kBAAz7m,EAA68n,wBAA78n,EAA++n,EAA/+n,EAAm/n,kBAAn/n,EAAugo,wBAAvgo,EAAyio,EAAzio,EAA6io,kBAA7io,EAAikp,wBAAjkp,EAAmmp,EAAnmp,EAAump,kBAAvmp,EAA2np,wBAA3np,EAA6pp,EAA7pp,EAAiqp,kBAAjqp,EAAqrp,wBAArrp,EAAuup,EAAvup,EAA2up,kBAA3up,EAA+vp,wBAA/vp,EAAiyp,EAAjyp,EAAqyp,kBAAryp,EAAyzp,wBAAzzp,EAA21p,EAA31p,EAA+1p,kBAA/1p,EAAm3p,wBAAn3p,EAAq5p,EAAr5p,EAAy5p,kBAAz5p,EAA66q,wBAA76q,EAA+8q,EAA/8q,EAAm9q,kBAAn9q,EAAu+q,wBAAv+q,EAAygs,EAAzgs,EAA6gs,kBAA7gs,EAAihs,wBAAjhs,EAAmjs,EAAnjs,EAAujs,kBAAvjs,EAA2ks,wBAA3ks,EAA6ms,EAA7ms,EAAins,kBAAjns,EAAqos,wBAAros,EAAuqs,EAAvqs,EAA2qs,kBAA3qs,EAA+rs,wBAA/rs,EAAiut,EAAjut,EAAqut,kBAArut,EAAyvt,wBAAzvt,EAA2xt,EAA3xt,EAA+xt,kBAA/xt,EAAmzt,wBAAnzt,EAAq1t,EAAr1t,EAAy1t,kBAAz1t,EAA62u,wBAA72u,EAA+4u,EAA/4u,EAAm5u,kBAAn5u,EAAu6u,wBAAv6u,EAAy8u,EAAz8u,EAA68u,kBAA78u,EAAi+u,wBAAj+u,EAAmgv,EAAngv,EAAugv,kBAAvgv,EAA2hv,wBAA3hv,EAA6jv,EAA7jv,EAAikv,kBAAjkv,EAAqlv,wBAArlv,EAAunv,EAAvnv,EAA2nv,kBAA3nv,EAA+ov,wBAA/ov,EAAiqv,EAAjqv,EAAqqv,kBAArqv,EAAyrv,wBAAzrv,EAA2tv,EAA3tv,EAA+tv,kBAA/tv,EAAmvv,wBAAnvv,EAAqxv,EAArxv,EAAyxv,kBAAzxv,EAA6yv,wBAA7yv,EAA+0v,EAA/0v,EAAm1v,kBAAn1v,EAAu2v,wBAAv2v,EAAy4v,EAAz4v,EAA64v,kBAA74v,EAAi6v,wBAAj6v,EAAm8v,EAAn8v,EAAu8v,kBAAv8v,EAA29w,wBAA39w,EAA6/w,EAA7/w,EAAigx,kBAAjgx,EAAqhx,wBAArhx,EAAujx,EAAvjx,EAA2jx,kBAA3jx,EAA+kx,wBAA/kx,EAAimx,EAAjmx,EAAqmx,kBAArmx,EAAynx,wBAAznx,EAA2px,EAA3px,EAA+px,kBAA/px,EAAmrx,wBAAnrx,EAAqtx,EAArtx,EAAytx,kBAAztx,EAA6ux,wBAA7ux,EAA+wx,EAA/wx,EAAmxx,kBAAnxx,EAAuyx,wBAAvyx,EAAy0x,EAAz0x,EAA60x,kBAA70x,EAAi2x,wBAAj2x,EAAm4x,EAAn4x,EAAu4x,kBAAv4x,EAA25y,wBAA35y,EAA68y,EAA78y,EAAi9y,kBAAj9y,EAAq+y,wBAAr+y,EAAugz,EAAvgz,EAA2gz,kBAA3gz,EAA+hz,wBAA/hz,EAAikz,EAAjkz,EAAqkz,kBAArkz,EAAylz,wBAAzlz,EAA2nz,EAA3nz,EAA+nz,kBAA/nz,EAAmpz,wBAAnpz,EAAqr0,EAArr0,EAAyr0,kBAAzr0,EAA6s0,wBAA7s0,EAA+u0,EAA/u0,EAAmv0,kBAAnv0,EAAuw0,wBAAvw0,EAAyy0,EAAzy0,EAA6y0,kBAA7y0,EAAi00,wBAAj00,EAAm20,EAAn20,EAAu20,kBAAv20,EAA23z,wBAA33z,EAA64z,EAA74z,EAAi5z,kBAAj5z,EAAq6z,wBAAr6z,EAAu80,EAAv80,EAA280,kBAA380,EAA+90,wBAA/90,EAAig20,EAAjg20,EAAqg20,kBAArg20,EAAyh20,wBAAzh20,EAA2j20,EAA3j20,EAA+j20,kBAA/j20,EAAml20,wBAAnl20,EAAqn20,EAArn20,EAAyn20,kBAAzn20,EAA6o20,wBAA7o20,EAA+q20,EAA/q20,EAAmr20,kBAAnr20,EAAus20,wBAAvs20,EAAyu20,EAAzu20,EAA6u20,kBAA7u20,EAAiw20,wBAAjw20,EAAmy20,EAAny20,EAAuy20,kBAAvy20,EAA2z20,wBAA3z20,EAA631,EAA731,EAAi41,kBAAj41,EAAq51,wBAAr51,EAAu731,EAAv731,EAA2731,kBAA3731,EAA+831,wBAA/831,EAAi+31,EAAj+31,EAAq+31,kBAAr+31,EAAy/31,wBAAz/31,EAA2h41,EAA3h41,EAA+h41,kBAA/h41,EAAmj41,wBAAnj41,EAAql41,EAArl41,EAAyl41,kBAAzl41,EAA6m41,wBAA7m41,EAA+o41,EAA/o41,EAAmp41,kBAAnp41,EAAuq41,wBAAvq41,EAAys41,EAAzs41,EAA6s41,kBAA7s41,EAAiu41,wBAAju41,EAAmw41,EAAnw41,EAAuw41,kBAAvw41,EAA2x41,wBAA3x41,EAA6z41,EAA7z41,EAAi041,kBAAj041,EAAq141,wBAAr141,EAAu341,EAAv341,EAA2341,kBAA3341,EAA+441,wBAA/441,EAAi641,EAAj641,EAAq641,kBAAr641,EAAy741,wBAAz741,EAA2941,EAA3941,EAA+941,kBAA/941,EAAmb51,wBAAnb51,EAAqd51,EAArd51,EAAyd51,kBAAzd51,EAA6e51,wBAA7e51,EAA+g51,EAA/g51,EAAmh51,kBAAnh51,EAAui51,wBAAvi51,EAAyk51,EAAzk51,EAA6k51,kBAA7k51,EAAim51,wBAAjm51,EAAmo51,EAAno51,EAAuo51,kBAAvo51,EAA2p51,wBAA3p51,EAA6r51,EAA7r51,EAAis51,kBAAjs51,EAAqt51,wBAArt51,EAAuv51,EAAvv51,EAA2v51,kBAA3v51,EAA+w51,wBAA/w51,EAAiy51,EAAjy51,EAAqy51,kBAAry51,EAAyz51,wBAAzz51,EAA261,EAA361,EAA+61,kBAA/61,EAAm81,wBAAn81,EAAq+1,EAAr+1,EAAy+1,kBAAz+1,EAA6/1,wBAA7/1,EAA+h2,EAA/h2,EAAmi2,kBAAni2,EAAuj2,wBAAvj2,EAAyl2,EAAzl2,EAA6l2,kBAA7l2,EAAin2,wBAAjn2,EAAmp2,EAAnp2,EAAup2,kBAAvp2,EAA2q2,wBAA3q2,EAA6s2,EAA7s2,EAAit2,kBAAjt2,EAAqu2,wBAAru2,EAAuw2,EAAvw2,EAA2w2,kBAA3w2,EAA+x2,wBAA/x2,EAAiz2,EAAjz2,EAAqz2,kBAArz2,EAAy02,wBAAz02,EAA2132,EAA3132,EAA+132,kBAA/132,EAAm332,wBAAn332,EAAq532,EAAr532,EAAy532,kBAAz532,EAA6632,wBAA7632,EAA+832,EAA/832,EAAm932,kBAAn932,EAAuc32,wBAAvc32,EAAyf32,EAAzf32,EAA6f32,kBAA7f32,EAAih32,wBAAjh32,EAAmj32,EAAnj32,EAAuj32,kBAAvj32,EAA2k32,wBAA3k32,EAA6m32,EAA7m32,EAAin32,kBAAjn32,EAAqo32,wBAAro32,EAAuq32,EAAvq32,EAA2q32,kBAA3q32,EAA+r32,wBAA/r32,EAAit32,EAAjt32,EAAqt32,kBAArt32,EAAyu32,wBAAzu32,EAA2w32,EAA3w32,EAA+w32,kBAA/w32,EAAmy32,wBAAny32,EAAq032,EAAr032,EAAy032,kBAAz032,EAA6132,wBAA7132,EAA+332,EAA/332,EAAm432,kBAAn432,EAAu532,wBAAv532,EAAy732,EAAz732,EAA6732,kBAA7732,EAAi932,wBAAj932,EAAmb42,EAAnb42,EAAub42,kBAAvb42,EAA2c42,wBAA3c42,EAA6e42,EAA7e42,EAAif42,kBAAjf42,EAAqg42,wBAArg42,EAAui42,EAAvi42,EAA2i42,kBAA3i42,EAA+j42,wBAA/j42,EAAil42,EAAjl42,EAAql42,kBAArl42,EAAym42,wBAAzm42,EAA2o42,EAA3o42,EAA+o42,kBAA/o42,EAAmq42,wBAAnq42,EAAqs42,EAArs42,EAAys42,kBAAzs42,EAA6t42,wBAA7t42,EAA+v42,EAA/v42,EAAmw42,kBAAnw42,EAAux42,wBAAvx42,EAAyz42,EAAzz42,EAA6z42,kBAA7z42,EAAi142,wBAAj142,EAAm342,EAAn342,EAAu342,kBAAv342,EAA245,wBAA345,EAA665,EAA765,EAAi75,kBAAj75,EAAq85,wBAAr85,EAAu+5,EAAv+5,EAA2+5,kBAA3+5,EAA+/5,wBAA//5,EAAiiA,EAAjiA,EAAqiA,kBAAriA,EAAyjA,wBAAzjA,EAA2lA,EAA3lA,EAA+lA,kBAA/lA,EAAmnA,wBAAnnA,EAAqpA,EAArpA,EAAypA,kBAAzpA,EAA6qA,wBAA7qA,EAA+sA,EAA/sA,EAAmtA,kBAAntA,EAAuuA,wBAAvuA,EAAywA,EAAzwA,EAA6wA,kBAA7wA,EAAixA,wBAAjxA,EAAmzA,EAAnzA,EAAuzA,kBAAvzA,EAA20A,wBAA30A,EAA642A,EAA742A,EAAi52A,kBAAj52A,EAAq62A,wBAAr62A,EAAu82A,EAAv82A,EAA282A,kBAA382A,EAA+92A,wBAA/92A,EAAig+A,EAAjg+A,EAAqg+A,kBAArg+A,EAAyh+A,wBAAzh+A,EAA2j+A,EAA3j+A,EAA+j+A,kBAA/j+A,EAAml+A,wBAAnl+A,EAAqn+A,EAArn+A,EAAyn+A,kBAAzn+A,EAA6o+A,wBAA7o+A,EAA+q+A,EAA/q+A,EAAmr+A,kBAAnr+A,EAAus+A,wBAAvs+A,EAAyu+A,EAAzu+A,EAA6u+A,kBAA7u+A,EAAiw+A,wBAAjw+A,EAAmy+A,EAAny+A,EAAuy+A,kBAAvy+A,EAA2z+A,wBAA3z+A,EAA6/+A,EAA7/+A,EAAigA,kBAAjgA,EAAqhA,wBAArhA,EAAujA,EAAvjA,EAA2jA,kBAA3jA,EAA+kA,wBAA/kA,EAAimA,EAAjmA,EAAqmA,kBAArmA,EAAynA,wBAAznA,EAA2pA,EAA3pA,EAA+pA,kBAA/pA,EAAmrA,wBAAnrA,EAAqtA,EAArtA,EAAytA,kBAAztA,EAA6uA,wBAA7uA,EAA+wA,EAA/wA,EAAmxA,kBAAnxA,EAAuyA,wBAAvyA,EAAy0A,EAAz0A,EAA60A,kBAA70A,EAAi2A,wBAAj2A,EAAm4A,EAAn4A,EAAu4A,kBAAv4A,EAA25B,wBAA35B,EAA68B,EAA78B,EAAi9B,kBAAj9B,EAAq+B,wBAAr+B,EAAugC,EAAvgC,EAA2gC,kBAA3gC,EAA+hC,wBAA/hC,EAAikC,EAAjkC,EAAqkC,kBAArkC,EAAylC,wBAAzlC,EAA2nC,EAA3nC,EAA+nC,kBAA/nC,EAAmpC,wBAAnpC,EAAqrC,EAArrC,EAAyrC,kBAAzrC,EAA6sC,wBAA7sC,EAA+uC,EAA/uC,EAAmvC,kBAAnvC,EAAuwC,wBAAvwC,EAAyyC,EAAzyC,EAA6yC,kBAA7yC,EAAi0C,wBAAj0C,EAAm2C,EAAn2C,EAAu2C,kBAAv2C,EAA23D,wBAA33D,EAA64D,EAA74D,EAAi5D,kBAAj5D,EAAq6D,wBAAr6D,EAAu8D,EA

AAM,YAAY,KAA7B,C;K;;;6E1FjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA
,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAY,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,
qC;QAIqE,sBAAM,SAAN,EAAY,OAAZ,C;O;KAJrE,C;I2FZ+B,2B;MAAQ,6C;K;IAmBV,yB;MAOzB,gC;MAP8
C,0B;K;IAO9C,8B;MAAA,kC;MACI,YAC4B,aAAS,GAAT,C;MAE5B,gBACgC,aAAS,wCAAO,kBAAhB,C;K;m
DAEhC,yC;MAEI,2BAAoB,KAApB,EAA2B,UAA3B,EAAuC,UAAvC,C;K;;;IATR,0C;MAAA,yC;QAAA,wB;O
AAA,kC;K;oCAcA,Y;MAC6C,oBAAS,CAAC,kBAAV,C;K;qCAE7C,iB;MACsD,oBAAS,qBAAQ,KAAM,cAAv
B,C;K;sCAEtD,iB;MACuD,oBAAS,qBAAQ,KAAM,cAAvB,C;K;uCAEvD,iB;MACkD,oBAAS,qBAAQ,KAAjB,
C;K;uCAElD,iB;MACqD,oBAAS,qBAAQ,KAAjB,C;K;qCAErD,iB;MACgD,oBAAS,qBAAQ,KAAjB,C;K;qCAE
hD,iB;MACmD,oBAAS,qBAAQ,KAAjB,C;K;oCAEnD,iB;MACmD,OAAA,IAAK,cAAL,GAAa,KAAM,c;K;oCA
EtE,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,OAAM,WAAN,kBAAM,C
;K;kCAEzC,Y;MACiC,OAAM,SAAN,kBAAM,C;K;qEAGJ,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAAD,aAAlB,GAA
6B,I;K;yCAExE,iB;MAA+C,OAAW,iBAAX,IAAK,cAAM,EAAU,KAAM,cAAhB,C;K;uHAK1D,yB;MAAA,oC;
MAAA,yB;QAaI,cAAc,YAAP,WAAO,CAAd,EAAuB,mBAAvB,EAAuC,qBAAvC,EAAyD,qBAAzD,EAA2E,yB
AA3E,C;O;KAbJ,C;uHAeA,yB;MAAA,oC;MAAA,yB;QAYI,cAAe,YAAR,YAAQ,CAAf,EAAwB,qBAAxB,EAA
0C,qBAA1C,EAA4D,yBAA5D,C;O;KAZJ,C;uHAcA,yB;MAAA,oC;MAAA,yB;QAWI,cAAiB,YAAV,cAAU,CA
AjB,EAA0B,qBAA1B,EAA4C,yBAA5C,C;O;KAXJ,C;uHAaA,kB;MAUI,cAAiB,uBAAV,cAAU,CAAjB,EAA2B,
yBAA3B,C;K;sEAG6B,Y;MAAQ,OAAe,YAAd,eAAU,EAAI,C;K;wEAErB,Y;MAAQ,OAAiB,YAAhB,iBAAY,E
AAI,C;K;wEAEzB,Y;MAAQ,OAAiB,YAAhB,iBAAY,EAAI,C;K;4EAErB,Y;MAAQ,OAAsB,YAArB,qBAAgB,
KAAK,C;K;0CAKrE,gB;MACkD,2BAAoB,kBAApB,0CAAwC,IAAxC,C;K;wCAElD,gB;MAK8C,OAAe,uBAAf,
sBAAS,IAAT,CAAe,C;K;uCAE7D,gB;MAK4C,OAAe,YAAf,sBAAS,IAAT,CAAe,C;K;8DAGjC,Y;MAAQ,6D;K
;+DAGP,Y;MAAQ,8D;K;iEAGN,Y;MAAQ,gE;K;iEAGR,Y;MAAQ,gE;K;sEAGH,Y;MAAQ,qE;K;sEAGR,Y;MA
AQ,qE;K;qEAGT,Y;MAAQ,oE;K;2CAIzC,Y;MAOuC,kE;K;4CAEvC,Y;MAOwC,mE;K;kCAExC,Y;MAoBmB,U
AaX,M;MAnBJ,sB;QAD8B,OACd,kBAAM,W;WACtB,2BAAS,GAAT,C;QAF8B,OAEd,I;;QAEZ,YAAY,kBAAc
,c;QAC1B,qBAAiB,KAAjB,C;QACA,sBAAkB,CAAlB,C;QAEI,YAAQ,MAAR,C;UAAqC,kD;UAAO,eAAa,I;UA
ApB,OtK7I1C,S;esK8IK,YAAQ,CAAR,C;UAAsC,wD;UAAO,gBAAc,C;UAArB,OtK9I3C,W;esK+IK,YAAQ,MA
AR,C;;aACA,YAAQ,SAAR,C;;aACA,YAAQ,KAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA
,YAAQ,MAAR,C;;aACA,YAAQ,UAAU,KAAlB,C;;;UAC0B,iD;UAAO,eAAa,I;UAApB,OtKtJ/B,W;;QsK4IC,e;Q
AYA,YAAY,sBAAS,IAAT,C;QAER,iB;UAAc,0BAAiB,KAAjB,C;aACd,oBAAc,CAAd,C;UAAmB,4BAAmB,K
AAnB,EAA0B,aAA1B,C;;UACX,+BAAsB,KAAtB,EAA6B,iB9E+FH,MAAW,K8E/FM,K9E+FN,C8E/FR,CAA7
B,C;;QAvBc,OAoB1B,SAIS,UAAL,IAAK,C;;K;qCAIjB,iB;MACI,YAAQ,CAAR,C;QADwC,OAC3B,C;WACb,Y
AAQ,EAAR,C;QAFwC,OAE1B,C;WACd,YAAQ,GAAR,C;QAHwC,OAGzB,C;;QAHyB,OAIhC,C;K;0CAGZ,0B
;MAawC,wB;QAAA,WAAgB,C;MAI7C,Q;M1KxPX,IAAI,E0KqPQ,YAAY,C1KrPpB,CAAJ,C;QACI,c0KoPyB,o
D;Q1KnPzB,MAAM,gCAAyB,OAAQ,WAAjC,C;O0KoPN,IAAI,iBAAJ,C;QAAkB,OAAO,kBAAM,W;MAC/B,a
AAa,sBAAS,IAAT,C;MAET,I9EiEsC,MAAW,K8EjE7C,M9EiE6C,C8EjEjD,GAAc,MAAd,C;QAAsB,6BAAsB,
MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,C;;QACd,wBAAiB,MAAjB,C;MAFZ,OAAO,OAGE,UAAL,
IAAK,C;K;qCAIb,Y;M1FgHgB,gBAAhB,sB;M0FhGI,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MAClB,yBAAO,
IAAP,C;MACc,YAAd,kB;MA3LA,YAAe,YAAR,aAAQ,C;MAAf,cAAwB,sB;MAAxB,cAA0C,sB;MAA1C,kBA
A4D,0B;MA4LxD,eAAe,UAAS,C;MACxB,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MAChD,iBAAiB,YAAW,
CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,yBAAO,KAAP,CAAc,gBAAO,EAAP,C;OAElB,IA
AI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UA
A7B,CAAJ,C;QACI,yBAAO,OAAP,C;QACA,IAAI,gBAAe,CAAnB,C;UACI,yBAAO,EAAP,C;UACA,UAAiC,W
AAvB,WAAY,WAAW,EAAS,CAAT,EAAY,EAAZ,C;UAE7B,kBAAc,OAAd,KAA2B,CAA3B,C;YAAgC,8BAA
Y,GAAZ,EAAAiB,CAAjB,EAAAoB,CAApB,C;eAChC,kBAAc,IAAd,KAAuB,CAAvB,C;YAA4B,8BAAY,GAAZ,E
AAiB,CAAjB,EAAAoB,CAApB,C;;YACpB,yBAAO,GAAP,C;SAGhB,yBAAO,EAAP,C;OAxBuB,OtK9N5B,S4E+
T8B,W;K;;;;;kC0FtYzC,Y;MAAA,c;MAiBkD,8D;MAjBlD,a;K;gCAAA,iB;MAAA,2IAiBkD,sDAjBlD,G;K;IAuU
A,qC;MAG0D,OAAW,aAAX,SAAW,EAAW,IAAX,C;K;IAErE,uC;MAG2D,OAAW,aAAX,oBAAW,EAAW,IAA
X,C;K;IAEtE,uC;MAG6D,oBAAS,oBAAoB,SAApB,EAA0B,IAA1B,yCAAT,C;K;IAQlC,oC;MAAQ,oE;K;IAKP,
sC;MAAQ,sE;K;IAKN,sC;MAAQ,sE;K;IAKV,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;I

AKX,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;IAKhB,gC;MAAQ,gE;K;IAKP,kC;MAAQ
,kE;K;IAKN,kC;MAAQ,kE;K;IAKX,gC;MAAQ,gE;K;IAKP,kC;MAAQ,kE;K;IAKN,kC;MAAQ,kE;K;IAKb,8B;
MAAQ,8D;K;IAKP,gC;MAAQ,gE;K;IAKN,gC;MAAQ,gE;K;IAKZ,6B;MAAQ,6D;K;IAKP,+B;MAAQ,+D;K;IA
KN,+B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAErE,+B;MAIwE,8BAAW,SAAX,C;K;IClaxE
,8B;MAEgD,QAAM,SAAN,M;aAC5C,a;UAD4C,OAChB,I;aAC5B,c;UAF4C,OAEf,I;aAC7B,c;UAH4C,OAGf,I;a
AC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,OAMtB,G;aACtB,M;UAP4C,OAOvB,
G;gBAPuB,mC;;K;IChDhD,4B;K;;;MC4BI,kC;;IAXA,gC;MAAA,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAkC,
OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;;IAN1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MA
AA,oC;K;;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,oB;K;qCAcI,oB;MAK8D,4BAAiB,IAAjB,EAAu
B,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAE
nD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAAA,mC;QAOuE,MAAM,WAAM,0BAAN,C;O;K
AP7E,C;mFASA,yB;MAAA,4C;MAAA,mC;QAOsE,MAAM,WAAM,0BAAN,C;O;KAP5E,C;IAW8B,4C;MAAi
D,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAAK,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MA
AkD,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IC9FV,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA
7G,4B;MAA6B,8B;MAAgD,sB;K;+DACpG,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAX,UAAoB,gBAApB,CAA+
B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;gEACtC,oB;MAAkD,+CAAa,gBAAb,EAAwB,iBAAxB,
EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAa,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAA
pC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAkH,mB;MAAjH,4B;MAA+B,8B;MAAkD,sB;K;mEAC1G,Y;MA
AsC,OAAgC,aAA/B,iBAAW,OAAX,GAAoB,gBAAW,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;oE
ACtC,oB;MAAkD,mDAAe,gBAAf,EAA0B,iBAA1B,EAAsC,0BAAS,QAAT,CAAtC,C;K;;iDAGtD,Y;MAAmC,m
DAAe,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC,0B;MAgB8B,yE;MAC1B,mB;K;oCAEA,Y;
MAA4B,qB;K;iDAE5B,oB;MAYc,Q;MAFV,YAAY,QAAS,kBAAS,SAAT,C;MACrB,gBAAsB,uBAAN,KAAM,
C;MACZ,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,gBAAyB,
CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAGA,mBAAiB,4BA
AU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;MATf,qB;K;0C
AaJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAA/C,qCAA0E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,
wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAjBA,OAkBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,
mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,
Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDA
RhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,
sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAgBA,8C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8
C,KAiBjC,E;QAjBb,OAkBO,oBAAW,MAAX,EAAAmB,IAAK,aAAxB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;M
AAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oBAAW,MAAX,EAAAmB,IAAK,aAAxB,C;O;KAfX,
C;4EC1DA,yB;MAAA,8B;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/C
uB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAAiB,UAAjB,EAAAwB,UAAAxB,C;K;0CAEtB
,+B;MjLWA,IAAI,EiLViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA+E,CAAT,sBAAY,GAAl
F,CjLUR,CAAJ,C;QACI,ciLVI,2E;QjLWJ,MAAM,gCAAyB,OAAQ,WAAjC,C;OiLTN,OAAO,CAAA,KAAM,IA
AI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,OAAE,UAAF,oBAAS,UAAT,S
AAgB,U;K;qCAElD,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA
6B,OAAO,K;OAAvD,mBAAmB,M;MACnB,OAAO,IAAK,UAAL,KAAgB,YAAa,U;K;uCAGxC,Y;MAA+B,qB;
K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,K
AAuB,IAAK,MAAL,KAAc,KAAd,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+B;MAKI,OAAA,IAAK,MAA
L,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAd,KACd,IAAK,MAAL,GAAa,KAAb,KAAsB,IAAK,MAAL,K
AAc,KAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;K;IAIJ,mC;MAAA,uC;MACI,2BAIuC,G;MAEv
C,eAIoC,kBAAc,CAAd,EAAAiB,CAAAjB,EAAoB,EAApB,C;K;;;IAXxC,+C;MAAA,8C;QAAA,6B;OAAA,uC;K;;I
A9CA,iD;MAAA,uD;MAG6C,0BAAK,KAAL,EAAY,KAAZ,EAAAmB,CAAnB,C;MAH7C,Y;K;4FCKA,yB;MAA
A,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAApB,C;O;KAAd,C;;;;ICSJ,uB;MAG2C,+BAAoB,KAApB,C;K;4E
AE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C;O;MAKI,wF;MAKA

,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAAA,iC;MAAA,gD;K;;IAMA,iD;MAAA,iC;
MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAAA,qD;aAAA,M;UAA
A,8C;gBAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;;IAAA,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAGoC,qC;MAC
hC,qBAAsC,W;MACtC,gBAA2B,iC;K;mEAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf,C;QACI,gBAAS,m
C;QACT,qBAAc,I;OAGlB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAAkC,OAAI,oBAAJ,G
AA2B,SAAN,UAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;;IAGG,oC;MAAC,4B;K
;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UAAM,C;K;;oFC2C5C,
yB;MAAA,gD;MAAA,4B;QAM6C,OAAmB,aAAlB,YAAY,GAAM,C;O;KANhE,C;oGAQA,yB;MvF7FA,iB;MuF
6FA,4B;QAMqD,OvF5FqB,auF4FpB,YAAY,GvF5FQ,CuF4FrB,GAA6C,EAA7C,I;O;KANrD,C;sGAQA,yB;MA
AA,kE;MAAA,4B;QAMsD,OAAmB,sBAAlB,YAAW,GAAO,C;O;KANzE,C;8FAQA,yB;MAAA,0D;MAAA,0B;
MAAA,4B;QAOmD,OAAuC,OAApB,kBAAlB,YAAY,GAAM,CAAoB,C;O;KAP1F,C;4FASA,yB;MAAA,wD;M
AAA,0B;MAAA,4B;QAOkD,OAA2B,OAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP7E,C;IAUA,2C;MAaI,OAA+E,
OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAAkD,CAAlB,YAAY,GAAM,MAAK,CAAL,IAAU,WAAa,CAAv
B,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,CAAtB,CAAR,GAAwD,CAA
lB,YAAY,GAAM,OAAK,WAAa,CAAlB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAAA,4B;QAM8C,OAAqB,aAA
pB,YAAY,KAAQ,C;O;KANnE,C;oGAQA,yB;MvFtKA,iB;MuFsKA,4B;QAOI,OvFtKsE,auFsKrE,YAAY,KvFtK
yD,CuFsKtE,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MAAA,4B;QAMuD,OAAqB,sBAApB,YAAW,
KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;QAOqD,OAAyC,QAApB,kBAApB,YAAY,
KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;MAAA,4B;QAOoD,OAA2B,QAAnB,iBAAR,
SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAnF,SAAQ,KAAI,WAAa,EAAjB,CAAR,GAAqD,CA
ApB,YAAY,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAxB,CAA8B,C;K;IAExF,4C;MAaI,OAAoF,QAAnF,SAAQ,
IAAI,EAAJ,IAAU,WAAa,EAAvB,CAAR,GAA4D,CAApB,YAAY,KAAQ,OAAK,WAAa,EAAlB,CAAuB,C;K;0
EpLlRxF,yB;MAaA,kF;MAbA,wB;QAuBI,IAAI,CAbI,KAaR,C;UACI,cAda,qB;UAeb,MAAM,8BAAyB,OAAQ,
WAAjC,C;U;KAzBd,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MA
AM,8BAAyB,OAAQ,WAAjC,C;U;KAZd,C;sFAgBA,yB;MAWA,kF;MAXA,wB;QAQW,yB;QAeP,IAfsB,KAelB,
QAAJ,C;UACI,cAhB2B,0B;UAiB3B,MAAM,8BAAyB,OAAQ,WAAjC,C;;UAEN,wBAnBkB,K;;QAAtB,4B;O;K
ARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,W
AAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA,wB;QAuBI,IAAI,CAbE,KAaN,C;UACI,c
AdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAzBd,C;sEAaA,yB;MAAA,4E;MAAA,qC;QAUI,IAAI,C
AAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZd,C;kFAgBA,yB;MAcA,4E;MA
dA,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,cAhByB,0B;UAiBzB,MAAM,2BAAsB,OAAQ,WAA9B,
C;;UAEN,sBAnBgB,K;;QAApB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cA
Ac,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,
0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I2CrHkC,uB;MA2D9B,8B;MA1DA,kB;K;+DAS8
B,Y;MAAQ,iD;K;+DAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,m
B;UADJ,OACiB,I;;UADjB,OAEY,2E;O;KAXhB,C;uCAcA,Y;MAQQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,
U;;QADxB,OAEY,I;K;gCAGhB,Y;MAOQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;;QADxB,OAEY,sBAAU
,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,wB;QAKI,uBAAO,KAAP,C;O;KALJ,C;wH
AOA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAP,C;O;KALJ,C;;;IAZJ,wC;MAAA,u
C;QAAA,sB;OAAA,gC;K;IAoBsB,mC;MAClB,0B;K;sCAGA,iB;MAA4C,+CAAoB,uBAAa,KAAM,UAAnB,C;K
;wCAChE,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAkC,oBAAU,cAAV,M;K;;;;;;gCA3F1C,Y;MAA
A,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IA+FA,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;I
AEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C,yB;MAAA,4B;MAAA,qB;MAtCQ,kD;M
AsCR,wB;QAOW,Q;;UACI,OAhDH,WAgDW,OAhDX,C;;UAiDN,gC;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CA
AP,C;;YAwCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA,qB;MApDQ,kD;MAoDR,mC;QAOW,Q;;
UACI,OA9DH,WA8DW,gBA9DX,C;;UA+DN,gC;YACS,OAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;Q
AAP,W;O;KAPJ,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA,4B;QAUW,Q;QADP,yB;QACA,OAA
O,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,UADL,M;QAAM,gBAAgB,2B;QACzB,s

B;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAdJ,C;kFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,0C;QAU
W,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;O;KAVX,C;qEAaA,yB;MAAA,gB;MAAA,8B;
MAAA,kD;QAiB0B,UADf,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,mBAAU,gFAAV,C;;UACA,mBAAU,SAA
V,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8B;MAAA,uC;YAe8C,I;YADnC,M;QAC
H,wB;UAAa,gB;UAAO,SA3JhB,WA2JwB,UAAU,gFAAV,CA3JxB,C;;UA4JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,
C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MApDQ,kD;MA8JR,uC;QAWW,Q;QACH,wB;UA
/GG,U;;YA+GkC,U;YA9G9B,SA9DH,gBA4KuB,UAAU,sFAAV,CA5KvB,C;;YA+DN,gC;cACS,SAzDH,gBAAO
,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAAO,eAAP,C;QAFZ,W;O;KAXJ,C;wEAiBA,yB;MAA
A,4B;MAAA,uC;QAcW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UACO,OAjMX,WAiMmB,UAAU,SAAV
,CAjMnB,C;;QA+LR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,qB;MApDQ,kD;MAmMR,uC;QAYW,Q;QA
DP,YAAY,e;QACC,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UArJL,U;;YACI,SA9DH,WAmNkB,oBAnNlB,C;;YA+
DN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAsJK,a;;QAFZ,W;O;KAZJ,C;4EAoBA,6B;M
AUI,Q;MAAA,iD;QAAyB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;MAAA,oC;QAU0B,Q;QAA
tB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;IvCjTgC,sC;MAAC,uB;QAAA,UAAkB,
kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1C,C;oEAOA,yB;MAAA,2D
;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB;MAUI,OAAO,O;K;kEAG
X,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B;MAUI,gB;MACA,OAAO,
S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAAO,MAAM,SAAN,C;K;sEA
GX,gC;MASI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,gC;MASI,OAAW,CAAC,UA
AU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd,UAAsB,KAAtB,U;QACI,OA
AO,KAAP,C;;K;wEiL7IR,iB;MAIkF,Y;K;ICY9C,6B;MAChC,kB;MACA,oB;K;8BAGA,Y;MAGyC,aAAG,UAA
H,UAAW,WAAX,M;K;;gCAvB7C,Y;MAgBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjBJ,yB;MAAA,gBAgBI,qCAhBJ
,EAiBI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAgBI,sD;MACA,uD;MAjBJ,a;K;4BAAA,iB;MAAA,4IAgBI,sCAhBJ,
IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEpD,8B;MAI8C,iBAAO,eAAP,EA
Ac,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAGyC,aAAG,UAAH,UAAW,WAA
X,UAAoB,UAApB,M;K;;kCAxB7C,Y;MAgBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kCAjBJ,Y;MAkBI,iB;K;oCAlBJ,gC
;MAAA,kBAgBI,qCAhBJ,EAiBI,wCAjBJ,EAkBI,qCAlBJ,C;K;gCAAA,Y;MAAA,c;MAgBI,sD;MACA,uD;MAC
A,sD;MAlBJ,a;K;8BAAA,iB;MAAA,4IAgBI,sCAhBJ,IAiBI,wCAjBJ,IAkBI,sCAlBJ,I;K;IA2BA,8B;MAImD,iBA
AO,eAAP,EAAc,gBAAd,EAAsB,eAAtB,E;K;IjMnEzB,qB;MAEtB,6B;MAFyD,gB;K;IAEzD,2B;MAAA,+B;MA
CI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;K;;;I
AnBtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BAgJ1C,SAAL,GAAiB,GAhJ8B,E
AAU,KAgJpD,KAAL,GAAiB,GAhJ8B,C;K;sGAEhF,iB;MAM2D,OAAa,0BAwIlC,SAAL,GAAiB,GAxIsB,EAA
U,KEyI5C,KAAL,GAAiB,KFzIsB,C;K;sGAExE,yB;MA+JA,6B;MChKA,8C;MDCA,wB;QAMyD,OCAS,YAAiB,
CDkKhD,cAAU,SAAL,GAAiB,GAAtB,CClKgD,MAAjB,EDAe,KCAc,KAA7B,C;O;KDNlE,C;sGAQA,yB;MAiK
A,WAS6D,wB;MAT7D,+B;M8BlKA,gD;M9BCA,wB;QAM0D,O8BAS,aAAkB,C9BoKhD,eAAW,oBAAL,SAAK
,CAAL,UAAN,C8BpKgD,MAAlB,E9BAgB,K8BAc,KAA9B,C;O;K9BNnE,C;4FAQA,yB;MA+IA,6B;MA/IA,wB;
QAEsD,OCMD,cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CDgJ5C,cAtJsC,KAsJ5B,
KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEuD,OCGF,
cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CCiJ5C,cFpJuC,KEoJ7B,KAAL,GAAiB,K
AAtB,CDjJ4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,c
AAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GDAI,KCAO,KAAX,IAAf,C;O;KDFrD,C;4FAGA,yB;MAgJA,WA
S6D,wB;MAT7D,+B;MAhJA,wB;QAEuD,O8BAA,eAAW,C9BuJ7B,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BvJ
6B,MAAK,K9BAI,K8BAO,KAAX,CAAhB,C;O;K9BFvD,C;8FAIA,yB;MAkIA,6B;MAlIA,wB;QAEuD,OCMD,c
AAU,CDmI7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CDmI9C,cAzIwC,KAyI9B,KAAL,GAAiB,
GAAtB,CCnI8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,yB;MA+HA,6B;MA/HA,wB;QAEwD,OCGF,cAAU,CDmI7
B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CCoI9C,cFvIyC,KEuI/B,KAAL,GAAiB,KAAtB,CDpI8C
,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MA4HA,6B;MA5HA,wB;QAEsD,OCAA,cAAU,CDmI7B,cAAU,SAAL,
GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MAmIA,WAS6D,wB;M

AT7D,+B;MAnIA,wB;QAEwD,O8BAA,eAAW,C9B0I9B,eAAW,oBAAL,SAAK,CAAL,UAAN,C8B1I8B,MAAK
,U9BAK,K8BAO,KAAZ,CAAhB,C;O;K9BFxD,C;8FAIA,yB;MAqHA,6B;MArHA,wB;QAEuD,OCMD,cAAe,YA
AL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CDsH9C,cA5HwC,KA4H9B,KAAL,GAAiB,
GAAtB,CCtH8C,MAAZ,CAAf,C;O;KDRtD,C;8FAGA,yB;MAkHA,6B;MAlHA,wB;QAEwD,OCGF,cAAe,YAAL
,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CCuH9C,cF1HyC,KE0H/B,KAAL,GAAiB,KAA
tB,CDvH8C,MAAZ,CAAf,C;O;KDLtD,C;8FAGA,yB;MA+GA,6B;MA/GA,wB;QAEsD,OCAA,cAAe,YAAL,CDs
H7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAs
HA,WAS6D,wB;MAT7D,+B;MAtHA,wB;QAEwD,O8BAA,eAAW,C9B6H9B,eAAW,oBAAL,SAAK,CAAL,UA
AN,C8B7H8B,MAAK,U9BAK,K8BAO,KAAZ,CAAhB,C;O;K9BFxD,C;0FAIA,yB;MAwGA,6B;MClGA,4C;MD
NA,wB;QAEqD,OCMD,WDyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDyGjB,cA/GoC,KA+G1B,KAAL,GA
AiB,GAAtB,CCzGiB,C;O;KDRpD,C;0FAGA,yB;MAqGA,6B;MClGA,4C;MDHA,wB;QAEsD,OCGF,WDyGjB,c
AAU,SAAL,GAAiB,GAAtB,CCzGiB,EC0GjB,cF7GqC,KE6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KDLpD,C
;0FAGA,yB;MAkGA,6B;MClGA,4C;MDAA,wB;QAEoD,OCAA,WDyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGi
B,EDAkB,KCAlB,C;O;KDFpD,C;0FAGA,yB;MAyGA,WAS6D,wB;MAT7D,+B;M8BzGA,8C;M9BAA,wB;QAE
sD,O8BAA,Y9BgHjB,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BhHiB,E9BAmB,K8BAnB,C;O;K9BFtD,C;0FAIA
,yB;MA2FA,6B;MCrFA,kD;MDNA,wB;QAEqD,OCMD,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,ED4FjB,
cAlGoC,KAkG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KDRpD,C;0FAGA,yB;MAwFA,6B;MCrFA,kD;MDHA,w
B;QAEsD,OCGF,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EC6FjB,cFhGqC,KEgG3B,KAAL,GAAiB,KAAt
B,CD7FiB,C;O;KDLpD,C;0FAGA,yB;MAqFA,6B;MCrFA,kD;MDAA,wB;QAEoD,OCAA,cD4FjB,cAAU,SAAL,
GAAiB,GAAtB,CC5FiB,EDAkB,KCAlB,C;O;KDFpD,C;0FAGA,yB;MA4FA,WAS6D,wB;MAT7D,+B;M8B5FA,
oD;M9BAA,wB;QAEsD,O8BAA,e9BmGjB,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BnGiB,E9BAmB,K8BAnB,
C;O;K9BFtD,C;0EAIA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAF1
C,C;0EAGA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAF1C,C;kGAI
A,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,c
A9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;MqK5IJ,0B;MrK4II,wB;
QAEmD,sBqK3IgC,OrK2I1B,IAAK,KqK3IX,GrK2IoB,KAAM,KqK3IM,CrK2IhC,C;O;KAFnD,C;wFAGA,yB;M
AAA,+B;MqK1IJ,0B;MrK0II,wB;QAEkD,sBqKzI+B,OrKyIzB,IAAK,KqKzIX,GrKyImB,KAAM,KqKzIM,CrKyI/
B,C;O;KAFlD,C;0FAGA,yB;MAAA,+B;MqKxIJ,0B;MrKwII,wB;QAEmD,sBqKvIgC,OrKuI1B,IAAK,KqKvIX,G
rKuIoB,KAAM,KqKvIM,CrKuIhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MqKtIJ,0B;MrKsII,mB;QAEiC,sBqKrI
qB,OAAP,CrKqIR,SqKrIe,CrKqIrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;MqK9IJ,4B;MrK8II,mB;
QASqC,OqKpJiD,QrKoJ5C,SqKpJY,GrKoJE,GqKpJ8B,C;O;KrK2ItF,C;8EAUA,Y;MASiC,OAAK,SAAL,GAAiB
,G;K;gFAClD,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAW
A,Y;MAEqC,W;K;oFACrC,yB;MAAA,iC;MqKhLJ,4B;MrKgLI,mB;QASuC,uBqKtL+C,QrKsLnC,SqKtLG,GrKs
LW,GqKtLqB,CrKsL/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAA
tB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CA
AL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDlD,Y;MAMuC,OA3DD,SAAL
,GAAiB,G;K;+BA6DlD,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;;;;;+BA/OrD,Y;MAAA,c;MAG6
D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBA
AM,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAA
X,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KA
XzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;I2B
rRA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6C,O3B+OP,U2B/OO,aAAQ,KAAR,C3B+OP,C;K;uC2B7OtC,wB;MAO
I,aAAQ,KAAR,IAAiB,K3BuIc,K;K;8D2BnIL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT,
C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACv
C,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAlB,C;QAAA,O3B0NO,U2B1NiB,aAAM,mBAAN,EAAM,2B
AAN,O3B0NjB,C;;Q2B1N+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAGS,Q;MAAL,IAAI,eAA
C,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,O3BmHO,K2BnHhB,C;K;+CAGnB,
oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QV+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO

,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UU/7C6B,2BV+7CR,OU/7CQ,Q;UAAA,W;YAA
uB,oBAAR,YAAQ,EV+7C/B,OjBh1CF,K2B/GiC,C;WV+7C9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/
C,aAAO,I;;;MUh8CH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,sC;MAAA,o
D;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;
MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAuDA,yB;MAAA,yC;MAWsC,y
C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C3B8FV,K;S;O;M2BzGvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAA
V,GAAgB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I1BnE5C,oB;MAErB,4B;MAFwD,gB;K;IAEx
D,0B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAE
nC,iBAGkC,E;K;;;IAnBtC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MDgLA,6B;MChKA,8C;MAhBA
,wB;QAM0D,OAiBQ,YAAY,IAAK,KAAjB,EAA6B,CDkK5D,cCnLsC,KDmL5B,KAAL,GAAiB,GAAtB,CClK4
D,MAA7B,C;O;KAvBlE,C;oGAQA,yB;MCyKA,6B;MDjKA,8C;MARA,wB;QAM2D,OASO,YAAY,IAAK,KAAj
B,EAA6B,CCmK5D,cD5KuC,KC4K7B,KAAL,GAAiB,KAAtB,CDnK4D,MAA7B,C;O;KAflE,C;gGAQA,yB;MA
AA,8C;MAAA,wB;QAOkE,mBAAY,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPlE,C;oGASA,yB;MAyKA,
kBAS6D,sB;MAT7D,+B;M6B1KA,gD;M7BCA,wB;QAM0D,O6BAS,aAAkB,C7B4KhD,eAAW,oBAAL,SAAK,
CAAL,iBAAN,C6B5KgD,MAAlB,E7BAgB,K6BAc,KAA9B,C;O;K7BNnE,C;0FAQA,yB;MD+IA,6B;MC/IA,wB;
QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CDgJ5C,cCtJ6B,KDsJnB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,I
AAf,C;O;KARrD,C;0FAGA,yB;MC6IA,6B;MD7IA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CCiJ5C,cD
pJ8B,KCoJpB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;Q
AEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MAwJA,kBAS6D,sB;MAT
7D,+B;MAxJA,wB;QAEuD,O6BAA,eAAW,C7B+J7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6B/J6B,MAAK,K
7BAI,K6BAO,KAAX,CAAhB,C;O;K7BFvD,C;4FAIA,yB;MDkIA,6B;MClIA,wB;QAEuD,OAMD,cAAK,IAAK,
KAAK,GAAY,CDmI9C,cCzI+B,KDyIrB,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KARtD,C;4FAGA,y
B;MCgIA,6B;MDhIA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CCoI9C,cDvIgC,KCuItB,KAAL,GAAiB,
KAAtB,CDpI8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK,
GAAM,KAAM,KAAZ,IAAf,C;O;KAFtD,C;4FAGA,yB;MA2IA,kBAS6D,sB;MAT7D,+B;MA3IA,wB;QAEwD,O
6BAA,eAAW,C7BkJ9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6BlJ8B,MAAK,U7BAK,K6BAO,KAAZ,CAAhB
,C;O;K7BFxD,C;4FAIA,yB;MDqHA,6B;MCrHA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAAY,CDsH9
C,cC5H+B,KD4HrB,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MCmHA,6B;MDn
HA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCuH9C,cD1HgC,KC0HtB,KAAL,GAAiB,KAAtB,C
DvH8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAe,YAAV,IAAK,KAAK,E
AAM,KAAM,KAAZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MA8HA,kBAS6D,sB;MAT7D,+B;MA9HA,wB;QAEwD,
O6BAA,eAAW,C7BqI9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6BrI8B,MAAK,U7BAK,K6BAO,KAAZ,CAAh
B,C;O;K7BFxD,C;wFAIA,yB;MDwGA,6B;MClGA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDyGjB,cC/
G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KARpD,C;wFAGA,yB;MCsGA,6B;MDnGA,4C;MAHA,wB;
QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GlB,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KALpD,C;wFAG
A,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAiHA,kBAS
6D,sB;MAT7D,+B;M6BjHA,8C;M7BAA,wB;QAEsD,O6BAA,Y7BwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,
C6BxHiB,E7BAmB,K6BAnB,C;O;K7BFtD,C;wFAIA,yB;MD2FA,6B;MCrFA,kD;MANA,wB;QAEqD,OAMD,cA
Ac,IAAd,ED4FjB,cClG2B,KDkGjB,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KARpD,C;wFAGA,yB;MCyFA,6B;MDt
FA,kD;MAHA,wB;QAEsD,OAGF,cAAc,IAAd,EC6FjB,cDhG4B,KCgGlB,KAAL,GAAiB,KAAtB,CD7FiB,C;O;K
ALpD,C;wFAGA,yB;MAAA,kD;MAAA,wB;QAEoD,qBAAc,IAAd,EAAoB,KAApB,C;O;KAFpD,C;wFAGA,yB;
MAoGA,kBAS6D,sB;MAT7D,+B;M6BpGA,oD;M7BAA,wB;QAEsD,O6BAA,e7B2GjB,eAAW,oBAAL,SAAK,C
AAL,iBAAN,C6B3GiB,E7BAmB,K6BAnB,C;O;K7BFtD,C;wEAIA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,
SAAK,QAAV,C;O;KAFzC,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;O;KAFzC,C;
gGAIA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAgB,KAAhB,C;O;KAF7D,C;wFAIA,yB;MAAA,6
B;MAAA,2B;QAEmD,qBAAK,aAAS,QAAd,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAA
K,cAAU,QAAf,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,
KAAzB,C;O;KAFjD,C;sFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GAAa,KAAM,KAAxB

,C;O;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,KAAzB,C;O;K
AFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8EAIA,yB;MAAA,0B
;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,
QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MATrD,mB;QASmC,O
AAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDoEJ,0B;MAAA,+B;MCpEI,mB;QASqC,ODsEA,eA
AW,OCtEX,SDsEW,CAAX,C;O;KC/ErC,C;kFAUA,yB;MC2DJ,4B;MAAA,iC;MD3DI,mB;QASuC,OC6DA,gBA
AY,QD7DZ,SC6DY,CAAZ,C;O;KDtEvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D,
+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;MASA,gD;MATA,m
B;QAQqC,OAOE,aAAa,SAAb,C;O;KAfvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,oBAAa,SAAb,C;O;KA
NvC,C;8BAQA,Y;MAAyC,OArDD,oBAAL,SAAK,CAAL,iBAqDe,W;K;;;;;8BAzPtD,Y;MAAA,c;MAG4D,qD;M
AH5D,a;K;4BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;sEA6PA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAU,SA
AV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAXzC,C;wEAYA,yB;MA
AA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAK
,SAAK,QAAV,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAkB,SAAlB,C;O;KATzC,C;wEA
UA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;I2BtTA,4B;MAEqB,sB;K;sCAKjB,iB;MAM
4C,O3BiRT,S2BjRS,aAAQ,KAAR,C3BiRT,C;K;sC2B/QnC,wB;MAOI,aAAQ,KAAR,IAAiB,K3BmKY,K;K;6D2
B/JH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MACwD,8BAAS,YAAT,C;K;IAElC,mC;MAAgC,uB;MAA/B,o
B;MACnB,eAAoB,C;K;2CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q;MAA9B,IAAI,eAAQ,
YAAM,OAAlB,C;QAAA,O3B4PK,S2B5PmB,aAAM,mBAAN,EAAM,2BAAN,O3B4PnB,C;;Q2B5PgD,MAAM,2
BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,K;
MAEvC,OAAe,WAAR,YAAQ,EAAS,O3B+IK,K2B/Id,C;K;8CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2
B,c;;QX+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gB
AAhB,C;UAAgB,2B;UW/7C6B,2BX+7CR,OW/7CQ,O;UAAA,W;YAAsB,oBAAR,YAAQ,EX+7C9B,OhBpzCJ,
K2B3IkC,C;WX+7C7C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MWh8CH,iB;K;kCAGJ,Y;M
AAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,qC;MAAA,mD;MACgC,sBAAK,eAAS,IAAT,CAAL,
C;MADhC,Y;K;;;;mCAPJ,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;iCAA
A,iB;MAAA,2IAKqB,0CALrB,G;K;8EAuDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,OAAA,aAAK,KA
AL,C3B0HV,K;S;O;M2BrIrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAAV,C;O;KAXX,C;gFA
cA,oB;MAGkE,e;K;IsK/D5C,wC;MAiBlB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;8
DAC7B,Y;MAAQ,iB;K;qEACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,WjMuCoB,YiMvCpB,UjMuCqC,KAAjB,E
iMvCX,KjMuCwC,KAA7B,CiMvCpB,K;MAAA,S;QAAkB,OjMuCE,YiMvCF,KjMuCmB,KAAjB,EiMvCO,SjMu
CsB,KAA7B,CiMvCF,K;OAAlB,W;K;kCAE9C,Y;MAAkC,OjMqCgC,YiMrChC,UjMqCiD,KAAjB,EiMrCxB,Sj
MqCqD,KAA7B,CiMrChC,I;K;iCAElC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM,UAAnB,KACf,
2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cA
AJ,GAAe,EAAf,GAAwB,MAAK,UjMsKA,KiMtKL,QAAqB,SjMsKhB,KiMtKL,I;K;mCAE5B,Y;MAAkC,OAAE
,UAAF,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0B,4BAAK,UAA/B,C;K;;;
IAFlC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IAYJ,oD;MAuCI,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAuB,MAA
a,gCAAyB,wBAAzB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K
;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C,C;MAExB,YAGuB,I;K;yCAEvB,Y;MAAw
C,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OAAI,YAAO,CAAX,GjMd6B,Y
iMcf,UjMdgC,KAAjB,EiMcP,SjMdoC,KAA7B,CiMcf,IAAd,GjMd6B,YiMcG,UjMdc,KAAjB,EiMcW,SjMdkB,K
AA7B,CiMcG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,iDAA6B,kBAAa,KAAM,UAAnB,KACrB,2CAAS,K
AAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,cAAQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;M
ACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UjMmHN,KiMnHC,QAAqB,SjMmHtB,KiMnHC,IAAN,
SAAgD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,G
AAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2
BAAgB,UAAhB,EAA4B,QAA5B,EAAsC,IAAtC,C;K;;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,o
D;MAAuC,uB;MACxE,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1C,GjM/CkE,YiM+CrB,KjM/CsC,KAAjB,EiM

+CZ,IjM/CyC,KAA7B,CiM+CrB,KAA7C,GjM/CkE,YiM+CF,KjM/CmB,KAAjB,EiM+CO,IjM/CsB,KAA7B,CiM
+CF,K;MAChE,cjM6LmC,SiM7LhB,IjM6LgB,C;MiM5LnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C
,Y;MAAkC,qB;K;iDAElC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,
C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,cjMzC6C,SiMyC7C,WjMzCuD,KAAK,GiMyCpD,WjMzC+D,KA
AX,IAAf,C;;MiM2CjD,OAAO,K;K;;ICjHf,yB;K;mCAII,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;
;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAII,Y;MAA4B,uB;K;;IrK7BN,qB;MAEtB,6B;MAFyD,
gB;K;IAEzD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;I
AnBtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA,yB;M9B0LA,WAS6D,wB;MAT7D,+B;M8BlKA,gD;MA
xBA,wB;QAM0D,OAyBS,aAAa,IAAK,KAAlB,EAA8B,C9BoK5D,eAAW,oB8B7LyB,K9B6L9B,KAAK,CAAL,
UAAN,C8BpK4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;M5BmLA,aAS6D,0B;MAT7D,+B;M4BnKA,gD;MAhBA,
wB;QAM2D,OAiBQ,aAAa,IAAK,KAAlB,EAA8B,C5BqK5D,eAAW,oB4BtL0B,K5BsL/B,KAAK,CAAL,YAAN,
C4BrK4D,MAA9B,C;O;KAvBnE,C;sGAQA,yB;M7BkLA,kBAS6D,sB;MAT7D,+B;M6B1KA,gD;MARA,wB;QA
MyD,OASU,aAAa,IAAK,KAAlB,EAA8B,C7B4K5D,eAAW,oB6BrLwB,K7BqL7B,KAAK,CAAL,iBAAN,C6B5
K4D,MAA9B,C;O;KAfnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAOmE,oBAAa,IAAK,KAAlB,EAAwB,KAA
M,KAA9B,C;O;KAPnE,C;4FASA,yB;M9ByJA,WAS6D,wB;MAT7D,+B;M8BzJA,wB;QAEuD,OASA,eAAM,IA
AK,KAAK,KAAW,C9BuJ7C,eAAW,oB8BhKiB,K9BgKtB,KAAK,CAAL,UAAN,C8BvJ6C,MAAX,CAAhB,C;O;
KAXvD,C;4FAGA,yB;M5BuJA,aAS6D,0B;MAT7D,+B;M4BvJA,wB;QAEwD,OAMD,eAAM,IAAK,KAAK,KA
AW,C5BwJ7C,eAAW,oB4B9JkB,K5B8JvB,KAAK,CAAL,YAAN,C4BxJ6C,MAAX,CAAhB,C;O;KARvD,C;4FA
GA,yB;M7B2JA,kBAS6D,sB;MAT7D,+B;M6B3JA,wB;QAEsD,OAGC,eAAM,IAAK,KAAK,KAAW,C7B+J7C,e
AAW,oB6BlKgB,K7BkKrB,KAAK,CAAL,iBAAN,C6B/J6C,MAAX,CAAhB,C;O;KALvD,C;4FAGA,yB;MAAA,
+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAX,CAAhB,C;O;KAFvD,C;8FAIA,yB;M9B4I
A,WAS6D,wB;MAT7D,+B;M8B5IA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAY,C9B0I/C,eAAW,oB8BnJm
B,K9BmJxB,KAAK,CAAL,UAAN,C8B1I+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;M5B0IA,aAS6D,0B;M
AT7D,+B;M4B1IA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAY,C5B2I/C,eAAW,oB4BjJoB,K5BiJzB,KAA
K,CAAL,YAAN,C4B3I+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;M7B8IA,kBAS6D,sB;MAT7D,+B;M6B9I
A,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAY,C7BkJ/C,eAAW,oB6BrJkB,K7BqJvB,KAAK,CAAL,iBAAN,
C6BlJ+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UA
AM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;M9B+HA,WAS6D,wB;MAT7D,+B;M8B/HA,wB;QAEwD
,OASA,eAAM,IAAK,KAAK,UAAY,C9B6H/C,eAAW,oB8BtImB,K9BsIxB,KAAK,CAAL,UAAN,C8B7H+C,MA
AZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;M5B6HA,aAS6D,0B;MAT7D,+B;M4B7HA,wB;QAEyD,OAMD,eAAM,I
AAK,KAAK,UAAY,C5B8H/C,eAAW,oB4BpIoB,K5BoIzB,KAAK,CAAL,YAAN,C4B9H+C,MAAZ,CAAhB,C;
O;KARxD,C;8FAGA,yB;M7BiIA,kBAS6D,sB;MAT7D,+B;M6BjIA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,U
AAY,C7BqI/C,eAAW,oB6BxIkB,K7BwIvB,KAAK,CAAL,iBAAN,C6BrI+C,MAAZ,CAAhB,C;O;KALxD,C;8FA
GA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;0F
AIA,yB;M9BkHA,WAS6D,wB;MAT7D,+B;M8BzGA,8C;MATA,wB;QAEsD,OASA,YAAY,IAAZ,E9BgHjB,eA
AW,oB8BzHe,K9ByHpB,KAAK,CAAL,UAAN,C8BhHiB,C;O;KAXtD,C;0FAGA,yB;M5BgHA,aAS6D,0B;MAT
7D,+B;M4B1GA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,E5BiHjB,eAAW,oB4BvHgB,K5BuHrB,KAAK,C
AAL,YAAN,C4BjHiB,C;O;KARtD,C;0FAGA,yB;M7BoHA,kBAS6D,sB;MAT7D,+B;M6BjHA,8C;MAHA,wB;Q
AEqD,OAGC,YAAY,IAAZ,E7BwHjB,eAAW,oB6B3Hc,K7B2HnB,KAAK,CAAL,iBAAN,C6BxHiB,C;O;KALtD
,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAAkB,KAAlB,C;O;KAFtD,C;0FAIA,yB;M9BqG
A,WAS6D,wB;MAT7D,+B;M8B5FA,oD;MATA,wB;QAEsD,OASA,eAAe,IAAf,E9BmGjB,eAAW,oB8B5Ge,K9
B4GpB,KAAK,CAAL,UAAN,C8BnGiB,C;O;KAXtD,C;0FAGA,yB;M5BmGA,aAS6D,0B;MAT7D,+B;M4B7FA,
oD;MANA,wB;QAEuD,OAMD,eAAe,IAAf,E5BoGjB,eAAW,oB4B1GgB,K5B0GrB,KAAK,CAAL,YAAN,C4Bp
GiB,C;O;KARtD,C;0FAGA,yB;M7BuGA,kBAS6D,sB;MAT7D,+B;M6BpGA,oD;MAHA,wB;QAEqD,OAGC,eA
Ae,IAAf,E7B2GjB,eAAW,oB6B9Gc,K7B8GnB,KAAK,CAAL,iBAAN,C6B3GiB,C;O;KALtD,C;0FAGA,yB;MA
AA,oD;MAAA,wB;QAEsD,sBAAe,IAAf,EAAqB,KAArB,C;O;KAFtD,C;0EAIA,yB;MAAA,+B;MAAA,mB;QAE
0C,sBAAM,SAAK,MAAX,C;O;KAF1C,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;
O;KAF1C,C;kGAIA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,y

B;MAAA,+B;MAAA,2B;QAEoD,sBAAM,oBAAS,QAAT,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,
2B;QAEoD,sBAAM,6BAAU,QAAV,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM
,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAA
M,IAAK,KAAL,IAAa,KAAM,KAAnB,CAAN,C;O;KAFlD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAA
M,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAA
M,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,
C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA,
SAAK,Q;K;gFACtC,Y;MASmC,gB;K;kFAEnC,yB;M9B+EJ,0B;MAAA,+B;M8B/EI,mB;QASqC,O9BiFC,eAAW,
O8BjFZ,S9BiFY,SAAX,C;O;K8B1FtC,C;oFAUA,yB;M5BsEJ,4B;MAAA,iC;M4BtEI,mB;QASuC,O5BwEC,gBA
AY,Q4BxEb,S5BwEa,SAAZ,C;O;K4BjFxC,C;gFAUA,yB;M7BqEJ,6B;M6BrEI,mB;QASmC,O7BuEC,c6BvED,S
7BuEW,QAAV,C;O;K6BhFpC,C;kFAUA,Y;MAEqC,W;K;kFAErC,yB;MASA,kD;MATA,mB;QAQqC,OASE,cA
Ac,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBAAc,SAAd,C;O;KARvC,C;+BAUA,Y;
MAAyC,qBAAc,SAAd,C;K;;;;;+BA5P7C,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oC
AH7D,G;K;wEAgQA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX1C,C;0EAY
A,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,+B;M
AAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAU0C,sB
AAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAAmB,SAAnB,C;O;KAT3C,C;0EAU
A,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SAAd,C;O;KAT5C,C;IDzTA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6
C,OCgSP,UDhSO,aAAQ,KAAR,CCgSP,C;K;uCD9RtC,wB;MAOI,aAAQ,KAAR,IAAiB,KC8Kc,K;K;8DD1KL,Y
;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT,C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACn
B,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,O
AAlB,C;QAAA,OC2QO,UD3QiB,aAAM,mBAAN,EAAM,2BAAN,OC2QjB,C;;QD3Q+C,MAAM,2BAAuB,YAA
M,WAA7B,C;K;;0CAG3F,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,
WAAR,YAAQ,EAAS,OC0JO,KD1JhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QZ+7CvB,
U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAg
B,2B;UY/7C6B,2BZ+7CR,OY/7CQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EZ+7C/B,OazyCF,KDtJiC,C;WZ+7C9
C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MYh8CH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,
QAAQ,OAAb,KAAqB,C;K;;IA7CvD,sC;MAAA,oD;MACgC,uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;;;;oC
APJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB
,0CALrB,G;K;gFAuDA,yB;MAAA,yC;MAWsC,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CCqIV,K;S;O;MDh
JvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAgB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I
uK/D9C,2C;MAiBnB,kC;MAjByD,4BAAiB,KAAjB,EAAwB,YAAxB,K;K;iEAC/B,Y;MAAQ,iB;K;wEACD,Y;M
AAQ,gB;K;8CAEzC,iB;MAA+C,WtK+CoB,asK/CpB,UtK+CsC,KAAlB,EsK/CX,KtK+CyC,KAA9B,CsK/CpB,K;
MAAA,S;QAAkB,OtK+CE,asK/CF,KtK+CoB,KAAlB,EsK/CO,StK+CuB,KAA9B,CsK/CF,K;OAAlB,W;K;qCAE
/C,Y;MAAkC,OtK6CiC,asK7CjC,UtK6CmD,KAAlB,EsK7CzB,StK6CuD,KAA9B,CsK7CjC,I;K;oCAElC,iB;MA
EY,UAAwB,M;MADhC,8CAAwB,kBAAa,KAAM,UAAnB,KAChB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KA
AM,KAAd,QAAxB,CADgB,CAAxB,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MtKuKK,CArCkB
,UsKlIjB,UtKkI4B,KAAL,KAAoB,CATzB,UsKzHP,UtKyHa,yBsKzHH,EtKyHG,CAAN,CASyB,MAApB,CAAN,
CAqClB,MAAK,QsKvKV,QtKuKK,CArCkB,UsKlIoB,StKkIT,KAAL,KAAoB,CATzB,UsKzH6B,StKyHvB,yBsK
zHgC,EtKyHhC,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,QsKvKV,I;K;sCAE5B,Y;MAAkC,OAAE,UAA
F,qBAAU,S;K;IAE5C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAlC,C;K;;;IA
FnC,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAYJ,qD;MAuCI,wC;MAjCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAA
yB,wBAAzB,C;MACrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGy
B,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEzB,YAGwB,I;K;0CAExB,Y;MAAyC,oCAAyB,UAA
zB,EAAgC,SAAhC,EAAsC,SAAtC,C;K;yCAEzC,Y;MACqC,OAAI,uBAAO,CAAX,GtKN8B,asKMhB,UtKNkC,
KAAlB,EsKMR,StKNsC,KAA9B,CsKMhB,IAAd,GtKN8B,asKME,UtKNgB,KAAlB,EsKMU,StKNoB,KAA9B,C
sKME,I;K;wCAErE,iB;MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAnB,KACtB,2CAAS,KAAM,M
AAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;M

ACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MtKoHD,CArCkB,UsK/EX,UtK+EsB,KAAL,KAAoB,CATzB,Us
KtED,UtKsEO,yBsKtEG,EtKsEH,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,QsKpHJ,QtKoHD,CArCkB,U
sK/E0B,StK+Ef,KAAL,KAAoB,CATzB,UsKtEmC,StKsE7B,yBsKtEsC,EtKsEtC,CAAN,CASyB,MAApB,CAAN,
CAqClB,MAAK,QsKpHJ,IAAN,SAAqF,cAAU,6BAAU,EAAV,CAAV,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAkC
,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAd,GAAgD,UAAF,2BAAgB,SAAhB,
cAA6B,SAAD,aAA5B,W;K;IAEhF,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EAA
uC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;OAAA,0C;K;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;M
AC3B,iBAAmC,kBAAO,CAA1C,GtKvCmE,asKuCtB,KtKvCwC,KAAlB,EsKuCb,ItKvC2C,KAA9B,CsKuCtB,K
AA7C,GtKvCmE,asKuCH,KtKvCqB,KAAlB,EsKuCM,ItKvCwB,KAA9B,CsKuCH,K;MAChE,ctK4MsC,UsK5M
nB,ItK4MmB,C;MsK3MtC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAElC,Y;M
ACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iB
AAU,K;;QAEV,ctKtC+C,UsKsC/C,WtKtC0D,KAAK,KsKsCvD,WtKtCkE,KAAX,CAAhB,C;;MsKwCnD,OAAO,
K;K;;wECnHf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;
MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA
,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,
MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAO6C,OAAQ,arMsLhB,cqMtL
gB,C;O;KAPrD,C;oGASA,yB;M9FuCA,iB;M8FvCA,4B;QAOqD,O9FuCqB,avGsIrC,cuGtIqC,C;O;K8F9C1E,C;s
GASA,yB;MAAA,kE;MAAA,4B;QAOsD,OAAQ,sBrMoKzB,cqMpKyB,C;O;KAP9D,C;8FASA,yB;MAAA,0D;M
rM6PA,6B;MqM7PA,4B;QAQmD,OrM+PZ,cqM/PoB,kBrM0JtB,cqM1JsB,CrM+PpB,C;O;KqMvQvC,C;4FAUA,
yB;MAAA,wD;MrMmPA,6B;MqMnPA,4B;QAQkD,OrMqPX,cqMrPmB,iBrMgJrB,cqMhJqB,CrMqPnB,C;O;Kq
M7PvC,C;gFAUA,yB;MAAA,4C;MrMyOA,6B;MqMzOA,sC;QAcyD,OrMqOlB,cqMrO0B,WrMgI5B,cqMhI4B,E
AAW,QAAX,CrMqO1B,C;O;KqMnPvC,C;kFAiBA,yB;MAAA,8C;MrMwNA,6B;MqMxNA,sC;QAc0D,OrMoNn
B,cqMpN2B,YrM+G7B,cqM/G6B,EAAY,QAAZ,CrMoN3B,C;O;KqMlOvC,C;oFAiBA,yB;MAAA,gD;MAAA,4B
;QAO8C,OAAS,axKgHhB,cwKhHgB,C;O;KAPvD,C;oGASA,yB;MAAA,gE;MAAA,4B;QAOsD,OAAS,qBxKuG
xB,cwKvGwB,C;O;KAP/D,C;sGASA,yB;MAAA,kE;MAAA,4B;QAOuD,OAAS,sBxK8FzB,cwK9FyB,C;O;KAPh
E,C;8FASA,yB;MAAA,0D;MxK2LA,+B;MwK3LA,4B;QAQqD,OxK6LX,ewK7LoB,kBxKoFvB,cwKpFuB,CxK6
LpB,C;O;KwKrM1C,C;4FAUA,yB;MAAA,wD;MxKiLA,+B;MwKjLA,4B;QAQoD,OxKmLV,ewKnLmB,iBxK0E
tB,cwK1EsB,CxKmLnB,C;O;KwK3L1C,C;+EAUA,yB;MAAA,4C;MxKuKA,+B;MwKvKA,sC;QAc2D,OxKmKj
B,ewKnK0B,WxK0D7B,cwK1D6B,EAAW,QAAX,CxKmK1B,C;O;KwKjL1C,C;iFAgBA,yB;M9FoDA,4C;M1E
mGA,+B;MwKvJA,sC;QAc4D,OxKmJlB,e0EhGuB,W1ET1B,c0ES0B,EAAW,C8FnDK,Q9FmDL,IAAX,C1EgGv
B,C;O;KwKjK1C,C;oFAgBA,yB;MtM8CI,6B;MsM9MJ,gD;MAgKA,4B;QAO8C,OAhKO,arMsLhB,CD0BE,cAA
U,cAAL,GAAiB,GAAtB,CC1BF,MqMtLgB,C;O;KAyJrD,C;oGASA,yB;M9FzHA,iB;M8FyHA,4B;QAOsD,O9Fz
HoB,axG0GnC,c+Lde,GAAY,GvF5FQ,CuF4FrB,GAA6C,EAA7C,I;O;KOsBrD,C;sGASA,yB;MP7BA,kE;MO6B
A,4B;QAOuD,OP9BkB,sB/LMlC,c+LNgB,GAAW,GAAO,C;O;KOuBzE,C;8FASA,yB;MAAA,0D;MtMkFA,0B;
MAAA,+B;MsMlFA,4B;QAQqD,OtMqFZ,eAAW,OsMrFS,kBtMdnB,cAAL,GAAiB,GsMcO,CtMqFT,CAAX,C;O
;KsM7FzC,C;4FAUA,yB;MAAA,wD;MtMwEA,0B;MAAA,+B;MsMxEA,4B;QAQoD,OtM2EX,eAAW,OsM3EQ,
iBtMxBlB,cAAL,GAAiB,GsMwBM,CtM2ER,CAAX,C;O;KsMnFzC,C;gFAWA,yB;MAAA,4C;MtMsCA,+B;Ms
MtCA,sC;QAc2D,OtMkCjB,esMlC0B,WtM7D7B,csM6D6B,EAAW,QAAX,CtMkC1B,C;O;KsMhD1C,C;kFAgB
A,yB;MAAA,8C;MtMsBA,+B;MsMtBA,sC;QAc4D,OtMkBlB,esMlB2B,YtM7E9B,csM6E8B,EAAY,QAAZ,CtM
kB3B,C;O;KsMhC1C,C;oFAgBA,yB;MpMjCI,6B;MoM/MJ,gD;MAgPA,4B;QAO+C,OAhPM,arMsLhB,CC2BE,c
AAU,cAAL,GAAiB,KAAtB,CD3BF,MqMtLgB,C;O;KAyOrD,C;oGASA,yB;M9FzMA,iB;M8FyMA,4B;QAOuD,
O9FzMmB,atGqHjC,c6LiDpC,GAAY,KvFtKyD,CuFsKtE,GAA+C,EAA/C,I;O;KO4BJ,C;sGASA,yB;MPnCA,kE;
MOmCA,4B;QAOwD,OPpCoB,sB7LzDnC,c6LyDe,GAAW,KAAS,C;O;KO6B5E,C;8FASA,yB;MAAA,0D;MpM
GA,4B;MAAA,iC;MoMHA,4B;QAQuD,OpMMZ,gBAAY,QoMNQ,kBpM7FrB,cAAL,GAAiB,KoM6FS,CpMMR,
CAAZ,C;O;KoMd3C,C;4FAUA,yB;MAAA,wD;MpMPA,4B;MAAA,iC;MoMOA,4B;QAQsD,OpMJX,gBAAY,Q
oMIO,iBpMvGpB,cAAL,GAAiB,KoMuGQ,CpMJP,CAAZ,C;O;KoMJ3C,C;gFAWA,yB;MAAA,4C;MpM7BA,iC;
MoM6BA,sC;QAc6D,OpMjChB,gBoMiC0B,WpMlI9B,coMkI8B,EAAW,QAAX,CpMjC1B,C;O;KoMmB7C,C;kF
AgBA,yB;MAAA,8C;MpM7CA,iC;MoM6CA,sC;QAc8D,OpMjDjB,gBoMiD2B,YpMlJ/B,coMkJ+B,EAAY,QAA

Z,CpMjD3B,C;O;KoMmC7C,C;IChTA,qC;MAEI,StMyHoD,csMzH3C,CtMyH2C,EsMzHvC,CtMyHuC,C;MsMx
HpD,StMwHoD,csMxH3C,CtMwH2C,EsMxHvC,CtMwHuC,C;MsMvHpD,OtMiDkE,YsMjDvD,EtMiDwE,KAAj
B,EsMjDjD,EtMiD8E,KAA7B,CsMjDvD,KAAX,GtMgFsD,SsMhFjC,EtMgF2C,KAAK,GsMhF3C,EtMgFuD,KA
AZ,IAAf,CsMhFtD,GtMmEqD,SAAU,CAaT,SsMhFpB,EtMgF8B,KAAK,GsMhF9B,EtMgF0C,KAAZ,IAAf,CAb
S,MAAK,GsMnExB,CtMmEmC,KAAX,IAAf,C;K;IsMhEzD,qC;MACI,SzKsHsD,eyKtH7C,CzKsH6C,EyKtHzC,
CzKsHyC,C;MyKrHtD,SzKqHsD,eyKrH7C,CzKqH6C,EyKrHzC,CzKqHyC,C;MyKpHtD,OzKmDmE,ayKnDxD,
EzKmD0E,KAAlB,EyKnDlD,EzKmDgF,KAA9B,CyKnDxD,KAAX,GzK6EwD,UyK7EnC,EzK6E8C,KAAK,UyK
7E9C,EzK6E0D,KAAZ,CAAhB,CyK7ExD,GzKgEuD,UAAW,CAaV,UyK7EtB,EzK6EiC,KAAK,UyK7EjC,EzK6
E6C,KAAZ,CAAhB,CAbU,MAAK,KyKhE3B,CzKgEsC,KAAX,CAAhB,C;K;IyK7D3D,uD;MAmBI,WAAO,CA
AP,C;QAD8E,OtMsBZ,YsMrBlD,KtMqBmE,KAAjB,EsMrBzC,GtMqBsE,KAA7B,CsMrBlD,KAD8D,GAChD,G
ADgD,GtMqDxB,SsMpDf,GtMoDyB,KAAK,GsMpDxB,mBAAiB,GAAjB,EAAsB,KAAtB,EtMkQV,SsMlQuC,It
MkQvC,CsMlQU,CtMoDoC,KAAZ,IAAf,C;asMnDtD,WAAO,CAAP,C;QAF8E,OtMsBZ,YsMpBlD,KtMoBmE,K
AAjB,EsMpBzC,GtMoBsE,KAA7B,CsMpBlD,KAF8D,GAEhD,GAFgD,GtMwCzB,SsMtCd,GtMsCwB,KAAK,Gs
MtCvB,mBAAiB,KAAjB,EAAwB,GAAxB,EtMiQV,SsMjQwC,CAAC,IAAD,ItMiQxC,CsMjQU,CtMsCkC,KAA
X,IAAf,C;;QsMrC7C,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;MAmBI,sBAAO,CAAP,C;QADkF,OzKMf,ayKLn
D,KzKKqE,KAAlB,EyKL1C,GzKKwE,KAA9B,CyKLnD,KADkE,GACpD,GADoD,GzKgC1B,UyK/BjB,GzK+B4
B,KAAK,UyK/B3B,mBAAiB,GAAjB,EAAsB,KAAtB,EzKyPP,UyKzPoC,IzKyPpC,CyKzPO,CzK+BuC,KAAZ,
CAAhB,C;ayK9BxD,sBAAO,CAAP,C;QAFkF,OzKMf,ayKJnD,KzKIqE,KAAlB,EyKJ1C,GzKIwE,KAA9B,CyKJ
nD,KAFkE,GAEpD,GAFoD,GzKmB3B,UyKjBhB,GzKiB2B,KAAK,KyKjB1B,mBAAiB,KAAjB,EAAwB,GAAx
B,EzKwPP,UyKxPsC,IAAD,azKwPrC,CyKxPO,CzKiBqC,KAAX,CAAhB,C;;QyKhB/C,MAAa,gCAAyB,eAAzB,
C;K;IrMpDE,sB;MAEvB,8B;MAF0D,gB;K;IAE1D,4B;MAAA,gC;MACI,iBAGqC,WAAO,CAAP,C;MAErC,iBA
GqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;IAnBtC,wC;MAAA,uC;QAAA,sB;OAAA,g
C;K;wGAsBA,iB;MAM0D,OAAa,0BAkBjC,SAAL,GAAiB,KAAlB,qB,EAAU,KAFiB,3C,KAAL,GAAiB,GEjBqB,C;K;o
GAEvE,iB;MAOoE,OAAa,0BAyI3C,SAAL,GAAiB,KAAzB,I+B,EAAU,KAAyB,IrD,KAAL,GAAiB,KAAzB,I+B,C;K;wGAE
jF,yB;MAgKA,6B;MDjKA,8C;MCCA,wB;QAMyD,ODAS,YAAiB,CCmKhD,cAAU,SAAL,GAAiB,KAAtB,CDn
KgD,MAAjB,ECAe,KDAc,KAA7B,C;O;KCNlE,C;wGAQA,yB;MAkKA,aAS6D,0B;MAT7D,+B;M4BnKA,gD;M
5BCA,wB;QAM0D,O4BAS,aAAkB,C5BqKhD,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BrKgD,MAAlB,E5BAgB
,K4BAc,KAA9B,C;O;K5BNnE,C;8FAQA,yB;MAgJA,6B;MAhJA,wB;QAEsD,ODMD,cAAU,CCiJ5B,cAAU,SA
AL,GAAiB,KAAtB,CDjJ4B,MAAK,GAAW,CDgJ5C,cEtJsC,CFsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IA
Af,C;O;KCRrD,C;8FAGA,yB;MA6IA,6B;MA7IA,wB;QAEuD,ODGF,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,
CDjJ4B,MAAK,GAAW,CCiJ5C,cApJuC,CAoJ7B,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KCLrD,C;
8FAGA,yB;MA0IA,6B;MA1IA,wB;QAEqD,ODAA,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK
,GCAI,KDAO,KAAX,IAAf,C;O;KCFrD,C;8FAGA,yB;MAiJA,aAS6D,0B;MAT7D,+B;MAjJA,wB;QAEuD,O4BA
A,eAAW,C5BwJ7B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BxJ6B,MAAK,K5BAI,K4BAO,KAAX,CAAhB,C;O
;K5BFvD,C;gGAIA,yB;MAmIA,6B;MAnIA,wB;QAEuD,ODMD,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDp
I6B,MAAK,GAAY,CDmI9C,cEzIwC,CFyI9B,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KCRtD,C;gG
AGA,yB;MAgIA,6B;MAhIA,wB;QAEwD,ODGF,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,
GAAY,CCoI9C,cAvIyC,CAuI/B,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MA6H
A,6B;MA7HA,wB;QAEsD,ODAA,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,
KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MAoIA,aAS6D,0B;MAT7D,+B;MApIA,wB;QAEwD,O4BAA,eAAW,C5B2I9B,
eAAW,oBAAL,SAAK,CAAL,YAAN,C4B3I8B,MAAK,U5BAK,K4BAO,KAAZ,CAAhB,C;O;K5BFxD,C;
gGAIA,yB;MAsHA,6B;MAtHA,wB;QAEuD,ODMD,cAAe,CAAf,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,GAAY,
CCtH8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MAmHA,6B;MAnHA,wB;QAEwD,ODGF,cAAe,CAAf,SAAL,GAAiB,KAAtB,
CDvH6B,MAAK,GAAY,CCuH9C,cA1HyC,CA0H/B,KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,IAAf,C;O;KCLtD,C;gG
AGA,yB;MAgHA,6B;MAhHA,wB;QAEsD,ODAA,cAAe,CAAf,SAAL,GAAiB,KAAtB,CDvH6B,MAAK,GCAK,KDAO,
KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MAuHA,aAS6D,0B;MAT7D,+B;MAvHA,wB;QAEwD,O4BAA,eAAe,CAAf,C5B8H9B,
eAAW,oBAAL,SAAK,CAAL,YAAN,C4B9H8B,MAAK,U5BAK,K4BAO,KA

AZ,CAAhB,C;O;K5BFxD,C;4FAIA,yB;MAyGA,6B;MDnGA,4C;MCNA,wB;QAEqD,ODMD,WC0GjB,cAAU,S
AAL,GAAiB,KAAtB,CD1GiB,EDyGjB,cE/GoC,KF+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KCRpD,C;4FAG
A,yB;MAsGA,6B;MDnGA,4C;MCHA,wB;QAEsD,ODGF,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EC0
GjB,cA7GqC,KA6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KCLpD,C;4FAGA,yB;MAmGA,6B;MDnGA,4C;M
CAA,wB;QAEoD,ODAA,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,ECAkB,KDAlB,C;O;KCFpD,C;4FAG
A,yB;MA0GA,aAS6D,0B;MAT7D,+B;M4B1GA,8C;M5BAA,wB;QAEsD,O4BAA,Y5BiHjB,eAAW,oBAAL,SA
AK,CAAL,YAAN,C4BjHiB,E5BAmB,K4BAnB,C;O;K5BFtD,C;4FAIA,yB;MA4FA,6B;MDtFA,kD;MCNA,wB;
QAEqD,ODMD,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ED4FjB,cElGoC,KFkG1B,KAAL,GAAiB,GAAtB
,CC5FiB,C;O;KCRpD,C;4FAGA,yB;MAyFA,6B;MDtFA,kD;MCHA,wB;QAEsD,ODGF,cC6FjB,cAAU,SAAL,G
AAiB,KAAtB,CD7FiB,EC6FjB,cAhGqC,KAgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KCLpD,C;4FAGA,yB;M
AsFA,6B;MDtFA,kD;MCAA,wB;QAEoD,ODAA,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ECAkB,KDAlB
,C;O;KCFpD,C;4FAGA,yB;MA6FA,aAS6D,0B;MAT7D,+B;M4B7FA,oD;M5BAA,wB;QAEsD,O4BAA,e5BoGjB
,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BpGiB,E5BAmB,K4BAnB,C;O;K5BFtD,C;4EAIA,yB;MAAA,4B;MAA
A,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;4EAGA,yB;MAAA,4B;MAAA,iC;MAA
A,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;oGAIA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QA
E+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4
B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;MmKvHJ,4B;MnKuHI,wB;QAEqD,uBmKtHiC,QnKsH1B,IAAK,KmKtH
X,GnKsHoB,KAAM,KmKtHM,CnKsHjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;MmKrHJ,4B;MnKqHI,wB;QAEo
D,uBmKpHgC,QnKoHzB,IAAK,KmKpHX,GnKoHmB,KAAM,KmKpHM,CnKoHhC,C;O;KAFpD,C;4FAGA,yB;
MAAA,iC;MmKnHJ,4B;MnKmHI,wB;QAEqD,uBmKlHiC,QnKkH1B,IAAK,KmKlHX,GnKkHoB,KAAM,KmKl
HM,CnKkHjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;MmKjHJ,4B;MnKiHI,mB;QAEkC,uBmKhHsB,QAAP,CnKg
HR,SmKhHe,CnKgHtB,C;O;KAFlC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KA
VxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFAClD,yB;MAAA,aASqD,0B;
MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,m
B;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;
MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;
MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,G
AAiB,K;K;sFAqDlD,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DlD,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAi
B,KA6DD,Y;K;;;;;gCAhPrD,Y;MAAA,c;MAG8D,qD;MAH9D,a;K;8BAAA,iB;MAAA,2IAG8D,oCAH9D,G;K;0
EAoPA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QA
U6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAA
K,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;
O;KAX5C,C;I6BtRA,8B;MAEqB,sB;K;wCAKjB,iB;MAM8C,O7B4PL,W6B5PK,aAAQ,KAAR,C7B4PL,C;K;wC
6B1PzC,wB;MAOI,aAAQ,KAAR,IAAiB,K7BkJgB,K;K;+D6B9IP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MA
C0D,gCAAS,YAAT,C;K;IAEpC,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,
YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAlB,C;QAAA,O7BuOS,W6BvOe,aAAM,m
BAAN,EAAM,2BAAN,O7BuOf,C;;Q6BvO8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAGS,Q;
MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,O7B8HS,K6B9Hl
B,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qd+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,
C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Uc/7C6B,2Bd+7CR,Oc/7CQ,S;
UAAA,W;YAAwB,oBAAR,YAAQ,Ed+7ChC,Ofr0CA,K6B1HgC,C;Wd+7C/C,IAAI,OAAJ,C;YAAyB,aAAO,K;Y
AAP,e;;QAC/C,aAAO,I;;;Mch8CH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,u
C;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;
qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAuDA,yB;MAAA,2
C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C7ByGV,K;S;O;M6BpHzC,6B;QAWI,OAAO,qBAAY,
gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;IyKxExE,sC;MAQ2D,OAAa,W
AAb,SxM4KjB,KAAL,GAAiB,GwM5KkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,StMmKlB,KAA
L,GAAiB,KsMnKmB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WvMyK5B,oBuMzKc,SvMyKnB,KAAK,CA

AL,iBuMzKiC,EAAS,KAAT,C;K;IAExE,sC;MAOgD,uBAAc,S1KiKvB,K0KjKS,EAA6B,WAAW,KAAX,CAA7
B,C;K;IAGhD,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KA
Ad,oBAAwB,kBAAkB,SAAlB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;K;IAE3D,sC;M
AOiD,Q;MAAA,2CAAe,KAAf,oBAAyB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAAkB,kBAAk
B,SAAlB,C;K;IAErD,oC;MAO6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAEpE,8B;MAMqC,
Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SA
AlB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,
C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IvMhFkE,YuMgF9D,GvMhF+E,KAAjB,EAA6B,CDkK5
D,SwMlFzB,6BAAM,UxMkF6B,KAAL,GAAiB,GAAtB,CClK4D,MAA7B,CuMgF9D,IAAJ,C;QAA2B,OAAO,I;
MAClC,OxMkJqC,UAAW,OwMlJzC,GvM4E8B,KDsEW,CAAX,C;K;IwM/IzC,mC;MAM8C,mCAAuB,EAAvB,
C;K;IAE9C,4C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;
MACV,IvMtGkE,YuMsG9D,GvMtG+E,KAAjB,EAA6B,CCmK5D,SsM7DzB,8BAAO,UtM6D4B,KAAL,GAAiB,
KAAtB,CDnK4D,MAA7B,CuMsG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,OtM6HuC,WAAY,QsM7H5C,GvMgEg
C,KC6DY,CAAZ,C;K;IsM1H3C,iC;MAM0C,iCAAqB,EAArB,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,a
AAa,SAAK,O;MAClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,g
BAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;U
AAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,avM+F
mC,SuM/FtB,KvM+FsB,C;MuM9FnC,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,q
BAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IvMpJ8D,YuMoJ1
D,MvMpJ2E,KAAjB,EuMoJjD,cvMpJ8E,KAA7B,CuMoJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAlB,QAAJ,C;YA
CI,iBvM7FwC,WuM6FvB,KvM7FuB,EuM6Ff,MvM7Fe,C;YuM+FxC,IvMxJsD,YuMwJlD,MvMxJmE,KAAjB,Eu
MwJzC,cvMxJsE,KAA7B,CuMwJlD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,SvMpHkD,SAAe,YuMoHjE,
MvMpH4D,KAAK,EuMoHvD,MvMpHmE,KAAZ,CAAf,C;QuMsHlD,mBAAmB,M;QACnB,SvMjJiD,SuMiJjD,
MvMjJ2D,KAAK,GAAW,CA2N5C,SuM1ErB,KvM0EqB,CA3N4C,MAAX,IAAf,C;QuMkJjD,IvMpK8D,YuMoK
1D,MvMpK2E,KAAjB,EuMoKjD,YvMpK8E,KAA7B,CuMoK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K
;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IA
AI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C
;MAChB,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,Q
AAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,a1KkCqC,UAAW,oB0KlCnC,K1Kk
CmC,CAAX,C;M0KjCrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAA
L,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,I1K7M+D,a0K6M3D,M1K7M6
E,KAAlB,E0K6MlD,c1K7MgF,KAA9B,C0K6M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAlB,QAAJ,C;YACI,iB1K
3J0C,Y0K2JzB,K1K3JyB,E0K2JjB,M1K3JiB,C;Y0K6J1C,I1KjNuD,a0KiNnD,M1KjNqE,KAAlB,E0KiN1C,c1Kj
NwE,KAA9B,C0KiNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,S1KlLoD,U0KkLpD,M1KlL+D,KAAK,U
0KkL1D,M1KlLsE,KAAZ,CAAhB,C;Q0KoLpD,mBAAmB,M;QACnB,S1K/MmD,U0K+MnD,M1K/M8D,KAAK
,KAAW,C7B+J7C,UAAW,oBAAL,CAyDR,SuMTrB,KvMSqB,CAzDQ,MAAK,CAAL,iBAAN,C6B/J6C,MAAX,
CAAhB,C;Q0KgNnD,I1K7N+D,a0K6N3D,M1K7N6E,KAAlB,E0K6NlD,Y1K7NgF,KAA9B,C0K6N3D,IAAJ,C;
UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IhM7RX,6B;MACkD,OAAuB,0BAAtB,KAAO,WAAe,EAAU,KAAO,W
AAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,OPwSZ,SAvGI,oBOjM
S,EPiMd,KAAK,CAAL,iBOjMc,KPiMT,oBOjMuB,EPiM5B,KAAK,CAAL,iBOjMc,CPwSH,QAAV,C;K;IOvSxC,
+B;MACuD,OPsSf,SAvGI,oBO/LY,EP+LjB,KAAK,CAAL,iBO/LiB,QP+LZ,oBO/L0B,EP+L/B,KAAK,CAAL,iB
O/LiB,CPsSN,QAAV,C;K;IOjSxC,6B;MAEI,eAAe,EsByLoB,K;MtBxLnC,cAAc,EsBwLqB,K;MtBvLnC,IAAI,qB
AAU,CAAd,C;QACI,OsB2C+D,atB3CpD,EsB2CsE,KAAlB,EtB3C/C,EsB2C6E,KAA9B,CtB3CpD,IAAJ,GAAa,a
AAb,GAA2B,a;OAItC,IAAI,uBAAY,CAAhB,C;QACI,OAAO,UAAM,aAAW,OAAX,CAAN,C;OAIX,eAAiB,4B
AAc,CAAd,CAAD,KAAoB,OAApB,CAAD,WAAkC,CAAlC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,
C;MACV,OAAO,UAAM,iCsBgCsD,aAAkB,CtBhCzD,UAAM,GAAN,CsBgCyD,MAAlB,EAA8B,CtBhCvD,UA
AM,OAAN,CsBgCuD,MAA9B,CtBhCvC,KAAJ,GAAkC,CAAlC,GAAyC,CAApD,EAAN,C;K;IAIX,gC;MAKe,Q
;MAHX,eAAe,EsBqKoB,K;MtBpKnC,cAAc,EsBoKqB,K;MtBnKnC,IAAI,qBAAU,CAAd,C;QACW,IsBuBwD,at

BvBpD,EsBuBsE,KAAlB,EtBvB/C,EsBuB6E,KAA9B,CtBvBpD,IAAJ,C;UACH,S;;UAEA,OsB8CgD,UtB9ChD,E
sB8C2D,KAAK,UtB9C3D,EsB8CuE,KAAZ,CAAhB,C;;QtBjDpD,W;OAQJ,IAAI,uBAAY,CAAhB,C;QACI,OAA
O,UAAM,gBAAW,OAAX,CAAN,C;OAIX,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAApB,CAAD,WAAkC,CAAl
C,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAM,asBQsD,aAAkB,CtBR9D,UAAM,
GAAN,CsBQ8D,MAAlB,EAA8B,CtBR5D,UAAM,OAAN,CsBQ4D,MAA9B,CtBR5C,KAAJ,GAAkC,OAAlC,K
AAN,CAAN,C;K;IAGX,yB;MAEI,IAAE,QAAF,CAAE,CAAF,C;QADyC,OAC5B,W;;QACb,SP+LuC,aO/LlC,4B
AAK,UP+L0C,KAAb,CO/LvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SP8LuC,aO9LlC,4BAAK,UP8L0C,KAAb,C
O9LvC,C;YAHyC,OAGP,4BAAK,U;eACvC,SAAK,UAAL,C;YAJyC,OPyON,SOrOX,YAAF,CAAE,CPqOW,C;;
YOzOM,OPcY,SAAU,CA2N5B,SOpOP,YAAnB,IAAI,UAAe,CPoOO,CA3N4B,MAAK,GAAW,CA2N5C,SOpO
Y,UPoOZ,CA3N4C,MAAX,IAAf,C;;;;K;IONzD,0B;MAEI,IAAE,QAAF,CAAE,CAAF,C;QAD2C,OAC9B,2B;;Q
ACb,SsByLuC,ctBzLlC,6BAAM,UsByL0C,KAAd,CtBzLvC,C;UAF2C,OAER,6BAAM,U;;UACzC,SsBwLuC,ctB
xLlC,6BAAM,UsBwL0C,KAAd,CtBxLvC,C;YAH2C,OAGR,6BAAM,U;eACzC,4C;YAJ2C,OsB+OL,UtB3Od,uB
AAF,CAAE,CsB2Oc,C;;YtB/OK,OsBQY,UAAW,CAuO5B,UtBxOF,uBAA3B,IAAI,oBAAuB,CsBwOE,CAvO4B,
MAAK,KAAW,CtBDzB,gCsBCyB,MAAX,CAAhB,C;;;;K;ItBG3D,yB;MAC4C,QAAC,CAAqB,GAAf,UAAP,IA
AmC,CAAC,MAAO,EAAW,IAAJ,EAAf,IAAgC,C;K;IAE/G,0B;MAC8C,OAAC,qBAAO,EAAP,CAAW,WAAZ,
GAAyB,IAAzB,GAAiC,YAAjC,W;K;IAG9C,0B;MAA8C,uBAAc,CAAd,EAAiB,EAAjB,C;K;IAE9C,kC;MACI,I
AAI,gBAAK,CAAT,C;QAAY,OAAS,WAAF,CAAE,EAAS,IAAT,C;MAErB,eAAiB,qBAAO,CAAP,CAAD,yBA
Aa,IAAb,EAAD,WAAwB,CAAxB,C;MACf,UAAU,WAAI,sCAAW,IAAX,EAAJ,C;MACV,IAAI,kBAAO,IAAX,
C;QACI,uCAAO,IAAP,E;QACA,4CAAY,CAAZ,E;OAEJ,OAAgB,WAAT,QAAS,EAAS,IAAT,CAAT,GAA8B,W
AAJ,GAAI,EAAS,IAAT,C;K;IiM3FzC,qC;K;;;
;;
;;
;;
;;
;;
;;
;;
;;
;;
;;
;;
;;
;;
YrHsEA,iB;;K;;;
;;
;;
;;
;;
;;
;;SsHjE8B,iB;QAGD,iB;gCjIaqB,I;IWoD9
C,aAAJ,OAAO,OAAQ,KAAI,WAAY,IAAG,OAAO,SAAf,IAA4B,CAAC,CAAC,OAAO,SAAS,K;aAChE,MAAJ,
GAAY,iBAAhB,OAA6B,OAAb,CAAZ,GAAoD,gC;uDE1EJ,mC,EAAuB,wB;eiB2YrB,MAAW,KG1YlC,GH0Yk
C,EG1Y1B,GH0Y0B,C;eAAX,MAAW,KGzYlC,GHyYkC,EGzY1B,GHyY0B,C;sBSrUnC,gBAA8B,CAA9B,O;m
EtFoKiC,oC;yBgGpGxB,C;gCAKY,eAAiB,OAAL,GAAK,CAAjB,EAAgC,OAAL,GAAK,CAAhC,EAA+C,OAA
L,GAAK,CAA/C,E;uBAwDd,K;uBtEnMU,E;mBkGDd,U;yBACM,E;qBO+FG,C;yBACI,C;sBACH,C;kBACJ,C;iB
ACD,C;mBACE,C;;;;;;;;;;;;;;;;;;;;;;mBnJtGxC,gC;;;;IiMAqC,2C;MAAC,8C;MAClC,eAAsB,C;MACtB,wBAA+B,
C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MACtC,qBAAyC,I;MAEzC,yBAAgD,yBAAmB,Q;MAElC,gB;MAAjC
,cAAiC,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;K;oEAFlG,Y;MAAA,6B;K;2CAIA,iB;MACI,gBAAS,K;M
ACT,wB;K;0DAGJ,qB;MACI,eAAQ,qB;MACR,mBAAiB,S;MACjB,wB;K;gDAGJ,Y;MACI,iBAA8B,yB;MC8Ez

B,Q;;QAHL,aD3EoD,e;QC4EpD,IAAI,WAAW,mBAAf,C;UAEuC,CAAlC,kEAAkC,eAAO,MAAP,C;;QAEzC,gC
;UACE,UAAW,6BAAoB,CAApB,C;;UAPf,O;;K;;;;IDjEc,yB;MAAC,0B;K;;IAInB,mD;MACI,0B;MAUA,gBAA2
B,a;K;uEAFvB,Y;MAAQ,OAAA,eAAS,Q;K;8CAIrB,iB;MAEQ,sBAAW,SAAX,C;QACI,gBAAS,K;WAEb,sBAA
W,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,cAAO,KAAP,C;;QAGT,MAAM,2BAAsB,iBAAtB,C;;K;6DAKlB,q
B;MAEQ,sBAAW,SAAX,C;QACI,gBAAS,SAAK,SAAL,C;WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,e
AAS,6BAAoB,SAApB,C;;QAGT,MAAM,2BAAsB,iBAAtB,C;;K;2CAKlB,Y;MAMW,Q;MAJP,IAAI,kBAAW,S
AAf,C;QACI,gBAAS,mB;OAEb,aAAa,IAAK,S;MAEd,eAAW,OAAX,C;QACI,0B;WAEJ,gC;QACI,MAAM,MA
AO,U;;QAGb,a;;MARR,W;K;;IA5CJ,gD;MAAA,0D;MACyD,6BAAK,QAAL,EAAe,SAAf,C;MADzD,Y;K;mKEx
CJ,iC;MAKU,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;K;qKAEV,2C;MAMU,OAAK,SAAL,CAAiB,QA
AjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K;IAEV,mE;MAIwB,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,E
AAuC,IAAvC,CAA6C,O;K;IAErE,2D;MAGwB,OAAK,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,CAAmC,O;K;;IA
U3D,oC;MAAA,wC;K;;;IAAA,gD;MAAA,+C;QAAA,8B;OAAA,wC;K;;MC/BI,yC;;IAAA,uC;MAAA,2C;K;;;IA
AA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;;;;ICmB2B,oD;MACf,cAAc,GAAI,kBAAS,OAAQ,IAAjB,C;MAClB,
IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QAClB,IAAI,mBAAJ,C;UAJJ
,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,
mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,
CAAhB,EAAgD,WAAhD,C;;;K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAA
K,IAAL,EAAW,4BAAX,C;K;;;qDA6BZ,e;MAE0B,Q;MAAtB,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,wEAAt
B,GAAqC,I;K;sDAEzC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,IAAK,IAAL,KAA
a,GAAjB,GAAsB,mCAAtB,GAAiD,I;K;;;;;;ICzDR,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAEtD,iC;MAAA,
qC;K;kDAKI,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+
CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;;IAV7C,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAiB8B,wC;
MAAC,gB;MAA4B,sB;K;4CACvD,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAI,QA
AJ,aAAY,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAI,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,
iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,SAAK,cAAK,OAAL,EAAc,SAAd,CAAf,EAAyC,YAAzC,C;K;
iDAEJ,e;UAGW,I;MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;OAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gB
AAY,SAAZ,C;QAAoB,W;WACpB,gBAAY,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAgB,OAAhB,EAAyB,YAAzB,
C;MAHZ,W;K;uCAOJ,Y;MACI,OAAI,yCAAJ,GAA6B,SAAK,SAAL,GAAc,CAAd,IAA7B,GAAkD,C;K;2CAEt
D,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAApB,C;K;8CAEJ,mB;MAQ4B,Q;MAPxB,UAAU,O;MACV,OAA
O,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,QAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAI,K;QACf
,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,wEAAT,C;;;K;uCAKnB,iB;MACI,gBAAS,KAAT,KAA
kB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;K;yCAEJ,Y;MAA+B,OAA
K,SAAL,SAAK,CAAL,GAA0B,SAAR,YAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,GvLoJoC,YAAU,CuLpJlD,G
AAmB,OAAQ,WAA3B,GAA2C,MAAM,IAAN,YAAa,OAAb,C;K;yCAFnD,Y;MACI,aAAM,kBAAK,EAAL,EA
AS,+BAAT,CAAN,GAEI,G;K;;;;;ICzDZ,+B;K;;ICI0C,wD;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;INg
DvB,gD;MAAA,oB;QACrB,WAAW,sBAAiB,CAAjB,C;QACX,cAAM,IAAN,C;QADA,OAEA,IAAK,Y;O;K;IAr
Eb,yD;MAWI,oCAAyB,QAAzB,EAAmC,UAAnC,CAA+C,cAAO,IAAP,C;K;IAGnD,iD;MAUI,sCAAyB,UAAzB,
CAAqC,cAAO,IAAP,C;K;IAGzC,0D;MAawB,4BAAiB,oCAAyB,QAAzB,EAAmC,UAAnC,CAAjB,EAAiE,mBA
AjE,C;K;IAExB,kD;MAYwB,4BAAiB,sCAAyB,UAAzB,CAAjB,EAAuD,mBAAvD,C;K;IAExB,+C;MAUI,OMh
DsC,gCNgDb,8BMhDa,CAAtC,c;K;2FNsCJ,yB;MAAA,0F;MMtC0C,wD;QAAA,uB;UAAU,qBAAM,IAAK,OAA
X,C;S;O;MNgDvB,gD;QAAA,oB;UACrB,WAAW,sBAAiB,CAAjB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAA
K,Y;S;O;MAbb,sC;QMtCI,mBAAsC,gCNgDb,8BMhDa,CAAtC,6B;QNgDA,yD;O;KAVJ,C;kHA4BI,yB;MAAA,g
E;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;4IAMJ,yB;MAAA,yF;MAAA,gE;MAAA,8B;MA
AA,qB;MAAA,oC;QAMa,Q;;UAHL,aAAa,O;UACb,IAAI,WAAW,mBAAf,C;YAEuC,CAAlC,kEAAkC,eAAO,M
AAP,C;;UAEzC,gC;YACE,UAAW,6BAAoB,CAApB,C;;YAPf,O;;O;KAFJ,C;IlM/FA,kD;MAQuF,wC;K;IARvF,4
CASI,Y;MAAuC,8B;K;IAT3C,8E;IwMuB0C,0D;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;ICVyE,qD;M
AAA,mB;QAAE,qBAAc,qBAAd,C;O;K;IAT/H,sC;MASoH,OzML7B,2ByMKsC,mCzMLtC,C;K;IyMOvF,sC;MA
SI,eAAe,6B;MACf,oBAAkC,yBAAd,aAAc,EAAoC,QAApC,EAA2D,QAA3D,C;MAClC,OAAO,Q;K;IAciC,2B;K

;iDAaxC,kC;MAII,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MAClD,OAAO,sBAAS,QAAS,WAAlB,e;K;iDAGX,kC;MAKqD,6BAAS,QAAS,WAAlB,e;K;;;;;;;;IAYzD,mC;MAA2C,0B;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YACI,IAAI,kCAAe,UAAnB,B,C;cACI,C;cACR,OAAO,I;;cAEP,sBAAe,I;;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,C/B,MAAM,yB;;QAGlB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,IAAK,cAAO,IAAP,C;;K;6CAIb,Y;MACU,IASe,I;MATf,MAAM,YAAN,C;QACI,IAAI,CAAC,cAAL,C;UACI,IAAI,CAAC,cAAL,C;YACI,IAAI,CAAC,cAAL,C;cACI,IAAI,CAAC,cAAL,C;gBACI,IAAI,CAAC,cAAL,C;kBACI,IAAI,CAAC,cAAL,C;oBACI,IAAI,CAAC,cAAL,C;sBACI,IAAI,CAAC,cAAL,C;wBACI,IAAI,CAAC,cAAL,C;0BACI,IAAI,CAAC,cAAL,C;4BACI,IAAI,CAAC,cAAL,C;8BACI,IAAI,CAAC,cAAL,C;gCACI,IAAI,CAAC,cAAL,C;kCACI,IAAI,CAAC,cAAL,C;oCACI,IAAI,CAAC,cAAL,C;sCACI,IAAI,CAAC,cAAL,C;wCACI,IAAI,CAAC,cAAL,C;0CACI,IAAI,CAAC,cAAL,C;4CACI,IAAI,CAAC,cAAL,C;8CACI,IAAI,CAAC,cAAL,C;gDACI,IAAI,CAAC,cAAL,C;kDACI,IAAI,CAAC,cAAL,C;oDACI,IAAI,CAAC,cAAL,C;sDACI,IAAI,CAAC,cAAL,C;wDACI,IAAI,CAAC,cAAL,C;0DACI,IAAI,CAAC,cAAL,C;4DACI,IAAI,CAAC,cAAL,C;8DACI,IAAI,CAAC,cAAL,C;gEACI,IAAI,CAAC,cAAL,C;kEACI,IAAI,CAAC,cAAL,C;oEACI,IAAI,CAAC,cAAL,C;sEACI,IAAI,CAAC,cAAL,C;wEACI,IAAI,CAAC,cAAL,C;0EACI,IAAI,CAAC,cAAL,C;4EACI,IAAI,CAAC,cAAL,C;8EACI,IAAI,CAAC,cAAL,C;gFACI,IAAI,CAAC,cAAL,C;kFACI,IAAI,CAAC,cAAL,C;oFACI,IAAI,CAAC,cAAL,C;sFACI,IAAI,CAAC,cAAL,C;wFACI,IAAI,CAAC,cAAL,C;0FACI,IAAI,CAAC,cAAL,C;4FACI,IAAI,CAAC,cAAL,C;8FACI,IAAI,CAAC,cAAL,C;gGACI,IAAI,CAAC,cAAL,C;kGACI,IAAI,CAAC,cAAL,C;oGACI,IAAI,CAAC,cAAL,C;sGACI,IAAI,CAAC,cAAL,C;wGACI,IAAI,CAAC,cAAL,C;0GACI,IAAI,CAAC,cAAL,C;4GACI,IAAI,CAAC,cAAL,C;8GACI,IAAI,CAAC,cAAL,C;gHACI,IAAI,CAAC,cAAL,C;kHACI,IAAI,CAAC,cAAL,C;oHACI,IAAI,CAAC,cAAL,C;sHACI,IAAI,CAAC,cAAL,C;wHACI,IAAI,CAAC,cAAL,C;0HACI,IAAI,CAAC,cAAL,C;4HACI,IAAI,CAAC,cAAL,C;8HACI,IAAI,CAAC,cAAL,C;gIACI,IAAI,CAAC,cAAL,C;kIACI,IAAI,CAAC,cAAL,C;oIACI,IAAI,CAAC,cAAL,C;sIACI,IAAI,CAAC,cAAL,C;wIACI,IAAI,CAAC,cAAL,C;0IACI,IAAI,CAAC,cAAL,C;4IACI,IAAI,CAAC,cAAL,C;8IACI,IAAI,CAAC,cAAL,C;gJACI,IAAI,CAAC,cAAL,C;kJACI,IAAI,CAAC,cAAL,C;oJACI,IAAI,CAAC,cAAL,C;sJACI,IAAI,CAAC,cAAL,C;wJACI,IAAI,CAAC,cAAL,C;0JACI,IAAI,CAAC,cAAL,C;4JACI,IAAI,CAAC,cAAL,C;8JACI,IAAI,CAAC,cAAL,C;gKACI,IAAI,CAAC,cAAL,C;kKACI,IAAI,CAAC,cAAL,C;oKACI,IAAI,CAAC,cAAL,C;sKACI,IAAI,CAAC,cAAL,C;wKACI,IAAI,CAAC,cAAL,C;0KACI,IAAI,CAAC,cAAL,C;4KACI,IAAI,CAAC,cAAL,C;8KACI,IAAI,CAAC,cAAL,C;gLACI,IAAI,CAAC,cAAL,C;kLACI,IAAI,CAAC,cAAL,C;oLACI,IAAI,CAAC,cAAL,C;sLACI,IAAI,CAAC,cAAL,C;wLACI,IAAI,CAAC,cAAL,C;0LACI,IAAI,CAAC,cAAL,C;4LACI,IAAI,CAAC,cAAL,C;8LACI,IAAI,CAAC,cAAL,C;gMACI,IAAI,CAAC,cAAL,C;kMACI,IAAI,CAAC,cAAL,C;oMACI,IAAI,CAAC,cAAL,C;sMACI,IAAI,CAAC,cAAL,C;wMACI,IAAI,CAAC,cAAL,C;0MACI,IAAI,CAAC,cAAL,C;4MACI,IAAI,CAAC,cAAL,C;8MACI,IAAI,CAAC,cAAL,C;gNACI,IAAI,CAAC,cAAL,C;kNACI,IAAI,CAAC,cAAL,C;oNACI,IAAI,CAAC,cAAL,C;sNACI,IAAI,CAAC,cAAL,C;wNACI,IAAI,CAAC,cAAL,C;0NACI,IAAI,CAAC,cAAL,C;4NACI,IAAI,CAAC,cAAL,C;8NACI,IAAI,CAAC,cAAL,C;gOACI,IAAI,CAAC,cAAL,C;kOACI,IAAI,CAAC,cAAL,C;oOACI,IAAI,CAAC,cAAL,C;sOACI,IAAI,CAAC,cAAL,C;wOACI,IAAI,CAAC,cAAL,C;0OACI,IAAI,CAAC,cAAL,C;4OACI,IAAI,CAAC,cAAL,C;8OACI,IAAI,CAAC,cAAL,C;gPACI,IAAI,CAAC,cAAL,C;kPACI,IAAI,CAAC,cAAL,C;oPACI,IAAI,CAAC,cAAL,C;sPACI,IAAI,CAAC,cAAL,C;wPACI,IAAI,CAAC,cAAL,C;0PACI,IAAI,CAAC,cAAL,C;4PACI,IAAI,CAAC,cAAL,C;8PACI,IAAI,CAAC,cAAL,C;gQACI,IAAI,CAAC,cAAL,C;kQACI,IAAI,CAAC,cAAL,C;oQACI,IAAI,CAAC,cAAL,C;sQACI,IAAI,CAAC,cAAL,C;wQACI,IAAI,CAAC,cAAL,C;0QACI,IAAI,CAAC,cAAL,C;4QACI,IAAI,CAAC,cAAL,C;8QACI,IAAI,CAAC,cAAL,C;gRACI,IAAI,CAAC,cAAL,C;kRACI,IAAI,CAAC,cAAL,C;oRACI,IAAI,CAAC,cAAL,C;sRACI,IAAI,CAAC,cAAL,C;wRACI,IAAI,CAAC,cAAL,C;0RACI,IAAI,CAAC,cAAL,C;4RACI,IAAI,CAAC,cAAL,C;8RACI,IAAI,CAAC,cAAL,C;gSACI,IAAI,CAAC,cAAL,C;kSACI,IAAI,CAAC,cAAL,C;oSACI,IAAI,CAAC,cAAL,C;sSACI,IAAI,CAAC,cAAL,C;wSACI,IAAI,CAAC,cAAL,C;0SACI,IAAI,CAAC,cAAL,C;4SACI,IAAI,CAAC,cAAL,C;8SACI,IAAI,CAAC,cAAL,C;gTACI,IAAI,CAAC,cAAL,C;kTACI,IAAI,CAAC,cAAL,C;oTACI,IAAI,CAAC,cAAL,C;sTACI,IAAI,CAAC,cAAL,C;wTACI,IAAI,CAAC,cAAL,C;0TACI,IAAI,CAAC,cAAL,C;4TACI,IAAI,CAAC,cAAL,C;8TACI,IAAI,CAAC,cAAL,C;gUACI,IAAI,CAAC,cAAL,C;kUACI,IAAI,CAAC,cAAL,C;oUACI,IAAI,CAAC,cAAL,C;sUACI,IAAI,CAAC,cAAL,C;wUACI,IAAI,CAAC,cAAL,C;0UACI,IAAI,CAAC,cAAL,C;4UACI,IAAI,CAAC,cAAL,C;8UACI,IAAI,CAAC,cAAL,C;gVACI,IAAI,CAAC,cAAL,C;kVACI,IAAI,CAAC,cAAL,C;oVACI,IAAI,CAAC,cAAL,C;sVACI,IAAI,CAAC,cAAL,C;wVACI,IAAI,CAAC,cAAL,C;0VACI,IAAI,CAAC,cAAL,C;4VACI,IAAI,CAAC,cAAL,C;8VACI,IAAI,CAAC,cAAL,C;gWACI,IAAI,CAAC,cAAL,C;kWACI,IAAI,CAAC,cAAL,C;oWACI,IAAI,CAAC,cAAL,C;sWACI,IAAI,CAAC,cAAL,C;wWACI,IAAI,CAAC,cAAL,C;0WACI,IAAI,CAAC,cAAL,C;4WACI,IAAI,CAAC,cAAL,C;8WACI,IAAI,CAAC,cAAL,C;gXACI,IAAI,CAAC,cAAL,C;kXACI,IAAI,CAAC,cAAL,C;oXACI,IAAI,CAAC,cAAL,C;sXACI,IAAI,CAAC,cAAL,C;wXACI,IAAI,CAAC,cAAL,C;0XACI,IAAI,CAAC,cAAL,C;4XACI,IAAI,CAAC,cAAL,C;8XACI,IAAI,CAAC,cAAL,C;gYACI,IAAI,CAAC,cAAL,C;kYACI,IAAI,CAAC,cAAL,C;oYACI,IAAI,CAAC,cAAL,C;sYACI,IAAI,CAAC,cAAL,C;wYACI,IAAI,CAAC,cAAL,C;0YACI,IAAI,CAAC,cAAL,C;4YACI,IAAI,CAAC,cAAL,C;8YACI,IAAI,CAAC,cAAL,C;gZACI,IAAI,CAAC,cAAL,C;kZACI,IAAI,CAAC,cAAL,C;oZACI,IAAI,CAAC,cAAL,C;sZACI,IAAI,CAAC,cAAL,C;wZACI,IAAI,CAAC,cAAL,C;0ZACI,IAAI,CAAC,cAAL,C;4ZACI,IAAI,CAAC,cAAL,C;8ZACI,IAAI,CAAC,cAAL,C;gaACI,IAAI,CAAC,cAAL,C;kaACI,IAAI,CAAC,cAAL,C;oaACI,IAAI,CAAC,cAAL,C;saACI,IAAI,CAAC,cAAL,C;waACI,IAAI,CAAC,cAAL,C;0aACI,IAAI,CAAC,cAAL,C;4aACI,IAAI,CAAC,cAAL,C;8aACI,IAAI,CAAC,cAAL,C;gbACI,IAAI,CAAC,cAAL,C;kbACI,IAAI,CAAC,cAAL,C;obACI,IAAI,CAAC,cAAL,C;sbACI,IAAI,CAAC,cAAL,C;wbACI,IAAI,CAAC,cAAL,C;0bACI,IAAI,CAAC,cAAL,C;4bACI,IAAI,CAAC,cAAL,C;8bACI,IAAI,CAAC,cAAL,C;gcACI,IAAI,CAAC,cAAL,C;kcACI,IAAI,CAAC,cAAL,C;ocACI,IAAI,CAAC,cAAL,C;scACI,IAAI,CAAC,cAAL,C;wcACI,IAAI,CAAC,cAAL,C;0cACI,IAAI,CAAC,cAAL,C;4cACI,IAAI,CAAC,cAAL,C;8cACI,IAAI,CAAC,cAAL,C;gdACI,IAAI,CAAC,cAAL,C;kdACI,IAAI,CAAC,cAAL,C;odACI,IAAI,CAAC,cAAL,C;sdACI,IAAI,CAAC,cAAL,C;wdACI,IAAI,CAAC,cAAL,C;0dACI,IAAI,CAAC,cAAL,C;4dACI,IAAI,CAAC,cAAL,C;8dACI,IAAI,CAAC,cAAL,C;gecACI,IAAI,CAAC,cAAL,C;kecACI,IAAI,CAAC,cAAL,C;oecACI,IAAI,CAAC,cAAL,C;secACI,IAAI,CAAC,cAAL,C;wecACI,IAAI,CAAC,cAAL,C;0ecACI,IAAI,CAAC,cAAL,C;4ecACI,IAAI,CAAC,cAAL,C;8ecACI,IAAI,CAAC,cAAL,C;gfcACI,IAAI,CAAC,cAAL,C;kfcACI,IAAI,CAAC,cAAL,C;ofcACI,IAAI,CAAC,cAAL,C;sfcACI,IAAI,CAAC,cAAL,C;wfcACI,IAAI,CAAC,cAAL,C;0fcACI,IAAI,CAAC,cAAL,C;4fcACI,IAAI,CAAC,cAAL,C;8fcACI,IAAI,CAAC,cAAL,C;ggcACI,IAAI,CAAC,cAAL,C;kgcACI,IAAI,CAAC,cAAL,C;ogcACI,IAAI,CAAC,cAAL,C;sgcACI,IAAI,CAAC,cAAL,C;wgcACI,IAAI,CAAC,cAAL,C;0gcACI,IAAI,CAAC,cAAL,C;4gcACI,IAAI,CAAC,cAAL,C;8gcACI,IAAI,CAAC,cAAL,C;ghcACI,IAAI,CAAC,cAAL,C;khcACI,IAAI,CAAC,cAAL,C;ohcACI,IAAI,CAAC,cAAL,C;shcACI,IAAI,CAAC,cAAL,C;whcACI,IAAI,CAAC,cAAL,C;0hcACI,IAAI,CAAC,cAAL,C;4hcACI,IAAI,CAAC,cAAL,C;8hcACI,IAAI,CAAC,cAAL,C;gicACI,IAAI,CAAC,cAAL,C;kicACI,IAAI,CAAC,cAAL,C;oicACI,IAAI,CAAC,cAAL,C;sicACI,IAAI,CAAC,cAAL,C;wicACI,IAAI,CAAC,cAAL,C;0icACI,IAAI,CAAC,cAAL,C;4icACI,IAAI,CAAC,cAAL,C;8icACI,IAAI,CAAC,cAAL,C;gjcACI,IAAI,CAAC,cAAL,C;kjcACI,IAAI,CAAC,cAAL,C;ojcACI,IAAI,CAAC,cAAL,C;sjcACI,IAAI,CAAC,cAAL,C;wjcACI,IAAI,CAAC,cAAL,C;0jcACI,IAAI,CAAC,cAAL,C;4jcACI,IAAI,CAAC,cAAL,C;8jcACI,IAAI,CAAC,cAAL,C;gkcACI,IAAI,CAAC,cAAL,C;kkcACI,IAAI,CAAC,cAAL,C;okcACI,IAAI,CAAC,cAAL,C;skcACI,IAAI,CAAC,cAAL,C;wkcACI,IAAI,CAAC,cAAL,C;0kcACI,IAAI,CAAC,cAAL,C;4kcACI,IAAI,CAAC,cAAL,C;8kcACI,IAAI,CAAC,cAAL,C;glcACI,IAAI,CAAC,cAAL,C;klcACI,IAAI,CAAC,cAAL,C;olcACI,IAAI,CAAC,cAAL,C;slcACI,IAAI,CAAC,cAAL,C;wlcACI,IAAI,CAAC,cAAL,C;0lcACI,IAAI,CAAC,cAAL,C;4lcACI,IAAI,CAAC,cAAL,C;8lcACI,IAAI,CAAC,cAAL,C;gmcACI,IAAI,CAAC,cAAL,C;kmcACI,IAAI,CAAC,cAAL,C;omcACI,IAAI,CAAC,cAAL,C;smcACI,IAAI,CAAC,cAAL,C;wmcACI,IAAI,CAAC,cAAL,C;0mcACI,IAAI,CAAC,cAAL,C;4mcACI,IAAI,CAAC,cAAL,C;8mcACI,IAAI,CAAC,cAAL,C;gncACI,IAAI,CAAC,cAAL,C;kncACI,IAAI,CAAC,cAAL,C;oncACI,IAAI,CAAC,cAAL,C;sncACI,IAAI,CAAC,cAAL,C;wncACI,IAAI,CAAC,cAAL,C;0ncACI,IAAI,CAAC,cAAL,C;4ncACI,IAAI,CAAC,cAAL,C;8ncACI,IAAI,CAAC,cAAL,C;gocACI,IAAI,CAAC,cAAL,C;kocACI,IAAI,CAAC,cAAL,C;oocACI,IAAI,CAAC,cAAL,C;socACI,IAAI,CAAC,cAAL,C;wocACI,IAAI,CAAC,cAAL,C;0ocACI,IAAI,CAAC,cAAL,C;4ocACI,IAAI,CAAC,cAAL,C;8ocACI,IAAI,CAAC,cAAL,C;gpcACI,IAAI,CAAC,cAAL,C;kpcACI,IAAI,CAAC,cAAL,C;opcACI,IAAI,CAAC,cAAL,C;spcACI,IAAI,CAAC,cAAL,C;wpcACI,IAAI,CAAC,cAAL,C;0pcACI,IAAI,CAAC,cAAL,C;4pcACI,IAAI,CAAC,cAAL,C;8pcACI,IAAI,CAAC,cAAL,C;gqcACI,IAAI,CAAC,cAAL,C;kqcACI,IAAI,CAAC,cAAL,C;oqcACI,IAAI,CAAC,cAAL,C;sqcACI,IAAI,CAAC,cAAL,C;wqcACI,IAAI,CAAC,cAAL,C;0qcACI,IAAI,CAAC,cAAL,C;4qcACI,IAAI,CAAC,cAAL,C;8qcACI,IAAI,CAAC,cAAL,C;grcACI,IAAI,CAAC,cAAL,C;krcACI,IAAI,CAAC,cAAL,C;orcACI,IAAI,CAAC,cAAL,C;srcACI,IAAI,CAAC,cAAL,C;wrcACI,IAAI,CAAC,cAAL,C;0rcACI,IAAI,CAAC,cAAL,C;4rcACI,IAAI,CAAC,cAAL,C;8rcACI,IAAI,CAAC,cAAL,C;gscACI,IAAI,CAAC,cAAL,C;kscACI,IAAI,CAAC,cAAL,C;oscACI,IAAI,CAAC,cAAL,C;sscACI,IAAI,CAAC,cAAL,C;wscACI,IAAI,CAAC,cAAL,C;0scACI,IAAI,CAAC,cAAL,C;4scACI,IAAI,CAAC,cAAL,C;8scACI,IAAI,CAAC,cAAL,C;gtcACI,IAAI,CAAC,cAAL,C;ktcACI,IAAI,CAAC,cAAL,C;otcACI,IAAI,CAAC,cAAL,C;stcACI,IAAI,CAAC,cAAL,C;wtcACI,IAAI,CAAC,cAAL,C;0tcACI,IAAI,CAAC,cAAL,C;4tcACI,IAAI,CAAC,cAAL,C;8tcACI,IAAI,CAAC,cAAL,C;gucACI,IAAI,CAAC,cAAL,C;kucACI,IAAI,CAAC,cAAL,C;oucACI,IAAI,CAAC,cAAL,C;sucACI,IAAI,CAAC,cAAL,C;wucACI,IAAI,CAAC,cAAL,C;0ucACI,IAAI,CAAC,cAAL,C;4ucACI,IAAI,CAAC,cAAL,C;8ucACI,IAAI,CAAC,cAAL,C;gvcACI,IAAI,CAAC,cAAL,C;kvcACI,IAAI,CAAC,cAAL,C;ovcACI,IAAI,CAAC,cAAL,C;svcACI,IAAI,CAAC,cAAL,C;wvcACI,IAAI,CAAC,cAAL,C;0vcACI,IAAI,CAAC,cAAL,C;4vcACI,IAAI,CAAC,cAAL,C;8vcACI,IAAI,CAAC,cAAL,C;gwcACI,IAAI,CAAC,cAAL,C;kwcACI,IAAI,CAAC,cAAL,C;owcACI,IAAI,CAAC,cAAL,C;swcACI,IAAI,CAAC,cAAL,C;wwcACI,IAAI,CAAC,cAAL,C;0wcACI,IAAI,CAAC,cAAL,C;4wcACI,IAAI,CAAC,cAAL,C;8wcACI,IAAI,CAAC,cAAL,C;gxcACI,IAAI,CAAC,cAAL,C;kxcACI,IAAI,CAAC,cAAL,C;oxcACI,IAAI,CAAC,cAAL,C;sxcACI,IAAI,CAAC,cAAL,C;wxcACI,IAAI,CAAC,cAAL,C;0xcACI,IAAI,CAAC,cAAL,C;4xcACI,IAAI,CAAC,cAAL,C;8xcACI,IAAI,CAAC,cAAL,C;gycACI,IAAI,CAAC,cAAL,C;kycACI,IAAI,CAAC,cAAL,C;oycACI,IAAI,CAAC,cAAL,C;sycACI,IAAI,CAAC,cAAL,C;wycACI,IAAI,CAAC,cAAL,C;0ycACI,IAAI,CAAC,cAAL,C;4ycACI,IAAI,CAAC,cAAL,C;8ycACI,IAAI,CAAC,cAAL,C;gzcACI,IAAI,CAAC,cAAL,C;kzcACI,IAAI,CAAC,cAAL,C;ozcACI,IAAI,CAAC,cAAL,C;szcACI,IAAI,CAAC,cAAL,C;wzcACI,IAAI,CAAC,cAAL,C;0zcACI,IAAI,CAAC,cAAL,C;4zcACI,IAAI,CAAC,cAAL,C;8zcACI,IAAI,CAAC,cAAL,C;g0cACI,IAAI,CAAC,cAAL,C;k0cACI,IAAI,CAAC,cAAL,C;o0cACI,IAAI,CAAC,cAAL,C;s0cACI,IAAI,CAAC,cAAL,C;w0cACI,IAAI,CAAC,cAAL,C;0;

Found
 in path(s):
* /opt/cola/permits/1175636870_1624449445.69/0/kotlin-1-3-70-tgz/package/kotlin.js.map

1.109 commons-lang3 3.12.0

1.109.1 Available under license :

Apache Commons Lang
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.110 picocli 4.6.1

1.110.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
  Copyright 2017 Remko Popma

  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

      http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1177083937_1625028998.96/0/picocli-4-6-1-sources-jar/picocli/AutoComplete.java
No license file was found, but licenses were detected in source scan.

```
/*
  Copyright 2017 Remko Popma

  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

      http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License.
*/
/**
```

```
     * Called when either the command, option or positional parameter that has this preprocessor configured was
     * recognized by the picocli parser.
     * <p>Implementors are free to modify one or more of the specified command line arguments before they are
     * processed by the picocli parser (or by the option's
{@link IParameterConsumer parameter consumer}, if one is specified).
     * </p><p>
     * Implementors may optionally <em>consume</em> one or more of the specified command line arguments:
     * a return value of {@code true} signals that the preprocessor consumed the parameter:
     * picocli should skip further processing of this option or positional parameter,
     * and the preprocessor implementation takes responsibility for assigning the
     * option or positional parameter a value. A return value of {@code false} means that picocli should
     * process the stack as usual for this option or positional parameter, and picocli is responsible for
     * assigning this option or positional parameter a value.
     * </p><p>
     * For a command, returning {@code true} signals that the preprocessor takes responsibility for parsing all
     * options and positional parameters for this command, and takes responsibility for validating constraints
like
     * whether all required options and positional parameters were specified.
     * A return value of {@code false} means that picocli should
     * process the stack as usual for this command, and picocli is responsible for validation.
     * Command preprocessors can signal back to the picocli parser when they detect that the user requested version
     * information or usage help by putting a value of {@code true} in the specified
     * {@code info} map for keys {@code versionHelpRequested} or {@code usageHelpRequested}, respectively.
     * </p><p>
     * If the user input is invalid, implementations should throw a {@link ParameterException}
     * with a message to display to the user.
     * </p>
     * @param args the remaining command line arguments that follow the matched argument
     *          (the matched argument is not on the stack anymore)
     * @param commandSpec the command or subcommand that was matched
(if the specified {@code argSpec} is
     *          {@code null}), or the command that the matched option or positional parameter belongs to
     * @param argSpec the option or positional parameter for which to pre-process command line arguments
     *          (may be {@code null} when this method is called for a subcommand that was matched)
     * @param info a map containing additional information on the current parser state,
     *              including whether the option parameter was attached to the option name with
     *              a `=` separator, whether quotes have already been stripped off the option, etc.
     *          Implementations may modify this map to communicate back to the picocli parser.
     *          Supported values:
     *          <table>
     *            <tr>
     *              <th>key</th><th>valid values</th><th>type</th>
     *            </tr>
     *            <tr>
      *              <td>separator</td><td>" (empty string): attached without separator, ' ' (space): not attached, (any
other string): option name was attached to option param with specified separator</td>
     *              <td>java.lang.String</td>
     *            </tr>
```

```
     *             <tr>
     *               <td>negated</td>
     *               <td>{@code true}: the option or positional parameter is a {@linkplain Option#negatable()
negated} option/parameter, {@code false}: the option or positional parameter is not a negated
option/parameter</td>
     *               <td>java.lang.Boolean</td>
     *             </tr>
     *             <tr>
     *               <td>unquoted</td>
     *               <td>{@code true}: quotes surrounding the value have already been stripped off, {@code false}:
quotes surrounding the value have not yet been stripped off</td>
     *               <td>java.lang.Boolean</td>
     *             </tr>
     *             <tr>
     *               <td>versionHelpRequested</td>
     *               <td>{@code true}: version help was requested, {@code false}: version help was not
requested</td>
     *               <td>java.lang.Boolean</td>
     *             </tr>
     *             <tr>
     *               <td>usageHelpRequested</td>
     *               <td>{@code true}: usage help was requested, {@code false}: usage help was not requested</td>
     *               <td>java.lang.Boolean</td>
     *             </tr>
     *           </table>
     * @returns true if the preprocessor consumed the parameter
     *          and picocli should skip further processing of the stack for this option or positional parameter;
     *          false if picocli should continue processing the stack for this option or positional parameter
     * @throws ParameterException if the
 user input is invalid
     */
```

Found in path(s):
* /opt/cola/permits/1177083937_1625028998.96/0/picocli-4-6-1-sources-jar/picocli/CommandLine.java

1.111 jakarta xml bind api 2.3.3

1.111.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that
creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the
Original Software, prior Modifications used by a

Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent

Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software
code in which modifications are made and (b)
associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable
by Initial Developer,
to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent

license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the

absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License
with every copy of the
Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application
of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty,

support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of
Your choice, which may contain terms
different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled
for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute
or otherwise make the Covered Software
available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE
DEFECTIVE IN ANY RESPECT, YOU (NOT THE
INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of

this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original
Software where the Participant is the
Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER
TORT
(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to

distribute such responsibility on an equitable basis. Nothing
herein is intended or shall be deemed to constitute any admission
of liability.
/*
* Copyright (c) 2005, 2019 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
Eclipse Distribution License - v 1.0
Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[//]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "
[//]: # " "
[//]: # " This program and the accompanying materials are made available under the "
[//]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "
[//]: # " http://www.eclipse.org/org/documents/edl-v10.php. "
[//]: # " "
[//]: # " SPDX-License-Identifier: BSD-3-Clause "

Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

* Project home: https://projects.eclipse.org/projects/ee4j.jaxb

Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0

which is available at
http://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jaxb-api
* https://github.com/eclipse-ee4j/jaxb-tck

Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

* License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

* License: BSD-3-Clause
* Project: https://asm.ow2.io/
* Source:
https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand

JTHarness (5.0)

* License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)
* Project: https://wiki.openjdk.java.net/display/CodeTools/JT+Harness
* Source: http://hg.openjdk.java.net/code-tools/jtharness/

normalize.css (3.0.2)

* License: MIT

SigTest (n/a)

* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Cryptography

Content may contain encryption software. The country in which
you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

1.112 jul-to-slf4j 1.7.32

1.112.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free  of charge, to any person obtaining
* a  copy  of this  software  and  associated  documentation files  (the
* "Software"), to  deal in  the Software without  restriction, including
* without limitation  the rights to  use, copy, modify,  merge, publish,
* distribute,  sublicense, and/or sell  copies of  the Software,  and to
* permit persons to whom the Software  is furnished to do so, subject to
* the following conditions:
*
* The  above  copyright  notice  and  this permission  notice  shall  be
* included in all copies or substantial portions of the Software.
*
* THE  SOFTWARE IS  PROVIDED  "AS  IS", WITHOUT  WARRANTY  OF ANY  KIND,
* EXPRESS OR  IMPLIED, INCLUDING  BUT NOT LIMITED  TO THE  WARRANTIES OF
* MERCHANTABILITY,  FITNESS  FOR  A  PARTICULAR  PURPOSE  AND
* NONINFRINGEMENT. IN
 NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE,  ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/
```

Found in path(s):
* /opt/cola/permits/1182802247_1629961496.53/0/jul-to-slf4j-1-7-32-sources-jar/org/slf4j/bridge/SLF4JBridgeHandler.java

1.113 asm 9.2

1.113.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
```

// are met:
// 1. Redistributions of source code must retain the above copyright
//   notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
//   notice, this list of conditions and the following disclaimer in the
//   documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
//   this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ConstantDynamic.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/SignatureVisitor.java
*
 /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/CurrentFrame.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassTooLargeException.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/AnnotationWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/FieldVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Opcodes.java
*
 /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/SymbolTable.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/RecordComponentWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodWriter.java
*
 /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/TypeReference.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/TypePath.java

* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/RecordComponentVisitor.java
*
/opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Constants.java
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/package.html
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/package.html

1.114 jcl-over-slf4j 1.7.32

1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/package.html
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2004 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/Log.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/LogFactory.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-

jar/org/apache/commons/logging/impl/SLF4JLog.java
*
 /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/impl/SLF4JLogFactory.java

1.115 okhttp 4.5.0

1.115.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/
/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

1.116 log4j-over-slf4j 1.7.32

1.116.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1198379913_1630347367.42/0/log4j-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/log4j-

over-slf4j/pom.xml

1.117 jersey-hk2 2.35

1.117.1 Available under license :

/*
* Copyright (c) 2017, 2019 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
 EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in
a separate file or
files made available under a Secondary License, and (ii) the initial

Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay

those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS
AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS"
BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF
TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR
PURPOSE. Each Recipient is solely responsible for determining the
appropriateness of using and distributing the Program and assumes all
risks associated with its exercise of rights under this Agreement,
including but not limited to the risks and costs of program errors,
compliance with applicable laws, damage to or loss of data, programs
or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS
SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST
PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE
EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under
applicable law, it shall not affect the validity or enforceability of
the remainder of the terms of this Agreement, and without further
action by the parties hereto, such provision shall be reformed to the
minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that the
Program itself (excluding combinations of the Program with other
software
or hardware) infringes such Recipient's patent(s), then such Recipient's
rights granted under Section 2(b) shall terminate as of the date such
litigation is filed.

All Recipient's rights under this Agreement shall terminate if it
fails to comply with any of the material terms or conditions of this
Agreement and does not cure such failure in a reasonable period of

time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to
this License and to the absence of any warranty; and give any other
recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of
it, thus forming a work based on the Program, and copy and distribute

such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any part
thereof, to be licensed as a whole at no charge to all third parties
under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not
normally print such an announcement, your work based on the Program
is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program, and
can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based on
the Program, the distribution of the whole must be on the terms of this
License, whose permissions for other licensees extend to the entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of a
storage or distribution medium does not bring the other work under the
scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED

INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w'

and `show c' should show the
appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If
you do not wish to do so, delete this exception statement
from your version.

1.118 ant-junit 1.10.11

1.118.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
*      transformation or translation of a Source form, including but
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
```

```
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication sent
*      to the Licensor or its representatives,
 including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*    2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*      publicly display, publicly perform, sublicense, and distribute the
*
     Work and such Derivative Works in Source or Object form.
*
*    3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
```

```
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
 *      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*          that You distribute, all copyright, patent, trademark, and
*          attribution notices from the Source form of the Work,
*          excluding those notices that do not pertain to any part of
*          the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE"
 text file as part of its
*          distribution, then any Derivative Works that You distribute must
*          include a readable copy of the attribution notices contained
*          within such NOTICE file, excluding those notices that do not
*          pertain to any part of the Derivative Works, in at least one
*          of the following places: within a NOTICE text file distributed
*          as part of the Derivative Works; within the Source form or
*          documentation, if provided along with the Derivative Works; or,
*          within a display generated by the Derivative Works, if and
*          wherever such third-party notices normally appear. The contents
*          of the NOTICE file are for informational purposes only and
*          do not modify the License. You may add Your own attribution
*          notices within Derivative Works that You distribute, alongside
*          or as an addendum to the NOTICE text from the Work, provided
*          that
 such additional attribution notices cannot be construed
*          as modifying the License.
*
*      You may add Your own copyright statement to Your modifications and
*      may provide additional or different license terms and conditions
*      for use, reproduction, or distribution of Your modifications, or
*      for any such Derivative Works as a whole, provided Your use,
*      reproduction, and distribution of the Work otherwise complies with
```

* the conditions stated in this License.
*
* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.
* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*
* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*
* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.
*
* 8. Limitation of Liability.
In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other
liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason

* of your accepting any such warranty or additional liability.
*
* END OF TERMS AND CONDITIONS
*
* APPENDIX: How to apply the Apache License to your work.
*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
 be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders
 under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.

2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you
provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.
This version
 removes the copyright ownership notice such that this license can
be used with materials other than those owned by the W3C, reflects that ERCIM
is now a host of the W3C, includes references to this specific dated version of
the license, and removes the ambiguous grant of "use". Otherwise, this version
is the same as the previous version and is written so as to preserve the Free
Software Foundation's assessment of GPL compatibility and OSI's certification
under the Open Source Definition. Please see our Copyright FAQ for common
questions about using materials from our site, including specific terms and
conditions for packages like libwww, Amaya, and Jigsaw. Other questions about
this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
 However please note future versions of SAX may be covered
 under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights

to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.119 junit 4.13.2

1.119.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and
documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates' from a
Contributor if it was added to the Program by such Contributor itself or anyone
acting on such Contributor's behalf. Contributions do not include additions to
the Program which: (i) are separate modules of software distributed in
conjunction with the Program under their own license agreement, and
(ii) are
not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when
combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
patent license under
Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise.
As a condition to
exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in

connection
with its distribution of the Program in a commercial product
offering. The obligations in this section do not apply to any claims or Losses
relating to any actual or alleged intellectual property infringement. In order
to qualify, an Indemnified Contributor must: a) promptly notify the Commercial
Contributor in writing of such claim, and b) allow the Commercial Contributor
to control, and cooperate with the Commercial Contributor in, the defense and
any related settlement negotiations. The Indemnified Contributor may
participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product
offering, Product X. That Contributor is then a Commercial Contributor. If that
Commercial Contributor then makes performance claims, or offers warranties
related to Product X, those performance claims and warranties are such
Commercial Contributor's responsibility alone. Under this section, the
Commercial Contributor would have to defend claims
against the other
Contributors related to those performance claims and warranties, and if a court
requires any other Contributor to pay any damages as a result, the Commercial
Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE,
NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each
Recipient is solely responsible for determining the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise
of rights under this Agreement, including but not limited to the risks and
costs of program errors, compliance with applicable laws, damage to or loss of
data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS
AGREEMENT, NEITHER RECIPIENT NOR ANY
CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST
PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS
GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the

terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.120 jackson 2.14.1

1.120.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.121 activation-api 1.1.1

1.121.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is

originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software
code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable
by Initial Developer,
to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first

distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party

modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a

fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of
Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled
for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in

Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute
or otherwise make the Covered Software
available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE
DEFECTIVE IN ANY RESPECT, YOU (NOT THE
INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original
Software where the Participant is the
Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER
TORT
(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL

INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R.
2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable
law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial
Developer and the Contributors, each party is
responsible for claims and damages arising, directly or
indirectly, out of its utilization of rights under this License
and You agree to work with Initial Developer and Contributors to
distribute such responsibility on an equitable basis. Nothing
herein is intended or shall be deemed to constitute any admission
of liability.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright 1997-2007 Sun Microsystems, Inc. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License. You can obtain
* a copy of the License at https://glassfish.dev.java.net/public/CDDL+GPL.html
* or glassfish/bootstrap/legal/LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at glassfish/bootstrap/legal/LICENSE.txt.
* Sun designates this particular file as subject to the "Classpath" exception
* as provided by Sun in the GPL Version 2 section of the License file that
* accompanied this code.
  If applicable, add the following below the License
* Header, with the fields enclosed by brackets [] replaced by your own
* identifying information: "Portions Copyrighted [year]
* [name of copyright owner]"
*
* Contributor(s):
*
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license."  If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above.  However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
```

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We

wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program proprietary.
To prevent this, we have made it clear that any patent must be licensed for
everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification
follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice
placed by the copyright holder saying it may be distributed
under the terms of
this General Public License. The "Program", below, refers to any such program
or work, and a "work based on the Program" means either the Program or any
derivative work under copyright law: that is to say, a work containing the
Program or a portion of it, either verbatim or with modifications and/or
translated into another language. (Hereinafter, translation is included
without limitation in the term "modification".) Each licensee is addressed as
"you".

Activities other than copying, distribution and modification are not covered by
this License; they are outside its scope. The act of running the Program is
not restricted, and the output from the Program is covered only if its contents
constitute a work based on the Program (independent of having been made by
running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as
you receive it, in any medium, provided that
you conspicuously and
appropriately publish on each copy an appropriate copyright notice and
disclaimer of warranty; keep intact all the notices that refer to this License
and to the absence of any warranty; and give any other recipients of the
Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may
at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus
forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided that you also meet all of
these conditions:

a) You must cause the modified files to carry prominent notices stating
that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or
in part contains or is derived from the Program or any part thereof, to be

licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms,
do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections
1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions

are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly
clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms
and conditions either of
that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may

choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT
WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)
any later version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for
more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc., 59
Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something other
than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public

License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following clarification
and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,
and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module which is not
derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.

1.122 junit-jupiter-engine 5.7.2

1.122.1 Available under license :

Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
 * **i)** changes to the Program, and
 * **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself

or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,
structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative
Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any
liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###
3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 * **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 * **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental
 and consequential damages, such as lost profits;
 * **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 * **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)

contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location

(such as a LICENSE file in a relevant directory)
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

1.123 junit-platform-engine 1.7.2

1.123.1 Available under license :

Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
* **i)** changes to the Program, and
* **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the

Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,
structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative
Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any
liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###
3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 * **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 * **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental
 and consequential damages, such as lost profits;
 * **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 * **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)
 contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
 Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property

infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

1.124 junit-jupiter-api 5.7.2

1.124.1 Available under license :

Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
 * **i)** changes to the Program, and
 * **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
 claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,
 structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

* **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
* **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental
and consequential damages, such as lost profits;
* **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
* **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)
contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the

Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
/*
* Copyright 2015-2020 the original author or authors.
*
* All rights reserved. This program and the accompanying materials are
* made available under the terms of the Eclipse Public License v2.0 which
* accompanies this distribution and is available at
*
* https://www.eclipse.org/legal/epl-v20.html
*/
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

1.125 junit-platform-commons 1.7.2

1.125.1 Available under license :

/*
* Copyright 2015-2020 the original author or authors.
*
* All rights reserved. This program and the accompanying materials are
* made available under the terms of the Eclipse Public License v2.0 which
* accompanies this distribution and is available at
*
* https://www.eclipse.org/legal/epl-v20.html
*/
Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
 * **i)** changes to the Program, and
 * **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
 claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,

structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the

Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 * **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 * **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental
 and consequential damages, such as lost profits;
 * **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 * **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)
 contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
 Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or

offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

1.126 jersey-bean-validation 2.33

1.126.1 Available under license :

/*
* Copyright (c) 2012, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at

* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
 EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &

http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Notice for Jersey Bean Validation module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from
and are Distributed by that particular Contributor. A Contribution
"originates" from a Contributor if it was added to the Program by
such Contributor itself or anyone acting on such Contributor's behalf.
Contributions do not include changes or additions to the Program that
are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of
such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS
AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free

Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.
And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to
this License and to the absence of any warranty; and give any other
recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of
it, thus forming a work based on the Program, and copy and distribute
such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any part
thereof, to be licensed as a whole at no charge to all third parties
under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code

means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.127 groovy 3.0.9

1.127.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements.  See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License.  You may obtain a copy of the License at
#
#     http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.

# Format: one extension on each line without the leading "*."
# Listed below are default groovy source file extensions.

# NOTE: This implementation
```

of supporting multiple file extensions is experimental and
the exact implementation details may vary when modularization gets introduced in
groovy 2.0. However, in terms of the behavior, this support will remain intact.
groovy

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/META-INF/groovy/org.codehaus.groovy.source.Extensions
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v5/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/xml/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/package.html

*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/defaultGrapeConfig.xml
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/overview.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/package.html
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/overviewj.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/inspect/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/security/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/package.html
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/package.html
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

global transformation to handle @Grab annotation
groovy.grape.GrabAnnotationTransformation

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/META-INF/services/org.codehaus.groovy.transform.ASTTransformation
No license file was found, but licenses were detected in source scan.

* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*   http://www.apache.org/licenses/LICENSE-2.0
* software distributed under the License is distributed on an
* Based on an original grammar released in the PUBLIC DOMAIN

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/java.g
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/groovy.g
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EntryWeigher.java
No license file was found, but licenses were detected in source scan.

/** JSR-241 Groovy Recognizer.
*
* Run 'java Main [-showtree] directory-full-of-groovy-files'
*

```
* [The -showtree option pops up a Swing frame that shows
*  the AST constructed from the parser.]
*
* Contributing authors:
*		John Mitchell		johnm@non.net
*		Terence Parr		parrt@magelang.com
*		John Lilley		jlilley@empathy.com
*		Scott Stanchfield	thetick@magelang.com
*		Markus Mohnen		mohnen@informatik.rwth-aachen.de
*		Peter Williams		pete.williams@sun.com
*		Allan Jacobs		Allan.Jacobs@eng.sun.com
*		Steve Messick		messick@redhills.com
*		James Strachan		jstrachan@protique.com
*		John Pybus		john@pybus.org
*		John Rose		rose00@mac.com
*		Jeremy Rayner
    groovy@ross-rayner.com
*		Alex Popescu		the.mindstorm@gmail.com
*		Martin Kempf		mkempf@hsr.ch
*		Reto Kleeb		rkleeb@hsr.ch
*
* Version 1.00 December 9, 1997 -- initial release
* Version 1.01 December 10, 1997
*		fixed bug in octal def (0..7 not 0..8)
* Version 1.10 August 1998 (parrt)
*		added tree construction
*		fixed definition of WS,comments for mac,pc,unix newlines
*		added unary plus
* Version 1.11 (Nov 20, 1998)
*		Added "shutup" option to turn off last ambig warning.
*		Fixed inner class def to allow named class defs as statements
*		synchronized requires compound not simple statement
*		add [] after builtInType DOT class in primaryExpression
*		"const" is reserved but not valid..removed from modifiers
* Version 1.12 (Feb 2, 1999)
*		Changed LITERAL_xxx to xxx in tree
 grammar.
*		Updated java.g to use tokens {...} now for 2.6.0 (new feature).
*
* Version 1.13 (Apr 23, 1999)
*		Didn't have (stat)? for else clause in tree parser.
*		Didn't gen ASTs for interface extends.  Updated tree parser too.
*		Updated to 2.6.0.
* Version 1.14 (Jun 20, 1999)
*		Allowed final/abstract on local classes.
*		Removed local interfaces from methods
*		Put instanceof precedence where it belongs...in relationalExpr
*			It also had expr not type as arg; fixed it.
```

```
*		Missing ! on SEMI in classBlock
*		fixed: (expr) + "string" was parsed incorrectly (+ as unary plus).
*		fixed: didn't like Object[].class in parser or tree parser
* Version 1.15 (Jun 26, 1999)
*		Screwed up rule with instanceof in it. :(  Fixed.
*		Tree parser didn't like (expr).something; fixed.
*		Allowed multiple inheritance
 in tree grammar. oops.
* Version 1.16 (August 22, 1999)
*		Extending an interface built a wacky tree: had extra EXTENDS.
*		Tree grammar didn't allow multiple superinterfaces.
*		Tree grammar didn't allow empty var initializer: {}
* Version 1.17 (October 12, 1999)
*		ESC lexer rule allowed 399 max not 377 max.
*		java.tree.g didn't handle the expression of synchronized
*		statements.
* Version 1.18 (August 12, 2001)
*		Terence updated to Java 2 Version 1.3 by
*		observing/combining work of Allan Jacobs and Steve
*		Messick.  Handles 1.3 src.  Summary:
*		o  primary didn't include boolean.class kind of thing
*		o  constructor calls parsed explicitly now:
*		   see explicitConstructorInvocation
*		o  add strictfp modifier
*		o  missing objBlock after new expression in tree grammar
*		o
  merged local class definition alternatives, moved after declaration
*		o  fixed problem with ClassName.super.field
*		o  reordered some alternatives to make things more efficient
*		o  long and double constants were not differentiated from int/float
*		o  whitespace rule was inefficient: matched only one char
*		o  add an examples directory with some nasty 1.3 cases
*		o  made Main.java use buffered IO and a Reader for Unicode support
*		o  supports UNICODE?
*		   Using Unicode charVocabulary makes code file big, but only
*		   in the bitsets at the end. I need to make ANTLR generate
*		   unicode bitsets more efficiently.
* Version 1.19 (April 25, 2002)
*		Terence added in nice fixes by John Pybus concerning floating
*		constants and problems with super() calls.  John did a nice
*		reorg of the primary/postfix expression
 stuff to read better
*		and makes f.g.super() parse properly (it was METHOD_CALL not
*		a SUPER_CTOR_CALL).  Also:
*
*		o  "finally" clause was a root...made it a child of "try"
*		o  Added stuff for asserts too for Java 1.4, but *commented out*
*		   as it is not backward compatible.
```

```
*
* Version 1.20 (October 27, 2002)
*
*       Terence ended up reorging John Pybus' stuff to
*       remove some nondeterminisms and some syntactic predicates.
*       Note that the grammar is stricter now; e.g., this(...) must
*      be the first statement.
*
*       Trinary ?: operator wasn't working as array name:
*             (isBig ? bigDigits : digits)[i];
*
*       Checked parser/tree parser on source for
*             Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
*            and the 110k-line jGuru server source.
*
* Version 1.21 (October 17, 2003)
*  Fixed lots of problems including:
 *  Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
*  He found a problem/fix with floating point that start with 0
*  Ray also fixed problem that (int.class) was not recognized.
*  Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
*  TJP fixed CHAR_LITERAL analogously.
*
* Version 1.21.2 (March, 2003)
*       Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
*       Notes:
*       o We only allow the "extends" keyword and not the "implements"
*            keyword, since that's what JSR14 seems to imply.
*       o Thanks to Monty Zukowski for his help on the antlr-interest
*            mail list.
*       o Thanks to Alan Eliasen for testing the grammar over his
*            Fink source base
*
* Version 1.22 (July, 2004)
*       Changes by Michael Studman to support Java 1.5 language extensions
*       Notes:
*       o Added support for annotations types
*       o Finished off Matt Quail's generics
 enhancements to support bound type arguments
*       o Added support for new for statement syntax
*       o Added support for static import syntax
*       o Added support for enum types
*       o Tested against JDK 1.5 source base and source base of jdigraph project
*       o Thanks to Matt Quail for doing the hard part by doing most of the generics work
*
* Version 1.22.1 (July 28, 2004)
*       Bug/omission fixes for Java 1.5 language support
*       o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for
```

```
*             spotting this
*       o Fixed bug where incorrect handling of SR and BSR tokens would cause type
*             parameters to be recognised as type arguments.
*       o Enabled type parameters on constructors, annotations on enum constants
*             and package definitions
*       o Fixed problems when parsing if ((char.class.equals(c))) {} - solution by Matt Quail at Cenqua
*
* Version 1.22.2 (July 28, 2004)
 *       Slight refactoring of Java 1.5 language support
*       o Refactored for/"foreach" productions so that original literal "for" literal
*         is still used but the for sub-clauses vary by token type
*       o Fixed bug where type parameter was not included in generic constructor's branch of AST
*
* Version 1.22.3 (August 26, 2004)
*       Bug fixes as identified by Michael Stahl; clean up of tabs/spaces
*       and other refactorings
*       o Fixed typeParameters omission in identPrimary and newStatement
*       o Replaced GT reconcilliation code with simple semantic predicate
*       o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
*       o Refactored typeDefinition production and field productions to reduce duplication
*
* Version 1.22.4 (October 21, 2004)
*    Small bux fixes
*    o Added typeArguments to explicitConstructorInvocation, e.g. new <String>MyParameterised()
*    o Added typeArguments to postfixExpression
 productions for anonymous inner class super
*      constructor invocation, e.g. new Outer().<String>super()
*    o Fixed bug in array declarations identified by Geoff Roy
*
* Version 1.22.4.g.1
*    o I have taken java.g for Java1.5 from Michael Studman (1.22.4)
*      and have applied the groovy.diff from java.g (1.22) by John Rose
*      back onto the new root (1.22.4) - Jeremy Rayner (Jan 2005)
*
* Version 1.22.4.g.2
*    o mkempf, rkleeb, Dec 2007
*    o fixed various rules so that they call the correct Create Method
*      to make sure that the line information are correct
*
* Based on an original grammar released in the PUBLIC DOMAIN
*/

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/parser/GroovyRecognizer.java
No license file was found, but licenses were detected in source scan.

/*
```

```
* This file is adapted from the Antlr4 Java grammar which has the following license
*
*  Copyright (c) 2013 Terence Parr, Sam Harwell
*  All rights reserved.
*  [The "BSD licence"]
*
*    http://www.opensource.org/licenses/bsd-license.php
*
* Subsequent modifications by the Groovy community have been done under the Apache License v2:
*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the
 License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/

/**
* The Groovy grammar is based on the official grammar for Java:
* https://github.com/antlr/grammars-v4/blob/master/java/Java.g4
*/
parser grammar GroovyParser;

options {
  tokenVocab = GroovyLexer;
  contextSuperClass = GroovyParserRuleContext;
  superClass = AbstractParser;
}

@header {
  import java.util.Map;
  import org.codehaus.groovy.ast.NodeMetaDataHandler;
}

@members {
```

```
    public static class GroovyParserRuleContext extends ParserRuleContext implements NodeMetaDataHandler {
        private Map metaDataMap = null;

        public GroovyParserRuleContext() {}

        public GroovyParserRuleContext(ParserRuleContext parent, int invokingStateNumber) {
            super(parent, invokingStateNumber);
        }

        @Override
         public Map<?, ?> getMetaDataMap() {
            return this.metaDataMap;
        }

        @Override
        public void setMetaDataMap(Map<?, ?> metaDataMap) {
            this.metaDataMap = metaDataMap;
        }
    }

    @Override
    public int getSyntaxErrorSource() {
        return GroovySyntaxError.PARSER;
    }

    @Override
    public int getErrorLine() {
        Token token = _input.LT(-1);

        if (null == token) {
            return -1;
        }

        return token.getLine();
    }

    @Override
    public int getErrorColumn() {
        Token token = _input.LT(-1);

        if (null == token) {
            return -1;
        }

        return token.getCharPositionInLine() + 1 + token.getText().length();
    }
}
```

```
// starting point for parsing a groovy file
compilationUnit
  :  nls (packageDeclaration sep?)? scriptStatements? EOF
  ;

scriptStatements
  :  scriptStatement (sep scriptStatement)* sep?
  ;

scriptStatement
  :  importDeclaration
 // Import statement.  Can be used in any scope.  Has "import x as y" also.
  |  typeDeclaration
  // validate the method in the AstBuilder#visitMethodDeclaration, e.g. method without method body is not allowed
  |  { !SemanticPredicates.isInvalidMethodDeclaration(_input) }?
     methodDeclaration[3, 9]
  |  statement
  ;

packageDeclaration
  :  annotationsOpt PACKAGE qualifiedName
  ;

importDeclaration
  :  annotationsOpt IMPORT STATIC? qualifiedName (DOT MUL | AS alias=identifier)?
  ;


typeDeclaration
  :  classOrInterfaceModifiersOpt classDeclaration
  ;

modifier
  :  classOrInterfaceModifier
  |  m=(   NATIVE
       |  SYNCHRONIZED
       |  TRANSIENT
       |  VOLATILE
       |  DEF
       |  VAR
       )
  ;

modifiersOpt
  :  (modifiers nls)?
  ;

modifiers
```

```
  :  modifier (nls modifier)*
  ;

classOrInterfaceModifiersOpt
  :  (classOrInterfaceModifiers
        NL* /* Use `NL*` here for better performance,
 so DON'T replace it with `nls` */
     )?
  ;

classOrInterfaceModifiers
  :  classOrInterfaceModifier (nls classOrInterfaceModifier)*
  ;

classOrInterfaceModifier
  :  annotation       // class or interface
  |  m=(   PUBLIC     // class or interface
       |  PROTECTED  // class or interface
       |  PRIVATE    // class or interface
       |  STATIC     // class or interface
       |  ABSTRACT   // class or interface
       |  FINAL      // class only -- does not apply to interfaces
       |  STRICTFP   // class or interface
       |  DEFAULT    // interface only -- does not apply to classes
       )
  ;

variableModifier
  :  annotation
  |  m=( FINAL
       | DEF
       | VAR
       // Groovy supports declaring local variables as instance/class fields,
       // e.g. import groovy.transform.*; @Field static List awe = [1, 2, 3]
       // e.g. import groovy.transform.*; def a = { @Field public List awe
 = [1, 2, 3] }
       // Notice: Groovy 2.4.7 just allows to declare local variables with the following modifiers when using
annotations(e.g. @Field)
       // TODO check whether the following modifiers accompany annotations or not. Because the legacy codes(e.g.
benchmark/bench/heapsort.groovy) allow to declare the special instance/class fields without annotations, we leave it
as it is for the time being
       | PUBLIC
       | PROTECTED
       | PRIVATE
       | STATIC
       | ABSTRACT
       | STRICTFP
       )
```

```
  ;

variableModifiersOpt
  :  (variableModifiers nls)?
  ;

variableModifiers
  :  variableModifier (nls variableModifier)*
  ;

typeParameters
  :  LT nls typeParameter (COMMA nls typeParameter)* nls GT
  ;

typeParameter
  :  className (EXTENDS nls typeBound)?
  ;

typeBound
  :  type (BITAND nls type)*
  ;

typeList
  :  type (COMMA nls type)*
  ;


/**
*  t   0: class; 1: interface; 2: enum; 3: annotation; 4:
 trait
*/
classDeclaration
locals[ int t ]
  :  (   CLASS { $t = 0; }
     |   INTERFACE { $t = 1; }
     |   ENUM { $t = 2; }
     |   AT INTERFACE { $t = 3; }
     |   TRAIT { $t = 4; }
     )
     identifier
     (nls typeParameters)?
     (nls EXTENDS nls scs=typeList)?
     (nls IMPLEMENTS nls is=typeList)?
     nls classBody[$t]
  ;

// t    see the comment of classDeclaration
classBody[int t]
```

```
  :  LBRACE nls
     (
        /* Only enum can have enum constants */
        { 2 == $t }?
        enumConstants (nls COMMA)? sep?
     |
     )
     (classBodyDeclaration[$t] (sep classBodyDeclaration[$t])*)? sep? RBRACE
  ;

enumConstants
  :  enumConstant (nls COMMA nls enumConstant)*
  ;

enumConstant
  :  annotationsOpt identifier arguments? anonymousInnerClassDeclaration[1]?
  ;

classBodyDeclaration[int t]
  :  (STATIC nls)? block
  |  memberDeclaration[$t]
  ;

memberDeclaration[int t]
  :  methodDeclaration[0,
 $t]
  |  fieldDeclaration
  |  modifiersOpt classDeclaration
  ;

/**
*  t   0: *class member* all kinds of method declaration AND constructor declaration,
*      1: normal method declaration, 2: abstract method declaration
*      3: normal method declaration OR abstract method declaration
*  ct  9: script, other see the comment of classDeclaration
*/
methodDeclaration[int t, int ct]
  :  modifiersOpt typeParameters? (returnType[$ct] nls)?
     methodName formalParameters
     (
        DEFAULT nls elementValue
     |
        (nls THROWS nls qualifiedClassNameList)?
        (nls methodBody)?
     )?
  ;

methodName
```

```
  :  identifier
  |  stringLiteral
  ;

returnType[int ct]
  :
     standardType
  |  VOID
  ;

fieldDeclaration
  :  variableDeclaration[1]
  ;

variableDeclarators
  :  variableDeclarator (COMMA nls variableDeclarator)*
  ;

variableDeclarator
  :  variableDeclaratorId (nls ASSIGN nls variableInitializer)?
   ;

variableDeclaratorId
  :  identifier
  ;

variableInitializer
  :  enhancedStatementExpression
  ;

variableInitializers
  :  variableInitializer (nls COMMA nls variableInitializer)* nls COMMA?
  ;

emptyDims
  :  (annotationsOpt LBRACK RBRACK)+
  ;

emptyDimsOpt
  :  emptyDims?
  ;

standardType
options { baseContext = type; }
  :  annotationsOpt
     (
        primitiveType
     |
```

```
        standardClassOrInterfaceType
    )
    emptyDimsOpt
  ;

type
  : annotationsOpt
    (
      (
        primitiveType
      |
        // !!! Error Alternative !!!
         VOID
      )
    |
        generalClassOrInterfaceType
    )
    emptyDimsOpt
  ;

classOrInterfaceType
  : (   qualifiedClassName
    |   qualifiedStandardClassName
    ) typeArguments?
  ;

generalClassOrInterfaceType
options { baseContext = classOrInterfaceType; }

  : qualifiedClassName typeArguments?
  ;

standardClassOrInterfaceType
options { baseContext = classOrInterfaceType; }
  : qualifiedStandardClassName typeArguments?
  ;

primitiveType
  : BuiltInPrimitiveType
  ;

typeArguments
  : LT nls typeArgument (COMMA nls typeArgument)* nls GT
  ;

typeArgument
  : type
  |  annotationsOpt QUESTION ((EXTENDS | SUPER) nls type)?
```

```
  ;

annotatedQualifiedClassName
  :  annotationsOpt qualifiedClassName
  ;

qualifiedClassNameList
  :  annotatedQualifiedClassName (COMMA nls annotatedQualifiedClassName)*
  ;

formalParameters
  :  LPAREN formalParameterList? rparen
  ;

formalParameterList
  :  (formalParameter | thisFormalParameter) (COMMA nls formalParameter)*
  ;

thisFormalParameter
  :  type THIS
  ;

formalParameter
  :  variableModifiersOpt type? ELLIPSIS? variableDeclaratorId (nls ASSIGN nls expression)?
  ;

methodBody
  :  block
  ;

qualifiedName
  :  qualifiedNameElement
 (DOT qualifiedNameElement)*
  ;

/**
*  Java doesn't have the keywords 'as', 'in', 'def', 'trait' so we make some allowances
*  for them in package names for better integration with existing Java packages
*/
qualifiedNameElement
  :  identifier
  |  DEF
  |  IN
  |  AS
  |  TRAIT
  ;

qualifiedNameElements
```

```
  :  (qualifiedNameElement DOT)*
  ;

qualifiedClassName
  :  qualifiedNameElements identifier
  ;

qualifiedStandardClassName
  :  qualifiedNameElements className (DOT className)*
  ;

literal
  :  IntegerLiteral                                    #integerLiteralAlt
  |  FloatingPointLiteral                              #floatingPointLiteralAlt
  |  stringLiteral                                     #stringLiteralAlt
  |  BooleanLiteral                                    #booleanLiteralAlt
  |  NullLiteral
                                                       #nullLiteralAlt
  ;

// GSTRING

gstring
  :  GStringBegin gstringValue (GStringPart  gstringValue)* GStringEnd
  ;

gstringValue
  :  gstringPath
  |  closure
  ;

gstringPath
  :  identifier GStringPathPart*
  ;


// LAMBDA EXPRESSION
lambdaExpression
options { baseContext = standardLambdaExpression; }
  :  lambdaParameters nls ARROW nls lambdaBody
  ;

// JAVA STANDARD LAMBDA EXPRESSION
standardLambdaExpression
  :  standardLambdaParameters nls ARROW nls lambdaBody
  ;

lambdaParameters
```

```
options { baseContext = standardLambdaParameters; }
  :  formalParameters

  // { a -> a * 2 } can be parsed as a lambda expression in a block, but we expect a closure.
  // So it is better to put parameters in the parentheses and the following single parameter without parentheses is
limited
//   |  variableDeclaratorId
  ;

standardLambdaParameters
  :  formalParameters
  |
  variableDeclaratorId
  ;

lambdaBody
  :  block
  |  statementExpression
  ;

// CLOSURE
closure
  :  LBRACE (nls (formalParameterList nls)? ARROW)? sep? blockStatementsOpt RBRACE
  ;

// GROOVY-8991: Difference in behaviour with closure and lambda
closureOrLambdaExpression
  :  closure
  |  lambdaExpression
  ;

blockStatementsOpt
  :  blockStatements?
  ;

blockStatements
  :  blockStatement (sep blockStatement)* sep?
  ;

// ANNOTATIONS

annotationsOpt
  :  (annotation (nls annotation)* nls)?
  ;

annotation
  :  AT annotationName (nls LPAREN elementValues? rparen)?
  ;
```

```
elementValues
  :  elementValuePairs
  |  elementValue
  ;

annotationName : qualifiedClassName ;

elementValuePairs
  :  elementValuePair (COMMA elementValuePair)*
  ;

elementValuePair
  :  elementValuePairName nls ASSIGN nls elementValue
  ;

elementValuePairName
  :  identifier
  |  keywords
  ;

// TODO verify the potential performance issue
 because rule expression contains sub-rule assignments(https://github.com/antlr/grammars-v4/issues/215)
elementValue
  :  elementValueArrayInitializer
  |  annotation
  |  expression
  ;

elementValueArrayInitializer
  :  LBRACK (elementValue (COMMA elementValue)* COMMA?)? RBRACK
  ;

// STATEMENTS / BLOCKS

block
  :  LBRACE sep? blockStatementsOpt RBRACE
  ;

blockStatement
  :  localVariableDeclaration
  |  statement
  ;

localVariableDeclaration
  :  { !SemanticPredicates.isInvalidLocalVariableDeclaration(_input) }?
     variableDeclaration[0]
  ;
```

```
/**
*  t   0: local variable declaration; 1: field declaration
*/
variableDeclaration[int t]
  :  modifiers nls
     (   type? variableDeclarators
     |   typeNamePairs nls ASSIGN nls variableInitializer
     )
  |
     type variableDeclarators
  ;

typeNamePairs
  :  LPAREN typeNamePair (COMMA typeNamePair)* rparen
  ;

typeNamePair
  :  type? variableDeclaratorId
  ;

variableNames
   :   LPAREN variableDeclaratorId (COMMA variableDeclaratorId)+ rparen
  ;

conditionalStatement
  :  ifElseStatement
  |  switchStatement
  ;

ifElseStatement
  :  IF expressionInPar nls tb=statement ((nls | sep) ELSE nls fb=statement)?
  ;

switchStatement
  :  SWITCH expressionInPar nls LBRACE nls (switchBlockStatementGroup+ nls)? RBRACE
  ;

loopStatement
  :  FOR LPAREN forControl rparen nls statement                              #forStmtAlt
  |  WHILE expressionInPar nls statement                                     #whileStmtAlt
  |  DO nls statement nls WHILE expressionInPar                              #doWhileStmtAlt
  ;

continueStatement
  :  CONTINUE
     identifier?
  ;
```

```
breakStatement
  : BREAK
    identifier?
  ;

tryCatchStatement
  : TRY resources? nls block
    (nls catchClause)*
    (nls finallyBlock)?
   ;

assertStatement
  : ASSERT ce=expression (nls (COLON | COMMA) nls me=expression)?
  ;

statement
  : block                                                    #blockStmtAlt
  | conditionalStatement                                     #conditionalStmtAlt
  | loopStatement                                            #loopStmtAlt
  | tryCatchStatement                                        #tryCatchStmtAlt
  | SYNCHRONIZED expressionInPar nls block                   #synchronizedStmtAlt
  | RETURN expression?                                       #returnStmtAlt
  | THROW expression                                         #throwStmtAlt
  | breakStatement
                                                             #breakStmtAlt
  | continueStatement                                        #continueStmtAlt
  | identifier COLON nls statement                           #labeledStmtAlt
  | assertStatement                                          #assertStmtAlt
  | localVariableDeclaration                                 #localVariableDeclarationStmtAlt
  | statementExpression                                      #expressionStmtAlt
  | SEMI                                                     #emptyStmtAlt
  ;

catchClause
  : CATCH LPAREN variableModifiersOpt catchType? identifier rparen nls block
  ;

catchType
  : qualifiedClassName
 (BITOR qualifiedClassName)*
  ;

finallyBlock
  : FINALLY nls block
  ;

resources
```

```
  :  LPAREN nls resourceList sep? rparen
  ;

resourceList
  :  resource (sep resource)*
  ;

resource
  :  localVariableDeclaration
  |  expression
  ;


/** Matches cases then statements, both of which are mandatory.
*  To handle empty cases at the end, we add switchLabel* to statement.
*/
switchBlockStatementGroup
  :  switchLabel (nls switchLabel)* nls blockStatements
  ;

switchLabel
  :  CASE expression COLON
  |  DEFAULT COLON
  ;

forControl
  :  enhancedForControl
  |  classicalForControl
  ;

enhancedForControl
  :  variableModifiersOpt type? variableDeclaratorId (COLON | IN) expression
  ;

classicalForControl
  :  forInit? SEMI expression? SEMI forUpdate?
  ;

forInit
  :  localVariableDeclaration
  |  expressionList[false]
  ;

forUpdate
  :  expressionList[false]
  ;
```

```
// EXPRESSIONS

castParExpression
  :
 LPAREN type rparen
  ;

parExpression
  :  expressionInPar
  ;

expressionInPar
  :  LPAREN enhancedStatementExpression rparen
  ;

expressionList[boolean canSpread]
  :  expressionListElement[$canSpread] (COMMA expressionListElement[$canSpread])*
  ;

expressionListElement[boolean canSpread]
  :  MUL? expression
  ;

enhancedStatementExpression
  :  statementExpression
  |  standardLambdaExpression
  ;

statementExpression
  :  commandExpression                #commandExprAlt
  ;

postfixExpression
  :  pathExpression op=(INC | DEC)?
  ;

expression
  // must come before postfixExpression to resovle the ambiguities between casting and call on parentheses
expression, e.g. (int)(1 / 2)
  :  castParExpression castOperandExpression                                  #castExprAlt

  // qualified names, array expressions, method invocation, post inc/dec
  |  postfixExpression
          #postfixExprAlt

  // ~(BNOT)/!(LNOT) (level 1)
  |  (BITNOT | NOT) nls expression                                            #unaryNotExprAlt
```

```
// math power operator (**) (level 2)
|   left=expression op=POWER nls right=expression                          #powerExprAlt

// ++(prefix)/--(prefix)/+(unary)/-(unary) (level 3)
|   op=(INC | DEC | ADD | SUB) expression                                  #unaryAddExprAlt

// multiplication/division/modulo (level 4)
|   left=expression nls op=(MUL | DIV | MOD) nls right=expression          #multiplicativeExprAlt

// binary addition/subtraction (level 5)
|   left=expression op=(ADD | SUB) nls right=expression                    #additiveExprAlt

// bit shift expressions (level 6)
|   left=expression nls
      (         (   dlOp=LT LT
                |   tgOp=GT GT GT
                |   dgOp=GT GT


            )
      |   rangeOp=(    RANGE_INCLUSIVE
                |    RANGE_EXCLUSIVE
                )
      ) nls
    right=expression                                                      #shiftExprAlt

// boolean relational expressions (level 7)
|   left=expression nls op=(AS | INSTANCEOF | NOT_INSTANCEOF) nls type    #relationalExprAlt
|   left=expression nls op=(LE | GE | GT | LT | IN | NOT_IN)  nls right=expression     #relationalExprAlt

// equality/inequality (==/!=) (level 8)
|   left=expression nls
      op=(    IDENTICAL
        |    NOT_IDENTICAL
        |    EQUAL
        |    NOTEQUAL
        |    SPACESHIP
        ) nls
    right=expression                                                      #equalityExprAlt

// regex find and match (=~ and ==~) (level 8.5)
// jez: moved =~ closer to precedence of == etc, as...

// 'if (foo =~ "a.c")' is very close in intent to 'if (foo == "abc")'
|   left=expression nls op=(REGEX_FIND | REGEX_MATCH) nls right=expression    #regexExprAlt

// bitwise or non-short-circuiting and (&)  (level 9)
|   left=expression nls op=BITAND nls right=expression                    #andExprAlt
```

```
  // exclusive or (^)  (level 10)
  |  left=expression nls op=XOR nls right=expression                    #exclusiveOrExprAlt

  // bitwise or non-short-circuiting or (|)  (level 11)
  |  left=expression nls op=BITOR nls right=expression                  #inclusiveOrExprAlt

  // logical and (&&)  (level 12)
  |  left=expression nls op=AND nls right=expression                    #logicalAndExprAlt

  // logical or (||)  (level 13)
  |  left=expression nls op=OR nls right=expression                     #logicalOrExprAlt

  // conditional test (level 14)
  |  <assoc=right>
 con=expression nls
     (  QUESTION nls tb=expression nls COLON nls
     |  ELVIS nls
     )
     fb=expression                                                     #conditionalExprAlt

  // assignment expression (level 15)
  // "(a) = [1]" is a special case of multipleAssignmentExprAlt, it will be handle by assignmentExprAlt
  |  <assoc=right> left=variableNames nls op=ASSIGN nls right=statementExpression
#multipleAssignmentExprAlt
  |  <assoc=right> left=expression nls
                op=(  ASSIGN
                  |  ADD_ASSIGN
                  |  SUB_ASSIGN
                  |  MUL_ASSIGN
                  |  DIV_ASSIGN
                  |  AND_ASSIGN
                  |  OR_ASSIGN
                  |  XOR_ASSIGN
                  |  RSHIFT_ASSIGN
                  |  URSHIFT_ASSIGN
                  |  LSHIFT_ASSIGN
                   |  MOD_ASSIGN
                  |  POWER_ASSIGN
                  |  ELVIS_ASSIGN
                  ) nls
              enhancedStatementExpression                              #assignmentExprAlt
  ;

castOperandExpression
options { baseContext = expression; }
  :  castParExpression castOperandExpression                           #castExprAlt

  |  postfixExpression                                                 #postfixExprAlt
```

```
  // ~(BNOT)/!(LNOT)
  |   (BITNOT | NOT) nls castOperandExpression                    #unaryNotExprAlt

  // ++(prefix)/--(prefix)/+(unary)/-(unary)
  |   op=(INC | DEC | ADD | SUB) castOperandExpression            #unaryAddExprAlt
  ;

commandExpression
  :   expression
      (
         { !SemanticPredicates.isFollowingArgumentsOrClosure($expression.ctx) }?
         argumentList
      |
         /* if pathExpression is a method call, no need to have any more arguments */
      )

      commandArgument*
  ;

commandArgument
  :   commandPrimary
      // what follows is either a normal argument, parens,
      // an appended block, an index operation, or nothing
      // parens (a b already processed):
      //      a b c() d e -> a(b).c().d(e)
      //      a b c()() d e -> a(b).c().call().d(e)
      // index (a b already processed):
      //      a b c[x] d e -> a(b).c[x].d(e)
      //      a b c[x][y] d e -> a(b).c[x][y].d(e)
      // block (a b already processed):
      //      a b c {x} d e -> a(b).c({x}).d(e)
      //
      // parens/block completes method call
      // index makes method call to property get with index
      //
      (   pathElement+
      |   argumentList
      )?
  ;

/**
*  A "path expression" is a name or other primary, possibly qualified by various
*  forms of dot, and/or
 followed by various kinds of brackets.
*  It can be used for value or assigned to, or else further qualified, indexed, or called.
*  It is called a "path" because it looks like a linear path through a data structure.
*  Examples:  x.y, x?.y, x*.y, x.@y; x[], x[y], x[y,z]; x(), x(y), x(y,z); x{s}; a.b[n].c(x).d{s}
```

```
*  (Compare to a C lvalue, or LeftHandSide in the JLS section 15.26.)
*  General expressions are built up from path expressions, using operators like '+' and '='.
*
*  t   0: primary, 1: namePart, 2: arguments, 3: closureOrLambdaExpression, 4: indexPropertyArgs, 5:
namedPropertyArgs,
*      6: non-static inner class creator
*/
pathExpression returns [int t]
  :  (
        primary
     |
        // if 'static' followed by DOT, we can treat them as identifiers, e.g. static.unused = { -> }
        { _input.LT(2).getType() == DOT }?
        STATIC
     ) (pathElement { $t = $pathElement.t; })*
  ;

pathElement returns [int t]
  :  nls

 (
        DOT nls NEW creator[1]
        { $t = 6; }
     |
        // AT: foo.@bar selects the field (or attribute), not property
        (
           (   DOT                // The all-powerful dot.
           |   SPREAD_DOT         // Spread operator:  x*.y  ===  x?.collect{it.y}
           |   SAFE_DOT           // Optional-null operator:  x?.y  === (x==null)?null:x.y
           |   SAFE_CHAIN_DOT     // Optional-null chain operator:  x??.y.z  === x?.y?.z
           ) nls (AT | nonWildcardTypeArguments)?
        |
           METHOD_POINTER nls     // Method pointer operator: foo.&y == foo.metaClass.getMethodPointer(foo,
"y")
        |
           METHOD_REFERENCE nls   // Method reference: System.out::println
        )
        namePart
        { $t = 1; }

        // Can always append a block, as foo{bar}
     |  closureOrLambdaExpression
        { $t = 3; }
     )

  |  arguments
```

```
    { $t = 2; }

  // Element selection is always an option, too.
  // In Groovy, the stuff between brackets is a general argument list,
  // since the bracket operator is transformed into a method call.
  |  indexPropertyArgs
     { $t = 4; }

  |  namedPropertyArgs
     { $t = 5; }
  ;

/**
*  This is the grammar for what can follow a dot:  x.a, x.@a, x.&a, x.'a', etc.
*/
namePart
  :
     (  identifier

     // foo.'bar' is in all ways same as foo.bar, except that bar can have an arbitrary spelling
     |  stringLiteral

     |  dynamicMemberName

     /* just a PROPOSAL, which has not been implemented yet!
     // PROPOSAL, DECIDE:  Is this inline form of the 'with' statement useful?
     // Definition:  a.{foo} === {with(a) {foo}}
     // May cover some path expression use-cases previously handled by dynamic scoping (closure delegates).
     |  block
     */

     // let's allow common keywords as property names
     |
  keywords
     )
  ;

/**
*  If a dot is followed by a parenthesized or quoted expression, the member is computed dynamically,
*  and the member selection is done only at runtime.  This forces a statically unchecked member access.
*/
dynamicMemberName
  :  parExpression
  |  gstring
  ;

/** An expression may be followed by [...].
*  Unlike Java, these brackets may contain a general argument list,
```

```
*  which is passed to the array element operator, which can make of it what it wants.
*  The brackets may also be empty, as in T[].  This is how Groovy names array types.
*/
indexPropertyArgs
  :  QUESTION? LBRACK expressionList[true]? RBRACK
  ;

namedPropertyArgs
  :  QUESTION? LBRACK (namedPropertyArgList | COLON) RBRACK
  ;

primary
  :
     // Append `typeArguments?` to `identifier` to support constructor reference with generics, e.g.
HashMap<String, Integer>::new
     // Though this is not a graceful solution, it is much faster than replacing `builtInType`
 with `type`
     identifier typeArguments?                                  #identifierPrmrAlt
  |  literal                                                  #literalPrmrAlt
  |  gstring                                                  #gstringPrmrAlt
  |  NEW nls creator[0]                                           #newPrmrAlt
  |  THIS                                                     #thisPrmrAlt
  |  SUPER                                                    #superPrmrAlt
  |  parExpression                                              #parenPrmrAlt
  |  closureOrLambdaExpression                                        #closureOrLambdaExpressionPrmrAlt
  |  list                                                     #listPrmrAlt
   |  map                                                     #mapPrmrAlt
  |  builtInType                                              #builtInTypePrmrAlt
  ;

namedPropertyArgPrimary
options { baseContext = primary; }
  :  identifier                                               #identifierPrmrAlt
  |  literal                                                  #literalPrmrAlt
  |  gstring                                                  #gstringPrmrAlt
  |  parExpression                                              #parenPrmrAlt
  ;

namedArgPrimary
options { baseContext = primary; }
  :  identifier                                               #identifierPrmrAlt
  |  literal                                                  #literalPrmrAlt
  |
 gstring                                                   #gstringPrmrAlt
  ;

commandPrimary
options { baseContext = primary; }
```

```
  :  identifier                                          #identifierPrmrAlt
  |  literal                                            #literalPrmrAlt
  |  gstring                                            #gstringPrmrAlt
  ;

list
  :  LBRACK expressionList[true]? COMMA? RBRACK
  ;

map
  :  LBRACK
     (  mapEntryList COMMA?
     |  COLON
     )
     RBRACK
  ;

mapEntryList
  :  mapEntry (COMMA mapEntry)*
  ;

namedPropertyArgList
options { baseContext = mapEntryList; }
  :  namedPropertyArg (COMMA namedPropertyArg)*
  ;

mapEntry
  :  mapEntryLabel COLON nls expression
  |  MUL COLON nls expression
  ;

namedPropertyArg
options { baseContext = mapEntry; }
  :  namedPropertyArgLabel
 COLON nls expression
  |  MUL COLON nls expression
  ;

namedArg
options { baseContext = mapEntry; }
  :  namedArgLabel COLON nls expression
  |  MUL COLON nls expression
  ;

mapEntryLabel
  :  keywords
  |  primary
  ;
```

```
namedPropertyArgLabel
options { baseContext = mapEntryLabel; }
  :  keywords
  |  namedPropertyArgPrimary
  ;

namedArgLabel
options { baseContext = mapEntryLabel; }
  :  keywords
  |  namedArgPrimary
  ;

/**
*  t 0: general creation; 1: non-static inner class creation
*/
creator[int t]
  :  createdName
     (  nls arguments anonymousInnerClassDeclaration[0]?
     |  dim+ (nls arrayInitializer)?
     )
  ;

dim
  :  annotationsOpt LBRACK expression? RBRACK
  ;

arrayInitializer
  :  LBRACE nls (variableInitializers nls)? RBRACE
  ;

/**
*  t  0: anonymous inner class; 1: anonymous enum
*/
anonymousInnerClassDeclaration[int t]
  :  classBody[0]
  ;

createdName
  :  annotationsOpt

 (  primitiveType
     |  qualifiedClassName typeArgumentsOrDiamond?
     )
  ;

nonWildcardTypeArguments
  :  LT nls typeList nls GT
```

```
  ;

typeArgumentsOrDiamond
  : LT GT
  | typeArguments
  ;

arguments
  : LPAREN enhancedArgumentListInPar? COMMA? rparen
  ;

argumentList
options { baseContext = enhancedArgumentListInPar; }
  : firstArgumentListElement
    ( COMMA nls
      argumentListElement
    )*
  ;

enhancedArgumentList
options { baseContext = enhancedArgumentListInPar; }
  : firstEnhancedArgumentListElement
    ( COMMA nls
      enhancedArgumentListElement
    )*
  ;

enhancedArgumentListInPar
  : enhancedArgumentListElement
    ( COMMA nls
      enhancedArgumentListElement
    )*
  ;

firstArgumentListElement
options { baseContext = enhancedArgumentListElement; }
  : expressionListElement[true]
  | namedArg
  ;

argumentListElement
options { baseContext = enhancedArgumentListElement;
 }
  : expressionListElement[true]
  | namedPropertyArg
  ;

firstEnhancedArgumentListElement
```

```
options { baseContext = enhancedArgumentListElement; }
  :  expressionListElement[true]
  |  standardLambdaExpression
  |  namedArg
  ;

enhancedArgumentListElement
  :  expressionListElement[true]
  |  standardLambdaExpression
  |  namedPropertyArg
  ;

stringLiteral
  :  StringLiteral
  ;

className
  :  CapitalizedIdentifier
  ;

identifier
  :  Identifier
  |  CapitalizedIdentifier
  |  VAR
  |  IN
// |  DEF
  |  TRAIT
  |  AS
  ;

builtInType
  :  BuiltInPrimitiveType
  |  VOID
  ;

keywords
  :  ABSTRACT
  |  AS
  |  ASSERT
  |  BREAK
  |  CASE
  |  CATCH
  |  CLASS
  |  CONST
  |  CONTINUE
  |  DEF
  |  DEFAULT
  |  DO
```

```
  | ELSE
  | ENUM
  | EXTENDS
  | FINAL
  | FINALLY
  | FOR
  | GOTO
  | IF
  | IMPLEMENTS
  | IMPORT
  | IN
  | INSTANCEOF
  | INTERFACE
  | NATIVE
  | NEW
  | PACKAGE
  | RETURN
  | STATIC
  | STRICTFP
  | SUPER
  | SWITCH
  | SYNCHRONIZED
  | THIS
  | THROW
  | THROWS
  | TRANSIENT
  | TRAIT
  | THREADSAFE
  | TRY
  | VAR
  | VOLATILE
  | WHILE

  | NullLiteral
  | BooleanLiteral

  | BuiltInPrimitiveType
  | VOID

  | PUBLIC
  | PROTECTED
  | PRIVATE
  ;

rparen
  : RPAREN
  ;
```

```
nls
  :  NL*
  ;

sep :  (NL | SEMI)+
  ;
```

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/GroovyParser.g4
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/metaclass/MetaClass.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple1.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ModifierNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ReflectionCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ProcessGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Trait.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MapEntryExpression.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/MemJavaFileObject.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ReverseListIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ThreadInterruptibleASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/IndentPrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/ReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/GroovyPrintStream.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/PreOrderTraversal.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/Antlr4ParserPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ReferenceType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyGuardsFiltersAndSignatures.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyMain.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IntRange.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/BooleanReturningMethodInvoker.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/TypeSignatureParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/NullWriter.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ThirdParam.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/AnnotationVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/LongCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyResourceLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/FileSystemCompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TraitTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PlainObjectMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/MapEntryOrKeyValue.java

*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/InvocationWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/Message.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/ClassNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/FastArray.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MutableMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/BinaryExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/GroovyStarter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ReflectionMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/CompileUnit.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/IOGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodCallTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedParam.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/util/PositionConfigureUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentLinkedQueue.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ToStringASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/CastExpressionOptimizer.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ExtendedVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ImmutableOptions.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/IntArrayIterable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Immutable.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/HasCleanup.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/ImportCustomizer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/antlr/LexerFrame.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/memoize/NullProtectionStorage.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/InstanceOfVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/android/AndroidSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/VisibilityOptions.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterController.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/ast/tools/MethodNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/JavaCompilerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/MethodCall.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/groovydoc/GroovydocHolder.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Internal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ParameterArray.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/AstBuilder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/typehandling/BigDecimalMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/MemoizeCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/util/StringUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/CharacterCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/m12n/StandardPropertiesModuleFactory.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/BenchmarkInterceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple3.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/InheritConstructors.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v5/JUnit4Utils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/LambdaExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Slf4j.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TypeChecked.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeDuration.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/ui/GroovyMain.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/Parameter.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/AssertStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ByteCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/AbstractTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/CastExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingClassException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/UnaryMinusExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/BaseDuration.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/RawJavaFileObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/lang/annotation/Incubating.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/UnaryPlusExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/BaseScriptASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodCallerMultiAdapter.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SharedVariableCollector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/BindableASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/LineColumnReader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/PrimitiveHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/FieldNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/BreakStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/IntWrapper.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CacheAccessControlException.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodeCollector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ListExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/NAryOperationRewriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilationFailedException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/ValueRecorder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultGroovyMethodsSupport.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SignatureCodec.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ObjectRange.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MixinNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/TypeTransformers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/AbstractFunctionalInterfaceWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/StringBufferWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyShell.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple8.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/StringWriterIOException.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesClosureWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/AsmReferenceResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassCompletionVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LockableObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/NotExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple12.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/DatumDependentDuration.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/SwitchStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/IteratorClosureAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Proxy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ElvisOperatorExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/StringCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/UnionTypeClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/internal/atnmanager/LexerAtnManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/LongWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ConstructorCallExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/DelegateASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/Java7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/TupleConstructorASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/TimedInterrupt.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/LazyInitializable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/SpreadExpression.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/SignatureCodecVersion1.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/DefaultGroovyStaticMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/BinaryLongExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/AnnotatedNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/BuilderASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/options/LegacyHashMapPropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/SemanticPredicates.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MetaArrayLengthProperty.java
*

/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/GrapeUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/DefaultPropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GroovyClassValueFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/AssertionRenderer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Sortable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MapExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/StatementReplacer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/ImportCustomizerFactory.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple2.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/AnnotationNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoFinal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/internal/CliBuilderInternal.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Buildable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/StatementWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ClassNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/util/Logger.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/util/LoggableClassVisitor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ProxyGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/InnerClassVisitorHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/AbstractComparator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/SyntaxException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/FileReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/CharsetToolkit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TupleConstructor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableSet.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/vmplugin/v7/MethodHandleWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Interceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/ast/tools/ImmutablePropertyUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ReleaseInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/AutoExternalize.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObjectGraphBuilder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/Vetoable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/SourceAwareCustomizerFactory.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/options/ImmutablePropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/HandleMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesMethodReferenceExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/Memoize.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterControllerFactoryImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/typehandling/DefaultTypeTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/VariableSlotLoader.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/trait/TraitHelpersTuple.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/GrapeMain.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/DefaultMetaClassInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Category.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple10.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ClassCodeExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/StringGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/ByteWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/plugin/GroovyRunnerRegistry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/groovy/beans/DefaultPropertyAccessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/PropertyNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/PojoWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabConfig.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MixinASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavacCompilerFactory.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ClassCodeVisitorSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ArrayExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/DelegationMetadata.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/FlushingStreamWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/FormalParameterParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/TernaryToIfStatementConverter.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Commons.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayMetaMethod.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/Statement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/InheritConstructorsASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/PostCompletionFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/CustomizersFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/EmptyExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassGeneratorException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/SourceBuffer.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/CompareToNullExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/WhileStatement.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/LambdaWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ReturnStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeVariable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyInterface.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/StaticTypesTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ProxyMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LazyReference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/MapEntry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ListHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Reference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Canonical.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/DummyCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedReference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/CollectRecursiveCalls.groovy
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyReader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/ScriptRunner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GroovyClassValue.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/PrefixExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ComplexKeyHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrParserPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/AtnManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/FileType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/AbstractConcurrentMapBase.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMinus.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/transform/ErrorCollecting.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/util/TypeUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/CaseStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AutoCloneASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v6/Java6.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ReferenceManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/decompiled/LazyConstructorNode.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/BytecodeInstruction.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v5/PluginDefaultGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AnnotationCollectorTransform.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/SecureASTCustomizer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/UnlimitedConcurrentCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/IndyInterface.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/JavaAwareResolveVisitor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/ListenerList.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/CatchStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Undefined.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyAccessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/messages/ExceptionMessage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/CategoryASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/NullObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ConstructorNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MetaClassRegistryChangeEvent.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/builder/ExternalStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/classgen/InnerClassVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Newify.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/StaticVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/messages/LocatedMessage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/GroovyTypeCheckingExtensionSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/CurriedClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/ClosureStaticMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMultiply.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/BinaryExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/AssertionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoImplement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/indy/IndyBinHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/WritableFile.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ASTNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/GroovyLangLexer.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/PlatformLineWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ByteArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/Reference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/BooleanExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/CachedField.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SimpleType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/AbstractReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/Visibility.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/StaticTypesMarker.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/WithReadLock.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MethodSelectionException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ReflectionMethodInvoker.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/UnparsedField.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/TypeTransformers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/StaticMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/SourceText.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/SyntaxErrorReportable.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/IndyMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/Unparsed.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ContinueStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyRuntimeException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ClosureParams.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/PackageNode.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/ParameterUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/TypeHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryBooleanExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/TypeHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/io/StringBuilderWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/TokenUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Synchronized.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavacJavaCompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/OperandStack.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ErrorCollector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/ClassStub.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/CallSiteWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/CacheableCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/EncodingGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AbstractASTTransformUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeHelper.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/SourceInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ReferenceBundle.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/ASTRuntimeException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ProcessingUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/ReevaluatingReference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/PowerAssertionError.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FileTreeBuilder.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayPutAtMetaMethod.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/PickAnyArgumentHint.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/Builder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/SynchronizedStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ConfigurationException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/AsmClassGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/EvictableCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/AbstractFactory.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/RuntimeParserException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/FieldASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/groovy/transform/stc/PickFirstResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Types.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/EnumCompletionVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/MethodPointerExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/PostfixExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/IndexedPropertyASTTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/GenericsVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/Option.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassRegistry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/plugin/GroovyRunner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/ExpressionAsVariableSlot.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/EnumHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/DoubleCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/LazyASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/ReturnAdderForClosures.groovy
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/CachedConstructor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/Variable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/GeneratedGroovyProxy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/NamedArgumentListExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovySystem.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple6.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/NumberCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyReader.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/JavaStubCompilationUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/genArrayUtil.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSiteClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/antlr/java/Java2GroovyProcessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesStatementWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AbstractInterruptibleASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ScriptBytecodeAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/Finalizable.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GeneratedMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FromString.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingPropertyException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/ASTTransformationCustomizerFactory.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberDiv.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstBuilderTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ExternalizeMethodsASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/OrderBy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NullCheck.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/URLReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/WithWriteLock.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Factory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/MetaInfExtensionModule.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Groovydoc.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/UnicodeConst.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/PropertyValue.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ArrayUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ClosureExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/CompareIdentityExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/SpreadMap.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MixedInMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/AnnotatedNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/EncodingGroovyMethodsSupport.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/v7/GroovyClassValueJava7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/IndyArrayAccess.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Grab.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ThreadInterrupt.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/TupleExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/TripleKeyHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/CompileDynamicProcessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/AsmDecompiler.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ExpandoMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/LRUCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ExternalizeMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/BytecodeExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LongArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TypeCheckingContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/SourceExtensionHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoCloneStyle.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/MapConstructorASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SynchronizedASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/util/MessageSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilePhase.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/Wrapper.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PerInstancePojoMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodeList.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MopWriter.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GStringImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/WriterController.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MethodHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/ui/GroovySocketServer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/BitwiseNegationExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log4j2.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/OptimizingStatementWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/KnownImmutable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple4.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/GroovyCollections.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/CharArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/VMPluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesCallSiteWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/IncorrectTypeHintException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/NullCallSite.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/TraversalHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/Compiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodCaller.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ReflectorLoader.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodRankHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/RangeInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ArrayTypeUtils.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ParserPluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/ExtensionMethodNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/FloatWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Numbers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/CliBuilderException.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/VerifierCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/CachedSAMClass.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/SpreadListEvaluatingException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/SyntaxErrorMessage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AnnotationCollectorMode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModule.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TailRecursive.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/BooleanArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/Java9.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ListWithDefault.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ScriptReference.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/PackageScopeASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ASTTransformationsContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/LRUProtectionStorage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/AccessPermissionChecker.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/Bindable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/Visitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConvertedMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/EqualsAndHashCode.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NullCheckASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/Grape.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/GroovyPrintWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodPointerExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoPropertySite.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodeBuilder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/Maps.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConvertedClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/StatementMetaTypeChooser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MetaClassRegistryImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ParserException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TypeCheckingExtension.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstSpecificationCompiler.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v5/Java5.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ExpandoMetaClassCreationHandle.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/UnicodeLexerSharedInputState.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/TypeChooser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/control/customizers/builder/CompilerCustomizationBuilder.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ScriptException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/OptimizerVisitor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/IntArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ShortArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/GroovyClassVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AbstractASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/CompileDynamic.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/ListOfExpressionsExpression.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/MixinInMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/InputStreamReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/StringReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/URLStreams.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/CompilationUnitAware.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/CachedClosureClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/metaclass/Realm.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/trait/SuperCallTraitTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/NumberRange.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/StaticMethodCallExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/StackTraceUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSiteArray.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple15.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/AntlrParserPluginFactory.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/util/LoggableTextifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/VariableAccessReplacer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/Phases.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/GroovyCastException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/ConcurrentCommonCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/ClosureUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/DoubleWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ModuleNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/DelegatingController.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/AbstractParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/ast/TransformTestHelper.groovy
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/InnerClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/DefaultTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/EmptyStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/ValueConvertable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/SimpleStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SourceURIASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodReferenceExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/SpreadMapEvaluatingException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedVariant.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MultipleSetterProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/BufferedIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Writable.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodePrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/SourceTextNotAvailableException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitReceiverTransformer.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ExpressionStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FromAbstractTypeMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/TracingInterceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/LazyFieldNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultCachedMethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ClassHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/IndyGuardsFiltersAndSignatures.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SingleSignatureClosureHint.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/Reflector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/PluginDefaultGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/AnnotationConstantExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/Selector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ImmutableBase.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedLinkedList.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/TokenException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ClassLoaderForClassArtifacts.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FileNameByRegexFinder.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/ClosureWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/AbstractExtensionMethodCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/metaclass/NewInstanceMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/CompilationUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/EqualsAndHashCodeASTTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/builder/InitializerStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ResourceException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/Main.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/typehandling/NumberMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/GroovyClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/decompiled/MemberSignatureParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/groovydoc/GroovydocTag.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/TailRecursiveASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/TryWithResourcesASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/ProtectionStorage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/LoaderConfiguration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/GenericsType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/GStringExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeCategory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/StaticCompileTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/IndyArrayAccess.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/CommonCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/HashCodeHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/Verifier.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingMethodException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/EnumConstantClassNode.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ArrayIterable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ConditionalInterrupt.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Range.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/PropertyLookupVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/AstToTextHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MethodMetaProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/namespace/QName.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/DelegatingScript.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/BeanUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/HasRecursiveCalls.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentValueMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyBugError.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/gse/StringSetMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/Janitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ReadException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/ListenerListASTTransformation.groovy
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/WideningCategories.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FactoryBuilderSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/BytecodeSequence.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ExternalizeVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/control/SourceUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/tools/GenericsUtils.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ProxyGeneratorAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/GroovyASTTransformationClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/FlatNodeListTraversal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/MetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ConfigObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrapeEngine.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/TrampolineClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/tools/GeneralUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/StaticImportVisitor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/BigIntegerCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/InnerClassCompletionVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/BooleanExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/ConcurrentSoftCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/Reduction.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/VariableExpressionTransformer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/security/GroovyCodeSourcePermission.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/ASTParserException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ResourceGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/DoWhileStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/BooleanWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AutoFinalASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/MapConstructor.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticInvocationWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/TransformMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/RecursivenessTester.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/IndexedProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/CharSequenceReader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/LabelVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/gse/DependencyTracker.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AnnotationCollector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ConstructorCallTransformer.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/NumberMathModificationInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ConcurrentReaderHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/ClassFinder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/groovydoc/Groovydoc.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodePrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaObjectProtocol.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrASTProcessSnippets.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PackageScopeTarget.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/SimpleMessage.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ReturnAdder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GroovySunClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/IntegerCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/BooleanClosureWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ClosureListExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/StaticCompilationVisitor.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/Receiver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SecondPassExpression.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/IteratorBufferedIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/BooleanCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/ModifierManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/ErrorReporter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ListBufferedIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/DelegatingCustomizer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/CompileStatic.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/WarningMessage.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovyLangParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrapeIvy.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/CacheableCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PackageScope.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingPropertyExceptionNoStack.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedDelegate.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyObjectSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/ShortWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/DeclarationExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/Selector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Groovifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ReadWriteLockASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/VariableScope.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/LazyMethodNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/CompileStack.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayPutAtMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/BigDecimalCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SortableASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Field.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ClassInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/IFileNameFinder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genDgmMath.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/VariableScopeVisitor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/BytecodeInterface8.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Closure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/ClassMetaClassGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ListExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/LogASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodInvocationTrap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/MindMapPrinter.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/CodeVisitorSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GroovyCategorySupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedParams.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ExternalizeVerifierASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/EnumVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoClone.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Delegate.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultMethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ComposedClosure.java

*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/FloatArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/plugin/GroovyRunner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/SunClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/VariableExpressionReplacer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/AdaptingMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/Expression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/TemporaryVariableExpression.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/MetaClassConstructorSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/ASTHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesBinaryExpressionMultiTypeDispatcher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/NonEmptySequence.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ResourceConnector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ASTTest.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/internal/util/Function.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FirstParam.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/BlockStatement.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/builder/AstBuilder.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MetaClassRegistryChangeEventListener.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/AstHelper.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/powerassert/Value.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/RangeExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/m12n/SimpleExtensionModule.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/ConstructorSite.java

*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesTypeChooser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryDoubleExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/AbstractCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/EmptyRange.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Eval.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ArgumentListExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ImmutableASTTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ClosureInvokingMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NamedVariantASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/Annotations.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/SecureASTCustomizerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExceptionNoStack.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaCompiler.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NewifyASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ReflectionUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AutoImplementASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/TernaryExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/PositionInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/InvokerInvocationException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilerConfiguration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/metaclass/MetaClassConstant.java
*

/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/LongMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/DynamicVariable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MapWithDefault.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingFieldException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/PropertiesModuleFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DeprecationException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple5.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ConfigSlurper.groovy
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ObjectCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/FloatCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/FileVisitResult.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MetaMethodIndex.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/GeneratorContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/UncheckedThrow.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/LoopingStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/TypedOption.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ConditionalInterruptibleASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Node.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeDumper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTestTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple13.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyExceptionInterface.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableList.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/FinalVariableAnalyzer.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ExpressionUtils.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaStubGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryFloatExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodeAsHTMLPrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovySyntaxError.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/SingleKeyHashMap.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Singleton.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ParameterTypes.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaAwareCompilationUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Token.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstStringCompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/Supplier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/DescriptiveErrorStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/PropertyExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/BytecodeProcessor.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/Utilities.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/ClassSignatureParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/Traits.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/InlinedASTCustomizerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GeneratedLambda.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ConstructorNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/SourceAwareCustomizer.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/StaticMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/VisibilityUtils.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/StaticCompilationTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/Antlr4PluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/CompilationCustomizer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ReadOnlyPropertyException.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/UnicodeEscapingReader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/SocketGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/VetoableASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovydocManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteAwareMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TypeCheckingMode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GString.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/Java8.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/GroovyScriptEngine.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SingletonASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PropertyOptions.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/RegexSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/MultipleCompilationErrorsException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/RangeExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MethodCallExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewMetaMethod.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/SourceURI.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Binding.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/ClassFindFailedException.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/EnumTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/indy/IndyCallSiteWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleRegistry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaExpandoProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/SelfType.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/StringUtil.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genArrayAccess.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CachedMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/VariableExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Expando.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/TemporaryMethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Lazy.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyCodeSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MethodReferenceExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ClassNodeResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/util/Preferences.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/CompositeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ConstantExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/ObjectHolder.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/DummyClassGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/XStreamUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/ASTTransformationCustomizer.groovy

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrASTProcessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genMathModification.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/MetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/TokenMismatchException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoInterceptableSite.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/SourceCodeTraversal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ShortCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DelegatesTo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/IntegerMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/GroovySourceAST.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionMultiTypeDispatcher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ClosureSignatureHint.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/PropertyNodeUtils.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/inspect/Inspector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/TryCatchStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/ShortTypeHandling.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/DgmConverter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/BigIntegerMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IllegalPropertyAccessException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/AnnotationConstantsVisitor.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ArrayCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/OptionField.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoFieldSite.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/BeanUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ParserPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Generated.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Grapes.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/CSTNode.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SecondParam.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GeneratedClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ToString.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/CharWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/MethodCallExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/FloatingPointMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/WriterControllerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/FieldExpression.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeDatumDependentDuration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoFieldSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyConverter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/Arrays.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/Duration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Sequence.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Memoized.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/GroovyASTTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesLambdaWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/DefaultStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/OwnedMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformationVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple16.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ClosureException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/GroovyObjectWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MetaClassHelper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/BuilderSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewStaticMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ThrowStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/StaticMethodCallExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/GroovyCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple14.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log4j.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabExclude.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/plugin/DefaultRunners.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleScanner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConversionHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/PreJava2GroovyConverter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/PropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/DoubleArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/TransformingCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/AbstractLexer.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/LexerFrame.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/UnaryExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/ParserAtnManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformationCollectorCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/ast/ImportNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/SystemUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DelegatingMetaClass.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/PropertyAccessInterceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ForStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/VariableExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/SpreadMapExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/BaseScript.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ThreadManagedMetaBeanProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple9.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyInterceptable.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/IO.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/RootLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryIntExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/MemoizedASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/xml/QName.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyCallable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/ReturnStatementToIterationConverter.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/internal/OptionAccessor.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/AbstractConcurrentMap.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/NumberAwareComparator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/InWhileLoopWrapper.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IncorrectClosureArgumentsException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ClosureExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Mixin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Script.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExecutionFailed.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/IfStatement.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DateGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/TimedInterruptibleASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberPlus.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticCompilationMopWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/SourcePrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitComposer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/InterfaceHelperClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/ExtensionMethodCache.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/NodeMetaDataHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/VMPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryObjectExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/EncodingAwareBufferedWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/DoubleArrayIterable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/StaticCompilationMetadataKeys.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesUnaryExpressionHelper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticPropertyAccessHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaBeanProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/LineColumn.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/StampedCommonCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple0.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/ast/decompiled/DecompiledClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayGetAtMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/AttributeExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/grape/GrabAnnotationTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/VisitorAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ClosureComparator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/InvokerHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/ResolveVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/LongArrayIterable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/MethodHandleWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ClassExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/PogoMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/GroovySourceToken.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/PermutationGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/indy/sc/IndyStaticTypesMultiTypeDispatcher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/indy/InvokeDynamicWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/GroovyClassValuePreJava7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple11.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/stc/ClosureSignatureConflictResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/StringHelper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/package-info.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/LinkedDeque.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weighers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/ConcurrentLinkedHashMap.java
*
 /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weigher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EvictionListener.java
No license file was found, but licenses were detected in source scan.

/** Java 1.5 Recognizer
*
* Run 'java Main [-showtree] directory-full-of-java-files'
*

```
* [The -showtree option pops up a Swing frame that shows
*  the AST constructed from the parser.]
*
* Run 'java Main <directory full of java files>'
*
* Contributing authors:
*      Jeremy Rayner       groovy@ross-rayner.com
*  John Mitchell  johnm@non.net
*  Terence Parr  parrt@magelang.com
*  John Lilley  jlilley@empathy.com
*  Scott Stanchfield thetick@magelang.com
*  Markus Mohnen  mohnen@informatik.rwth-aachen.de
*  Peter Williams  pete.williams@sun.com
*  Allan Jacobs  Allan.Jacobs@eng.sun.com
*  Steve Messick  messick@redhills.com
*  John Pybus  john@pybus.org
*
* Version 1.00 December 9, 1997 -- initial release
* Version 1.01 December 10, 1997
*  fixed bug in octal def (0..7 not 0..8)
* Version 1.10 August 1998 (parrt)
*  added tree construction
*  fixed definition of WS,comments for mac,pc,unix newlines
 *  added unary plus
* Version 1.11 (Nov 20, 1998)
*  Added "shutup" option to turn off last ambig warning.
*  Fixed inner class def to allow named class defs as statements
*  synchronized requires compound not simple statement
*  add [] after builtInType DOT class in primaryExpression
*  "const" is reserved but not valid..removed from modifiers
* Version 1.12 (Feb 2, 1999)
*  Changed LITERAL_xxx to xxx in tree grammar.
*  Updated java.g to use tokens {...} now for 2.6.0 (new feature).
*
* Version 1.13 (Apr 23, 1999)
*  Didn't have (stat)? for else clause in tree parser.
*  Didn't gen ASTs for interface extends.  Updated tree parser too.
*  Updated to 2.6.0.
* Version 1.14 (Jun 20, 1999)
*  Allowed final/abstract on local classes.
*  Removed local interfaces from methods
*  Put instanceof precedence where it belongs...in relationalExpr
*   It also had expr not type as arg; fixed it.
*  Missing ! on SEMI in classBlock
*  fixed: (expr) + "string" was parsed incorrectly
 (+ as unary plus).
*  fixed: didn't like Object[].class in parser or tree parser
* Version 1.15 (Jun 26, 1999)
```

* Screwed up rule with instanceof in it. :(Fixed.
* Tree parser didn't like (expr).something; fixed.
* Allowed multiple inheritance in tree grammar. oops.
* Version 1.16 (August 22, 1999)
* Extending an interface built a wacky tree: had extra EXTENDS.
* Tree grammar didn't allow multiple superinterfaces.
* Tree grammar didn't allow empty var initializer: {}
* Version 1.17 (October 12, 1999)
* ESC lexer rule allowed 399 max not 377 max.
* java.tree.g didn't handle the expression of synchronized
* statements.
* Version 1.18 (August 12, 2001)
*   Terence updated to Java 2 Version 1.3 by
* observing/combining work of Allan Jacobs and Steve
* Messick. Handles 1.3 src. Summary:
* o primary didn't include boolean.class kind of thing
*   o constructor calls parsed explicitly now:
*   see explicitConstructorInvocation
* o add strictfp
 modifier
*   o missing objBlock after new expression in tree grammar
* o merged local class definition alternatives, moved after declaration
* o fixed problem with ClassName.super.field
*   o reordered some alternatives to make things more efficient
* o long and double constants were not differentiated from int/float
* o whitespace rule was inefficient: matched only one char
* o add an examples directory with some nasty 1.3 cases
* o made Main.java use buffered IO and a Reader for Unicode support
* o supports UNICODE?
*   Using Unicode charVocabulay makes code file big, but only
*   in the bitsets at the end. I need to make ANTLR generate
*   unicode bitsets more efficiently.
* Version 1.19 (April 25, 2002)
* Terence added in nice fixes by John Pybus concerning floating
* constants and problems with super() calls. John did a nice
* reorg of the primary/postfix expression stuff to read better
* and makes f.g.super() parse properly (it was
 METHOD_CALL not
* a SUPER_CTOR_CALL). Also:
*
* o "finally" clause was a root...made it a child of "try"
* o Added stuff for asserts too for Java 1.4, but *commented out*
*   as it is not backward compatible.
*
* Version 1.20 (October 27, 2002)
*
*   Terence ended up reorging John Pybus' stuff to
*   remove some nondeterminisms and some syntactic predicates.

*   Note that the grammar is stricter now; e.g., this(...) must
* be the first statement.
*
*   Ternary ?: operator wasn't working as array name:
*   (isBig ? bigDigits : digits)[i];
*
*   Checked parser/tree parser on source for
*   Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
* and the 110k-line jGuru server source.
*
* Version 1.21 (October 17, 2003)
* Fixed lots of problems including:
* Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
* He found a problem/fix with floating point that start with 0
* Ray also fixed problem that (int.class) was not recognized.
 * Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
* TJP fixed CHAR_LITERAL analogously.
*
* Version 1.21.2 (March, 2003)
*   Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
*   Notes:
*   o We only allow the "extends" keyword and not the "implements"
* keyword, since that's what JSR14 seems to imply.
*   o Thanks to Monty Zukowski for his help on the antlr-interest
* mail list.
*   o Thanks to Alan Eliasen for testing the grammar over his
* Fink source base
*
* Version 1.22 (July, 2004)
*   Changes by Michael Studman to support Java 1.5 language extensions
*   Notes:
*   o Added support for annotations types
*   o Finished off Matt Quail's generics enhancements to support bound type arguments
*   o Added support for new for statement syntax
*   o Added support for static import syntax
*   o Added support for enum types
*   o Tested against JDK 1.5 source base and source base of jdigraph project
*   o Thanks to Matt Quail
 for doing the hard part by doing most of the generics work
*
* Version 1.22.1 (July 28, 2004)
*   Bug/omission fixes for Java 1.5 language support
*   o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for
* spotting this
*   o Fixed bug where incorrect handling of SR and BSR tokens would cause type
* parameters to be recognised as type arguments.
*   o Enabled type parameters on constructors, annotations on enum constants
* and package definitions

```
*   o Fixed problems when parsing if ((char.class.equals(c))) {} - solution by Matt Quail at Cenqua
*
* Version 1.22.2 (July 28, 2004)
*   Slight refactoring of Java 1.5 language support
*   o Refactored for/"foreach" productions so that original literal "for" literal
*     is still used but the for sub-clauses vary by token type
*   o Fixed bug where type parameter was not included in generic constructor's branch of AST
*
* Version 1.22.3 (August 26, 2004)
*   Bug fixes as identified by Michael
 Stahl; clean up of tabs/spaces
*       and other refactorings
*   o Fixed typeParameters omission in identPrimary and newStatement
*   o Replaced GT reconciliation code with simple semantic predicate
*   o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
*   o Refactored typeDefinition production and field productions to reduce duplication
*
* Version 1.22.4 (October 21, 2004)
*    Small bux fixes
*    o Added typeArguments to explicitConstructorInvocation, e.g. new <String>MyParameterised()
*    o Added typeArguments to postfixExpression productions for anonymous inner class super
*      constructor invocation, e.g. new Outer().<String>super()
*    o Fixed bug in array declarations identified by Geoff Roy
*
* Version 1.22.4.j.1
*   Changes by Jeremy Rayner to support java2groovy tool
*    o I have taken java.g for Java1.5 from Michael Studman (1.22.4)
*      and have made some changes to enable use by java2groovy tool (Jan 2007)
 *
* Based on an original grammar released in the PUBLIC DOMAIN
*/

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/java/JavaRecognizer.java
No license file was found, but licenses were detected in source scan.

/*
* This file is adapted from the Antlr4 Java grammar which has the following license
*
*  Copyright (c) 2013 Terence Parr, Sam Harwell
*  All rights reserved.
*  [The "BSD licence"]
*
*    http://www.opensource.org/licenses/bsd-license.php
*
* Subsequent modifications by the Groovy community have been done under the Apache License v2:
*
```

```
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the
 License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/

/**
* The Groovy grammar is based on the official grammar for Java:
* https://github.com/antlr/grammars-v4/blob/master/java/Java.g4
*/
lexer grammar GroovyLexer;

options {
  superClass = AbstractLexer;
}

@header {
  import java.util.Deque;
  import java.util.ArrayDeque;
  import java.util.Map;
  import java.util.HashMap;
  import java.util.Set;
  import java.util.HashSet;
  import java.util.Collections;
  import java.util.Arrays;
  import java.util.stream.IntStream;
  import java.util.logging.Logger;
  import java.util.logging.Level;
  import java.util.EmptyStackException;
  import org.apache.groovy.util.Maps;
  import static org.apache.groovy.parser.antlr4.SemanticPredicates.*;
}

@members {
  private static final
```

```
Logger LOGGER = Logger.getLogger(GroovyLexer.class.getName());

 private boolean errorIgnored;
 private long tokenIndex;
 private int  lastTokenType;
 private int  invalidDigitCount;

 /**
  * Record the index and token type of the current token while emitting tokens.
  */
 @Override
 public void emit(Token token) {
    this.tokenIndex++;

    int tokenType = token.getType();
    if (Token.DEFAULT_CHANNEL == token.getChannel()) {
       this.lastTokenType = tokenType;
    }

    if (RollBackOne == tokenType) {
       this.rollbackOneChar();
    }

    super.emit(token);
 }

 private static final int[] REGEX_CHECK_ARRAY = {
    DEC,
    INC,
    THIS,
    RBRACE,
    RBRACK,
    RPAREN,
    GStringEnd,
    NullLiteral,
    StringLiteral,
    BooleanLiteral,
    IntegerLiteral,
    FloatingPointLiteral,
    Identifier, CapitalizedIdentifier
 };
 static {

   Arrays.sort(REGEX_CHECK_ARRAY);
 }

 private boolean isRegexAllowed() {
    return (Arrays.binarySearch(REGEX_CHECK_ARRAY, this.lastTokenType) < 0);
```

```
}

/**
 * just a hook, which will be overrided by GroovyLangLexer
 */
protected void rollbackOneChar() {}

private static class Paren {
    private String text;
    private int lastTokenType;
    private int line;
    private int column;

    public Paren(String text, int lastTokenType, int line, int column) {
        this.text = text;
        this.lastTokenType = lastTokenType;
        this.line = line;
        this.column = column;
    }

    public String getText() {
        return this.text;
    }

    public int getLastTokenType() {
        return this.lastTokenType;
    }

    public int getLine() {
        return line;
    }

    public int getColumn() {
        return column;
    }

    @Override

public int hashCode() {
        return (int) (text.hashCode() * line + column);
    }

    @Override
    public boolean equals(Object obj) {
        if (!(obj instanceof Paren)) {
            return false;
        }
```

```
            Paren other = (Paren) obj;

            return this.text.equals(other.text) && (this.line == other.line && this.column == other.column);
        }
    }

    protected void enterParenCallback(String text) {}

    protected void exitParenCallback(String text) {}

    private final Deque<Paren> parenStack = new ArrayDeque<>(32);

    private void enterParen() {
        String text = getText();
        enterParenCallback(text);

        parenStack.push(new Paren(text, this.lastTokenType, getLine(), getCharPositionInLine()));
    }

    private void exitParen() {
        String text = getText();
        exitParenCallback(text);

        Paren paren = parenStack.peek();
        if (null == paren) return;
        parenStack.pop();
    }
     private boolean isInsideParens() {
        Paren paren = parenStack.peek();

        // We just care about "(" and "[", inside which the new lines will be ignored.
        // Notice: the new lines between "{" and "}" can not be ignored.
        if (null == paren) {
            return false;
        }

        return ("(".equals(paren.getText()) && TRY != paren.getLastTokenType()) // we don't treat try-paren(i.e. try
    (....)) as parenthesis
                    || "[".equals(paren.getText());
    }
    private void ignoreTokenInsideParens() {
        if (!this.isInsideParens()) {
            return;
        }

        this.setChannel(Token.HIDDEN_CHANNEL);
    }
    private void ignoreMultiLineCommentConditionally() {
```

```
        if (!this.isInsideParens() && isFollowedByWhiteSpaces(_input)) {
            return;
        }

        this.setChannel(Token.HIDDEN_CHANNEL);
    }

    @Override
    public int getSyntaxErrorSource() {
        return GroovySyntaxError.LEXER;
    }

    @Override
     public int getErrorLine() {
        return getLine();
    }

    @Override
    public int getErrorColumn() {
        return getCharPositionInLine() + 1;
    }

    @Override
    public int popMode() {
        try {
            return super.popMode();
        } catch (EmptyStackException ignored) { // raised when parens are unmatched: too many ), ], or }
            if (LOGGER.isLoggable(Level.FINEST)) {
                LOGGER.finest(org.codehaus.groovy.runtime.DefaultGroovyMethods.asString(ignored));
            }
        }

        return Integer.MIN_VALUE;
    }

    private static boolean isJavaIdentifierStartAndNotIdentifierIgnorable(int codePoint) {
        return Character.isJavaIdentifierStart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
    }

    private static boolean isJavaIdentifierPartAndNotIdentifierIgnorable(int codePoint) {
        return Character.isJavaIdentifierPart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
    }

    public boolean
   isErrorIgnored() {
        return errorIgnored;
    }
```

```
  public void setErrorIgnored(boolean errorIgnored) {
     this.errorIgnored = errorIgnored;
  }
}


// 3.10.5 String Literals
StringLiteral
  :  GStringQuotationMark  DqStringCharacter*  GStringQuotationMark
  |  SqStringQuotationMark  SqStringCharacter*  SqStringQuotationMark
  |  Slash { this.isRegexAllowed() && _input.LA(1) != '*' }?  SlashyStringCharacter+  Slash

  |  TdqStringQuotationMark  TdqStringCharacter*  TdqStringQuotationMark
  |  TsqStringQuotationMark  TsqStringCharacter*  TsqStringQuotationMark
  |  DollarSlashyGStringQuotationMarkBegin  DollarSlashyStringCharacter+
DollarSlashyGStringQuotationMarkEnd
  ;

GStringBegin
  :  GStringQuotationMark DqStringCharacter* Dollar -> pushMode(DQ_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
TdqGStringBegin
  :  TdqStringQuotationMark   TdqStringCharacter* Dollar -> type(GStringBegin),
pushMode(TDQ_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)
   ;
SlashyGStringBegin
  :  Slash { this.isRegexAllowed() && _input.LA(1) != '*' }? SlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin), pushMode(SLASHY_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
DollarSlashyGStringBegin
  :  DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin),
pushMode(DOLLAR_SLASHY_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;

mode DQ_GSTRING_MODE;
GStringEnd
  :  GStringQuotationMark     -> popMode
  ;
GStringPart
  :  Dollar  -> pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
GStringCharacter
  :  DqStringCharacter -> more
  ;
```

```
mode TDQ_GSTRING_MODE;
TdqGStringEnd
  :  TdqStringQuotationMark    -> type(GStringEnd), popMode
  ;
TdqGStringPart
  :  Dollar   -> type(GStringPart), pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
TdqGStringCharacter
  :  TdqStringCharacter
 -> more
  ;

mode SLASHY_GSTRING_MODE;
SlashyGStringEnd
  :  Dollar? Slash  -> type(GStringEnd), popMode
  ;
SlashyGStringPart
  :  Dollar { isFollowedByJavaLetterInGString(_input) }?   -> type(GStringPart),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
SlashyGStringCharacter
  :  SlashyStringCharacter -> more
  ;

mode DOLLAR_SLASHY_GSTRING_MODE;
DollarSlashyGStringEnd
  :  DollarSlashyGStringQuotationMarkEnd      -> type(GStringEnd), popMode
  ;
DollarSlashyGStringPart
  :  Dollar { isFollowedByJavaLetterInGString(_input) }?   -> type(GStringPart),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
DollarSlashyGStringCharacter
  :  DollarSlashyStringCharacter -> more
  ;

mode GSTRING_TYPE_SELECTOR_MODE;
GStringLBrace
  :  '{' { this.enterParen();  } -> type(LBRACE), popMode, pushMode(DEFAULT_MODE)
  ;
GStringIdentifier
  :  IdentifierInGString -> type(Identifier), popMode, pushMode(GSTRING_PATH_MODE)
  ;


mode GSTRING_PATH_MODE;
GStringPathPart
```

```
  :  Dot IdentifierInGString
  ;
RollBackOne
  :  . {
        // a trick to handle GStrings followed by EOF properly
        int readChar = _input.LA(-1);
        if (EOF == _input.LA(1) && ("" == readChar || '/' == readChar)) {
           setType(GStringEnd);
        } else {
           setChannel(HIDDEN);
        }
       } -> popMode
  ;


mode DEFAULT_MODE;
// character in the double quotation string. e.g. "a"
fragment
DqStringCharacter
  :  ~["\r\n\\$]
  |  EscapeSequence
  ;

// character in the single quotation string. e.g. 'a'
fragment
SqStringCharacter
  :  ~['\r\n\\]
  |  EscapeSequence
  ;

// character in the triple double quotation string. e.g. """a"""
fragment TdqStringCharacter
  :  ~["\\$]
  |  GStringQuotationMark { _input.LA(1) != '"' || _input.LA(2) != '"' || _input.LA(3) == '"' && (_input.LA(4) != '"'
|| _input.LA(5) != '"') }?
  |  EscapeSequence
  ;

// character in the triple single quotation string.
 e.g. '''a'''
fragment TsqStringCharacter
  :  ~['\\]
  |  SqStringQuotationMark { _input.LA(1) != '\'' || _input.LA(2) != '\'' || _input.LA(3) == '\'' && (_input.LA(4) !=
'\'' || _input.LA(5) != '\'') }?
  |  EscapeSequence
  ;

// character in the slashy string. e.g. /a/
```

```
fragment SlashyStringCharacter
  :   SlashEscape
  |   Dollar { !isFollowedByJavaLetterInGString(_input) }?
  |   ~[/$\u0000]
  ;

// character in the dollar slashy string. e.g. $/a/$
fragment DollarSlashyStringCharacter
  :   DollarSlashEscape | DollarDollarEscape
  |   Slash { _input.LA(1) != '$' }?
  |   Dollar { !isFollowedByJavaLetterInGString(_input) }?
  |   ~[/$\u0000]
  ;

// Groovy keywords
AS              : 'as';
DEF             : 'def';
IN              : 'in';
TRAIT           : 'trait';
THREADSAFE      : 'threadsafe'; // reserved keyword

// the reserved type name of Java10
VAR             : 'var';

// 3.9 Keywords
BuiltInPrimitiveType
  :   BOOLEAN
  |   CHAR
  |
  BYTE
  |   SHORT
  |   INT
  |   LONG
  |   FLOAT
  |   DOUBLE
  ;

ABSTRACT      : 'abstract';
ASSERT        : 'assert';

fragment
BOOLEAN       : 'boolean';

BREAK         : 'break';

fragment
BYTE          : 'byte';
```

```
CASE         : 'case';
CATCH        : 'catch';

fragment
CHAR         : 'char';

CLASS        : 'class';
CONST        : 'const';
CONTINUE     : 'continue';
DEFAULT      : 'default';
DO           : 'do';

fragment
DOUBLE       : 'double';

ELSE         : 'else';
ENUM         : 'enum';
EXTENDS      : 'extends';
FINAL        : 'final';
FINALLY      : 'finally';

fragment
FLOAT        : 'float';


FOR          : 'for';
IF           : 'if';
GOTO         : 'goto';
IMPLEMENTS   : 'implements';
IMPORT       : 'import';
INSTANCEOF   : 'instanceof';

fragment
INT          : 'int';

INTERFACE    : 'interface';

fragment
LONG         : 'long';

NATIVE       : 'native';
NEW          : 'new';
PACKAGE      : 'package';
PRIVATE      : 'private';
PROTECTED
   : 'protected';
PUBLIC       : 'public';
RETURN       : 'return';
```

```
fragment
SHORT        : 'short';


STATIC       : 'static';
STRICTFP     : 'strictfp';
SUPER        : 'super';
SWITCH       : 'switch';
SYNCHRONIZED  : 'synchronized';
THIS         : 'this';
THROW        : 'throw';
THROWS       : 'throws';
TRANSIENT    : 'transient';
TRY          : 'try';
VOID         : 'void';
VOLATILE     : 'volatile';
WHILE        : 'while';


// 3.10.1 Integer Literals

IntegerLiteral
  :  (  DecimalIntegerLiteral
     |  HexIntegerLiteral
     |  OctalIntegerLiteral
     |  BinaryIntegerLiteral
     ) (Underscore { require(errorIgnored, "Number ending with underscores is invalid", -1, true); })?

  // !!! Error Alternative !!!
  |  Zero ([0-9] { invalidDigitCount++; })+ { require(errorIgnored, "Invalid octal number", -(invalidDigitCount +
1), true); } IntegerTypeSuffix?
  ;

fragment
Zero
  :  '0'
  ;

fragment
DecimalIntegerLiteral

  :  DecimalNumeral IntegerTypeSuffix?
  ;

fragment
HexIntegerLiteral
  :  HexNumeral IntegerTypeSuffix?
```

```
  ;

fragment
OctalIntegerLiteral
  :  OctalNumeral IntegerTypeSuffix?
  ;

fragment
BinaryIntegerLiteral
  :  BinaryNumeral IntegerTypeSuffix?
  ;

fragment
IntegerTypeSuffix
  :  [lLiIgG]
  ;

fragment
DecimalNumeral
  :  Zero
  |  NonZeroDigit (Digits? | Underscores Digits)
  ;

fragment
Digits
  :  Digit (DigitOrUnderscore* Digit)?
  ;

fragment
Digit
  :  Zero
  |  NonZeroDigit
  ;

fragment
NonZeroDigit
  :  [1-9]
  ;

fragment
DigitOrUnderscore
  :  Digit
  |  Underscore
  ;

fragment
Underscores
  :  Underscore+
```

```
  ;

fragment
Underscore
  : '_'
  ;

fragment
HexNumeral
  : Zero [xX] HexDigits
  ;

fragment
HexDigits
  : HexDigit (HexDigitOrUnderscore* HexDigit)?
  ;

fragment
HexDigit
  : [0-9a-fA-F]
  ;

fragment
HexDigitOrUnderscore
  : HexDigit
  | Underscore
  ;

fragment
OctalNumeral
   : Zero Underscores? OctalDigits
  ;

fragment
OctalDigits
  : OctalDigit (OctalDigitOrUnderscore* OctalDigit)?
  ;

fragment
OctalDigit
  : [0-7]
  ;

fragment
OctalDigitOrUnderscore
  : OctalDigit
  | Underscore
  ;
```

```
fragment
BinaryNumeral
  :  Zero [bB] BinaryDigits
  ;

fragment
BinaryDigits
  :  BinaryDigit (BinaryDigitOrUnderscore* BinaryDigit)?
  ;

fragment
BinaryDigit
  :  [01]
  ;

fragment
BinaryDigitOrUnderscore
  :  BinaryDigit
  |  Underscore
  ;

// 3.10.2 Floating-Point Literals

FloatingPointLiteral
  :  (   DecimalFloatingPointLiteral
     |   HexadecimalFloatingPointLiteral
     ) (Underscore { require(errorIgnored, "Number ending with underscores is invalid", -1, true); })?
  ;

fragment
DecimalFloatingPointLiteral
  :  Digits? Dot Digits ExponentPart? FloatTypeSuffix?
  |  Digits ExponentPart FloatTypeSuffix?
  |  Digits FloatTypeSuffix
  ;

fragment
ExponentPart
  :  ExponentIndicator
 SignedInteger
  ;

fragment
ExponentIndicator
  :  [eE]
  ;
```

```
fragment
SignedInteger
  :  Sign? Digits
  ;

fragment
Sign
  :  [+\-]
  ;

fragment
FloatTypeSuffix
  :  [fFdDgG]
  ;

fragment
HexadecimalFloatingPointLiteral
  :  HexSignificand BinaryExponent FloatTypeSuffix?
  ;

fragment
HexSignificand
  :  HexNumeral Dot?
  |  Zero [xX] HexDigits? Dot HexDigits
  ;

fragment
BinaryExponent
  :  BinaryExponentIndicator SignedInteger
  ;

fragment
BinaryExponentIndicator
  :  [pP]
  ;

fragment
Dot :  '.'
  ;

// 3.10.3 Boolean Literals

BooleanLiteral
  :  'true'
  |  'false'
  ;
```

```
// 3.10.6 Escape Sequences for Character and String Literals

fragment
EscapeSequence
  :  Backslash [btnfrs'"\\]
  |  OctalEscape
  |  UnicodeEscape
  |  DollarEscape
  |  LineEscape
  ;


fragment
OctalEscape
  :  Backslash OctalDigit
  |  Backslash OctalDigit OctalDigit
  |  Backslash ZeroToThree OctalDigit OctalDigit
   ;

// Groovy allows 1 or more u's after the backslash
fragment
UnicodeEscape
  :  Backslash 'u' HexDigit HexDigit HexDigit HexDigit
  ;

fragment
ZeroToThree
  :  [0-3]
  ;

// Groovy Escape Sequences

fragment
DollarEscape
  :  Backslash Dollar
  ;

fragment
LineEscape
  :  Backslash LineTerminator
  ;

fragment
LineTerminator
  :  '\r'? '\n' | '\r'
  ;

fragment
```

```
SlashEscape
  :  Backslash Slash
  ;

fragment
Backslash
  :  '\\'
  ;

fragment
Slash
  :  '/'
  ;

fragment
Dollar
  :  '$'
  ;

fragment
GStringQuotationMark
  :  ""
  ;

fragment
SqStringQuotationMark
  :  '\''
  ;

fragment
TdqStringQuotationMark
  :  """""
  ;

fragment
TsqStringQuotationMark
  :  '\'\'\''
  ;

fragment
DollarSlashyGStringQuotationMarkBegin
  :  '$/'
  ;

fragment
DollarSlashyGStringQuotationMarkEnd
  :  '/$'
  ;
```

```
fragment
DollarSlashEscape
  :  '$/'
  ;

fragment
DollarDollarEscape
  :  '$$'
  ;

// 3.10.7
 The Null Literal
NullLiteral
  :  'null'
  ;

// Groovy Operators

RANGE_INCLUSIVE    : '..';
RANGE_EXCLUSIVE    : '..<';
SPREAD_DOT         : '*.';
SAFE_DOT           : '?.';
SAFE_CHAIN_DOT     : '??.';
ELVIS              : '?:';
METHOD_POINTER     : '.&';
METHOD_REFERENCE   : '::';
REGEX_FIND         : '=~';
REGEX_MATCH        : '==~';
POWER              : '**';
POWER_ASSIGN       : '**=';
SPACESHIP          : '<=>';
IDENTICAL          : '===';
NOT_IDENTICAL      : '!==';
ARROW              : '->';

// !internalPromise will be parsed as !in ternalPromise, so semantic predicates are necessary
NOT_INSTANCEOF     : '!instanceof' { isFollowedBy(_input, ' ', '\t', '\r', '\n') }?;
NOT_IN             : '!in'         { isFollowedBy(_input, ' ', '\t', '\r', '\n', '[', '(', '{') }?;


// 3.11 Separators

LPAREN         : '('  { this.enterParen();     } -> pushMode(DEFAULT_MODE);
RPAREN         : ')'  { this.exitParen();      } -> popMode;

LBRACE         : '{'  { this.enterParen();
```

```
    } -> pushMode(DEFAULT_MODE);
RBRACE         : '}'  { this.exitParen();      } -> popMode;

LBRACK         : '['  { this.enterParen();     } -> pushMode(DEFAULT_MODE);
RBRACK         : ']'  { this.exitParen();      } -> popMode;

SEMI           : ';';
COMMA          : ',';
DOT            : Dot;

// 3.12 Operators

ASSIGN         : '=';
GT             : '>';
LT             : '<';
NOT            : '!';
BITNOT         : '~';
QUESTION       : '?';
COLON          : ':';
EQUAL          : '==';
LE             : '<=';
GE             : '>=';
NOTEQUAL       : '!=';
AND            : '&&';
OR             : '||';
INC            : '++';
DEC            : '--';
ADD            : '+';
SUB            : '-';
MUL            : '*';
DIV            : Slash;
BITAND         : '&';
BITOR          : '|';
XOR            : '^';
MOD            : '%';


ADD_ASSIGN     : '+=';
SUB_ASSIGN     : '-=';
MUL_ASSIGN     : '*=';
DIV_ASSIGN     : '/=';
AND_ASSIGN     :
 '&=';
OR_ASSIGN      : '|=';
XOR_ASSIGN     : '^=';
MOD_ASSIGN     : '%=';
LSHIFT_ASSIGN  : '<<=';
RSHIFT_ASSIGN  : '>>=';
```

```
URSHIFT_ASSIGN  : '>>>=';
ELVIS_ASSIGN    : '?=';


// 3.8 Identifiers (must appear after all keywords in the grammar)
CapitalizedIdentifier
  :  JavaLetter {Character.isUpperCase(_input.LA(-1))}? JavaLetterOrDigit*
  ;

Identifier
  :  JavaLetter JavaLetterOrDigit*
  ;

fragment
IdentifierInGString
  :  JavaLetterInGString JavaLetterOrDigitInGString*
  ;

fragment
JavaLetter
  :  [a-zA-Z$_] // these are the "java letters" below 0x7F
  |  // covers all characters above 0x7F which are not a surrogate
     ~[\u0000-\u007F\uD800-\uDBFF]
     { isJavaIdentifierStartAndNotIdentifierIgnorable(_input.LA(-1)) }?
  |  // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF
     [\uD800-\uDBFF] [\uDC00-\uDFFF]
     { Character.isJavaIdentifierStart(Character.toCodePoint((char) _input.LA(-2), (char) _input.LA(-1))) }?

;

fragment
JavaLetterInGString
  :  JavaLetter { _input.LA(-1) != '$' }?
  ;

fragment
JavaLetterOrDigit
  :  [a-zA-Z0-9$_] // these are the "java letters or digits" below 0x7F
  |  // covers all characters above 0x7F which are not a surrogate
     ~[\u0000-\u007F\uD800-\uDBFF]
     { isJavaIdentifierPartAndNotIdentifierIgnorable(_input.LA(-1)) }?
  |  // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF
     [\uD800-\uDBFF] [\uDC00-\uDFFF]
     { Character.isJavaIdentifierPart(Character.toCodePoint((char) _input.LA(-2), (char) _input.LA(-1))) }?
  ;

fragment
JavaLetterOrDigitInGString
```

```
  :  JavaLetterOrDigit  { _input.LA(-1) != '$' }?
  ;

fragment
ShCommand
  :  ~[\r\n\uFFFF]*
  ;

//
// Additional symbols not defined in the lexical specification
//

AT : '@';
ELLIPSIS : '...';

//
// Whitespace, line escape and comments
//
WS  : ([ \t]+ | LineEscape+) -> skip
  ;

// Inside (...) and [...] but not {...}, ignore newlines.
NL  : LineTerminator
  { this.ignoreTokenInsideParens(); }
  ;

// Multiple-line comments (including groovydoc comments)
ML_COMMENT
  :  '/*' .*? '*/'       { this.ignoreMultiLineCommentConditionally(); } -> type(NL)
  ;

// Single-line comments
SL_COMMENT
  :  '//' ~[\r\n\uFFFF]* { this.ignoreTokenInsideParens(); }            -> type(NL)
  ;

// Script-header comments.
// The very first characters of the file may be "#!".  If so, ignore the first line.
SH_COMMENT
  :  '#!' { require(errorIgnored || 0 == this.tokenIndex, "Shebang comment should appear at the first line", -2, true); }
ShCommand (LineTerminator '#!' ShCommand)* -> skip
  ;

// Unexpected characters will be handled by groovy parser later.
UNEXPECTED_CHAR
  :  . { require(errorIgnored, "Unexpected character: '" + getText().replace("'", "\\'") + "'", -1, false); }
  ;
```

Found in path(s):
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/GroovyLexer.g4

1.128 groovy-json 3.0.9

1.128.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#
#  Licensed to the Apache Software Foundation (ASF) under one
#  or more contributor license agreements.  See the NOTICE file
#  distributed with this work for additional information
#  regarding copyright ownership.  The ASF licenses this file
#  to you under the Apache License, Version 2.0 (the
#  "License"); you may not use this file except in compliance
#  with the License.  You may obtain a copy of the License at
#
#    http://www.apache.org/licenses/LICENSE-2.0
#
#  Unless required by applicable law or agreed to in writing,
#  software distributed under the License is distributed on an
#  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
#  KIND, either express or implied.  See the License for the
#  specific language governing permissions and limitations
#  under the License.
#
org.apache.groovy.json.DefaultFastStringServiceFactory
```

Found in path(s):
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/META-INF/services/org.apache.groovy.json.FastStringServiceFactory
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
```

* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharacterSource.java
*
 /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonBuilder.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Value.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Dates.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonDelegate.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/FastStringService.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharScanner.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/StringEscapeUtils.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Type.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueContainer.java
*
 /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/DefaultFastStringServiceFactory.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/StreamingJsonBuilder.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserCharArray.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/LazyMap.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ByteScanner.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueList.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/DefaultFastStringService.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueMapImpl.java
*
 /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonFastParser.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Exceptions.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonParserType.java

* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserLax.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueMap.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharBuf.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonToken.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Cache.java
*
 /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Sys.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonSlurper.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonStringDecoder.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonOutput.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonParser.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonTokenType.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonException.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonLexer.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/MapItemValue.java
*
 /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonSlurperClassic.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharSequenceValue.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ReaderCharacterSource.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserUsingCharacterSource.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/IO.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/SimpleCache.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/FastStringServiceFactory.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Chr.java
*
 /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CacheType.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/BaseJsonParser.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/FastStringUtils.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ArrayUtils.java

* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonGenerator.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/NumberValue.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/DefaultJsonGenerator.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/LazyValueMap.java

1.129 groovy-xml 3.0.9

1.129.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/package.html
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/package.html
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/package.html
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/dom/package.html
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/package.html
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information

* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/DoubleQuoteFilter.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/StandardControlToUndefined.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/FilteredAttributes.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlParserFactory.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/Builder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NodeChild.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/FilteredNodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/NamespaceBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/Attribute.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/org/apache/groovy/xml/tools/DomToGroovy.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NodeIterator.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NoChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/StandardXmlAttributeFilter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlSlurper.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/SurrogateToUndefined.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-

jar/groovy/xml/StreamingSAXBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/DOMBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/Node.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/FactorySupport.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/markupsupport/SingleQuoteFilter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/Namespace.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/Attribute.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/SAXBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/StaxBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NodeChild.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlUtil.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/Attributes.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/NamespaceBuilderSupport.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlNodePrinter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/NamespaceAwareHashMap.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/XmlSlurperFactory.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/markupsupport/StandardXmlFilter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/NodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlSlurper.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/GPathResult.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/ReplacementNode.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/streamingmarkupsupport/BaseMarkupBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlNodePrinter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NamespaceAwareHashMap.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/dom/DOMCategory.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/StreamingDOMBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NodeParents.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-

jar/groovy/xml/slurpersupport/FilteredAttributes.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlParser.java
*
 /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/NodeIterator.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlParser.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NodeParents.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/StreamingMarkupWriter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/NodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/MarkupBuilderHelper.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/GPathResult.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/ReplacementNode.java
*
 /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/MarkupBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/org/codehaus/groovy/tools/xml/DomToGroovy.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/FilteredNodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/Entity.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/AbstractStreamingBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/StreamingMarkupBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlUtil.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/org/apache/groovy/xml/extensions/XmlExtensions.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/NoChildren.java
*
 /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/Attributes.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/org/codehaus/groovy/runtime/XmlGroovyMethods.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/Node.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/AllControlToUndefined.java

1.130 groovy-nio 3.0.9

1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/codehaus/groovy/runtime/NioGroovyMethods.java
*
/opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/apache/groovy/nio/runtime/WritablePath.java
* /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/apache/groovy/nio/extensions/NioExtensions.java
* /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/codehaus/groovy/runtime/WritablePath.java

1.131 jersey-client 2.35

1.131.1 Available under license :

/*
* Copyright (c) 2012, 2019 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at

* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
 EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by

such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free

copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this

license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be

Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a

warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in

accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version
number of this License, you may choose any version ever published by the
Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the
author to ask for permission. For software which is copyrighted by the
Free Software Foundation, write to the Free Software Foundation; we
sometimes make exceptions for this. Our decision will be guided by the
two goals of preserving the free status of all derivatives of our free
software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE
ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH
YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL
NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR
DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED
INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF
THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR
OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.132 jersey-container-servlet 2.35

1.132.1 Available under license :

Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at

http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
/*
* Copyright (c) 2012, 2020 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity

that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes

the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of
such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS
AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General

Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.
And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means

either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program

is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in
full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not

distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the
author to ask for permission. For software which is copyrighted by the
Free Software Foundation, write to the Free Software Foundation; we
sometimes make exceptions for this. Our decision will be guided by the
two goals of preserving the free status of all derivatives of our free
software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE
ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH
YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL
NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR
DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED
INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF
THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR
OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.133 jersey-container-servlet-core 2.35

1.133.1 Available under license :

/*
* Copyright (c) 2012, 2018 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap

v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)

* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of
such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS
AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted,
and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular
circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is implemented
by public license practices. Many people have made generous
contributions to the wide range of software distributed through that
system in reliance on consistent application of that system; it is up to
the author/donor to decide if he or she is willing to distribute
software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be
a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License may
add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among countries
not thus excluded. In such case, this License incorporates the
limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new
versions of the General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software
Foundation. If the Program does not specify a version
number of this License, you may choose any version ever published by the
Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the
author to ask for permission. For software which is copyrighted by the
Free Software Foundation, write to the Free Software Foundation; we
sometimes make exceptions for this. Our decision will be guided by the
two goals of preserving the free status of all derivatives of our free
software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.134 jersey 2.35

1.134.1 Available under license :

Notice for Jersey Json Jackson module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Jackson JAX-RS Providers version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.
/*
* Copyright (c) 2012, 2019 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
* SPDX-License-Identifier: BSD-3-Clause
*/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0

* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey Core Common module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266
* License: Creative Commons 1.0 (CC0)
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0 which is available at
https://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey/examples

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google,
Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.9.9
* License:
Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm
Version 7.2
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Notice for Jersey Bean Validation module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed

source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice for Jersey Core Server module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
    `show w'. This is free software, and you are welcome to redistribute
    it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the
    program `Gnomovision' (which makes passes at compilers) written by
    James Hacker.

    signature of Ty Coon, 1 April 1989
    Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.135 jersey-common 2.35

1.135.1 Available under license :

Notice for Jersey Core Common module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266
* License: Creative Commons 1.0 (CC0)
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0
OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
*
Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
*

Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer,
Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in
a separate file or
files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the

responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and

modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to

distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible

for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    One line to give the program's name and a brief idea of what it does.
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This
program is distributed in the hope that it will be useful, but
    WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
    `show w'. This is free software, and you are welcome to redistribute
    it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the
    program `Gnomovision' (which makes passes at compilers) written by
    James Hacker.

    signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If
you do not wish to do so, delete this exception statement
from your version.

1.136 jersey-server 2.35

1.136.1 Available under license :

Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Notice for Jersey Core Server module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of

such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further

action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following

Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These

restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that

is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source

code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.137 ant 1.10.12

1.137.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
```

```
*
*     "Source" form shall mean the preferred form for making modifications,
*     including but not limited to software source code, documentation
*     source, and configuration files.
*
*     "Object" form shall mean any form resulting from mechanical
*     transformation or translation of a Source form, including but
*     not limited to compiled object code, generated documentation,
*     and conversions to other media types.
*
*     "Work" shall mean the work of authorship, whether in Source or
*     Object form, made available under the License, as indicated by a
*     copyright notice that is included in or attached to the work
*     (an example is provided in the Appendix below).
*
*     "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*     editorial revisions, annotations, elaborations, or other modifications
*     represent, as a whole, an original work of authorship. For the purposes
*     of this License, Derivative Works shall not include works that remain
*     separable from, or merely link (or bind by name) to the interfaces of,
*     the Work and Derivative Works thereof.
*
*     "Contribution" shall mean any work of authorship, including
*     the original version of the Work and any modifications or additions
*     to that Work or Derivative Works thereof, that is intentionally
*     submitted to Licensor for inclusion in the Work by the copyright owner
*     or by an individual or Legal Entity authorized to submit on behalf of
*     the copyright owner. For the purposes of this definition, "submitted"
*     means any form of electronic, verbal, or written communication sent
*     to the Licensor or its representatives,
    including but not limited to
*     communication on electronic mailing lists, source code control systems,
*     and issue tracking systems that are managed by, or on behalf of, the
*     Licensor for the purpose of discussing and improving the Work, but
*     excluding communication that is conspicuously marked or otherwise
*     designated in writing by the copyright owner as "Not a Contribution."
*
*     "Contributor" shall mean Licensor and any individual or Legal Entity
*     on behalf of whom a Contribution has been received by Licensor and
*     subsequently incorporated within the Work.
*
*   2. Grant of Copyright License. Subject to the terms and conditions of
*     this License, each Contributor hereby grants to You a perpetual,
*     worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*     copyright license to reproduce, prepare Derivative Works of,
*     publicly display, publicly perform, sublicense, and distribute the
```

```
*
    Work and such Derivative Works in Source or Object form.
*
*   3. Grant of Patent License. Subject to the terms and conditions of
*    this License, each Contributor hereby grants to You a perpetual,
*    worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*    (except as stated in this section) patent license to make, have made,
*    use, offer to sell, sell, import, and otherwise transfer the Work,
*    where such license applies only to those patent claims licensable
*    by such Contributor that are necessarily infringed by their
*    Contribution(s) alone or by combination of their Contribution(s)
*    with the Work to which such Contribution(s) was submitted. If You
*    institute patent litigation against any entity (including a
*    cross-claim or counterclaim in a lawsuit) alleging that the Work
*    or a Contribution incorporated within the Work constitutes direct
*    or contributory patent infringement, then any patent licenses
 *    granted to You under this License for that Work shall terminate
*    as of the date such litigation is filed.
*
*   4. Redistribution. You may reproduce and distribute copies of the
*    Work or Derivative Works thereof in any medium, with or without
*    modifications, and in Source or Object form, provided that You
*    meet the following conditions:
*
*    (a) You must give any other recipients of the Work or
*        Derivative Works a copy of this License; and
*
*    (b) You must cause any modified files to carry prominent notices
*        stating that You changed the files; and
*
*    (c) You must retain, in the Source form of any Derivative Works
*        that You distribute, all copyright, patent, trademark, and
*        attribution notices from the Source form of the Work,
*        excluding those notices that do not pertain to any part of
*        the Derivative Works; and
*
*    (d) If the Work includes a "NOTICE"
 text file as part of its
*        distribution, then any Derivative Works that You distribute must
*        include a readable copy of the attribution notices contained
*        within such NOTICE file, excluding those notices that do not
*        pertain to any part of the Derivative Works, in at least one
*        of the following places: within a NOTICE text file distributed
*        as part of the Derivative Works; within the Source form or
*        documentation, if provided along with the Derivative Works; or,
*        within a display generated by the Derivative Works, if and
*        wherever such third-party notices normally appear. The contents
*        of the NOTICE file are for informational purposes only and
```

```
*       do not modify the License. You may add Your own attribution
*       notices within Derivative Works that You distribute, alongside
*       or as an addendum to the NOTICE text from the Work, provided
*       that
 such additional attribution notices cannot be construed
*       as modifying the License.
*
*     You may add Your own copyright statement to Your modifications and
*     may provide additional or different license terms and conditions
*     for use, reproduction, or distribution of Your modifications, or
*     for any such Derivative Works as a whole, provided Your use,
*     reproduction, and distribution of the Work otherwise complies with
*     the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*     any Contribution intentionally submitted for inclusion in the Work
*     by You to the Licensor shall be under the terms and conditions of
*     this License, without any additional terms or conditions.
*     Notwithstanding the above, nothing herein shall supersede or modify
*     the terms of any separate license agreement you may have executed
*     with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*     names, trademarks, service marks, or product names of the Licensor,
*     except as required for reasonable and customary use in describing the
*     origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*     agreed to in writing, Licensor provides the Work (and each
*     Contributor provides its Contributions) on an "AS IS" BASIS,
*     WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*     implied, including, without limitation, any warranties or conditions
*     of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*     PARTICULAR PURPOSE. You are solely responsible for determining the
*     appropriateness of using or redistributing the Work and assume any
*     risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*     whether in tort (including negligence), contract, or otherwise,
*     unless required by applicable law (such as deliberate and grossly
*     negligent acts) or agreed to in writing, shall any Contributor be
*     liable to You for damages, including any direct, indirect, special,
*     incidental, or consequential damages of any character arising as a
*     result of this License or out of the use or inability to use the
*     Work (including but not limited to damages for loss of goodwill,
*     work stoppage, computer failure or malfunction, or any and all
*     other commercial damages or losses), even if such Contributor
```

```
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       https://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE
https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders
```

under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you
provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version
removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about

this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.138 jersey-media-multipart 2.35

1.138.1 Available under license :

Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations,

interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party

patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the

Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to

defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely

to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have

their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type

`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.139 jersey-entity-filtering 2.35

1.139.1 Available under license :

Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
 EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities

with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to

share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice

that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the

program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software
Foundation. If the Program does not specify a version
number of this License, you may choose any version ever published by the
Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the
author to ask for permission. For software which is copyrighted by the
Free Software Foundation, write to the Free Software Foundation; we
sometimes make exceptions for this. Our decision will be guided by the
two goals of preserving the free status of all derivatives of our free
software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE
ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH
YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL
NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR
DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL
DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED
INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF
THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR
OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the

"copyright" line and a pointer to where the full notice is found.

    One line to give the program's name and a brief idea of what it does.
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This
program is distributed in the hope that it will be useful, but
    WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
    `show w'. This is free software, and you are welcome to redistribute
    it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the
    program `Gnomovision' (which makes passes at compilers) written by
    James Hacker.

    signature of Ty Coon, 1 April 1989
    Ty Coon, President of Vice

This General Public License does not permit incorporating your program

into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.140 jersey-apache-connector 2.35

1.140.1 Available under license :

Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms

of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
    `show w'. This is free software, and you are welcome to redistribute
    it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the
    program `Gnomovision' (which makes passes at compilers) written by
    James Hacker.

    signature of Ty Coon, 1 April 1989
    Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.141 jersey-media-json-jackson 2.35

1.141.1 Available under license :

Notice for Jersey Json Jackson module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Jackson JAX-RS Providers version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

/*
* Copyright (c) 2012, 2020 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
 EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap
v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license

* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
*
Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 8.0
* License: Modified BSD (http://asm.objectweb.org/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from
and are Distributed by that particular Contributor. A Contribution
"originates" from a Contributor if it was added to the Program by
such Contributor itself or anyone acting on such Contributor's behalf.
Contributions do not include changes or additions to the Program that
are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which
are necessarily infringed by the use or sale of its Contribution alone
or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this
Agreement.

"Recipient" means anyone who receives the Program under this Agreement
or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other
form, that is based on (or derived from) the Program and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that
results from an addition to, deletion from, or modification of the
contents of the Program, including, for purposes of clarity any new file
in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations,
interfaces, types, classes, structures, or files of the Program solely
in each case in order to link to, bind by name, or subclass the Program
or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available
in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making
modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes
the Program in a commercial product
offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of
such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS

AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software
or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your cost
of
physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to
distribute corresponding source code. (This alternative is allowed
only for noncommercial distribution and only if you received the
program in object code or executable form with such an offer, in
accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source code
means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to control
compilation and installation of the executable. However, as a special
exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies the
executable.

If distribution of executable or object code is made by offering access
to copy from a designated place, then offering equivalent access to copy
the source code from the same place counts as distribution of the source
code, even though third parties are not compelled to copy the source
along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt otherwise
to copy, modify, sublicense or distribute the Program is void, and will
automatically terminate your rights under this License. However, parties
who have received copies, or rights, from you under this License will
not have
their licenses terminated so long as such parties remain in
full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and all
its terms and conditions for copying, distributing or modifying the

Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the

limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF

TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.142 jackson 2.15.0

1.142.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.143 jna 5.10.0

1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.

*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/DoubleByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ShortByReference.java
*
 /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FunctionResultContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/TypeMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCallLibrary.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/FloatByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/WString.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/win32/W32APITypeMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FromNativeContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StructureReadContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/LongByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/TypeConverter.java
*
 /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/AltCallingConvention.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/win32/StdCallFunctionMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ByteByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/ptr/NativeLongByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Callback.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/CallbackParameterContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/NativeMappedConverter.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCall.java
*
 /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/win32/W32APIFunctionMapper.java

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/IntByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/PointerType.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FunctionMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/PointerByReference.java
No license file was found, but licenses were detected in source scan.

/*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Function.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Pointer.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/W32APIOptions.java
*
 /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeString.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/InvocationMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackResultContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Memory.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/WeakMemoryHolder.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Platform.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/VarArgsChecker.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Library.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/JNIEnv.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved
* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved
*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeLibrary.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2009 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/LastErrorException.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2011 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/CallbackThreadInitializer.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2015 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*

* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Native.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2017 Matthias Bläsing, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ELFAnalyser.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2012 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Union.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Version.java
No license file was found, but licenses were detected in source scan.

Type mapping behavior may be customized by providing a {@link com.sun.jna.TypeMapper} for the {@link com.sun.jna.Library#OPTION_TYPE_MAPPER} option when initializing a library interface. See {@link com.sun.jna.win32.W32APITypeMapper} for an example which provides custom conversion of boolean and String types. You are free to use whatever types are convenient in your defined interfaces, but all custom types must provide a mapping to one of the basic or derived types listed above.

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/overview.html
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2012 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/DLLCallback.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Structure.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackReference.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StringArray.java
No license file was found, but licenses were detected in source scan.

Copyright (c) 2007 Timothy Wall, All Rights Reserved

The contents of this file is dual
licensed under 2
alternative Open Source/Free licenses: LGPL 2.1 or later and
Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to
the project.

You may obtain a copy of the LGPL License at:

http://www.gnu.org/licenses/licenses.html

A copy is also included in the downloadable source code package
containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

http://www.apache.org/licenses/

A copy is also included in the downloadable source code package
containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/package.html
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/package.html
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/internal/package.html
*
 /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/package.html
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/MethodResultContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/DefaultTypeMapper.java
*
 /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StructureWriteContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FromNativeConverter.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeMapped.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/IntegerType.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeLong.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackProxy.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/FunctionParameterContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/MethodParameterContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ToNativeContext.java
No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2018 Matthias Bläsing
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Klass.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2007 Wayne Meissner, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
```

*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ToNativeConverter.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2019 Matthias Bläsing, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/internal/ReflectionUtils.java

1.144 ant-launcher 1.10.12

1.144.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software

Foundation.

```
/*
*                                Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
*      transformation or translation of a Source form, including but
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any work, whether in Source or Object
*
    form, that is based on (or derived from) the Work and for which the
*      editorial revisions, annotations, elaborations, or other modifications
*      represent, as a whole, an original work of authorship. For the purposes
*      of this License, Derivative Works shall not include works that remain
```

```
*      separable from, or merely link (or bind by name) to the interfaces of,
*      the Work and Derivative Works thereof.
*
*      "Contribution" shall mean any work of authorship, including
*      the original version of the Work and any modifications or additions
*      to that Work or Derivative Works thereof, that is intentionally
*      submitted to Licensor for inclusion in the Work by the copyright owner
*      or by an individual or Legal Entity authorized to submit on behalf of
*      the copyright owner. For the purposes of this definition, "submitted"
*      means any form of electronic, verbal, or written communication sent
*      to the Licensor or its representatives,
 including but not limited to
*      communication on electronic mailing lists, source code control systems,
*      and issue tracking systems that are managed by, or on behalf of, the
*      Licensor for the purpose of discussing and improving the Work, but
*      excluding communication that is conspicuously marked or otherwise
*      designated in writing by the copyright owner as "Not a Contribution."
*
*      "Contributor" shall mean Licensor and any individual or Legal Entity
*      on behalf of whom a Contribution has been received by Licensor and
*      subsequently incorporated within the Work.
*
*    2. Grant of Copyright License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      copyright license to reproduce, prepare Derivative Works of,
*      publicly display, publicly perform, sublicense, and distribute the
*
       Work and such Derivative Works in Source or Object form.
*
*    3. Grant of Patent License. Subject to the terms and conditions of
*      this License, each Contributor hereby grants to You a perpetual,
*      worldwide, non-exclusive, no-charge, royalty-free, irrevocable
*      (except as stated in this section) patent license to make, have made,
*      use, offer to sell, sell, import, and otherwise transfer the Work,
*      where such license applies only to those patent claims licensable
*      by such Contributor that are necessarily infringed by their
*      Contribution(s) alone or by combination of their Contribution(s)
*      with the Work to which such Contribution(s) was submitted. If You
*      institute patent litigation against any entity (including a
*      cross-claim or counterclaim in a lawsuit) alleging that the Work
*      or a Contribution incorporated within the Work constitutes direct
*      or contributory patent infringement, then any patent licenses
 *      granted to You under this License for that Work shall terminate
*      as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*      Work or Derivative Works thereof in any medium, with or without
```

```
*      modifications, and in Source or Object form, provided that You
*      meet the following conditions:
*
*      (a) You must give any other recipients of the Work or
*          Derivative Works a copy of this License; and
*
*      (b) You must cause any modified files to carry prominent notices
*          stating that You changed the files; and
*
*      (c) You must retain, in the Source form of any Derivative Works
*          that You distribute, all copyright, patent, trademark, and
*          attribution notices from the Source form of the Work,
*          excluding those notices that do not pertain to any part of
*          the Derivative Works; and
*
*      (d) If the Work includes a "NOTICE"
 text file as part of its
*          distribution, then any Derivative Works that You distribute must
*          include a readable copy of the attribution notices contained
*          within such NOTICE file, excluding those notices that do not
*          pertain to any part of the Derivative Works, in at least one
*          of the following places: within a NOTICE text file distributed
*          as part of the Derivative Works; within the Source form or
*          documentation, if provided along with the Derivative Works; or,
*          within a display generated by the Derivative Works, if and
*          wherever such third-party notices normally appear. The contents
*          of the NOTICE file are for informational purposes only and
*          do not modify the License. You may add Your own attribution
*          notices within Derivative Works that You distribute, alongside
*          or as an addendum to the NOTICE text from the Work, provided
*          that
 such additional attribution notices cannot be construed
*          as modifying the License.
*
*      You may add Your own copyright statement to Your modifications and
*      may provide additional or different license terms and conditions
*      for use, reproduction, or distribution of Your modifications, or
*      for any such Derivative Works as a whole, provided Your use,
*      reproduction, and distribution of the Work otherwise complies with
*      the conditions stated in this License.
*
*    5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
```

```
 *
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
```

```
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       https://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

W3C SOFTWARE NOTICE AND LICENSE
https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders
 under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date
   changes were made. (We recommend you
provide URIs to the location from
   which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version
removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.145 javassist 3.28.0-GA

1.145.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/LongMemberValue.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ShortMemberValue.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-

jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ArrayMemberValue.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/EnclosingMethodAttribute.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/Transformer.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LineNumberAttribute.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/SyntaxError.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ClassFilePrinter.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtBehavior.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtMember.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/CompileError.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Frame.java
*

/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CannotCompileException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/SecurityActions.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/DuplicateMemberException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/MultiArrayType.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Metaobject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Handler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/MultiType.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Cflow.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtArray.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SyntheticAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Symbol.java
*

/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Desc.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Util.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotInvokeException.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Loader.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/DefineClassHelper.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Translator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewWrappedMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/CastExpr.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-

jar/javassist/bytecode/analysis/Subroutine.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/MethodInfo.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/DeprecatedAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Parser.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/NewArray.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/framedump.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/Callback.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/StringL.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-

jar/javassist/util/proxy/ProxyFactory.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ASTList.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Stmnt.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/SerialVersionUID.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Modifier.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/Proxy.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformAccessArrayField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ASTree.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/ConstructorCall.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/FieldDecl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationImpl.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Cast.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/DefinePackageHelper.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/NestMembersAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/MethodFilter.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtClassType.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Type.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/LoaderClassPath.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CodeConverter.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Expr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/SerializedProxy.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/Dump.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/URLClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Visitor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LongVector.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/RemoteRef.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/FieldInfo.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/NotFoundException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/NewExpr.java
*
 /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Mnemonic.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/RuntimeSupport.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Loader.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtPrimitiveType.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/SubroutineScanner.java

1.146 javax-el 3.0.0

1.146.1 Available under license :

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject to such option by the copyright
* holder.
*
*
* This file incorporates
work covered by the following copyright and
* permission notice:
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is

addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works
in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.147 argparse 0.8.1

1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 Tatsuhiro Tsujikawa
*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Andrew January
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES

OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/TerminalWidth.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 Adam Parkin
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/HelpScreenException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Tatsuhiro Tsujikawa
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/inf/MetavarInference.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Tatsuhiro Tsujikawa
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM,
 DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/PrefixPattern.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/SubparserImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java
*
 /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Subparsers.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/annotation/Arg.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java
*
 /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Namespace.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/FeatureControl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java
*
 /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/FileVerification.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Subparser.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/ReflectHelper.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ParseState.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/TextHelper.java
*
 /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/ArgumentParsers.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Argument.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/Arguments.java
*
/opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentParser.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Tatsuhiro Tsujikawa
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM,
 DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

1.148 jetty-setuid-java 1.0.4

1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.

Found in path(s):
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDListener.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDServer.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-

jar/org/eclipse/jetty/setuid/SetUID.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Group.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/RLimit.java
*
/opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Passwd.java

1.149 profiler 1.1.1

1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*!
* jQuery JavaScript Library v1.6.2
* http://jquery.com/
*
* Copyright 2011, John Resig
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* Includes Sizzle.js
* http://sizzlejs.com/
* Copyright 2011, The Dojo Foundation
* Released under the MIT, BSD, and GPL Licenses.
*
* Date: Thu Jun 30 14:16:56 2011 -0400
*/
```

Found in path(s):
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/jquery-1.6.2.min.js
No license file was found, but licenses were detected in source scan.

```
/*
* jQuery Templates Plugin 1.0.0pre
* http://github.com/jquery/jquery-tmpl
* Requires jQuery 1.4.2
*
* Copyright Software Freedom Conservancy, Inc.
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*/
```

Found in path(s):
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-

jar/ca/jimr/gae/profiler/resources/jquery.tmpl.min.js
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2011 by Jim Riecken
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
 OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/com/google/appengine/tools/appstats/MiniProfilerAppstats.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfiler.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerFilter.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/MiniProfilerResourceLoader.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerServlet.java

1.150 jackson-module-afterburner 2.10.5

1.150.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported

commercially by FasterXML.com.

Licensing

Jackson core and extension components (as well their dependencies) may be licensed under
different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation
 and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

1.151 hppc 0.8.1

1.151.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2010-2013, Carrot Search s.c., Boznicza 11/56, Poznan, Poland

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the
License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

ACKNOWLEDGEMENT
==========

HPPC borrowed code, ideas or both from:

* Apache Lucene, http://lucene.apache.org/
(Apache license)
* Fastutil, http://fastutil.di.unimi.it/
(Apache license)
* Koloboke, https://github.com/OpenHFT/Koloboke
(Apache license)

1.152 mchange-commons-java 0.2.15

1.152.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html'
Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims
or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor’s responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor
to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html'

```
/*
* Distributed as part of mchange-commons-java 0.2.11
*
* Copyright (C) 2015 Machinery For Change, Inc.
*
* Author: Steve Waldman <swaldman@mchange.com>
*
* This library is free software; you can redistribute it and/or modify
* it under the terms of EITHER:
*
*     1) The GNU Lesser General Public License (LGPL), version 2.1, as
*        published by the Free Software Foundation
*
* OR
*
*     2) The Eclipse Public License (EPL), version 1.0
*
* You may choose which license to accept if you wish to redistribute
* or modify this work. You may offer derivatives of this work
* under the license you have chosen, or you may provide the same
* choice of license which you have been offered here.
*
* This software is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
*
* You should have received copies of both LGPL v2.1 and EPL v1.0
* along with this
 software; see the files LICENSE-EPL and LICENSE-LGPL.
* If not, the text of these licenses are currently available at
*
* LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html
*  EPL v1.0: http://www.eclipse.org/org/documents/epl-v10.php
*
*/
```

1.153 txw2 20110809

1.153.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // This class is in the Public Domain. NO WARRANTY! * Public Domain, and comes with NO WARRANTY.'
Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain.'
Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'
Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1
1. Definitions.

1.1. "Contributor" means each individual or entity that creates or
contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original
Software, prior Modifications used by a Contributor (if any), and
the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b)
Modifications, or (c) the combination of files containing Original
Software with files containing Modifications, in each case including
portions thereof.

1.4. "Executable" means the Covered Software in any form other than
Source Code.

1.5. "Initial Developer" means the individual or entity that first
makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or
portions thereof with code not governed by the terms of this License.

1.7. "License" means this
document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive

license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available
in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You
may not
remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in

Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it
from being distributed or otherwise made available
under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR

LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to

work with Initial Developer and Contributors to distribute such
responsibility on an equitable basis. Nothing herein is intended or
shall be deemed to constitute any admission of liability.
NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
The code released under the CDDL shall be governed by the laws of the
State of California (excluding conflict-of-law provisions). Any
litigation relating to this License shall be subject to the jurisdiction
of the Federal Courts of the Northern District of California and the
state courts of the State of California, with venue lying in Santa Clara
County, California.
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright

* holder.
*/

1.154 metrics-jmx 4.1.29

1.154.1 Available under license :

Apache-2.0

1.155 reflections 0.9.10

1.155.1 Available under license :

WTFPL OR BSD-3-Clause

1.156 jakarta-el 3.0.4

1.156.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall

apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including

warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified

Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing
of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN
THIS AGREEMENT, AND TO THE EXTENT
PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel

or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.
And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed
at all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term

"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you

could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted
in
certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the

Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show
w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU
Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

* Project home: https://projects.eclipse.org/projects/ee4j.el

Trademarks

Jakarta Expression Language is a trademark of the Eclipse
Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/el-ri

Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently
may have restrictions on the import, possession, and use, and/or re-export to
another country, of encryption software. BEFORE using any encryption software,
please check the country's laws, regulations and policies concerning the import,
possession, or use, and re-export of encryption software, to see if this is
permitted.

1.157 jpowershell 2.0

1.157.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/jpowershell.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2018 Javier Garcia Alonso.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellNotAvailableException.java
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellCommandProcessor.java
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellResponse.java
*
 /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShell.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellCodepage.java
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/OSDetector.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/META-INF/maven/com.profesorfalken/jPowerShell/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2018 Javier Garcia Alonso.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellConfig.java

1.158 groovy-test 3.0.9

1.158.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
   or more contributor license agreements. See the NOTICE file
   distributed with this work for additional information
   regarding copyright ownership. The ASF licenses this file
   to you under the Apache License, Version 2.0 (the
   "License"); you may not use this file except in compliance
   with the License. You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE
2.0

   Unless required by applicable law or agreed to in writing,
   software distributed under the License is distributed on an
   "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
   KIND, either express or implied. See the License for the
   specific language governing permissions and limitations
   under the License.

Found in path(s):
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/package.html
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file

```
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/NotYetImplemented.java
*
 /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/lang/GroovyLogTestCase.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyShellTestCase.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyAssert.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/transform/NotYetImplementedLegacyASTTransformation.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/Demand.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/JavadocAssertionTestBuilder.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyTestSuite.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/AllTestSuite.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/JavadocAssertionTestSuite.groovy
*
 /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/ScriptTestAdapter.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyTestCase.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/StringTestUtil.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/AllTestSuite.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/JavadocAssertionTestSuite.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyLogTestCase.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/Ignore.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-

jar/groovy/transform/NotYetImplemented.java
*
/opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockProxyMetaClass.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyTestCase.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/StringTestUtil.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockFor.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/LooseExpectation.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/StubFor.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyTestSuite.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/StrictExpectation.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyShellTestCase.groovy
*
/opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyAssert.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/JavadocAssertionTestBuilder.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/codehaus/groovy/runtime/ScriptTestAdapter.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockInterceptor.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/transform/NotYetImplementedASTTransformation.java

1.159 groovy-datetime 3.0.9

1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1268277769_1644386391.06/0/groovy-datetime-3-0-9-sources-jar/org/apache/groovy/datetime/extensions/DateTimeExtensions.java
*
/opt/cola/permits/1268277769_1644386391.06/0/groovy-datetime-3-0-9-sources-jar/org/apache/groovy/datetime/extensions/DateTimeStaticExtensions.java

1.160 ant-antlr 1.10.11

1.160.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.
/*
* Apache License
* Version 2.0, January 2004
* http://www.apache.org/licenses/
*
* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
* 1. Definitions.
*
* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*
* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
*

outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
*
 form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives,
 including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*
* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*
* 2. Grant of Copyright License. Subject to the terms and conditions of

* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
*
Work and such Derivative Works in Source or Object form.
*
* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*
* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*
* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*
* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and
*
* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*
* (d) If the Work includes a "NOTICE"
text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or

```
*         documentation, if provided along with the Derivative Works; or,
*         within a display generated by the Derivative Works, if and
*         wherever such third-party notices normally appear. The contents
*         of the NOTICE file are for informational purposes only and
*         do not modify the License. You may add Your own attribution
*         notices within Derivative Works that You distribute, alongside
*         or as an addendum to the NOTICE text from the Work, provided
*         that
 such additional attribution notices cannot be construed
*         as modifying the License.
*
*      You may add Your own copyright statement to Your modifications and
*      may provide additional or different license terms and conditions
*      for use, reproduction, or distribution of Your modifications, or
*      for any such Derivative Works as a whole, provided Your use,
*      reproduction, and distribution of the Work otherwise complies with
*      the conditions stated in this License.
*
*   5. Submission of Contributions. Unless You explicitly state otherwise,
*      any Contribution intentionally submitted for inclusion in the Work
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
```

* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*
* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other
 liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*
* END OF TERMS AND CONDITIONS
*
* APPENDIX: How to apply the Apache License to your work.
*
* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose
 be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE

https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free

Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.161 jhardware 0.8.6

1.161.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/NetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-

jar/org/jutils/jhardware/util/DirectXInfoLoader.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/NetworkInterfaceInfo.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/os/windows/WindowsOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/display/AbstractDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/processor/windows/WindowsProcessorInfo.java
*
/opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/DisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/HardwareInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/MotherboardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/bios/windows/WindowsBiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/bios/unix/UnixBiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/motherboard/AbstractMotherboardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/HardwareFactory.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/processor/unix/UnixProcessorInfo.java
*
/opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/network/windows/WindowsNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/MemoryInfo.java

* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/motherboard/unix/UnixMotherboardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/util/HardwareInfoUtils.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/bios/AbstractBiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/InfoType.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/ProcessorInfo.java
*
 /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/memory/unix/UnixMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/ComponentInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/util/OSDetector.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/processor/AbstractProcessorInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/HardwareInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/display/windows/WindowsDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/os/unix/UnixOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/OSInfo.java
*
 /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/network/AbstractNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/BiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/network/unix/UnixNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/os/AbstractOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/display/unix/UnixDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/memory/windows/WindowsMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/memory/AbstractMemoryInfo.java
*
 /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/motherboard/windows/WindowsMotherboardInfo.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 Javier Garcia Alonso.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/unix/UnixGraphicsCardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/AbstractGraphicsCardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/windows/WindowsGraphicsCardInfo.java
*
 /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/util/TemperatureUtils.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/GraphicsCardInfo.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/META-INF/maven/org.jhardware/jHardware/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 javier.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/GraphicsCard.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/Display.java

1.162 groovy-sql 3.0.9

1.162.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/Sql.java
*
 /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSetProxy.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ResultSetMetaDataWrapper.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/BatchingPreparedStatementWrapper.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/InOutParameter.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/InParameter.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlWhereVisitor.java

* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlWithParams.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/org/apache/groovy/sql/extensions/SqlExtensions.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSetExtension.java
*
/opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/CallResultSet.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlOrderByVisitor.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/DataSet.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSet.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ExtractIndexAndSql.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ResultSetOutParameter.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/BatchingStatementWrapper.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/OutParameter.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyRowResult.java
*
/opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ExpandedVariable.java
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/package.html

1.163 groovy-docgenerator 3.0.9

1.163.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.index-all.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/overview-summary.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.package-summary.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.class.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.overview-frame.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/index.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.allclasses-frame.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.package-frame.html
No license file was found, but licenses were detected in source scan.

/*! normalize.css v2.1.0 | MIT License | git.io/normalize */

Found in path(s):
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/stylesheet.css
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/DocGenerator.groovy
No license file was found, but licenses were detected in source scan.

```
#  to you under the Apache License, Version 2.0 (the
#  "License"); you may not use this file except in compliance
#  with the License.  You may obtain a copy of the License at
#    http://www.apache.org/licenses/LICENSE-2.0
#  software distributed under the License is distributed on an
```

Found in path(s):
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/DocGenerator.properties

1.164 groovy-groovydoc 3.0.9

1.164.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Licensed to the Apache Software Foundation (ASF) under one
   or more contributor license agreements.  See the NOTICE file
   distributed with this work for additional information
   regarding copyright ownership.  The ASF licenses this file
   to you under the Apache License, Version 2.0 (the
   "License"); you may not use this file except in compliance
   with the License.  You may obtain a copy of the License at
```

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/allclasses-frame.html
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/packageDocStructuredData.xml
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/deprecated-list.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/classLevel/classDocName.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/index-all.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/overview-frame.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/classLevel/classDocStructuredData.xml
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/help-doc.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/package-summary.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/package.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/package.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/package-frame.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/rootDocStructuredData.xml
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/overview-summary.html
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/index.html
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one

```
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyRootDoc.java
*
 /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyExecutableMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocParserI.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyClassDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/FileSystemResourceManager.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/antlr4/GroovyDocParser.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ClasspathResourceManager.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/apache/groovy/antlr/GroovydocVisitor.java
*
 /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyProgramElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ArrayClassDocWrapper.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyTag.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyParameter.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/antlr4/GroovydocJavaVisitor.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyDocErrorReporter.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyPackageDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyAbstractableElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyConstructorDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/FileOutputTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyFieldDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyProgramElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyClassDocAssembler.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyType.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyExecutableMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyMethodDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocParser.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/OutputTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/GroovyDocTemplateInfo.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyAnnotationRef.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyPackageDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyMethodDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ResourceManager.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/Main.groovy
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-

jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyParameter.java
*
 /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyClassDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyRootDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyAnnotationRef.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyRootDocBuilder.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyType.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/LinkArgument.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/apache/groovy/groovydoc/tools/GroovyDocUtil.java
*
 /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyConstructorDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/ExternalGroovyClassDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/MockOutputTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyDocWriter.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyTag.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyFieldDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyDocTemplateEngine.java
*
 /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyDoc.java
No license file was found, but licenses were detected in source scan.

to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
software distributed under the License is distributed on an

Found in path(s):
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/Main.properties
No license file was found, but licenses were detected in source scan.

/*! normalize.css v2.1.0 | MIT License | git.io/normalize */

Found in path(s):
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/stylesheet.css

1.165 groovy-swing 3.0.9

1.165.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/package.html
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/package.html
No license file was found, but licenses were detected in source scan.

/*

```
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JListProperties.groovy
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/ClosureSourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BindFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/table/TableSorter.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/RootPaneContainerFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/TableLayoutCell.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BoxFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JTableProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ComponentFactory.groovy
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/AbstractButtonProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/SwingBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TableModelFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ImageIconFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
```

jar/groovy/swing/binding/JComboBoxProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JScrollBarProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindingProxy.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/WidgetFactory.groovy
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/SplitPaneFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BindProxyFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/runtime/SwingGroovyMethods.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JTableMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JComponentProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/inspect/swingui/TableSorter.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/LookAndFeelHelper.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/AbstractSyntheticBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/inspect/swingui/TableMap.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ValueHolder.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TableFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/NestedValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ColumnFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/ClosureTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/ListWrapperListModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JComboBoxMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/FormModel.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TabbedPaneFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BeanFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/MutualPropertyBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/DefaultAction.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/DefaultTableColumn.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/PropertyModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/EventTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/RendererFactory.groovy
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/BindingProxy.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/MutualPropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/SwingTimerTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/RichActionWidgetFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ActionFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BindGroupFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/PropertyPathFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ButtonGroupFactory.groovy
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/AggregateBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/ClosureRenderer.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/EtchedBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JTextComponentProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/PropertyModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/MatteBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/PropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/ClosureTriggerBinding.java
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/SwingTimerTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-

jar/org/codehaus/groovy/binding/ClosureSourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/TriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/TableLayout.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/BindingUpdatable.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/CompoundBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JSpinnerProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/DialogFactory.groovy
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/AbstractSyntheticMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ScrollPaneFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/PropertyChangeProxyTargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/EmptyBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/SeparatorFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/PropertyPathFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/TriggerBinding.java
*
 /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/TableLayoutRow.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/ClosureModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/LayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/DefaultTableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/SwingBuilder.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ListFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/PropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TextArgWidgetFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/TargetBinding.java
*

/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/CollectionFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/ValueHolder.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/SourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BoxLayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BevelBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/PropertyChangeProxyTargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/WindowFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JSliderProperties.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/FrameFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/TargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/CellEditorFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ClosureModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/GridBagFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/extensions/SwingExtensions.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/LineBorderFactory.groovy
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindPath.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindingUpdatable.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ColumnModelFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/ClosureCellEditor.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TableLayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/NestedValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/InternalFrameFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-

jar/org/codehaus/groovy/binding/FullBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/SourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/EventTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/FormattedTextFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JListMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/table/TableMap.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/FormModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/ValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/FullBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TitledBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/DefaultTableColumn.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/MapFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/AbstractFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/BindPath.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/DefaultTableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ComboBoxFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/AbstractFullBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/AggregateBinding.java

1.166 junit-platform-launcher 1.7.2

1.166.1 Available under license :

Eclipse Public License - v 2.0
==========

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM

CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. Definitions

Contribution means:
* **a)** in the case of the initial Contributor, the initial content Distributed under this Agreement, and
* **b)** in the case of each subsequent Contributor:
 * **i)** changes to the Program, and
 * **ii)** additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent
 claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,
 structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **a)** distributing or **b)** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. Grant of Rights

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive,

worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###
3. Requirements

3.1 If a Contributor Distributes the Program in any form, then:

* **a)** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

* **b)** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
 * **i)** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 * **ii)** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 * **iii)** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 * **iv)** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

* **a)** it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
* **b)** a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)
contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such
Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial
Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable

laws, damage to or loss of data, programs or equipment, and unavailability or
interruption of operations.

6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If
Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,
but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property
of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory)
 where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
Open Source Licenses
==========

This product may include a number of subcomponents with separate
copyright notices and license terms. Your use of the source code for
these subcomponents is subject to the terms and conditions of the
subcomponent's license, as noted in the LICENSE-<subcomponent>.md
files.

1.167 groovy-dateutil 3.0.9

1.167.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1268275752_1644386843.29/0/groovy-dateutil-3-0-9-sources-jar/org/apache/groovy/dateutil/extensions/DateUtilExtensions.java
*
/opt/cola/permits/1268275752_1644386843.29/0/groovy-dateutil-3-0-9-sources-jar/org/apache/groovy/dateutil/extensions/DateUtilStaticExtensions.java

1.168 wmi4java 1.6.2

1.168.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1268277887_1675380984.923864/0/wmi4java-1-6-2-jar/META-INF/maven/com.profesorfalken/WMI4Java/pom.xml

1.169 qdox 1.12.1

1.169.1 Available under license :

Apache-2.0

1.170 auto-common 0.10

1.170.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/AnnotationMirrors.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/BasicAnnotationProcessor.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/AnnotationValues.java
*
/opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/MoreTypes.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/SuperficialValidation.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/Visibility.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/Overrides.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/GeneratedAnnotations.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/GeneratedAnnotationSpecs.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/SimpleTypeAnnotationValue.java
*
 /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/SimpleAnnotationMirror.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 Google, Inc.
* Copyright (C) 2013 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/MoreElements.java

1.171 c3p0 0.9.5.4

1.171.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1:

http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html'
Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL

DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor’s responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or

enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html'
/*
* Distributed as part of c3p0 v.0.9.5.3
*
* Copyright (C) 2018 Machinery For Change, Inc.
*
* Author: Steve Waldman <swaldman@mchange.com>
*
* This library is free software; you can redistribute it and/or modify
* it under the terms of EITHER:
*

```
*     1) The GNU Lesser General Public License (LGPL), version 2.1, as
*       published by the Free Software Foundation
*
* OR
*
*     2) The Eclipse Public License (EPL), version 1.0
*
* You may choose which license to accept if you wish to redistribute
* or modify this work. You may offer derivatives of this work
* under the license you have chosen, or you may provide the same
* choice of license which you have been offered here.
*
* This software is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
*
* You should have received copies of both LGPL v2.1 and EPL v1.0
* along with this software; see
 the files LICENSE-EPL and LICENSE-LGPL.
* If not, the text of these licenses are currently available at
*
* LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html
*  EPL v1.0: http://www.eclipse.org/org/documents/epl-v10.php
*
*/
```

1.172 logback-access 1.2.11

1.172.1 Available under license :

```
/**
* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
*   or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/
```

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT’S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor’s behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,

each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering,

such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient’s rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient’s rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient’s rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient’s obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'
Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2013, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'
Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'
Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2013, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.173 logback-core 1.2.11

1.173.1 Available under license :

Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT’S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor’s behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL

DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor’s responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or

enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'
Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.174 metrics-annotation 4.2.9

1.174.1 Available under license :

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of
the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.175 javaip 0.17

1.175.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Java IPv6
Copyright 2013 Jan Van Besien

1.176 metrics 4.2.9

1.176.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics
Build-Jdk-Spec: 11
Bundle-Description: Metrics is a Java library which gives you unparall
eled insight into what your code does in production. Metrics p
rovides a powerful toolkit of ways to measure the behavior of critica
l components in your production environment.
Bundle-License: https://www.apache.org/licenses/LICENSE-2.0.html
Bundle-ManifestVersion: 2
Bundle-Name: Metrics Core
Bundle-SymbolicName: io.dropwizard.metrics.core
Bundle-Version: 4.2.9
Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics;uses:="org.slf4j";version="4.2.9"
Implementation-Title: Metrics Core
Implementation-Version: 4.2.9
Import-Package: org.slf4j;version="[1.6.0,2.0.0)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):
* /opt/cola/permits/1295050861_1651806904.61/0/metrics-core-4-2-9-jar/META-INF/MANIFEST.MF

1.177 error_prone_annotations 2.11.0

1.177.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1295545178_1648483747.7/0/error-prone-annotations-2-11-0-1-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.178 kotlin 1.3.70-release-328

1.178.1 Available under license :

The Trove library is licensed under the Lesser GNU Public License,
which is included with the distribution in a file called trove_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the
following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and
its documentation for any purpose is hereby granted without fee,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation. CERN makes no representations about the
suitability of this software for any purpose. It is provided "as is"
without expressed or implied warranty.
Copyright JS Foundation and other contributors, https://js.foundation

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/qunitjs/qunit

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING

BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use
it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee,
you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant
threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire
combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software
only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER
GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility

in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and
separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public
License instead
of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may

distribute the object code for the work under the terms
of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the
library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above

specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the
Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of
preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU

FOR DAMAGES, INCLUDING ANY GENERAL,
SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should
have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic
and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
The version of Rhino used in GWT is licensed under a dual license,
Netscape Public License 1.1 / GNU General Public License.
The text of the Netscape Public License
is provided below (http://website-archive.mozilla.org/www.mozilla.org/mpl/MPL/NPL/1.1/):

AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the
Mozilla Public License Version 1.1 with the following Amendments,
including Exhibit A-Netscape Public License. Files identified with
"Exhibit A-Netscape Public License" are governed by the Netscape
Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

I. Effect.

These additional terms described in this Netscape Public
License -- Amendments shall apply to the Mozilla Communicator
client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape
distributes and/or permits others to distribute under one or
more trademark(s) which are
controlled by Netscape but which
are not licensed for use under this License.

III. Netscape and logo.

This License does not grant any rights to use the trademarks
"Netscape", the "Netscape N and horizon" logo or the
"Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or
"JavaScript", "Smart Browsing" even if such marks are included
in the Original Code or Modifications.

IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License,
Netscape has licensed third party code for use in Netscape's
Branded Code. To the extent that Netscape is limited

contractually from making such third party code available under this License, Netscape may choose to reintegrate such code into Covered Code without being required to distribute such code in Source Code form, even if such code would otherwise be considered "Modifications" under this
License.

V. Use of Modifications and Covered Code by Initial Developer.

V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated therein, without such Netscape Branded Code becoming subject
to the terms of this License, and may license
such Netscape Branded Code on different terms from those contained in this License.

VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file

except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/NPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [___] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [___] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [___] License."

MOZILLA
PUBLIC LICENSE
Version 1.1

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for
no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer
to use, reproduce,
modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code;

2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You

create or to which You contribute are
governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in
an Executable version or related
documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code

distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include
such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial

Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited

by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS

FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declatory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under

Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity
chartered or registered to do
business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of

the License at http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is _____.

The Initial Developer of the Original Code is _____. Portions created by _____ are Copyright (C) _____ _____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [___] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [___] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [___] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

==========

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free software--to make sure the software
is free for all its users. This
General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies
of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to
avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate
copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange;
or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer

to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files,
plus the scripts used to
control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under
this License.
However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions
on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to

this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion
of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution
and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that
it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public
License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

==========

```
/**
* Copyright 2010 Tim Down.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2000-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a
copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
/* PRESENT 1 */
/* PRESENT 2 */
// PRESENT 3
/** ABSENT */
package/* ABSENT 1 */ normal
/* ABSENT 2 */

// COMMENTS: 3
Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.
All rights reserved.

This software was developed by the Programming Methods Laboratory of the
Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source
or binary form for any purpose with or without fee is hereby granted,
provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors
   may be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE
IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
/* ABSENT */
class Some

// COMMENTS: 0
/*
* Copyright 2010-2018 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
 OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.
Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
 FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

Licenses for included components:

Eclipse Public License 1.0
https://opensource.org/licenses/EPL-1.0

junit:junit
org.sonatype.aether:aether-api
org.sonatype.aether:aether-connector-wagon
org.sonatype.aether:aether-impl
org.sonatype.aether:aether-spi
org.sonatype.aether:aether-util

3-Clause BSD
https://opensource.org/licenses/BSD-3-Clause

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core
BSD License

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that
the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN

ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

com.esotericsoftware.kryo:kryo
com.esotericsoftware.minlog:minlog
Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm
org.ow2.asm:asm-analysis
org.ow2.asm:asm-commons
org.ow2.asm:asm-tree
org.ow2.asm:asm-util
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT

com.googlecode.plist:dd-plist
dd-plist - An open source library to parse and generate property lists
Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpg-jdk15on
org.bouncycastle:bcprov-jdk15on
Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j
org.slf4j:jul-to-slf4j
org.slf4j:log4j-over-slf4j
org.slf4j:slf4j-api
Copyright (c) 2004-2017 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CDDL
https://opensource.org/licenses/CDDL-1.0

com.sun.xml.bind:jaxb-impl

LGPL 2.1
https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

License for the GNU Trove library included by the Kotlin embeddable compiler

---

The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can redistribute it and/or modify it under

the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or

(at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without

even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software

and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and

that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the

suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at

https://github.com/JetBrains/intellij-deps-trove4j (with trove4j_changes.txt describing the changes)

Eclipse Distribution License 1.0

https://www.eclipse.org/org/documents/edl-v10.php

org.eclipse.jgit:org.eclipse.jgit

BSD-style

com.jcraft:jsch

com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
 met:

 1. Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.

 2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in
    the documentation and/or other materials provided with the distribution.

 3. The names of the authors may not be used to endorse or promote products
    derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS
 INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Public License 2.0
https://www.eclipse.org/legal/epl-2.0/

org.junit.platform:junit-platform-launcher

Mozilla Public License 2.0
https://www.mozilla.org/en-US/MPL/2.0/

org.mozilla:rhino
/* PRESENT */

fun some() {}

// COMMENTS: 1
This license applies to all parts of Dart that are not externally
maintained libraries. The external maintained libraries used by
Dart are:

7-Zip - in third_party/7zip
JSCRE - in runtime/third_party/jscre
Ant - in third_party/apache_ant
args4j - in third_party/args4j
bzip2 - in third_party/bzip2
dromaeo - in samples/third_party/dromaeo
Eclipse - in third_party/eclipse
gsutil = in third_party/gsutil
Guava - in third_party/guava
hamcrest - in third_party/hamcrest
Httplib2 - in samples/third_party/httplib2
JSON - in third_party/json
JUnit - in third_party/junit
Oauth - in samples/third_party/oauth2client
Rhino - in third_party/rhino
weberknecht - in third_party/weberknecht

The libraries may have their own licenses; we recommend you read them,
as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
/*
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```
*/

package org.jetbrains.kotlin.copyright

import junit.framework.AssertionFailedError
import org.jetbrains.kotlin.idea.copyright.UpdateKotlinCopyright
import org.jetbrains.kotlin.idea.test.KotlinLightCodeInsightFixtureTestCase
import org.jetbrains.kotlin.idea.test.PluginTestCaseBase
import org.jetbrains.kotlin.test.InTextDirectivesUtils
import org.junit.Assert
import java.io.File

abstract class AbstractUpdateKotlinCopyrightTest : KotlinLightCodeInsightFixtureTestCase() {
  fun doTest(path: String) {
    myFixture.configureByFile(fileName())

    val fileText = myFixture.file.text.trim()
    val expectedNumberOfComments = InTextDirectivesUtils.getPrefixedInt(fileText, "// COMMENTS: ") ?: run {
      if (fileText.isNotEmpty()) {
        throw AssertionFailedError("Every
 test should assert number of comments with `COMMENTS` directive")
      } else {
        0
      }
    }

    val comments = UpdateKotlinCopyright.getExistentComments(myFixture.file)
    for (comment in comments) {
      val commentText = comment.text
      when {
        commentText.contains("PRESENT") -> {
        }
        commentText.contains("ABSENT") -> {
          throw AssertionFailedError("Unexpected comment found: `$commentText`")
        }
        else -> {
          throw AssertionFailedError("A comment with bad directive found: `$commentText`")
        }
      }
    }

    Assert.assertEquals(
      "Wrong number of comments found:\n${comments.joinToString(separator = "\n") { it.text }}\n",
      expectedNumberOfComments, comments.size
    )
  }

  override fun getTestDataPath() = File(PluginTestCaseBase.getTestDataPathBase(),
```

```
 "/copyright").path + File.separator
}
```

Google Dart Js backend was removed - https://code.google.com/p/dart/source/detail?r=4771

According to http://www.apache.org/legal/3party.html we can include "Google Dart Js backend" in source form, because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.

```
/*
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/

package org.jetbrains.kotlin.copyright

import junit.framework.AssertionFailedError
import org.jetbrains.kotlin.idea.copyright.UpdateKotlinCopyright
import org.jetbrains.kotlin.idea.test.KotlinLightCodeInsightFixtureTestCase
import org.jetbrains.kotlin.idea.test.PluginTestCaseBase
import org.jetbrains.kotlin.test.InTextDirectivesUtils
import org.junit.Assert
import java.io.File

abstract class AbstractUpdateKotlinCopyrightTest : KotlinLightCodeInsightFixtureTestCase() {
  fun doTest(path: String) {
    myFixture.configureByFile(path)

    val fileText = myFixture.file.text.trim()
    val expectedNumberOfComments = InTextDirectivesUtils.getPrefixedInt(fileText, "// COMMENTS: ") ?: run {
      if (fileText.isNotEmpty()) {
        throw AssertionFailedError("Every
 test should assert number of comments with `COMMENTS` directive")
      } else {
        0
      }
    }

    val comments = UpdateKotlinCopyright.getExistentComments(myFixture.file)
    for (comment in comments) {
      val commentText = comment.text
      when {
        commentText.contains("PRESENT") -> {
        }
        commentText.contains("ABSENT") -> {
          throw AssertionFailedError("Unexpected comment found: `$commentText`")
        }
        else -> {
          throw AssertionFailedError("A comment with bad directive found: `$commentText`")
```

```
            }
        }
    }

    Assert.assertEquals(
        "Wrong number of comments found:\n${comments.joinToString(separator = "\n") { it.text }}\n",
        expectedNumberOfComments, comments.size
    )
  }

  override fun getTestDataPath() = File(PluginTestCaseBase.getTestDataPathBase(),
 "/copyright").path + File.separator
}
```

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS
 FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

```
/* PRESENT */

package normal

// COMMENTS: 1
```

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The files in this package are taken from mozilla's Rhino project.
See http://www.mozilla.org/rhino/

The files modified from Rhino 1.5R3
(ftp://ftp.mozilla.org/pub/js/rhino15R3.zip).

--

The contents of this package are subject to the Netscape Public
License Version 1.1 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of
the License at http://www.mozilla.org/NPL/

Software distributed under the License is distributed on an "AS
IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or
implied. See the License for the specific language governing
rights and limitations under the License.

The Original Code is Rhino code, released
May 6, 1999.

The Initial Developer of the Original Code is Netscape
Communications Corporation. Portions created by Netscape are
Copyright (C) 1997-2000 Netscape Communications Corporation. All
Rights Reserved.

Alternatively, the contents of this file may be used under the
terms of the GNU Public License
 (the "GPL"), in which case the
provisions of the GPL are applicable instead of those above.
If you wish to allow use of your version of this file only
under the terms of the GPL and not to allow others to use your
version of this file under the NPL, indicate your decision by

deleting the provisions above and replace them with the notice
and other provisions required by the GPL. If you do not delete
the provisions above, a recipient may use your version of this
file under either the NPL or the GPL.
/*
* Copyright 2000-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/

package tasks

import groovy.util.Node
import groovy.util.XmlParser
import org.gradle.api.DefaultTask
import org.gradle.api.Project
import org.gradle.api.tasks.Input
import org.gradle.api.tasks.InputFile
import org.gradle.api.tasks.OutputFile
import org.gradle.api.tasks.TaskAction
import java.io.File
import java.util.*

open class WriteCopyrightToFile : DefaultTask() {

  @InputFile
  var path = project.file("${project.rootDir}/.idea/copyright/apache.xml")

  @OutputFile
  var outputFile: File? = null

  @Input
  var commented: Boolean = true

  @TaskAction
  fun write() {
     if (commented) {
        outputFile!!.writeText(project.readCopyrightCommented())
     } else {
        outputFile!!.writeText(project.readCopyright())
     }
  }

```
 fun Project.readCopyright(): String {
     val file = rootDir.resolve(".idea/copyright/apache.xml")

     assert(file.exists()) {
        "File $file with copyright not found"
     }


     val xmlParser = XmlParser()
     val node = xmlParser.parse(file)
     assert(node.attribute("name") == "CopyrightManager") {
        "Format changed occasionally?"
     }

     val copyrightBlock = node.children().filterIsInstance<Node>().single()
     val noticeNode = copyrightBlock.children().filterIsInstance<Node>().single { it.attribute("name") == "notice" }
     return noticeNode.attribute("value").toString().replace("&#36;today.year",
GregorianCalendar()[Calendar.YEAR].toString())
  }

  fun Project.readCopyrightCommented(): String {
     return "/*\n" + readCopyright().prependIndent(" * ") + "\n */"
  }
}
```

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether

this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,
whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software
patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use

this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into
another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
/*
* Copyright 2010-2017 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

interface definition files, plus the scripts used to control compilation
and installation
of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead
if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to

distribute the source code, even
though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work
can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of
your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can
modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing
this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction
 means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly
 provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives
 a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public

 License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written
 by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
The Apache 2 license (given in full in LICENSE.txt) applies to all code in this repository which is copyright
by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or the Kotlin IntelliJ IDEA plugin:

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackFrameSizeAndLocalsCalculator.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/MethodAnalyzer.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: core/reflection.jvm/src/kotlin.reflect/jvm/internal/pcollections
  - License: MIT ([license/third_party/pcollections_LICENSE.txt][pcollections])
  - Origin: Derived from PCollections, A Persistent Java Collections Library (https://pcollections.org/)

- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
  - License: BSD ([license/third_party/asm_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: js/js.ast
  - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
  - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.parser/src/com/google
  - License: Netscape Public License 1.1 ([license/third_party/rhino_LICENSE.txt][rhino])
  - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.

- Path: js/js.translator/qunit/qunit.js

- License: MIT ([license/third_party/qunit_license.txt][qunit])
- Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,

- Path: libraries/stdlib/src/kotlin/collections
- License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
- Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
- License: Apache 2 ([license/third_party/guava_license.txt][guava])
- Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors

- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
- License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
- Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/collections
- License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
- Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/js-v1/src/js/long.js
- License: Apache 2 ([license/third_party/closure-compiler_LICENSE.txt][closure-compiler])
- Origin: Google Closure Library, Copyright 2009 The Closure Library Authors

- Path: libraries/stdlib/js-v1/src/js/polyfills.js
- License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
- Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: plugins/lint/android-annotations
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-api
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-checks
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-idea
- License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/idea-gradle-tooling-api/src/org/gradle/tooling/model/kotlin/dsl
- License: Apache 2 ([license/third_party/gradle_license.txt][gradle])
- Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/com/android
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/org/eclipse
  - License:
Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.

- Path: third-party/annotations/androidx
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: third-party/annotations/edu/umd/cs/findbugs
  - License: LGPL 2.1 ([license/third_party/testdata/findbugs_license.txt][findbugs])
  - Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland

- Path: third-party/jdk8-annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.

- Path: third-party/annotations/io/reactivex
  - License: Apache 2 ([license/third_party/testdata/rxjava_license.txt][rxjava])
  - Origin: RxJava, Copyright (c)
2016-present, RxJava Contributors

- Path: third-party/annotations/lombok
  - License: MIT ([license/third_party/testdata/lombok_license.txt][lombok])
  - Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors

- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lint/IntRange.java
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])

- Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/testData/android/lint/RequiresPermission.java
  - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java
  - License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
  - Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
  - License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
  - Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
  - License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
  - Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
  - License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
  - Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
  - License: Apache 2 ([license/third_party/gradle_license.txt][gradle])
  - Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-classes/testProject/noArgJpa/src/javax/persistence/Entity.java
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
    and Eclipse Distribution License - v1.0 ([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
  - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
  - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
    and Eclipse Distribution License - v1.0 ([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
  - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-

tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
    - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
        and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
     - Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
    - License: MIT ([license/third_party/karma_LICENSE.txt](third_party/karma_LICENSE.txt)
        and [license/third_party/karma-teamcity-reporter_LICENSE.txt](third_party/karma-teamcity-reporter_LICENSE.txt))
    - Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.

- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
    - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-reporter_LICENSE.txt))
    - Origin: Copyright (c) 2016 Jamie Sherriff

- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
    - License: MIT ([license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-messages_LICENSE.txt)
        and [license/third_party/lodash_LICENSE.txt](third_party/lodash_LICENSE.txt))
    - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors
<https://js.foundation/>

- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
    - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-reporter_LICENSE.txt)
        and [license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-messages_LICENSE.txt))
    - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander

- Path: libraries/tools/kotlin-source-map-loader/kotlin-source-map-loader.js
    - License: MIT ([license/third_party/source-map-loader_LICENSE.txt](third_party/source-map-loader_LICENSE.txt))
    - Origin: Copyright JS Foundation and other contributors

Example Code

The following code is provided as examples and is not incorporated into
any
 distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
    - License: MIT ([license/third_party/jquery_license.txt][jquery])
    - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
    - License: MIT ([license/third_party/jquery_license.txt][jquery])

- Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third_party/aosp_license.txt
[asm]: third_party/asm_license.txt
[boost]: third_party/boost_LICENSE.txt
[closure-compiler]: third_party/closure-compiler_LICENSE.txt
[dagger]: third_party/testdata/dagger_license.txt
[dart]: third_party/dart_LICENSE.txt
[eclipse]: third_party/testdata/eclipse_license.txt
[eclipse-distribution]: third_party/testdata/eclipse_distribution_license.txt
[findbugs]: third_party/testdata/findbugs_license.txt
[gradle]: third_party/gradle_license.txt
[guava]: third_party/guava_license.txt
[gwt]:
third_party/gwt_license.txt
[jquery]: third_party/jquery_license.txt
[lombok]: third_party/testdata/lombok_license.txt
[pcollections]: third_party/pcollections_LICENSE.txt
[qunit]: third_party/qunit_license.txt
[rhino]: third_party/rhino_LICENSE.txt
[rxjava]: third_party/testdata/rxjava_license.txt
[spring]: third_party/testdata/spring_license.txt

```
 ================================================================================
 ==  NOTICE file corresponding to the section 4 d of                 ==
 ==  the Apache License, Version 2.0,                                ==
 ==  in this case for the Kotlin Compiler distribution.              ==
 ================================================================================
```

Kotlin Compiler
Copyright 2010-2019 JetBrains s.r.o and respective authors and developers
Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (c) 2008 Harold Cooper

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
/* PRESENT */

foo()

// COMMENTS: 1
Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and
documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates'

from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and
(ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual

property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor
then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not
limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability

or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such
provision shall be reformed to the minimum extent
necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program
shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version

of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated
in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License

Copyright JS Foundation and other contributors <https://js.foundation/>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at https://github.com/lodash/lodash

The following license applies to all parts of this software except as

documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included
 in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample
code is defined as all source code displayed within the prose of the
documentation.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

Files located in the node_modules and vendor directories are externally
maintained libraries used by this software which have their own
licenses; we recommend you read them, as their terms may differ from the
terms above.
The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.179 guava 31.1-jre

1.179.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Verify.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionContext.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/HashingInputStream.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby disclaims
copyright to this source code.
 */

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/html/HtmlEscapers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/package-
info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/LineBuffer.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Function.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/LittleEndianDataOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Throwables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/CountingOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/Closeables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Preconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Supplier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenableFuture.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/MultiInputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Objects.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineReader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interners.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Functions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Resources.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharStreams.java
*

/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Defaults.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Charsets.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Suppliers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Files.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Flushables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/EventBus.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Predicates.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java
*

/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredEntryMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java

*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeRangeMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/
/**
* Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Stats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/SmoothRateLimiter.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAddables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAddable.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSink.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
* version.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

```
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/
```

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Striped64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Striped64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Lists.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BiMap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multisets.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/CompoundOrdering.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Returns an array containing all of the elements in the specified collection. This method
  * returns the elements in the order they are returned by the collection's iterator. The returned
  * array is "safe" in that no references to it are maintained by the collection. The caller is
```

```
 * thus free to modify the returned
array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 *
 * @param c the collection for which to return an array of elements
 */
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ObjectArrays.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby
disclaims copyright to this source code.
 */
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2017 The Guava Authors
*
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Traverser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you
* may not use this file except in compliance with the License. You may
* obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Streams.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Shorts}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/package-info.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/package-

info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/Beta.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Equivalence.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandlers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Strings.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java
*

/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Internal.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Doubles}. Intended to be empty for regular
* version.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
  * and released to the public domain, as explained at
  * http://creativecommons.org/licenses/publicdomain
  *
  * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
  * java.util.HashMap
 class.
  */
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
  * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
  * version.
  *
  * @throws UnsupportedOperationException always
  * @deprecated <b>Pass a key of type {@code Comparable}
 to use {@link
  *     ImmutableSortedMap#of(Comparable, Object)}.</b>
  */
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Network.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ImmutableGraph.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MutableNetwork.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/InsecureRecursiveDeleteException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ImmutableSupplier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionSequencer.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultimap.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/Table.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Platform.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Range.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/EmptyImmutableListMultimap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/NullnessCasts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/NullnessCasts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/NullnessCasts.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/BloomFilter.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Weigher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Present.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LoadingCache.java
*

/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Types.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Funnel.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Hashing.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Optional.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Enums.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalCause.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Absent.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Hasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Murmur3_128HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Queues.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Comparators.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MapRetrievalCache.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java
No license file was found, but licenses were detected in source scan.

// Copyright 2011 Google Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Fingerprint2011.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Joiner.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiReader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Chars.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Longs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Ints.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Converter.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Ints}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/IntsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/Subscriber.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/MoreObjects.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenerCallQueue.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GeneralRange.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Count.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/BigDecimalMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/Java8Compatibility.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Java8Compatibility.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/ToDoubleRounder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Java8Compatibility.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RowSortedTable.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedMapDifference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSetMultimap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/html/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/ParametricNullness.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/xml/ParametricNullness.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ParametricNullness.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ParametricNullness.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java
*
 /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/io/PatternFilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This following method is a modified version of one found in
  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
  * which contained the following notice:
  *
  * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
  *
 the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
  *
  * Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
  */

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/MoreExecutors.java

1.180 metrics-health-checks 4.2.9

1.180.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.health
Build-Jdk-Spec: 11
Bundle-Description: An addition to Metrics which provides the ability
to run application-specific health checks, allowing you to che
ck your application's heath in production.
Bundle-License: https://www.apache.org/licenses/LICENSE-2.0.html
Bundle-ManifestVersion: 2
Bundle-Name: Metrics Health Checks

Bundle-SymbolicName: io.dropwizard.metrics.healthchecks
Bundle-Version: 4.2.9
Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics.health;uses:="com.codahale.metric
s";version="4.2.9",com.codahale.metrics.health.jvm;uses:="com.codahal
e.metrics.health,com.codahale.metrics.jvm";version="4.2.9",com.codaha
le.metrics.health.annotation;version="4.2.9"
Implementation-Title: Metrics Health Checks
Implementation-Version: 4.2.9
Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics
 ;version="[4.2,5)",com.codahale.metrics.health,com.codahale.metrics.h
ealth.annotation,com.codahale.metrics.jvm;version="[4.2,5)";resolutio
n:=optional
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103

Found in path(s):
* /opt/cola/permits/1303106868_1649401354.9/0/metrics-healthchecks-4-2-9-jar/META-INF/MANIFEST.MF

1.181 dropwizard-auth-ldap 1.0.4

1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1309839528_1650278640.46/0/dropwizard-auth-ldap-1-0-4-sources-1-jar/META-INF/maven/com.yammer.dropwizard/dropwizard-auth-ldap/pom.xml

1.182 cyrus-sasl 2.1.28

1.182.1 Notifications :

This product includes software developed by Computing Services at Carnegie Mellon University (http://www.cmu.edu/computing/).

1.182.2 Available under license :

/* CMU libsasl
* Tim Martin
* Rob Earhart
* Rob Siemborski
*/
/*
* Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions

* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The name "Carnegie Mellon University" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For permission or any other legal
*   details, please contact
*   Office of Technology Transfer
*   Carnegie Mellon University
*   5000 Forbes Avenue
*   Pittsburgh, PA 15213-3890
*   (412) 268-4387, fax: (412) 268-7395
*   tech-transfer@andrew.cmu.edu
*
* 4. Redistributions of any form whatsoever must retain the following
*   acknowledgment:
*   "This product includes software developed by Computing Services
*   at Carnegie Mellon University (http://www.cmu.edu/computing/)."
*
* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*/
/* CMU libsasl
* Tim Martin
* Rob Earhart
* Rob Siemborski
*/
/*
* Copyright (c) 2001 Carnegie Mellon University. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.

*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The name "Carnegie Mellon University" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For permission or any other legal
*   details, please contact
*   Office of Technology Transfer
*   Carnegie Mellon University
*   5000 Forbes Avenue
*   Pittsburgh, PA 15213-3890
*   (412) 268-4387, fax: (412) 268-7395
*   tech-transfer@andrew.cmu.edu
*
* 4. Redistributions of any form whatsoever must retain the following
*   acknowledgment:
*   "This product includes software developed by Computing Services
*   at Carnegie Mellon University (http://www.cmu.edu/computing/)."
*
* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*/
Copyright (C) 1995-1997 Eric Young (eay@mincom.oz.au)
All rights reserved.

This package is an DES implementation written by Eric Young (eay@mincom.oz.au).
The implementation was written so as to conform with MIT's libdes.

This library is free for commercial and non-commercial use as long as
the following conditions are aheared to. The following conditions
apply to all code found in this distribution.

Copyright remains Eric Young's, and as such any Copyright notices in
the code are not to be removed.
If this package is used in a product, Eric Young should be given attribution
as the author of that the SSL library. This can be in the form of a textual
message at program startup or in documentation (online or textual) provided
with the package.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the copyright
notice, this list of conditions and the
following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by Eric Young (eay@mincom.oz.au)

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The license and distribution terms for any publically available version or
derivative of this code cannot be changed. i.e. this code cannot simply be
copied and put under another distrubution license
[including the GNU Public License.]

The reason behind this being stated in this direct manner is past
experience in code simply being copied and the attribution removed
from it and then being distributed as part of other packages. This
implementation was a non-trivial and unpaid effort.
APPLE PUBLIC SOURCE LICENSE
Version 1.1 - April 19,1999

Please read this License carefully before downloading this software.
By downloading and using this software, you are agreeing to be bound
by the terms of this License. If you do not or cannot agree to the
terms of this License, please do not download or use the software.

1. General; Definitions. This License applies to any program or other
work which Apple Computer, Inc. ("Apple") publicly announces as
subject to this Apple Public Source License and which contains a
notice placed by Apple identifying such program or work as "Original
Code" and stating that it is subject to the terms of this Apple Public
Source License version 1.1 (or subsequent version thereof), as it may

be revised from time to time by Apple ("License"). As used in this License:

1.1 "Affected Original Code" means only those specific portions of Original Code that allegedly infringe upon any party's intellectual property rights or are otherwise the subject of a claim of infringement.

1.2 "Applicable Patent Rights" mean: (a) in the case where Apple is the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to Apple and (ii) that cover subject matter contained in the Original Code, but only to the extent necessary to use, reproduce and/or distribute the Original Code without infringement; and (b) in the case where You are the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to You and (ii) that cover subject matter in Your Modifications, taken alone or in combination with Original Code.

1.3 "Covered Code" means the Original Code, Modifications, the combination of Original Code and any Modifications, and/or any respective portions thereof.

1.4 "Deploy" means to use, sublicense or distribute Covered Code other than for Your internal research and development (R&D), and includes without limitation, any and all internal use or distribution of Covered Code within Your business or organization except for R&D use, as well as direct or indirect sublicensing or distribution of Covered Code by You to any third party in any form or manner.

1.5 "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.6 "Modifications" mean any addition to, deletion from, and/or change to, the substance and/or structure of Covered Code. When code is released as a series of files, a Modification is: (a) any addition to or deletion from the contents of a file containing Covered Code; and/or (b) any new file or other representation of computer program statements that contains any part of Covered Code.

1.7 "Original Code" means (a) the Source Code of a program or other work as originally made available by Apple under this License, including the Source Code of any updates or upgrades to such programs or works made available by Apple under this License, and that has been expressly identified by Apple as such in the header file(s) of such work; and (b) the object code compiled from such Source Code and

originally made available by Apple under this License.

1.8 "Source Code" means the human readable form of a program or other work that is suitable for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an executable (object code).

1.9 "You" or "Your" means an individual or a legal entity exercising rights under this License. For legal entities, "You" or "Your" includes any entity which controls, is controlled by, or is under common control with, You, where "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

2. Permitted Uses; Conditions & Restrictions. Subject to the terms and conditions of this License, Apple hereby grants You, effective on the date You accept this License and download the Original Code, a world-wide, royalty-free, non- exclusive license, to the extent of Apple's Applicable Patent Rights and copyrights covering the Original Code, to do the following:

2.1 You may use, copy, modify and distribute Original Code, with or without Modifications, solely for Your internal research and development, provided that You must in each instance:

(a) retain and reproduce in all copies of Original Code the copyright and other proprietary notices and disclaimers of Apple as they appear in the Original Code, and keep intact all notices in the Original Code that refer to this License;

(b) include a copy of this License with every copy of Source Code of Covered Code and documentation You distribute, and You may not offer or impose any terms on such Source Code that alter or restrict this License or the recipients' rights hereunder, except as permitted under Section 6; and

(c) completely and accurately document all Modifications that you have made and the date of each such Modification, designate the version of the Original Code you used, prominently include a file carrying such information with the Modifications, and duplicate the notice in Exhibit A in each file of the Source Code of all such Modifications.

2.2 You may Deploy Covered Code, provided that You must in each

instance:

(a) satisfy all the conditions of Section 2.1 with respect to the Source Code of the Covered Code;

(b) make all Your Deployed Modifications publicly available in Source Code form via electronic distribution (e.g. download from a web site) under the terms of this License and subject to the license grants set forth in Section 3 below, and any additional terms You may choose to offer under Section 6. You must continue to make the Source Code of Your Deployed Modifications available for as long as you Deploy the Covered Code or twelve (12)
months from the date of initial
Deployment, whichever is longer;

(c) if You Deploy Covered Code containing Modifications made by You, inform others of how to obtain those Modifications by filling out and submitting the information found at
http://www.apple.com/publicsource/modifications.html, if available; and

(d) if You Deploy Covered Code in object code, executable form only, include a prominent notice, in the code itself as well as in related documentation, stating that Source Code of the Covered Code is available under the terms of this License with information on how and where to obtain such Source Code.

3. Your Grants. In consideration of, and as a condition to, the licenses granted to You under this License:

(a) You hereby grant to Apple and all third parties a non-exclusive, royalty-free license, under Your Applicable Patent Rights and other intellectual property rights owned or controlled by You, to use, reproduce, modify, distribute and Deploy Your Modifications of the same
scope and extent as Apple's licenses under Sections 2.1 and 2.2; and

(b) You hereby grant to Apple and its subsidiaries a non-exclusive, worldwide, royalty-free, perpetual and irrevocable license, under Your Applicable Patent Rights and other intellectual property rights owned or controlled by You, to use, reproduce, execute, compile, display, perform, modify or have modified (for Apple and/or its subsidiaries), sublicense and distribute Your Modifications, in any form, through multiple tiers of distribution.

4. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and

distribute the Larger Work as a single product. In each such instance, You must make sure the requirements of this License are fulfilled for the Covered Code or any portion thereof.

5. Limitations on Patent License. Except as expressly stated in Section 2, no other patent rights, express or implied, are granted by Apple herein. Modifications and/or Larger Works may require additional patent licenses from Apple which Apple may grant in its sole discretion.

6. Additional Terms. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations and/or other rights consistent with the scope of the license granted herein ("Additional Terms") to one or more recipients of Covered Code. However, You may do so only on Your own behalf and as Your sole responsibility, and not on behalf of Apple. You must obtain the recipient's agreement that any such Additional Terms are offered by You alone, and You hereby agree to indemnify, defend and hold Apple harmless for any liability incurred by or claims asserted against Apple by reason of any such Additional Terms.

7. Versions of the License. Apple may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Once Original Code has been published under a particular version of this License, You may continue to use it under the terms of that version. You may also choose to use such Original Code under the terms of any subsequent version of this License published by Apple. No one other than Apple has the right to modify the terms applicable to Covered Code created under this License.

8. NO WARRANTY OR SUPPORT. The Original Code may contain in whole or in part pre-release, untested, or not fully tested works. The Original Code may contain errors that could cause failures or loss of data, and may be incomplete or contain inaccuracies. You expressly acknowledge and agree that use of the Original Code, or any portion thereof, is at Your sole and entire risk. THE ORIGINAL CODE IS PROVIDED "AS IS" AND WITHOUT WARRANTY, UPGRADES OR SUPPORT OF ANY KIND AND APPLE AND APPLE'S LICENSOR(S) (FOR THE PURPOSES OF SECTIONS 8 AND 9, APPLE AND APPLE'S LICENSOR(S) ARE COLLECTIVELY REFERRED TO AS "APPLE") EXPRESSLY DISCLAIM ALL WARRANTIES AND/OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR CONDITIONS OF MERCHANTABILITY OR SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. APPLE DOES NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE

ORIGINAL CODE WILL MEET YOUR REQUIREMENTS, OR THAT THE OPERATION OF THE ORIGINAL CODE WILL BE UNINTERRUPTED OR ERROR- FREE, OR THAT DEFECTS IN THE ORIGINAL CODE WILL BE CORRECTED. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY APPLE OR AN APPLE AUTHORIZED REPRESENTATIVE SHALL CREATE A WARRANTY OR IN ANY WAY INCREASE THE SCOPE OF THIS WARRANTY. You acknowledge that the Original Code is not intended for use in the operation of nuclear facilities, aircraft navigation, communication systems, or air traffic control machines in which case the failure of the Original Code could lead to death, personal injury, or severe physical or environmental damage.

9. Liability.

9.1 Infringement. If any portion of, or functionality implemented by, the Original Code becomes the subject of a claim of infringement, Apple may, at its option: (a) attempt to procure the rights necessary for Apple and You to continue using the Affected Original Code; (b) modify the Affected Original Code so that it is no longer infringing; or (c) suspend Your rights to use, reproduce, modify, sublicense and distribute the Affected Original Code until a final determination of the claim is made by a court or governmental administrative agency of competent jurisdiction and Apple lifts the suspension as set forth below. Such suspension of rights will be effective immediately upon Apple's posting of a notice to such effect on the Apple web site that is used for implementation of this License. Upon such final determination being made, if Apple is legally able, without the payment of a fee or royalty, to resume use, reproduction, modification, sublicensing and distribution of the Affected Original Code, Apple will lift the suspension of rights to the Affected Original Code by posting a notice to such effect on the Apple web site that is used for implementation of this License. If Apple suspends Your rights to Affected Original Code, nothing in this License shall be construed to restrict You, at Your option and subject to applicable law, from replacing the Affected Original Code with non-infringing code or independently negotiating for necessary rights from such third party.

9.2 LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES SHALL APPLE BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO THIS LICENSE OR YOUR USE OR INABILITY TO USE THE ORIGINAL CODE, OR ANY PORTION THEREOF, WHETHER UNDER A THEORY OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCTS LIABILITY OR OTHERWISE, EVEN IF APPLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND NOTWITHSTANDING THE FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY. In no event shall Apple's total liability to You for all damages

under this License exceed the amount of fifty dollars ($50.00).

10. Trademarks. This License does not grant any rights to use the trademarks or trade names "Apple", "Apple Computer", "Mac OS X", "Mac OS X Server" or any other trademarks or trade names belonging to Apple (collectively "Apple Marks") and no Apple Marks may be used to endorse or promote products derived from the Original Code other than as permitted by and in strict compliance at all times with Apple's third party trademark usage guidelines which are posted at http://www.apple.com/legal/guidelinesfor3rdparties.html.

11. Ownership. Apple retains all rights, title and interest in and to the Original Code and any Modifications made by or on behalf of Apple ("Apple Modifications"), and such Apple Modifications will not be automatically subject to this License. Apple may, at its sole discretion, choose to license such Apple Modifications under this License, or on different terms from those contained in this License or may choose not to license them at all. Apple's development, use, reproduction, modification, sublicensing and distribution of Covered Code will not be subject to this License.

12. Termination.

12.1 Termination. This License and the rights granted hereunder will terminate:

(a) automatically without notice from Apple if You fail to comply with any term(s) of this License and fail to cure such breach within 30 days of becoming aware of such breach; (b) immediately in the event of the circumstances described in Section 13.5(b); or (c) automatically without notice from Apple if You, at any time during the term of this License, commence an action for patent infringement against Apple.

12.2 Effect of Termination. Upon termination, You agree to immediately stop any further use, reproduction, modification, sublicensing and distribution of the Covered Code and to destroy all copies of the Covered Code that are in your possession or control. All sublicenses to the Covered Code which have been properly granted prior to termination shall survive any termination of this License. Provisions which, by their nature, should remain in effect beyond the termination of this License shall survive, including but not limited to Sections 3, 5, 8, 9, 10, 11, 12.2 and 13. Neither party will be liable to the other for compensation, indemnity or damages of any sort solely as a result of terminating this License in accordance with its terms, and termination of this License will be without prejudice to

any other right or remedy of either party.

13. Miscellaneous.

13.1 Government End Users. The Covered Code is a "commercial item" as defined in FAR 2.101. Government software and technical data rights in the Covered Code include only those rights customarily provided to the public as defined in this License. This customary commercial license in technical data and software is provided in accordance with FAR 12.211 (Technical Data) and 12.212 (Computer Software) and, for Department of
Defense purchases, DFAR 252.227-7015 (Technical Data -- Commercial Items) and 227.7202-3 (Rights in Commercial Computer Software or Computer Software Documentation). Accordingly, all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

13.2 Relationship of Parties. This License will not be construed as creating an agency, partnership, joint venture or any other form of legal association between You and Apple, and You will not represent to the contrary, whether expressly, by implication, appearance or otherwise.

13.3 Independent Development. Nothing in this License will impair Apple's right to acquire, license, develop, have others develop for it, market and/or distribute technology or products that perform the same or similar functions as, or otherwise compete with, Modifications, Larger Works, technology or products that You may develop, produce, market or distribute.

13.4 Waiver; Construction. Failure by Apple to enforce any provision of this
License will not be deemed a waiver of future enforcement of that or any other provision. Any law or regulation which provides that the language of a contract shall be construed against the drafter will not apply to this License.

13.5 Severability. (a) If for any reason a court of competent jurisdiction finds any provision of this License, or portion thereof, to be unenforceable, that provision of the License will be enforced to the maximum extent permissible so as to effect the economic benefits and intent of the parties, and the remainder of this License will continue in full force and effect. (b) Notwithstanding the foregoing, if applicable law prohibits or restricts You from fully and/or specifically complying with Sections 2 and/or 3 or prevents the enforceability of either of those Sections, this License will immediately terminate and You must immediately discontinue any use of the Covered Code and destroy all copies of it that are in your

possession or control.

13.6 Dispute
Resolution. Any litigation or other dispute resolution
between You and Apple relating to this License shall take place in the
Northern District of California, and You and Apple hereby consent to
the personal jurisdiction of, and venue in, the state and federal
courts within that District with respect to this License. The
application of the United Nations Convention on Contracts for the
International Sale of Goods is expressly excluded.

13.7 Entire Agreement; Governing Law. This License constitutes the
entire agreement between the parties with respect to the subject
matter hereof. This License shall be governed by the laws of the
United States and the State of California, except that body of
California law concerning conflicts of law.

Where You are located in the province of Quebec, Canada, the following
clause applies: The parties hereby confirm that they have requested
that this License and all related documents be drafted in English. Les
parties ont exige que le present contrat
et tous les documents
connexes soient rediges en anglais.

EXHIBIT A.

"Portions Copyright (c) 1999 Apple Computer, Inc. All Rights
Reserved. This file contains Original Code and/or Modifications of
Original Code as defined in and that are subject to the Apple Public
Source License Version 1.1 (the "License"). You may not use this file
except in compliance with the License. Please obtain a copy of the
License at http://www.apple.com/publicsource and read it before using
this file.

The Original Code and all software distributed under the License are
distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE OR NON- INFRINGEMENT. Please see the
License for the specific language governing rights and limitations
under the License."

1.183 servlet-api 3.1.0

1.183.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under

common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has

deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices
contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You
offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered
Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer

or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses.

The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the

major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.184 activation-api 1.2.2

1.184.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

* Project home: https://projects.eclipse.org/projects/ee4j.jaf

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0,
which is available at http://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jaf

Third-party Content

This project leverages the following third party content.

JUnit (4.12)

* License: Eclipse Public License

1.185 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.185.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.186 ant-jsch 1.10.12

1.186.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (https://www.apache.org/).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

```
/*
*                                 Apache License
*                           Version 2.0, January 2004
*                        http://www.apache.org/licenses/
*
*   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*
*   1. Definitions.
*
*      "License" shall mean the terms and conditions for use, reproduction,
*      and distribution as defined by Sections 1 through 9 of this document.
*
*      "Licensor" shall mean the copyright owner or entity authorized by
*      the copyright owner that is granting the License.
*
*      "Legal Entity" shall mean the union of the acting entity and all
*      other entities that control, are controlled by, or are under common
*      control with that entity. For the purposes of this definition,
*      "control" means (i) the power, direct or indirect, to cause the
*      direction or management of such entity, whether by contract or
*      otherwise, or (ii) ownership of fifty percent (50%) or more of the
*
 outstanding shares, or (iii) beneficial ownership of such entity.
*
*      "You" (or "Your") shall mean an individual or Legal Entity
*      exercising permissions granted by this License.
*
*      "Source" form shall mean the preferred form for making modifications,
*      including but not limited to software source code, documentation
*      source, and configuration files.
*
*      "Object" form shall mean any form resulting from mechanical
*      transformation or translation of a Source form, including but
*      not limited to compiled object code, generated documentation,
*      and conversions to other media types.
*
*      "Work" shall mean the work of authorship, whether in Source or
*      Object form, made available under the License, as indicated by a
*      copyright notice that is included in or attached to the work
*      (an example is provided in the Appendix below).
*
*      "Derivative Works" shall mean any work, whether in Source or Object
*
```

form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives,
including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*
* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*
* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
*
Work and such Derivative Works in Source or Object form.
*
* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses

```
 *      granted to You under this License for that Work shall terminate
*       as of the date such litigation is filed.
*
*    4. Redistribution. You may reproduce and distribute copies of the
*       Work or Derivative Works thereof in any medium, with or without
*       modifications, and in Source or Object form, provided that You
*       meet the following conditions:
*
*       (a) You must give any other recipients of the Work or
*           Derivative Works a copy of this License; and
*
*       (b) You must cause any modified files to carry prominent notices
*           stating that You changed the files; and
*
*       (c) You must retain, in the Source form of any Derivative Works
*           that You distribute, all copyright, patent, trademark, and
*           attribution notices from the Source form of the Work,
*           excluding those notices that do not pertain to any part of
*           the Derivative Works; and
*
*       (d) If the Work includes a "NOTICE"
 text file as part of its
*           distribution, then any Derivative Works that You distribute must
*           include a readable copy of the attribution notices contained
*           within such NOTICE file, excluding those notices that do not
*           pertain to any part of the Derivative Works, in at least one
*           of the following places: within a NOTICE text file distributed
*           as part of the Derivative Works; within the Source form or
*           documentation, if provided along with the Derivative Works; or,
*           within a display generated by the Derivative Works, if and
*           wherever such third-party notices normally appear. The contents
*           of the NOTICE file are for informational purposes only and
*           do not modify the License. You may add Your own attribution
*           notices within Derivative Works that You distribute, alongside
*           or as an addendum to the NOTICE text from the Work, provided
*           that
 such additional attribution notices cannot be construed
*           as modifying the License.
*
*       You may add Your own copyright statement to Your modifications and
*       may provide additional or different license terms and conditions
*       for use, reproduction, or distribution of Your modifications, or
*       for any such Derivative Works as a whole, provided Your use,
*       reproduction, and distribution of the Work otherwise complies with
*       the conditions stated in this License.
*
*    5. Submission of Contributions. Unless You explicitly state otherwise,
*       any Contribution intentionally submitted for inclusion in the Work
```

```
*      by You to the Licensor shall be under the terms and conditions of
*      this License, without any additional terms or conditions.
*      Notwithstanding the above, nothing herein shall supersede or modify
*      the terms of any separate license agreement you may have executed
*      with Licensor regarding such Contributions.
 *
*   6. Trademarks. This License does not grant permission to use the trade
*      names, trademarks, service marks, or product names of the Licensor,
*      except as required for reasonable and customary use in describing the
*      origin of the Work and reproducing the content of the NOTICE file.
*
*   7. Disclaimer of Warranty. Unless required by applicable law or
*      agreed to in writing, Licensor provides the Work (and each
*      Contributor provides its Contributions) on an "AS IS" BASIS,
*      WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
*      implied, including, without limitation, any warranties or conditions
*      of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
*      PARTICULAR PURPOSE. You are solely responsible for determining the
*      appropriateness of using or redistributing the Work and assume any
*      risks associated with Your exercise of permissions under this License.
*
*   8. Limitation of Liability.
 In no event and under no legal theory,
*      whether in tort (including negligence), contract, or otherwise,
*      unless required by applicable law (such as deliberate and grossly
*      negligent acts) or agreed to in writing, shall any Contributor be
*      liable to You for damages, including any direct, indirect, special,
*      incidental, or consequential damages of any character arising as a
*      result of this License or out of the use or inability to use the
*      Work (including but not limited to damages for loss of goodwill,
*      work stoppage, computer failure or malfunction, or any and all
*      other commercial damages or losses), even if such Contributor
*      has been advised of the possibility of such damages.
*
*   9. Accepting Warranty or Additional Liability. While redistributing
*      the Work or Derivative Works thereof, You may choose to offer,
*      and charge a fee for, acceptance of support, warranty, indemnity,
*      or other
 liability obligations and/or rights consistent with this
*      License. However, in accepting such obligations, You may act only
*      on Your own behalf and on Your sole responsibility, not on behalf
*      of any other Contributor, and only if You agree to indemnify,
*      defend, and hold each Contributor harmless for any liability
*      incurred by, or claims asserted against, such Contributor by reason
*      of your accepting any such warranty or additional liability.
*
*   END OF TERMS AND CONDITIONS
*
```

```
*   APPENDIX: How to apply the Apache License to your work.
*
*      To apply the Apache License to your work, attach the following
*      boilerplate notice, with the fields enclosed by brackets "[]"
*      replaced with your own identifying information. (Don't include
*      the brackets!)  The text should be enclosed in the appropriate
*      comment syntax for the file format. We also recommend that a
*      file or class name and description of purpose
 be included on the
*      same "printed page" as the copyright notice for easier
*      identification within third-party archives.
*
*   Copyright [yyyy] [name of copyright owner]
*
*   Licensed under the Apache License, Version 2.0 (the "License");
*   you may not use this file except in compliance with the License.
*   You may obtain a copy of the License at
*
*       https://www.apache.org/licenses/LICENSE-2.0
*
*   Unless required by applicable law or agreed to in writing, software
*   distributed under the License is distributed on an "AS IS" BASIS,
*   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*   See the License for the specific language governing permissions and
*   limitations under the License.
*/
```

W3C SOFTWARE NOTICE AND LICENSE
https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders
 under the following
license. By obtaining, using and/or copying this work, you (the licensee) agree
that you have read, understood, and will comply with the following terms and
conditions.

Permission to copy, modify, and distribute this software and its documentation,
with or without modification, for any purpose and without fee or royalty is
hereby granted, provided that you include the following on ALL copies of the
software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the
   redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms
   and conditions. If none exist, the W3C Software Short Notice should be
   included (hypertext is preferred, text is permitted) within the body
   of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date
changes were made. (We recommend you
provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version
removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: http://www.megginson.com/SAX/copying.html
However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.187 cglib 3.3.0

1.187.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.188 jsoup 1.15.3

1.188.1 Available under license :

The MIT License

Copyright (c) 2009-2022 Jonathan Hedley <https://jsoup.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.189 log4j-api 2.19.0

1.189.1 Available under license :

Apache Log4j API
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.190 zlib 1.2.13

1.190.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.191 apache-commons-text 1.10.0

1.191.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Text
Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

1.192 jsch 0.2.4

1.192.1 Available under license :

JZlib 0.0.* were released under the GNU LGPL license. Later, we have switched
over to a BSD-style license.

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
JSch 0.0.* was released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

Copyright (c) 2002-2015 Atsuhiko Yamanaka, JCraft,Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
jBCrypt is subject to the following license:

/*
* Copyright (c) 2006 Damien Miller <djm@mindrot.org>
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*/

1.193 open-csv 5.7.1

1.193.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
Copyright 2007 Kyle Miller.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/MappingStrategy.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvToBean.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2007 Kyle Miller.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/HeaderColumnNameMappingStrategy.java
No license file was found, but licenses were detected in source scan.

/*
Copyright 2015 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/
/**
* A very simple CSV writer released under a commercial-friendly license.
*
* @author Glen Smith
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVWriter.java
No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/META-INF/maven/com.opencsv/opencsv/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Mark Rogers.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

```
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvToBeanFilter.java
No license file was found, but licenses were detected in source scan.

```
/**
* A very simple CSV parser for Java released under a commercial-friendly license.
*
* @see <a href="http://opencsv.sourceforge.net/">opencsv.sourceforge.net</a>
*/
/*
* Copyright 2016 Andrew Rucker Jones.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2018 Andrew Rucker Jones.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractMappingStrategy.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractFieldMap.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvNumber.java
*
 /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/HeaderIndex.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ConverterNumber.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/comparator/LiteralComparator.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/RegexToBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldJoinIntegerIndex.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/PositionToBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/comparator/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMap.java
*
 /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractFieldMapEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByPositionEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ComplexFieldMapEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldJoinStringIndex.java
No license file was found, but licenses were detected in source scan.

/*
Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/
/**
* A very simple CSV parser released under a commercial-friendly license.
* This just implements splitting a single line into fields.
*
* The purpose of the CSVParser is to take a single string and parse it into
* its elements based on the delimiter, quote and escape characters.
*
* The CSVParser has grown organically based on user
 requests and does not truly match
* any current requirements (though it can be configured to match or come close). There
* are no plans to change this as it will break existing requirements. Consider using
* the RFC4180Parser for less configurability but closer match to the RFC4180 requirements.
*
* @author Glen Smith
* @author Rainer Pruy
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParser.java
No license file was found, but licenses were detected in source scan.

/*
Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParserBuilder.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetHelper.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVReaderBuilder.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetHelperService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 Andrew Rucker Jones.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvBadConverterException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvRequiredFieldEmptyException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindByPosition.java
*
 /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ConverterDate.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvToBeanBuilder.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/util/OpencsvUtils.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvMalformedLineException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-

jar/com/opencsv/bean/ConverterPrimitiveTypes.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/package-info.java
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvCustomBindByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvDate.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/ConvertFrenchToBoolean.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvDataTypeMismatchException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/StatefulBeanToCsvBuilder.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/stream/reader/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvConstraintViolationException.java
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvRuntimeException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvMultilineLimitBrokenException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/ConvertGermanToBoolean.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/enums/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvBeanIntrospectionException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvCustomBindByPosition.java
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/StatefulBeanToCsv.java
No license file was found, but licenses were detected in source scan.

/*
Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/
/**
* A very simple CSV reader released under a commercial-friendly license.
*
* @author Glen Smith
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 arjones.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/concurrent/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 Scott Conway
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetColumnNameHelperService.java
No license file was found, but licenses were detected in source scan.

/*
Copyright 2018 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParserWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 Andrew Rucker Jones.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/ProcessCsvBean.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvConverter.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/util/OrderedObject.java
*
 /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndSplitByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldSingleValue.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldSplit.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndJoinByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/ProcessCsvLine.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndSplitByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/IntolerantThreadPoolExecutor.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/AccumulateCsvResults.java
*
 /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByNameEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractCsvConverter.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldJoin.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndJoinByName.java
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/convertLanguageToBoolean.properties

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv_pt_BR.properties
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv.properties
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/convertLanguageToBoolean_en.properties
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv_en.properties
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/convertLanguageToBoolean_de.properties
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv_de.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2007,2010 Kyle Miller.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/HeaderColumnNameTranslateMappingStrategy.java

1.194 dropwizard-util 2.0.34

1.194.1 Available under license :

Apache-2.0

1.195 dropwizard-validation 2.0.34

1.195.1 Available under license :

Apache-2.0

1.196 dropwizard-jackson 2.0.34

1.196.1 Available under license :

Apache-2.0

1.197 dropwizard-configuration 2.0.34

1.197.1 Available under license :

Dropwizard
Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of
the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.198 lz4 1.9.4

1.198.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free

software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which
gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work
are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution

and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source
 code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing
 or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing

version number. If the Program
specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR
THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU
General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
 is what you want to do, use the GNU Lesser General
Public License instead of this License.
This repository uses 2 different licenses :
- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that
files in the `lib` directory are designed to be included into 3rd party applications,
while all other files, in `programs`, `tests` or `examples`,
are intended to be used "as is", as part of their intended scenarios,
with no intention to support 3rd party integration use cases.
Copyright (c) 2014, lpsantil
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES;
 LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: liblz4
Upstream-Contact: Yann Collet <Cyan4973@github.com>
Source: https://github.com/lz4/lz4

Files: *
Copyright: (C) 2011-2020 Yann Collet
License: GPL-2+
The full text of license: https://github.com/lz4/lz4/blob/dev/lib/LICENSE
LZ4 Library
Copyright (c) 2011-2020, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
 list of conditions and the following disclaimer in the documentation and/or
 other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
 GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.199 jackson-datatype-jsr310 2.14.1

1.199.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.200 jackson-annotations 2.14.1

1.200.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.201 jackson-databind 2.14.1

1.201.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.202 bouncy-castle 1.72

1.202.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* The Bouncy Castle License
*
* Copyright (c) 2000-2022 The Legion Of The Bouncy Castle Inc. (https://www.bouncycastle.org)
* <p>
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
* subject to the following conditions:
* <p>
* The above copyright notice and this permission notice shall be included in all copies or substantial
* portions of the Software.
* <p>
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
* PURPOSE AND
 NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/LICENSE.java

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (c) 2011 Tim Buktu (tbuktu@hotmail.com)
*
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the "Software"),
* to deal in the Software without restriction, including without limitation
* the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the
* Software is furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
 CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/legacy/math/ntru/euclid/test/IntEuclideanTest.java
No license file was found, but licenses were detected in source scan.

```
/**
    * Magic value for proprietary OpenSSH private key.
    **/
```

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/crypto/util/OpenSSHPrivateKeyUtil.java
No license file was found, but licenses were detected in source scan.

```
public DomainParameters(BigInteger p, BigInteger g, BigInteger q, BigInteger j,
```

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/asn1/x9/DomainParameters.java
No license file was found, but licenses were detected in source scan.

```
/**
* Poly1305 message authentication code, designed by D. J. Bernstein.
```

```
* <p>
* Poly1305 computes a 128-bit (16 bytes) authenticator, using a 128 bit nonce and a 256 bit key
* consisting of a 128 bit key applied to an underlying cipher, and a 128 bit key (with 106
* effective key bits) used in the authenticator.
* <p>
* The polynomial calculation in this implementation is adapted from the public domain <a
* href="https://github.com/floodyberry/poly1305-donna">poly1305-donna-unrolled</a> C implementation
* by Andrew M (@floodyberry).
* @see Poly1305KeyGenerator
*/
```

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/crypto/macs/Poly1305.java
No license file was found, but licenses were detected in source scan.

```
/**
* Contains the polynomial classes used in the NTRU round 3 algorithm.
*
* <p>
* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC competition,
* released under CC0-1.0 license.
* </p>
*
* <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-3/submissions/NTRU-Round3.zip">NIST submission files</a></p>
* <p><a href="https://github.com/jschanck/ntru/blob/master/LICENSE">License of reference implementation</a></p>
*/
```

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/math/ntru/package-info.java
No license file was found, but licenses were detected in source scan.

```
// now keep space is free to use
```

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/legacy/crypto/gmss/GMSSPrivateKeyParameters.java
No license file was found, but licenses were detected in source scan.

```
/**
* The NTRU algorithm based on the round 3 submission of the NIST post-quantum cryptography. For the old NTRU, see
* {@link org.bouncycastle.pqc.legacy.crypto.ntru}.
*
* <p>
```

* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC competition,
* released under CC0-1.0 license.
*
*
* NIST submission files
* License of reference implementation
*
* @see NIST round 3 PQC submissions page
* @see NTRU website
* @see NTRU specification
*/

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/crypto/ntru/package-info.java
No license file was found, but licenses were detected in source scan.

/**
* SPHINCS-256 signer.
*
* This implementation is heavily based on the reference implementation in SUPERCOP, the main difference being the digests used
* for message hashing and tree construction are now configurable (within limits...) and that the implementation produces
* detached signatures.
*
*
* The SPHINCS reference implementation is public domain, as per the statement in the second last paragraph of
* section 1 in https://eprint.iacr.org/2014/795.pdf
*
*/

Found in path(s):
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/crypto/sphincs/SPHINCS256Signer.java

1.203 jackson-dataformat-yaml 2.14.1

1.203.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.204 jackson-datatype-jdk8 2.14.1

1.204.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the
preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name)
to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual
or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination
of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following

conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that
such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any
Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or

rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims
asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.205 jackson-module-parameter-names 2.14.1

1.205.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0.txt
Bundle-SymbolicName: com.fasterxml.jackson.module.jackson-module-param
eter-names
Implementation-Vendor-Id: com.fasterxml.jackson.module
Specification-Title: Jackson-module-parameter-names
Bundle-DocURL: https://github.com/FasterXML/jackson-modules-java8/jack
son-module-parameter-names
Import-Package: com.fasterxml.jackson.annotation;version="[2.14,3)",co
m.fasterxml.jackson.core;version="[2.14,3)",com.fasterxml.jackson.cor
e.util;version="[2.14,3)",com.fasterxml.jackson.databind;version="[2.
14,3)",com.fasterxml.jackson.databind.cfg;version="[2.14,3)",com.fast
erxml.jackson.databind.introspect;version="[2.14,3)",com.fasterxml.ja
ckson.databind.module;version="[2.14,3)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"
Export-Package: com.fasterxml.jackson.module.paramnames;version="2.14.
1";uses:="com.fasterxml.jackson.annotation,com.fasterxml.jackson.core
,com.fasterxml.jackson.databind,com.fasterxml.jackson.databind.cfg,co
m.fasterxml.jackson.databind.introspect,com.fasterxml.jackson.databin
d.module"
Bundle-Name: Jackson-module-parameter-names
Multi-Release: true
Build-Jdk-Spec: 1.8
Bundle-Description: Add-on module for Jackson (http://jackson.codehaus
.org) to supportintrospection of method/constructor parameter names,
without having to add explicit property name annotation.
Implementation-Title: Jackson-module-parameter-names
Implementation-Version: 2.14.1
Bundle-ManifestVersion: 2
Specification-Vendor: FasterXML
Bundle-Vendor: FasterXML
Tool: Bnd-6.3.1.202206071316
Implementation-Vendor: FasterXML

Bundle-Version: 2.14.1
X-Compile-Target-JDK: 1.8
X-Compile-Source-JDK: 1.8
Created-By: Apache Maven Bundle Plugin 5.1.8
Specification-Version: 2.14.1

Found in path(s):
* /opt/cola/permits/1491322405_1672923553.639012/0/jackson-module-parameter-names-2-14-1-jar/META-INF/MANIFEST.MF

1.206 jackson-datatype-joda 2.14.1

1.206.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.207 jackson-datatype-guava 2.14.1

1.207.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.208 slf4j 1.7.36

1.208.1 Available under license :

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2004-2022 QOS.ch Sarl
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.209 commons-net 3.9.0

1.209.1 Available under license :

Apache Commons Net
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.210 jaxb2-reflection 2.2.6

1.210.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)
Version 1.0

*

1. Definitions.
   o

   1.1. ?Contributor? means each individual or entity that creates or contributes to the creation of Modifications.

   o

   1.2. ?Contributor Version? means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
   o

   1.3. ?Covered Software? means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
   o

   1.4. ?Executable? means the Covered Software in any form other than Source Code.
   o

   1.5. ?Initial Developer? means the individual or entity that first makes Original Software available under this License.
   o

   1.6. ?Larger Work? means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
   o

   1.7. ?License? means this document.
   o

   1.8. ?Licensable? means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
   o

   1.9. ?Modifications? means the Source Code and Executable form of any of the following:
      +

      A. Any file that results from an addition to, deletion from or modification of the contents of a file

containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed
or otherwise made available under the terms of this License.

o

1.10. ?Original Software? means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. ?Patent Claims? means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. ?Source Code? means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. ?You? (or ?Your?) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, ?You? includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, ?control?
means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

*

2. License Grants.

o

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by
the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby
grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

*

3. Distribution Obligations.

o

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made

available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

o

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients? rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient?s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

*

4. Versions of the License.

o

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the
Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to
note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

*

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN ?AS IS? BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

*

6. TERMINATION.

o

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as ?Participant?) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

*

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY?S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

*

8. U.S. GOVERNMENT END USERS.

The Covered Software is a ?commercial item,? as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of ?commercial computer software? (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and ?commercial

computer software documentation? as such terms are used in 48
C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

*

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction?s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction
of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys? fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

*

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of
rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.
No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each

file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if
the new code is made subject to such option by the copyright
holder.

-->

Found in path(s):
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/META-INF/maven/com.sun.xml.txw2/txw2/pom.xml
No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each

file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:
If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):
If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code
and therefore, elected the GPL Version 2 license, then the option applies
only if
the new code is made subject to such option by the copyright
holder.

-->

Found in path(s):
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/META-INF/maven/com.sun.istack/istack-commons-runtime/pom.xml
No license file was found, but licenses were detected in source scan.

Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages.properties
No license file was found, but licenses were detected in source scan.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development

and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_ja.properties
*
 /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages.properties
*
 /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_de.properties
*

/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_es.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_es.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_fr.properties

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_ko.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_zh_CN.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_zh_TW.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/v2/runtime/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_pt_BR.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_zh_TW.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_ja.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages.properties

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_de.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_zh_TW.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages_ko.properties
*
/opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_ko.properties

1.211 gson 2.10.1

1.211.1 Available under license :

Google Gson

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce
and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE
file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing
the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any
liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.212 mysql 5.7.41

1.212.1 Available under license :

This file contains a list of people who have made large contributions
to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:
 Sanjay Ghemawat <sanjay@google.com>
 Jeff Dean <jeff@google.com>
 Daniel Dulitz <daniel@google.com>
 Craig Silverstein
 Paul Haahr <haahr@google.com>
 Corey Anderson <corin@google.com>
 (and many others)

Proto2 C++ and Java primary author:
 Kenton Varda <kenton@google.com>

Proto2 Python primary authors:
 Will Robinson <robinson@google.com>
 Petar Petrov <petar@google.com>

Large code contributions:
 Jason Hsueh <jasonh@google.com>
 Joseph Schorr <jschorr@google.com>
 Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:
 Scott Bruce <sbruce@google.com>
 Frank Yellin
 Neal Norwitz <nnorwitz@google.com>
 Jeffrey Yasskin <jyasskin@google.com>
 Ambrose Feinstein <ambrose@google.com>

Documentation:
 Lisa Carey <lcarey@google.com>

Maven packaging:
 Gregory Kick <gak@google.com>

Patch contributors:
  Kevin Ko <kevin.s.ko@gmail.com>
    * Small patch to handle trailing slashes in --proto_path flag.
 Johan Euphrosine <proppy@aminche.com>
    * Small patch to fix Python CallMethod().
 Ulrich Kunitz <kune@deine-taler.de>
    * Small optimizations to Python serialization.
 Leandro Lucarella <llucax@gmail.com>
    * VI syntax highlighting tweaks.
    * Fix compiler to not make output executable.

Dilip Joseph <dilip.antony.joseph@gmail.com>
  * Heuristic detection of sub-messages when printing unknown fields in
    text format.
Brian Atkinson <nairb774@gmail.com>
  * Added @Override annotation to generated Java code where appropriate.
Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>
  * Tru64 support.
Monty Taylor <monty.taylor@gmail.com>
  * Solaris 10 + Sun Studio fixes.
Alek Storm <alek.storm@gmail.com>
  * Slicing support for repeated scalar fields for the Python API.
Oleg Smolsky <oleg.smolsky@gmail.com>
  * MS Visual Studio error format option.

 * Detect unordered_map in stl_hash.m4.
Brian Olson <brianolson@google.com>
  * gzip/zlib I/O support.
Michael Poole <mdpoole@troilus.org>
  * Fixed warnings about generated constructors not explicitly initializing
    all fields (only present with certain compiler settings).
  * Added generation of field number constants.
Wink Saville <wink@google.com>
  * Fixed initialization ordering problem in logging code.
Will Pierce <willp@nuclei.com>
  * Small patch improving performance of in Python serialization.
Alexandre Vassalotti <alexandre@peadrop.com>
  * Emacs mode for Protocol Buffers (editors/protobuf-mode.el).
Scott Stafford <scott.stafford@gmail.com>
  * Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.
Alexander Melnikov <alm@sibmail.ru>
  * HPUX support.
Oliver Jowett <oliver.jowett@gmail.com>
  * Detect whether zlib is new enough in configure script.
  * Fixes for Solaris 10 32/64-bit confusion.
Evan Jones <evanj@mit.edu>
   * Optimize Java serialization code when writing a small message to a stream.
  * Optimize Java serialization of strings so that UTF-8 encoding happens only
    once per string per serialization call.
  * Clean up some Java warnings.
  * Fix bug with permanent callbacks that delete themselves when run.
Michael Kucharski <m.kucharski@gmail.com>
  * Added CodedInputStream.getTotalBytesRead().
Kacper Kowalik <xarthisius.kk@gmail.com>
  * Fixed m4/acx_pthread.m4 problem for some Linux distributions.
William Orr <will@worrbase.com>
  * Fixed detection of sched_yield on Solaris.
  * Added atomicops for Solaris

Copyright (c) 1992, 1993
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Libevent is available for use under the following license, commonly known
as the 3-clause (or "modified") BSD license:

==============================
Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>
Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Portions of Libevent are based on works by others, also made available by them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's a list:

log.c:
Copyright (c) 2000 Dug Song <dugsong@monkey.org>
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:
Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:
Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:
Copyright (c) 2007 Sun Microsystems

ht-internal.h:
Copyright (c) 2002 Christopher Clark

minheap-internal.h:
Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

==========

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR
BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

==========

The Windows timer code is based on code from libutp, which is
distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be
included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
/*
Copyright (c) 2020, 2022, Oracle and/or its affiliates.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License, version 2.0,
as published by the Free Software Foundation.

This program is also distributed with certain software (including
but not limited to OpenSSL) that is licensed under separate terms,
as designated in a particular file or component or in included license
documentation. The authors of MySQL hereby grant you an additional
permission to link the program and your derivative works with the

separately licensed software that they have included with MySQL.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License, version 2.0, for more details.

You should have received a copy of the GNU General Public License
 along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
*/

LICENSE ISSUES
==============

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of
the OpenSSL License and the original SSLeay license apply to the toolkit.
See below for the actual license texts. Actually both licenses are BSD-style
Open Source licenses. In case of any license issues related to OpenSSL
please contact openssl-core@openssl.org.

OpenSSL License

/* ==
* Copyright (c) 1998-1999 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.

*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. All advertising materials mentioning features or use of this
*   software must display the following acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For written permission, please contact

*   openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
*   nor may "OpenSSL" appear in their names without prior written
*   permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the
 following
*   acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* ==
 *
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).

*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*   Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can be left out if the rouines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
Dojo is available under *either* the terms of the modified BSD license *or* the
Academic Free License version 2.1. As a recipient of Dojo, you may choose which
license to receive this code under (except as noted in per-module LICENSE
files). Some modules may not be the copyright of the Dojo Foundation. These
modules contain explicit declarations of copyright in both the LICENSE files in

the directories in which they reside and in the code itself. No external
contributions are allowed under licenses which are fundamentally incompatible
with the AFL or BSD licenses that Dojo is distributed under.

The text of the AFL and BSD licenses is reproduced below.

The "New" BSD License:
****

Copyright (c) 2005-2011, The Dojo Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the Dojo Foundation nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Academic Free License, v. 2.1:
****

This Academic Free License (the "License") applies to any original work of
authorship (the "Original Work") whose owner (the "Licensor") has placed the
following notice immediately following the copyright notice for the Original
Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

a) to reproduce the Original Work in copies;

b) to prepare derivative works ("Derivative Works") based upon the Original Work;

c) to distribute copies of the Original Work and Derivative Works to the public;

d) to perform the Original Work publicly; and

e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this

License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by
the Licensor or are sublicensed to You under the terms
of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately proceeding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use
of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so
except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the

equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the
Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous.
This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise

restricted or conditioned by this License or by law, and Licensor promises not
to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved.
Permission is hereby granted to copy and distribute this license without
modification. This license may not be modified without the express written
permission of its copyright owner.
Copyright (c) 2003, Danga Interactive, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of the Danga Interactive nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
MEMCACHED CONTRIBUTORS

This file contains a list of people who have contributed code and
effort to the memcached project. If you don't see your name mentioned
send email to the memcached mailing list so you can be immortalized.

Also see the ChangeLog for even more people who have helped over the
years by submitting fixes, patches and reporting bugs.

Major authors:

Brad Fitzpatrick <brad@danga.com> -- maintainer, original implementations

Anatoly Vorobey <mellon@pobox.com> -- lots of the modern server code

Steven Grimm <sgrimm@facebook.com> -- iov writing (less CPU), UDP mode,
non-2.0 slab mantissas, multithread, ...

Other Contributors

Evan Martin <evan@danga.com>
Nathan Neulinger <nneul@umr.edu>
Eric Hodel <drbrain@segment7.net>
Michael Johnson <ahze@ahze.net>
Paul Querna <chip@corelands.com>
Jamie McCarthy <jamie@mccarthy.vg>
Philip Neustrom <philipn@gmail.com>
Andrew O'Brien <andrewo@oriel.com.au>
Josh
Rotenberg <joshrotenberg@gmail.com>
Robin H. Johnson <robbat2@gentoo.org>
Tim Yardley <liquid@haveheart.com>
Paolo Borelli <paolo.borelli@gmail.com>
Eli Bingham <eli@pandora.com>
Jean-Francois Bustarret <jfbustarret@wat.tv>
Paul G <paul-lists@perforge.com>
Paul Lindner <lindner@inuus.com>
Dormando <dormando@rydia.net>
Dustin Sallings <dustin@spy.net>
Chris Goffinet <goffinet@yahoo-inc.com>
Tomash Brechko <tomash.brechko@gmail.com>
Brian Aker <brian@tangent.org>
Trond Norbye <trond.norbye@sun.com>
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories http://www.unicode.org/Public/,
http://www.unicode.org/reports/,
and http://www.unicode.org/cldr/data/ . Unicode Software includes any source code published in the Unicode Standard or under
the directories http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/.
NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR
OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE

("SOFTWARE"), YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS
AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE
Copyright 1991-2007 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission
is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data
Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell
copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided
that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the
above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File
or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE
AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS
INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES,
OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF
CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.
Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other
dealings in these Data Files or Software without prior written authorization of the copyright holder.
Portions of this software contain modifications contributed by Percona, Inc.
These contributions are used with the following license:

Copyright (c) 2008, 2009, Percona Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials
  provided with the distribution.
* Neither the name of the Percona Inc. nor the names of its
  contributors may be used to endorse or promote products
  derived from this software without specific prior written
  permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
License Disclaimer:

All contents of this directory are Copyright (c) the Dojo Foundation, with the
following exceptions:

_crypto.js - internally uses AES algorithm
 * AES algorithm copyright Chris Veness (CLA signed and permission given to use code under BSD license)
    Taken from http://www.movable-type.co.uk/scripts/aes.html
Portions of this software contain modifications contributed by Google, Inc.
These contributions are used with the following license:

Copyright (c) 2008, Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials
  provided with the distribution.
* Neither the name of the Google Inc. nor the names of its
  contributors may be used to endorse or promote products

derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Licensing Information User Manual

MySQL 5.7.28 (and later)

Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL 5.7.28 (and later).

Last updated: November 2022

Licensing Information

This is a release of MySQL 5.7.28 (and later), brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL 5.7.28 (and later) is distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2,
the authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with the program.

This distribution includes the MySQL C API client library (libmysqlclient) otherwise known as MySQL Connector/C. Without limiting the foregoing grant of rights under the GPLv2 and additional permission

as to separately licensed software, this Connector is also subject to
the Universal FOSS Exception, version 1.0, a copy of which is
reproduced below and can also be found along with its FAQ at
http://oss.oracle.com/licenses/universal-foss-exception.

Copyright (c) 1997, 2022, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other
than GPL or LGPL is available it will apply instead, Oracle elects to
use only the General Public License version 2 (GPLv2) at this time for
any software where a choice
of GPL license versions is made available
with the language indicating that GPLv2 or any later version may be
used, or where a choice of which version of the GPL is applied is
otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General
Public License, Version 2.0: You may not use the identified files
except in compliance with the GNU General Public License, Version
2.0 (the "License.") You may obtain a copy of the License at
http://www.gnu.org/licenses/gpl-2.0.txt. A copy of the license is
also reproduced below. Unless required by applicable law or agreed
to in writing, software distributed under the License is distributed
on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either express or implied. See the License for the specific language
governing permissions and limitations under the License.

==========
==========

GNU
GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim
copies of this license document, but changing it is not
allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software,
and (2) offer you this
license which gives you legal permission to
copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on,
we want its recipients to know that what they have is not the original,
so that any problems introduced by others will not reflect on the
original authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections
of that work are not derived from the Program,
and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of
this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new

versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is
given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED
FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED
BY YOU OR THIRD PARTIES OR A
FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of

the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

==========
==========

The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants,
function signatures, data
structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

i. The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).

ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such
Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces to be licensed under the terms other than the Software License.

iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof.

For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

==========
==========

Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

argparse

argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the

argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under
Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted
due to license compatibility issues between Apache License 2.0 and GNU GPL
v2.

The project repository then had a clean start with some files taken from
Python 2.7.1, so definitely all files are under Python License now.

##
####################################
PSF
 LICENSE AGREEMENT FOR PYTHON 2.7.11

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"),
  and the Individual or Organization ("Licensee") accessing and otherwise
  using Python 2.7.11 software in source or binary form and its associated
  documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
  grants Licensee a nonexclusive, royalty-free, world-wide license to
  reproduce, analyze, test, perform and/or display publicly, prepare
  derivative works,distribute, and otherwise use Python 2.7.11 alone or in any
  derivative version, provided, however, that PSF's License Agreement and
  PSF's notice of copyright, i.e., "Copyright (c) 2001-2016 Python Software
  Foundation; All Rights Reserved" are retained in Python 2.7.11 alone or in
  any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or
  incorporates Python 2.7.11 or any part thereof, and wants
 to make the
  derivative work available to others as provided herein, then Licensee hereby
  agrees to include in any such work a brief summary of the changes made to
  Python 2.7.11.

4. PSF is making Python 2.7.11 available to Licensee on an "AS IS" basis.
  PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF
  EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR
  WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE
  USE OF PYTHON 2.7.11 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 2.7.11
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF
MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.7.11, OR ANY DERIVATIVE
THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach
of its terms and conditions.

7. Nothing in this License
Agreement shall be deemed to create any relationship
of agency, partnership, or joint venture between PSF and Licensee. This
License Agreement does not grant permission to use PSF trademarks or trade
name in a trademark sense to endorse or promote products or services of
Licensee, or any third party.

8. By copying, installing or otherwise using Python 2.7.11, Licensee agrees
to be bound by the terms and conditions of this License Agreement.

==========
==========

Boost C++ Libraries

Use of any of this software is governed by the terms of the license
below:

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or
organization obtaining a copy of the software and accompanying
documentation covered by this license (the "Software") to use,
reproduce, display, distribute, execute, and
transmit the Software,
and to prepare derivative works of the Software, and to permit
third-parties to whom the Software is furnished to do so, all
subject to the following:

The copyright notices in the Software and this entire statement,
including the above license grant, this restriction and the
following disclaimer, must be included in all copies of the
Software, in whole or in part, and all derivative works of the
Software, unless such copies or derivative works are solely in the
form of machine-executable object code generated by a source
language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND
NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE
DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER
LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE SOFTWARE
OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

==========
==========

Corosync

Copyright (c) 2002-2004 MontaVista Software, Inc.
Copyright (c) 2005-2010 RedHat, Inc.

All rights reserved.

This software licensed under BSD license, the text of which follows:

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.
- Neither the name of the MontaVista Software, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
==========

Cyrus SASL

* Copyright (c)
 1998-2003 Carnegie Mellon University. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. The name "Carnegie Mellon University" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For permission or any other legal
*   details, please contact
*   Office of Technology Transfer
*   Carnegie Mellon University
*   5000 Forbes Avenue
*   Pittsburgh, PA 15213-3890
*   (412) 268-4387, fax: (412) 268-7395
*
     tech-transfer@andrew.cmu.edu
*
* 4. Redistributions of any form whatsoever must retain the following
*   acknowledgment:
*   "This product includes software developed by Computing Services
*   at Carnegie Mellon University (http://www.cmu.edu/computing/)."
*
* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*/

The following files

./lib
   saslint.h auxprop.c canonusr.c checkpw.c client.c common.c config.c
   external.c saslutil.c server.c seterror.c dlopen.c
./plugins

scram.c gssapi.c
./common
plugin_common.c

have a license
header similar to the above with the following copyright:
/*
* Copyright (c) 1998-2016 Carnegie Mellon University. All rights reserved.
*

./lib/md5.c includes the following license header:
/* MD5C.C - RSA Data Security, Inc., MD5 message-digest algorithm
*/

/* Function names changed to avoid namespace collisions: Rob Siemborski */

/* Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All
rights reserved.

License to copy and use this software is granted provided that it
is identified as the "RSA Data Security, Inc. MD5 Message-Digest
Algorithm" in all material mentioning or referencing this software
or this function.

License is also granted to make and use derivative works provided
that such works are identified as "derived from the RSA Data
Security, Inc. MD5 Message-Digest Algorithm" in all material
mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either
the merchantability of this software or the suitability
of this
software for any particular purpose. It is provided "as is"
without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this
documentation and/or software.
*/

==========
==========

dtoa.c

The author of this software is David M. Gay.

Copyright (c) 1991, 2000, 2001 by Lucent Technologies.

Permission to use, copy, modify, and distribute this software for
any purpose without fee is hereby granted, provided that this entire
notice is included in all copies of any software which is or includes
a copy or modification of this software and in all copies of the
supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR
IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR LUCENT
MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE
MERCHANTABILITY
OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR
PURPOSE.

==========
==========

Editline Library (libedit)

Some files are:

Copyright (c) 1992, 1993
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to
Berkeley by Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain the
 above copyright notice, this list of conditions
 and the following disclaimer.
2. Redistributions in binary form must reproduce the
 above copyright notice, this list of conditions and
 the following disclaimer in the documentation and/or
 other materials provided with the distribution.
3.
 Neither the name of the University nor the names of
 its contributors may be used to endorse or promote
 products derived from this software without specific
 prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are:

Copyright
(c) 2001 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation

by Anthony Mallet.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain the
  above copyright notice, this list of conditions
  and the following disclaimer.
2. Redistributions in binary form must reproduce the
  above copyright notice, this list of conditions and the
  following disclaimer in the documentation and/or
  other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC.
AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Some files are:

Copyright (c) 1997 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation

by Jaromir Dolecek.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain the
  above copyright notice, this list of conditions
  and the following disclaimer.
2. Redistributions in binary form must reproduce
   the above copyright notice, this list of conditions
  and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC.
AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Some files are:

Copyright
(c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

Permission to use, copy, modify, and distribute this
software for any purpose with or without fee is hereby
granted, provided that the above copyright notice and
this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND TODD C. MILLER
DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL TODD C. MILLER BE LIABLE
FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

==========
==========

Facebook Fast Checksum Patch

Facebook Fast Checksum Patch

Copyright (C)
2009-2010 Facebook, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY FACEBOOK, INC. "AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL FACEBOOK, INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Also included:

crc32.c -- compute the CRC-32 of a buf stream
Copyright (C) 1995-2005 Mark Adler

This software is provided 'as-is', without any express or implied

warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
  claim that you wrote the original software. If you use this software
  in a product, an acknowledgment in the product documentation would be
  appreciated but is not required.
2. Altered source versions must be
 plainly marked as such, and must not be
  misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly jloup@gzip.org
Mark Adler madler@alumni.caltech.edu

 ==
 ==

Facebook Patches

Copyright (c) 2012, Facebook, Inc.
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 ==
 ==

FindGTest.cmake

FindGTest.cmake helper script (part of CMake)

Copyright 2009 Kitware, Inc.
Copyright 2009 Philip Lowman
Copyright 2009 Daniel Blezek

Distributed
 under the OSI-approved BSD License (the "License");
see accompanying file Copyright.txt for details.

This software is distributed WITHOUT ANY WARRANTY; without even the
implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the License for more information.
==========
(To distributed this file outside of CMake, substitute the full
License text for the above reference.)

Thanks to Daniel Blezek for the GTEST_ADD_TESTS code

Text of Copyright.txt mentioned above:

CMake - Cross Platform Makefile Generator
Copyright 2000-2009 Kitware, Inc., Insight Software Consortium
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must
 reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.

* Neither the names of Kitware, Inc., the Insight Software Consortium,
 nor the names of their contributors may be used to endorse or promote
 products derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
==========

Fred Fish's Dbug Library

N O T I C E

Copyright Abandoned, 1987, Fred Fish

This previously copyrighted work has been placed into the public domain by the author and may be freely used for any purpose, private or commercial.

Because of the number of inquiries I was receiving about the use of this product in commercially developed works I have decided to simply make it public domain to further its unrestricted use. I specifically would be most happy to see this material become a part of the standard Unix distributions by AT&T and the Berkeley Computer Science Research Group, and a standard part of the GNU system from the Free Software Foundation.

I would appreciate it, as a courtesy, if this notice is left in all copies and derivative works. Thank you.

The author makes no warranty of any kind with respect to this product and explicitly disclaims any implied warranties of merchantability or fitness for any particular purpose.

The dbug_analyze.c file is subject to the following notice:

Copyright June 1987, Binayak Banerjee
All rights reserved.

This program may be freely distributed under the same terms and conditions as Fred Fish's Dbug package.

==========

==========

getarg

getarg Function (getarg.h), getarg.c files)

Copyright (c) 1997 - 2000 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in
source and binary forms, with
or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the
following disclaimer.
2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.
3. Neither the name of the Institute nor the names of its
contributors may be used to endorse or promote products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

==========
==========

Google Controlling Master Thread I/O Rate Patch

Copyright (c) 2009, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of the Google Inc. nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
 WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

 ==
 ==

Google Perftools (TCMalloc utility)

Google Perftools (TCMalloc utility)

Copyright (c) 1998-2006, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

  * Redistributions of source code must retain the above
    copyright notice, this list of conditions and the following
    disclaimer.
  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following

disclaimer in the documentation and/or other materials provided
with the distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote
products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
==========

Google
Protocol Buffers

Protocol Buffers (aka Google protobuf)

Google Protocol Buffers - protobuf
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

* Redistributions of source code must retain the above
copyright notice, this list of conditions and the
following disclaimer.
* Redistributions in binary form must reproduce the
above copyright notice, this list of conditions and
the following disclaimer in the documentation and/or
other materials provided with the distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by
the owner of the input file used when generating it. This
code is not standalone and requires a support library to be
linked with it. This support library is itself covered by
the above license.

==========
==========

Google SMP Patch

Google
SMP patch

Copyright (c) 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of the Google Inc. nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
==========

Google Test (including GMock)

Google Mock (GMock) is an extension to Google Test for writing and using C++ mock classes. Google Test (including the Google Mock extension) is licensed under the following terms:

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are
permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
==========

ICU4C Unicode Libraries

This Oracle Product includes or references ICU4C, which is licensed
to Oracle under the following terms:

Copyright (c) 1995-2013 International Business Machines Corporation and
others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, and/or
sell copies of the
Software, and to permit persons to whom the Software is furnished to do so,
provided that the above copyright notice(s) and this permission notice appear
in all copies of the Software and that both the above copyright notice(s) and
this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not
be used in advertising
or otherwise to promote the sale, use or other
dealings in this Software without prior written authorization of the
copyright holder.

All trademarks and registered trademarks mentioned herein are the property of
their respective owners.

The following Third-Party Software Licenses are also included as part of
UCU4C:

1. Unicode Data Files and Software
EXHIBIT 1
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF
online code charts under the directory http://www.unicode.org/Public/.
Software includes any source code published in the Unicode Standard or under
the directories http://www.unicode.org/Public/,
http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING,
INSTALLING, COPYING
OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA
FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO
BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT
AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR
SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright ?? 1991-2013 Unicode, Inc. All rights reserved. Distributed
under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining a
copy of the Unicode data files and any associated documentation (the "Data
Files") or Unicode software and any associated documentation (the "Software")
to deal in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit persons to
whom the Data Files or Software are furnished to do so, provided that (a)
the
above copyright notice(s) and this permission notice appear with all copies
of the Data Files or Software, (b) both the above copyright notice(s) and
this permission notice appear in associated documentation, and (c) there is
clear notice in each modified Data File or in the Software as well as in the
documentation associated with the Data File(s) or Software that the data or
software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF
THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS
INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR
CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF
THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall

not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Unicode and the Unicode logo are trademarks of Unicode, Inc. in the United States and other countries. All third party trademarks referenced herein are the property of their respective owners.

2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

The Google Chrome software developed by Google is licensed under the BSD license. Other software included in this distribution is provided under other licenses, as set forth below.
#
The BSD License
http://opensource.org/licenses/bsd-license.php
Copyright (C) 2006-2008, Google Inc.
#
All rights reserved.
#
Redistribution and use in source and binary forms, with or without modification, are permitted provided that
the following conditions are met:
#
Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#

```
#  The word list in cjdict.txt are generated by combining three word lists
listed
#  below with further processing for compound word breaking. The frequency is
generated
#  with an iterative training against Google web corpora.
#
#  * Libtabe (Chinese)
#    - https://sourceforge.net/project/?group_id=1519
#    - Its license terms and conditions are shown below.
#
#  * IPADIC (Japanese)
#    - http://chasen.aist-nara.ac.jp/chasen/distribution.html
#    - Its license terms and conditions are shown below.
#
#  ---------COPYING.libtabe ---- BEGIN--------------------
#
#  /*
#    * Copyrighy (c) 1999 TaBE Project.
#    * Copyright (c) 1999 Pai-Hsiang Hsiao.
 #    * All rights reserved.
#    *
#    * Redistribution and use in source and binary forms, with or without
#    * modification, are permitted provided that the following conditions
#    * are met:
#    *
#    * . Redistributions of source code must retain the above copyright
#    *    notice, this list of conditions and the following disclaimer.
#    * . Redistributions in binary form must reproduce the above copyright
#    *    notice, this list of conditions and the following disclaimer in
#    *    the documentation and/or other materials provided with the
#    *    distribution.
#    * . Neither the name of the TaBE Project nor the names of its
#    *    contributors may be used to endorse or promote products derived
#    *    from this software without specific prior written permission.
#    *
#    * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
#    * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
#    * LIMITED TO, THE IMPLIED WARRANTIES OF
 MERCHANTABILITY AND FITNESS
#    * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
#    * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
#    * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
#    * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
#    * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
#    * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
#    * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
#    * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
#    * OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
#  */
#
# /*
#  * Copyright (c) 1999 Computer Systems and Communication Lab,
#  *                    Institute of Information Science, Academia Sinica.
#  * All rights reserved.
#  *
#  * Redistribution and use in source and binary forms, with or without
#  * modification, are permitted provided that the following conditions
#  * are met:
#  *
#  * . Redistributions of source code must retain the above copyright
#  *   notice, this list of conditions and the following disclaimer.
#  * . Redistributions in binary form must reproduce the above copyright
#  *   notice, this list of conditions and the following disclaimer in
#  *   the documentation and/or other materials provided with the
#  *   distribution.
#  * . Neither the name of the Computer Systems and Communication Lab
#  *   nor the names of its contributors may be used to endorse or
#  *   promote products derived from this software without specific
#  *   prior written permission.
#  *
#  * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
#  * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
#  * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
#  * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
#  * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
#  * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
#  * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
#  * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
#  * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
#  * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
#  * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
#  * OF THE POSSIBILITY OF SUCH DAMAGE.
#  */
#
#  Copyright 1996 Chih-Hao Tsai @ Beckman Institute, University of Illinois
#  c-tsai4@uiuc.edu  http://casper.beckman.uiuc.edu/~c-tsai4
#
#  ---------------COPYING.libtabe-----END-----------------------------------
#
#


# ---------------COPYING.ipadic-----BEGIN-----------------------------------
#
#  Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
#  and Technology.  All Rights Reserved.
#
```

Use, reproduction, and distribution of this software is permitted.
Any copy of this software,
whether in its original form or modified,
must include both the above copyright notice and the following
paragraphs.
#
Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.
#
A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.
#
Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the
provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.
#
NO WARRANTY
#
The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation
of
any right of any third party.
#
Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.
#
Therefore, neither ICOT, the copyright holder, or any other

organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages
at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and the
production of secondary products from the program.
#
In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.
#
----------COPYING.ipadic-----END----------

3. Lao Word Break Dictionary Data (laodict.txt)

Copyright (c) 2013
International Business Machines Corporation
and others. All Rights Reserved.
#
Project: http://code.google.com/p/lao-dictionary/
Dictionary: http://lao-dictionary.googlecode.com/git/Lao-Dictionary.txt
License:
http://lao-dictionary.googlecode.com/git/Lao-Dictionary-LICENSE.txt
(copied below)
#
This file is derived from the above dictionary, with slight modifications.

Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification,
are permitted provided that the following conditions are met:

#
Redistributions of source code must retain the above copyright notice,
this
list of conditions and the following disclaimer. Redistributions in
binary
form must reproduce the above copyright notice, this list of conditions
and
the
 following disclaimer in the documentation and/or other materials
provided with the distribution.
#
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

--
----

4. Time Zone
 Database

ICU uses the public domain data and code derived from Time Zone Database for
its time zone support. The ownership of the TZ database is explained in BCP
175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

 The TZ database itself is not an IETF Contribution or an IETF
 document. Rather it is a pre-existing and regularly updated work
 that is in the public domain, and is intended to remain in the public
 domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do not apply
 to the TZ Database or contributions that individuals make to it.
 Should any claims be made and substantiated against the TZ Database,
 the organization that is providing the IANA Considerations defined in

this RFC, under the memorandum of understanding with the IETF,
currently ICANN, may act in accordance with all competent court
orders. No ownership claims will be made by ICANN or the IETF Trust
on the database or the code. Any person making
a contribution to the
database or code waives all rights to future claims in that
contribution or in the TZ Database.

==========
==========

Janson

Include the following verbatim in the documentation:

Licence Text:

Copyright (c) (c) 2009-2013 Petri Lehtinen <petri@digip.org>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED
"AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

==========
==========

jemalloc

Copyright (C) 2002-present Jason Evans <jasone@canonware.com>.
All rights reserved.
Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.
Copyright (C) 2009-present Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
1. Redistributions of source code must retain
 the above copyright notice(s),
  this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice(s),
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 OF THE POSSIBILITY OF
SUCH DAMAGE.

 ==
 ==

lib_sql.cc

Copyright (c) 2000
SWsoft company

This material is provided "as is", with absolutely no warranty
expressed or implied. Any use is at your own risk.

Permission to use or copy this software for any purpose is hereby
granted without fee, provided the above notices are retained on
all copies. Permission to modify the code and to distribute modified
code is granted, provided the above notices are retained, and a
notice that the code was modified is included with the above copyright
notice.

This code was modified by the MySQL team.

 ==
 ==

Libaio

You may be receiving a copy of the Libaio library with this MySQL
product. The terms of the Oracle license
do NOT apply to the Libaio
library; it is licensed under the following license, separately from
the Oracle programs you receive. If you do not wish to install this
program, you may delete its files.

This component is licensed under
GNU Lesser General Public License v2.1, February 1999.
See the 'Standard Licenses' section for license text.

==========
==========

libeditline-color

Copyright (c) 1992, 1993
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions
 in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE
 OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

```
 ============================================================================
 ============================================================================
```

libevent

Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>
Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without
 specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
============================

Portions of Libevent are based on works by others, also made available by
them under the three-clause BSD license above. The copyright notices are
available in the corresponding source files; the license is as above. Here's
a
 list:

log.c:
  Copyright (c) 2000 Dug Song <dugsong@monkey.org>
  Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:
  Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:
  Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:
Copyright (c) 2007 Sun Microsystems

ht-internal.h:
Copyright (c) 2002 Christopher Clark

minheap-internal.h:
Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

==========

The arc4module is available under the following, sometimes called the
"OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

==========

The Windows timer code is based on code from libutp, which is
distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========
==========

libgcc & libstdc++ Libraries

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone
is permitted to copy and distribute verbatim copies of
this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are
designed to take away your freedom to share and change the works.
By contrast, the GNU General Public License is intended to guarantee
your freedom to share and change all versions of a program--to make
sure it remains free software for all its users. We, the Free
Software Foundation, use the GNU General Public License for most
of our software; it applies also to any other work released this
way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and
charge for them if
you wish), that you receive source code or can
get it if you want it, that you can change the software or use
pieces of it in new free programs, and that you know you can do
these things.

To protect your rights, we need to prevent others from denying
you these rights or asking you to surrender the rights. Therefore,
you have certain responsibilities if you distribute copies of the
software, or if you modify it: responsibilities to respect the
freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one

that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure
under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the

Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that
product model, to give anyone who possesses the object code
either (1) a copy
of the Corresponding Source for all the
software in the product that is covered by this License, on a
durable physical medium customarily used for software
interchange, for a price no more than your reasonable cost
of physically performing this conveying of source, or (2)
access to copy the Corresponding Source from a network server
at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in
accord with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to
the Corresponding Source in the same way through the same place
at no further charge. You need not require recipients to copy
the Corresponding Source along with the object code.
If the
place to copy the object code is a network server, the
Corresponding Source may be on a different server (operated
by you or a third party) that supports equivalent copying
facilities, provided you maintain clear directions next to the
object code saying where to find the Corresponding Source.
Regardless of what server hosts the Corresponding Source, you
remain obligated to ensure that it is available for as long
as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission,
provided you inform other peers where the object code and
Corresponding Source of the work are being offered to the
general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means

any tangible
personal property which is normally used for personal,
family, or household purposes, or (2) anything designed or sold for
incorporation into a dwelling. In determining whether a product
is a consumer product, doubtful cases shall be resolved in favor
of coverage. For a particular product received by a particular
user, "normally used" refers to a typical or common use of that
class of product, regardless of the status of the particular user
or of the way in which the particular user actually uses, or expects
or is expected to use, the product. A product is a consumer product
regardless of whether the product has substantial commercial,
industrial or non-consumer uses, unless such uses represent the
only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to
install and execute modified versions of a covered work in that
User Product from a modified version of its Corresponding
Source.
The information must suffice to ensure that the continued functioning
of the modified object code is in no case prevented or interfered
with solely because modification has been made.

If you convey an object code work under this section in, or with,
or specifically for use in, a User Product, and the conveying occurs
as part of a transaction in which the right of possession and use
of the User Product is transferred to the recipient in perpetuity
or for a fixed term (regardless of how the transaction is characterized),
the Corresponding Source conveyed under this section must be
accompanied by the Installation Information. But this requirement
does not apply if neither you nor any third party retains the ability
to install modified object code on the User Product (for example,
the work has been installed in ROM).

The requirement to provide Installation Information does not include
a requirement to continue to provide support service, warranty, or
updates for
a work that has been modified or installed by the
recipient, or for the User Product in which it has been modified
or installed. Access to a network may be denied when the modification
itself materially and adversely affects the operation of the network
or violates the rules and protocols for communication across the
network.

Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for

unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions

directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the

licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors,
to run, modify and
propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License,
and you may not initiate
litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The

work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this
License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available,
or (2) arrange to deprive yourself of the benefit
of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory"
if it does not include within
the scope of its coverage, prohibits the exercise of, or is conditioned
on the non-exercise of one or more of the rights that are specifically
granted under this License. You may not convey a covered work if
you are a party to an arrangement with a third party that is in the
business of distributing software, under which you make payment to
the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license
or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement
or otherwise) that contradict the conditions of this License, they
do not excuse you from the conditions of this License. If you
cannot convey a covered work so as to satisfy simultaneously your
obligations under this License and any other pertinent obligations,
then as a consequence you may not convey it at all. For example,
if you agree to terms that obligate you to collect a royalty for
further conveying from those to whom you convey the Program, the
only way you could satisfy both those terms and this License would
be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the
GNU Affero General Public License into a
single combined work, and to convey the resulting work. The terms
of this License will continue to apply to the part which is the
covered work, but the special requirements of the GNU Affero General
Public License, section 13, concerning interaction through a network
will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the
Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE

PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software,
and you are welcome to redistribute it
under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the
appropriate parts of the General Public License. Of course, your
program's commands might be different; for a GUI interface, you
would use an "about box".

You should also get your employer (if you work as a programmer) or
school, if any, to sign a "copyright disclaimer" for the program,
if necessary. For more information on this, and how to apply and
follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your
program into proprietary programs. If your program is a subroutine
library, you may consider it more useful to permit linking proprietary
applications with the library. If this is what you want to do, use
the GNU Lesser General Public License instead of this License. But
first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.
==

==
GCC
RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (c) 2009 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of
this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library")
that bears a notice placed by the copyright holder of the file
stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of

non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for
 execution after a Compilation Process, or makes use of
an interface provided by the Runtime Library, but is not otherwise
based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3 (or a specified later version)
of the GNU General Public License (GPL) with the option of using
any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation,
modification and use would permit combination with GCC in accord
with the license of GCC.

"Target Code" refers to output from any compiler for a real or
virtual target processor architecture, in executable form or suitable
for input to an assembler, loader, linker and/or execution phase.
Notwithstanding that, Target Code does not include data in any
format that is used as a compiler intermediate representation, or
used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely
 represented in
non-intermediate languages designed for human-written code, and/or
in Java Virtual Machine byte code, into Target Code. Thus, for
example, use of source code generators and preprocessors need not
be considered part of the Compilation Process, since the Compilation
Process can be understood as starting with the output of the
generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone
or with other GPL-compatible software, or if it is done without
using any work based on GCC. For example, using non-GPL-compatible
Software to optimize any GCC intermediate representations would not
qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by
combining the Runtime Library with Independent Modules, even if
such propagation would otherwise violate the terms of GPLv3, provided
that all Target Code was generated by Eligible Compilation Processes.

You may
 then convey such a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of the license of GCC.
==

==
Copyright (c) 1994
Hewlett-Packard Company

Permission to use, copy, modify, distribute and sell this software
and its documentation for any purpose is hereby granted without fee,
provided that the above copyright notice appear in all copies and
that both that copyright notice and this permission notice appear
in supporting documentation. Hewlett-Packard Company makes no
representations about the suitability of this software for any
purpose. It is provided "as is" without express or implied
warranty.
==

==
Copyright (c) 1996,1997
Silicon Graphics Computer Systems, Inc.

Permission to use, copy, modify, distribute and sell this software
and its documentation
 for any purpose is hereby granted without fee,
provided that the above copyright notice appear in all copies and
that both that copyright notice and this permission notice appear
in supporting documentation. Silicon Graphics makes no
representations about the suitability of this software for any
purpose. It is provided "as is" without express or implied
warranty.
==

==
shared_count.hpp
@ Copyright (c) 2001, 2002, 2003 Peter Dimov and Multi Media Ltd.

shared_ptr.hpp
Copyright (C) 1998, 1999 Greg Colvin and Beman Dawes.
Copyright (C) 2001, 2002, 2003 Peter Dimov

weak_ptr.hpp
Copyright (C) 2001, 2002, 2003 Peter Dimov

enable_shared_from_this.hpp
Copyright (C) 2002 Peter Dimov

Distributed under the Boost Software License, Version 1.0.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or
organization obtaining a copy of the software and accompanying
documentation covered by this license (the
"Software") to use,
reproduce, display, distribute, execute, and transmit the Software,
and to prepare derivative works of the Software, and to permit
third-parties to whom the Software is furnished to do so, all subject
to the following:

The copyright notices in the Software and this entire statement,
including the above license grant, this restriction and the following
disclaimer, must be included in all copies of the Software, in whole
or in part, and all derivative works of the Software, unless such
copies or derivative works are solely in the form of machine-executable
object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND
NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE
DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER
LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
==

==
Copyright (C) 2004 Ami Tavory and Vladimir Dreizin, IBM-HRL.

Permission to use, copy, modify, sell, and distribute this software
is hereby granted without fee, provided that the above copyright
notice appears in all copies, and that both that copyright notice
and this permission notice appear in supporting documentation. None
of the above authors, nor IBM Haifa Research Laboratories, make any
representation about the suitability of this software for any
purpose. It is provided "as is" without express or implied warranty.
==

==========
==========

libssh

You are receiving a copy of libssh as part of MySQL Shell (a component of the
MySQL server) in object code form. The terms of the Oracle license do NOT apply
to libssh; libssh is licensed under
the LGPLv2.1 license, separate from MySQL.
If you do not wish to install this library, you may remove it, but the Oracle
program might not operate properly or at all without it. Depending on the
operating system the library can be found in the following locations:

- Linux: <librarydir-prefix>/mysql-shell/libssh.so
- OSX: <librarydir-prefix>/mysql-shell/libssh.dylib
- Windows: <installation-path>\bin\libssh.dll

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

This component is licensed under
GNU Lesser General Public License v2.1, February 1999.
See the 'Standard
Licenses' section for license text.

Additional Libraries Used by libssh
libssh has dependencies on the following libraries:

libgcrypt v1.7.3

The library is distributed under the terms of the GNU Lesser
General Public License (LGPL); see the file COPYING.LIB for the
actual terms. The helper programs (e.g. gcryptrnd and getrandom)
as well as the documentation are distributed under the terms of
the GNU General Public License (GPL); see the file COPYING for the
actual terms. The file LICENSES has notices about contributions
that require these additional notices are distributed.

Oracle's libssh implementation does not use any of the GPL licensed files
that are included with the libgcrypt distribution

libgpg-error v1.24

Oracle uses a subset of the files in libgpg-error to build libssh,
All of the files used by Oracle are licensed under the LGPLv2.1

Libgpg-error is free software; you can redistribute it and/or modify
it under
 the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of the
License, or (at your option) any later version. See the file
COPYING.LIB for copyright and warranty information. See the file
AUTHORS for a list of authors and important mail addresses.

However, some files (for example src/mkerrnos.awk) used in the build
process of the library and the manual are covered by a different
license. Please see the header of these files and the file COPYING
for copyright and warranty information on these files. A special
exception in the copyright license of these files makes sure that the
output in the build process, which is used in libgpg-error, is not
affected by the GPL.

COPYING:

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth
Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it
if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands
that there is no warranty for this free
software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this

General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately
publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no
charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections
when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided
that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means

the preferred form of the work for
making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except
as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives
a license from the
original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only
way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and
conditions
either of that version or of any later version published by the Free

Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE
THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program
is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,
MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General
Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

COPYING.LIB:

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and
other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies
of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License
therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little
to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with
the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly
into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive
it, in any medium, provided that
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third
parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a

table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the
Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply
the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all

subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it
with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather
than a "work that uses the
library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you

may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least
three years, to give the same user the materials specified in
Subsection 6a, above, for a charge no more than the cost of
performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include
anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library,
uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are

prohibited
by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License,
they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply, and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software
distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License
may add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

13. The Free Software
Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for
this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS

PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file
to most
effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor,
Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or

your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

==========
==========

LZ4

LZ4 Library
Copyright (c) 2011-2016, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions
and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========
==========

md5 (Message-Digest Algorithm 5)

md5 (Message-Digest Algorithm 5)

This code implements the MD5 message-digest algorithm.
The algorithm is due to Ron Rivest. This code was
written by Colin Plumb in 1993, no copyright is claimed.
This code is in the public domain; do with it what you wish.

Equivalent code is available from RSA Data Security, Inc.
This code has been tested against that, and is equivalent,
except that you don't need to include two pages of legalese
with every copy.

The code has been modified by Mikael Ronstroem to handle
calculating a hash value of a key that is always a multiple
of 4 bytes long. Word 0 of the calculated 4-word hash value
is returned as the hash value.

==========
==========

MeCab

Copyright
 (c) 2001-2008, Taku Kudo
Copyright (c) 2004-2008, Nippon Telegraph and Telephone Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above
  copyright notice, this list of conditions and the
  following disclaimer.

* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the
  following disclaimer in the documentation and/or other
  materials provided with the distribution.

* Neither the name of the Nippon Telegraph and Telegraph Corporation
  nor the names of its contributors may be used to endorse or
  promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

==========
==========

MeCab Dictionary

Copyright 2000, 2001, 2002, 2003 Nara Institute of Science and Technology.
All Rights Reserved.

Use, reproduction, and distribution of this software is permitted. Any copy
of this software, whether in its original
form or modified, must include both
the above copyright notice and the following paragraphs.

Nara Institute of Science and Technology (NAIST), the copyright holders,
disclaims all warranties with regard to this software, including all implied
warranties of merchantability and fitness, in no event shall NAIST be liable
for any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortuous action, arising out of or in
connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software.
The following conditions for ICOT Free Software applies to the current
dictionary as well.

Each User may also freely distribute the Program, whether in its original
form or modified, to any third party or parties, PROVIDED that the provisions
of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the
Program,
which is distributed substantially in the same form as set out
herein and that such intended distribution, if actually made, will neither
violate or otherwise contravene any of the laws and regulations of the
countries having jurisdiction over the User or the intended distribution
itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

==========
==========

memcached

Copyright (c) 2003, Danga Interactive, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

  * Redistributions of source code must retain the
 above copyright
notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

  * Neither the name of the Danga Interactive nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 ==
 ==

nt_servc (Windows NT Service class library)

Windows NT Service class library
Copyright Abandoned 1998 Irena Pancirov - Irnet Snc
This file is public domain and comes with NO WARRANTY of any kind

 ==
 ==

OpenSSL 1.x

You are receiving a copy of OpenSSL as part of this product in
object code form. The terms of the Oracle license do NOT apply to
OpenSSL. OpenSSL is licensed under a double license, of the OpenSSL
License and the original SSLeay license, separate from

the Oracle
product. If you do not wish to install this library, you may remove
it, but the Oracle program might not operate properly or at all
without it.

LICENSE ISSUES
==========

The OpenSSL toolkit stays under a double license, i.e. both the conditions of
the OpenSSL License and the original SSLeay license apply to the toolkit.
See below for the actual license texts.

OpenSSL License

/* ==
* Copyright (c) 1998-2019 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above
copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. All advertising materials mentioning features or use of this
*   software must display the following acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For written permission, please contact
*   openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
*   nor may "OpenSSL" appear in their names without prior written
*   permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following

* acknowledgment:
* "This product includes software developed
by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* ==
*
* This product includes cryptographic software
written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product,
Eric Young should be given attribution
* as the author of the parts of the library used.

* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*   Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can
 be left out if the rouines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

 ==
 ==

Percona Multiple I/O Threads Patch

Copyright (c) 2008, 2009 Percona Inc
All rights reserved.

Redistribution and use of this software in source and binary forms,
with or without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following
 disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of Percona Inc. nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission of Percona Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY OUT OF THE USE OF THIS SOFTWARE,
 EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

 ==
 ==

Pion

This Oracle Product includes or references Pion which is licensed to
Oracle under the following terms:

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part,

and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========
==========

RapidJSON v1.1.0

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip. All rights reserved.

If you have downloaded a copy of the RapidJSON binary from Tencent, please note that
the RapidJSON binary is licensed under the MIT License.
If you have downloaded a copy of the RapidJSON source code from Tencent, please note that RapidJSON source code is licensed under the MIT License, except for the third-party components listed below which are subject to different license terms. Your integration of RapidJSON into your own projects may require compliance with the MIT License, as well as the other licenses applicable to the third-party components included within RapidJSON. To avoid the problematic JSON license in your own projects, it's sufficient to exclude the bin/jsonchecker/ directory, as it's the only code under the JSON license.
A copy of the MIT License is included in this file.

Other dependencies and licenses:

Open Source Software Licensed Under the BSD License:

The msinttypes r29
Copyright (c) 2006-2013 Alexander Chemeris
All rights reserved.

Redistribution and use in source and binary
forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
* Neither the name of copyright holder nor the names of its contributors may
be used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING,
 BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Open Source Software Licensed Under the JSON License:
---

json.org
Copyright (c) 2002 JSON.org
All Rights Reserved.

JSON_checker
Copyright (c) 2002 JSON.org
All Rights Reserved.

Terms of the JSON License:

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies
 of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Terms of the MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"),
to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========
==========

RegEX-Spencer
Library

The following software may be included in this product: Henry
Spencer's Regular-Expression Library (RegEX-Spencer)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
 software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
 explicit claim or by omission. Since few users ever read sources,
 credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
 misrepresented as being the original software. Since few
users
 ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

 ==========
 ==========

Richard A. O'Keefe String Library

The Richard O'Keefe String Library is subject to the following notice:

These files are in the public domain. This includes getopt.c, which
is the work of Henry Spencer, University of Toronto Zoology, who
says of it "None of this software is derived from Bell software. I
had no access to the source for Bell's versions at the time I wrote
it. This software is hereby explicitly placed in the public domain.
It may be used for any purpose on any machine by anyone." I would
greatly prefer it if *my* material received no military use.

The t_ctype.h file is subject to the following notice:

Copyright (C) 1998, 1999 by Pruet Boonma, all rights reserved.
Copyright (C) 1998 by Theppitak Karoonboonyanan,
 all rights reserved.

 Permission to use, copy, modify, distribute and sell this software and its
 documentation for any purpose is hereby granted without fee, provided that the
 above copyright notice appear in all copies.

 Smaphan Raruenrom and Pruet Boonma makes no representations about
the suitability of this software for any purpose. It is provided
"as is" without express or implied warranty.

 ==========
 ==========

sajson

Copyright (c) 2012 Chad Austin

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so,
subject
to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR
ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========
==========

SHA-1 in C

SHA-1 in C
By Steve Reid <steve@edmweb.com>
100% Public Domain

==========
==========

Time
Zone Information

Unless specified below, all files in the tz code and data (including this
LICENSE file) are in the public domain. If the files date.c,
newstrftime.3, and strftime.c are present, they contain material derived
from BSD and use the BSD 3-clause license. tzdata:
This file is in the public domain, so clarified as of
2009-05-17 by Arthur David Olson.
/* Copyright 1985, 1987, 1988 The Regents of the University of California.
All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3.
Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE. */

==========
==========

Unicode Data Files

unidata-5.2.0.txt
Date: 2009-09-22, 16:23:42 PDT [KW]
#
This file defines the Default Unicode Collation Element Table
(DUCET) for the Unicode Collation Algorithm
#
Copyright (c) 2001-2009 Unicode, Inc.
For terms of use, see http://www.unicode.org/terms_of_use.html
#
See UTS #10, Unicode Collation Algorithm, for more information.
#
Diagnostic weight ranges
Primary weight range: 0200..3ACA (14539)
Secondary weight range: 0020..0192 (371)
Variant secondaries: 0159..015E (6)
Digit secondaries: 015F..0192 (52)
Tertiary weight range: 0002..001F (30)
#
@version 5.2.0

=== http://www.unicode.org/terms_of_use.html

For the general privacy policy governing access to this site, see the
Unicode Privacy Policy.

Unicode Copyright
Copyright (c) 1991-2020 Unicode, Inc. All rights reserved.
Definitions
Unicode Data Files
("DATA FILES") include all data files under the
directories:
https://www.unicode.org/Public/
https://www.unicode.org/reports/
https://www.unicode.org/ivd/data/
Unicode Data Files do not include PDF online code charts under the directory:
https://www.unicode.org/Public/
Unicode Software ("SOFTWARE") includes any source code published in the
Unicode Standard
or any source code or compiled code under the directories:
https://www.unicode.org/Public/PROGRAMS/
https://www.unicode.org/Public/cldr/
http://site.icu-project.org/download/

Terms of Use
Certain documents and files on this website contain a legend indicating that
"Modification is permitted." Any person is hereby authorized, without fee, to
modify such documents and files to create derivative works conforming to the
Unicode(R) Standard, subject to Terms and Conditions herein.
Any person is hereby authorized, without fee, to view, use, reproduce, and
distribute all documents and files, subject to the Terms and Conditions
herein.
Further
specifications of rights and restrictions pertaining to the use of
the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files
and Software License.
Each version of the Unicode Standard has further specifications of rights and
restrictions of use. For the book editions (Unicode 5.0 and earlier), these
are found on the back of the title page.
The Unicode PDF online code charts carry specific restrictions. Those
restrictions are incorporated as the first page of each PDF code chart.
All other files, including online documentation of the core specification for
Unicode 6.0 and later, are covered under these general Terms of Use.
No license is granted to "mirror" the Unicode website where a fee is charged
for access to the "mirror" site.
Modification is not permitted with respect to this document. All copies of
this document must be verbatim.

Restricted Rights Legend
Any technical data or software which is licensed to the United States of
America, its agencies and/or instrumentalities

under this Agreement is
commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers
This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website
at
any time.
If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages
In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation,
those resulting from the
following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

Trademarks & Logos
The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc.
The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc.
Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.
The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole

discretion of Unicode, Inc.
All third party trademarks referenced herein are the property of their respective owners.

Miscellaneous
Jurisdiction and Venue. This website is operated from a location in the State of California,
United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

Taxes. The user agrees
to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

==========
==========

Unicode Data Files

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories http://www.unicode.org/Public/, http://www.unicode.org/reports/, http://www.unicode.org/cldr/data/, http://source.icu-project.org/repos/icu/, and http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source
code published in the Unicode Standard
or under the directories http://www.unicode.org/Public/,
http://www.unicode.org/reports/, http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2016 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining a copy
of the Unicode data files and any associated documentation (the "Data Files")
or Unicode software and
any associated documentation (the "Software") to deal
in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit persons to
whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies of the Data
Files or Software, or (b) this copyright and permission notice appear in
associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF
THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS
INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR
CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use or other

dealings in these Data Files or Software without prior written authorization
of the copyright holder.

==========

ICU-LICENSE

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and
others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, and/or sell copies of the
Software, and to permit
persons to whom the Software is furnished to do so,
provided that the above copyright notice(s) and this permission notice appear
in all copies of the Software and that both the above copyright notice(s) and
this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use
or other
dealings in this Software without prior written authorization of the
copyright holder.

All trademarks and registered trademarks mentioned herein are the property of
their respective owners.

==========
==========

xxHash

Copyright (c) 2012-2014, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
 this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED
 WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 ==========
 ==========

zlib

Oracle gratefully acknowledges the contributions of Jean-loup Gailly
and Mark Adler in creating the zlib general purpose compression
library which is used in this product.

Copyright (C)
 1995-2022 Jean-loup Gailly and Mark Adler

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it
 freely, subject to the following restrictions:

 1. The origin of this software must not be misrepresented; you must not

claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

If you use the zlib library
in a product, we would appreciate *not* receiving
lengthy legal documents to sign. The sources are provided for free but without
warranty of any kind. The library has been entirely written by Jean-loup
Gailly and Mark Adler; it does not include third-party code.

If you redistribute modified sources, we would appreciate that you include in
the file ChangeLog history information documenting your changes. Please read
the FAQ for more information on the distribution of modified source versions.

==========
==========

Standard Licenses

GNU Lesser General Public License v2.1, February 1999

The following applies to all products licensed under the
GNU Lesser General Public License, Version 2.1: You may
not use the identified files except in compliance with
the GNU Lesser General Public License, Version 2.1 (the
"License"). You may obtain a copy of the License
at
http://www.gnu.org/licenses/lgpl-2.1.html. A copy of the
license is also reproduced below. Unless required by
applicable law or agreed to in writing, software distributed
under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
or implied. See the License for the specific language governing
permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite
different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special
circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it
becomes a de-facto standard. To achieve this, non-free programs
must be allowed to use the library. A more frequent case is that
a free library does the same job as widely used non-free libraries.
In this case, there is little to gain by limiting the free library
to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has
the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those
functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is

not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications
or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent
of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the

source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work

during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same
place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single
library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License.
However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise
of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by
copyrighted interfaces, the
original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose
any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the

greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

==========
==========

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting http://www.oracle.com/goto/opensourcecode. If the source code for the binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link: http://www.oracle.com/goto/opensourcecode/request.

Oracle America, Inc.
Attn: Senior Vice President
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Your request should include:

* The name of the binary for which you are requesting the source code

* The name and version number of the Oracle product containing the binary

* The date you received the Oracle product

* Your name

* Your company name (if applicable)

* Your return mailing address and email, and

* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or

b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

This repository uses 2 different licenses :
- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that
files in the `lib` directory are designed to be included into 3rd party applications,
while all other files, in `programs`, `tests` or `examples`,
are intended to be used "as is", as part of their intended scenarios,
with no intention to support 3rd party integration use cases.
CMake - Cross Platform Makefile Generator
Copyright 2000-2013 Kitware, Inc.
Copyright 2000-2011 Insight Software Consortium
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.

* Neither the names of Kitware, Inc., the Insight Software Consortium,
 nor the names of their contributors may be used to endorse or promote
 products derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO,
 THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above copyright and license notice applies to distributions of
CMake in source and binary form. Some source files contain additional
notices of original copyright by their contributors; see each source
for details. Third-party software packages supplied with CMake under
compatible licenses provide their
 own copyright notices documented in
corresponding subdirectories.

CMake was initially developed by Kitware with the following sponsorship:

* National Library of Medicine at the National Institutes of Health
  as part of the Insight Segmentation and Registration Toolkit (ITK).

* US National Labs (Los Alamos, Livermore, Sandia) ASC Parallel
  Visualization Initiative.

* National Alliance for Medical Image Computing (NAMIC) is funded by the
  National Institutes of Health through the NIH Roadmap for Medical Research,
  Grant U54 EB005149.

* Kitware, Inc.
Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
  software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
  explicit claim or by omission. Since few users ever read sources,
  credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
  misrepresented as being the original software. Since few users
  ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.
License Disclaimer:

All contents of this directory are Copyright (c) the Dojo Foundation, with the
following exceptions:
---

dojo.css:
* parts Copyright (c) 2007, Yahoo! Inc. All rights reserved.
Distributed under the terms of the BSD License

The Program includes all or portions of the following software which was obtained under the terms and conditions of the BSD License.

http://developer.yahoo.com/yui/license.html

Copyright (c) 2007, Yahoo! Inc.
All rights reserved.
Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the
documentation
and/or other materials provided with the distribution.
* Neither the name of Yahoo! Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without
specific prior written permission of Yahoo! Inc.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
Copyright (c) 2014, 2019, Oracle and/or its affiliates. All rights reserved.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License, version 2.0,
as published by the Free Software Foundation.

This program is also distributed with certain software (including
but not limited to OpenSSL) that is licensed under separate terms,
as designated in a particular file or component or in included license
documentation. The authors of MySQL hereby grant you an additional
permission to link the program and your derivative works with the
separately licensed software that they have included with MySQL.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License, version 2.0, for more details.

You should have received a copy of the GNU General Public License
along with this program;
if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT
 OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.213 logback-throttling-appender 1.1.7

1.213.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>

Found in path(s):
* /opt/cola/permits/1548380611_1675143983.091534/0/logback-throttling-appender-1-1-7-sources-1-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml

1.214 metrics-servlets 4.1.29

1.214.1 Available under license :

Apache-2.0

1.215 metrics-logback 4.1.29

1.215.1 Available under license :

Apache-2.0

1.216 metrics-jetty 4.1.29

1.216.1 Available under license :

Apache-2.0

1.217 metrics-json 4.1.29

1.217.1 Available under license :

Apache-2.0

1.218 metrics-jersey2 4.1.29

1.218.1 Available under license :

Apache-2.0

1.219 metrics-caffeine 4.1.29

1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1548380653_1675143991.351548/0/metrics-caffeine-4-1-29-sources-1-jar/com/codahale/metrics/caffeine/MetricsStatsCounter.java

1.220 metrics-jvm 4.1.29

1.220.1 Available under license :

Apache-2.0

1.221 groovyjsr 3.0.9

1.221.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/ScriptStaticExtensions.java
*
 /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/ScriptExtensions.java
No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements.  See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License.  You may obtain a copy of the License at
#
#     http://www.apache.org/licenses/LICENSE-2.0
#
```

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

org.codehaus.groovy.jsr223.GroovyScriptEngineFactory

Found in path(s):
* /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/META-INF/services/javax.script.ScriptEngineFactory
No license file was found, but licenses were detected in source scan.

/*
* The initial contribution was derived from the reference implementation
* developed by Sun in consultation with the Groovy community. The reference
* implementation had the following license header:
*
* Copyright 2006 Sun Microsystems, Inc. All rights reserved.
* Use is subject to license terms.
*
* Redistribution and use in source and binary forms, with or without modification, are
* permitted provided that the following conditions are met: Redistributions of source code
* must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution. Neither the name of the Sun Microsystems nor the names of
* is contributors may be used to endorse or promote products derived
 from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS
* OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
* AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
* OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.

*
* Subsequent modifications by the Groovy community have been done under the Apache License v2:
*
* Licensed to the Apache Software
 Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyScriptEngineImpl.java
* /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyCompiledScript.java
*
 /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyScriptEngineFactory.java

1.222 jersey-common 2.37

1.222.1 Available under license :

Notice for Jersey Core Common module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed

source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266
* License: Creative Commons 1.0 (CC0)
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0
OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
*
Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.13.3
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
*
Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 9.3
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0

* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org
documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are

provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may

participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source

code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;

rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER

EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

> Gnomovision version 69, Copyright (C) year name of author
> Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
> `show w'. This is free software, and you are welcome to redistribute
> it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

> Yoyodyne, Inc., hereby disclaims all copyright interest in the
> program `Gnomovision' (which makes passes at compilers) written by
> James Hacker.
>
> signature of Ty Coon, 1 April 1989
> Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that

module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this
exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.

1.223 jersey 2.37

1.223.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* http://www.eclipse.org/org/documents/edl-v10.php.
*
```

* SPDX-License-Identifier: BSD-3-Clause
*/
Notice for Jersey Json Jackson module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Jackson JAX-RS Providers version 2.13.3
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.
# Notice for Jersey Core Common module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266
* License: Creative Commons 1.0 (CC0)
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For

more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0
OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
*

Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.13.3
* License: Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
*
Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm Version 9.3
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org
documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
http://www.w3.org/Consortium/Legal/
Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Distribution License v. 1.0 which is available at
https://www.eclipse.org/org/documents/edl-v10.php.

SPDX-License-Identifier: BSD-3-Clause

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey/examples

Third-party Content

Angular JS, v1.6.6
* License MIT (http://www.opensource.org/licenses/mit-license.php)
* Project: http://angularjs.org
* Coyright: (c) 2010-2017 Google,

Inc.

aopalliance Version 1
* License: all the source code provided by AOP Alliance is Public Domain.
* Project: http://aopalliance.sourceforge.net
* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2
* License: Apache License, 2.0
* Project: http://beanvalidation.org/1.1/
* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
* by the @authors tag.

Bootstrap v3.3.7
* License: MIT license (https://github.com/twbs/bootstrap/blob/master/LICENSE)
* Project: http://getbootstrap.com
* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0
* License: Apache License, 2.0
* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1
* License: Apache License, 2.0
* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA
* License: Apache License, 2.0
* Project: http://www.javassist.org/
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.9.9
* License:
Apache License, 2.0
* Project: https://github.com/FasterXML/jackson-jaxrs-providers
* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4
* License: jquery.org/license
* Project: jquery.org
* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3
* License: MIT & GPL (http://www.opensource.org/licenses/mit-license.php &
http://www.gnu.org/licenses/gpl.html)
* Project: http://www.pasella.it/projects/jQuery/barcode
* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266
* License: CC0
* No copyright
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/

KineticJS, v4.7.1
* License: MIT license (http://www.opensource.org/licenses/mit-license.php)
* Project: http://www.kineticjs.com, https://github.com/ericdrowell/KineticJS
* Copyright: Eric Rowell

org.objectweb.asm
Version 7.2
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0
* License: Apache License, 2.0
* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
/*
* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
Notice for Jersey Core Server module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0
 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core
* License: Apache License, 2.0
* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 9.3
* License: Modified BSD (https://asm.ow2.io/license.html)
* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents
* License: W3C License
* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/
# Notice for Jersey Bean Validation module
This content is produced and maintained by the Eclipse Jersey project.

* https://projects.eclipse.org/projects/ee4j.jersey

Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Eclipse Public License v. 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made
available under the following Secondary Licenses when the conditions for such
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU
General Public License, version 2 with the GNU Classpath Exception which is
available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code
The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/jersey

Third-party Content

Hibernate Validator CDI, 6.1.2.Final
* License: Apache License, 2.0
* Project: https://beanvalidation.org/
* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate
# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial

Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add

their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the

appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of
this Agreement from time to time. No one other than the Agreement
Steward has the right to modify this Agreement. The Eclipse Foundation
is the initial Agreement Steward. The Eclipse Foundation may assign the
responsibility to serve as the Agreement Steward to a suitable separate
entity. Each new version of the Agreement will be given a distinguishing
version number. The Program (including Contributions) may always be
Distributed subject to the version of the Agreement under which it was
received. In addition, after a new version of the Agreement is published,
Contributor may elect to Distribute the Program (including its
Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient
receives no rights or licenses to the intellectual property of any
Contributor under this Agreement, whether expressly, by implication,
estoppel
or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must

be licensed for everyone's free use or not licensed at
all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to
this License and to the absence of any warranty; and give any other
recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of
it, thus forming a work based on the Program, and copy and distribute
such modifications
or work under the terms of Section 1 above, provided
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any part
thereof, to be licensed as a whole at no charge to all third parties

under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of
physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be

distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may

differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER
EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    One line to give the program's name and a brief idea of what it does.
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This
program is distributed in the hope that it will be useful, but
    WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
    `show w'. This is free software, and you are welcome to redistribute
    it under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the
    program `Gnomovision' (which makes passes at compilers) written by

James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If
you do not wish to do so, delete this exception statement from your version.

1.224 groovy-testng 3.0.9

1.224.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
```

```
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1551849313_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/org/codehaus/groovy/testng/TestNgRunner.java
*
 /opt/cola/permits/1551849313_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/org/apache/groovy/plugin/testng/TestNgRunner.java
No license file was found, but licenses were detected in source scan.

```
#
#  Licensed to the Apache Software Foundation (ASF) under one
#  or more contributor license agreements.  See the NOTICE file
#  distributed with this work for additional information
#  regarding copyright ownership.  The ASF licenses this file
#  to you under the Apache License, Version 2.0 (the
#  "License"); you may not use this file except in compliance
#  with the License.  You may obtain a copy of the License at
#
#    http://www.apache.org/licenses/LICENSE-2.0
#
#  Unless required by applicable law or agreed to in writing,
#  software distributed under the License is distributed on an
#  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
#  KIND, either express or implied.  See the License for the
#  specific language governing permissions and limitations
#  under the License.
#

org.apache.groovy.plugin.testng.TestNgRunner
```

Found in path(s):
* /opt/cola/permits/1551849313_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/META-INF/services/org.apache.groovy.plugin.GroovyRunner

1.225 jackson-module-afterburner 2.14.1

1.225.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components (as well their dependencies) may be licensed under
different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation

and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

1.226 groovy-ant 3.0.9

1.226.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

-->

Found in path(s):
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/ant/antlib.xml
*

/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/antlib.xml
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/package.html
No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/FileIterator.java
*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/LoggingHelper.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/AntProjectPropertiesDelegate.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/RootLoaderRef.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/CompileTaskSupport.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/util/FileNameFinder.groovy
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/FileSystemCompilerFacade.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/GenerateStubsTask.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/util/AntBuilder.java
*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/Groovydoc.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/UberCompileTask.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/Groovyc.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/VerifyClass.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/ant/FileNameFinder.groovy
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/Groovy.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/ant/AntBuilder.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/FileScanner.java
*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/org/codehaus/groovy/ant/GroovycTask.java

1.227 groovy-macro 3.0.9

1.227.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

#global transformation for macro support
org.codehaus.groovy.macro.transform.MacroTransformation
org.codehaus.groovy.macro.transform.MacroClassTransformation

Found
 in path(s):
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/META-INF/services/org.codehaus.groovy.transform.ASTTransformation

No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one
*  or more contributor license agreements.  See the NOTICE file
*  distributed with this work for additional information
*  regarding copyright ownership.  The ASF licenses this file
*  to you under the Apache License, Version 2.0 (the
*  "License"); you may not use this file except in compliance
*  with the License.  You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing,
*  software distributed under the License is distributed on an
*  "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
*  KIND, either express or implied.  See the License for the
*  specific language governing permissions and limitations
*  under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/MatchingConstraintsBuilder.groovy
*
 /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroTransformation.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/Macro.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroCallTransformingVisitor.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/MatcherUtils.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroClassTransformation.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroMethodsCache.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTFinder.java
*
 /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/ConstraintPredicate.groovy
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/NodeComparator.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroClass.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTNodePredicate.java

* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/MacroStub.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTMatcher.groovy
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/methods/MacroGroovyMethods.java
*
/opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/TreeContext.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/MacroContext.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/AnyTokenMatch.groovy
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ContextualClassCodeVisitor.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/TreeContextAction.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/MacroBuilder.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/MatchingConstraints.groovy

1.228 apache-log4j 2.20.0

1.228.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.229 snake-yaml 2.0

1.229.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008, SnakeYAML
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Parser.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/ScalarNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ValueToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/StreamEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/events/AliasEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ScalarEvent.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterState.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DirectiveToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/StreamStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CommentEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AliasToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/Construct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ImplicitTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/Property.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Production.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitable.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/DumperOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/AnchorNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Represent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Node.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Constant.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MethodProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/UriEncoder.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/UnicodeReader.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/CollectionNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/ConstructorException.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserException.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MarkedYAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Representer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/Serializer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/BeanAccess.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/Mark.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/ArrayUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/YAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/EnumUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/TypeDescription.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/Resolver.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/Constructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/SimpleKey.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/DocumentStartEvent.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/Token.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AnchorToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/Composer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Tag.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/internal/Logger.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/KeyToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MissingProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/Event.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentType.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/GenericProperty.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

No license file was found, but licenses were detected in source scan.

// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html

// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
* A Base64 encoder/decoder.
*
* <p>
* This class is used to encode and decode data in Base64 format as described in RFC 1521.
*
* <p>
* Project home page: www.
* source-code.biz/base64coder/java
* Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland
* Multi-licensed: EPL / LGPL / GPL / AL / BSD.
*/

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java

1.230 websocket-api 9.4.51.v20230217

1.230.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
  distributed under this Agreement, and
b) in the case of each subsequent Contributor:
  i) changes to the Program, and
  ii) additions to the Program;

  where such changes and/or additions to the Program originate from and are
  distributed by that particular Contributor. A Contribution 'originates'

from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license

before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is

granted provided that the copyright notice appears in all
copies.

1.231 jetty-client 9.4.51.v20230217

1.231.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates'
from a Contributor if it was added to the Program by such
Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not
include additions to the Program which: (i) are separate modules of
software distributed in conjunction with the Program under their own
license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when
combined with the Program.

"Program" means the Contributions distributed in accordance with this
Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or

conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
copies.

1.232 websocket-common 9.4.51.v20230217

1.232.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such

combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution,
if
any, in a manner that reasonably allows subsequent Recipients to identify the
originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with
respect to end users, business partners and the like. While this license is
intended to facilitate the commercial use of the Program, the Contributor who
includes the Program in a commercial product offering should do so in a manner
which does not create potential liability for other Contributors. Therefore,
if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify
every other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits and
other legal actions brought by a third party against the Indemnified
Contributor to the extent caused by the acts or omissions of such Commercial
Contributor in connection with its distribution of the Program in a commercial
product offering. The obligations in this section do not apply to any claims
or Losses relating to any actual or alleged intellectual property
infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the
Commercial Contributor in, the defense and any related settlement
negotiations. The Indemnified Contributor may participate in any such claim at
its own expense.

For example,
a Contributor might include the Program in a commercial product
offering, Product X. That Contributor is then a Commercial Contributor. If
that Commercial Contributor then makes performance claims, or offers
warranties related to Product X, those performance claims and warranties are
such Commercial Contributor's responsibility alone. Under this section, the
Commercial Contributor would have to defend claims against the other
Contributors related to those performance claims and warranties, and if a
court requires any other Contributor to pay any damages as a result, the
Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE,
NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each
Recipient is solely responsible for determining

the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

 * The Apache 2.0 License
   http://www.apache.org/licenses/LICENSE-2.0.html

     and

 * The Eclipse Public 1.0 License
   http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with

classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
 copies.

1.233 jetty-util 9.4.51.v20230217

1.233.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
  distributed under this Agreement, and
b) in the case of each subsequent Contributor:
   i) changes to the Program, and
  ii) additions to the Program;

  where such changes and/or additions to the Program originate from and are
  distributed by that particular Contributor. A Contribution 'originates'
  from a Contributor if it was added to the Program by such

Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor,
if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY

OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this

Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all

copies.

1.234 error_prone_annotations 2.18.0

1.234.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
-->

Found in path(s):
* /opt/cola/permits/1606613656_1679417956.422988/0/error-prone-annotations-2-18-0-1-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.235 jcodings 1.0.44

1.235.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/unicode/FixedWidthUnicodeEncoding.java
No license file was found, but licenses were detected in source scan.

/*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_32_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/Transcoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1257Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_1Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/spi/ISO_8859_16.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF16BEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/AbstractEncoding.java

*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF8_MAC_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/EncodingDB.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50221_encoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Eucjp2sjis_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/EncodingException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Ptr.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/constants/PosixBracket.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/BytesHash.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EUCJPEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/SingleByteEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/GenericTranscoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscoderDB.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_32BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1252Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscodeTableSupport.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/CaseFoldMapEncoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/EucEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseSJISEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscoderList.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/ErrorMessages.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_7Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_GB18030_Transcoder.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_16LE_Transcoder.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp_kddi_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ISOEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF16LEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/CaseFoldCodeItem.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/constants/CharacterType.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/EConvFlags.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/ObjHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/Hash.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/GB18030Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/IntArrayHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ASCIIEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/NonStrictUTF8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_6Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_16BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Escape_xml_attr_quote_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Eucjp_to_stateless_iso2022jp_Transcoder.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_16LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_4Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/NonStrictEUCJPEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EUCTWEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/TranscoderException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/InternalException.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1253Encoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/IntHolder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/MultiByteEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EUCKREncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscodingInstruction.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Big5UAOEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_9Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_13Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/SJISEncoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_GB18030_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1254Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_32LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/EConv.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseUTF8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_16Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/NonStrictSJISEncoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Universal_newline_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_10Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp_kddi_encoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_16BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-

jar/org/jcodings/unicode/UnicodeEncoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EmacsMuleEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8UEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BIG5Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/EncodingList.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_31JEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50220_encoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Sjis2eucjp_Transcoder.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/unicode/UnicodeProperties.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/JCodingsException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_11Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp_encoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_16_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8REncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_2Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_14Encoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ascii/AsciiTables.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/GBKEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/CharacterPropertyException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseBIG5Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/EConvResult.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/USASCIIEncoding.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_15Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50220_decoder_Transcoder.java
*
 /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50221_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ObjPtr.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_16_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_32_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Stateless_iso2022jp_to_eucjp_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/CodeRange.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1251Encoding.java
*
 /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF32BEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/CaseInsensitiveBytesHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_32LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/IntHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1250Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_32BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/AsciiCompatibility.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/Buffer.java
*
 /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/CP949Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF32LEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Config.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ApplyAllCaseFoldFunction.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_3Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-

jar/org/jcodings/CanBeTrailTableEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/ArrayReader.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_5Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/GB2312Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Big5HKSCSEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseEUCJPEncoding.java

1.236 joni 2.1.29

1.236.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Option.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Syntax.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Config.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Token.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StringType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Region.java

* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/QuantifierNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/ValueException.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ArrayCompiler.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CTypeNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/UnsetAddrList.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ByteCodePrinter.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/Node.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/SyntaxException.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/AnchorType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Parser.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptEnvironment.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Matcher.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/StackMachine.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/CodeRangeBuffer.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/ListNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/JOniException.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptAnchorInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/EncloseType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StackPopLevel.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/OPSize.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ScannerSupport.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/WarnCallback.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/AnchorNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ApplyCaseFoldArg.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/StateNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StackType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/MinMaxLen.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/TargetInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Analyser.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ApplyCaseFold.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ScanEnvironment.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/Traverse.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/AnyCharNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptExactInfo.java

* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/NodeStatus.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/InternalException.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NativeMachine.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/BackRefNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CallNode.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/ErrorMessages.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ByteCodeMachine.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Regex.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/TokenType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Compiler.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/BitSet.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/Arguments.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptMapInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/SyntaxProperties.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/StackEntry.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/CaptureTreeNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Search.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/BitStatus.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CClassNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/StringNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/MatcherFactory.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/EncloseNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/MetaChar.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Lexer.java
*
 /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/OPCode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/NodeType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NodeOptInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NameEntry.java

1.237 jinjava 2.6.0

1.237.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

Copyright (c) 2020 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
**********/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AbstractFilter.java
No license file was found, but licenses were detected in source scan.

/**********
* Copyright (c) 2014 HubSpot Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
**********/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/JinjavaConfig.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IncludeTag.java
*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IfTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/CycleTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/HelperStringTokenizer.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-

jar/com/hubspot/jinjava/tree/ExpressionNode.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TextNode.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/Node.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TreeParser.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/Context.java
*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AbsFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/JinjavaInterpreter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/Variable.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IfchangedTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ExtendsTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TagNode.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/BlockTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/Tag.java
*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ObjectIterator.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/RootNode.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ForTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/FilterLibrary.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/Jinjava.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/SetTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/CutFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeFilter.java
No license file was found, but licenses were detected in source scan.

/***
* Copyright (c) 2017 HubSpot Inc.
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
**********/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeJinjavaFilter.java
No license file was found, but licenses were detected in source scan.

/**********
Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
**********/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeJsFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/Filter.java
No license file was found, but licenses were detected in source scan.

/**********
Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
**********/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/UpperFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/LowerFilter.java
*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/Logging.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DivisibleFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/Md5Filter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/loader/FileLocator.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AddFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DivideFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/NoteToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TextToken.java
*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/TagLibrary.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/SimpleLibrary.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/Importable.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ForLoop.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TokenScannerSymbols.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DefaultFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AdvancedFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/MultiplyFilter.java

*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/loader/ResourceLocator.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/Token.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ElseTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/RandomFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/LengthFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TagToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/TruncateFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ObjectTruthValue.java
*
 /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/InterpretException.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DatetimeFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/ExpressionToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/ReverseFilter.java
No license file was found, but licenses were detected in source scan.

/*
Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TokenScanner.java

No license file was found, but licenses were detected in source scan.

/**
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/BoolFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/DynamicVariableResolver.java

1.238 tap4j 4.1

1.238.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2010 tap4j team (see AUTHORS)
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS

BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/StatusValues.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TestSet.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/Tap13Representer.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TestResult.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TapResult.java
*
/opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Parser.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/RepresenterException.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/BailOut.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/DirectiveValues.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerException.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerFactory.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/AbstractTapElementDiagnostic.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TapElement.java
*
/opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/SkipPlan.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Footer.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/TapProducer.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Comment.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Header.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/Producer.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/TapJunitRepresenter.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/package-info.java
*
/opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Tap13Parser.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Memento.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/DumperOptions.java

* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Plan.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/ParserException.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/ProducerException.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/Representer.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/TapVersionValues.java
*
/opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Text.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/TapProducerFactory.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Directive.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerImpl.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumer.java

1.239 auto-service-annotations 1.0-rc6

1.239.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2008 Google LLC
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1613098325_1680160344.6102023/0/auto-service-annotations-1-0-rc6-sources-1-jar/com/google/auto/service/AutoService.java

1.240 auto-service 1.0-rc6

1.240.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Google LLC
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-jar/com/google/auto/service/processor/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2008 Google LLC
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-jar/com/google/auto/service/processor/AutoServiceProcessor.java
* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-jar/com/google/auto/service/processor/ServicesFiles.java

1.241 javaparser-core 3.23.0

1.242 log4j2-ecs-layout 1.2.0

1.242.1 Available under license :

ecs-logging-java
Copyright 2019 - 2020 Elasticsearch B.V.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2019 - 2020 Elastic and contributors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.243 ecs-logging-core 1.2.0

1.243.1 Available under license :

ecs-logging-java
Copyright 2019 - 2020 Elasticsearch B.V.

##
This product includes software licensed under the Apache License 2.0 developed at FasterXML.
- co.elastic.logging.JsonUtils

Jackson LICENSE:

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Jackson NOTICE:

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu
 Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

##

1.244 swagger-annotations 2.0.7

1.244.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright 2017 SmartBear Software
* <p>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
* <p>
* http://www.apache.org/licenses/LICENSE-2.0
* <p>
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/DiscriminatorMapping.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Operation.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/callbacks/Callbacks.java
*
 /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/Schema.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/links/LinkParameter.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/headers/Header.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/OpenAPIDefinition.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/servers/Servers.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/responses/ApiResponses.java
*
 /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/OAuthScope.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Parameter.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/info/License.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/parameters/RequestBody.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/servers/ServerVariable.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/tags/Tags.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/links/Link.java
*
 /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/OAuthFlows.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Parameters.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecurityRequirement.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/ExampleObject.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecuritySchemes.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/ExternalDocumentation.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecurityScheme.java
*
 /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/info/Contact.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/tags/Tag.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/Encoding.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/Content.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/extensions/Extensions.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/info/Info.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/servers/Server.java
*
 /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/OAuthFlow.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecurityRequirements.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Hidden.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/callbacks/Callback.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/responses/ApiResponse.java

1.245 jetty-servlets 9.4.51.v20230217

1.245.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at http://www.eclipse.org/legal/epl-2.0, or the Apache Software License 2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is

added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.
Contributors may not remove or alter any copyright notices contained

within the Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each

Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its
exercise of rights under this Agreement , including but not limited to the
risks and costs of program errors, compliance with applicable laws, damage to
or loss of data, programs or equipment, and unavailability or interruption of
operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under
applicable
law, it shall not affect the validity or enforceability of the
remainder of the terms of this Agreement, and without further action by the
parties hereto, such provision shall be reformed to the minimum extent
necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Program itself
(excluding combinations of the Program with other software or hardware)
infringes such Recipient's patent(s), then such Recipient's rights granted
under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to
comply with any of the material terms or conditions of this Agreement and does
not cure such failure in a reasonable period of time after becoming aware of
such noncompliance. If all Recipient's rights under this Agreement terminate,
Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement
and any licenses granted by Recipient relating to the Program shall continue
and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in
order to avoid inconsistency the Agreement is copyrighted and may only be
modified in the following manner. The Agreement Steward reserves the right to
publish new versions (including revisions) of this Agreement from time to

time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

 * The Apache 2.0 License
   http://www.apache.org/licenses/LICENSE-2.0.html

     and

 * The Eclipse Public 1.0 License
   http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications

are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
 copies.

1.246 jetty-continuation 9.4.51.v20230217

1.246.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
  distributed under this Agreement, and
b) in the case of each subsequent Contributor:
  i) changes to the Program, and
  ii) additions to the Program;

  where such changes and/or additions to the Program originate from and are
  distributed by that particular Contributor. A Contribution 'originates'
  from a Contributor if it was added to the Program by such

Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor,
if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY

OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this

Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all

copies.

1.247 jetty-webapp 9.4.51.v20230217

1.247.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates'
from a Contributor if it was added to the Program by such
Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not
include additions to the Program which: (i) are separate modules of
software distributed in conjunction with the Program under their own
license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when
combined with the Program.

"Program" means the Contributions distributed in accordance with this
Agreement.

"Recipient" means anyone who receives the Program under this Agreement,

including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
copies.

1.248 jetty-util-ajax 9.4.51.v20230217

1.248.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such

combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution,
if
any, in a manner that reasonably allows subsequent Recipients to identify the
originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with
respect to end users, business partners and the like. While this license is
intended to facilitate the commercial use of the Program, the Contributor who
includes the Program in a commercial product offering should do so in a manner
which does not create potential liability for other Contributors. Therefore,
if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify
every other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits and
other legal actions brought by a third party against the Indemnified
Contributor to the extent caused by the acts or omissions of such Commercial
Contributor in connection with its distribution of the Program in a commercial
product offering. The obligations in this section do not apply to any claims
or Losses relating to any actual or alleged intellectual property
infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the
Commercial Contributor in, the defense and any related settlement
negotiations. The Indemnified Contributor may participate in any such claim at
its own expense.

For example,
a Contributor might include the Program in a commercial product
offering, Product X. That Contributor is then a Commercial Contributor. If
that Commercial Contributor then makes performance claims, or offers
warranties related to Product X, those performance claims and warranties are
such Commercial Contributor's responsibility alone. Under this section, the
Commercial Contributor would have to defend claims against the other
Contributors related to those performance claims and warranties, and if a
court requires any other Contributor to pay any damages as a result, the
Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR
IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE,
NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each
Recipient is solely responsible for determining

the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

 * The Apache 2.0 License
   http://www.apache.org/licenses/LICENSE-2.0.html

     and

 * The Eclipse Public 1.0 License
   http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with

classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
 copies.

1.249 jetty 9.4.51.v20230217

1.249.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
  distributed under this Agreement, and
b) in the case of each subsequent Contributor:
   i) changes to the Program, and
  ii) additions to the Program;

  where such changes and/or additions to the Program originate from and are
  distributed by that particular Contributor. A Contribution 'originates'
  from a Contributor if it was added to the Program by such

Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor,
if any, and such derivative works, in source code and object code form.
b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY

OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this

Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all

copies.

1.250 jetty-xml 9.4.51.v20230217

1.250.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at http://www.eclipse.org/legal/epl-2.0, or the Apache Software License 2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,

including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
copies.

1.251 dropwizard-validation 2.0.28

1.251.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/

Found in path(s):

* /opt/cola/permits/1635342750_1681276708.9974823/0/dropwizard-validation-2-0-28-sources-1-jar/io/dropwizard/validation/InterpolationHelper.java

1.252 jest-common 0.1.1

1.252.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 Real Logic Ltd.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1636752241_1681746198.4137597/0/jest-common-0-1-1-sources-1-jar/io/searchbox/client/util/PaddedAtomicInteger.java

1.253 jest 0.1.1

1.253.1 Available under license :

Apache-2.0

1.254 grpc-stub 1.24.0

1.254.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
```

```
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2018 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/annotations/RpcMethod.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/MetadataUtils.java
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientCalls.java
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ServerCalls.java
*
 /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/AbstractStub.java
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/StreamObserver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientResponseObserver.java
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientCallStreamObserver.java
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/CallStreamObserver.java
*
 /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ServerCallStreamObserver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The gRPC Authors
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/StreamObservers.java

1.255 grpc-protobuf 1.24.0

1.255.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/StatusProto.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
*
 /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java

1.256 grpc-protobuf-lite 1.24.0

1.256.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-jar/io/grpc/protobuf/lite/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-jar/io/grpc/protobuf/lite/ProtoInputStream.java
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-jar/io/grpc/protobuf/lite/ProtoLiteUtils.java

1.257 jetty-security 9.4.51.v20230217

1.257.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates'
from a Contributor if it was added to the Program by such
Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not
include additions to the Program which: (i) are separate modules of
software distributed in conjunction with the Program under their own
license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are
necessarily infringed by the use or sale of its Contribution alone or when
combined with the Program.

"Program" means the Contributions distributed in accordance with this
Agreement.

"Recipient" means anyone who receives the Program under this Agreement,
including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if
any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers

warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to

comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works
that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
copies.

1.258 jackson-datatype-jdk8 2.15.0

1.258.1 Available under license :

This copy of Jackson JSON processor Java 8 datatype module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.259 jetty-jmx 9.4.51.v20230217

1.259.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates'
from a Contributor if it was added to the Program by such
Contributor
itself or anyone acting on such Contributor's behalf. Contributions do not
include additions to the Program which: (i) are separate modules of
software distributed in conjunction with the Program under their own

license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,
distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,
no assurances are provided by any
Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program
in object code form under
its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties
and conditions, express and implied, including warranties or
conditions of title and non-infringement, and implied warranties or
conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for
damages, including direct, indirect, special, incidental and
consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are
offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such
Contributor, and informs licensees how to obtain it in a reasonable
manner on or through a
medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program.
Contributors may not remove or alter any copyright notices contained
within the Program.

Each Contributor must identify itself as the originator of its Contribution,
if
any, in a manner that reasonably allows subsequent Recipients to identify the
originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with
respect to end users, business partners and the like. While this license is
intended to facilitate the commercial use of the Program, the Contributor who
includes the Program in a commercial product offering should do so in a manner
which does not create potential liability for other Contributors. Therefore,
if a Contributor includes the Program in a commercial
product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify
every other Contributor ("Indemnified Contributor") against any losses,
damages and costs (collectively "Losses") arising from claims, lawsuits and
other legal actions brought by a third party against the Indemnified
Contributor to the extent caused by the acts or omissions of such Commercial

Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works

that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously
marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all
copies.

1.260 jsr305 3.0.2

1.260.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Brian Goetz
* Released under the Creative Commons Attribution License
*   (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*/

Found in path(s):
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/ThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/NotThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/Immutable.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/GuardedBy.java

1.261 jackson-annotations 2.15.0

1.261.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.262 jackson-dataformat-yaml 2.15.0

1.262.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.263 jackson-databind 2.15.0

1.263.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.264 protobuf-java 3.22.3

1.264.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/empty.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/any.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/descriptor.proto
*
/opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/struct.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/type.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/api.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/duration.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/wrappers.proto

1.265 jackson-module-parameter-names 2.15.0

1.265.1 Available under license :

This copy of Jackson JSON processor Java 8 parameter names module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.266 jackson-dataformat-cbor 2.15.0

1.266.1 Available under license :

This copy of Jackson JSON processor CBOR module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.267 jackson-xc 2.15.0

1.267.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.
This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.268 jackson-datatype-jsr310 2.15.0

1.268.1 Available under license :

This copy of Jackson JSON processor Java 8 Date/Time module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.269 jetty-proxy 9.4.51.v20230217

1.269.1 Available under license :

This program and the accompanying materials are made available under the
terms of the Eclipse Public License 2.0 which is available at
http://www.eclipse.org/legal/epl-2.0, or the Apache Software License
2.0 which is available at https://www.apache.org/licenses/LICENSE-2.0.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation
distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;

where such changes and/or additions to the Program originate from and are
distributed by that particular Contributor. A Contribution 'originates'

from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license

before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and
b) its license agreement:
i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and
b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such
Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:
a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,
a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining
the appropriateness of using
and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable
law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution
of the Program as soon as
reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after
a new version of the
Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative
Works; within the Source form or
documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited
to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache
License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS
OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

==========

Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

==========

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
http://www.apache.org/licenses/LICENSE-2.0.html

and

* The Eclipse Public 1.0 License
http://www.eclipse.org/legal/epl-v10.html

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

* javax.servlet:javax.servlet-api
 * javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following
artifacts may be included in the distribution or downloaded when ALPN
module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications
are hosted at github and both modified and original are under GPL v2 with
classpath exceptions.
http://openjdk.java.net/legal/gplv2+ce.html

OW2

The following artifacts are licensed by the OW2 Foundation according to the
terms of http://asm.ow2.org/license.html

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from
following Apache Tomcat jars, all ASL2
 licensed.

org.mortbay.jasper:apache-jsp
 org.apache.tomcat:tomcat-jasper
 org.apache.tomcat:tomcat-juli
 org.apache.tomcat:tomcat-jsp-api
 org.apache.tomcat:tomcat-el-api
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-api
 org.apache.tomcat:tomcat-util-scan
 org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
 org.apache.tomcat:tomcat-jasper-el
 org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by
Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is

granted provided that the copyright notice appears in all
copies.

1.270 lz4-java 1.8.0

1.270.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.271 protobuf-java 3.11.4

1.271.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BinaryWriter.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionSchema.java

*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FieldInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapFieldSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ByteOutput.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TextFormatEscaper.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/CodedOutputStreamWriter.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ByteBufferWriter.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Descriptors.java
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BufferAllocator.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionSchemaFull.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Reader.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/CodedInputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/AbstractProtobufList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageInfo.java
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TypeRegistry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Schema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageOrBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FieldType.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BlockingRpcChannel.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/ExtensionSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LazyStringList.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapFieldSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSetLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/JavaType.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/AllocatedBuffer.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RopeByteString.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Utf8.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BooleanArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RepeatedFieldBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/NioByteString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ProtobufArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LazyStringArrayList.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/InvalidProtocolBufferException.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnsafeUtil.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SingleFieldBuilderV3.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/WireFormat.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/GeneratedMessageV3.java

* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/NewInstanceSchemaFull.java
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Writer.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageSetSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/NewInstanceSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/NewInstanceSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ProtocolMessageEnum.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MutabilityOracle.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TextFormatParseLocation.java
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/GeneratedMessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TextFormatParseInfoTree.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Message.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/NewInstanceSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionRegistryFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BlockingService.java
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/DoubleArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/IntArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Protobuf.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/Extension.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapFieldSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapEntryLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/empty.proto
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageLiteOrBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/GeneratedMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapFieldLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RpcChannel.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/AbstractMessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapFieldSchemaFull.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ManifestSchemaFactory.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/AbstractMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnmodifiableLazyStringList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/any.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ProtobufLists.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LongArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/CodedInputStreamReader.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RpcUtil.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Service.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapField.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSetSchema.java

* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/duration.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FloatArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/type.proto
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ArrayDecoders.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SmallSortedMap.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/api.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LazyField.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RepeatedFieldBuilderV3.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RpcCallback.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/compiler/plugin.proto
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/GeneratedMessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ListFieldSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LazyFieldLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SchemaFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapEntry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BinaryReader.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionRegistryLite.java
*
 /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/source_context.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/StructuralMessageInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/Android.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/OneofInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnsafeByteOperations.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ProtocolStringList.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RawMessageInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SchemaUtil.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/DescriptorMessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/DiscardUnknownFieldsParser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FieldSet.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ProtoSyntax.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/struct.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExperimentalApi.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ServiceException.java

1.272 dropwizard-jackson 2.0.28

1.272.1 Available under license :

Apache-2.0

1.273 dropwizard-request-logging 2.0.28

1.273.1 Available under license :

Apache-2.0

1.274 dropwizard-configuration 2.0.28

1.274.1 Available under license :

Apache-2.0

1.275 dropwizard-servlets 2.0.28

1.275.1 Available under license :

Apache-2.0

1.276 dropwizard-auth 2.0.28

1.276.1 Available under license :

Apache-2.0

1.277 dropwizard-util 2.0.28

1.277.1 Available under license :

Apache-2.0

1.278 dropwizard-lifecycle 2.0.28

1.278.1 Available under license :

Apache-2.0

1.279 dropwizard-core 2.0.28

1.279.1 Available under license :

Apache-2.0

1.280 dropwizard-jersey 2.0.28

1.280.1 Available under license :

Apache-2.0

1.281 dropwizard-jetty 2.0.28

1.281.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright 2013-2014 The Apache Software Foundation (Curator Project)
*
* The Apache Software Foundation licenses this file to you under the Apache
* License, version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1670772344_1683726497.7163098/0/dropwizard-jetty-2-0-28-sources-1-jar/io/dropwizard/jetty/LocalIpFilter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1670772344_1683726497.7163098/0/dropwizard-jetty-2-0-28-sources-1-jar/io/dropwizard/jetty/NetUtil.java

1.282 drop-wizard-metrics 2.0.28

1.282.1 Available under license :

Apache-2.0

1.283 dropwizard-logging 2.0.28

1.283.1 Available under license :

Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT’S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor’s behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims
or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor’s responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor
to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
No license file was found, but licenses were detected in source scan.

/*

* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
*   or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/

Found in path(s):
* /opt/cola/permits/1670772660_1683726510.4201603/0/dropwizard-logging-2-0-28-sources-1-jar/io/dropwizard/logging/ResilientOutputStreamBase.java

1.284 jackson-jaxrs 2.15.0

1.284.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers, as well as supported
commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact
FasterXML.com (http://fasterxml.com).

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

1.285 jackson-jaxrs-base 2.15.0

1.285.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.286 jackson-datatype-guava 2.15.0

1.286.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.287 jackson-datatype-joda 2.15.0

1.287.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.288 fastdoubleparser 0.8.0

1.288.1 Available under license :

MIT License

Copyright (c) 2021 Werner Randelshofer, Switzerland.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT
OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.289 servlet-api 4.0.4

1.289.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1997, 2019 Oracle and/or its affiliates and others.
* All rights reserved.
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequest.java

No license file was found, but licenses were detected in source scan.

<!--

  Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

  This program and the accompanying materials are made available under the
  terms of the Eclipse Public License v. 2.0, which is available at
  http://www.eclipse.org/legal/epl-2.0.

  This Source Code may also be made available under the following Secondary
  Licenses when the conditions for such availability set forth in the
  Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
  version 2 with the GNU Classpath Exception, which is available at
  https://www.gnu.org/software/classpath/license.html.

  SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/package.html
No license file was found, but licenses were detected in source scan.

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings.properties
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings_ja.properties
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/LocalStrings.properties
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings_fr.properties
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/LocalStrings_ja.properties
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/LocalStrings_fr.properties
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings_es.properties

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.
* All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
/**
    * Constructor to establish non-empty getRolesAllowed and/or <tt>TransportGuarantee.CONFIDENTIAL</tt>.
    *
    * @param guarantee <tt>TransportGuarantee.NONE</tt> or <tt>TransportGuarantee.CONFIDENTIAL</tt>
     * @param roleNames the names of the roles that are to be allowed access
    */
```

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/HttpConstraintElement.java
No license file was found, but licenses were detected in source scan.

```
<!--

  Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.

  This program and the accompanying materials are made available under the
  terms of the Eclipse Public License v. 2.0, which is available at
  http://www.eclipse.org/legal/epl-2.0.

  This Source Code may also be made available under the following Secondary
  Licenses when the conditions for such availability set forth in the
  Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
  version 2 with the GNU Classpath Exception, which is available at
  https://www.gnu.org/software/classpath/license.html.

  SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->
<![CDATA[
```

Comments to: servlet-dev@eclipse.org.
Copyright © 2019 Eclipse Foundation. All rights reserved.
Use is subject to <a href="{@docRoot}/doc-files/speclicense.html"
target="_top">license terms.]]>

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.
* All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/SessionCookieConfig.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRegistration.java
*
/opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletSecurityElement.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/HttpMethodConstraint.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/ServletSecurity.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/JspPropertyGroupDescriptor.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebFilter.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/AsyncContext.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/FilterRegistration.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/PushBuilder.java

*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/MultipartConfigElement.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContainerInitializer.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/HttpMethodConstraintElement.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebInitParam.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ReadListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/Registration.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/JspConfigDescriptor.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/DispatcherType.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/AsyncListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/MultipartConfig.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionIdListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpUpgradeHandler.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/WebConnection.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/SessionTrackingMode.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/HandlesTypes.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/HttpConstraint.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebServlet.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/WriteListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/TaglibDescriptor.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebListener.java
No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

Copyright 2004 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

-->

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/package.html
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/package.html
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1997, 2018 Oracle and/or its affiliates and others.
* All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpFilter.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/GenericFilter.java
*
/opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/AsyncEvent.java

* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/MappingMatch.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/Part.java

```
/*
* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.
* All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 1997-2018 Oracle and/or its affiliates and others.
* All rights reserved.
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/GenericServlet.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 1997-2018 Oracle and/or its affiliates and others.
* All rights reserved.
```

* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestAttributeEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionListener.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/RequestDispatcher.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestWrapper.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/FilterChain.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletException.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContextAttributeListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionActivationListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionAttributeListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/Servlet.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletResponse.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContextListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestAttributeListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletRequest.java

* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletResponseWrapper.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/Filter.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletOutputStream.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletRequestWrapper.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpUtils.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContextAttributeEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionContext.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/FilterConfig.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletInputStream.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/UnavailableException.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletResponse.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionBindingListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServlet.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/SingleThreadModel.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContextEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContext.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/Cookie.java
*
 /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionBindingEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletResponseWrapper.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSession.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/ServletConfig.java
Eclipse Public License - v 2.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS
“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.
“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide,

royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
b) Subject to the terms of this Agreement, each
Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based
on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.
e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).
3. REQUIREMENTS
3.1 If a Contributor Distributes the Program in any form, then:

a)
the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
iii) does not attempt to limit or alter the recipients' rights
in the Source Code under section 3.2; and
iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.
3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.
COMMERCIAL DISTRIBUTION
Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply
to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations
of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new
versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement
are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.
No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the
terms of the Eclipse Public License v. 2.0, which is available at
http://www.eclipse.org/legal/epl-2.0.

This Source Code may also be made available under the following Secondary
Licenses when the conditions for such availability set forth in the
Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
version 2 with the GNU Classpath Exception, which is available at
https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/package.html
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2017, 2019 Oracle and/or its affiliates and others.
* All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at
* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

Found in path(s):
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletMapping.java

1.290 jackson-dataformat-smile 2.15.0

1.290.1 Available under license :

This copy of Jackson JSON processor Smile module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.291 aop-alliance 2.6.1

1.291.1 Available under license :

No license file was found, but licenses were detected in source scan.

{\rtf1\ansi\ansicpg1252\cocoartf1671\cocoasubrtf600
{\fonttbl\f0\froman\fcharset0 Times-Roman;\f1\fmodern\fcharset0 Courier;}
{\colortbl;\red255\green255\blue255;\red0\green0\blue0;}
{*\expandedcolortbl;;\cssrgb\c0\c0\c0;}
\paperw11900\paperh16840\margl1440\margr1440\vieww10800\viewh8400\viewkind0
\deftab720
\pard\pardeftab720\sl280\partightenfactor0

\f0\fs24 \cf2 \expnd0\expndtw0\kerning0
\outl0\strokewidth0 \strokec2 This XML file does not appear to have any style information associated with it. The document tree is shown below.\

\pard\pardeftab720\sl300\partightenfactor0

\f1\fs26 \cf2 <!--\
\
  Copyright (c) 2013, 2018 Oracle and/or its affiliates. All rights reserved.\
\
  This program and the accompanying materials are made available under the\
  terms of the Eclipse Public License v. 2.0, which is available at\
  http://www.eclipse.org/legal/epl-2.0.\
\
  This Source Code may also be made available
 under the following Secondary\
  Licenses when the conditions for such availability set forth in the\
  Eclipse Public License v. 2.0 are satisfied: GNU General Public License,\
  version 2 with the GNU Classpath Exception, which is available at\
  https://www.gnu.org/software/classpath/license.html.\
\
  SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0\
\
-->\
<project\'a0xmlns="http://maven.apache.org/POM/4.0.0"\'a0xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"\'a0xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">\
<modelVersion>4.0.0</modelVersion>\
<parent>\
<groupId>org.glassfish.hk2</groupId>\
<artifactId>external</artifactId>\
<version>2.6.1</version>\
</parent>\
<groupId>org.glassfish.hk2.external</groupId>\
<artifactId>aopalliance-repackaged</artifactId>\
<name>\
aopalliance version $\{aopalliance.version\} repackaged as a module\
</name>\
<build>\
<plugins>\
<plugin>\
<groupId>org.apache.maven.plugins</groupId>\
<artifactId>maven-dependency-plugin</artifactId>\
<executions>\
<execution>\
<id>step1-unpack-sources</id>\
<phase>process-sources</phase>\
<goals>\
<goal>unpack</goal>\
</goals>\
<configuration>\
<artifactItems>\

<artifactItem>\
<groupId>aopalliance</groupId>\
<artifactId>aopalliance</artifactId>\
<version>$\{aopalliance.version\}</version>\
<classifier>sources</classifier>\
<overWrite>false</overWrite>\
<outputDirectory>$\{project.build.directory\}/alternateLocation</outputDirectory>\
</artifactItem>\
</artifactItems>\
</configuration>\
</execution>\
</executions>\
</plugin>\
<plugin>\
<groupId>org.codehaus.mojo</groupId>\
<artifactId>build-helper-maven-plugin</artifactId>\
<executions>\
<execution>\
<id>step2-add-sources</id>\
<phase>process-sources</phase>\
<goals>\
<goal>add-source</goal>\
</goals>\
<configuration>\
<sources>\
<source>$\{project.build.directory\}/alternateLocation</source>\
</sources>\
</configuration>\
</execution>\
</executions>\
</plugin>\
<plugin>\
<groupId>org.apache.felix</groupId>\
<artifactId>maven-bundle-plugin</artifactId>\
<configuration>\
<instructions>\
<Embed-Dependency>\'a0*;scope=compile;inline=true\'a0</Embed-Dependency>\
<!--\
We set a mandatory attribute for these packages, because we don't\
want them to be visible to just anyone. An importer must specify\
the mandatory attribute for it to be able to import. See \
section #3.6.5 of OSGi R4 spec.\
Why is this required?\
See https://glassfish.dev.java.net/issues/show_bug.cgi?id=5385\
By doing this, we allow user have any version of apache-commons lib\
in their application class loader hierarchy. They don't even have to\
set delegation=false in sun-web.xml! This is the true advantage of\
using OSGi.

Sahoo.\
\
-->\
<Export-Package>org.aopalliance.*;version=$\{aopalliance.version\}</Export-Package>\
<Private-Package>!*</Private-Package>\
</instructions>\
</configuration>\
<executions>\
<execution>\
<id>osgi-manifest</id>\
<phase>process-classes</phase>\
<goals>\
<goal>manifest</goal>\
</goals>\
</execution>\
</executions>\
</plugin>\
</plugins>\
</build>\
<dependencies>\
<dependency>\
<groupId>aopalliance</groupId>\
<artifactId>aopalliance</artifactId>\
<version>$\{aopalliance.version\}</version>\
<optional>true</optional>\
</dependency>\
</dependencies>\
</project>\
}

Found in path(s):
* /opt/cola/permits/1688041658_1684928894.4895442/0/aopalliance-2-6-1-zip/aopalliance-2.6.1.rtf

Copyright (c) 2013, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the
terms of the Eclipse Public License v. 2.0, which is available at
http://www.eclipse.org/legal/epl-2.0.

This Source Code may also be made available under the following Secondary
Licenses when the conditions for such availability set forth in the
Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
version 2 with the GNU Classpath Exception, which is available at
https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
Eclipse Public License - v 2.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS
“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and
b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.
“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS
a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights

in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (‘notices’) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.
COMMERCIAL DISTRIBUTION
Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply
to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other
Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY
EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT
NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL
If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations
of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new
versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement
are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice
“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

1.292 netty-handler-proxy 4.1.93.Final

1.292.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java
*
 /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/Socks4ProxyHandler.java

* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/HttpProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyHandler.java

1.293 netty-codec-xml 4.1.93.Final

1.293.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDecoder.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDocumentEnd.java
*
 /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlProcessingInstruction.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlNamespace.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDocumentStart.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlElement.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlEntityReference.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-

jar/io/netty/handler/codec/xml/XmlComment.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlCharacters.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDTD.java
*
 /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlCdata.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlElementStart.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlSpace.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlAttribute.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlElementEnd.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlContent.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-xml/pom.xml

1.294 netty-codec-socks 4.1.93.Final

1.294.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java
*
 /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-

jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksRequestType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAddressType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/SocksVersion.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthScheme.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessageType.java

1.295 netty-transport-classes-kqueue 4.1.93.Final

1.295.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations

* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueRecvByteAllocatorHandle.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueStreamChannel.java
*
 /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueue.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueSocketChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueEventLoopGroup.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueStaticallyReferencedJniMethods.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueEventLoop.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDomainSocketChannelConfig.java
*
 /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDatagramChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueEventArray.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDatagramChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AcceptFilter.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueChannelOption.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueServerDomainSocketChannel.java
*
 /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueServerChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueServerSocketChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueSocketChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/Native.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-

jar/io/netty/channel/kqueue/package-info.java
*
 /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/BsdSocket.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/NativeLongArray.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueServerSocketChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueServerChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDomainSocketChannel.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueDatagramChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDomainDatagramChannelConfig.java
*
 /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDomainDatagramChannel.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2021 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0

~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-classes-kqueue/pom.xml

1.296 netty-handler 4.1.93.Final

1.296.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastlePemReader.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*

* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/TrafficCounter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ClientAuth.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslContextBuilder.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNames.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java

No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-handler/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslCompletionEvent.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/AbstractSniHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/Conscrypt.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SniCompletionEvent.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OptionalSslHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslClientHelloHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// Try the OpenJDK's proprietary implementation.
```

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2023 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/State.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/TimeoutException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedNioFile.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleStateEvent.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedFile.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedNioStream.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleState.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/package-info.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/NotSslRecordException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/logging/LogLevel.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/ReadTimeoutHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/WriteTimeoutException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedStream.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedInput.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/LoggingHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/WriteTimeoutHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleStateHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/ReadTimeoutException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*

```
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java
No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2012 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->
```

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-handler/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flow/FlowControlHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/AsyncRunnable.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastle.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/GroupsConverter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionId.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslContextOption.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionCache.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslContextOption.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslClientSessionCache.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslProtocols.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/Ciphers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSsl.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslEngineMap.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/CipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/ipfilter/IpFilterRule.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SniHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/LazyX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionStats.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpFilterRuleType.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslProvider.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java
*

/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemReader.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/UniqueIpFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/package-info.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/CipherSuiteConverter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/Java7SslParametersUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JdkSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/JettyNpnSslEngine.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslMasterKeyHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/DynamicAddressConnectHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PseudoRandomFunction.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapWriteHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/TCPPacket.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/UDPPacket.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/EthernetPacket.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapWriter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/IPPacket.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/ByteBufFormat.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/ResolveAddressHandler.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslClosedEngineException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilter.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2023 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/StacklessSSLHandshakeException.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flow/package-info.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemValue.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flush/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemEncoded.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSession.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKey.java
*
 /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java

1.297 netty-codec-stomp 4.1.93.Final

1.297.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompConstants.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompHeaders.java
*
 /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompCommand.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompFrame.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompHeadersSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframeDecoder.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/LastStompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframe.java
*
 /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframeEncoder.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompFrame.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframeAggregator.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/package-info.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultLastStompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompHeaders.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompContentSubframe.java
*
 /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompHeadersSubframe.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:

~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-stomp/pom.xml

1.298 netty-codec-haproxy 4.1.93.Final

1.298.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessageEncoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*

*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProxiedProtocol.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyConstants.java
*
 /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/package-info.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessageDecoder.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProtocolException.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessage.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyCommand.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProtocolVersion.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2012 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-haproxy/pom.xml

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyTLV.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxySSLTLV.java

1.299 netty-transport-rxtx 4.1.93.Final

1.299.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2013 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/META-

INF/maven/io.netty/netty-transport-rxtx/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxChannelOption.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxChannelConfig.java
*
 /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/DefaultRxtxChannelConfig.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxChannel.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/package-info.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxDeviceAddress.java

1.300 netty-resolver-dns 4.1.93.Final

1.300.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UnixResolverDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCacheEntry.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SingletonDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverTimeoutException.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryLifecycleObserver.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UniSequentialDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/LoggingDnsQueryLifecycleObserver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SequentialDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserver.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/MultiDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStreamProviders.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/Cache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsAddressDecoder.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsRecordResolveContext.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsAddressResolveContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NameServerComparator.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopAuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsCnameCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DirContextUtils.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/AuthoritativeDnsServerCacheAdapter.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/AuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultAuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsCnameCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCnameCache.java
No license file was found, but licenses were detected in source scan.

/*

```
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerResponseFeedbackAddressStream.java
No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->
```

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver-dns/pom.xml
No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/META-

INF/native-image/io.netty/netty-resolver-dns/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/RoundRobinDnsAddressResolverGroup.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/InflightNameResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddresses.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsResolveContext.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsAddressResolverGroup.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/TcpDnsQueryContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DatagramDnsQueryContext.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/PreferredAddressTypeComparator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UnixResolverOptions.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/LoggingDnsQueryLifeCycleObserverFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverException.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsServerAddresses.java
*
 /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryContextManager.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/RotationalDnsServerAddresses.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SequentialDnsServerAddressStream.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStream.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/ShuffledDnsServerAddressStream.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SingletonDnsServerAddresses.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverBuilder.java

1.301 netty-codec-smtp 4.1.93.Final

1.301.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-smtp/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequestEncoder.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequests.java
*
 /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/package-info.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpCommand.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpContent.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpContent.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpUtils.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpResponseDecoder.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/LastSmtpContent.java
*
 /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpResponse.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultLastSmtpContent.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpResponse.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpRequest.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequest.java

1.302 netty-resolver 4.1.93.Final

1.302.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NoopAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NoopAddressResolverGroup.java
*
 /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/AddressResolverGroup.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NameResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/package-info.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/SimpleNameResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileEntriesProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/InetNameResolver.java
*
 /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileEntriesResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/CompositeNameResolver.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileEntries.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java

1.303 netty-resolver-dns-classes-macos 4.1.93.Final

1.303.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/io/netty/resolver/dns/macos/package-info.java
* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java
*
/opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/io/netty/resolver/dns/macos/DnsResolver.java
No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
```

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver-dns-classes-macos/pom.xml

1.304 netty-codec 4.1.93.Final

1.304.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/CompressionUtil.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DateFormatter.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/LineEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/LineSeparator.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DatagramPacketEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CodecOutputList.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/DatagramPacketDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ByteBufChecksum.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/json/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/FastLz.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2Encoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2Decoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Crc32.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/LzfDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageAggregationException.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/LzfEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitReader.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/AsciiHeadersEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2Rand.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2Constants.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DecoderResultProvider.java
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-codec/native-image.properties
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Crc32c.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2023 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/EncoderUtil.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DefaultHeadersImpl.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CharSequenceValueConverter.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ValueConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain

```
*/
/**
* Utility class for {@link ByteBuf} that encodes and decodes to and from
* <a href="https://en.wikipedia.org/wiki/Base64">Base64</a> notation.
* <p>
 * The encoding and decoding algorithm in this class has been derived from
* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert Harder's Public Domain
* Base64 Encoder/Decoder</a>.
*/
```

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Enumeration of supported Base64 dialects.
* <p>
* The internal lookup tables in this class has been derived from
* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert
 Harder's Public Domain
* Base64 Encoder/Decoder</a>.
*/
```

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64Dialect.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/package-info.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JZlibDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/DecompressionException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64Encoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToMessageCodec.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/EncoderException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibUtil.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageAggregator.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JZlibEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/StringEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToMessageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64Decoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/LineBasedFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java

*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/TooLongFrameException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DecoderException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToMessageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/CompressionException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ByteToMessageDecoder.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CodecException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/PrematureChannelClosureException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Snappy.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToByteEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ByteToMessageCodec.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/StringDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/Delimiters.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/bytes/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/LengthFieldPrepender.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CorruptedFrameException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibWrapper.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CachingClassResolver.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ClassResolvers.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ClassResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

```
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* A decoder that splits the received {@link ByteBuf}s dynamically by the
* value of the length field in the message.  It is particularly useful when you
* decode a binary message which has an integer header field that represents the
* length of the message body or the whole message.
*
 <p>
* {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
* that it can decode any message with a length field, which is often seen in
* proprietary client-server protocols. Here are some example that will give
* you the basic idea on which option does what.
*
* <h3>2 bytes length field at offset 0, do not strip header</h3>
*
* The value of the length field in this example is <tt>12 (0x0C)</tt> which
* represents the length of "HELLO, WORLD".  By default, the decoder assumes
* that the length field represents the number of the bytes that follows the
* length field.  Therefore, it can be decoded with the simplistic parameter
* combination.
* <pre>
* <b>lengthFieldOffset</b>   = <b>0</b>
* <b>lengthFieldLength</b>   = <b>2</b>
* lengthAdjustment    = 0
* initialBytesToStrip = 0 (= do not strip header)
*
* BEFORE DECODE (14 bytes)         AFTER DECODE (14 bytes)
* +--------+----------------+      +--------+----------------+
* | Length | Actual Content
 |----->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" |      | 0x000C | "HELLO, WORLD" |
* +--------+----------------+      +--------+----------------+
* </pre>
*
* <h3>2 bytes length field at offset 0, strip header</h3>
*
* Because we can get the length of the content by calling
* {@link ByteBuf#readableBytes()}, you might want to strip the length
* field by specifying <tt>initialBytesToStrip</tt>.  In this example, we
* specified <tt>2</tt>, that is same with the length of the length field, to
```

```
* strip the first two bytes.
* <pre>
* lengthFieldOffset   = 0
* lengthFieldLength   = 2
* lengthAdjustment    = 0
* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
*
* BEFORE DECODE (14 bytes)         AFTER DECODE (12 bytes)
* +--------+----------------+      +----------------+
* | Length | Actual Content |----->| Actual Content |
* | 0x000C | "HELLO, WORLD" |      | "HELLO, WORLD" |
* +--------+----------------+      +----------------+
 * </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
*     represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples.  However, in some protocols, the
* length field represents the length of the whole message, including the
* message header.  In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>.  Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.
* <pre>
* lengthFieldOffset   =  0
* lengthFieldLength   =  2
* <b>lengthAdjustment</b>    = <b>-2</b> (= the length of the Length field)
* initialBytesToStrip =  0
*
* BEFORE DECODE (14 bytes)         AFTER DECODE (14 bytes)
* +--------+----------------+      +--------+----------------+
* | Length | Actual Content |----->| Length | Actual
 Content |
* | 0x000E | "HELLO, WORLD" |      | 0x000E | "HELLO, WORLD" |
* +--------+----------------+      +--------+----------------+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example.  An extra
* header value is prepended to the message.  <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into
* account during frame length calculation.
* <pre>
* <b>lengthFieldOffset</b>   = <b>2</b> (= the length of Header 1)
* <b>lengthFieldLength</b>   = <b>3</b>
* lengthAdjustment    = 0
```

```
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)                 AFTER DECODE (17 bytes)
* +----------+----------+----------------+      +----------+----------+----------------+
* | Header 1 |  Length  | Actual Content |----->| Header 1 |  Length  | Actual Content |
* |  0xCAFE  | 0x00000C | "HELLO, WORLD" |
 |  0xCAFE  | 0x00000C | "HELLO, WORLD" |
* +----------+----------+----------------+      +----------+----------+----------------+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body.  You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset   = 0
* lengthFieldLength   = 3
* <b>lengthAdjustment</b>    = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)                 AFTER DECODE (17 bytes)
* +----------+----------+----------------+      +----------+----------+----------------+
* |  Length  | Header 1 | Actual Content |----->|  Length  | Header 1 | Actual Content |
* | 0x00000C |  0xCAFE  | "HELLO, WORLD" |      | 0x00000C |  0xCAFE  | "HELLO,
 WORLD" |
* +----------+----------+----------------+      +----------+----------+----------------+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
*     strip the first header field and the length field</h3>
*
* This is a combination of all the examples above.  There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>.  We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame.  If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset   = 1 (= the length of HDR1)
* lengthFieldLength   = 2
* <b>lengthAdjustment</b>    = <b>1</b> (= the length of HDR2)
* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 +
 LEN)
*
* BEFORE DECODE (16 bytes)                 AFTER DECODE (13 bytes)
```

```
* +------+--------+------+----------------+      +------+----------------+
* | HDR1 | Length | HDR2 | Actual Content |----->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |      | 0xFE | "HELLO, WORLD" |
* +------+--------+------+----------------+      +------+----------------+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
*     strip the first header field and the length field, the length field
*     represents the length of the whole message</h3>
*
* Let's give another twist to the previous example.  The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
 the length field already includes the whole header length.
* <pre>
* lengthFieldOffset   =  1
* lengthFieldLength   =  2
* <b>lengthAdjustment</b>    = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b> 3</b>
*
* BEFORE DECODE (16 bytes)                  AFTER DECODE (13 bytes)
* +------+--------+------+----------------+      +------+----------------+
* | HDR1 | Length | HDR2 | Actual Content |----->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |      | 0xFE | "HELLO, WORLD" |
* +------+--------+------+----------------+      +------+----------------+
* </pre>
* @see LengthFieldPrepender
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Lz4XXHash32.java
No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/HeadersUtils.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ProtocolDetectionState.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ProtocolDetectionResult.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/UnsupportedValueConverter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Zstd.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/StandardCompressionOptions.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZstdOptions.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/DeflateOptions.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliOptions.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZstdConstants.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Brotli.java
*
 /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/CompressionOptions.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZstdEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/GzipOptions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/EmptyHeaders.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/Headers.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DefaultHeaders.java

1.305 netty-codec-dns 4.1.93.Final

1.305.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsOptEcsRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsOptEcsRecord.java
*
 /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsPtrRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsPtrRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsOptPseudoRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsOptPseudoRrRecord.java
No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
```

~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-dns/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordEncoder.java
*
 /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQuestion.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsMessage.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQueryDecoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsQuestion.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsQuery.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRecordEncoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecord.java
*

/opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponse.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRawRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRecordDecoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsMessageUtil.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordType.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/package-info.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsOpCode.java
*
/opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponseEncoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponse.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponseCode.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQuery.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsResponse.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsMessage.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQuery.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQueryEncoder.java
*
/opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponseDecoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRawRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsSection.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordDecoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsResponseEncoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsQueryDecoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsResponseDecoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsQueryEncoder.java
*
 /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsCodecUtil.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponseDecoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQueryEncoder.java

1.306 netty-transport-classes-epoll 4.1.93.Final

1.306.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/LinuxSocket.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2021 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->
```

Found in path(s):

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-transport-classes-epoll/native-image.properties
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
    * Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.
    * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
    * Allowing them being read would mean anyone with access to the channel could get them.

   */
```

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerSocketChannelConfig.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
```

*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/Native.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollChannel.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/NativeDatagramPacketArray.java
*
 /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/package-info.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/Epoll.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollTcpInfo.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollChannelOption.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDatagramChannel.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollEventLoopGroup.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerSocketChannel.java
*
 /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollSocketChannel.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollEventLoop.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/TcpMd5Util.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java
*
 /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollChannelConfig.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollMode.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java
*
 /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollEventArray.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerChannelConfig.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
    * Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.
    * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
    * Allowing them being read would mean anyone with access to the channel could get them.

   */
/**
    * Set the {@code TCP_QUICKACK} option on the socket.
    * See <a href="https://linux.die.net//man/7/tcp">TCP_QUICKACK</a>
    * for more details.
    */
```

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollSocketChannelConfig.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDatagramChannelConfig.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainDatagramChannelConfig.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/SegmentedDatagramPacket.java
*
 /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainDatagramChannel.java

1.307 netty-codec-memcache 4.1.93.Final

1.307.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/LastMemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseDecoder.java
*
 /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheObjectAggregator.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequest.java
*
 /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/DefaultLastMemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/FullMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/MemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestEncoder.java
*
 /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObject.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponse.java

* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/package-info.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheResponse.java
*
 /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheOpcodes.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/MemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseStatus.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheClientCodec.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheEncoder.java
*
 /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectAggregator.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheServerCodec.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/package-info.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/DefaultMemcacheContent.java
*
 /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/MemcacheObject.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2013 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-memcache/pom.xml

1.308 netty-transport-udt 4.1.93.Final

1.308.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtMessage.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/package-info.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/package-info.java
*
 /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtChannelConfig.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/DefaultUdtChannelConfig.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtServerChannelConfig.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtChannelOption.java
*
 /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/DefaultUdtServerChannelConfig.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtByteAcceptorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtMessageAcceptorChannel.java
*

/opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtProvider.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtMessageRendezvousChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtByteConnectorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtAcceptorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtByteRendezvousChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtMessageConnectorChannel.java
No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-udt/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtServerChannel.java

1.309 netty-transport-native-unix-common 4.1.93.Final

1.309.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/RawUnixChannelOption.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/IntegerUnixChannelOption.java
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/GenericUnixChannelOption.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Buffer.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_buffer.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_buffer.h
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannelOption.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Unix.java
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/IovArray.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-

jar/io/netty/channel/unix/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramChannel.java
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/SegmentedDatagramPacket.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramPacket.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2016 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_jni.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannelUtil.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_limits.c
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/PeerCredentials.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_limits.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_util.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_util.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Limits.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix.c
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketChannel.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/NativeInetAddress.java
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketReadMode.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_filedescriptor.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketChannelConfig.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_errors.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DatagramSocketAddress.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_filedescriptor.c
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketAddress.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_errors.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_socket.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Socket.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/FileDescriptor.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_socket.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/ServerDomainSocketChannel.java
*
 /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannel.java

1.310 netty-codec-redis 4.1.93.Final

1.310.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-redis/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisCodecUtil.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-

jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java
*
 /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/IntegerRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisCodecException.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/package-info.java
*
 /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisEncoder.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisArrayAggregator.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisDecoder.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/ErrorRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/BulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java
*
 /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisMessagePool.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisConstants.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/ArrayRedisMessage.java
*
 /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-

jar/io/netty/handler/codec/redis/RedisMessageType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java

1.311 netty-transport 4.1.93.Final

1.311.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/StacklessClosedChannelException.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DuplexChannelConfig.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractCoalescingBufferQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioChannelOption.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SimpleUserEventChannelHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/OioByteStreamChannel.java
No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-transport/native-image.properties
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ExtendedClosedChannelException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/EventLoopTaskQueueFactory.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelHandlerMask.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/internal/ChannelUtils.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/FailedChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/internal/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/PendingBytesTracker.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownException.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2012 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
* its {@link ChannelPipeline}.
*
* <h3>Sub-types</h3>
* <p>
* {@link ChannelHandler} itself does not provide many methods, but you usually have to implement one of its subtypes:

```
* <ul>
* <li>{@link
 ChannelInboundHandler} to handle inbound I/O events, and</li>
* <li>{@link ChannelOutboundHandler} to handle outbound I/O operations.</li>
* </ul>
* </p>
* <p>
* Alternatively, the following adapter classes are provided for your convenience:
* <ul>
* <li>{@link ChannelInboundHandlerAdapter} to handle inbound I/O events,</li>
* <li>{@link ChannelOutboundHandlerAdapter} to handle outbound I/O operations, and</li>
* <li>{@link ChannelDuplexHandler} to handle both inbound and outbound events</li>
* </ul>
* </p>
* <p>
* For more information, please refer to the documentation of each subtype.
* </p>
*
* <h3>The context object</h3>
* <p>
* A {@link ChannelHandler} is provided with a {@link ChannelHandlerContext}
* object.  A {@link ChannelHandler} is supposed to interact with the
* {@link ChannelPipeline} it belongs to via a context object.  Using the
* context object, the {@link ChannelHandler} can pass events upstream or
* downstream, modify the pipeline dynamically,
 or store the information
* (using {@link AttributeKey}s) which is specific to the handler.
*
* <h3>State management</h3>
*
* A {@link ChannelHandler} often needs to store some stateful information.
* The simplest and recommended approach is to use member variables:
* <pre>
* public interface Message {
*     // your methods here
* }
*
* public class DataServerHandler extends {@link SimpleChannelInboundHandler}&lt;Message&gt; {
*
*     <b>private boolean loggedIn;</b>
*
*     {@code @Override}
*     public void channelRead0({@link ChannelHandlerContext} ctx, Message message) {
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) message);
*             <b>loggedIn = true;</b>
*         } else (message instanceof GetDataMessage) {
*             if (<b>loggedIn</b>) {
```

```
*                ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
*            } else {
*                fail();
*            }
*
 }
*     }
*     ...
* }
* </pre>
* Because the handler instance has a state variable which is dedicated to
* one connection, you have to create a new handler instance for each new
* channel to avoid a race condition where an unauthenticated client can get
* the confidential information:
* <pre>
* // Create a new handler instance per channel.
* // See {@link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends {@link ChannelInitializer}&lt;{@link Channel}&gt; {
*     {@code @Override}
*     public void initChannel({@link Channel} channel) {
*         channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);
*     }
* }
*
* </pre>
*
* <h4>Using {@link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use {@link AttributeKey}s which is provided by
* {@link ChannelHandlerContext}:
 * <pre>
* public interface Message {
*     // your methods here
* }
*
* {@code @Sharable}
* public class DataServerHandler extends {@link SimpleChannelInboundHandler}&lt;Message&gt; {
*     private final {@link AttributeKey}&lt;{@link Boolean}&gt; auth =
*           {@link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
*     {@code @Override}
*     public void channelRead({@link ChannelHandlerContext} ctx, Message message) {
*         {@link Attribute}&lt;{@link Boolean}&gt; attr = ctx.attr(auth);
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) o);
*             <b>attr.set(true)</b>;
```

```
*         } else (message instanceof GetDataMessage) {
*             if (<b>Boolean.TRUE.equals(attr.get())</b>) {
*                 ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
*             } else {
*                 fail();
*             }
*         }
*     }
*     ...
* }
* </pre>
* Now that the
 state of the handler is attached to the {@link ChannelHandlerContext}, you can add the
* same handler instance to different pipelines:
* <pre>
* public class DataServerInitializer extends {@link ChannelInitializer}&lt;{@link Channel}&gt; {
*
*     private static final DataServerHandler <b>SHARED</b> = new DataServerHandler();
*
*     {@code @Override}
*     public void initChannel({@link Channel} channel) {
*         channel.pipeline().addLast("handler", <b>SHARED</b>);
*     }
* }
* </pre>
*
*
* <h4>The {@code @Sharable} annotation</h4>
* <p>
* In the example above which used an {@link AttributeKey},
* you might have noticed the {@code @Sharable} annotation.
* <p>
* If a {@link ChannelHandler} is annotated with the {@code @Sharable}
* annotation, it means you can create an instance of the handler just once and
* add it to one or more {@link ChannelPipeline}s multiple times without
* a race condition.
* <p>
* If this annotation is not specified, you have to create
 a new handler
* instance every time you add it to a pipeline because it has unshared state
* such as member variables.
* <p>
* This annotation is provided for documentation purpose, just like
* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.
*
* <h3>Additional resources worth reading</h3>
* <p>
* Please refer to the {@link ChannelHandler}, and
```

* {@link ChannelPipeline} to find out more about inbound and outbound operations,
* what fundamental differences they have, how they flow in a pipeline, and how to handle
* the operation in your application.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/CoalescingBufferQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelHandlerContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPool.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/pool/ChannelPoolHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalChannelRegistry.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundHandler.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/SocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelMetadata.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/package-info.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/AbstractNioByteChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/EventLoopGroup.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/OioEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFlushPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/EmbeddedSocketAddress.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SingleThreadEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/NioEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DatagramChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/AbstractBootstrap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/CompleteChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/EmbeddedChannel.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/NioTask.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/AbstractNioChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultFileRegion.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundHandlerAdapter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/FailedChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractChannelHandlerContext.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioServerSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/EmbeddedEventLoop.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelDuplexHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelPipeline.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelInboundHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalServerChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/RecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelInboundHandlerAdapter.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/ChannelGroupFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DatagramPacket.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/EventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ServerSocketChannel.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/Channel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioDatagramChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/AbstractNioMessageChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/VoidChannelPromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelHandlerContext.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SucceededChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelConfig.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/CombinedIterator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOption.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/NioEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioDatagramChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoop.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/InternetProtocolFamily.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPromiseAggregator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractServerChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/EventLoopException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/AbstractOioMessageChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/package-info.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/FixedRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/DefaultChannelGroupFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalAddress.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/AbstractOioChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/socket/DefaultSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelInitializer.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/SocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MultithreadEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPipeline.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPipelineException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/AbstractOioByteChannel.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/ServerBootstrap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/CombinedChannelDuplexHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ServerChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/ChannelGroupFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/package-info.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelPromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/Bootstrap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/FileRegion.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelConfig.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project

*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ReflectiveChannelFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractEventLoop.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/PendingWriteQueue.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/EmbeddedChannelId.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/SelectorProviderUtil.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultSelectStrategy.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundInvoker.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DuplexChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/WriteBufferWaterMark.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SelectStrategy.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/ServerBootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/AbstractBootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultSelectStrategyFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/VoidChannelGroupFuture.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/PreferHeapByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/BootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelInboundInvoker.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/ChannelGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/ChannelMatchers.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AddressedEnvelope.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelProgressivePromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelProgressiveFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultAddressedEnvelope.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SimpleChannelInboundHandler.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/ChannelMatcher.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelProgressiveFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/ChannelGroupException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/ChannelHandlerAdapter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ConnectTimeoutException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/ChannelFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMessageSizeEstimator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/DefaultChannelGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelProgressivePromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySet.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelId.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MessageSizeEstimator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelId.java
*
 /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundBuffer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java

1.312 netty-codec-mqtt 4.1.93.Final

1.312.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageIdVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubscribeMessage.java
*
 /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttCodecUtil.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttTopicSubscription.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPublishMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectPayload.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttDecoder.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectVariableHeader.java
*
 /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageType.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPublishVariableHeader.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttIdentifierRejectedException.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectReturnCode.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttFixedHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubAckMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageFactory.java
*
 /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscribeMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnacceptableProtocolVersionException.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttVersion.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscribePayload.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttEncoder.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubAckPayload.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubscribePayload.java
*
 /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPubAckMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnAckMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnAckVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubAckMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectMessage.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttQoS.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageBuilders.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubAckPayload.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageIdAndPropertiesVariableHeader.java
*
 /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttReasonCodeAndPropertiesVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscriptionOption.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPubReplyMessageVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttProperties.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConstant.java
No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-mqtt/pom.xml

1.313 netty-transport-sctp 4.1.93.Final

1.313.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-sctp/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannelOption.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/Association.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/NotificationHandler.java
*
 /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/DefaultSctpChannelConfig.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannelConfig.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpNotificationHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpSocketOption.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/NioSctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/PeerAddressChangeNotification.java
*

/opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/ShutdownNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/MessageInfo.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpServerChannelConfig.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SendFailedNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/AssociationChangeNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/HandlerResult.java
*
/opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/AbstractNotificationHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/UnsupportedOperatingSystemException.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/Notification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpStandardSocketOptions.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/NioSctpServerChannel.java
*
/opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpMessage.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpOutboundByteStreamHandler.java
*
 /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/OioSctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/OioSctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpInboundByteStreamHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpMessageCompletionHandler.java
*
 /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpMessageToMessageDecoder.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/DefaultSctpServerChannelConfig.java

1.314 netty-handler-ssl-ocsp 4.1.93.Final

1.314.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspValidationEvent.java
*

/opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/IoTransport.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClient.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspServerCertificateValidator.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspHttpHandler.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspResponse.java
No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2022 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-handler-ssl-ocsp/pom.xml

1.315 netty-codec-http 4.1.93.Final

1.315.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
 in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java
*

/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpRequest.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpData.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpResponseEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpRequest.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentEncoder.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CookieDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentDecompressor.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpVersion.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpObjectAggregator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultCookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/package-info.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpResponseDecoder.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySession.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/QueryStringDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpObject.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MixedAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/package-info.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentCompressor.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeaderDateFormat.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpRequestEncoder.java
*

/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpObjectEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMessage.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/Attribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpObject.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpResponseStatus.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/LastHttpContent.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/Cookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfig.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/CorsHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyProtocolException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
*

/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeaderNames.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeaderValues.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpStatusClass.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMessageUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpChunkedInput.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionStatus.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/FullHttpMessage.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*

* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CompressionEncoderFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
 in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2012 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-codec-http/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*

*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Adaptation of https://bjoern.hoehrmann.de/utf-8/decoder/dfa/
*
* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to
 deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute,
* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all copies or
* substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING
* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/TooLongHttpHeaderException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/TooLongHttpContentException.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeaderValidationUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/TooLongHttpLineException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java
*
 /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java

1.316 j2objc-annotations 2.8

1.316.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/OnDealloc.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/LoopTranslation.java
*
 /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/WeakOuter.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/ObjectiveCName.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/AutoreleasePool.java

1.317 mysql-connector-j 8.0.33

1.317.1 Available under license :

Licensing Information User Manual

MySQL Connector/J 8.0

Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL Connector/J 8.0.

Last updated: February 2023

Licensing Information

This is a release of MySQL Connector/J 8.0, brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL Connector/J 8.0 is distributed with certain software that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional
permission to link the program and your derivative works with the separately licensed software that they have included

with the program.

Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at http://oss.oracle.com/licenses/universal-foss-exception.

Copyright (c) 2017, 2023, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at http://www.gnu.org/licenses/gpl-2.0.txt. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

==========
==========

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service
if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that
everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any

patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any

part thereof, to be licensed as
a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not
apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software
interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program
except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically
receives a license from the
original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through
you, then
the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to
make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of

the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type 'show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type 'show c'
for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and

'show c'; they could even be mouse-clicks or menu items--whatever
suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program 'Gnomovision' (which makes passes at compilers) written
by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library,
you may consider it more useful to permit linking proprietary
applications with the library. If this is what you want to do, use
the GNU Lesser General Public License instead of this License.

==========

==========

The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in
the distribution for this software, data, and/or documentation
(collectively the "Software", and such licenses collectively with this
additional permission the "Software License"), the copyright holders
wish to facilitate interoperability with other software, data, and/or
documentation distributed with complete corresponding source under a
license that is OSI-approved and/or categorized by the FSF as free
(collectively "Other FOSS"). We therefore hereby grant the following
additional permission with respect to the use and distribution of the
Software with Other FOSS, and the constants, function signatures, data
structures and other invocation methods used to run or interact with
each of them (as to each, such software's "Interfaces"):

i.
The Software's Interfaces may, to the extent permitted by the
license of the Other FOSS, be copied into, used and distributed in
the Other FOSS in order to enable interoperability, without
requiring a change to the license of the Other FOSS other than as
to any Interfaces of the Software embedded therein. The Software's
Interfaces remain at all times under the Software License,
including without limitation as used in the Other FOSS (which upon
any such use also then contains a portion of the Software under the
Software License).

ii. The Other FOSS's Interfaces may, to the extent permitted by the
license of the Other FOSS, be copied into, used and distributed in
the Software in order to enable interoperability, without requiring
that such Interfaces be licensed under the terms of the Software
License or otherwise altering their original terms, if this does
not require any portion of the Software
other than such Interfaces
to be licensed under the terms other than the Software License.

iii. If only Interfaces and no other code is copied between the
Software and the Other FOSS in either direction, the use and/or
distribution of the Software with the Other FOSS shall not be
deemed to require that the Other FOSS be licensed under the license
of the Software, other than as to any Interfaces of the Software
copied into the Other FOSS. This includes, by way of example and
without limitation, statically or dynamically linking the Software
together with Other FOSS after enabling interoperability using the
Interfaces of one or both, and distributing the resulting
combination under different licenses for the respective portions
thereof.

For avoidance of doubt, a license which is OSI-approved or
categorized by the FSF as free, includes, for the purpose of this
permission, such licenses
with additional permissions, and any
license that has previously been so approved or categorized as
free, even if now deprecated or otherwise no longer recognized as
approved or free. Nothing in this additional permission grants any
right to distribute any portion of the Software on terms other than
those of the Software License or grants any additional permission
of any kind for use or distribution of the Software in conjunction
with software other than Other FOSS.

==========
==========

Licenses for Third-Party Components

The following sections contain licensing information for libraries that
may be included with this product. We are thankful to all individuals
that have created these. Standard licenses referenced herein are
detailed in the Standard Licenses section.

c3p0 JDBC Library

The MySQL

Connector/J implements interfaces that are included in
c3p0, although no part of c3p0 is included or distributed with
MySQL.

Copyright (C) 2019 Machinery For Change, Inc.

* This library is free software; you can redistribute it and/or modify
* it under the terms of EITHER:
*
*   1) The GNU Lesser General Public License (LGPL), version 2.1, as
*   published by the Free Software Foundation
*
* OR
*
*   2) The Eclipse Public License (EPL), version 1.0
* You may choose which license to accept if you wish to redistribute
* or modify this work. You may offer derivatives of this work
* under the license you have chosen, or you may provide the same
* choice of license which you have been offered here.
*
* This software is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
*
* You should have received copies of both LGPL v2.1 and EPL v1.0
* along
 with this software; see the files LICENSE-EPL and LICENSE-LGPL.
* If not, the text of these licenses are currently available at
*
* LGPL v2.1: http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html
* EPL v1.0: http://www.eclipse.org/org/documents/epl-v10.php

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation

 distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone
acting on such Contributor's behalf. Contributions do not include additionsto the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such
derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other

intellectual
property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of
this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and
costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes
performance claims, or offers warranties
related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks

and costs
of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall
be reformed to the minimum extent necessary to make such
provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue
and
survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always

be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections
2(a) and 2(b)
above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The LGPL v2.1 can be found in
GNU Lesser General Public License v2.1, February 1999.
See the 'Standard Licenses' section for license text.

==========
==========

Google Protocol Buffers

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source
and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.

==========
==========

Unicode Data Files

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html.

Permission
is hereby granted, free of charge, to any person obtaining a copy
of the Unicode data files and any associated documentation (the "Data Files")
or Unicode software and any associated documentation (the "Software") to deal
in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit persons to
whom the Data Files or Software are furnished to do so, provided that (a) the
above copyright notice(s) and this permission notice appear with all copies
of the Data Files or Software, (b) both the above copyright notice(s) and
this permission notice appear in associated documentation, and (c) there is
clear notice in each modified Data File or in the Software as well as in the
documentation associated with the Data File(s) or Software that the data or
software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD
PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR
SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be
used in advertising or otherwise to promote the sale, use or other dealings in
these Data Files or Software without prior written authorization of the
copyright holder.

==========
==========

Standard Licenses

GNU Lesser General Public License
v2.1, February 1999

The following applies to all products licensed under the
GNU Lesser General Public License, Version 2.1: You may
not use the identified files except in compliance with
the GNU Lesser General Public License, Version 2.1 (the
"License"). You may obtain a copy of the License at
http://www.gnu.org/licenses/lgpl-2.1.html. A copy of the
license is also reproduced below. Unless required by
applicable law or agreed to in writing, software distributed
under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
or implied. See the License for the specific language governing
permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the
library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library
must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge

a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the
whole must be on the terms of
this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library
even though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library
to produce a
work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable
"work that
uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application

to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the

Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you
redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free
redistribution of the Library by
all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended

to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through
any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a
version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO
THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY
TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you
can redistribute it and/or
modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby
disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

==========
==========

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is
licensed under an open source license that gives you the right to
receive the source code for that binary, you can obtain a copy of the
applicable source code by visiting
http://www.oracle.com/goto/opensourcecode. If the source code for the
binary was not provided to you with the binary, you can also receive a
copy of the source code on physical media by submitting a written
request to the address listed below or by sending an email to Oracle
using the following link:
http://www.oracle.com/goto/opensourcecode/request.

Oracle America, Inc.
Attn: Senior Vice President
Development and Engineering Legal

500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Your request should include:

* The name of the binary for which you are requesting the source code

* The name and version number of the Oracle product containing the binary

* The date you received the Oracle product

* Your name

* Your company name (if applicable)

* Your return mailing address and email, and

* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or

b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: @PRODUCT@
Upstream-Contact: MySQL Release Engineering <mysql-build@oss.oracle.com>
Source: http://dev.mysql.com/

Files: *
Copyright: 2002, 2021, Oracle and/or its affiliates.
License:
For licensing information see the LICENSE file in this distribution.

1.318 reload4j 2.20.0

1.318.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Log4j
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Dumbster SMTP test server
Copyright 2004 Jason Paul Kitchen
Apache Log4j
Copyright 1999-2023 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Dumbster SMTP test server
Copyright 2004 Jason Paul Kitchen

TypeUtil.java
Copyright 2002-2012 Ramnivas Laddad, Juergen Hoeller, Chris Beams

picocli (http://picocli.info)

Copyright 2017 Remko Popma

TimeoutBlockingWaitStrategy.java and parts of Util.java
Copyright 2011 LMAX Ltd.

1.319 protobuf-java 3.22.5

1.319.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/type.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/any.proto
*
 /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/struct.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/empty.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/duration.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/api.proto

1.320 liquibase-core 4.22.0

1.321 guava 32.0.0-jre

1.321.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.322 snappy 0.3

1.322.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Memory.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyCompressor.java

*
/opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Main.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/UnsafeMemory.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyDecompressor.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyInternalUtils.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/CorruptionException.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Snappy.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SlowMemory.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyInputStream.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Crc32C.java
*
/opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyOutputStream.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/BufferRecycler.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/HadoopSnappyCodec.java

1.323 lucene 9.6.0

1.323.1 Available under license :

Apache Lucene
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Includes software from other Apache Software Foundation projects,
including, but not limited to:
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See http://unicode.org/copyright.html for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is

BSD-licensed, created by Anders Mller. See http://www.brics.dk/automaton/

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre. This
library is available under an MIT license,
see http://sites.google.com/site/rrettesite/moman and
http://bitbucket.org/jpbarrette/moman/overview/

The class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4
compression library (https://github.com/lz4/lz4/tree/dev/lib) that is licensed
under the 2-clause BSD license.
(https://opensource.org/licenses/bsd-license.php)

The Google Code Prettify is Apache License 2.0.
See http://code.google.com/p/google-code-prettify/

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin
g Package (jaspell): http://jaspell.sourceforge.net/
License: The BSD License (http://www.opensource.org/licenses/bsd-license.php)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were
developed by Martin Porter and Richard Boulton.
The full snowball package is available from
https://snowballstem.org/

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt
See http://members.unine.ch/jacques.savoy/clef/index.html.

The
German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The
Stempel analyzer (stempel) includes BSD-licensed software developed
by the Egothor project http://egothor.sf.net/, created by Leo Galambos, Martin Kvapil,
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default
stopword list that is BSD-licensed created by the Carrot2 project. The file resides
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.
See https://github.com/carrot2/carrot2.

The SmartChineseAnalyzer source code (smartcn) was
provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under modules/analysis/common/src/test/)
is derived from Unicode data such as the Unicode Character Database.
See http://unicode.org/copyright.html for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software
developed by Dawid Weiss and Marcin Mikowski
(https://github.com/morfologik/morfologik-stemming)
and uses
data from the BSD-licensed dictionary of Polish (SGJP, http://sgjp.pl/morfeusz/).

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original
source code for this can be found at http://www.eclipse.org/jetty/downloads.php

==
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
==

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz

or

http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz

==========
mecab-ipadic-2.7.0-20070801 Notice
==========

Nara
Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and
that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of

the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising
 from or
otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material
or result produced or otherwise obtained by using the program,
regardless of whether they have been advised of, or otherwise had
knowledge of, the possibility of such damages at any time during the
project or thereafter. Each user will be deemed to have agreed to the
foregoing by his or her commencement of use of the program. The term
"use" as used herein includes, but is not limited to, the use,
modification, copying and distribution of the program and
 the
production of secondary products from the program.

In the case where the program, whether in its original form or
modified, was distributed or delivered to or received by a user from
any person, organization or entity other than ICOT, unless it makes or
grants independently of ICOT any specific warranty to the user in
writing, such person, organization or entity, will also be exempted
from and not be held liable to the user for any such damages as noted
above as far as the program is concerned.

==========
Nori Korean Morphological Analyzer - Apache Lucene Integration
==========

This software includes a binary and/or source version of data from

 mecab-ko-dic-2.0.3-20170922

which can be obtained from

 https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from unicode conversion examples available at
http://www.unicode.org/Public/PROGRAMS/CVTUTF. Here is the copyright
from those sources:

```
/*
* Copyright 2001-2004 Unicode, Inc.
*
* Disclaimer
*
* This source code is provided as is by Unicode, Inc. No claims are
* made as to fitness for any particular purpose. No warranties of any
* kind are expressed or implied. The recipient agrees to determine
* applicability of information provided. If this file has been
* purchased on magnetic or optical media from Unicode, Inc., the
* sole remedy for any claim
 will be exchange of defective media
* within 90 days of receipt.
*
* Limitations on Rights to Redistribute This Code
*
* Unicode, Inc. hereby grants the right to freely use the information
* supplied in this file in the creation of products supporting the
* Unicode Standard, and to make copies of this file in any form
* for internal or external distribution as long as this notice
* remains attached.
*/
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was

derived from Python 2.4.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/2.4.2/license/

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from Python 3.1.2 sources available at
http://www.python.org. Full license is here:

http://www.python.org/download/releases/3.1.2/license/

Some code in core/src/java/org/apache/lucene/util/automaton was
derived from Brics automaton sources available at
www.brics.dk/automaton/.
Here is the copyright from those sources:

```
/*
* Copyright (c) 2001-2009 Anders Moeller
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*    derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton
were automatically generated with the moman/finenight FSA package.
Here is the copyright for those sources:

Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including
 without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:
#
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was
derived from ICU (http://www.icu-project.org)
The full license is available
 here:
 https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE

/*
* Copyright (C) 1999-2010, International Business Machines
* Corporation and others. All Rights Reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR
 PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE

* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*
* Except as contained in this notice, the name of a copyright holder shall not
* be used in advertising or otherwise to promote the sale, use or other
* dealings in this Software without prior written authorization of the
* copyright holder.
*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter
Copyright (c) 2002, Richard Boulton
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holders nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,
Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The names "Center for Intelligent
Information Retrieval" and
"University of Massachusetts" must not be used to endorse or promote products
derived from this software without prior written permission. To obtain
permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of Morfologik nor the names of its contributors
may be used to endorse or promote products derived from this software

without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at http://www.sjp.pl/slownik/en/ and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

The
following license applies to the Morfeusz project,
used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)
http://sgjp.pl/morfeusz/

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (https://github.com/lz4/lz4/tree/dev/lib) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library
Copyright (c) 2011-2016, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.324 netty-transport-native-epoll 4.1.93.Final

1.324.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/META-INF/maven/io.netty/netty-transport-native-epoll/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/netty_epoll_native.c
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/netty_epoll_linuxsocket.h
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/netty_epoll_linuxsocket.c

1.325 netty-resolver-dns-native-macos 4.1.93.Final

1.325.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2019 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1743695117_1689340444.9948363/0/netty-resolver-dns-native-macos-4-1-93-final-jar/META-

INF/maven/io.netty/netty-resolver-dns-native-macos/pom.xml
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Implementation-Title: Netty/Resolver/DNS/Native/MacOS
Bundle-Description: Netty is an asynchronous event-driven network appl
ication framework for rapid development of maintainable high perfo
rmance protocol servers and clients.
Automatic-Module-Name: io.netty.resolver.dns.macos.osx.aarch_64
Bundle-License: https://www.apache.org/licenses/LICENSE-2.0
Bundle-SymbolicName: io.netty.resolver-dns-native-macos
Implementation-Version: 4.1.93.Final
Built-By: norman
Bnd-LastModified: 1684999969345
Bundle-ManifestVersion: 2
Implementation-Vendor-Id: io.netty
Bundle-DocURL: https://netty.io/
Bundle-Vendor: The Netty Project
Import-Package: sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;
version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="
[1,2)";resolution:=optional
Tool: Bnd-6.3.1.202206071316
Implementation-Vendor: The Netty Project
Bundle-Name: Netty/Resolver/DNS/Native/MacOS
Bundle-Version:
4.1.93.Final
Build-Jdk-Spec: 1.8
Created-By: Apache Maven Bundle Plugin 5.1.8
Build-Jdk: 1.8.0_252
Implementation-URL: https://netty.io/netty-resolver-dns-native-macos/

Found in path(s):
* /opt/cola/permits/1743695117_1689340444.9948363/0/netty-resolver-dns-native-macos-4-1-93-final-jar/META-INF/MANIFEST.MF

1.326 netty-transport-native-kqueue 4.1.93.Final

1.326.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_eventarray.h
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_eventarray.c
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_native.c
*
 /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_bsdsocket.c
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_bsdsocket.h
No license file was found, but licenses were detected in source scan.

<!--
 ~ Copyright 2016 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~   https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
 -->

Found in path(s):
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/META-INF/maven/io.netty/netty-transport-native-kqueue/pom.xml

1.327 netty 4.1.93.Final

1.327.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free  of charge, to any person obtaining
* a  copy  of this  software  and  associated  documentation files  (the
* "Software"), to  deal in  the Software without  restriction, including
* without
 limitation  the rights to  use, copy, modify,  merge, publish,
* distribute,  sublicense, and/or sell  copies of  the Software,  and to
* permit persons to whom the Software  is furnished to do so, subject to
* the following conditions:
*
* The  above  copyright  notice  and  this permission  notice  shall  be
* included in all copies or substantial portions of the Software.
*
* THE  SOFTWARE IS  PROVIDED  "AS  IS", WITHOUT  WARRANTY  OF ANY  KIND,
* EXPRESS OR  IMPLIED, INCLUDING  BUT NOT LIMITED  TO THE  WARRANTIES OF
* MERCHANTABILITY,  FITNESS  FOR  A  PARTICULAR  PURPOSE  AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE,  ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/
```

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/CommonsLogger.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/JdkLogger.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4JLogger.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/InternalLogger.java
No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-INF/maven/io.netty/netty-common/pom.xml
No license file was found, but licenses were detected in source scan.

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
 <modelVersion>4.0.0</modelVersion>

 <artifactId>jctools-core</artifactId>
 <groupId>org.jctools</groupId>
 <version>3.1.0</version>
 <name>Java Concurrency Tools Core Library</name>
 <description>Java Concurrency Tools Core Library</description>
 <packaging>bundle</packaging>

 <dependencies>
  <dependency>
   <groupId>org.hamcrest</groupId>
   <artifactId>hamcrest-all</artifactId>
   <version>${hamcrest.version}</version>

```
 <scope>test</scope>
</dependency>

<dependency>
 <groupId>junit</groupId>
 <artifactId>junit</artifactId>
 <version>${junit.version}</version>
 <scope>test</scope>
</dependency>

<dependency>
 <groupId>com.google.guava</groupId>
 <artifactId>guava-testlib</artifactId>
 <version>${guava-testlib.version}</version>
 <scope>test</scope>
</dependency>
</dependencies>
<build>
 <plugins>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-surefire-plugin</artifactId>
   <version>3.0.0-M3</version>
   <configuration>
    <includes>
     <include>*</include>
    </includes>
   </configuration>
  </plugin>
  <plugin>
   <groupId>org.apache.felix</groupId>
   <artifactId>maven-bundle-plugin</artifactId>
   <version>4.2.1</version>
   <extensions>true</extensions>
   <configuration>
    <instructions>
     <Import-Package>sun.misc;resolution:=optional</Import-Package>
    </instructions>
   </configuration>
  </plugin>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-source-plugin</artifactId>
   <version>3.2.0</version>
   <executions>
    <execution>
     <id>attach-sources</id>
     <phase>verify</phase>
```

```
    <goals>
     <goal>jar-no-fork</goal>
    </goals>
   </execution>
  </executions>
 </plugin>
 <plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>3.1.1</version>
  <configuration>
   <additionalOptions>
    <additionalOption>-Xdoclint:none</additionalOption>
   </additionalOptions>
   <source>8</source>
  </configuration>
  <executions>
   <execution>
    <id>attach-javadocs</id>
    <goals>
     <goal>jar</goal>
    </goals>
   </execution>
  </executions>
 </plugin>
</plugins>
</build>

<distributionManagement>
 <repository>
  <id>bintray-jctools-jctools</id>
  <name>jctools-jctools</name>
  <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
 </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
 <license>
  <name>Apache
License, Version 2.0</name>
  <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
  <distribution>repo</distribution>
 </license>
</licenses>
```

```
<scm>
 <url>https://github.com/JCTools/JCTools</url>
 <connection>scm:git:https://github.com/JCTools/JCTools</connection>
 <tag>HEAD</tag>
</scm>

<developers>
 <developer>
  <url>https://github.com/nitsanw</url>
 </developer>
 <developer>
  <url>https://github.com/mjpt777</url>
 </developer>
 <developer>
  <url>https://github.com/RichardWarburton</url>
 </developer>
 <developer>
  <url>https://github.com/kay</url>
 </developer>
 <developer>
  <url>https://github.com/franz1981</url>
 </developer>
</developers>

<prerequisites>
 <maven>3.5.0</maven>
</prerequisites>

<properties>
 <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
 <java.version>1.6</java.version>
 <java.test.version>1.8</java.test.version>

 <maven.compiler.source>${java.version}</maven.compiler.source>
 <maven.compiler.target>${java.version}</maven.compiler.target>
 <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
 <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

 <hamcrest.version>1.3</hamcrest.version>
 <junit.version>4.12</junit.version>
 <guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

Found
 in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
```

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/NetUtilInitializations.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DomainWildcardMappingBuilder.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/NetUtilSubstitutions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ThreadExecutorMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/ObjectPool.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/PlatformDependentSubstitution.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/CleanerJava6Substitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/PlatformDependent0Substitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/Hidden.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/UnsafeRefArrayAccessSubstitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ReferenceCountUpdater.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakHint.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/NativeLibraryLoader.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/IntegerHolder.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/InternalThreadLocalMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ThreadDeathWatcher.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/PromiseAggregator.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AsciiString.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocal.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/UnpaddedInternalThreadLocalMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/PromiseNotifier.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DomainNameMapping.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Mapping.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/DefaultPriorityQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ThreadProperties.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PriorityQueueNode.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/LongCounter.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/AbstractScheduledEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DomainMappingBuilder.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AsyncMapping.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/HashingStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocalRunnable.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/Cleaner.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/CleanerJava9.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/UnorderedThreadPoolEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/IntSupplier.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/MacAddressUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ConstantTimeUtils.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakTracker.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PromiseNotificationUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/NativeLibraryUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakDetectorFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/OrderedEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/OutOfDirectMemoryError.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/BooleanSupplier.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/SocketUtils.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/PromiseCombiner.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/UnaryPromiseNotifier.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutorChooserFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/EventExecutorChooserFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/RejectedExecutionHandlers.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4J2Logger.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4J2LoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ThrowableUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/UnstableApi.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/RejectedExecutionHandler.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/NonStickyEventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DomainNameMappingBuilder.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/CharCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/IntCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/IntObjectMap.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ShortObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ByteObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/LongCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/LongObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ShortCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ObjectUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/CharObjectHashMap.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ByteObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ShortObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/LongObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/collection/ByteCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/CharObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/IntObjectHashMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/EventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/EventExecutor.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/HashedWheelTimer.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Slf4JLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/SucceededFuture.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/NetUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AttributeKey.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/CommonsLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AbstractConstant.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/SystemPropertyUtil.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/IllegalReferenceCountException.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/BlockingOperationException.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/MultithreadEventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Timer.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/TimerTask.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/InternalLogLevel.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Slf4JLogger.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FailedFuture.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Signal.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AttributeMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4JLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Constant.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/JdkLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutorGroup.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/SingleThreadEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/StringUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/CharsetUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DefaultAttributeMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/InternalLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/AbstractInternalLogger.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/Attribute.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/GlobalEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PlatformDependent.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Timeout.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ResourcesUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ByteProcessorUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/CleanerJava6.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocalThread.java
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-INF/native-image/io.netty/netty-common/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ClassInitializerUtil.java
No license file was found, but licenses were detected in source scan.

Copyright 2019 The Netty Project
#
The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
#
https://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.
io.netty.util.internal.Hidden$NettyBlockHoundIntegration

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* https://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ThreadLocalRandom.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/MathUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ByteProcessor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeak.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/CompleteFuture.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ImmediateExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ScheduledFuture.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Recycler.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/PromiseTask.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/AbstractEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakException.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/concurrent/DefaultProgressivePromise.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ReadOnlyIterator.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/TypeParameterMatcher.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Version.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ConcurrentSet.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ImmediateEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ThreadPerTaskExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultFutureListeners.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PendingWrite.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakDetector.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultPromise.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ReferenceCounted.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AbstractReferenceCounted.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ConstantPool.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/NoOpTypeParameterMatcher.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/EmptyArrays.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ProgressivePromise.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultThreadFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/RecyclableArrayList.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/GenericFutureListener.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ReferenceCountUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/GenericProgressiveFutureListener.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/package-info.java

*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/Future.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/AbstractEventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PlatformDependent0.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FutureListener.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/AppendableCharSequence.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ScheduledFutureTask.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/Promise.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ProgressiveFuture.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/SuppressJava6Requirement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/EmptyPriorityQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PriorityQueue.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/UncheckedBooleanSupplier.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ReflectionUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ObjectCleaner.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/LongAdderCounter.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/LocationAwareSlf4JLogger.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/SuppressForbidden.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/NettyRuntime.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```
/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free  of charge, to any person obtaining
* a  copy  of this  software  and  associated  documentation files  (the
* "Software"), to  deal in  the Software without  restriction, including
* without
 limitation  the rights to  use, copy, modify,  merge, publish,
* distribute,  sublicense, and/or sell  copies of  the Software,  and to
* permit persons to whom the Software  is furnished to do so, subject to
* the following conditions:
*
* The  above  copyright  notice  and  this permission  notice  shall  be
* included in all copies or substantial portions of the Software.
*
* THE  SOFTWARE IS  PROVIDED  "AS  IS", WITHOUT  WARRANTY  OF ANY  KIND,
* EXPRESS OR  IMPLIED, INCLUDING  BUT NOT LIMITED  TO THE  WARRANTIES OF
* MERCHANTABILITY,  FITNESS  FOR  A  PARTICULAR  PURPOSE  AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE,  ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/FormattingTuple.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/MessageFormatter.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscChunkedAtomicArrayQueue.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeJvmInfo.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpscArrayQueue.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscLinkedQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/QueueFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/PortableJvmInfo.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcArrayQueue.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueueUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscGrowableAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseSpscLinkedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpscGrowableArrayQueue.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/ConcurrentAutoTable.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashSet.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/AbstractEntry.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseLinkedQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpmcArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpscChunkedArrayQueue.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Preference.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/RangeUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeAccess.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMap.java
*
 /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscGrowableArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/Pow2.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingSetInt.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/InternalAPI.java

*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddChunk.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeRefArrayAccess.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpscLinkedQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Ordering.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseSpscLinkedAtomicArrayQueue.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscCompoundQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpscUnboundedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SupportsIterator.java
*
/opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/LinkedQueueNode.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java

1.328 elasticsearch 8.8.1

1.328.1 Available under license :

Source code in this repository is covered by (i) a dual license under the Server Side Public License, v 1 and the Elastic License 2.0 or (ii) an Apache License 2.0 compatible license or (iii) solely under the Elastic License 2.0, in each case, as noted in the applicable header. The default throughout the repository is a dual license under the Server Side Public License, v 1 and the Elastic License 2.0, unless the header specifies another license. Code that is licensed solely under the Elastic License 2.0 is found only in the x-pack folder.

Server Side Public License
VERSION 1, OCTOBER 16, 2018

Copyright © 2018 MongoDB, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

TERMS AND CONDITIONS

0. Definitions.

“This License” refers to Server Side Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying,

distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees
may convey the work under this License, and
how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language. The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface
for which an implementation is available to the
public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked

subprograms
that the work is specifically designed to require, such as by intimate
data communication or control flow between those subprograms and other
parts of the work.

The Corresponding Source need not include anything that users can
regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program, subject to section 13. The
output from running a covered work is covered by this License only if the
output, given its content, constitutes a covered work. This License
acknowledges your rights of fair use or other equivalent, as provided by
copyright law. Subject to section 13, you may make, run and propagate

covered works that you do not convey, without conditions so long as your
license otherwise remains in force. You may convey covered works to
others for the sole purpose of having them make modifications exclusively
for you, or provide you with facilities for running those works, provided
that you comply with the terms of this License in conveying all
material for which you do not control copyright. Those thus making or
running the covered works for you must do so exclusively on your
behalf, under your direction and control, on terms that prohibit them
from making any copies of your copyrighted material outside their
relationship with you.

Conveying under any other circumstances is permitted solely under the
conditions stated below. Sublicensing is not allowed; section 10 makes it
unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological
measure under any applicable law
fulfilling obligations under article 11
of the WIPO copyright treaty adopted on 20 December 1996, or similar laws
prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention is
effected by exercising rights under this License with respect to the
covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the
code; keep intact all notices
of the absence of any warranty; and give all recipients a copy of this License along with the Program. You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to “keep intact all notices”.

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License
will therefore
apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on

a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to

satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal
property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified
version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide

support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent
that
they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions. When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16
of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or

authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms
are considered “further
restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms. Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and

you cure
the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic
Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of
the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further
modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone
to copy,
free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work
authorizing them to use, propagate, modify or convey a
specific copy of the covered work, then the patent license you grant is

automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot use, propagate or convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not use, propagate or convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Offering the Program as a Service.

If you make the functionality of the Program or a modified version available to third parties as a service, you must make the Service Source Code available via network download to everyone at no charge, under the terms of this License. Making the functionality of the Program or modified version available to third parties as a service includes, without limitation, enabling third parties to interact with the functionality of the Program or modified version remotely through a computer network, offering a service the value of which entirely or primarily derives from the value of the Program or modified version, or

offering a service that accomplishes for users the primary purpose of the Program or modified version.

“Service Source Code” means the Corresponding Source for the Program or the modified version,
and the Corresponding Source for all programs that
you use to make the Program or modified version available as a service,
including, without limitation, management software, user interfaces,
application program interfaces, automation software, monitoring software,
backup software, storage software and hosting software, all such that a
user could run an instance of the service using the Service Source Code
you make available.

14. Revised Versions of this License.

MongoDB, Inc. may publish revised and/or new versions of the Server Side Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the Server Side Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that
numbered version or of
any later version published by MongoDB, Inc. If the Program does not specify a version number of the Server Side Public License, you may choose any version ever published by MongoDB, Inc.

If the Program specifies that a proxy can decide which future versions of the Server Side Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED
TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF

ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING
ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF
THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO
LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU
OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer
of warranty and limitation of liability provided above
cannot be given local legal effect according to their terms, reviewing
courts shall apply local law that most closely approximates an absolute
waiver of all civil liability in connection with the Program, unless a
warranty or assumption of liability accompanies a copy of the Program in
return for a fee.

END OF TERMS AND CONDITIONS

Elastic License 2.0

URL: https://www.elastic.co/licensing/elastic-license

Acceptance

By using the software, you agree to all of the terms and conditions below.

Copyright License

The licensor grants you a non-exclusive, royalty-free, worldwide,
non-sublicensable, non-transferable license to use, copy, distribute, make
available, and prepare derivative works of the software, in each case subject to
the limitations and conditions below.

Limitations

You may not provide the software to third parties as a hosted or managed

service, where the service provides
users with access to any substantial set of
the features or functionality of the software.

You may not move, change, disable, or circumvent the license key functionality in the software, and you may not remove or obscure any functionality in the software that is protected by the license key.

You may not alter, remove, or obscure any licensing, copyright, or other notices of the licensor in the software. Any use of the licensor's trademarks is subject to applicable law.

Patents

The licensor grants you a license, under any patent claims the licensor can license, or becomes able to license, to make, have made, use, sell, offer for sale, import and have imported the software, in each case subject to the limitations and conditions in this license. This license does not cover any patent claims that you cause to be infringed by modifications or additions to the software. If you or your company make any written claim that the software infringes or contributes to infringement of any
patent, your patent license for
the software granted under these terms ends immediately. If your company makes such a claim, your patent license ends immediately for work on behalf of your company.

Notices

You must ensure that anyone who gets a copy of any part of the software from you also gets a copy of these terms.

If you modify the software, you must include in any modified copies of the software prominent notices stating that you have modified the software.

No Other Rights

These terms do not imply any licenses other than those expressly granted in these terms.

Termination

If you use the software in violation of these terms, such use is not licensed, and your licenses will automatically terminate. If the licensor provides you with a notice of your violation, and you cease all violation of this license no later than 30 days after you receive that notice, your licenses will be reinstated retroactively. However, if you violate these terms after such reinstatement, any

additional violation of these terms will cause your licenses to terminate automatically and permanently.

No Liability

As far as the law allows, the software comes as is, without any warranty or condition, and the licensor will not be liable to you for any damages arising out of these terms or the use or nature of the software, under any kind of legal claim.

Definitions

The **licensor** is the entity offering these terms, and the **software** is the software the licensor makes available under these terms, including any portion of it.

you refers to the individual or entity agreeing to these terms.

your company is any legal entity, sole proprietorship, or other kind of organization that you work for, plus all organizations that have control over, are under the control of, or are under common control with that organization. **control** means ownership of substantially all the assets of an entity, or the power to direct its management and policies by vote, contract, or otherwise.
Control can be direct or indirect.

your licenses are all the licenses granted to you for the software under these terms.

use means anything you do with the software requiring one of your licenses.

trademark means trademarks, service marks, and similar rights.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries.To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.